



s.c. INNOVATIVE BUSINESS SERVICES s.r.l.

430282 BAIJA-MARE Str.Culturii Nr10/28; Punct de lucru Str. George cosbuc 15/2

e-mail: andrei @ haiduc.ro www.haiduc.ro

tel: 0723325455 fix: 0362402267

Baia-Mare: Nr. Inreg. J/24/482/2003; Cod Fiscal: RO15401710; Cont: RO12 UGBI 0000 3520 0096 8RON GARANTI Baia-Mare

[Notebook](#) [Placi video](#) [Imprimante](#)
[Sisteme](#) [Placi de sunet](#) [MP3 / DVD](#)
[PDA / GPS](#) [TV Tunere](#) [Foto / Video](#)
[Procesoare](#) [Carcase / PS](#) [Flash Mem.](#)
[Coolere](#) [Tast. / Maus](#) [Wireless](#)
[Pl. de baza](#) [Boxe](#) [Wired](#)
[Memorii](#) [Camere Web](#) [Fax-uri / Tel](#)
[Hdd / Fdd](#) [Gaming](#) [UPS / Acces](#)
[Unit. Optice](#) [Monitoare](#) [Software](#)

| 21.09.2010 - 28.09.2010 | | | | | | | | | |
|-------------------------|-------|--|---------|------|----------|------|------|-------|--|
| Grupa | Brand | Caracteristici | Pret | Val. | LEI | Stoc | Gar. | Cod | |
| | | Notebook / Laptop | 0 | | | 0 | | | |
| Notebook / La | Acer | Notebook Acer AspireOne 532h-2Db, 10.1" SD 1024 x 600 (WSVGA) LED LCD, Intel Atom N450 1.66GHz, Video Intel 4500M, 1 GB DDR2 800, 250 GB HDD, 5in1 Card reader, WLAN 802.11b/g, Webcam 0.3M LDV, Bluetooth, 3 cell, culoare Dark Blue, Windows7 Starte, Garantie 6 luni baterie | 276.976 | EUR | 1465.498 | C | 12 | 23424 | |
| Notebook / La | Acer | Notebook Acer AspireOne AOD260-2Dpu, 10.1" LED LCD 1024x600, Intel Atom N450 1.66GHz, Intel GMA 3150 64MB, 1GB DDR2 667MHz, 160 GB HDD, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Bluetooth 3.0+HS, webcam 1.3M, 6-cell, Windows 7 Starter 32bit, Pink, Garantie 6 luni baterie | 284.592 | EUR | 1505.795 | C | 12 | 25704 | |
| Notebook / La | Acer | Notebook Acer AspireOne AOD260-2Dss, 10.1" LED LCD 1024x600, Intel Atom N450 1.66GHz, Intel GMA 3150 64MB, 1GB DDR2 667MHz (1x 1GB), 160 GB HDD, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Bluetooth 3.0+HS, webcam 1.3M, 6-cell- up to 8h, Windows 7 Starter 32-bit, Silver, Garantie 6 luni baterie | 284.592 | EUR | 1505.795 | C | 12 | 25705 | |
| Notebook / La | Acer | Notebook Acer AspireOne AOD260-2Duu, 10.1" LED LCD 1024x600, Intel Atom N450 1.66GHz, Intel GMA 3150 64MB, 1B DDR2 667MHz (1x 1GB), 160 GB HDD, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Bluetooth 3.0+HS, webcam 1.3M, 6-cell - up to 8h, Windows 7 Starter 32-bit, Purple, Garantie 6 luni baterie | 284.592 | EUR | 1505.795 | 0 | 12 | 25706 | |
| Notebook / La | Acer | Notebook Acer AspireOne AO532h-2Cb, 10.1" LED LCD 1024x600, Intel Atom N450 1.66GHz, 512KB cache, UMA N, 1GB DDR2 667MHz (1x 1GB), 160 GB HDD, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Acer Crystal Eye webcam 0.3M LDV, 3-cell Li-IonDark Blue, Limpus Lite Moblin | 225.232 | EUR | 1191.725 | S | 12 | 23235 | |
| Notebook / La | Acer | Notebook Acer AspireOne AO532h-2Db, 10.1" LED LCD 1024x600, Intel Atom N450 1.66GHz, 512KB cache, UMA N, 1GB DDR2 667MHz (1x 1GB), 160 GB HDD, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 0.3MLDV, 3-cell Li-ion battery, Dark Blue, Windows 7 Starter 32-bit | 269.248 | EUR | 1424.618 | C | 12 | 23236 | |
| Notebook / La | Acer | Notebook Acer eMachines eM350-21G16ikk, 10.1" LED LCD 1024x600, Intel Atom N450 1.66GHz, Video Intel GMA 3150M, 1GB DDR2 667MHz (1x 1GB), 160 GB HDD SATA, 2-in-1 card reader, 802.11b/g/n, Acer Crystal Eye webcam 0.3M LDV, 3-cell Li-ion battery, Black, Windows 7 Starter 32-bit, Garantie 6 luni baterie | 251.664 | EUR | 1331.579 | C | 12 | 25755 | |
| Notebook / La | Acer | Notebook Acer Aspire 1825PTZ-412G25n, 11.6" HD 1366 x 768 (WXGA) LED LCD,), Intel SU4100 1.3 GHz, Video Intel 4500MHD, 1 x 2 GB DDR3 1066Mhz, 250 GB HDD, Card reader 5in1, WLAN 802.11b/g/n, Webcam 0.3 MP, 6 cell, Windows 7 Home Premium 64bit, Garantie 6 luni baterie | 570.304 | EUR | 3017.526 | C | 12 | 23431 | |
| Notebook / La | Acer | Notebook Acer Aspire AS1825PT-734G32n, 11.6" Touch HD Acer LED LCD 1366x768, Intel Core2 Duo SU7300 1.3 GHz, UMA N, 4 GB DDR 3 (2x 2GB), 320 GB, Multi-in-1 card reader, Acer Nplify 802.11a/b/g/n, Bluetooth 2.1+EDR, webcam 0.3M LDV, 6-cellLi-Ion, Windows 7 Home Premium 64-bit, black | 664.832 | EUR | 3517.685 | C | 12 | 23239 | |
| Notebook / La | Acer | Notebook Acer Aspire AS1825PT-734G32n, 11.6" Touch HD Acer LED LCD 1366x768, Intel Core2 Duo SU7300 1.3 GHz, UMA N, 4 GB DDR 3 (2x 2GB), 320 GB HDD, Multi-in-1 card reader, Acer Nplify802.11a/b/g/n, Bluetooth 2.1+EDR, webcam 0.3M LDV, 6-cell Li-Ion, Windows 7 Home Premium 64-bit, red | 664.832 | EUR | 3517.685 | C | 12 | 23240 | |
| Notebook / La | Acer | Notebook Acer Aspire AS1825PTZ-413G32n, 11.6" HD Acer LED LCD 1366x768, Intel Pentium SU4100 1.3 GHz, UMA N, 3GB DDR3 (2GB + 1GB), 320 GB HDD, Multi-in-1 card reader, 802.11b/g/n, Bluetooth 2.1+EDR, webcam 0.3M LDV, 6-cell Li-ion battery,Windows 7 Home Premium 64-bit, red | 582.4 | EUR | 3081.523 | C | 12 | 23242 | |
| Notebook / La | Acer | Notebook Acer Aspire AS1825PTZ-413G32n, 11.6" HD Acer LED LCD 1366x768, Intel Pentium SU4100 1.3 GHz, UMA N, 3 GB DDR 3 (2GB + 1GB), 320 GB, Multi-in-1 card reader, 802.11b/g/n, Bluetooth 2.1+EDR, webcam 0.3M LDV, 6-cell, Windows 7 Home Premium, black | 582.4 | EUR | 3081.523 | C | 12 | 23241 | |
| Notebook / La | Acer | Notebook Acer Ferrari One 200-313G25n, 11.6" HD 1366 x 768 (WXGA) LED LCD, AMD 64 X2 L310 1.20 GHz, Ati 3200M, 3 GB DDR2 1066MHz, 250 GB HDD, Card reader 5in1, WLAN 802.11b/g/n, Bluetooth, Webcam 0.3M DV, 6 cell, Windows 7 Home Premium 64bit, Garantie 6 luni baterie | 493.36 | EUR | 2610.406 | 0 | 12 | 23432 | |
| Notebook / La | Acer | Notebook Acer TravelMate 6293-654G32Mn, 12.1" WXGA LED LCD, Intel Core2 Duo T6570 2.1 GHz, 800 MHz FSB, UMA VGA, 4GB DDR3 1066MHz (2GB + 2GB), 320 GB 7200RPM HDD, DVD-Super Multi DL drive, Multi-in-1 card reader, Acer Nplify 802.11a/b/g/n,Bluetooth 2.1+EDR, Acer Crystal Eye webcam 0.3M DV, 6-cell Li-ion battery, Fingerprint, Windows 7 Professional | 595.616 | EUR | 3151.456 | 0 | 12 | 23286 | |
| Notebook / La | Acer | Notebook Acer Aspire AS3935-743G25Mn, 13.3" WXGA, Intel Core 2 Duo P7450, 3GB DDR3, 250GB, DVD-RW, webcam, bluetooth, card reader, 6 cell, linux | 801.696 | EUR | 4241.843 | 0 | 12 | 23243 | |
| Notebook / La | Acer | Notebook Acer Timeline TM8371-354G32n, 13.3" WXGA TFT, Intel C2S SU3500, 4GB DDR3, 320GB, No ODD, Intel GMA4500MHD, WLAN 802.11 b/g/draftN, Bluetooth, 0.3MP camera, Card Reader, GB Lan, Fingerprint reader, 6 cell, Vista Business, Gar.6 luni baterie | 526.176 | EUR | 2784.04 | 0 | 12 | 20730 | |
| Notebook / La | Acer | Notebook Acer TimelineX AS3820TG-434G64n, 13.3" HD Acer CineCrystal LED LCD, Intel Core i5 430M 2.26GHz, 3MB L3 cache, ATI Mobility Radeon HD 5470 512M-DDR3, 4GB DDR3 1066MHz (2x 2GB), 640 GB HDD SATA, Multi-in-1 card reader, WLAN 802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 1.3M, 6-cell Li-ion battery, Windows 7 Home Premium 64-bit | 741.664 | EUR | 3924.2 | 0 | 12 | 23283 | |
| Notebook / La | Acer | Notebook Acer TimelineX AS3820TG-434G64n, 13.3" HD Acer CineCrystal LED LCD, Intel Core i5 430M 2.26GHz, 3MB L3 cache, ATI Mobility Radeon HD 5650 1G-DDR3, 4GB DDR3 1066MHz (2x 2GB), 640 GB HDD SATA, Multi-in-1 card reader, WLAN 802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 1.3M, 9-cell Li-ion battery, Windows 7 Home Premium 64-bit | 797.776 | EUR | 4221.101 | 0 | 12 | 23282 | |
| Notebook / La | Acer | Notebook Acer TimelineX Aspire 3820TG-334G32n, 13.3" HD 1366 x 768 LED LCD, Intel Core i3-330M 2.13GHz, ATI 5470 512M DDR3, 3 GB DDR 3, 320 GB HDD, Card reader 5in1, WLAN 802.11b/g/n, Bluetooth 2.1, Webcam 1.3M, 6-cell, Windows 7 Home Premium 64, Garantie 6 luni baterie | 670.32 | EUR | 3546.715 | C | 12 | 23428 | |
| Notebook / La | Acer | Notebook Acer Timeline AS4810TG-733G25Mn, 14" HD 1366 x 768, LED-backlit TFT LCD, Super-slim, Intel Core2 Duo SU7300 1.30GHz, Mobile Intel GS45 Express Chipset, 3GB (1GB + 2GB) DDR3 1066MHz SDRAM, HDD 250GB, ATI Mobility Radeon HD4330 upto 2304MB, Wireless InviLink Nplify 802.11b/g/Draft-N, webcam 1.0M HD, 5-in-1 card reader, 6 cell, Windows 7 Home Premium 64bit | 626.416 | EUR | 3314.416 | 0 | 12 | 23271 | |

| | | | | | | | | |
|---------------|------|---|---------|-----|----------|------|----|-------|
| Notebook / La | Acer | Notebook Acer Timeline TravelMate 8471-734G32Mn, 14.0" 16:9 HD LED LCD, Intel Core2 Duo SU7300 1.3 GHz, 800 MHz FSB, UMA VGA, 4GB DDR3 1066MHz (2GB + 2GB), 320 GB HDD, DVD-Super Multi DL drive, Multi-in-1 card reader, Acer Nplify 802.11a/b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 0.3M LDV, 6-cell Li-ion battery, Windows 7 Professional | 657.664 | EUR | 3479.75 | 0 | 12 | 23275 |
| Notebook / La | Acer | Notebook Acer TravelMate 8471-944G32Mn, 14.0" 16:9 HD LED LCD, Intel Core2 Duo SU9400 1.4 GHz, 800 MHz FSB, UMA VGA, 4GB DDR3 1066MHz (2GB + 2GB), 320GB HDD, DVD-Super Multi DL drive, Multi-in-1 card reader, Acer Nplify 802.11a/b/g/n, Bluetooth, 2.1+EDR, Acer Crystal Eye webcam 0.3M LDV, 9-cell Li-ion battery, Fingerprint, Windows 7 Professional | 797.776 | EUR | 4221.101 | 0 | 12 | 23276 |
| Notebook / La | Acer | Notebook Acer TravelMate 8471G-734G32Mn, 14.0" 16:9 HD LED LCD, Intel Core2 Duo SU7300 1.3 GHz, 800 MHz FSB, ATI Mobility Radeon HD 4330 512M-DDR3, 4GB DDR3 1066MHz (2GB + 2GB), 320GB 7200RPM HDD, DVD-Super Multi DL drive, Multi-in-1 cardreader, Acer Nplify 802.11a/b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 0.3M LDV, 9-cell Li-ion battery, Windows 7 Professional | 745.024 | EUR | 3941.986 | 0 | 12 | 23278 |
| Notebook / La | Acer | Notebook Acer TimelineX AS3820T-334G50n, 14" HD Acer CineCrystal LED LCD, Intel Core i3 330M 2.13GHz, 3MB L3 cache, Intel HD Graphics with 128 MB of dedicated memory, 4GB DDR3 1066MHz (2x 2GB), 500 GB HDD SATA, Multi-in-1 card reader, AcerNplify802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 1.3M, 6-cell Li-ion battery, Windows 7 Home Premium 64-bit | 652.736 | EUR | 3453.677 | C | 12 | 23281 |
| Notebook / La | Acer | Notebook Acer TimelineX AS4820T-434G32Mn, 14" HD Acer CineCrystal LED LCD, Intel Core i5-430M 2.26GHz, Intel GMA HD 128MB, 4GB DDR3 1066MHz (2x 2GB), 320 GB HDD SATA, DVD-Super Multi DL drive, Multi-in-1 card reader, WLAN 802.11b/g/n, Bluetooth 2.1+EDR, webcam 1.3M, 6-cell, Windows 7 Home Premium 64-bit, Garantie 6 luni baterie | 718.704 | EUR | 3802.725 | C | 12 | 25758 |
| Notebook / La | Acer | Notebook Acer TimelineX AS4820TG-434G50Mn, 14" WXGA HD, Intel Core i5 430M, 4GB DDR3, 500GB, DVD+-RW, ATI HD5470 512MB, WLAN 802.11 b/g/draftn, Bluetooth, 1MP camera, Card reader, GB Lan, 6 cell, Windows 7 Home Premium, Gar.6 luni baterie | 777.952 | EUR | 4116.202 | C | 12 | 22548 |
| Notebook / La | Acer | Notebook Acer TimelineX AS4820TG-434G64Mn, 14.0" HD Acer CineCrystal LED LCD, Intel Core i5-430M 2.26GHz, ATI Mobility Radeon HD 5650 1G-DDR3, 4GB DDR3 1066MHz (2x 2GB), 640 GB HDD SATA, DVD-Super Multi DL drive, Multi-in-1 card reader, WLAN 802.11b/g/n, Bluetooth 2.1+EDR, webcam 1.3M, 6-cell, Windows 7 Home Premium 64-bit, Garantie 6 luni baterie | 817.6 | EUR | 4325.989 | 0 | 12 | 25759 |
| Notebook / La | Acer | Notebook Acer TravelMate 5730G-664G32Mn, 15.4" WXGA LCD, Intel Core2 Duo T6670 2.2 GHz, 800MHz FSB, ATI Mobility Radeon HD 3650 1G-GD2, 4GB DDR2 (2GB + 2GB), 320 GB HDD, DVD-Super Multi DL drive, Multi-in-1 card reader, 802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 0.3M DV, 8-cell Li-ion battery, Windows 7 Professional | 751.632 | EUR | 3976.941 | 0 | 12 | 23285 |
| Notebook / La | Acer | Notebook Acer TravelMate 6593G-664G32Mn, 15.4" WSXGA+ LCD, Intel Core2 Duo T6670 2.2 GHz, 800MHz FSB, ATI Mobility Radeon HD 3470 512M-GD2, 4GB DDR3 1066MHz (2GB + 2GB), 320 GB HDD, DVD-Super Multi DL drive, Multi-in-1 card reader, Acer Nplify 802.11a/b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 0.3M DV, 9-cell Li-ion battery, Windows 7 Professional | 883.456 | EUR | 4674.432 | 0 | 12 | 23287 |
| Notebook / La | Acer | Notebook Acer Aspire AS5741ZG-P603G32Mnck, 15.6" HD 1366x768, Pentium P6000 1.86GHz, 3GB DDR3 1066 MHz, 320GB HDD, VGA 512MB, DVD-RW , Camera 1.3M, Bluetooth, Card reader, 6 Cell, Linux, Garantie 6 luni baterie | 514.304 | EUR | 2721.219 | S | 12 | 25703 |
| Notebook / La | Acer | Notebook Acer Aspire AS5732ZG-444G32Mn, 15.6" WXGA (HD) TFT, Intel Dual Core T4400 2.2GHz, 3Gb DDR2 667MHz, 320GB S-ATA, DVD+-RW, ATI Mobility Radeon HD4570 512MB, WLAN 802.11n, 0.3 MP camera, Card reader, Lan, 6 cell, Linux, garantie 6luni baterie | PROMO | EUR | 2333.845 | CALL | 12 | 22501 |
| Notebook / La | Acer | Notebook Acer Aspire 5745G-333G32Mn, 15.6" HD 1366 x 768 TFT LCD, Intel Core i3 330M 2.13GHz, 3MB, NVIDIA GeForce 310M 512M DDR3, RAM 3GB DDR3, 320 GB HDD, DVD-RW, Card reader 5in1 , WLAN 802.11b/g/n, Webcam 1.3M, 6 cell, Linux, Garantie 6luni baterie | 548.352 | EUR | 2901.371 | C | 12 | 23412 |
| Notebook / La | Acer | Notebook Acer Aspire AS5738DG-664G32Mn, 15.6" WXGA (HD) Acer CrystalBrite TFT LCD with integrated TriDef 3D screen, format 16:9, 1366 x 768, 4GB (2GB + 2GB) DDR2 667MHz SDRAM, HDD 320GB, Intel MONTEVINA Core 2 Duo T6600 2.20GHz, DVD-RW S-Multi, ATI Mobility RadeonTM HD 4570 up to 2303 MB (512 MB dedicated DDR3 VRAM, up to 1791 MB shared), Wireless InviLink Nplify 802.11a/b/g/Draft-N, Bluetooth, Webcam, Windows 7 Home Premium 64bit | 613.872 | EUR | 3248.045 | C | 12 | 23245 |
| Notebook / La | Acer | Notebook Acer Aspire AS5738PZG-434G32Bn, 15.6" WXGA (HD) TouchScreen 1366 x 768, 4GB (2GB + 2GB) DDR2 SDRAM, HDD 320GB, DVD-RW S-Multi, ATI Mobility RadeonTM HD 4570 up to 2303 MB, Wireless InviLink Nplify 802.11b/g/Draft-N, Bluetooth, webcam, 6 cell, Microsoft Windows 7 Home Premium 64bit | 607.6 | EUR | 3214.859 | 0 | 12 | 23249 |
| Notebook / La | Acer | Notebook Acer Aspire AS5739G-664G50Bn, 15.6" WXGA (HD) Acer CrystalBrite LED-backlit TFT LCD 1366 x 768, Intel MONTEVINA Core 2 Duo T6600 2.20GHz, 4GB (2GB + 2GB) DDR3 1066MHz SDRAM, HDD 500GB, 4X Blu-ray Disc/DVD-Super Multi DL, NVIDIA GeForce G210M up to 2303 MB, Intel WiFi Link 5100 / 5300 (dual-band quad-mode 802.11a/b/g/Draft-N), Bluetooth, 6 cell, webcam 1.0M, touchpad, fingerprint reader, 5-in-1 card reader, Microsoft Windows 7 Home Premium 64bit | 613.872 | EUR | 3248.045 | 0 | 12 | 23255 |
| Notebook / La | Acer | Notebook Acer Aspire AS5741-334G32Mn , 15.6" HD Acer CineCrystal LED LCD, Intel Core i3 processor 330M 2.13GHz, 3MB L3 cache, Intel HD Graphics with 128 MB of dedicated system memory, 4GB DDR3 1066MHz (2x 2GB), 320 GB HDD SATA, DVD-SuperMulti DL drive, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 1.3M, 6-cell Li-ion battery, Windows 7 Home Premium 64-bit | 580.16 | EUR | 3069.674 | 0 | 12 | 23223 |
| Notebook / La | Acer | Notebook Acer Aspire AS5741G-334G32Mn, 15.6" HD Acer CineCrystal LED LCD, Intel Core i3 processor 330M 2.13GHz, 3MB L3 cache, ATI Mobility Radeon HD 5470 512M-DDR3, 4GB DDR3 1066MHz (2x 2GB), 320 GB HDD SATA, DVD-Super Multi DL drive, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 1.3M, 6-cell Li-ion battery, Boot-up Linux | 553.84 | EUR | 2930.413 | CALL | 12 | 23224 |
| Notebook / La | Acer | Notebook Acer Aspire S5741G-434G32Mn, 15.6" HD Acer CineCrystal LED LCD, Intel Core i5 processor 430M 2.26GHz, 3MB L3 cache, NVIDIA GeForce GT 320M 1G-DDR3, 4GB DDR3 1066MHz (2x 2GB), 320 GB HDD SATA, DVD-Super Multi DL drive, Multi-in-1card reader, Acer Nplify 802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 1.3M, 6-cell Li-ion battery, Boot-up Linux | 625.296 | EUR | 3308.491 | C | 12 | 23225 |
| Notebook / La | Acer | Notebook Acer Aspire AS5741G-434G50Mn, 15.6" HD Acer CineCrystal LED LCD, Intel Core i5 processor 430M 2.26GHz, 3MB L3 cache, NVIDIA GeForce GT 320M 1G-DDR3, 4GB DDR3 1066MHz (2x 2GB), 500 GB HDD SATA, DVD-Super Multi DL drive, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 1.3M, 6-cell Li-ion battery, Boot-up Linux | 651.392 | EUR | 3446.565 | C | 12 | 23226 |
| Notebook / La | Acer | Notebook Acer Aspire AS5741G-434G50Mn, 15.6" HD Acer CineCrystal LED LCD, Intel Core i5-430M 2.26GHz, nVIDIA GeForce GT320M 1G-DDR3, 4GB DDR3 (2x 2GB), 500 GB HDD SATA, DVD-Super Multi DL drive, Multi-in-1 card reader, WLAN 802.11b/g/n, webcam 1.3M, 6-cell, Windows 7 Home Premium 64-bit, Garantie 6 luni baterie | 751.632 | EUR | 3976.941 | C | 12 | 25757 |
| Notebook / La | Acer | Notebook Acer Aspire AS5741G-434G64Mn, 15.6" HD Acer CineCrystal LED LCD, Intel Core i5 processor 430M 2.26GHz, 3MB L3 cache, NVIDIA GeForce GT 320M 1G-DDR3, 4GB DDR3 1066MHz (2x 2GB), 640 GB HDD SATA, DVD-Super Multi DL drive, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 1.3M, 6-cell Li-ion battery, Boot-up Linux | 663.936 | EUR | 3512.936 | C | 12 | 23227 |
| Notebook / La | Acer | Notebook Acer Aspire AS5940G-724G50Bn, 15.6" HD Acer CineCrystal LED LCD, Intel Core i7 720QM 1.6GHz, 6MB L3 cache, ATI Mobility Radeon HD 4650 1G-DDR3, 4GB DDR3 1066MHz (2GB + 2GB), 500 GB HDD SATA, Blu-ray Disc/Super-Multi DL combo drive, Multi-in-1 card reader, Acer Nplify802.11a/b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye HD webcam 1.0M DV, 6-cell Li-ion battery, Windows 7 Ultimate 64-bit | 1230.32 | EUR | 6509.72 | 0 | 12 | 23228 |

| | | | | | | | | |
|---------------|------|---|---------|-----|----------|----|----|-------|
| Notebook / La | Acer | Notebook Acer Aspire AS5942G-434G64Mn, 15.6" HD Acer CineCrystal LED LCD, Intel Core i5 430M 2.26GHz, 3MB L3 cache, ATI Mobility Radeon HD 5650 1G-DDR3, 4GB DDR 3 1066MHz (2GB +2GB), 640 GB HDD, DVD-Super Multi DL drive, Multi-in-1 cardreader, Acer Nplify802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye HD webcam 1.0M DV, 6-cell Li-ion battery, Fingerprint, Windows 7 Home Premium 64-bit | 870.352 | EUR | 4605.104 | 0 | 12 | 23229 |
| Notebook / La | Acer | Notebook Acer Aspire AS5942G-728G64Bn, 15.6" HD Acer CineCrystal LED LCD, Intel Core i7 720QM 1.6GHz, 6MB L3 cache, ATI Mobility Radeon HD 5650 1G-DDR3, 8GB DDR 3 1066MHz (4GB + 4GB), 640 GB HDD, Blu-ray Disc/Super-Multi DL combo drive, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye HD webcam 1.0M DV, 6-cell Li-ion battery, Fingerprint, Windows 7 Home Premium 64-bit | 1331.79 | EUR | 7046.614 | 0 | 12 | 23230 |
| Notebook / La | Acer | Notebook Acer Extensa 5635G-652G32Mn, 15.6" HD 1366x768 LED LCD, Intel Core2 Duo T6570 2.1 GHz, 800 MHz FSB, NVIDIA GeForce G105M 512M-DDR2, 2GB DDR3 1066MHz (1x 2GB), 320 GB HDD SATA, DVD-Super Multi DL drive, Multi-in-1 card reader, 802.11b/g/n, Acer Crystal Eye webcam 0.3M DV, 6-cell Li-ion battery, Windows 7 Home Premium 64-bit | 526.4 | EUR | 2785.227 | 0 | 12 | 23268 |
| Notebook / La | Acer | Notebook Acer TravelMate 8571-734G32Mn, 15.6" 16:9 HD LED LCD, Intel Core2 Duo SU7300 1.3 GHz, 800 MHz FSB, UVA VEGA, 4GB DDR3 1066MHz (2GB + 2GB), 320GB HDD, DVD-Super Multi DL drive, Multi-in-1 card reader, Acer Nplify 802.11a/b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 0.3M LDV, 6-cell Li-ion battery, Fingerprint, Windows 7 Professional | 712.096 | EUR | 3767.758 | 0 | 12 | 23279 |
| Notebook / La | Acer | Notebook Acer TravelMate TIMELINE TM8571G-734G32Mn, 15.6" 16:9 HD LED LCD, Intel Core2 Duo SU7300 1.3 GHz, 800 MHz FSB, ATI Mobility Radeon HD 4330 512M-DDR3, 4GB DDR3 1066MHz (2x 2GB), 320 GB HDD SATA, DVD-Super Multi DL drive, Multi-in-1card reader, Acer Nplify802.11a/b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 0.3M LDV, 9-cell Li-ion battery, Windows 7 Professional 32-bit | 683.424 | EUR | 3616.054 | 0 | 12 | 23280 |
| Notebook / La | Acer | Notebook Acer TimelineX AS5820TG-434G50Mn, 15.6" WXGA 1366 x 768, Intel Core i5 430M, 4GB DDR3, 500GB, VGA 512MB, DVD-RW, webcam 1.3M, bluetooth, card reader, 6 cell, Windows 7 Home Premium | 810.432 | EUR | 4288.066 | 0 | 12 | 23284 |
| Notebook / La | Acer | Notebook Acer Aspire AS5734Z-452G25Mnkk, 15.6" HD 1366 x 768 TFT LCD, Pentium Dual Core T4500 2.3GHz, Intel GMA X4500, 2GB DDRIII, 250GB 5.4K SATA, DVD±RW, Card reader 5in1, Bluetooth 2.0, WLAN 802.11b/g/n, 1.3 MPx webcam, 6 cell, Li-Ion, Garantie 6 luni | 387.856 | EUR | 2052.176 | SL | 12 | 26755 |
| Notebook / La | Acer | Notebook Acer Aspire AS5940G-724G64Bn, 15.6" HD 1366 x 768 LED-backlit TFT LCD, Intel Core i7 processor 720QM 1.6GHz, ATI 4650 1GB, 1xHDMI, 2x2GB DDRIII, 640GB 5.4K SATA, BR/DVD±RW combo, Card reader 5in1, Bluetooth 2.1EDR, WLAN 802.11b/g/, Finger print reader, 6 cell, Windows 7 Home Premium, Garantie 6 luni baterie | 1049.44 | EUR | 5552.669 | C | 12 | 23421 |
| Notebook / La | Acer | Notebook Acer Aspire AS5739G-664G32Mn, 15.6" WXGA LED 1366 x 768, Intel Core 2 Duo T6600 2.2 GHz, Nvidia GT240M 1GB, 1xHDMI, 2x2GB DDRII, 320GB 5.4K SATA, DVD±RW, 5in1 card reader, WLAN 802.11b/g/n, webcam 0.3 M DV, 6 cell, Numeric Key Pad, Windows 7 Home Premium, Garantie 6 luni baterie | 560.448 | EUR | 2965.379 | C | 12 | 23414 |
| Notebook / La | Acer | Notebook Acer Aspire AS5741G-334G50Mn, 15.6" WXGA 1366 x 768, Intel Core i3 330M, 4GB RAM, 500GB HDD, VGA 1GB, DVD-RW, camera 1.3M, Bluetooth, acrd reader, 6 cell, Windows 7 Home Premium, Garantie 6 luni baterie | 665.952 | EUR | 3523.61 | C | 12 | 25756 |
| Notebook / La | Acer | Notebook Acer Aspire AS5745G-728G50Mn, 15.6" HD 1366 x 768 LED TFT, Intel Core i7 processor 720QM 1.6GHz, nVidia Geforce GT 230M 1GB, 1xHDMI, 8GB (4x2GB) DDRIII, 500GB 5.4K SATA, DVD±RW, Card reader 5in1, webcam 0.3 M DV, WLAN 802.11b/g/n, 6 cell, Windows 7 Home Premium 64bit, Garantie 6 luni baterie | 877.968 | EUR | 4645.402 | C | 12 | 23419 |
| Notebook / La | Acer | Notebook Acer Extensa EX5635ZG-443G32Mn, 15.6" WXGA (HD) TFT, Intel Dual Core T4400 2.2GHz, 3Gb DDR2, 320GB S-ATA, DVD+RW, NVIDIA G105M 512 DDR2, WLAN 802.11b/g/draftn, Bluetooth, 0.3 MP camera, Card reader, GB Lan, 6 cell, Linux, Black, Garantie 6luni baterie. | 438.48 | EUR | 2320.035 | SL | 12 | 22949 |
| Notebook / La | Acer | Notebook Acer TimelineX AS 5820TG-333G32Mn, 15.6" HD 1366 x 768 LED LCD, Intel Core i3 330M 2.13GHz, Video Intel HD Graphics 128Mb, 3 GB DDR3, 320 GB HDD, DVD-RW, Card reader 5in1, WLAN 802.11b/g/n, Bluetooth, 6 cell, Windows 7 Home Premium64bit, Garantie 6 luni baterie | 658.224 | EUR | 3482.718 | C | 12 | 23429 |
| Notebook / La | Acer | Notebook Acer TimelineX AS 5820TG-434G32Mn, 15.6" HD 1366 x 768 LED LCD, Intel Core i5-430M 2.26GHz, ATI HD 5470 512M DDR3, 4 GB DDR3 1066Mhz, 320 GB HDD, DVD-RW, Card reader 5in1, WLAN 802.11b/g/n, Webcam 1.3M, 6 cell, Windows7 Home Premium, Garantie 6 luni baterie | 746.144 | EUR | 3947.91 | C | 12 | 23430 |
| Notebook / La | Acer | Notebook Acer Extensa 7630G-654G32Mn, 17" WXGA+ TFT LCD, 1440 x 900, Intel Core2 Duo T6570 2.1 GHz, ATI Mobility Radeon HD 3470 512M, 4 GB DDR3 (2x 2GB), 320 GB HDD, DVDRW, Webcam, Card reader 5in1, WLAN 802.11b/g/n, 6 cell, Windows 7 Pro, Garantie 6 luni baterie | 576.912 | EUR | 3052.493 | C | 12 | 23405 |
| Notebook / La | Acer | Notebook Acer Aspire AS7736Z-443G32Mn, 17.3" HD+ Acer CineCrystal LED LCD, Intel Pentium T4400 2.2 GHz, 800 MHz FSB, Intel GMA 4500M, 3GB DDR3 1066MHz, 320 GB HDD SATA, DVD-Super Multi DL drive, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 0.3M DV, 6-cell Li-ion battery, Boot-up Linux | 520.912 | EUR | 2756.186 | 0 | 12 | 23256 |
| Notebook / La | Acer | Notebook Acer Aspire AS7745G-434G1TMn, 17.3" HD+ Acer CineCrystal LED LCD, Intel Core i5- 430M 2.26GHz, 3MB L3 cache, ATI Mobility Radeon HD 5850 1G-DDR3, 4GB DDR3 1066MHz (2x 2GB), 1TB (500GB + 500GB) HDD SATA, DVD-Super Multi DL, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Acer Crystal Eye webcam 1.3M, 6-cell Li-ion battery, Windows 7 Home Premium 64-bit | 890.064 | EUR | 4709.398 | 0 | 12 | 23258 |
| Notebook / La | Acer | Notebook Acer Aspire AS7745G-434G32Mn, 17.3" HD+ Acer CineCrystal LED LCD, Intel Core i5 430M 2.26GHz, 3MB L3 cache, ATI Mobility Radeon HD 5850 1G-DDR3, 4GB DDR3 1066MHz (2x 2GB), 320 GB HDD SATA, DVD-Super Multi DL drive, Multi-in-1 cardreader, Acer Nplify 802.11b/g/n, Acer Crystal Eye webcam 1.3M, 6-cell Li-ion battery, Windows 7 Home Premium 64-bit | 784.56 | EUR | 4151.168 | C | 12 | 23259 |
| Notebook / La | Acer | Notebook Acer Aspire AS7745G-724G64Mn, 17.3" HD+ Acer CineCrystal LED LCD, Intel Core i7 720QM 1.6GHz, 6MB L3 cache, ATI Mobility Radeon HD 5650 1G-DDR3, 4GB DDR3 1066MHz (2x 2GB), 640GB HDD SATA, DVD-Super Multi DL drive, Multi-in-1 cardreader, Acer Nplify 802.11b/g/n, Acer Crystal Eye webcam 1.3M, 6-cell Li-ion battery, Windows 7 Home Premium 64-bit | 995.568 | EUR | 5267.629 | 0 | 12 | 23260 |
| Notebook / La | Acer | Notebook Acer Extensa eMG630G-303G32Mi 17.3" LED WXGA++(1600x900), Athlon II Dual Core M300 2.0GHz, 3Gb DDR2 800MHz, 320GB S ATA, DVD+RW, ATI Mobility Radeon HD4570 512MB, WLAN 802.11b/g, 0.3 MP camera, Card reader, GB Lan, Linux, Gar. 6luni baterie | 448.336 | EUR | 2372.182 | 0 | 12 | 22052 |
| Notebook / La | Acer | Notebook Acer Aspire 8943G-434G64Mn, 18.4" Full HD 1920 x 1080 LED-backlit TFT LCD, Intel Core i5 430M 2.26GHz, ATI HD 5850 1G-DDR3, 4 GB DDR 3 1066Mhz, 640 GB HDD, DVD-RW, Card reader 5in1, WLAN 802.11b/g/n, Web 1.3M DV, 6-cell, Windows 7Home Premium 64 bit, Garantie 6 luni baterie | 1027.49 | EUR | 5436.525 | C | 12 | 23420 |
| Notebook / La | Acer | Notebook Acer Aspire AS8943G-434G1TBn, 18.4" Full HD Acer CineCrystal LED LCD, Intel Core i5 430M 2.26GHz, 3MB L3 cache, ATI Mobility Radeon HD 5650 1G-DDR3, 4GB DDR3 1066MHz (2x 2GB), 1TB HDD SATA (500GB + 500GB), Blu-ray Disc/Super-MultiDL combo drive, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 1.3M, 8-cell Li-ion battery, Windows 7 Home Premium 64-bit | 1239.5 | EUR | 6558.317 | 0 | 12 | 23261 |
| Notebook / La | Acer | Notebook Acer Aspire AS8943G-436G1TBn, 18.4" Full HD Acer CineCrystal LED LCD, Intel Core i5 430M 2.26GHz, 3MB L3 cache, ATI Mobility Radeon HD 5850 1G-DDR3, 6GB DDR3 1066MHz (4GB + 2GB), 1TB HDD SATA (500GB + 500GB), Blu-ray Disc/Super Multi DL combo drive, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 1.3M, 8-cell Li-ion battery, Windows 7 Home Premium 64-bit | 1371.44 | EUR | 7256.402 | 0 | 12 | 23262 |

| | | | | | | | | |
|---------------|-----------------|--|---------|-----|----------|------|----|-------|
| Notebook / La | Acer | Notebook Acer Aspire AS8943G-724G64Mn, 18.4" Full HD Acer CineCrystal LED LCD, Intel Core i7 20QM 1.6GHz, 6MB L3 cache, ATI Mobility Radeon HD 5850 1G-DDR3, 4GB DDR3 1066MHz (2x 2GB), 640 GB HDD, DVD-Super Multi DL drive, Multi-in-1 card reader, Acer Nplify 802.11b/g/n, Bluetooth 2.1+EDR, Acer Crystal Eye webcam 1.3M, 8-cell Li-Ion battery, Windows 7 Home Premium 64-bit | 1272.54 | EUR | 6733.138 | 0 | 12 | 23263 |
| Notebook / La | Panasonic | Notebook Panasonic Toughbook CF-19KHRAHQ3, 10.4" Touchscreen 1000cd/m2, Core2 Duo SU9300 1.20GHz ULV, 2GB RAM, HDD 160GB resistant la socuri, WLAN 802.11a/b/g/n, Windows 7, Garantie 1 an | 3549.84 | EUR | 18782.49 | 0 | 36 | 23338 |
| Notebook / La | Panasonic | Notebook Panasonic Toughbook CF-19KHRAHQ3, 10.4" Touchscreen 1000cd/m2, Core2 Duo SU9300 1.20GHz ULV, 2GB RAM, HDD 160GB resistant la socuri, WLAN 802.11a/b/g/n, Windows 7, Garantie 1 an baterie | 3771.71 | EUR | 19956.43 | 0 | 36 | 23339 |
| Notebook / La | Samsung | Notebook Samsung N150, 10.1" WSVGA (1024 x 600), Non-Gloss, LED, Intel Atom N450 1.66MHz, 1GB DDR2 800MHz, HDD 160GB, VGA Intel GMA3150, webcam, WLAN 802.11b/g/n, Bluetooth 2.1, card reader 3-in-1 (SD, SDHC, MMC), 10/100 LAN, 6 cell, Windows 7 Starter, Black, Garantie 1 an baterie | 260.736 | EUR | 1379.571 | 0 | 24 | 25922 |
| Notebook / La | Samsung | Notebook Samsung N220, 10.1" WSVGA (1024 x 600), Non-Gloss, LED, Intel Atom N450 1.66MHz, 1GB DDR2 800MHz, HDD 250GB, VGA Intel GMA3150, webcam, WLAN 802.11b/g/n, Bluetooth 2.1, card reader 3-in-1 (SD, SDHC, MMC), 10/100 LAN, 6 cell, Windows 7 Starter, Black&Red, Garantie 1 an baterie | 316.176 | EUR | 1672.91 | 0 | 24 | 25923 |
| Notebook / La | Samsung | Notebook Samsung R530, 15.6" LED HD (1366 x 768) Gloss, Intel Pentium Dual Core T4400 2.20GHz, 2GB DDR3 1066MHz, 250GB, VGA Intel GMA 4500M, webcam, WLAN 802.11b/g/n, card reader 3-in-1 (SD, SDHC, MMC), 10/100 LAN, 6 cell, Windows 7 HomePremium, Red, Garantie 1 an baterie | 418.208 | EUR | 2212.773 | 0 | 24 | 25924 |
| Notebook / La | Fujitsu-Siemens | Notebook Fujitsu S6410MPMEM1EE LIFEBOOK S6410 - 13.3"-WXGA - Core 2 Duo T8100 (2.10GHz) - 1.3MP VC built in - Intel 965GM - 2GB DDRII-667(2x1GB) - DVD-Super Multi, 160 GB HDD SATA, GbLan, 802.11b/g WLAN, Vista Business, Gar.1 an baterie | 632.352 | EUR | 3345.821 | C | 36 | 15703 |
| Notebook / La | Fujitsu | Notebook Fujitsu NBKFLSA5300001 LifeBook A530, 15.6" WXGA (1366x768), Intel Core i3-350M 2.13GHz 3MB, 2GB DDR3 1066 MHz PC3-8500, 500 GB SATA, DVD±RW±R, Intel H55, HDMI, Bluetooth module V2.1, Intel Wireless IEEE 802.11b/g/n, KeyboardSpill-resistant keyboard with number block, 6 cell, No OS | PROMO | EUR | 2613.845 | SL | 12 | 23254 |
| Notebook / La | Fujitsu | Notebook Fujitsu NBKFLSA5300002 LifeBook A530, 15.6" WXGA (1366x768), Intel Core i5-430M 2.26GHz 3MB, 4GB DDR3 1066 MHz PC3-8500, 500 GB SATA, DVD±RW±R, Intel H55, HDMI, Bluetooth module V2.1, Intel Wireless IEEE 802.11b/g/n, KeyboardSpill-resistant keyboard with number block, 6 cell, No OS | 599.088 | EUR | 3169.824 | CALL | 12 | 23253 |
| Notebook / La | Fujitsu | Notebook Fujitsu VFY:A5300MF025EE LifeBook A530, 15.6" HD LED (1366x768), Intel Core i3-350M 2.13GHz 3MB, Chipset Intel HM55, 3GB DDR3 1066, 320GB HDD SATA, DVD Super multi, Webcam 1,3MP, WLAN 802.11 b/g/n, Bluetooth V2.1, Card reader 4 in 1, 6 cell, No OS, Garantie 1 an baterie | 515.872 | EUR | 2729.518 | S | 12 | 23611 |
| Notebook / La | Fujitsu | Notebook Fujitsu VFY:A5300MF035RO LifeBook A530, 15.6" HD LED (1366x768), Intel Core i3-350M 2.13GHz 3MB, Chipset Intel HM55, 2GB DDR3 1066, 250GB HDD SATA, DVD Super multi, Webcam 1,3MP, WLAN 802.11 b/g/n, Bluetooth V2.1, Card reader 4 in 1, 6 cell, No OS, Garantie 1 an baterie | 471.52 | EUR | 2494.845 | C | 12 | 23612 |
| Notebook / La | MSI | Notebook MSI U135-034EU, 10.2" WSVGA Non-Glare 1024x600, Intel Atom N450 1.66GHz, 1GB DDR2, 250 GB, no ODD, Intel GMA 3150, WLAN 802.11 b/g/draft n, Card reader SD/MMC/MS/XD, Bluetooth, 1.3 MP Camera, 6 cell, Windows 7 Starter, Silver,garantie 1 an baterie | 295.792 | EUR | 1565.054 | SL | 24 | 23180 |
| Notebook / La | MSI | Notebook MSI X340-044EU, 13.4" WXGA TFT, Intel Core 2 Solo SU3500 1.4GHz, 2GB DDR2, 500GB, no ODD, Intel GMA 4500MHD, WLAN 802.11a/g/n, Card reader, Bluetooth, Camera, HDMI, Pearl White, 4 cell, Vista Home Premium, Gar.1 an baterie | 543.312 | EUR | 2874.704 | S | 24 | 19653 |
| Notebook / La | MSI | Notebook MSI GT628X-484EU, 15.4" WSXGA+ Glare (1680x1050), Intel Core2 Duo T6600 2.2GHz, 4GB DDR3, 320GB (7200), NVIDIA Geforce GT160M 1GB DDR3, SM DVD-RW, SD/MMC/MS/MS-Pro, LAN, Bluetooth, Wlan B+G+Draft-N, Webcam 2.0MP, HDMI, eSATA, 1394, 6 celule, culoare negru, garantie 1an baterie | 646.016 | EUR | 3418.117 | C | 24 | 21647 |
| Notebook / La | MSI | Notebook MSI GX623X-477EU, 15.4" WSXGA+ Glare (1680x1050), Intel Core2 Duo P7350 2.0GHz, 4GB DDR2, 320GB (5400), ATI HD 4670 512MB DDR3, SM DVD-RW, SD/MMC/MS/MS-Pro, LAN, Bluetooth, Wlan B+G+Draft-N, Webcam 2.0MP, 6 celule, culoare negru,garantie 1an baterie | 550.032 | EUR | 2910.264 | 0 | 24 | 21368 |
| Notebook / La | MSI | Notebook MSI GX620X-060EU, 15.4" WSXGA+ TFT, Intel Core 2 Duo P8400 2.26GHz, 4Gb DDR2, 320GB, DVD+-RW, NVIDIA Geforce 9600M GT (512M VRAM), WLAN 802.11 a/g/n, 2 MP Camera, Card reader, HDMI, e-SATA, 6 cell, No OS, GbLan, Numpad, Black-Red | 625.072 | EUR | 3307.304 | CALL | 24 | 18960 |
| Notebook / La | MSI | Notebook MSI GX623-618XEU, 15.4" WXGA Glare 1280x800, Intel Core2 Duo P8400 2.26GHz, 4Gb DDR2, 500GB, DVD+-RW, ATI HD4670 512MB DDR3, WLAN 802.11 a/g/n, Bluetooth, Modem, 2.0MP Camera, Card reader MMC/SD/MS/MS Pro, 6 cell, DOS, black/red,garantie 1 an baterie | 608.72 | EUR | 3220.784 | S | 24 | 23191 |
| Notebook / La | MSI | Notebook MSI CR620-043XEU, 15.6" HD LED Glare 1366x768, Intel Core i3 330M 2.13GHz, 4Gb DDR3, 500GB, DVD-RW, Intel GMA3150 HD, WLAN 802.11b/g/n, Card reader SD/MMC/MS/XD, 1.3 MP Camera, 6 cell, DOS, black, garantie 1 an baterie | 484.512 | EUR | 2563.59 | 0 | 24 | 23189 |
| Notebook / La | MSI | Notebook MSI X600-027EU, 15.6" WXGA (1366x768), Intel Core 2 Solo SU3500 1.4GHz, 4Gb DDR2, 500GB, no ODD, ATI HD4330 512MB, WLAN 802.11 a/g/n, 1.3 MP Camera, Bluetooth, SD Card reader, HDMI, e-SATA, 6 cell, Vista Home Premium, GbLan, Garantie 1 an baterie | 516.656 | EUR | 2733.674 | S | 24 | 20510 |
| Notebook / La | MSI | Notebook MSI CX620-008XEU, 15.6" WXGA HD LED Glare 1366x768, Intel Core i3 330M 2.13 GHz, 4Gb DDR3, 500GB, DVD-RW, ATI Mobility Radeon HD5470, DDR3 1GB, WLAN 802.11b/g/n, Bluetooth, Card reader SD/MMC/MS/XD, 1.3MP Camera, 6 cell, DOS, black, garantie 1 an baterie | 570.64 | EUR | 3019.307 | 0 | 24 | 23190 |
| Notebook / La | MSI | Notebook MSI CX600X-041EU, 16" WXGA TFT, Intel Core 2 Duo T6500 2.1GHz, 4Gb DDR2, 500GB, DVD+-RW, ATI HD4330 512MB, WLAN 802.11 a/g/n, 2 MP Camera, Card reader, 6 cell, No OS, Bluetooth, Numpad, Black, free DOS, Gar.1 an baterie | 501.984 | EUR | 2656.035 | C | 24 | 20513 |
| Notebook / La | MSI | Notebook MSI GX723X-268EU, 17" WSXGA+ TFT (1680x1050), Intel Core 2 Duo P7350 2.0GHz, 4Gb DDR2, 500GB, DVD+-RW, NVIDIA Geforce GT130M 512M DDR3, Bluetooth, WLAN 802.11a/g/n, 2Mpixel Camera, Card reader, HDMI, e-SATA, 6 cell, Free DOS, garantie 1an baterie | 786.24 | EUR | 4160.061 | 0 | 24 | 21369 |
| Notebook / La | MSI | Notebook MSI CX700X-010EU, 17.3" WXGA + Glare 1600x900, Intel Core Duo T4200 2.0GHz, 4Gb DDR2, 320GB, DVD-RW, ATI Mobility Radeon HD4330 DDR2 512MB, 802.11 b/g/n, Card reader SD/MMC/MS/XD, 1.3MP Camera, 6 cell, DOS, black, garantie 1 an baterie | 495.488 | EUR | 2621.662 | SL | 24 | 23186 |
| Notebook / La | MSI | Notebook MSI CR700-202XEU, 17.3" WXGA HD LED Glare 1600x900, Intel Celeron Dual Core T3100 1.9GHz, 3GB DDR2, 320GB, DVD-RW, NVIDIA GeForce 8200M G, WLAN 802.11b/g/n, Card reader SD/MMC/MS/XD, 1.3MP Camera, 6 cell, DOS, black, 1 an garantiebaterie | 407.232 | EUR | 2154.701 | 0 | 24 | 23184 |
| Notebook / La | Asus | Notebook Asus 8.9" 904HG-GRO-BK01, Intel ATOM CPU 1,6Ghz - MODUL 3G Embedded - 1024Mb DDR2 - 160Gb HDD - Wlan 802.11b/g - Bluetooth - 1.3 Mega Pixel Video camera - 10/100 Lan - Sound - Spk - Mic - Card Reader - 6Cell (3.5h-Sh)1,36 Kg - Windows XP Home, Black | 325.472 | EUR | 1722.101 | C | 24 | 20048 |
| Notebook / La | Asus | Notebook Asus 10" 1008P-BRN023S, Intel ATOM N450 1.66G, 1024Mb DDR2, 250Gb HDD, Wlan 802.11b/g/n - 1.3 Mega Pixel Video camera, 10/100 Lan, Sound, Spk, Mic, Card Reader, BT, 3Cell Polymer(up to 5h), < 1, 1Kg, Win 7 Starter, Gold Brown., Extra Batery, 500GB EEE Storage Online | 358.176 | EUR | 1895.141 | C | 24 | 22298 |

| | | | | | | | | |
|---------------|------|--|---------|-----|----------|---|----|-------|
| Notebook / La | Asus | Notebook Asus 10" 1008P-PCH020S, Intel ATOM N450 1.66G, 1024Mb DDR2, 250Gb HDD, Wlan 802.11b/g/n , 1.3 Mega Pixel Video camera, 10/100 Lan, Sound, Spk, Mic, Card Reader, BT, 3Cell Polymer(up to 5h), < 1, 1Kg, Win 7 Starter, Hot Pink, Extra Batery, 500GB EEE Storage Online | 358.176 | EUR | 1895.141 | C | 24 | 22299 |
| Notebook / La | Asus | Notebook ASUS 10" EeePC1008HA-BLK001X, Intel ATOM N280 1.66G, 1024Mb DDR2, 160Gb HDD, Wlan 802.11b/g/n , 1.3 Mega Pixel Video camera, 10/100 Lan, Sound, Spk, Mic, Card Reader, BT, 3Cell Polymer(up to 5h) , sub 1, 1Kg, Windows XP, Black, Gar.1 an baterie | 292.88 | EUR | 1549.654 | C | 24 | 19430 |
| Notebook / La | Asus | Notebook Asus 10.1" T101MT-BLK010S, WSVGA 1024x600 Rotating Touchscreen, Intel ATOM N450 1.66GHz, 1024Mb DDR2, 160Gb HDD, Wlan 802.11b/g/n, 0.3 Mega Pixel Video camera, 10/100 Lan, Sound Spk, Mic, Card Reader, BT 2.1, 4 Cell Polymer(up to6h), Win 7 Starter, 500GB EEE Storage Online | 412.608 | EUR | 2183.138 | C | 24 | 23217 |
| Notebook / La | Asus | Notebook Asus 10.1" EeePC 1008HA-BLU035S, LED Backlight WSVGA Screen (1024x600) ColorShine, Intel ATOM N280 1.66G, 1024MB DDR2, 250GB HDD, WIFI 802.11n,1.3 MP Video camera,10/100 Mbps Ethernet,up to 5 hours (3 Cell, 2900, Polymer), 1.1kg,Bluetooth, Blue, Windows 7 Starter | 322.56 | EUR | 1706.69 | C | 24 | 23358 |
| Notebook / La | Asus | Notebook Asus 10.1" EeePC 1015P-BLK032S, Intel ATOM N450 1.66GHz, 1GB DDR2, 160Gb HDD, Wlan 802.11b/g/n, 0.3 Mega Pixel Video camera, Sound, Spk, Mic, Card Reader, 6 cell, Windows 7 Starter, Black, Garantie 1 an baterie | 281.904 | EUR | 1491.571 | C | 24 | 26967 |
| Notebook / La | Asus | Notebook Asus 10.1" EeePC 1015P-BLK084S, WSVGA (1024x600), Intel ATOM N450 1.66GHz, 1GB DDR2, 250Gb HDD, Wlan 802.11b/g/n, 0.3 Mega Pixel Video camera, Sound, Spk, Mic, Card Reader, 6 Cell (up to 11h), Windows 7 Starter, Black, Garantie1 an baterie | 292.88 | EUR | 1549.654 | C | 24 | 25743 |
| Notebook / La | Asus | Notebook Asus 10.2" EPCS101-BLK003L WSVGA(1024x600) - Intel ATOM CPU 1,6Ghz- 1024Mb DDR2 - 32Gb SSD - Wlan 802.11b/g-Bluetooth -0.3 Mega Pixel Video camera - 10/100 Lan - Sound - Spk - Mic - Card Reader - 6Cell (3.5h) , sub 1.45 Kg -Linux - Gray, Gar.1 an baterie | 314.608 | EUR | 1664.611 | C | 24 | 17750 |
| Notebook / La | Asus | Notebook Asus 10.2" EPCS101-BRN002L WSVGA(1024x600) - Intel ATOM CPU 1,6Ghz- 1024Mb DDR2 - 32Gb SSD - Wlan 802.11b/g-Bluetooth -0.3 Mega Pixel Video camera - 10/100 Lan - Sound - Spk - Mic - Card Reader - 6Cell (3.5h) , sub 1.45 Kg -Linux - Brown, Gar.1 an baterie | 314.608 | EUR | 1664.611 | C | 24 | 17751 |
| Notebook / La | Asus | Notebook Asus 12" 1201HA-BLK030M, Intel ATOM Menlow Z520, 2048Mb DDR2, 250Gb HDD, Wlan 802.11b/g/n , 0.3 Mega Pixel Video camera, 10/100 Lan, Sound, Spk, Mic, Card Reader, BT, 6Cell Polymer(up to 8,5h), < 1, 1Kg, Win 7 Premium, Black,500GB EEE Storage Online | 375.536 | EUR | 1986.992 | C | 24 | 22301 |
| Notebook / La | Asus | Notebook Asus 12" 1201HA-SIV020M , Intel ATOM Menlow Z520, 2048Mb DDR2, 250Gb HDD, Wlan 802.11b/g/n , 0.3 Mega Pixel Video camera, 10/100 Lan, Sound, Spk, Mic, Card Reader, BT, 6Cell Polymer(up to 8,5h), < 1, 1Kg, Win 7 Premium, Silver,500GB EEE Storage Online | 375.536 | EUR | 1986.992 | C | 24 | 22300 |
| Notebook / La | Asus | Notebook Asus 12.1" 1201HA-BLK002X, Intel ATOM Menlow Z520, 1024Mb DDR2, 160Gb HDD, Wlan 802.11b/g/n, 0.3 Mega Pixel Video camera, 10/100 Lan, Sound, Spk, Mic, Card Reader, BT, 6Cell Polymer(up to 8,5h), Win XP Home Premium, Black, Garantie 1 an baterie | 310.24 | EUR | 1641.506 | C | 24 | 26291 |
| Notebook / La | Asus | Notebook Asus 12.1" 1201HA-BLK002X, Intel ATOM Menlow Z520, 1024Mb DDR2, 160Gb HDD, Wlan 802.11b/g/n, 0.3 Mega Pixel Video camera, 10/100 Lan, Sound, Spk, Mic, Card Reader, BT, 6Cell Polymer(up to 8,5h), Win XP Home Premium, Red, Garantie1 an baterie | 310.24 | EUR | 1641.506 | C | 24 | 26292 |
| Notebook / La | Asus | Notebook Asus 12.1" 1201HA-BLK002X, Intel ATOM Menlow Z520, 1024Mb DDR2, 160Gb HDD, Wlan 802.11b/g/n, 0.3 Mega Pixel Video camera, 10/100 Lan, Sound, Spk, Mic, Card Reader, BT, 6Cell Polymer(up to 8,5h), Win XP Home Premium, Silver, Garantie 1 an baterie | 310.24 | EUR | 1641.506 | C | 24 | 26293 |
| Notebook / La | Asus | Notebook Asus 13.3" U30JC-QX021X, HD ColorShine (1366x768), Intel Core I3 350M, 4GB DDR3, 500GB HDD SATA 5400RPM, nVidia Geforce 310 512MB DDR3, Intel 802.11 b/g/n. No ODD, Bluetooth, Webcam, 8 cell, Windows 7 Professional x64, bag, mouse,Garantie 1 an baterie | 731.024 | EUR | 3867.909 | C | 24 | 23371 |
| Notebook / La | Asus | Notebook Asus 13.3" UL30A-QX061C HD ColorShine, Intel ULV SU7300, 4GB DDR3/1066, 320 HDD SATA 5400RPM, Intel GS45, WLAN 802.11 a/g/n, No ODD, Lighting KB and Touchpad, BT, WEBCAM 0,3MPX, 8 cell battery, Bag, Mouse, Vista Home Premium,Garantie 1 an baterie | 532.336 | EUR | 2816.632 | C | 24 | 22287 |
| Notebook / La | Asus | Notebook Asus 13.3" UX30-QX007D HD ColorShine, Intel ULV SU9400, 4GB DDR2, 500GB HDD SATA 5400RPM, Intel GMA 4500MHD, Intel 802.11 a/g/n. No ODD, Lighting KB and Touchpad, BT, Webcam, Bag, Mouse, Garantie 1 an baterie | 760.928 | EUR | 4026.131 | C | 24 | 22290 |
| Notebook / La | Asus | Notebook Asus 13.3" UX30-QX060C HD ColorShine, Intel ULV SU7300, 4GB DDR2, 500GB HDD SATA 5400RPM, Intel GMA 4500MHD, Intel 802.11 a/g/n. No ODD, Lighting KB and Touchpad, BT, Webcam, Bag, Mouse, Windows Vista Home Premium, Garantie 1an baterie | 597.632 | EUR | 3162.118 | C | 24 | 22289 |
| Notebook / La | Asus | Notebook Asus 13.3" UX30-QX084V HD ColorShine, Intel ULV SU7300, 3GB DDR2, 500GB HDD SATA 5400RPM, Intel GMA 4500MHD, Intel 802.11 a/g/n. No ODD, Lighting KB and Touchpad, BT, Webcam, Bag, Mouse, Windows 7 Premium, Garantie 1 an baterie | 717.36 | EUR | 3795.613 | C | 24 | 22288 |
| Notebook / La | Asus | Notebook Asus 14" B80A-4P018E (WXGA, ColorShine), Intel Core2Duo T6400, Intel GMA X4500HD, 3GB DDRII 800Mhz, 250G HDD, TPM, 1.3M WebCamera, Dvd RW SuperMulti Dual Layer, WLAN 802.11 b/g/n, BlueTooth, Finger Print Reader, 9 Cell By,Mouse, Windows Vista Business, 2yw | 869.792 | EUR | 4602.136 | C | 24 | 20037 |
| Notebook / La | Asus | Notebook Asus 14" U80V-WX101V HD ColorShine, Intel Core2Duo T6600, 4GB DDR2, 500 HDD SATA 5400RPM, NV G105M 512MB VRAM, Intel 802.11 a/g/n, DVDRW SM DL 8X, Lighting KB and Touchpad, BT, WEBCAM 1,3MPX, Win 7 Premium, Bag, Mouse, Garantie 1an baterie | 652.064 | EUR | 3450.126 | C | 24 | 22292 |
| Notebook / La | Asus | Notebook Asus 14" UL80VT-WX002V HD ColorShine, Intel CULV SU7300, 4GB DDR2, 500 HDD SATA 5400RPM, NV G210M 512MB, Intel 802.11 A/G/N, DVDRW SM DL 8X, BT, WEBCAM, Windows 7 Premium, bag, mouse, Garantie 1 an baterie, 8 Cell | 702.128 | EUR | 3715.018 | C | 24 | 22291 |
| Notebook / La | Asus | Notebook Asus 15.4" B50A-AP108E (WXGA+, ColorShine), Intel Core2Duo T6400, Intel GMA X4500HD, 3GB DDRII 800Mhz, 250G HDD, TPM, 1.3M WebCamera, Dvd RW SuperMulti Dual Layer, WLAN 802.11 b/g/n, BlueTooth, Finger Print Reader, 8 Cettyer, Bag&Mouse, Windows Vista Business, Docking Station | 892.64 | EUR | 4723.029 | C | 24 | 20036 |
| Notebook / La | Asus | Notebook Asus 15.6" G51J-IX105V, 3D HD (1366x768) LED backlit, Intel Core i7 720QM, 4GB DDR3, 500GB SATA 7200RPM, nVidia GTX260 1GB DDR3 VRAM, 802.11 N, Bluetooth, BlueRay Combo, Webcam, Bag, Mouse, 3D Glasses, 9 cell, Windows 7 Home Premium, Garantie 1 an baterie | 1385.55 | EUR | 7331.072 | C | 24 | 23351 |
| Notebook / La | Asus | Notebook Asus 15.6" G51JX-IX196V, LED-backlit HD 1366x768/ 16:9, Intel Core i7 720QM 1.6GHz, 6MB, 4GB DDR3 1066MHz (2x2), 500GB HDD SATA 7200RPM, nVidia GTS 360M 1GB DDR5 VRAM, Blue Ray DVD Combo, 802.11 b/g/n, Bluetooth V2.1, Webcam 2MP, Card reader, 9 cell battery, 3D glasses, Windows 7 Home Premium | 1414.11 | EUR | 7482.182 | C | 24 | 23221 |
| Notebook / La | Asus | Notebook Asus 15.6" K50AB-SX057L, HD ColorShine, AMD Turion Ultra ZM84, 4GB DDR2, 500 HDD SATA 5400RPM, Ati 4570 512MB DDR2 VRAM, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Linux, Garantie 1 an baterie | 449.568 | EUR | 2378.701 | S | 24 | 22284 |
| Notebook / La | Asus | Notebook Asus 15.6" K50AB-SX132L, AMD Turion RM75, 2GB DDR2, 320 HDD SATA 5400RPM, Ati 4570 512MB DDR2 VRAM, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Linux, Garantie 1 an baterie | 419.104 | EUR | 2217.51 | C | 24 | 22282 |

| | | | | | | | | |
|---------------|------|--|---------|-----|----------|----|----|-------|
| Notebook / La | Asus | Notebook Asus 15.6" K50AD-SX046D, HD ColorShine, AMD Athlon II M300, 1x2GB DDR2, 500 HDD SATA 5400RPM, ATI Radeon HD 4570, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Free DOS Garantie 1 an batterie | 412.608 | EUR | 2183.138 | C | 24 | 22285 |
| Notebook / La | Asus | Notebook Asus 15.6" K50AF-SX014D, HD ColorShine (1366x768), AMD Athlon II M320, 2x2GB DDR2, 320 HDD SATA 5400RPM, ATI Radeon HD 5140, DVDRW SM DL 8X, Webcam , WLAN 802.11 b/g/n, 6 Cell, Free DOS, Garantie 1 an batterie | 442.624 | EUR | 2341.954 | S | 24 | 23347 |
| Notebook / La | Asus | Notebook Asus 15.6" K50AF-SX031L, HD ColorShine (1366x768), AMD Sempron M120, 3GB DDR2, 320 HDD SATA 5400RPM, ATI Radeon HD 5145, DVDRW SM DL 8X, Webcam , WLAN 802.11 b/g/n, 6 Cell, Free DOS, Garantie 1 an batterie | PROMO | EUR | 1953.045 | SL | 24 | 26342 |
| Notebook / La | Asus | Notebook Asus 15.6" K50IE-SX003D, HD ColorShine (1366x768) LED backlit, Intel Pentium Dual Core T4400 2.2 GHz, 4GB DDR3 1066MHz, 320 HDD SATA 5400RPM, nVidia GeForce G310M 512MB, DVDRW SM DL 8X, WEBCAM 0,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Free DOS, Garantie 1 an batterie | 470.4 | EUR | 2488.92 | C | 24 | 23344 |
| Notebook / La | Asus | Notebook Asus 15.6" K50IE-SX031D, HD ColorShine, Intel Pentium Dual Core T4400 2.2 GHz, 3GB DDR3 1066MHz, 320 HDD SATA 5400RPM, nVidia GeForce G310M 512MB, DVDRW SM DL 8X, WEBCAM 0,3 MPX, WLAN 802.11 b/g/n, BT 2.1, 6 Cell, FreeDos, Garantie 1an batterie | 456.176 | EUR | 2413.667 | S | 24 | 22266 |
| Notebook / La | Asus | Notebook Asus 15.6" K50IE-SX039D, HD ColorShine 1366x768, Intel Core 2 Duo T5900 2.2 GHz, 4GB DDR3 1066MHz, 500 HDD SATA 5400RPM, nVidia GeForce G310M 512MB, DVDRW SM DL 8X, WEBCAM 0,3 MPX, WLAN 802.11 b/g/n, 6 Cell, FreeDos | 488.768 | EUR | 2586.114 | 0 | 24 | 23202 |
| Notebook / La | Asus | Notebook Asus 15.6" K50IE-SX099D, HD ColorShine 1366x768, Intel Core 2 Duo T6570 2.1 GHz, 3GB DDR3 1066MHz, 320 HDD SATA 5400RPM, nVidia GeForce G205M 512MB, DVDRW SM DL 8X, WEBCAM 0,3 MPX, WLAN 802.11 b/g/n, 6 Cell, FreeDos | 486.976 | EUR | 2576.627 | S | 24 | 25399 |
| Notebook / La | Asus | Notebook Asus 15.6" K50J-SX046D HD ColorShine, Intel Core2Duo T5900, 4GB DDR2, 320 HDD SATA 5400RPM, Intel GMA 4500M, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, FreeDos, Garantie 1 an batterie | 456.176 | EUR | 2413.667 | C | 24 | 22262 |
| Notebook / La | Asus | Notebook Asus 15.6" K50J-SX070L 15.6" HD ColorShine, Intel Core2Duo T5900, 2GB DDR2, 250 HDD SATA 5400RPM, Intel GMA 4500M, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Linux, 2yr Warranty, Garantie 1an batterie | 423.472 | EUR | 2240.627 | C | 24 | 22050 |
| Notebook / La | Asus | Notebook Asus 15.6" K50J-SX188L, HD ColorShine, Intel Core2Duo T6600, 4GB DDR2, 320 HDD SATA 5400RPM, Intel GMA 4500M, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Linux, Garantie 1 an batterie | 467.04 | EUR | 2471.146 | C | 24 | 22261 |
| Notebook / La | Asus | Notebook Asus 15.6" K50J-SX256D HD ColorShine, Intel Pentium Dual Core T4400, 4GB DDR2, 320 HDD SATA 5400RPM, Intel GMA 4500M, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, FreeDos, Garantie 1 an batterie | 431.536 | EUR | 2283.288 | C | 24 | 22260 |
| Notebook / La | Asus | Notebook Asus 15.6" K50J-SX263D, LED ColorShine, Intel Pentium Dual Core T4400 2.2GHz, 3GB DDR2, 320 HDD SATA 5400RPM, Intel GMA 4500M, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 a/b/g/n, 3 in 1 card reader, 6 Cell, Free DOS, Garantie 1an batterie | 430.528 | EUR | 2277.957 | C | 24 | 25278 |
| Notebook / La | Asus | Notebook Asus 15.6" K50J-SX272L HD ColorShine LED backlight, Intel Celeron T3100 1.9GHz,3GB DDR2, 250GB HDD, Intel GMA 4500M, DVD Super Multi, Webcam 1.3 Mpixeli, 6 cell, Linux, Black, Garantie 1 an batterie | 398.272 | EUR | 2107.291 | 0 | 24 | 23340 |
| Notebook / La | Asus | Notebook Asus 15.6" K50J-SX282D HD ColorShine, Intel Celeron Dual Core T3100, 2GB DDR2, 250 HDD SATA 5400RPM, Intel GMA 4500M, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Linux, Garantie 1 an batterie | 379.904 | EUR | 2010.098 | S | 24 | 22258 |
| Notebook / La | Asus | Notebook Asus 15.6" K50J-SX344D, HD ColorShine, Intel Core2Duo T6570, 3GB DDR2, 320 HDD SATA 5400RPM, Intel GMA 4500M, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 a/b/g/n, 6 Cell, Free DOS, Garantie 1 an batterie | 452.032 | EUR | 2391.738 | C | 24 | 25277 |
| Notebook / La | Asus | Notebook Asus 15.6" K50J-SX424D LED ColorShine, Intel Pentium Dual Core T4500 2.3GHz, 3GB DDR2 (2+1), 320 HDD SATA 5400RPM, Intel GMA 4500M, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 a/b/g/n, 3 in 1 card reader, 6 Cell, FreeDOS, Garantie 1 an batterie | 434.336 | EUR | 2298.106 | C | 24 | 24982 |
| Notebook / La | Asus | Notebook Asus 15.6" K50J-SX497D, HD ColorShine, Intel Celeron Dual Core T3300 2.0GHz, 2GB DDR2 (1x2), 320 HDD SATA 5400RPM, Intel GMA 4500M, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 3 in 1 card reader, 6 Cell, Free DOS, Garantie 1 an batterie | 390.768 | EUR | 2067.587 | C | 24 | 24981 |
| Notebook / La | Asus | Notebook Asus 15.6" K50IN-SX139L, HD ColorShine (1366x768), Intel Pentium Dual Core T4300, 4GB DDR2, 320 HDD SATA 5400RPM, nVidia G102M 512MB DDR2 VRAM, DVDRW SM DL 8X, Webcam 1,3 MPX, WLAN 802.11 a/b/g/n, card reader, 6 Cell, Linux, Garantie 1 an batterie | 456.176 | EUR | 2413.667 | C | 24 | 23610 |
| Notebook / La | Asus | Notebook Asus 15.6" K50IN-SX148L HD ColorShine, Intel Core2Duo T6600, 4GB DDR2, 250 HDD SATA 5400RPM, nVidia G102M 512MB DDR2 VRAM, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Linux, Garantie 1 an batterie | 492.016 | EUR | 2603.294 | C | 24 | 22264 |
| Notebook / La | Asus | Notebook Asus 15.6" K50IN-SX149L HD ColorShine , Intel Core 2 Duo T6600, 4GB DDR2, 320 HDD SATA 5400RPM, nVidia G102M 512MB DDR2 VRAM, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, No OS, Garantie 1 an batterie | 505.12 | EUR | 2672.634 | S | 24 | 22265 |
| Notebook / La | Asus | Notebook Asus 15.6" K50IN-SX316L, HD ColorShine, Intel Core2Duo T5900, 3GB DDR2, 320 HDD SATA 5400RPM, nVidia G102M 512MB DDR2 VRAM, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Garantie 1 an batterie | PROMO | EUR | 2322.645 | SL | 24 | 22263 |
| Notebook / La | Asus | Notebook Asus 15.6" K51AC-SX037D HD ColorShine, AMD Athlon Dual Core QL65, 2GB DDR2, 250 HDD SATA 5400RPM,ATI radeon HD3200, DVD+-RW SM DL 8X, Webcam 1.3 Mpixeli, Wlan 802.11 b/g/n, 6 Cell, Free DOS. | 421.12 | EUR | 2228.184 | SL | 24 | 21945 |
| Notebook / La | Asus | Notebook Asus 15.6" K51AE-SX022D, HD ColorShine, AMD Athlon II M300, 1x2GB DDR2, 250 HDD SATA 5400RPM, ATI Radeon HD 4200, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Free DOS Garantie 1 an batterie | 379.904 | EUR | 2010.098 | SL | 24 | 22279 |
| Notebook / La | Asus | Notebook Asus 15.6" K51AE-SX025D, HD ColorShine, AMD Turion II M500, 1x2GB DDR2, 320 HDD SATA 5400RPM, ATI Radeon HD 4200, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Free DOS Garantie 1 an batterie | 401.744 | EUR | 2125.659 | S | 24 | 22280 |
| Notebook / La | Asus | Notebook Asus 15.6" K51AE-SX049D, HD ColorShine, AMD Athlon II Dual Core M320, 2GB DDR2, 320 HDD SATA 5400RPM, ATI Radeon HD 4200, DVDRW SM DL 8X, WEBCAM 0.3 MPX, 802.11b/g/n, 6 Cell, Free DOS, Garantie 1 an batterie | 387.296 | EUR | 2049.219 | C | 24 | 25276 |
| Notebook / La | Asus | Notebook Asus 15.6" K52F-SX039D, HD ColorShine 1366x768, Intel Core I3 350M 2,26GHz, 3GB DDR3 1066MHz, 320 HDD SATA 5400RPM, Intel HM 55, DVDRW SM DL 8X, WEBCAM 0,3 MPX, WLAN 802.11 b/g/n, BT 2.1, 6 Cell, FreeDos, Garantie 1 an batterie | 511.616 | EUR | 2707.006 | C | 24 | 26520 |
| Notebook / La | Asus | Notebook Asus 15.6" K52F-SX050D, HD ColorShine 1366x768, Intel Core I5 430M, 4GB DDR3 1066MHz, 500 HDD SATA 5400RPM, Intel HM 55, DVDRW SM DL 8X, WEBCAM 0,3 MPX, WLAN 802.11 b/g/n, BT 2.1, 6 Cell, FreeDos | 598.752 | EUR | 3168.043 | S | 24 | 23204 |
| Notebook / La | Asus | Notebook Asus 15.6" K52F-SX062D, HD ColorShine, Intel Core I3 350M 2,26GHz, 4GB DDR3 1066MHz, 320 HDD SATA 5400RPM, Intel HM 55, DVDRW SM DL 8X, WEBCAM 0,3 MPX, WLAN 802.11 b/g/n, BT 2.1, 6 Cell, FreeDos | 523.6 | EUR | 2770.41 | S | 24 | 23203 |
| Notebook / La | Asus | Notebook Asus 15.6" K52F-SX273D, HD LED backlit (1366x768), Intel Pentium Dual Core P6000 1,86GHz, 3GB DDR3 1066MHz, 320 HDD SATA 5400RPM, Intel HM 55, DVDRW SM DL 8X, WEBCAM 0,3 MPX, WLAN 802.11 b/g/n, BT 2.1, 6 Cell, FreeDos, Garantie 1an batterie | 479.024 | EUR | 2534.549 | C | 24 | 26519 |
| Notebook / La | Asus | Notebook Asus 15.6" K52JC-EX073D HD ColorShine, Intel Core I3 350M 2.26GHz, 4GB DDR3 1066MHz (2x2), 500 HDD SATA 5400RPM, nVidia Geforce G310M 1GB DDR3, DVDRW SM DL 8X, WEBCAM 0,3 MPX, WLAN 802.11 b/g/n, Bluetooth, Card reader, 6 Cell, FreeDOS, Garantie 1 an batterie | 597.632 | EUR | 3162.118 | C | 24 | 24983 |
| Notebook / La | Asus | Notebook Asus 15.6" K52JC-EX271D, HD ColorShine (1366x768), Intel Core i5 450M 2.40GHz, 3GB DDR3 1066MHz (1+2), 500 HDD SATA 5400RPM, nVidia Geforce G310M 1GB DDR3, DVDRW SM DL 8X, Webcam 0,3 MPX, WLAN 802.11 b/g/n, Bluetooth, Card reader4 in 1, 6 cell, Free DOS, Garantie 1 an batterie | 652.064 | EUR | 3450.126 | C | 24 | 26290 |

| | | | | | | | | |
|---------------|------|---|---------|-----|----------|------|----|-------|
| Notebook / La | Asus | Notebook Asus 15.6" K52JC-SX031D, HD ColorShine, Intel Core i5 430M 2.26GHz, 4GB DDR3 1066MHz (2x2), 500 HDD SATA 5400RPM, nVidia Geforce G310M 1GB DDR3, DVDRW SM DL 8X, WEBCAM 0,3 MPX, WLAN 802.11 b/g/n, Bluetooth, card reader, 6 Cell, FreeDOS, Garantie 1 an batterie | 652.064 | EUR | 3450.126 | C | 24 | 24984 |
| Notebook / La | Asus | Notebook Asus 15.6" K52JK-SX001D, HD 1366x768 LED ColorShine, Intel Core i3 350M 2.26GHz, 3MB, 4GB DDR3 1066MHz, 500 HDD SATA 5400RPM, ATI Radeon HD 5145 1GB DDR3, DVDRW SM DL 8X, WEBCAM 0,3 MPX, WLAN 802.11 b/g/n, BT 2.1, 6 Cell, Free DOS | 578.032 | EUR | 3058.418 | M | 24 | 23207 |
| Notebook / La | Asus | Notebook Asus 15.6" K52JK-SX011D, HD 1366x768 LED ColorShine, Intel Core i3 350M 2.26GHz, 3MB, 3GB DDR3 1066MHz, 320 HDD SATA 5400RPM, ATI Radeon HD 5145 1GB DDR3, DVDRW SM DL 8X, WEBCAM 0,3 MPX, WLAN 802.11 b/g/n, BT 2.1, 6 Cell, FreeDOS | 554.064 | EUR | 2931.6 | C | 24 | 23205 |
| Notebook / La | Asus | Notebook Asus 15.6" K52JK-SX043D, HD ColorShine 1366x768, Intel Core i5 430M , 4GB DDR3 1066MHz, 320 HDD SATA 5400RPM, ATI Radeon HD 5145 1GB GDDR3, DVDRW SM DL 8X, WEBCAM 0,3 MPX, WLAN 802.11 b/g/n, BT 2.1, 6 Cell, FreeDos | 623.728 | EUR | 3300.192 | CALL | 24 | 23208 |
| Notebook / La | Asus | Notebook Asus 15.6" K61C-JX125D, HD ColorShine, Intel Pentium Dual Core T4400 2,20 GHz, 2GB DDR2, 320 HDD SATA 5400RPM, Nvidia GT 220M 1024MB DDR2 , DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, free dos, Garantie 1an batterie | 477.904 | EUR | 2528.624 | C | 24 | 22137 |
| Notebook / La | Asus | Notebook Asus 15.6" U50VG-XX039D, HD ColorShine, Intel Core2Duo T6500, 4GB DDR2, 320 HDD SATA 5400RPM, NV G105M 512MB VRAM, Intel 802.11 A/G/N, DVDRW SM DL 8X, lighting KB and touchpad, BT, WEBCAM 1,3MPX, only 2,3 - 3cm height, FOS, bag, mouse, 2yr Warranty | 608.496 | EUR | 3219.597 | C | 24 | 20043 |
| Notebook / La | Asus | Notebook Asus 15.6" U50VG-XX156V, HD ColorShine, Intel Core2Duo T6600, 4GB DDR2, 500 HDD SATA 5400RPM, NV G105M 512MB VRAM, Intel 802.11 A/G/N, DVDRW SM DL 8X, lighting KB and touchpad, BT, WEBCAM 1,3MPX, only 2,3 - 3cm height, Win 7Premium, bag, mouse, Garantie 1 an batterie | PROMO | EUR | 3465.045 | S | 24 | 22680 |
| Notebook / La | Asus | Notebook Asus 15.6" UL50AG-XX010C, HD ColorShine, Intel CULV SU7300, 4GB DDR2, 500 HDD SATA 5400RPM, Intel 4500MHD, Intel 802.11 A/G/N, DVDRW SM DL 8X, BT, WEBCAM, Windows Vista Home Premium, bag, mouse, Garantie 1 an batterie, 8 Cell | 575.904 | EUR | 3047.15 | C | 24 | 22293 |
| Notebook / La | Asus | Notebook Asus 15.6" UL50AG-XX046V, HD ColorShine (1366x768) LED backlight, Intel CULV SU7300, 4GB DDR2, 500 HDD SATA 5400RPM, Intel 4500MHD, Intel 802.11 A/G/N, DVDRW SM DL 8X, Bluetooth, Webcam, 8 cell, Windows 7 Premium, bag, mouse, Garantie 1 an batterie | 620.144 | EUR | 3281.23 | C | 24 | 23363 |
| Notebook / La | Asus | Notebook Asus 15.6" UL50VG-XX031V, HD ColorShine (1366x768) LED backlight, Intel CULV SU7300, 4GB DDR2, 500 HDD SATA 5400RPM, NV G210M 512MB, Intel 802.11 A/G/N, DVDRW SM DL 8X, Bluetooth, Webcam, 8 cell, Windows 7 Premium, bag, mouse, Garantie 1 an batterie | 631.232 | EUR | 3339.896 | C | 24 | 23365 |
| Notebook / La | Asus | Notebook Asus 15.6" UX50V-XX013X, HD ColorShine, Intel CULV SU3500, 4GB DDR2, 320 HDD SATA 5400RPM, NV G105M 512MB VRAM, Intel 802.11 A/G/N, DVDRW SM DL Slot-in 6X, BT, WEBCAM 1,3MPX, Express Gate, bag, mouse, 2yr Warranty | 575.904 | EUR | 3047.15 | C | 24 | 20042 |
| Notebook / La | Asus | Notebook Asus 15.6" UX50V-XX045V, HD ColorShine (1366x768) LED backlight, Intel CULV SU7300, 4GB DDR2, 500 HDD SATA 5400RPM, NV G105M 512MB VRAM, Intel 802.11 A/G/N, DVDRW SM DL Slot-in 6X, Bluetooth, Webcam 1,3MPX, Windows 7 Premium, bag, mouse, Garantie 1 an batterie | 697.76 | EUR | 3691.901 | C | 24 | 23370 |
| Notebook / La | Asus | Notebook Asus 16" G60J-JX070Z HD ColorShine, Intel Core i7 720M, 4GB DDR3, 1000GB HDD SATA 7200RPM, nVidia GTX260 1G DDR3 VRAM, Intel 802.11 a/g/n, Blue Ray Combo, WEBCAM, Bag, Mouse, 6Cell, Windows 7 Ultimate, Garantie 1 an batterie | 1359.68 | EUR | 7194.174 | C | 24 | 22319 |
| Notebook / La | Asus | Notebook Asus 16" K61C-JX013D, HD ColorShine, Intel Core2Duo T6600, 4GB DDR2, 320GB SATA 5400rpm, nVidia G220M 1024MB DDR2 VRAM, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Free Dos, Garantie 1 an batterie | 575.904 | EUR | 3047.15 | C | 24 | 26968 |
| Notebook / La | Asus | Notebook Asus 16" K61C-JX124D HD ColorShine, Core 2 Duo T5900, 2GB DDR2, 320 HDD SATA 5400RPM, Nvidia GT 220M 1024MB DDR2, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, free dos, Garantie 1 an batterie | 521.472 | EUR | 2759.154 | CALL | 24 | 22270 |
| Notebook / La | Asus | Notebook Asus 16" M60J-JX058V HD ColorShine, Intel Core i7 720M, 4GB DDR3, 320+320 HDD SATA 7200RPM, nVidia GT240 1G DDR3 VRAM, Intel 802.11 a/g/n, Blue Ray Combo, WEBCAM 2.0MPX, Bag, Mouse, 6Cell, Windows 7 Premium, Garantie 1 an batterie | 1087.52 | EUR | 5754.157 | C | 24 | 22272 |
| Notebook / La | Asus | Notebook Asus 16" M60J-JX092V HD ColorShine, Intel Core i7 720M, 4GB DDR3, 320+320 HDD SATA 7200RPM, nVidia GT240 1G DDR3 VRAM, Intel 802.11 a/g/n, DVDRW SM 8x, WEBCAM 2.0MPX, Bag, Mouse, 6Cell, Windows 7 Premium, Garantie 1 an batterie | 1043.95 | EUR | 5523.638 | C | 24 | 22271 |
| Notebook / La | Asus | Notebook Asus 16" M60VP-6X039X HD ColorShine, Intel Dual Core T4200, 4GB DDR2, 320GB HDD SATA 5400RPM, ATI HD4650 1G DDR3 VRAM, Intel 802.11 a/g/n, DVDRW SM DL 8X, WEBCAM 2.0MPX, Bag, Mouse, 6Cell, Express Gate, 2yr Warranty | 652.064 | EUR | 3450.126 | C | 24 | 20034 |
| Notebook / La | Asus | Notebook Asus 16" N60DP-JX012V AMD Turion II X2 RM500, 4GB DDR2, 500GB 5400rpm, ATI HD4670 1G VRAM, DVDRW SM 8x, Wireless 802.11n, Windows 7 Premium, Bag, Mouse, Garantie 1 an batterie | 543.2 | EUR | 2874.11 | C | 24 | 22277 |
| Notebook / La | Asus | Notebook Asus 16" N61JQ-JX020V, Frameless HD ColorShine, Intel i7 720M, 4GB DDR3, 500GB 7200rpm,ATI Radeon HD 5730 1GB DDR3 DX11 Support, DVDRW SM 8x, Intel 802.11n, Windows 7 Premium, Bag, Mouse | 967.792 | EUR | 5120.662 | C | 24 | 23212 |
| Notebook / La | Asus | Notebook Asus 16" N61JV-JX034V, HD 1366x768 ColorShine, Intel Core i3 350M 2.26GHz, 3MB, 4GB DDR3 1066, 320GB 5400 rpm, NVIDIA GeForce GT325M 1GB DDR3 VRAM, DVDRW SM 8x, Webcam 2MP, Bluetooth V2.1, Intel 802.11n, Windows 7 Home Premium, Bag, Mouse | 739.2 | EUR | 3911.163 | C | 24 | 23213 |
| Notebook / La | Asus | Notebook Asus 16" N61JV-JX035V, HD 1366x768 ColorShine, Intel Core i5 430M 2.26GHz, 3MB, Turbo Boost tech., 4GB DDR3 1066, 500GB 5400 rpm, NVIDIA GeForce GT325M 1GB DDR3 VRAM, DVDRW SM 8x, Webcam 2MP, Bluetooth V2.1, Intel 802.11n, Windows 7 Home Premium, Bag, Mouse | 815.36 | EUR | 4314.139 | C | 24 | 23214 |
| Notebook / La | Asus | Notebook Asus 16" N61JV-JX052V, HD (1366x768) Vesa Like, Intel Core i5 430M 2.26 GHz, 4GB DDR3, 500GB HDD, Nvidia GT 325M, DVDRW, Camera, Card reader, WLAN 802.11b/g, 6 cell, Windows 7 Home Premium, Garantie 1 an batterie | 752.08 | EUR | 3979.315 | C | 24 | 23350 |
| Notebook / La | Asus | Notebook Asus 16" N61VG-JX160V HD ColorShine, Intel Core2Duo T5900, 4GB DDR2, 320GB 7200rpm, nVidia GT 220 1024MB DDR2, DVDRW SM 8x, Intel 802.11n, Windows 7 Premium, Bag, Mouse, Garantie 1 an batterie | 597.632 | EUR | 3162.118 | C | 24 | 22276 |
| Notebook / La | Asus | Notebook Asus 16" N61VN-JX072D, HD ColorShine, Intel Core 2 Duo P7450, 4GB DDR3, 500GB 5400rpm, nVidia GT 240 1024MB DDR3, DVDRW SM 8x, Bluetooth, Webcam, Intel 802.11n, Free Dos | 597.632 | EUR | 3162.118 | C | 24 | 23210 |
| Notebook / La | Asus | Notebook Asus 16" N61VN-JX096V HD ColorShine, Intel Core2Duo T6600, 4GB DDR3, 500GB 7200rpm, nVidia GT 240 1024MB DDR3, DVDRW SM 8x, Wireless, Windows 7 Premium, Bag, Mouse, Garantie 1 an batterie | 641.2 | EUR | 3392.637 | C | 24 | 22273 |
| Notebook / La | Asus | Notebook Asus 16" N61VN-JX189V HD ColorShine, Intel Core2Duo T7450, 4GB DDR3, 500GB 7200rpm, nVidia GT 240 1024MB DDR3, DVDRW SM 8x, Intel 802.11n, Windows 7 Premium, Bag, Mouse, Garantie 1 an batterie | 652.064 | EUR | 3450.126 | C | 24 | 22274 |
| Notebook / La | Asus | Notebook Asus 17.3" N71JA-TY020V, Frameless HD ColorShine 1600x900, Intel Core i3 350M, 4GB DDR3, 320GB+320GB 7200rpm, Ati Radeon HD 5730 1GB DDR3 DX11 Support, DVDRW SM 8x, Intel 802.11n, Windows 7 Premium, Bag, Mouse | 869.792 | EUR | 4602.136 | C | 24 | 23218 |
| Notebook / La | Asus | Notebook Asus 17.1" G71V-7T047G, TFT (WUXGA HighBrightness) - Intel Quad Core QX9300 - NV GeForce 9700M GS 512MB VRAM - 4G DDR3 1333 RAM + 2G Turbo Memory - 500G X 2 SATA HDD - Blue Ray DVD Combo (Read Only) - WLAN Intel WIFI LINK 5100 A/N - 2M Video Camera Built-in - BlueTooth - 8 cell Battery - ASUS Gaming Bag/Mouse, Gar. 1 an batterie | 1849.57 | EUR | 9786.213 | C | 24 | 17538 |
| Notebook / La | Asus | Notebook Asus 17.3" K70AE-TY015D HD ColorShine, AMD Athlon II M300, 1x2GB DDR2, 320 HDD SATA 5400RPM, ATI Radeon HD 4200, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Free DOS, Garantie 1 an batterie | 456.176 | EUR | 2413.667 | C | 24 | 22315 |

| | | | | | | | | |
|---------------|----------|--|---------|-----|----------|------|----|-------|
| Notebook / La | Asus | Notebook Asus 17.3" K70J-TY044L HD + ColorShine, Intel Dual Core T4300, 4GB DDR2, 320HDD S-ATA 5400RPM, Intel GMA X4500M, DVD+/-RW SM DL 8X, Webcam 1,3 MPX, WLAN 802.11 b/g/n, 6 Cell, Linux. | 477.904 | EUR | 2528.624 | 0 | 24 | 21917 |
| Notebook / La | Asus | Notebook Asus 17.3" K70J-TY049L HD+ ColorShine, Intel Core2Duo T6600, 4GB DDR2, 500 HDD SATA 5400RPM, Intel GMA X4500M, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6Cell, Linux, Garantie 1 an batterie | 543.2 | EUR | 2874.11 | CALL | 24 | 22318 |
| Notebook / La | Asus | Notebook Asus 17.3" K70J-TY107L HD+ ColorShine, Intel Dual Core T4400, 3GB DDR2, 320 HDD SATA 5400RPM, Intel GMA X4500M, DVDRW SM DL 8X, WEBCAM 1,3 MPX, WLAN 802.11 b/g/n, 6Cell, Linux, Garantie 1 an batterie | 477.904 | EUR | 2528.624 | S | 24 | 22317 |
| Notebook / La | HP Renew | Notebook HP Renew, Pavilion dv2-1120ed , 12.1" WXGA, AMD Athlon NEO MV-40 (1.6GHz), ATI Radeon 3410 Up to 1404MB (512 MB dedicated), 2GB DDR2, 160GB HDD, WIFI, Webcam, Bluetooth, Vista Home Basic, Garantie 1 an batterie | 405.216 | EUR | 2144.027 | C | 12 | 25288 |
| Notebook / La | HP Renew | Notebook HP Renew, Pavilion dv5-1170et, 15.4" WXGA 1280 x 800, Intel Core 2 Duo T9400 2.53GHz, Nvidia GeForce 9600M Up to 1791 MB (512 MB dedicated), 3 GB Ram DDR2, 320GB HDD, DVDRW DL LS, WIFI, Webcam, Remote, Bluetooth, FingerPrint Reader, Vista Home Premium, Garantie 1 an batterie | 640.416 | EUR | 3388.493 | C | 12 | 25322 |
| Notebook / La | HP Renew | Notebook HP Renew, Pavilion dv6-1236et, 15.6" WXGA HD BV LED 1366 x 768, Intel Core 2 Duo P8700 2.53GHz, ATI Mobility Radeon HD 4650 Up to 2303MB (1 GB dedicated), 3 GB Ram DDR2, 500GB HDD, DVDRW DL LS, WLAN 802.11 a/g/n, Webcam, Remote,Bluetooth, FingerPrint Reader, Vista Home Premium, Garantie 1 an batterie | 629.664 | EUR | 3331.608 | C | 12 | 25335 |
| Notebook / La | HP Renew | Notebook HP Renew, Compaq Presario CQ61-303SV, 15.6" WXGA+ BV 1366x768, Intel Core 2 Duo T6600 2.2GHz, Intel GMA 4500MHD Up to 1695 MB, 3 GB Ram DDR2, 320GB HDD, DVDRW DL LS, WIFI, Webcam, Bluetooth, Free DOS, Garantie 1 an batterie | 448 | EUR | 2370.402 | C | 12 | 25331 |
| Notebook / La | HP Renew | Notebook HP Renew, Compaq Presario CQ61-325SQ, 15.6" WXGA+ BV 1366x768, Intel Core 2 Duo T6600 2.2GHz, Intel GMA 4500MHD Up to 1695 MB, 2 GB Ram DDR2, 320GB HDD, DVDRW DL LS, WLAN 802.11b/g , Webcam, Free DOS, Garantie 1 an batterie | 448 | EUR | 2370.402 | C | 12 | 25332 |
| Notebook / La | HP Renew | Notebook HP Renew, Pavilion dv6-1235et, 15.6" WXGA HD BV LED 1366 x 768, Intel Core 2 Duo P8700 2.53GHz, ATI Mobility Radeon HD 4650 Up to 2303MB (1 GB dedicated), 3 GB Ram DDR2, 320GB HDD, DVDRW DL LS, WLAN 802.11 a/g/n, Webcam, Remote,Bluetooth, FingerPrint Reader, Vista Home Premium, Garantie 1 an batterie | 629.664 | EUR | 3331.608 | C | 12 | 25334 |
| Notebook / La | HP Renew | Notebook HP Renew, Compaq Presario CQ70-260EV, 17" WXGA HD BV 1440 x 900, Intel Core 2 Duo P7450 2.1GHz, Nvidia GeForce 9200GT Up to 1791 MB (512 MB dedicated), 3 GB Ram DDR2, 320GB HDD, DVDRW DL LS, WLAN 02.11 b/g , Webcam, Vista Home premium, Garantie 1 an batterie | 533.456 | EUR | 2822.557 | C | 12 | 25345 |
| Notebook / La | HP Renew | Notebook HP Renew, Compaq Presario CQ71-320EM, 17.3" WXGA HD BV LED 1600 x 900, Intel Core Duo T4300 2.1GHz, Nvidia GeForce G 103M Up to 1790 MB (512 MB dedicated), 3 GB Ram DDR2, 320GB HDD, DVDRW DL LS, WIFI, Webcam, Free DOS, Garantie 1an batterie | 480.032 | EUR | 2539.891 | C | 12 | 25341 |
| Notebook / La | HP Renew | Notebook HP Renew, Pavilion dv7-2114es, 17.3" WXGA HD BV LED 1600 x 900, AMD Turion64 X2 ZM-82 2.2GHz, ATI Mobility Radeon HD 4530 Up to 1791 MB (512 MB dedicated), 4 GB Ram DDR2, 500GB HDD, DVDRW DL LS, WLAN 802.11 b/g, Webcam, Remote, Vista Home Premium, Garantie 1 an batterie | 566.608 | EUR | 2997.971 | C | 12 | 25336 |
| Notebook / La | HP | Notebook HP Mini 5102 VQ672EA, 10.1" WSVGA LED 1024 x 600, Intel Atom N450 1.66GHz,1GB DDR2 RAM, 250GB 7200rpm HDD, No ODD, 802.11a/b/g/n , Bluetooth, Webcam, 6 cell, Windows 7 Starter 32bit, Office Ready 07, Garantie 1 an batterie | 423.696 | EUR | 2241.814 | 0 | 12 | 23518 |
| Notebook / La | HP | Notebook HP EliteBook 2540p WK304EA, 12.1" WXGA LED 1280 x 800, Intel Core i7-640LM, 2.13 GHz, 4GB DDR3 RAM, 160GB SSD, DVD+/-RW, Modem, 802.11a/b/g, Bluetooth, Fingerprint reader, 6 cell, Windows 7 PRO 32bit, Office Ready, Garantie 1 an batterie | 1694 | EUR | 8963.091 | 0 | 36 | 23970 |
| Notebook / La | HP | Notebook HP EliteBook 2740p WS272AW,12.1" WXGA LED 1280 x 800, Intel Core i5-540M, 2,53 GHz, 2GB DDR3 RAM, 160GB HDD, 56K Modem, WLAN 802.11a/b/g/n, Webcam, Bluetooth, Fingerprint reader, 6 cell, Windows 7 PRO 32bit, Office Ready, Garantie 1 an batterie | 1331.01 | EUR | 7042.47 | C | 36 | 23461 |
| Notebook / La | HP | Notebook HP ProBook 4320s WD865EA, 13.3" HD LED 1366 x 768, Intel Core i3-350M 2,26 GHz, 3GB DDR3, 320GB HDD, DVD+/-RW, Modem, 802.11b/g/n A, Bluetooth, Webcam, Crad reader, 6 cell, Linux, Garantie 1 an batterie | 605.024 | EUR | 3201.229 | C | 12 | 23516 |
| Notebook / La | HP | Notebook HP ProBook 5310m WD790EA, 13.3" HD LED 1366x768, Intel Core 2 Duo SP9400 2.40 GHz 1066 MHz, Intel GS45 Express, 2 GB DDR3 1066 MHz, 320 GB HDD SATA, Webcam 2MP, WLAN 802.11b/g/n, Bluetooth 2.1, 4 cell, Win 7 Pro 32 bit, Garantie 1an batterie | 653.408 | EUR | 3457.238 | C | 12 | 25742 |
| Notebook / La | HP | Notebook HP EliteBook 8440p VQ668EA, 14" HD LED 1600 x 900, Intel Core i7-620M 2,66 GHz, 4GB DDR3 RAM, 160GB SSD, DVD+/-RW, Modem, Webcam, WLAN 802.11a/b/g/n, Bluetooth, Fingerprint reader, 6 cell, Win7 PRO 32bit, Office Ready, Garantie 1an batterie | 1573.04 | EUR | 8323.078 | 0 | 36 | 23628 |
| Notebook / La | HP | Notebook HP EliteBook 8440p WJ683AW, 14" HD+ AG LED SVA 1600x900, Intel Core i7-520M 2.4 GHz, Intel QM57 Express ,2 GB DDR3 1333 MHz, 250 GB HDD 7200rpm SATA II, NVIDIA NVS 3100M graphics with 512 MB dedicated gDDR3 , DVD+/-RW SuperMulti DL LightScribe Drive, Webcam 2MP, WLAN 802.11a/b/g/n , Fingerprint Reader, Bluetooth 2.1, 56k Modem, 6 cell Li-Ion, Win 7 Pro 32bit , Garantie 1 an batterie | 1122.91 | EUR | 5941.421 | 0 | 36 | 25741 |
| Notebook / La | HP | Notebook HP ProBook 6450b WD774EA, 14" Anti Glare HD (1366x768) LED, Intel Core i5 450M (2.4 GHz), 2 GB DDR3 (1333 MHz), 320 GB 7200 rpm, Intel Media Accelerator HD (shared) , Gigabit, b/g/n, BT 2.1, DVD-SM LS, 2 MP, 6-cell, Express Card,MCR, FPR, Windows 7 Professional, Black, Garantie 1 an batterie | 799.792 | EUR | 4231.763 | 0 | 12 | 26972 |
| Notebook / La | HP | Notebook HP Compaq 620 WT161EA, 15.6" Anti Glare HD (1366x768) LED, Intel Celeron T3000 (1.8 GHz), 2 GB DDR3 (1333 MHz), 320 GB 5400 rpm, Intel 4500MHD (shared) , 10/100, b/g/n, BT 2.1, DVD-SM LS, 2 MP, 6-cell, SD Reader, Express Card, HPBasic Carrying Case, Linux, Grey, Garantie 1 an batterie | 362.992 | EUR | 1920.621 | 0 | 12 | 26969 |
| Notebook / La | HP | Notebook HP Compaq 620 WT162EA, 15.6" Anti Glare HD (1366x768) LED, Intel Celeron T3000 (1.8 GHz), 2 GB DDR3 (1333 MHz), 320 GB 5400 rpm, Intel 4500MHD (shared) , 10/100, b/g/n, BT 2.1, DVD-SM LS, 2 MP, 6-cell, SD Reader, Express Card, HPBasic Carrying Case, Linux, Grey, Garantie 1 an batterie | 362.992 | EUR | 1920.621 | C | 12 | 26970 |
| Notebook / La | HP | Notebook HP Compaq Presario CQ61-455SQ, 15.6" 1366x768, Intel Pentium T4300 2.1GHz, 2GB DDR2, 320Gb 5400rpm HDD, Intel GMA 4500M (shared), Atheros 802.11 bgn ME, 6 cell, FreeDOS, Garantie 1 an batterie | PROMO | EUR | 2087.445 | M | 24 | 25701 |
| Notebook / La | HP | Notebook HP EliteBook 8540p WD919EA, 15.6" HD LED 1366 x 768, Intel Core i5 540M 2,53 GHz, 4GB DDR3, 320GB HDD, NVIDIA NVS 5100 1GB, DVD+/-RW, WLAN 802.11a/b/g/n, Bluetooth, Webcam, Fingerprint reader, 8 cell, Windows 7 PRO 32bit, Office Ready, Garantie 1 an batterie | 1180.59 | EUR | 6246.61 | 0 | 36 | 23441 |
| Notebook / La | HP | Notebook HP Probook 8540p, WD921EA,15.6" HD+ AG LED WVA 1600x900, Intel Core i7-620M 2.66 GHz, Intel QM57 Express, 4 GB DDR3 1333 MHz, NVIDIA NVS 5100M graphics with 1 GB dedicated DDR3, 320 GB HD, DVD+/-RW SuperMulti DL LightScribe Drive,WLAN 802.11a/b/g/n, HSPA WWAN, Bluetooth 2.1, 8 cell Li-Ion, Win 7 Pro 32 bit, Garantie 1 an batterie | 1391.6 | EUR | 7363.07 | 0 | 36 | 25740 |
| Notebook / La | HP | Notebook HP EliteBook 8540w WD927EA, 15.6" HD + LED 1600 x 900, Intel Core i5 520M 2.40 GHz, 4GB DDR3, 320GB HDD, NVIDIA Quadro FX 880M 1GB, HDD DVD+/-RW, 802.11a/b/g/n, Bluetooth, 8 cell, Fingerprint reader, Windows 7 PRO 64bit, OfficeReady, Garantie 1 an batterie | 1240.29 | EUR | 6562.461 | 0 | 36 | 23442 |

| | | | | | | | | |
|---------------|---------|---|---------|-----|----------|---|----|-------|
| Notebook / La | HP | Notebook HP EliteBook 8540w WD929EA, 15.6" FHD 1920 x 1080, Intel Core i7 620M 2.66 GHz, 8GB DDR3, 500GB HDD, NVIDIA Quadro FX 880M 1GB, WLAN 802.11a/b/g/n, Bluetooth, Webcam, 8 cell, Fingerprint reader, Windows 7 PRO 64bit, Office Ready, Garantie 1 an batterie | 1573.04 | EUR | 8323.078 | 0 | 36 | 23443 |
| Notebook / La | HP | Notebook HP Pavilion dv6-1310eq VJ723EA#B1T, 15.6" WXGA 1366 x 768, Intel Pentium T4300, RAM 1024MB + 2048MB, HDD 320GB 7200rpm, ATI Radeon HD4530 512MB, DVD+RW LightScribe, WLAN 802.11 b/g, 6 cell, Windows 7 Premium, Garantie 1 an batterie | 613.088 | EUR | 3243.901 | C | 24 | 23452 |
| Notebook / La | HP | Notebook HP Pavilion dv6-1320eq VJ725EA#B1T, 15.6" WXGA 1366 x 768, Intel Core2 Duo T6600 2.2 GHz, 2x2048MB RAM, HDD 500GB 5400rpm, ATI Radeon HD4530, 512MB, DVD+RW LightScribe, WLAN 802.11 b/g, Webcam, Windows 7 Premium, Garantie 1 an batterie | 681.408 | EUR | 3605.381 | C | 24 | 23454 |
| Notebook / La | HP | Notebook HP ProBook 4510s VQ726EA, 15.6" HD LED 1366 x 768, Intel Pentium T4400 2.20 GHz, 3GB DDR3, 320GB 7200rpm HDD, DVD+RW LightScribe, Intel GMA 4500MHD, Webcam, WLAN 802.11b/g/n, Bluetooth, Linux, Garantie 1 an batterie | 450.8 | EUR | 2385.219 | C | 12 | 23433 |
| Notebook / La | HP | Notebook HP ProBook 4520s WD849EA, 15.6" HD LED 1366 x 768, Intel Core i3-330M 2,13 GHz, 4GB DDR3, 500GB 7200rpm HDD, ATI Mobility Radeon HD 4330 512MB, DVD+/-RW, Webcam, No Modem, WLAN 802.11 b/g/n, Bluetooth, 6 cell, Black, Linux, Garantie 1 an batterie | 629.216 | EUR | 3329.234 | C | 12 | 23623 |
| Notebook / La | HP | Notebook HP ProBook 4520s WK511EA, 15.6" HD LED 1366 x 768, Intel Core i3-350M 2,26 GHz, 4GB DDR3, 500GB-7200 rpm HDD, ATI Mobility Radeon HD 4330 512MB, DVD+RW LightScribe, Webcam, Bluetooth, Free DOS, Garantie 1 an batterie | 575.568 | EUR | 3045.381 | C | 12 | 23450 |
| Notebook / La | HP | Notebook HP ProBook 6540b WD683EA, 15.6" HD LED 1366 x 768, Intel Core i3 350M 2,26 GHz, 2GB DDR3, 320GB HDD, Intel Graphics Media Accelerator HD, DVD+/-RW, WLAN 802.11b/g/n, Webcam, Bluetooth, 6 cell, Windows 7 PRO 32bit, Office Ready, Garantie 1 an batterie | 805.84 | EUR | 4263.762 | C | 12 | 23440 |
| Notebook / La | HP | Notebook HP ProBook 6550b WD696EA, 15.6" Anti Glare HD (1366x768) LED, Intel Core i3 370M (2.4 GHz), 2 GB DDR3 (1333 MHz), 320 GB 7200 rpm, Intel Media Accelerator HD (shared), Gigabit, b/g/n, BT 2.1, DVD-SM LS, 2 MP, 6-cell, Express Card, MCR, FPR, Windows 7 Professional, Black, Garantie 1 an batterie | 741.776 | EUR | 3924.794 | 0 | 12 | 26973 |
| Notebook / La | HP | Notebook HP EliteBook 8730w FU470EA, 17" WUXGA WVA Display, Core2 Duo T9600, 2048MB DDR2, 320GB, DVD+/-RW, 56K Modem, 802.11a/b/g/n, Bluetooth, 8 Cellule, Vista Business 32bit, Garantie 1 an batterie | 1351.17 | EUR | 7149.139 | 0 | 36 | 19137 |
| Notebook / La | HP | Notebook HP EliteBook 8730w NN269EA, 17" WUXGA 1920 x 1200, NVIDIA Quadro FX 2700M 512MB, Intel Core2 Quad Q9000 2,00 GHz, 4096MB DDR RAM, 320GB HDD, DVD+/-RW, 56K Modem, WLAN 802.11a/b/g/n, Bluetooth, Webcam, 8 cell, Windows Vista Business downgrade to XP Pro, OFC07, Garantie 1 an batterie | 1355.87 | EUR | 7174.026 | 0 | 36 | 23437 |
| Notebook / La | HP | Notebook HP EliteBook 8740w WD936EA, 17" WSXGA+ LED 1680 x 1050, Intel Core i5-520M 2,40 GHz, 4GB DDR RAM, 320GB HDD, ATI FirePro M7820 1GB, DVD+/-RW, Webcam, WLAN 802.11a/b/g/n, Bluetooth, 8 cell, Win 7 PRO 64bit, Office Ready, Garantie 1an batterie | 1421.84 | EUR | 7523.074 | 0 | 36 | 23629 |
| Notebook / La | HP | Notebook HP EliteBook 8740w WD941EA, 17" WUXGA LED, 1920 x 1200, Intel Core i7-720QM 1,60 GHz, 8GB DDR RAM, 500GB HDD, NVIDIA Quadro FX 2800M 1 GB, DVD+/-W, Webcam, Modem, 802.11a/b/g/n, Bluetooth, 8 cell, Win 7 PRO 64bit, Office Ready, Garantie 1 an batterie | 2117.58 | EUR | 11204.3 | C | 36 | 23630 |
| Notebook / La | HP | Notebook HP ProBook 4720s WD903EA, 17.3" HD LED 1600 X 900, Intel Core i3-330M, 2GB DDR3, 250GB 7200rpm HDD, ATI Mobility Radeon HD 4350 512MB, DVD+RW, WLAN 802.11b/g/n, HDMI, Bluetooth, Pc Camera ZMP, 8 cell, Linux, Garantie 1 an batterie | 673.008 | EUR | 3560.939 | C | 12 | 24598 |
| Notebook / La | HP | Notebook HP ProBook 4710s VC435EA, 17.3" LED HD+ Anti-Glare 1600 x 900, Intel Core 2 Duo T5870 2.0GHz, 2048MB DDR2 800MHz 1DIMM, 250GB 7200rpm HDD, ATI Radeon HD 4330 (512MB), Modem, Broadcom 802.11b/g, Bluetooth 2.0, 8cell, Linux, Garantie 1 an batterie | 564.928 | EUR | 2989.078 | S | 12 | 25702 |
| Notebook / La | HP | Notebook HP ProBook 4720s WK518EA, 17.3" HD LED 1600 x 900, Intel Core i3-350M 2,26 GHz, 2GB DDR3, 250GB 7200rpm HDD, DVD+RW, 56K Modem, Webcam, WLAN 802.11b/g/n, Bluetooth, 8 cell, Black, Linux, Garantie 1 an batterie | 629.216 | EUR | 3329.234 | C | 12 | 23624 |
| Notebook / La | HP | Notebook HP ProBook 4720s WT088EA, 17.3" Anti Glare HD+ (1600x900) LED, INTEL Core i3 370M (2.4 GHz), 2+1 GB DDR3 (1333 MHz), 320 GB 7200 rpm, ATI Radeon HD 5470 (512 MB), Gigabit, b/g/n, BT 2.1, DVD-SM LS, 2 MP, 8-cell, MCR, Express Card, HP Basic Messenger Case, Linux, Black, Garantie 1 an batterie | 578.368 | EUR | 3060.187 | 0 | 12 | 26971 |
| Notebook / La | Benq | Notebook Benq Joybook Lite U102, 10.1" LED WSVGA (1024x600), Intel Atom N270, 1GB DDR2, 160GB(5400rpm) SATA HDD, Intel GMA500, Webcam 1.3MP, WLAN 802.11 b/g, Card reader, 3 cell, Windows XP Home, Obsidian Black, Garantie 1 an batterie | 236.208 | EUR | 1249.797 | 0 | 12 | 25272 |
| Notebook / La | Benq | Notebook Benq Joybook Lite U121, 11.6" LED WXGA (1366 x 768), Intel Atom Z520, 1GB DDR2, 160GB(5400rpm) SATA HDD, Intel GMA500, Webcam 1.3MP, LAN, WLAN 802.11 b/g, Card reader, 6 cell, Windows XP Home, Blue, Garantie 1 an batterie | 328.944 | EUR | 1740.469 | 0 | 12 | 25273 |
| Notebook / La | Toshiba | Mini Notebook AC100-10D, 10.1" TruBrite WSVGA (1024x600) LED, nVidia Tegra 250 (1 GHz, cache 1 MB, FSB 333 MHz), 512 MB GB DDR2 (800 MHz), 16 GB SSD rpm, NVIDIA GeForce (shared), b/g/n, BT, No ODD, 1.3 MP, HDMI, Android, Eclipse Black, Garantie 1 an batterie | 305.088 | EUR | 1614.245 | C | 24 | 26524 |
| Notebook / La | Toshiba | Mini Notebook NB250-107, 10.1" Wide SVGA LD CSV, Intel Atom N455 (1.66GHz) 667MHz FSB, 1GB DDR2 (800MHz), 250GB (5400rpm) SATA, Intel shared, WLAN Atheros 11b/g/n (13ch) HB95 - HMC, Webcam (0.3Mpix), 3 Cell - 2250 MA, Win 7 Starter, Black, Garantie 1 an batterie | 320.656 | EUR | 1696.621 | C | 24 | 24985 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite T110-10X, 11.6" Wide LED 16:9 (1366x768), Pentium SU2700, 3GB DDR3 (800MHz)(1+2GB), 320GB (5400rpm) SATA, Intel GMA4500, WLAN Intel 802.11(b/g)n13ch-SP 1x2 MOW-MC, BT V2.1 + EDR (BCM2046 Flash w/Antenna), Webcam 0.3Mpixels, Battery 6 Cell BTO, Windows 7 Premium, Precious Black, Garantie 1an batterie | 387.184 | EUR | 2048.626 | 0 | 24 | 22216 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite T110-10Z, 11.6" Wide LED 16:9 (1366x768), Pentium SU2700, 3GB DDR3 (800MHz)(1+2GB), 320GB (5400rpm) SATA, Intel GMA4500, WLAN Intel 802.11(b/g)n13ch-SP 1x2 MOW-MC, BT V2.1 + EDR (BCM2046 Flash w/Antenna), Webcam 0.3Mpixels, Battery 6 Cell BTO, Windows 7 Premium, Rosu Metalizat, Garantie 1an batterie | 420.448 | EUR | 2224.622 | C | 24 | 22217 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite T110-11J, 11.6" Wide LED 16:9 (1366x768), Pentium SU2700, 4GB DDR3 (800MHz)(2x2GB), 320GB (5400rpm) SATA, Intel GMA4500, WLAN 802.11(b/g/n)13ch-SP 1x2 MOW-MC, BT V2.1 + EDR (BCM2046 Flash w/Antenna), Webcam 0.3Mpixels, Battery 6 Cell BTO, Windows 7 Premium, Precious Black, Garantie 1an batterie | 431.536 | EUR | 2283.288 | C | 24 | 22218 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite R630-10K, 13.3" Anti Glare HD (1366x768) LED, Intel Core i3 350M (2.26GHz), 2+2 GB DDR3 (1066 MHz), 320 GB 5400 rpm, Intel (shared), Gigabit, WLAN 802.11b/g/n, BT, DVD-SM, 0.3 MP, HDMI, Windows 7 Premium, Blackmagnesium, Garantie 1 an batterie | 830.928 | EUR | 4396.504 | C | 24 | 26529 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite U500-10L, 13.3" WXGA 200 CSV, Core2 Duo T6500 (2.10GHz) 800MHz, 2GB DDR2 (800MHz), 320GB (5400rpm) SATA, DVD-SuperMulti +-R DL(SATA), VGA ATI M92XT DDR3 (512MB), Wlan Intel 802.11(a/g/n)13ch-SP 1x2 MOW-MC, BT V2.1lash w/Antenna), Webcam HD (1280x800) with Auto Macro (w/Mic), Battery 6 Cell BTO, Vista 32/64bit Home Premium (Dual), B5 flat KB - half gloss black, Luxe Brown with Active Matrix/Mainstream ID | 664.496 | EUR | 3515.904 | C | 24 | 20063 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite U500-1EP, 13.3" WXGA (1280x800), Core2 Duo T6600 (2.20GHz) 800MHz, 2GB DDR2 (800MHz), 320GB (5400rpm) SATA, DVD-SuperMulti +-R DL(SATA), VGA NVIDIA GF G 210M(512MB), WLAN 802.11b/g/n, Bluetooth, Webcam HD with Auto Macro, 6 cell, Windows 7 Premium, Garantie 1 an batterie | 708.848 | EUR | 3750.566 | C | 24 | 23580 |

| | | | | | | | | |
|---------------|---------|---|---------|-----|----------|---|----|-------|
| Notebook / La | Toshiba | Notebook Toshiba Satellite U500-1G1, 13.3" WXGA 200 CSV, Core i3-330M (2.13 GHz), 4 GB (2x2GB DDR3/1066Mhz), 320 GB (5400 rpm), Nvidia GeForce 310M/ 512MB, DVD SuperMulti, Webcam-HD, Works + Office HST Trial, bgn, W7 Premium-64, PINK | 753.2 | EUR | 3985.24 | C | 24 | 23317 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite C650-15H, 15.6" TruBrite HD (1366x768) LED, Intel Pentium Dual Core T4500 (2.3 GHz), 2+1 GB DDR3 (1066 MHz), 320 GB 5400 rpm, Intel GMA 4500M (shared), 10/100, b/g/n, DVD-SM, 0.3 MP, No OS, Black pathern, Garantie 1 an batterie | 442.624 | EUR | 2341.954 | C | 24 | 26963 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite C650-15M, 15.6" TruBrite HD (1366x768) LED, Intel Pentium Dual Core T4500 (2.3GHz), 2 GB DDR3 (1066 MHz), 250 GB 5400 rpm, Intel 4500M (shared), 10/100, WLAN 802.11b/g/n, DVD-SM, 0.3 MP, No OS, Black pathern, Garantie 1 an batterie | 420.448 | EUR | 2224.622 | S | 24 | 26531 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite C650-15Z, 15.6" TruBrite HD (1366x768) LED, Intel Pentium Dual Core T4500 (2.3 GHz), 2+1 GB DDR3 (1066 MHz), 320 GB 5400 rpm, Intel GMA 4500M (shared), 10/100, b/g/n, DVD-SM, 0.3 MP, Windows 7 Premium, Black pathern, Garantie 1 an batterie | 509.152 | EUR | 2693.958 | C | 24 | 26965 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite C650-16R, 15.6" HDTruBrite LED (1366x768), Core i3 330M (2.13GHz) 1066 MHz, 2+1GB DDR3, HDD 320GB, Intel shared, WLAN 802.11b/g/n, Webcam, Card reader, No OS, Garantie 1 an batterie | 509.152 | EUR | 2693.958 | C | 24 | 23520 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite C650-177, 15.6" TruBrite HD (1366x768) LED, Intel Core i3 350M (2.26GHz), 2+1 GB DDR3 (1066 MHz), 320 GB 5400 rpm, Intel (shared), 10/100, WLAN 802.11b/g/n, DVD-SM, 0.3 MP, No OS, Black pathern, Garantie 1 an batterie | 515.872 | EUR | 2729.518 | C | 24 | 26533 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite C650-1CG, 15.6" TruBrite HD (1366x768) LED, Intel Core i3 350M (2.26GHz), 2 GB DDR3 (1066 MHz), 320 GB 5400 rpm, Intel (shared), 10/100, WLAN 802.11b/g/n, DVD-SM, 0.3 MP, No OS, Black pathern, Garantie 1 an batterie | 486.976 | EUR | 2576.627 | C | 24 | 26532 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite C650-1EN, 15.6" TruBrite HD (1366x768) LED, Intel Celeron 900 (2.2GHz), 2 GB DDR3 (1066 MHz), 250 GB 5400 rpm, Intel 4500M (shared), 10/100, WLAN 802.11 b/g/n, DVD-SM, 0.3 MP, No OS, Black pathern, Garantie 1 an batterie | 387.184 | EUR | 2048.626 | C | 24 | 26530 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite C650-1EP, 15.6" TruBrite HD (1366x768) LED, Intel Celeron Dual Core T3300 (2 GHz), 2+1 GB DDR3 (1066 MHz), 320 GB 5400 rpm, Intel 4500M (shared), 10/100, b/g/n, DVD-SM, 0.3 MP, No OS, Black pathern, Garantie 1 an batterie | 420.448 | EUR | 2224.622 | C | 24 | 26962 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite C650D-11H, 15.6" TruBrite HD (1366x768) LED, AMD Athlon P320 (2.1GHz), 2 GB DDR3 (1066 MHz), 250 GB 5400 rpm, ATI Radeon HD 4250 (shared), 10/100, WLAN 802.11b/g/n, DVD-SM, 0.3 MP, No OS, Black pathern, Garantie1 an batterie | 404.88 | EUR | 2142.258 | C | 24 | 26534 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L500-1R3, 15.6" Wide HD 16:9 (1366x768), Dual Core T4400 (2.2GHz) 800MHz, 4GB DDR3(1066MHz)(2x2GB),320GB (5400rpm) SATA, DVD-SuperMulti +-R DL(SATA), Intel GMA4500, WLAN Realtek 802.11(b/g) 13ch-RTL8187B, Webcam (0.3Mpix), 10/100Mbit BTO, 6 Cell BTO, Multimedia Buttons, num. Keypad, Windows 7 Premium, Aluminium Silver, Garantie 1an batterie | 509.152 | EUR | 2693.958 | C | 24 | 22194 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L500-1XU, 15.6" HD TruBrite LED (1366x768), Core i3 330M (2.13GHz) 1066 MHz, 2+1GB DDR3, HDD 320GB, Intel GMA HM55, DVD-SM, WLAN 802.11(a/g/n), Webcam, Bluetooth, No OS, Garantie 1 an batterie | 509.152 | EUR | 2693.958 | S | 24 | 23327 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L500-1XX, 15.6" Wide LED 16:9 (1366x768), Core i3-330M (2.13GHz), 3 GB (1+2GB DDR3/1066Mhz), 320GB (5400 rpm), Intel HM55 Express Chipset cu Intel Graphics Media Accelerator HD, DVD SuperMulti, Webcam-0.3, Bluetooth, WLAN b/g/n, Win 7 Premium 64/32, Steel gray, KB Silver, Garantie 1an batterie | 531.328 | EUR | 2811.301 | S | 24 | 22199 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L500-1XZ, 15.6" Wide LED 16:9 (1366x768), Core i3-330M (2.13GHz), 4 GB (2x2GB DDR3/1066Mhz), 320GB (5400 rpm), ATI Radeon HD5145 512VRAM DDR3, DVD SuperMulti, Webcam-0.3, Bluetooth, WLAN b/g/n, No OS, Steel gray,KB Silver, Garantie 1an batterie | 575.792 | EUR | 3046.557 | C | 24 | 22198 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L500D-16K, 15.6" Wide LED 16:9 (1366x768), Turion II M500 (2.2 Ghz), 4 GB(2x2GB DDR2/800Mhz), 320 GB (5400 rpm), ATI Radeon HD4650 1Gb VRAM, DVD SuperMulti, Webcam 0.3 Mpixels, Bluetooth, WLAN b/g/n, No OS, Steelgray, KB Silver, Garantie 1an batterie | 498.064 | EUR | 2635.293 | C | 24 | 22204 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L505-10V, 15.6" Wide HD 16:9 (1366x768), Core2 Duo T6600 (2.2GHz) 800MHz, 4GB DDR3 (1066MHz)(2x2GB), 320GB (5400rpm) SATA, DVD-SuperMulti +-R DL(SATA), ATI Radeon HD4570 512 MB, WLAN Intel 802.11(b/g/n)13ch-SP 1x2MOW-MC, BT V2.1 + EDR (BCM2046 Flash w/Antenna), Webcam (0.3Mpix), Battery 6 Cell BTO, Windows 7 Premium, Precious Black, Garantie 1an batterie | 553.616 | EUR | 2929.226 | C | 24 | 22205 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L505-13K, 15.6" Wide LED 16:9 (1366x768), Core i3-330M (2.13 GHz), 3 GB (1+2GB DDR3/1066 Mhz), 320 GB (5400 rpm), ATI Radeon HD5165 1Gb VRAM, DVD SuperMulti, Bluetooth, Webcam 0.3 Mpixels, WLAN b/g/n, Windows 7 Premium-64/32, Precious black, KB Halfgloss black, Garantie 1an batterie | 664.496 | EUR | 3515.904 | S | 24 | 22208 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L650-10D, 15.6" LED (1366x768), Core i3-330M (2.13GHz), 4GB (2x2GB DDR3/1066Mhz), 640GB (5400 rpm),ATI HD 5650-1024MB VRAM, DVD SuperMulti, Webcam-0.3, Works + Office HST Trial, WLAN b/g/n, Windows 7 Premium, Garantie 1 an batterie | 686.672 | EUR | 3633.235 | C | 24 | 24987 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L650-116, 15.6" LED 16:9 (1366x768), Core i5-430M (2.27GHz), 4 GB (2+2GB DDR3/1066Mhz), 500GB (5400 rpm), ATI HD 5650-1024MB VRAM, DVD SuperMulti, Webcam-0.3, Works + Office HST Trial, WLAN b/g/n, Windows 7 Premium, Black, Garantie 1 an batterie | 705.488 | EUR | 3732.792 | C | 24 | 24986 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L650-144, 15.6" HD LED, Core i3-330M (2.13GHz), 4 GB (2+2GB DDR3/1066Mhz), 320GB (5400 rpm), Intel shared, DVD SuperMulti, Webcam-0.3, WLAN b/g/n, Bluetooth, Windows 7 Premium, Garantie 1 an batterie | 575.792 | EUR | 3046.557 | C | 24 | 23576 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L650-14E, 15.6" HD LED 16:9 (1366x768), Core i3-330M (2.13GHz), 4 GB (2x2GB DDR3/1066Mhz), 320GB (5400 rpm), ATI HD 5145-512MB VRAM, DVD SuperMulti, Webcam-0.3, Works + Office HST Trial, WLAN b/g/n, No OS, Garantie 1 an batterie | 553.616 | EUR | 2929.226 | C | 24 | 24988 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L650-187, 15.6" HD LED 16:9 (1366x768), Core i3-330M (2.13GHz), 3 GB (1+2GB DDR3/1066Mhz), 320GB (5400 rpm), Intel shared, DVD SuperMulti, Webcam-0.3, WLAN b/g/n, No OS, Garantie 1 an batterie | 507.024 | EUR | 2682.702 | C | 24 | 23577 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L650-18X, 15.6" LED (1366 x 768), Core i5-430M(2.27GHz), 4 GB DDR3 1066MHz, 320GB (5400rpm), ATI HD 5145-512, DVD, Webcam 0.3, Bluetooth, Works + Office HST Trial, WLAN 802.11b/g/n, No OS, Precious black w/ mesh, Garantie 1 an batterie | 609.056 | EUR | 3222.565 | C | 24 | 25937 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L650D-11E, 15.6" HD LED 16:9 (1366x768), Athlon P320 (2.1GHz), 3 GB (1+2GB DDR2/800Mhz), 320 GB (5400 rpm), ATI HD 5145 - 512 VRAM, DVD SuperMulti, Webcam-0.3, WLAN b/g/n, Windows 7 Premium, Garantie 1 an batteri | 531.328 | EUR | 2811.301 | C | 24 | 23579 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L655-16Z, 15.6" HD TruBrite LED (1366x768), Core i3-350M (2.26GHz), 2 GB DDR3, 250 GB (5400rpm), Intel shared, DVD, Webcam-0.3, Office HST Trial, WLAN 802.11b/g/n, No OS, Maroon brown w/ mesh, Garantie 1 an batterie | 509.152 | EUR | 2693.958 | C | 24 | 25938 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L655-170, 15.6" HD TruBrite LED (1366x768), Core i3-350M(2.26GHz), 3 GB DDR3, 320 GB (5400rpm), Intel shared, DVD, Webcam-0.3, Office HST Trial, WLAN 802.11b/g/n, No OS, Luxe white pearl w/ mesh, Garantie 1 an batterie | 553.616 | EUR | 2929.226 | C | 24 | 25939 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L655-171, 15.6" HD TruBrite LED (1366x768), Core i5-450M (2.40GHz), 3 GB DDR3, 320 GB (5400rpm), Intel shared, DVD, Webcam-0.3, Office HST Trial, WLAN 802.11b/g/n, No OS, Maroon brown w/ mesh, Garantie 1 an batterie | 586.88 | EUR | 3105.234 | C | 24 | 25940 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L655-172, 15.6" HD TruBrite LED (1366x768), Intel Pentium Dual Core P6000 (1.86GHz), 2 GB DDR3, 250 GB (5400rpm), ATI HD 5145-512, DVD, Webcam-0.3, Office HST Trial, WLAN 802.11b/g/n, No OS, Steel gray metallic w/ mesh, Garantie 1 an batterie | 509.152 | EUR | 2693.958 | C | 24 | 25943 |

| | | | | | | | | |
|---------------|---------|---|---------|-----|----------|----|----|-------|
| Notebook / La | Toshiba | Notebook Toshiba Satellite L655-173, 15.6" HD TruBrite LED (1366x768), Core i3-350M (2.26GHz), 2 GB DDR3, 320 GB(5400rpm), ATI HD 5145-512, DVD, Webcam-0.3, Office HST Trial, WLAN 802.11b/g/n, No OS, Modena red w/ mesh, Garantie 1 an baterie | 564.704 | EUR | 2987.891 | C | 24 | 25944 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L655-174, 15.6" LED (1366 x 768), Core i5-450M (2.4 GHz), 2+1 GB DDR3 (1066 MHz), 320 GB (5400 rpm), ATI Radeon HD 5145 (512 MB GDDR3), 10/100, b/g/n, DVD-SM, 0.3 MP, HDMI, Premium Design, No OS, Luxurious Brown, Garantie 1 an baterie | 642.32 | EUR | 3398.562 | C | 24 | 26960 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L655-175, 15.6" TruBrite HD LED (1366x768), Core i5 450M (2.4 GHz), 2+2 GB DDR3 (1066 MHz), 320 GB 5400 rpm, ATI Radeon HD 5650 (1 GB GDDR3), 10/100, b/g/n, DVD-SM, 0.3 MP, HDMI, Premium Design, No OS, Pearl White, Garantie 1 an baterie | 704.48 | EUR | 3727.461 | C | 24 | 26961 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite A500-1EE, 16" Wide HD 16:9 (1366x768), Core i3 330M (2.13Ghz/1066), 4GB DDR3 (1066MHz) (2x2GB), 320GB (5400rpm) SATA, Bluray RW + DVD-SuperMulti +R DL(SATA), nVidia GT330M 1GB, Intel 802.11(b/g/n)13ch-SP 1x2 MOW-MC, BT V2.1 + EDR (BCM2046 Flash w/Antenna), Webcam HD, 6 Cell BTO, Windows 7 Premium 64, num. Keypad, half gloss black, Precious Black, Garantie 1an baterie | 775.376 | EUR | 4102.571 | C | 24 | 22215 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite A500-1FT, 16" Wide HD 16:9 (1366x768), Core2 Duo T6600 (2.2GHz) 800MHz, 4GB DDR3 (1066MHz) (2x2GB), 320GB (5400rpm) SATA, DVD-SuperMulti +R DL(SATA), nVidia GT330M 1GB, Intel 802.11(b/g/n)13ch-SP 1x2 MOW-MC, BT V2.1 + EDR (BCM2046 Flash w/Antenna), Webcam HD, 6 Cell BTO, Windows 7 Premium 64, num. Keypad, half gloss black, Precious Black, Garantie 1an baterie | 719.936 | EUR | 3809.243 | C | 24 | 22214 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite A660-12Q, 16" HD LED (1366x768), Core i3-330M (2.13MHz), 2+2GB DDR3 (1066MHz), 500 GB, NVIDIA GeForce GT 330M (1GB), BD-RW, 802.11(b/g/n), HD webcam, Bluetooth, Windows 7 Home Premium, Black, Garantie 1 an baterie | 772.128 | EUR | 4085.39 | C | 24 | 26051 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite A660-134, 16" HD LED (1366x768), Core i5-430M (2.53 Ghz), 4 GB (2+2GB DDR3/1066 Mhz), 640 GB (5400 rpm), Bluray RW + DVD-SuperMulti +R DL(SATA), nVidia GT330M (1GB), WLAN 802.11 b/g/n, Bluetooth cu EDR, Webcam, 6 cell, Windows 7 Premium 64bit, Garantie 1 an baterie | 853.104 | EUR | 4513.846 | 0 | 24 | 23521 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite A660-166, 16" TruBrite HD (1366x768) LED, Intel Core i5 450M (2.4GHz), 2+2 GB DDR3 (1066 MHz), 500 GB 5400 rpm, NVIDIA GeForce 330M (1 GB GDDR3), 10/100, WLAN 802.11b/g/n, BT, BD-RW, 1.3 MP, Resolution+, HDMI, difuzoare stereo Harman Kardon incorporate, Windows 7 Home Premium 64bit, Velvety Black, Garantie 1 an baterie | 886.368 | EUR | 4689.843 | C | 24 | 26535 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite A660-167, 16" TruBrite HD (1366x768) LED, Intel Core i7 740QM (1.76 GHz), 4+2 GB DDR3 (1066 MHz), 640 GB 5400 rpm, NVIDIA GeForce 330M (1 GB GDDR3), Gigabit, b/g/n, BT, BD-RW, 1.3 MP, Resolution+, HDMI, Harman Kardon, Windows 7 Home Premium, Velvety Black, Garantie 1 an baterie | 1108.24 | EUR | 5863.782 | C | 24 | 26966 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite PRO C650-116, 15.6" HD LED, Core2Duo T6570 (2,1 Ghz), 3 GB (1+2GB DDR3/1066Mhz), 320GB (5400 rpm), Intel shared, DVD SuperMulti, Webcam-0.3, WLAN b/g/n, Windows 7 Pro 64 Bits, Garantie 1 an baterie | 553.616 | EUR | 2929.226 | C | 24 | 23575 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite PRO L500-1T8, 15.6" LED, Core i3-330M (2.13GHz), 4 GB (2x2GB DDR3/1066Mhz), 500GB (5400 rpm)ATI Mobility Radeon HD 5145 cu tehnologie HyperMemory 512MB Vram, DVD SuperMulti, Webcam-0.3, Bluetooth, Works + OfficeHST Trial, WLAN b/g/n, Win 7 Professional + XP DVD, Steel gray, KB Silver | 697.76 | EUR | 3691.901 | C | 24 | 23314 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L550-18M, 17.3" Wide HD+ 16:9 (1600x900), Dual Core T4400 (2.2GHz) 800MHz, 3GB DDR3 (800MHz)(2+1GB), 320GB (5400rpm) SATA, ATI Radeon HD4570 512MB VRAM, DVD-SuperMulti +R DL(SATA), WLAN Intel 802.11(a/g/n)13ch-S1x2 MOW-MC, BT V2.1 + EDR (BCM2046 Flash w/Antenna), Webcam 0.3Mpix, Battery 6 Cell BTO, No OS, Garantie 1an baterie | 509.152 | EUR | 2693.958 | SL | 24 | 22210 |
| Notebook / La | Toshiba | Notebook Toshiba Satellite L555-11M, 17.3" HD+ 200 CSV LD, Core i3-330M (2.13GHz), 6GB DDR3 (1066MHz)(4GBx2GB), 500GB (5400rpm) SATA, ATI Mobility Radeon HD 5165 cu tehnologie HyperMemory1024MB VRAM, DVD-SuperMulti +R DL(SATA), WLAN Intel 802.11(b/g/n)13ch-SP 1x2 MOW-MC, VGA (0.3Mpix) w/o auto macro (w/Mic), Battery 6 Cell BTO, Windows 7 Home Premium | 775.376 | EUR | 4102.571 | C | 24 | 23316 |
| Notebook / La | Toshiba | Notebook Toshiba Qosmio F60-10Q, 15.6" LED, Core i3-330M (2.13GHz), 4 GB DDR3, 320GB (320 GB-5400), nVidia GT 330M- 1024MB, DVD SuperMulti, Webcam-HD, Bluetooth, Works + Office HST Trial, bgn, W7 Premium-64, Glossy red, KB Halfgloss black | 719.936 | EUR | 3809.243 | C | 36 | 23319 |
| Notebook / La | Toshiba | Notebook Toshiba Qosmio X500-11U, 18.4" Full HD 1920x1080, Core i7-720QM 2.8GHz, 8 GB DDR3 1066MHz, 1TB (2x500 GB-7200rpm), nVidia GTS 360M 1GB VRAM, Blu-Ray RW + DVD SM, Webcam-HD, Bluetooth, Works + Office HST Trial, WLAN 802.11b/g/n , Windows 7 Premium 64bit, Oriental red, KB Half gloss black illum, Garantie 1 an baterie | 1607.42 | EUR | 8505.011 | C | 36 | 24989 |
| Notebook / La | Toshiba | Notebook Toshiba Qosmio X500-12N, 18.4" Full HD 1920x1080, Core i7-740QM (1.73GHz), 8 GB DDR3 1066MHz, 1TB (500 GB 7200rpm + 500 GB 7200rpm), nVidia GTS 360M-1024, BluRay-RW, Webcam-HD, Bluetooth, Office HST Trial, WLAN 802.11b/g/n, Windows 7 Premium 64bit, Oriental red w/ grid, Garantie 1 an baterie | 1773.86 | EUR | 9385.611 | C | 36 | 25945 |
| Notebook / La | Toshiba | Notebook Toshiba Tecra M11-103, 14" WXGA, Core i3 330M (2.13 GHz), 3GB(1+2GB), 250 GB, Intel HM55, DVD SuperMulti, Bluetooth, Webcam, Office Ready, abgn, Windows 7 Prof-32 + XP DVD | 686.672 | EUR | 3633.235 | C | 36 | 23318 |
| Notebook / La | Toshiba | Notebook Toshiba Tecra S10-17J, 15.4" Wide XGA+ (1680x1050), Core2 Duo P8700 (2.53), 4GB(2x2GB) MB/800Mhz, 250 GB, nVidia Quadro NVS 150M 256MB, DVD SuperMulti, Bluetooth, 802.11 a/b/g/n, Windows 7 Prof 32bit + XP DVD, Garantie 1an baterie | 697.76 | EUR | 3691.901 | C | 36 | 22223 |
| Notebook / La | Toshiba | Notebook Toshiba Portege R700-14L, 13.3" Anti Glare HD (1366x768) LED, Intel Core i5 450M (2.4 GHz), 2+2 GB DDR3 (1066 MHz), 500 GB 5400 rpm, Intel (shared) , Gigabit, b/g/n, BT, UMTS/HSPA, DVD-SM, 0.3 MP, HDMI, Docking port, Windows 7 Pro + XP Pro, Black magnesium, Garantie 1 an baterie | 975.072 | EUR | 5159.179 | C | 36 | 26964 |
| Notebook / La | Lenovo | Notebook Lenovo Ideapad S10 3G 619D530, 10.1" WSVGA LED Backlit Glare 1024 x 576, Intel ATOM N270 (1.60GHz/533MHz/ 512K, Memorie 1 GB on board + 1 open SO-DIMM SLOT, HDD 160GB / 5400rpm, Video Graphics GFX, Integrated 133MHz, 10/100Mb Ethernet/WiFi 802.1, Bluetooth, 3.5G HSDPA (Ericsson WWAN module, 7.2Mbps embedded, 4-in-1 card reader (SD/MMC/MS/Ms pro), 6 celule, 1slot Express Card, Webcam 1.3 MP, Windows XP Home, Culoare Black | 335.328 | USD | 1355.11 | C | 24 | 20655 |
| Notebook / La | Lenovo | Notebook Lenovo ThinkPad X100e NTS4URI, 11.6" WXGA non-glossy (1366 x 768), AMD Athlon Neo MV 40, RAM 2GB DDR2, HDD 160GB/5400rpm, ATI Radeon 3200 (AMD RS780MN), No ODD, Boxe, Camera, WLAN 802.11 b/g/n, Bluetooth, 3 cell, Free DOS, Black, Garantie 1 an baterie | 496.272 | USD | 2005.517 | C | 12 | 23383 |
| Notebook / La | Lenovo | Notebook Lenovo ThinkPad X100e NTS6DRI, 11.6" LED Backlit 1366 x 768, AMD Athlon Neo MV 40 (Single core 1.60GHz) , 1 GB DDR2 667, 160GB/5400rpm, GFX, Integrated (133MHz, AMD RS 780 MN), Webcam, Gigabit, Realtek 802.11n (1x2), WWAN Enabled, Modem, Bluetooth, 3 cell, Mini PCI Express Card, XP Home, Garantie 1 an baterie | 481.6 | USD | 1946.224 | C | 12 | 23645 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad x200 NR2FSRI, 12.1" WXGA (1280x800), Intel Centrino 2 vPro Core 2 Duo P8600 2.40GHz, 2GB DDR3 (+ 1 free slot), 320GB 7200rpm HDD, Mobile Intel GMA 4500MHD (GM45, 384MB), Eth Giga, Intel 5300 AGN(3x3), Modem, Bluetooth, Camera, Fingerprint reader, 6 cell, 5in1 card reader, Windows 7 Pro 32 bit, Garantie 1 an baterie | 1120 | USD | 4526.099 | C | 36 | 23648 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad X201 Tablet, 12.1" WXGA LED Multi-Touch non-glossy (1280x800) , Centrino 2 vProlntel Core i7-620LM 2.00GHz, 2GB DDR3, 320GB 5400rpm HDD, Intel HD Graphics, Gigabit, Intel 6300 AGN (3x3), WWAN Ready, Modem, Bluetooth, Camera, Fingerprint reader, 4 cell, Express Card + 5-1 Media Card, Windows 7 Pro 32bit, Garantie 1 an baterie | 2035.71 | USD | 8226.635 | C | 36 | 23649 |
| Notebook / La | Lenovo | Notebook Lenovo ThinkPad Edge NUD32RI, 13.3" HD Glare (1366x768), Intel Core 2 Duo SU7300 (3MB Cache, 1.3 GHz, 800 MHz FSB), RAM 2GB DDR2, HDD 320GB/5400rpm, No ODD, Intel GS45 Integrated, WLAN 802.11 b/g/n, Camera, Card reader, 4 cell, Glossy Red, Free DOS, Garantie 1 an baterie | 694.4 | USD | 2806.182 | C | 12 | 23382 |

| | | | | | | | | |
|---------------|--------|---|---------|-----|----------|------|----|-------|
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad Edge NUD35RI, 13.3" (1366x768) Glossy HD, Intel Core 2 Duo Processor SU7300 (3MB Cache, 1.3 GHz, 800 MHz FSB), 2x2GB, 320GB/5400rpm, Intel GS45 Integrated, 10/100, Wi-Fi ThinkPad BGN, Bluetooth, Camera, 4 cell, 5in 1 Media Card reader, Windows 7 Home Premium 64bit | 795.2 | USD | 3213.526 | C | 12 | 22637 |
| Notebook / La | Lenovo | Notebook Lenovo ThinkPad Edge NUE6GRI, 13.3" LED (1366 x 768), AMD Athlon Neo X2 Dual-Core L325 1.5GHz, 2GB DDR2, 320GB 5400rpm HDD, ATI Radeon HD 3200 IPG, 10/100, Wi-Fi ThinkPad BGN, Bluetooth, Camera, 4 cell, 5 in 1 Media Card reader, Free DOS, Glossy Black, Garantie 1 an baterie | 495.264 | USD | 2001.44 | C | 12 | 23651 |
| Notebook / La | Lenovo | Notebook Lenovo ThinkPad Edge NUE6HRI, 13.3" LED (1366 x 768), AMD Athlon Neo X2 Dual-Core L325 1.5GHz, 2GB DDR2, 320GB 5400rpm HDD, ATI Radeon HD 3200 IPG, 10/100, Wi-Fi ThinkPad BGN, Bluetooth, Camera, 4 cell, 5 in 1 Media Card reader, Free DOS, Glossy Red, Garantie 1 an baterie | 495.264 | USD | 2001.44 | 0 | 12 | 23650 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad SL410 NSPAKRI, 14" HD glossy, Intel Core 2 Duo T5870, RAM 2GB DDR3, HDD 320GB/5400rpm, DVD±RW DL, Mobile Intel GMA 4500MHD 256mb, Eth. Giga, WLAN 802.11b/g/n, Enabled, Bluetooth, Camera, 6 cell, ExpressCard, 1394,USB, 7-in-1, Windows 7 PRO, Garantie 1 an baterie | 853.104 | USD | 3447.528 | C | 12 | 23380 |
| Notebook / La | Lenovo | Notebook Lenovo ThinkPad NVP6YRI, 14" HD glossy (1366 x 768), Intel Core i3-330M (2.13GHz), RAM 3 GB DDR3, HDD 320GB/5400rpm, DVD±RW, Mobile Intel 5 Series Integrated GFX Chipset, Fingerprint Reader, Card reader, WLAN 802.11b/g, Free DOS,Red, Garantie 1 an baterie | 767.424 | USD | 3101.28 | 0 | 12 | 23377 |
| Notebook / La | Lenovo | Notebook Lenovo ThinkPad Edge NVP74RI, 14" HD Glossy, Intel Core i3-330M 2.13GHz, 3 GB DDR3, 320GB 5400rpm HDD, DVD±RW, Mobile Intel 5 Series Integrated GFX Chipset, Gigabit, Intel 1000 BGN (1x2), Bluetooth, Camera, Fingerprint reader,6 cell, 7in1 card reader, Express Card , Windows 7 Pro 64bit, Midnight Black, Garantie 1 an baterie | 918.4 | USD | 3711.4 | C | 12 | 23652 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad T400s NSSDARI, 14.1" WXGA+ LED non glossy(1440x900), Core 2 Duo SP9400 (2.40GHz), RAM 2x2GB, 128 GB SSD, DVD±RW DL, Mobile Intel GMA 4500MHD, Eth Giga, WLAN 801.11a/g/n , Bluetooth, Camera, Fingerprint Reader, 6cell, Express Card 34mm, Vindows 7 PRO, Garantie 1 an baterie | 2618 | USD | 10579.76 | 0 | 36 | 23378 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad T410 NT7EURI, 14.1" WXGA+ Camera non glossy (1440x900), Intel Core i5-520M 1066 MHz , 2GB DDR3, 320GB 5400rpm HDD, DVD±RW DL, Intel 5 INT NVIDIA N10M-NS, Eth Giga, Intel 6300 AGN (3x3), WWAN Ready, Modem, Bluetooth, Camera, Fingerprint reader, 6 cell, Express Card + 5in1 card reader, Windows 7 Pro 64bit (English only), Garantie 1 an baterie | 1668.8 | USD | 6743.89 | C | 36 | 23656 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad T410 NT7J9RI, 14.1" WXGA+, LED non glossy (1440x900), Intel Core i7-620M 2.66GHz, 2x2 GB DDR3, 500GB 7200rpm HDD, DVD±RW DL, nVidia NVS 3100M (256MB), Eth Giga, Intel 6300 AGN (3x3), WWAN Ready, Modem, Bluetooth,Camera, Fingerprint reader, 9 cell, Express Card + 5in1 card reader, Windows 7 Pro 64bit, Garantie 1 an baterie | 1982.4 | USD | 8011.192 | C | 36 | 23660 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad T410i NT7J3RI, 14.1" WXGA LED non-glossy (1366 x 768), Intel Core i3-330M 2.13GHz, 2GB RAM, 320GB 7200rpm HDD, DVD±RW DL, Intel HD Graphics for Core i3 and i5 processors, Eth GigaIntel 1000 BGN (1x2), Ready Modem,Bluetooth, Camera, Fingerprint reader, 6 cell, Express Card + 5in1 card reader, Windows 7 Pro 64bit, Garantie 1 an baterie | 1143.07 | USD | 4619.339 | C | 36 | 23655 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad T410s NUHFTRI, 14.1" WXGA+ LED, Centrino2 vProIntel Core i5-520M 2.40GHz, 2x 2GB DDR3, 128 GB SSD, DVD±RW DL, Intel HD Graphics for Core i3 and i5 processors, Eth Giga, Intel 6300 AGN (3x3), WWAN Ready, Bluetooth, Camera, Fingerprint reader, 6 cell, 3in1 card reader, Windows 7 Pro 64bit, Garantie 1 an baterie | 2228.8 | USD | 9006.939 | C | 36 | 23661 |
| Notebook / La | Lenovo | Notebook lenovo G530 4151A2U, 15.4" WXGA (1280x800), Intel Pentium T4400 2.2GHz, 3GB RAM, 160 GB HDD, DVD-RW, Intel 4500M, WLAN 802.11b/g/n, Card reader, 6 cells, webcam, Windows 7 Home Premium 32 bit, Garantie 1 an baterie | 407.68 | EUR | 2157.064 | C | 12 | 25711 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad T500 15.4" LED Backlight TN+Film WXGA TFT, Core 2 Duo Mobile P8700, DDR3 SDRAM 2GB, DVD Super Multi, GMA 4500MHD,LAN,Bluetooth,Wi-Fi, 250GB x 1, Web Cam,6 cells,Win7 Prof, Black | 1089.65 | USD | 4403.437 | SL | 12 | 23085 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad T500 NJ2BQRI, 15.4" WSXGA+, Centrino 2 Core 2 Duo P8700 2.53GHz, 2GB DDR3, 320GB 5400rpm HDD, DVD±RW DL, ATI Mobility Radeon HD3650 (256 MB), Eth Giga, Intel 5300 AGN (3x3), WWAN Enabled, Modem, Bluetooth, Camera,Fingerprint reader, 9 cell, Express Card + PC Card + 7in1 card reader, Windows 7 Pro 32bit, Garantie 1 an baterie | 1937.6 | USD | 7830.155 | C | 36 | 23662 |
| Notebook / La | Lenovo | Notebook Lenovo G550A 15.6" LED Backlight (1366x768) TFT, Core 2 Duo Mobile T6600, DDR3 SDRAM 3GB, DVD±RW, GMA 4500MHD,LAN,Bluetooth,Wi-Fi, 320GB x 1, Web-Camera,HDMI,6 cells,Free DOS, Black | 623.168 | USD | 2518.32 | S | 12 | 23078 |
| Notebook / La | Lenovo | Notebook Lenovo G560A 15.6" LED Backlight (1366x768) TFT, Core i3 Mobile 330M, DDR3 SDRAM 4GB, DVD±RW, GeForce 310M 512MB,LAN,Bluetooth,Wi-Fi, 320GB x 1, Web-Camera,HDMI,6 cells,Win7 Home Premium 64-bit, Black | 790.832 | USD | 3195.875 | CALL | 12 | 23080 |
| Notebook / La | Lenovo | Notebook Lenovo G560G 15.6" LED Backlight (1366x768) TFT, Core i3 Mobile 330M, DDR3 SDRAM 3GB, DVD±RW, GeForce 310M 512MB,LAN,Bluetooth,Wi-Fi, 320GB x 1, Web-Camera,HDMI,6 cells,Win7 Home Premium 32-bit, Black | 762.048 | USD | 3079.563 | M | 12 | 23079 |
| Notebook / La | Lenovo | Notebook Lenovo SL510 NSL6LRI, 15.6" (1366x768) Glossy HD Ready, Intel Core 2 Duo T5870 2.0GHz, 2GB DDR3 1066MHz, HDD 250GB, DVD±RW DL 8X, Intel GMA 4500MHD, Wireless Intel WiFi Link 5100AGN, Lan 10/100, Bluetooth, PC Camera, Card Readerin1, 6cell, Free DOS, Garantie 1 an baterie | 553.616 | USD | 2237.256 | 0 | 12 | 22240 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad SL510 15.6" LED Backlight Non Glare Type (1366x768) TFT, Core 2 Duo Mobile T6570, DDR3 SDRAM 3GB, DVD±RW/DVD±R9, GMA 4500MHD,LAN,Wi-Fi,Bluetooth, 320GB x 1, 7in1, Web Cam,HDMI,6 cells,Free DOS, Black | 626.08 | USD | 2530.091 | 0 | 12 | 23083 |
| Notebook / La | Lenovo | Notebook Lenovo ThinkPad SL510 15.6" Glossy HD Ready (1366x768) TFT, Core 2 Duo Mobile T6670 2.2GHz/800MHz, GM45, DVD±RW/DVD±R9, LAN, Wi-Fi, GMA 4500MHD, RAM 3GB, HDD 320GB, 6 cells, 7in1, Finger Print Reader, Web Cam, HDMI, Win7 Prof, Black | 735.616 | USD | 2972.738 | 0 | 12 | 23084 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad SL510 NSLQ4RI, 15.6" HD+ WXGA glossy (1366 x 768), Intel Core 2 Duo T6670, RAM 3 GB DDR3, HDD 320GB HDD, DVD±RW DL, Mobile Intel GMA 4500MHD, Eth. Giga, WLAN 802.11b/g/n, Bluetooth, Camera, FingerPrint, 6 cell, 7-in-1 Card Reader, Express Card, Windows 7 PRO, Garantie 1 an baterie | 886.368 | USD | 3581.95 | C | 12 | 23381 |
| Notebook / La | Lenovo | Notebook Lenovo ThinkPad SL510 15.6" Glossy HD Ready (1366x768) TFT, Core 2 Duo Mobile T5870 2GHz/800MHz, GM45, DVD±RW/DVD±R9, LAN, Wi-Fi/Bluetooth, GMA 4500MHD, RAM 3GB, HDD 250GB, 6 cells, 7in1, Web Cam, HDMI, Win7 Home Premium 64-bit, Black, Garantie 1 an baterie | 653.52 | USD | 2640.982 | SL | 12 | 23082 |
| Notebook / La | Lenovo | Notebook Lenovo ThinkPad SL510 15.6" LED Backlight Glossy (1366x768) TFT, Pentium Dual-Core T4400, DDR3 SDRAM 2GB, DVD±RW/DVD±R9, GMA 4500MHD,LAN,Wi-Fi,Bluetooth, 250GB x 1, 7in1, Web Cam,HDMI,6 cells,Free DOS, Black | 543.984 | USD | 2198.325 | C | 12 | 23074 |
| Notebook / La | Lenovo | Notebook Lenovo ThinkPad Edge NVL6KRI 15.6", HD Glare 1366x768, Intel Core i3-330M (2.13GHz), RAM 3 GB DDR3, HDD 320GB/5400rpm, DVD±RW, Mobile Intel 5 Series Integrated GFX Chipset, Intel Wireless Wi-Fi Link 1000, 4 cell, Fingerprint Reader, Free DOS, Black, Garantie 1 an baterie | 697.76 | USD | 2819.757 | C | 12 | 23376 |
| Notebook / La | Lenovo | Notebook Lenovo ThinkPad Edge NVL6LRI 15.6" HD Glare 1366x768, Intel Core i3 330M (2.13GHz), RAM 3 GB DDR3, HDD 320GB/5400rpm, DVD±RW, Mobile Intel 5 Series Integrated GFX Chipset, Intel Wireless Wi-Fi Link 1000, 4 cell, Fingerprint Reader, Free DOS, Red, Garantie 1 an baterie | 697.76 | USD | 2819.757 | C | 12 | 23375 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad Edge NVL6SRI, 15.6" HD Glossy (1366 x 768), Intel Core i3-330M (2.13GHz), RAM 3 GB DDR3, HDD 320GB/5400rpm, DVD±RW, Mobile Intel 5 Series Integrated GFX Chipset, Windows 7 Pro 64, Red, Garantie 1 an baterie | 963.984 | USD | 3895.618 | 0 | 12 | 23379 |

| | | | | | | | | |
|---------------|--------|--|---------|-----|----------|---|----|-------|
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad Edge NVL77R1, 15.6" HD Glossy (1366 x 768), Intel Core i3-350M 2.26GHz, 3 GB DDR3, 500GB 7200rpm HDD, DVD±RW, Mobile Intel 5 Series Integrated GFX Chipset, Gigabit, Intel 1000 BGN (1x2), Bluetooth, Camera, Fingerprint reader, 6 cell, 5in1 card reader, Windows 7 Pro 64bit, Midnight Black- Smooth, Garantie 1 an batterie | 1030.4 | USD | 4164.014 | C | 12 | 23653 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad Edge NVL7ER1, 15.6" HD Glossy (1366 x 768), Intel Core i5-430M 2.26GHz, 2x 2GB DDR3, 500GB 7200rpm HDD, DVD±RW, ATI Mobility Radeon HD 5145 (512MB) Discrete, Gigabit, Intel 1000 BGN (1x2), Bluetooth, Camera, Fingerprint reader, 6 cell, 5in1 Media card reader, Windows 7 Pro 64bit, Midnight Black- Smooth, Garantie 1 an batterie | 1120 | USD | 4526.099 | C | 12 | 23654 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad T510 NTF37R1, 15.6" WXGA (1366 x 768), Intel Core i5-520M 1066 MHz, 2GB DDR3, 320GB 5400rpm HDD, DVD±RW, Intel 5 INT Integrated, Eth Giga, Intel 6200 AGN (2x2), WWAN Ready, Modem, Bluetooth, Camera, Fingerprint reader, 6 cell, Express Card + 5in1 card reader, Windows 7 Pro 64bit (English only), Garantie 1 an batterie | 1528.8 | USD | 6178.122 | C | 36 | 23664 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad T510 NTF8GRI, 15.6" HD LED, Intel Core i7-620M 2.66GHz, 2x2 GB DDR3, 500GB 7200rpm HDD, DVD±RW DL, nVidia NVS 3100M (256MB), Eth Giga, Intel 6300 AGN (3x3), WWAN Ready, Modem, Bluetooth, Camera, Fingerprint reader, 9 cell, Express Card + 5in1 card reader, Windows 7 Pro 64bit, Garantie 1 an batterie | 2010.4 | USD | 8124.346 | C | 36 | 23665 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad T510i NTF8ARI, 15.6" HD LED (1366 x 768), Intel Core i3-330M 2.13GHz, 2GB DDR3, 320GB 7200rpm HDD, DVD±RW, Intel HD Graphics for Core i3 and i5 processors, Eth Giga, Intel 1000 BGN (1x2), Ready Modem, Bluetooth, Camera, Fingerprint reader, 6 cell, Express Card + 5in1 card reader, Windows 7 Pro 64bit, Garantie 1 an batterie | 1143.07 | USD | 4619.339 | 0 | 36 | 23663 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad W510 NTK39RI, 15.6" HD LED Glossy (1366 x 768), Centrino 2 vProIntel® Core i7-720QM (Quad core 1.60GHz 6MB 45W), 2x 2GB DDR3, 320GB 7200rpm HDD, DVD±RW, nVIDIA Discrete (N10P.GLM), Gigabit, Intel 6200 AGN (2x2), WWAN Ready, Modem, Bluetooth, Camera, Fingerprint reader, 6 cell, Express Card + 5in1 card reader, Windows 7 Pro 64bit (English only), Garantie 1 an batterie | 2057.44 | USD | 8314.443 | 0 | 36 | 23666 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad W510 NTK3BRI, 15.6" FHD LED non glossy (1920x1080), Centrino 2 vProIntel Core i7-820QM (Quad core 1.73GHz), 2x 2GB DDR3, 500GB 7200rpm HDD, DVD±RW, NVIDIA Quadro FX 880M Graphics with 1GB DDR3 memory, Gigabit, Intel 6300 AGN (3x3), WWAN Ready, Modem, Bluetooth, Camera, Fingerprint reader, 6 cell, Windows 7 Pro 64bit, Garantie 1 an batterie | 3046.4 | USD | 12311 | C | 36 | 23667 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad W701 NTV5DRI, 17" WUXGA (1920x 1080), Intel Core i7-820QM (Quad core 1.73GHz), 2x2 GB DDR3, 500GB 7200rpm HDD, DVD±RW DL, NVIDIA Quadro FX 2800M (1GB DDR3) - 96 Cores, Ethernet Giga, Intel 6300 AGN (3x3), Modem, Bluetooth, Camera, Fingerprint reader, 9 cell, Express Card + Compact Flash, Windows 7 Pro 64bit, Garantie 1 an batterie | 3782.91 | USD | 15287.35 | C | 36 | 23668 |
| Notebook / La | Lenovo | Notebook Lenovo Thinkpad W701ds NTV5ERI, 17" WUXGA (1920x 1080) & 10.6" WXGA (1280 x 800), Intel Core i7-820QM (Quad core 1.73GHz), 2x2 GB DDR3, 500GB 7200rpm HDD, DVD±RW DL, NVIDIA Quadro FX 3800M (1GB DDR3) - 128 Cores, Ethernet Giga, Intel 6300 AGN (3x3), Modem, Bluetooth, Camera, Fingerprint reader, 9 cell, Express Card + Compact Flash, Windows 7 Pro 64bit, Garantie 1 an batterie | 5002.14 | USD | 20214.47 | C | 36 | 23669 |
| Notebook / La | Sony | Notebook Sony VPCP11S1E/B.EE9, 8" UWxga 1600x768, Black, Intel Atom Z540 1.86GHz, Intel GMA500, 2G DDR2 SDRAM, 533MHz, 64G SSD Drive, Built-in 0.3M camera, 802.11b/g/n WLAN, Ethernet LAN, BlueTooth, Built-in GPS & eCompass, 6 cell, VAIO everywair 3G (WWAN), VAIO Software Package, Windows 7 Home Premium (32 bits) | 758.352 | EUR | 4012.501 | 0 | 24 | 24688 |
| Notebook / La | Sony | Notebook Sony VPCP11S1E/D.EE9, 8" UWxga 1600x768, Orange, Intel Atom Z540 1.86GHz, Intel GMA500, 2G DDR2 SDRAM, 533MHz, 64G SSD Drive, Built-in 0.3M camera, 802.11b/g/n WLAN, Ethernet LAN, BlueTooth, Built-in GPS & eCompass, 6 cell, VAIO everywair 3G (WWAN), VAIO Software Package, Windows 7 Home Premium (32 bits) | 746.816 | EUR | 3951.461 | C | 24 | 24689 |
| Notebook / La | Sony | Notebook Sony VPCM12M1E/L.EE9, 10.1" LED 1024x600, Bleumarine, Intel Atom N470 1.83GHz, Intel GMA3150 256MB, 1G DDR2 SDRAM, 667MHz, 250G SATA HDD, Built-in 0.3M camera, 802.11b/g/n WLAN, Ethernet LAN, BlueTooth, 6 cell, VAIO Software Package, Windows 7 Starter | 372.512 | EUR | 1970.987 | C | 24 | 24686 |
| Notebook / La | Sony | Notebook Sony VPCM12M1E/P.EE9, 10.1" LED 1024x600, Pink, Intel Atom N470 1.83GHz, Intel GMA3150 256MB, 1G DDR2 SDRAM, 667MHz, 250G SATA HDD, Built-in 0.3M camera, 802.11b/g/n WLAN, Ethernet LAN, BlueTooth, 6 cell, VAIO Software Package, Windows 7 Starter | 372.512 | EUR | 1970.987 | C | 24 | 24687 |
| Notebook / La | Sony | Notebook Sony VPCM12M1E/W.EE9, 10.1" LED 1024x600, White, Intel Atom N470 1.83GHz, Intel GMA3150 256MB, 1G DDR2 SDRAM, 667MHz, 250G SATA HDD, Built-in 0.3M camera, 802.11b/g/n WLAN, Ethernet LAN, BlueTooth, 6 cell, VAIO Software Package, Windows 7 Starter | 372.512 | EUR | 1970.987 | C | 24 | 24685 |
| Notebook / La | Sony | Notebook Sony VPCZ12X9E/X.EE9, 13.1" LED 1600x900, Black, Intel Core i5-520M 2.4GHz, NVIDIA GeForce GT 330M 1024MB + Intel GMA, 6G DDR3 SDRAM, 1066MHz, 2x 64G SSD Drive, DVD/RW Dual Layer, Built-in 0.3Mpx WebCam, HDMI, 802.11 a/b/g/n WLAN, GigabitLAN, BlueTooth, 6 cel, Fingerprint Senso, VAIO everywair 3G (WWAN) - VAIO Software Package, Windows 7 Professional (64 bits) | 1719.2 | EUR | 9096.427 | C | 24 | 24684 |
| Notebook / La | Sony | Notebook Sony VPCY21S1E/SI.EE9, 13.3" LED 1366x768, Silver, Intel Core2 Duo SU7300 1.3GHz, Intel GMA 4500MHD, 4G DDR3 SDRAM, 800 MHz, 320G SATA HDD, Built-in 0.3Mpx camera, HDMI, i.LINK 4 pini (IEEE1394), 802.11b/g/n WLAN, GigabitLAN, Bluetooth, 6 cell, VAIO Software Package, Windows 7 Home Premium (64 bits) | 725.872 | EUR | 3840.648 | C | 24 | 24683 |
| Notebook / La | Sony | Notebook Sony VPCEA1S1E/B.EE9, 14" LED 1600x900, Black, Intel Core i3-330M 2.13GHz, ATI Mobility Radeon HD5145 512MB, 4G DDR3 SDRAM 1066MHz, 500G SATA HDD, DVD-RW Dual Layer, Built-in 0.3Mpx WebCam, eSATA, HDMI, 802.11b/g/n WLAN, GigabitLAN, BlueTooth, 6 cel, VAIO Software Package, Windows 7 Home Premium (64 bits) | 833.056 | EUR | 4407.771 | 0 | 24 | 23195 |
| Notebook / La | Sony | Notebook Sony VPCEA1S1E/L.EE9, 14" LED 1600x900, Blue, Intel Core i3-330M 2.13GHz, ATI Mobility Radeon HD5145 512MB, 4G DDR3 SDRAM 1066MHz, 500G SATA HDD, DVD-RW Dual Layer, Built-in 0.3Mpx WebCam, eSATA, HDMI, 802.11b/g/n WLAN, GigabitLAN, BlueTooth, 6 cell, VAIO Software Package, Windows 7 Home Premium (64 bits) | 833.056 | EUR | 4407.771 | 0 | 24 | 23197 |
| Notebook / La | Sony | Notebook Sony VPCEA1S1E/P.EE9, 14" LED 1600x900, Pink, Intel Core i3-330M 2.13GHz, ATI Mobility Radeon HD5145 512MB, 4G DDR3 SDRAM 1066MHz, 500G SATA HDD, DVD-RW Dual Layer, Built-in 0.3Mpx WebCam, eSATA, HDMI, 802.11b/g/n WLAN, GigabitLAN, BlueTooth, 6 cell, VAIO Software Package, Windows 7 Home Premium (64 bits) | 780.64 | EUR | 4130.426 | C | 24 | 23198 |
| Notebook / La | Sony | Notebook Sony VPCEA1S1E/W.EE9, 14" LED 1600x900, White, Intel Core i3-330M 2.13GHz, ATI Mobility Radeon HD5145 512MB, 4G DDR3 SDRAM 1066MHz, 500G SATA HDD, DVD-RW Dual Layer, Built-in 0.3Mpx WebCam, eSATA, HDMI, 802.11b/g/n WLAN, GigabitLAN, BlueTooth, 6 cell, VAIO Software Package, Windows 7 Home Premium (64 bits) | 833.056 | EUR | 4407.771 | 0 | 24 | 23196 |
| Notebook / La | Sony | Notebook Sony VPCEA2S1E/B.EE9, 14" LED 1600x900, Black, Intel Core i3-350M 2.26GHz, ATI Mobility Radeon HD5145 512MB, 4G DDR3 SDRAM, 1066MHz, 500G SATA HDD, DVD/RW Dual Layer, Built-in 0.3Mpx WebCam, eSATA, HDMI, 802.11b/g/n WLAN, GigabitLAN, BlueTooth, 6 cell, VAIO Software Package, Windows 7 Home Premium (64 bits), Garantie 1 an batterie | 807.968 | EUR | 4275.029 | C | 24 | 26522 |
| Notebook / La | Sony | Notebook Sony VPCEA2S1E/W.EE9, 14" LED 1600x900, White, Intel Core i3-350M 2.26GHz, ATI Mobility Radeon HD5145 512MB, 4G DDR3 SDRAM, 1066MHz, 500G SATA HDD, DVD/RW Dual Layer, Built-in 0.3Mpx WebCam, eSATA, HDMI, 802.11b/g/n WLAN, GigabitLAN, BlueTooth, 6 cell, VAIO Software Package, Windows 7 Home Premium (64 bits), Garantie 1 an batterie | 807.968 | EUR | 4275.029 | C | 24 | 26521 |
| Notebook / La | Sony | Notebook Sony VPCEB2Z1E/BQ.EE9, 15.5" 1366x768, Black, Intel Core i5-430M 2.26GHz, ATI Mobility Radeon HD5650 1024M, 4G DDR3 SDRAM, 1066MHz, 500G SATA HD, Blu-Ray Disc Combo Drive, Built-in 0.3Mpx WebCam, eSATA -HDMI, 802.11b/g/n, GigabitLAN, BlueToot, 6 cell, VAIO Software Package, Windows 7 Home Premium (64 bits) | 829.024 | EUR | 4386.435 | C | 24 | 24682 |

| | | | | | | | | |
|---------------|------|--|---------|-----|----------|------|----|-------|
| Notebook / La | Sony | Notebook Sony VPCF11M1E/H.EE.9, 16.4" WXGA 1920x1080, Silver, Intel Core i5- 520M 2.4GHz, NVIDIA GeForce GT 330M 1024MB, 4G DDR3 SDRAM 1066MHz, 500G SATA HDD, Blu-Ray Disc Combo Drive, Built-in 1.3M camera, eSATA, HDMI, 802.11b/g/n WLAN, GigabitLAN, BlueTooth, Full Numeric Pad, 6 cell, VAIO Software Package, Windows 7 Home Premium (64 bits) | 985.152 | EUR | 5212.514 | 0 | 24 | 23194 |
| Notebook / La | Dell | Notebook Dell Inspiron 1545 DXRO271717103, 15.6" LED Backlight (1366x768) TFT, Pentium Dual-Core T4400 2.2GHz/800MHz, ATI Mobility Radeon HD 4330 512MB, DVD-RW, LAN, Bluetooth/Wi-Fi, RAM 3GB DDRII 800, HDD 320GB, Ubuntu Edition Version 9.10, 6 cell, Card reader, Camera, Black, Garantie 1 an batterie | 566.72 | USD | 2290.21 | 0 | 36 | 23091 |
| Notebook / La | Dell | Notebook Dell Inspiron 1545 DXRO271651373, 15.6" LED Backlight (1366x768) TFT, Intel Core2 Duo T6500 2.1GHz/800MHz, ATI Mobility Radeon HD 4330 256MB, DVD-RW, Bluetooth/Wi-Fi b/g, RAM 4GB DDRII, HDD 320GB, Vista Premium Eng., 6 cell, Camera, Black, Garantie 1 an batterie | PROMO | USD | 2938.645 | SL | 36 | 23086 |
| Notebook / La | Dell | Notebook Dell Inspiron 1545 DXRO271692902, 15.6" LED Backlight (1366x768) TFT, Intel Core 2 Duo T6600 2.2GHz/800MHz, ATI Mobility Radeon HD4330 512MB, DVD-RW, Bluetooth, RAM 4GB DDRII, HDD 500GB, Free DOS, 6 cells, Card reader 7 in 1, Camera, Black, Garantie 1 an batterie | PROMO | USD | 3017.045 | SL | 36 | 23088 |
| Notebook / La | Dell | Notebook Dell Inspiron 1545 DXRO271717107, 15.6" LED Backlight (1366x768) TFT, Pentium Dual-Core T4400 2.2GHz/800MHz, ATI Mobility Radeon HD 4330 512MB, DVD-RW, LAN, Bluetooth/Wi-Fi, RAM 3GB DDRII 800, HDD 320GB, Ubuntu Edition Version 9.10, 6 cell, Card reader, Camera, Blue, Garantie 1 an batterie | 636.496 | USD | 2572.181 | 0 | 36 | 23092 |
| Notebook / La | Dell | Notebook Dell Inspiron 1545 DXRO271717108, 15.6" LED Backlight (1366x768) TFT, Pentium Dual-Core T4400 2.2GHz/800MHz, ATI Mobility Radeon HD 4330 512MB, DVD-RW, LAN, Bluetooth/Wi-Fi, RAM 3GB DDRII 800, HDD 320GB, Ubuntu Edition Version 9.10, 6 cell, Card reader, Camera, Pacific Blue, Garantie 1 an batterie | 566.72 | USD | 2290.21 | 0 | 36 | 23095 |
| Notebook / La | Dell | Notebook Dell Inspiron 1545 DXRO271717104, 15.6" LED Backlight (1366x768) TFT, Pentium Dual-Core T4400 2.2GHz/800MHz, ATI Mobility Radeon HD 4330 512MB, DVD-RW, LAN, Bluetooth/Wi-Fi, RAM 3GB DDRII 800, HDD 320GB, Ubuntu Edition Version 9.10, 6 cell, Card reader, Camera, Red, Garantie 1 an batterie | 566.72 | USD | 2290.21 | 0 | 36 | 23094 |
| Notebook / La | Dell | Notebook Dell Inspiron 1545 V16, 15.6" TrueLife (1366x768) TFT, Core2 Duo T6600 2.2GHz/800MHz, GM45, DVD-RW, LAN, Bluetooth/Wi-Fi, ATI Mobility Radeon HD 4330 512MB, RAM 4GB DDRII 800, HDD 320GB, Linux, 6 cell, Card reader, 1.3Mpixels Camera, Pink, Garantie 1 an batterie | 621.6 | USD | 2511.981 | 0 | 36 | 22868 |
| Notebook / La | Dell | Notebook Dell Inspiron 1545 V19 Black, 15.6" TrueLife (1366x768) TFT, Pentium Dual-Core T4500 2.3GHz/800MHz, GM45, DVD-RW, LAN, Bluetooth/Wi-Fi, GMA 4500MHD, RAM 2GB DDRII 800, HDD 250GB, Linux, 6 cell, Card reader, Camera 1.3Mpixels, Black, Garantie 1an batterie | 577.92 | USD | 2335.469 | SL | 24 | 26618 |
| Notebook / La | Dell | Notebook Dell Inspiron N5010 DL-271771946, 15.6" WLED (1366x768) TFT, Intel Core i5-450M 2.4GHz, 3072MB (1x1024 + 1x2048) 1333MHz DDR3, HDD 320GB 5400rpm, Intel GMA HD, ODD 8X DVD+/-RW, WLAN 1501 802.11g/n, Bluetooth, Camera 1.3Mpixels,6 cell, Black, Garantie 1 an batterie | 711.984 | USD | 2877.246 | CALL | 24 | 25878 |
| Notebook / La | Dell | Notebook Dell Inspiron N5010 V1 Black 001-271777442, 15.6" WLED (1366x768) TFT, Intel I3 330M 2.13GHz, DVD-RW, LAN, Bluetooth, WLAN 802.11 g/n, ATI Mobility Radeon HD 5470 512MB, RAM 2GB DDR3 1333MHz, HDD 250GB, Free DOS, 6 cell, Card reader, Camera 1.3Mpixels, HDMI, Black, Garantie 1 an batterie | 681.52 | USD | 2754.136 | S | 24 | 26619 |
| Notebook / La | Dell | Notebook Dell Inspiron N5010 YHI33304G32WNRH547ZBBK, 15.6" WLED (1366x768) TFT, Intel I3 330M 2.13GHz, DVD-RW, LAN, Bluetooth, WLAN 802.11 g/n, ATI Mobility Radeon HD 5470 1GB, RAM 4GB DDR3 1333MHz, HDD 320GB, Free DOS, 6 cell, Card reader, Camera 1.3Mpixels, HDMI, Black, Garantie 1 an batterie | 841.456 | USD | 3400.454 | C | 36 | 24149 |
| Notebook / La | Dell | Notebook Dell Inspiron N5010 YHI33304G32WNRH547ZBBL, 15.6" WLED (1366x768) TFT, Intel I3 330M 2.13GHz, DVD-RW, LAN, Bluetooth, WLAN 802.11 g/n, ATI Mobility Radeon HD 5470 1GB, RAM 4GB DDR3 1333MHz, HDD 320GB, Free DOS, 6 cell, Card reader, Camera 1.3Mpixels, HDMI, Blue, Garantie 1 an batterie | 841.456 | USD | 3400.454 | C | 36 | 24150 |
| Notebook / La | Dell | Notebook Dell Inspiron N5010 YHI33304G32WNRH547ZBRD, 15.6" WLED (1366x768) TFT, Intel I3 330M 2.13GHz, DVD-RW, LAN, Bluetooth, WLAN 802.11 g/n, ATI Mobility Radeon HD 5470 1GB, RAM 4GB DDR3 1333MHz, HDD 320GB, Free DOS, 6 cell, Card reader, Camera 1.3Mpixels, HDMI, Red, Garantie 1 an batterie | 841.456 | USD | 3400.454 | C | 36 | 24151 |
| Notebook / La | Dell | Notebook Dell Inspiron 1564 DXRO271745690, 15.6" LED Backlight TN+Film (1366x768) TFT, Intel I3 330M 2.13GHz, DVD-RW, LAN, Bluetooth/Wi-Fi, ATI Mobility Radeon HD4330 512MB, RAM 3GB DDR3, HDD 320GB, Free DOS, 6 cell, Camera, HDMI, Black, Garantie 1 an batterie | 715.568 | USD | 2891.728 | CALL | 36 | 23096 |
| Notebook / La | Dell | Notebook Dell Inspiron 1564 DXRO271745686, 15.6" WXGA HD LED (1366x768), Intel I5 520M, DVD-RW, LAN, Bluetooth/Wi-Fi, ATI Mobility Radeon HD4330 512MB, RAM 3GB DDR3, HDD 320GB, Free DOS, 6 cell, Camera, Black, Garantie 1 an batterie | 864.864 | USD | 3495.05 | C | 36 | 23105 |
| Notebook / La | Dell | Notebook Dell Inspiron 1564 DXRO271745696, 15.6" WXGA HD LED (1366x768), Intel I3 330M 2.13GHz, DVD-RW, LAN, Bluetooth/Wi-Fi, ATI Mobility Radeon HD4330 512MB, RAM 3GB DDR3, HDD 320GB, Free DOS, 6 cell, Camera, Ice Blue, Garantie 1 an batterie | 715.568 | USD | 2891.728 | 0 | 36 | 23097 |
| Notebook / La | Dell | Notebook Dell Inspiron 1564 DXRO271745692, 15.6" WXGA HD LED (1366x768), Intel I3 330M 2.13GHz, DVD-RW, LAN, Bluetooth/Wi-Fi, ATI Mobility Radeon HD4330 512MB, RAM 3GB DDR3, HDD 320GB, Free DOS, 6 cell, Camera, Cherry Red, Garantie 1 an batterie | 715.568 | USD | 2891.728 | CALL | 36 | 23099 |
| Notebook / La | Dell | Notebook Dell Inspiron 1564 V9, 15.6" LED (1366x768) TFT, Intel I5 430M 2.26GHz, DVD-RW, LAN, Bluetooth/Wi-Fi, Intel GMA4500 MHD, RAM 3GB DDR3 1066MHz, HDD 320GB, Free DOS, 6 cell, Card reader, Camera 1.3Mpixels, HDMI, Black, Garantie 1anbatterie | 717.36 | USD | 2898.963 | SL | 24 | 22886 |
| Notebook / La | Dell | Notebook Dell Inspiron 1564 V9, 15.6" LED (1366x768) TFT, Intel I5 430M 2.26GHz, DVD-RW, LAN, Bluetooth/Wi-Fi, Intel GMA4500 MHD, RAM 3GB DDR3 1066MHz, HDD 320GB, Free DOS, 6 cell, Card reader, Camera 1.3Mpixels, HDMI, Pink, Garantie 1an batterie | 717.36 | USD | 2898.963 | SL | 24 | 22888 |
| Notebook / La | Dell | Notebook Dell Inspiron 1564 V9, 15.6" LED (1366x768) TFT, Intel I5 430M 2.26GHz, DVD-RW, LAN, Bluetooth/Wi-Fi, Intel GMA4500 MHD, RAM 3GB DDR3 1066MHz, HDD 320GB, Free DOS, 6 cell, Card reader, Camera 1.3Mpixels, HDMI, Red, Garantie 1an batterie | 717.36 | USD | 2898.963 | CALL | 24 | 22887 |
| Notebook / La | Dell | Notebook Dell Inspiron 1564 YHI33304G32WNRH43T3BBK_A2, 15.6" WLED (1366x768) TFT, Intel I3 330M 2.13GHz, DVD-RW, LAN, Bluetooth, WLAN 802.11 b/g, ATI Mobility Radeon HD 4330 512MB, RAM 4GB DDR3 1066MHz, HDD 320GB, Free DOS, 6 cell, Card reader, Camera 1.3Mpixels, HDMI, Black, Garantie 1 an batterie | 825.552 | USD | 3336.189 | C | 36 | 24145 |
| Notebook / La | Dell | Notebook Dell Inspiron 1564 YHI33304G32WNRH43T3BBL_A1, 15.6" WLED (1366x768) TFT, Intel I3 330M 2.13GHz, DVD-RW, LAN, Bluetooth, WLAN 802.11 b/g, ATI Mobility Radeon HD 4330 512MB, RAM 4GB DDR3 1066MHz, HDD 320GB, Free DOS, 6 cell, Card reader, Camera 1.3Mpixels, HDMI, Blue, Garantie 1 an batterie | 825.552 | USD | 3336.189 | C | 36 | 24146 |
| Notebook / La | Dell | Notebook Dell Inspiron 1564 YHI33304G32WNRH43T3BPI_A1, 15.6" WLED (1366x768) TFT, Intel I3 330M 2.13GHz, DVD-RW, LAN, Bluetooth, WLAN 802.11 b/g, ATI Mobility Radeon HD 4330 512MB, RAM 4GB DDR3 1066MHz, HDD 320GB, Free DOS, 6 cell, Card reader, Camera 1.3Mpixels, HDMI, Pink, Garantie 1 an batterie | 825.552 | USD | 3336.189 | C | 36 | 24147 |
| Notebook / La | Dell | Notebook Dell Inspiron N5010 YHI33304G32WNUZBBK, 15.6" WLED (1366x768) TFT, Intel I3 330M 2.13GHz, DVD-RW, LAN, Bluetooth, WLAN 802.11 g/n, Intel HD, RAM 4GB DDR3 1333MHz, HDD 320GB, Free DOS, 6 cell, Card reader, Camera 1.3Mpixels, HDMI,Black, Garantie 1 an batterie | 769.328 | USD | 3108.974 | S | 36 | 24148 |

| | | | | | | | | |
|--------------------------|------|---|---------|-----|-----------------|----|----|-------|
| Notebook / La | Dell | Notebook Dell Inspiron 1750 XYP744G50WNRH43ZBBK, 17.3" WLED HD+ (1600x900) TFT, Pentium Core2 Duo T7450 2.13GHz/1066MHz, GM45, DVD-RW, LAN, Bluetooth/Wi-Fi, ATI Mobility Radeon HD4330 512MB, RAM 4GB DDRII 800, HDD 500GB, Free DOS, 6 cell, Card reader, 1.3Mpixels camera, Black, Garantie 1 an baterie | 874.496 | USD | 3533.981 | C | 36 | 20867 |
| Notebook / La | Dell | Notebook Dell Inspiron 1750 XYT664G50WNUZBBK, 17.3" WLED HD+ (1600x900) TFT, Pentium Core2 Duo T6600 2.2GHz/800MHz, GM45, DVD-RW, LAN, Bluetooth/Wi-Fi, GMA 4500MHD, RAM 4GB DDRII 800, HDD 500GB, Free DOS, 6 cell, Card reader, 1.3Mpixels camera, Black, Garantie 1 an baterie | 758.24 | USD | 3064.174 | 0 | 36 | 20866 |
| Notebook / La | Dell | Notebook Dell Inspiron 1764 DXRO271726768, 17.3" LED Backlight TrueLife (1600x900) TFT, Intel I3 330M 2.13GHz, DVD-RW, LAN, Bluetooth/Wi-Fi, ATI Mobility Radeon HD4330 512MB, RAM 4GB DDR3, HDD 500GB, Free DOS, 6 cell, Camera, HDMI, Black, Garantie 1 an baterie | 826.224 | USD | 3338.899 | 0 | 36 | 23107 |
| Notebook / La | Dell | Notebook Dell Inspiron 1764 DXRO271726775, 17.3" LED Backlight TrueLife (1600x900) TFT, Intel I3 330M 2.13GHz, DVD-RW, LAN, Bluetooth/Wi-Fi, ATI Mobility Radeon HD4330 512MB, RAM 4GB DDR3, HDD 500GB, Free DOS, 6 cell, Camera, HDMI, Ice Blue, Garantie 1 an baterie | 826.224 | USD | 3338.899 | SL | 36 | 23106 |
| Notebook / La | Dell | Notebook Dell Studio 1558 DXRO271726779, 15.6" LED Backlight TN+Film (1366x768) TFT, Intel I3 350M, DVD-RW, LAN, Bluetooth/Wi-Fi, ATI Mobility Radeon HD4570 512MB, RAM 4GB DDR3, HDD 500G, Free DOS, 6 cell, Camera, HDMI, Black, Garantie 1 an baterie | 853.776 | USD | 3450.25 | 0 | 36 | 23108 |
| Notebook / La | Dell | Notebook Dell Studio 1558 DXRO271726784, 15.6" WXGA HD LED (1366x768) TFT, Intel I3 350M, DVD-RW, LAN, Bluetooth/Wi-Fi, ATI Mobility Radeon HD4570 512MB, RAM 4GB DDR3, HDD 500G, Free DOS, 6 cell, Camera, Ruby Red with Microsatin Finish, Garantie 1 an baterie | 853.776 | USD | 3450.25 | 0 | 36 | 23109 |
| Notebook / La | Dell | Notebook Dell Studio XPS 16 5FH720QM4G32W7PRH46ZBBK, 15.6" WLED (1980x1020) TFT, Intel I7 720QM 1.60GHz, DVD-RW, LAN, Bluetooth, WLAN 802.11n, ATI Mobility Radeon HD 4670 1GB, RAM 4GB DDR3 1333MHz, HDD 320GB, Windows 7 Home Premium 64bit, 6 cell, Card reader, Camera with Facial Recognition, HDMI, Black, Garantie 1 an baterie | 1632.74 | USD | 6598.144 | 0 | 36 | 24160 |
| Notebook / La | Dell | Notebook Dell Precision M6500 XUI77208G250W7BM77Z2BSI, 17" WUXGA (1920x1200) Antiglare LED, Intel Core i7 720QM 1.60GHz, DVD-RW, LAN, Bluetooth, WLAN 802.11 a/b/g/n 2X3, ATI FirePro M7740 1 GB GDDR5, RAM 8GB DDR3 1333MHz, HDD 2*500GB, Windows 7 Professional 64bit, 9 cell, Card reader, Fingerprint reader, Camera 3.2MPixels, Silver, Garantie 1 an baterie | 3285.86 | USD | 13278.68 | C | 36 | 24173 |
| Notebook / La | Dell | Notebook Dell XPS 13 3WP874G32W7PN21ZBBK, 13.3" TrueLife (1280x800) TFT, Intel Core2 Duo P8700 2.53GHz/1066MHz, nvidia MCP79MX, DVD-RW, LAN, Bluetooth/Wi-Fi, nVidia GeForce 210M 512MB, RAM 4GB DDR3 1066, HDD 320GB 7200rpm, Windows 7 Home Premium, 6 cell, Card reader, HDMI, eSATA, Firewire, Integrated Camera with Facial Recognition Software, Black, Gar.1 an baterie | 1406.5 | USD | 5683.877 | 0 | 36 | 21923 |
| Notebook / La | Dell | Notebook Dell XPS 16 YHP974G50W7PRH46W51BBK, 15.6" 1080p Full HD WLED (1920x1080) TFT, Core2 Duo P9700 2.8GHz/1066MHz, ATI Mobility Radeon HD 4670 1GB, DVD-RW, LAN, Bluetooth/Wi-Fi, RAM 4GB DDR3 1066, HDD 500GB 7200rpm, HDMI, eSATA, Firewire, Card reader, DVB-T TV tuner, Integrated Camera with Facial Recognition Software, 6 cell, Windows 7 Home Premium (64 BIT), Black, Garantie 1 an baterie | 1588.72 | USD | 6420.277 | C | 36 | 20878 |
| Notebook / La | Dell | Notebook Dell XPS 16 6FH8206G50BR7PRH46ZBBK, 16" RGBLED Full HD1080p (1920x1080) TFT, Quad i7 820QM 1.73GHz, ATI Mobility Radeon HD 4670 1GB, Blu-Ray ROM, LAN, Bluetooth/Wi-Fi, RAM 6GB DDR3 1066, HDD 500GB 7200rpm, HDMI, eSATA, Firewire, Card reader, Integrated Camera with Facial Recognition Software, 6 cell, Windows 7 Home Premium (64 BIT), Black, Garantie 1 an baterie | 2384.93 | USD | 9637.88 | 0 | 36 | 20879 |
| Notebook / La | Dell | Notebook Dell Latitude 2100 1SN271G167SUT3BBK, 10.1" WSVGA (1024 x 600) LED, Touch Screen, Atom N270 1.6GHz, Intel 945GSE, LAN, Bluetooth, WLAN 802.11 b/g, GMA 950, RAM 1GB DDRII 533, HDD 160GB, Web-Camera 1.3MP, Card Reader, 3 cell, Windows 7 Starter 32bit, Black, Garantie 1 an baterie | 532 | USD | 2149.896 | C | 36 | 24167 |
| Notebook / La | Dell | Notebook Dell Latitude E6410 4XLI55404G32W7BUW6BSI, 14.1" WXGA+ (1440X900) LED, Intel Core i5 540M 2.53GHz, Intel HD, DVD-RW, GB LAN, Bluetooth/802.11a/g/draft-n, RAM 4GB DDR3 1066MHz, HDD 320GB 7200rpm, eSATA, Firewire, Card reader, HD Camera, 6 cell, Windows 7 Professional 32bit, Silver, Garantie 1 an baterie | 1850.91 | USD | 7479.83 | 0 | 36 | 24170 |
| Notebook / La | Dell | Notebook Dell Latitude E6500 WUP97004G25W7BN6W51BBK, 15.4" WUXGA (1920x1200) 2CCFL, Intel Core 2 Duo P9700 2.80GHz, DVD-RW, LAN, Bluetooth, WLAN 802.11 a/b/g/n 1X2, Nvidia Quadro NVS 160M 256MB, 4GB DDR2 800MHz, HDD 250GB, Windows 7 Professional 64bit, Modem, 9 cell, Camera 2.0MPixels, Fingerprint reader, Black, Garantie 1 an baterie | 1932.45 | USD | 7809.334 | C | 36 | 24171 |
| Notebook / La | Dell | Notebook Dell Latitude E6500 WUP974G25WVBN6W51BBK, 15.4" WXGA+ (1920x1200) TFT, Core2 Duo P9700 2.8GHz/1066MHz, NVIDIA Quadro NVS 160M 256MB, DVD-RW, GB LAN, Bluetooth/802.11 n, RAM 4GB DDR2 800, HDD 250 7200rpm, eSATA, Firewire, Card Reader, Fingerprint Reader, 2.0MP Camera, 9cell, Vista Business, Black, Garantie 1 an Baterie | 1700.05 | USD | 6870.17 | C | 36 | 20906 |
| Notebook / La | Dell | Notebook Dell Vostro 3300 3HI3352G32WNUZ4BK, 13.3" WLED (1366x768) TFT, Intel Core i3 350M 2.26GHz, DVD-RW, LAN, WLAN 802.11 a/g/draft-n, Intel GMA HD, 2GB DDR3 1333MHz, HDD 320GB, Free DOS, 4 cell, Card reader, Camera 2.0MPixels, Silver, Garantie 1 an baterie | 909.664 | USD | 3676.098 | 0 | 36 | 24165 |
| Notebook / La | Dell | Notebook Dell Vostro V13 3HSU734G327PUW51BBK, 13.3" LED Backlight (1366x768) TFT, Intel CoreTM 2 Duo SU7300 1.3GHz, DVD-RW, LAN, Bluetooth, WLAN 802.11 a/g/draft-n, Intel GMA 4500MHD, 4GB DDR3 1066MHz, HDD 320GB, Windows 7 Home Premium 32bit, 6 cell, Card reader, Camera 1.3Mpixels, Black, Garantie 1 an baterie | 1035.89 | USD | 4186.19 | 0 | 36 | 24164 |
| Notebook / La | Dell | Notebook Dell Vostro 1520 WYP873G32WNN93ZBBK, 15.4" WXGA (1440 x 900) TFT, Intel Core 2 Duo P8700 2.53GHz, DVD-RW, LAN, Bluetooth, WLAN 802.11n, NVIDIA GeForce 9300M 256MB, 3GB DDR2 800MHz, HDD 320GB, Free DOS, 6 cell, Card reader, Camera1.3Mpixels, Black, Garantie 1 an baterie | 905.072 | USD | 3657.539 | C | 36 | 24166 |
| Notebook / La | Dell | Notebook Dell Vostro 1015 DV1015HMEK21D35YBC6ER, 15.6" LED Backlight TN+Film TrueLife (1366x768) TFT, Core 2 Duo T6570 2.1GHz, Intel GMA 4500MHD, DVD-RW, LAN, Bluetooth/Wi-Fi, RAM 3GB DDR2, HDD 320GB, Card Reader 5 in 1, Camera, 6 cell, Linux, Red, Garantie 1 an baterie | 610.4 | USD | 2466.722 | 0 | 36 | 23089 |
| Notebook / La | Dell | Notebook Dell Vostro 1015 YHT65703G32WOUT3BBK, 15.6" WXGA HD (1366x768) WLED, Intel Core2 Duo T6570 2.1GHz/800MHz, GS45, Intel GMA GMA4500MHD, DVD-RW, LAN, Bluetooth/Wi-Fi, RAM 3GB DDR2 800, HDD 320GB, Firewire, Card Reader, 2.0MPixel Camera, 6Cell, Linux, Black, Garantie 1 an baterie | 610.4 | USD | 2466.722 | 0 | 36 | 22388 |
| Notebook / La | Dell | Notebook Dell Vostro 1720 XUT95504G32BRVBN96W51BBK, 17" TrueLife (1920x1200) TFT, Pentium Core2 Duo T9550 2.66GHz/1066MHz, NVIDIA GeForce 9600M GS 512MB, Blu-Ray Disc, LAN, Bluetooth/Wi-Fi, RAM 4GB DDRII 800, HDD 320GB 7200rpm, 1.3 MP Camera, Firewire, Card reader, Fingerprint reader, 8 cell, Vista Business, Black, Garantie 1 an baterie | 1467.65 | USD | 5931.005 | C | 36 | 20898 |
| Notebook barebone | | | | | | | | |
| Notebook bar | Asus | Notebook Barebone ASUS-Mobile Z6E2 14,1" WXGA+ - Santa Rosa - 2x DDR2- 667/800 max 4G - GM965+ -VC Built-in(2.0Mp) - 2.5" SATA - DVD/RW SuperMulti DL-802.11a/b/g WLAN - TPM - Turbo Memory 1GB - GigabitLAN - Bluetooth - Card Reader - 6 cell, Gar.1 an baterie | 358.176 | EUR | 1895.141 | C | 24 | 11918 |
| Notebook bar | Asus | Notebook Barebone ASUS-Mobile Z37E 13,1" WXGA+ - Santa Rosa - 2x DDR2- 667/800 max 4G - GM965+ -VC Built-in(2.0Mp) - 2.5" SATA - DVD/RW SuperMulti DL-802.11a/b/g WLAN - Finger Print - TPM - Turbo Memory 1GB - GigabitLAN - Bluetooth - Card Reader - 6 cell, Gar.1 an baterie | 434.336 | EUR | 2298.106 | C | 24 | 11919 |

| | | | | | | | | |
|---------------------------|-------------|---|---------|-----|----------|----|----|-------|
| Notebook bar | Asus | Notebook Barebone ASUS-Mobile Z37S 13,1" WXGA+ - Santa Rosa - 2x DDR2- 667/800 max 4G - nVidia G8400M-G VRAM 256MB / max 1Gb TC -VC Built-in(2.0Mp) - 2,5" SATA - DVD/RW SuperMulti DL-802.11a/b/g WLAN - Finger Print - TPM - Turbo Memory1GB - GigabitLAN - Bluetooth - Card Reader - 6 cell, Gar.1 an baterie | 456.176 | EUR | 2413.667 | 0 | 24 | 11920 |
| Tablet PC | | | | | | | | |
| Tablet PC | Apple | Tablet PC Apple IPAD 64GB, Wi-Fi, 3G, 9,7" LED multi-touch (1024x768), 1GHz Apple A4, Bluetooth 2.1 ERD | 1009.57 | EUR | 5341.706 | C | 12 | 26767 |
| Tablet PC | Asus | Tablet PC ASUS R50A-DV011E 5.6" WSVGA (1024*600) LED backlight panel with touch panel - CPU Atom Z520 Processor 1.33G, FSB 533MHz -1GB DDR2-400 MHz + 32GB SSD- 802.11b/g WLAN - GPS Built in - 0.3M+2M Dual Camera - BlueTooth -Fingerprint-3G module - 2 cell battery - Car Kit, Car Charger- Pan Euro Map - Windows Vista Business, Gar.1 an baterie | 1087.52 | EUR | 5754.157 | C | 24 | 16650 |
| Tablet PC | Asus | Tablet PC ASUS R2E-BH050E 7" WVGA - PentiumM Stealey ULV (800MHz) -1G DDRII667- 100G HDD - 802.11b/g WLAN - GPS (with ASUS EU-Map) - Video Camera Built-In - BlueTooth- Fingerprint- USB Foldable Keyboard - TV Tuner - 2 + 4 cell - Car Charger - Asus Mouse - 3G Module, Gar.1 an baterie | 543.2 | EUR | 2874.11 | C | 24 | 12542 |
| Accesorii Notebook | | | | | | | | |
| Accesorii Not | Spire | Cooler Spire- CoolNess Notebook base-cooler, USB 2.0 powered, One 200mm Silent DC fan. 10" up to 17" notebook compatability | 8.0416 | USD | 32.5024 | 0 | 24 | 23969 |
| Accesorii Not | Microsoft | Cooler Pad Microsoft- notebook Cooling Base, 29x29cm, USB Powered, Fan Speed 2000rpm, Air Flow >8CFM, Sound level <30dba, Black | 15.792 | EUR | 83.552 | C | 36 | 23967 |
| Accesorii Not | Microsoft | Cooler Pad Microsoft- notebook Cooling Base, 29x29cm, USB Powered, Fan Speed 2000rpm, Air Flow >8CFM, Sound level <30dba, White | 15.792 | EUR | 83.552 | C | 36 | 23968 |
| Accesorii Not | Cooler Mas | Cooler NB Cooler Master Notepal AX, Cooler laptop, Laptop 12"/15.4"/16", material plastic & mesh, ventilator silentios de 140mm (700-1400 RPM, 15 dBA), USB2.0/1.1 x 2 (input x 1; output x 1), se alimenteaza prin USB | 22.624 | EUR | 119.7056 | S | 24 | 21551 |
| Accesorii Not | Cooler Mas | Cooler NB Cooler Master Notepal D1 Cooler laptop, Laptop 12"/15.4", 300x130x32 mm, aluminiu, plastic, culoare neagra, ventilator 2000 R.P.M., 25.16CFM, alimentare din laptop, rifle, 40.000 ore, 17~21 dBA, 2 ani | 13.552 | EUR | 71.7024 | 0 | 24 | 19909 |
| Accesorii Not | Cooler Mas | Cooler NB Cooler Master Notepal Infinite USB, Cooler laptop, Laptop 12"/15"/17", 380x300x10~50 mm, aluminiu, plastic, culoare alb argintiu, 4x port USB 2.0, ventilator 1000/1500/2000 R.P.M., control manual, alimentare din laptop | 29.008 | EUR | 153.4848 | S | 24 | 19699 |
| Accesorii Not | Cooler Mas | Cooler NB Cooler Master Notepal U2 Fan Edition, sistem de racire pentru notebook pana in 17", material full aluminiu, ventilatoare silentioase de 80mm, se alimenteaza prin USB | 18.368 | EUR | 97.1824 | C | 24 | 25156 |
| Accesorii Not | Cooler Mas | Cooler NB Cooler Master Notepal W2 (BLACK), Cooler laptop, Laptop 12"/15"/17", 400 x 308 x 51mm, aluminiu, culoare neagra, 3x ventilator 1500R.P.M., 10.5 CFM, alimentare din laptop, sleeve, 30.000 ore, 21 dBA | 25.2 | EUR | 133.336 | S | 24 | 19697 |
| Accesorii Not | Cooler Mas | Cooler NB Cooler Master Notepal X1, Cooler laptop, Laptop 12"/15.4"/16", 365x290x54~70 mm, aluminiu, plastic, culoare neagra, ventilator 750~1500 R.P.M., 23~44CFM, control manual, alimentare din laptop, sleeve, 30.000 ore, 17~21 dBA | 18.368 | EUR | 97.1824 | S | 24 | 19696 |
| Accesorii Not | Cooler Mas | Cooler NB Cooler Master Notepal X2, Cooler laptop, Laptop 12"/15.4", material plastic si mesh, ventilator silentios de 140mm (700-1400 RPM, 15 dBA), USB2.0/1.1 x 2 (input x 1; output x 1), se alimenteaza prin USB | 22.624 | EUR | 119.7056 | S | 24 | 23065 |
| Accesorii Not | Akasa | Cooler NB Akasa AK-NBC-08Bk, Compatibil cu portabile de 15.4", Aluminiu & ABS, 2 ventilatoare 70 mm integrate, Negru | 17.584 | EUR | 93.0384 | 0 | 12 | 17335 |
| Accesorii Not | Akasa | Cooler NB Akasa AK-NBCH-02B, compatibil cu portabile de 17" wide, full aluminiu, doua ventilatoare 70 mm integrate, hub USB 2.0 (4 porturi), culoare: dark grey | 39.872 | EUR | 210.9632 | 0 | 12 | 12343 |
| Accesorii Not | Arctic | Cooler NB Arctic NC black, compatibil cu portabile pana 12 - 19" wide, design compact diferit de coolerule standard, 2 ventilatoare de 60 mm integrate cu viteza ajustabila, extrem de silentios, hub USB cu 4 porturi, culoare: negru | 19.04 | EUR | 100.744 | SL | 24 | 26853 |
| Accesorii Not | Deepcool | Cooler NB Deepcool E-PAD, structura usoara din aluminiu si plastic, dimensiune notebook: 7-12", racire pasiva, design anti-alunecare | 9.4304 | USD | 38.1136 | 0 | 12 | 21394 |
| Accesorii Not | Deepcool | Cooler NB Deepcool E-GOLF White. compact, poate fi folosit pentru notebook-uri de orice dimensiune | 4.7712 | USD | 19.2864 | S | 12 | 26216 |
| Accesorii Not | Deepcool | Cooler NB Deepcool N100, structura din aluminiu si plastic, dimensiune notebook 15.4" (maxim), dual 70x70x15mm fans (2000 RPM, 32 CFM, 23 dBA), 2 port-uri USB, design anti-alunecare | 17.36 | USD | 70.1568 | S | 12 | 21872 |
| Accesorii Not | Deepcool | Cooler NB Deepcool N11, structura din aluminiu si plastic, dimensiune notebook: 15.4" (maxim), racire pasiva, design anti-alunecare | 11.312 | USD | 45.7184 | SL | 12 | 24398 |
| Accesorii Not | Deepcool | Cooler NB Deepcool N16, structura din aluminiu si plastic, dimensiune notebook 17" (maxim), dual 70x70x15mm fans (2000 RPM, 32 CFM, 23 dBA), cablu USB retractabil, 2 port-uri USB, card reader, design anti-alunecare | 24.416 | USD | 98.672 | S | 12 | 21873 |
| Accesorii Not | Deepcool | Cooler NB Deepcool N18, structura din aluminiu si plastic, dimensiune notebook: 14" (maxim), dual 65x65x12mm fans (1600 RPM, 28.4 CFM, 17.6 dBA), 2 port-uri USB, design anti-alunecare | 17.248 | USD | 69.6976 | 0 | 12 | 24399 |
| Accesorii Not | Deepcool | Cooler NB Deepcool N19, structura din aluminiu si plastic, dimensiune notebook: 14" (maxim), 140mm fan (1000 RPM, 47.35 CFM, 21 dBA), alimentare prin portul USB, design ergonomic cu 2 unghieri de vizualizare | 10.136 | USD | 40.9584 | S | 12 | 26217 |
| Accesorii Not | Deepcool | Cooler NB Deepcool N200, structura din aluminiu si plastic, dimensiune notebook: 15.4" (maxim), 120mm fan (1000 RPM, 42.35 CFM, 22.3 dBA), design anti-alunecare | 10.4832 | USD | 42.3696 | S | 12 | 26218 |
| Accesorii Not | Deepcool | Cooler NB Deepcool N200TRI, structura din aluminiu si plastic, dimensiune notebook: 15.4" (maxim), trei ventilatoare: 1x 120x120x25mm (1000 RPM) , 2x 70x70x15mm (2000 RPM), flux de aer: 74.35 CFM, 2 port-uri USB, iluminare LED, design anti-alunecare DP-N200TRI | 21.952 | USD | 88.7152 | S | 12 | 21147 |
| Accesorii Not | Deepcool | Cooler NB Deepcool N50, structura din aluminiu si plastic, dimensiune notebook: 15.4" (maxim), 140mm fan (1000 RPM, 47.35 CFM, 21 dBA), alimentare prin portul USB, include 2 boxe laterale | 28 | USD | 113.1536 | S | 12 | 26208 |
| Accesorii Not | Deepcool | Cooler NB Deepcool N51, structura din aluminiu si plastic, dimensiune notebook: 15.4" (maxim), 140mm fan (1000 RPM, 47.35 CFM, 21 dBA), alimentare prin portul USB, include 2 boxe laterale | 28 | USD | 113.1536 | S | 12 | 26207 |
| Accesorii Not | Deepcool | Cooler NB Deepcool Wind Shaper, structura din aluminiu, otel si plastic, dimensiune notebook: 15.4" (maxim), dual 80mm fans (2000 RPM, 32.05 CFM, 23.4 dBA), design anti-alunecare, posibilitatea de ajustare pentru un unghi de vizibilitate mai bun | 34.16 | USD | 138.0512 | S | 12 | 26212 |
| Accesorii Not | Deepcool | Cooler NB Deepcool Windwheel Black, structura din aluminiu si plastic, dimensiune notebook: 15.4" (maxim), 200mm fan (700 RPM, 73.417 CFM, 25.3 dBA), alimentare prin portul USB, design anti-alunecare | 18.032 | USD | 72.8672 | S | 12 | 26211 |
| Accesorii Not | Deepcool | Cooler NB Deepcool Windwheel White, structura din aluminiu si plastic, dimensiune notebook: 15.4" (maxim), 200mm fan (700 RPM, 73.42 CFM, 25.3 dBA), alimentare prin portul USB, design anti-alunecare, include hub USB (3 porturi) | 23.856 | USD | 96.4096 | S | 12 | 26209 |
| Accesorii Not | Zalman | Cooler NB Zalman Zalman Notebook Cooler, cooler pentru notebook (15), full aluminiu (anodizat), doua ventilatoare centrifugale cu ajustare a turatiei | 38.304 | EUR | 202.664 | SL | 12 | 13104 |
| Accesorii Not | Zalman | Cooler NB Zalman ZM-NC2000SL, compatibil cu portabile de 17", full aluminiu (anodizat), finisaj deosebit (Diamond Cutting, Sand Blasting), doua ventilatoare centrifugale cu ajustare a turatiei, inaltime si inclinatie ajustabile, silve | 50.288 | EUR | 266.0784 | 0 | 12 | 15164 |
| Accesorii Not | Thermaltake | Cooler NB Thermaltake Massive23 CS, structura din aluminiu, dimensiune notebook: 10" ~ 17" (maxim), ventilator silentios de 230mm (600 RPM, 57 CFM, 17dBA, LED multicolor, button on/off pentru LED), alimentare de la portul USB (cablu USB inclus) | 53.536 | EUR | 283.2592 | 0 | 12 | 23356 |
| Accesorii Not | Thermaltake | Cooler NB Thermaltake Massive23 ST, structura din plastic si mesh metalic, dimensiune notebook: 10" - 17" (maxim), ventilator silentios de 230mm (600 RPM, 57 CFM, 17dBA, Blue LED, button on/off pentru LED), alimentare de la portul USB (cablu USB inclus) | 34.384 | EUR | 181.9328 | SL | 12 | 22560 |
| Accesorii Not | Enermax | Cooler NB Enermax Aeolus CP001S-B, compatibil cu portabile pana la 17" wide, rama din aluminiu masiv, mesh metalic, ventilator de 250 mm integrat cu viteza ajustabila, extrem de silentios, negru | 37.744 | EUR | 199.7072 | S | 12 | 21867 |
| Accesorii Not | Antec | Cooler NB Antec, Cooler Basic, racire pasiva pentru notebook-uri de 14" | 13.44 | EUR | 71.1088 | C | 36 | 25993 |

| | | | | | | | | |
|---------------|-----------|--|---------|-----|----------|---------|----|-------|
| Accesorii Not | Antec | Cooler NB Antec, Cooler Designer, alimentare pe USB, 1x 110mm, 800rpm, pentru notebook-uri de 15" | 23.184 | EUR | 122.6736 | 0 | 12 | 25994 |
| Accesorii Not | Antec | Cooler NB Antec, Cooler Mini, ventilator 80mm, 1200rpm, alimentare USB pentru notebook-uri de pana la 17" | 13.44 | EUR | 71.1088 | C | 12 | 25992 |
| Accesorii Not | Antec | Cooler NB Antec, cooler universal de notebook, ventilator 200 mm, doua trepte de turatie, LED-uri albastre cu comutator pornit/oprit, alimentare USB | 58.016 | EUR | 306.9696 | 0 | 12 | 25996 |
| Accesorii Not | Antec | Cooler NB Antec, alimentare pe USB, 2 ventilatoare | 26.992 | EUR | 142.8224 | 0 | 36 | 25995 |
| Accesorii Not | Antec | Cooler NB Antec, Cooler S, cooler pentru notebook, alimentare pe USB, 2X80mm DBB cooler | 25.648 | EUR | 135.7104 | 0 | 12 | 9972 |
| Accesorii Not | HP | Fingerprint Reader HP EM717AA, USB, Biometric | 38.416 | EUR | 203.2576 | C | 12 | 22575 |
| Accesorii Not | Prestigio | Carcasa Iphone 3g Prestigio, PIPC1106WH, Pearly large snake skin, White, Retail (6.8x2.1cm) | 21.392 | USD | 86.4528 | SL | 24 | 23111 |
| Accesorii Not | Prestigio | Dock Prestigio PIS3 cu ceas si alarma pt iPod, Negru, Retail (22x10.7cm) | 42 | USD | 169.7248 | SL | 24 | 23122 |
| Accesorii Not | ICEpower | Baterie Notebook Acer ICEpower IP-AS07B71, ICEpower, Li-Ion 10.8V - 4600mAh 50Wh baterie pt Acer Aspire 5310/5315/5520G/5520/5710/5715Z/5720/5920/ 5920G/ 6530G/ 6530G/6920G/6920/ 6930G/ 6935G/ 6930/6935/ 7220/ 7520G/7520/ 7720G/7720/ 7720Z/8920G/8920 /8930 series (Replace code: AS07B31, AS07B41, AS07B51, AS07B71, LC.BTP00.008, LC.BTP00.014) | 64.288 | EUR | 340.1552 | C | 12 | 26426 |
| Accesorii Not | ICEpower | Baterie Notebook Acer, ICEpower IP-LC.BTP01.013, Li-Ion 14.8V - 5200mAh 77Wh baterie pt Acer Aspire 3660/56xx/7xxx/9xxx/TravelMate 2460/42xx/46xx/51xx/56xx/7510 | 93.408 | EUR | 494.2336 | C | 12 | 26802 |
| Accesorii Not | Acer | Docking station Acer Ezdock II + | 150.304 | EUR | 795.2672 | 0 | 12 | 10597 |
| Accesorii Not | Acer | Extensie Garantie pentru Notebook-uri Acer de la 1-> 3 ani | 46.144 | EUR | 244.1488 | 0 | 24 | 9615 |
| Accesorii Not | Acer | Acc Notebook Acer Aspire Invertor 4000 series | 39.2 | EUR | 207.4128 | S | 12 | 20725 |
| Accesorii Not | Acer | Tastatura Notebook Acer, compatibila cu seriile Aspire 3100, 3650, 3690,5100, 5110, 5610, 5630, 5650, 5680 | 25.648 | EUR | 135.7104 | S | 6 | 19125 |
| Accesorii Not | Lenovo | Adaptor Lenovo 90W Ultralim AC/DC Combo, dual charging cable | 140 | USD | 565.768 | C | 12 | 23954 |
| Accesorii Not | Lenovo | Adaptor Lenovo ThinkPad 90W AC, 40Y7663 | 84 | USD | 339.4608 | 0 | 12 | 8324 |
| Accesorii Not | Lenovo | Lenovo Basic Mobile Bundle:ThinkPad Basic Case,ThinkPad Travel Mouse,ThinkPad 90W AC Adapter | PROMO | USD | 261.8 | S | 12 | 22144 |
| Accesorii Not | Lenovo | Docking station Lenovo compatibil ThinkPad X200 UltraBase | 212.24 | USD | 857.696 | C | 12 | 23963 |
| Accesorii Not | Lenovo | Docking station Lenovo ThinkPad Mini Dock Series 3 for T400s | 190.512 | USD | 769.888 | C | 12 | 23965 |
| Accesorii Not | Lenovo | Port Replicator Lenovo Enhanced USB | 128.8 | USD | 520.4976 | C | 12 | 23964 |
| Accesorii Not | Lenovo | Baterie Lenovo ThinkPad 17+ pentru X100e | 145.6 | USD | 588.392 | C | 12 | 23953 |
| Accesorii Not | Lenovo | Baterie Lenovo ThinkPad T/R/W/Z/SL series, 9 Cell Li-Ion (NOT 14" wide) | 136.08 | USD | 549.92 | C - LIM | 12 | 23951 |
| Accesorii Not | Lenovo | Baterie Lenovo ThinkPad SL410/SL510/T410/T510/W510, 9 Cell Li-Ion | 157.808 | USD | 637.728 | C | 12 | 23952 |
| Accesorii Not | Sony | Sony VAIO Plus Warranty Pack - garantie extinsa de 2 ani, PCGEVPW2 | 156.464 | EUR | 827.8592 | C | 1 | 23702 |
| Accesorii Not | Sony | Acumulator Sony VAIO VGP-BPS10, 6 celule, 5800mAh/ seria SZ6, CS | 193.648 | EUR | 1024.61 | C | 6 | 23703 |
| Accesorii Not | Sony | Acumulator Sony VAIO VGP-BPS13, 6 celule, 4800mAh/ seria CS, FW | 184.688 | EUR | 977.2 | C | 6 | 23704 |
| Accesorii Not | Sony | Incarcator Sony VAIO VGP-AC19V30, Slim / seriile F, E, CS, CW, Z | 113.008 | EUR | 597.9344 | 0 | 6 | 23705 |
| Accesorii Not | Sony | Docking station Sony VAIO Universal VGP-UPR1A, 4xUSB, DVI-D, conectare USB 2.0 | 155.12 | EUR | 820.7472 | C | 6 | 23708 |
| Accesorii Not | Sony | Docking station Sony VAIO VGP-PRZ1, 3xUSB, DVI-D, seria Z51 | 186.704 | EUR | 987.8624 | C | 6 | 23706 |
| Accesorii Not | Sony | Docking station Sony VAIO VGP-PRZ10, 4xUSB, DVI-D, seria Z11 | 181.44 | EUR | 960.008 | C | 6 | 23707 |
| Accesorii Not | Asus | Baterie acumulator Asus F3 series, 6 cell | 108.864 | EUR | 576.0048 | C | 12 | 11382 |
| Accesorii Not | Asus | Baterie acumulator Asus F5 series, 4 cell | 108.864 | EUR | 576.0048 | C | 12 | 11380 |
| Accesorii Not | Asus | Baterie acumulator Asus X51 series, 6 cell | 108.864 | EUR | 576.0048 | C | 12 | 11381 |
| Accesorii Not | Asus | Baterie acumulator Asus Z37 series, 6 cell | 108.864 | EUR | 576.0048 | C | 6 | 23760 |
| Accesorii Not | Asus | Baterie acumulator Asus Z62 series, 6 cell | 108.864 | EUR | 576.0048 | C | 6 | 23759 |
| Accesorii Not | Asus | Baterie acumulator Asus Z96 series, 6 cell | 108.864 | EUR | 576.0048 | C | 6 | 23758 |
| Accesorii Not | Asus | Car charger 90-120W Asus, 90-NGVCH1000T | 77.28 | EUR | 408.8896 | C | 12 | 17762 |
| Accesorii Not | Asus | Acc Notebook Asus Bottom Case F3JA | 39.2 | EUR | 207.4128 | SL | 1 | 22481 |
| Accesorii Not | Asus | Acc NB Asus Cooler M51E, F3E Series | 16.8 | EUR | 88.8944 | SL | 1 | 22187 |
| Accesorii Not | Asus | Car charger Asus, pentru EEEPC, 90-QA00CA1100 | 32.704 | EUR | 173.04 | 0 | 12 | 17760 |
| Accesorii Not | Asus | Acc Notebook Asus Incarcator EEEPC 90-QA0HA83311111E1 | 36.512 | EUR | 193.1888 | SL | 12 | 21541 |
| Accesorii Not | Asus | Extensie Garantie pentru Notebook-uri Asus 1 an | 92.512 | EUR | 489.4848 | C | 12 | 11891 |
| Accesorii Not | Fujitsu | Docking station Fujitsu pentru LIFEBOOK S7110, S7210, S6410, E8110, E8210, E8310, E8410, C1410, CELSIUS H240, H250, cod: S26391-F408-L110 | 65.408 | EUR | 346.08 | 0 | 12 | 23764 |
| Accesorii Not | Dell | Kit Incarcator notebook Dell European 2 Wire 90W AC Adapter 1M (Kit) 450-11067 pentru Latitude D820 / D620 / D520 / D420 / D620 ATG / D531 / D631 / D830 / D630 D430 / D630 ATG / D630c, Precision M65 / M4300 / M2300, Inspiron Laptop 9400 / 1721 / 1720, XPS Laptop M1530. | 31.472 | EUR | 166.5216 | S | 12 | 19298 |
| Accesorii Not | ICEpower | Acumulator IcePower compatibil DELL, Li-Ion 11.1V - 4600mAh 51Wh, battery for DELL XPS M1530 (Replace code: 312-0660, 312-0662, 312-0663, 451-10528, RU030, TK330, XT828, XT832) | 70.672 | EUR | 373.9344 | C | 12 | 21895 |
| Accesorii Not | ICEpower | Baterie Notebook Dell ICEpower IP-CF623, Li-Ion 11.1V - 7200mAh baterie pentru Dell Latitude D531, Latitude D820, Precision M65 (OEM: 312-0393, 312-0394, 312-0401, 312-0402, 451-10308, 451-10309, 451-10326, 451-10327, CF623, CF704, CF711, DF192, DF249, XD739, YD623, YD626) | 95.424 | EUR | 504.896 | C | 12 | 20775 |
| Accesorii Not | ICEpower | Baterie Notebook Dell ICEpower IP-GD761, Li-Ion 11.1V, 4400mAh, baterie pentru DELL Inspiron 1501, Inspiron 6400, Inspiron E1505, Latitude 131L, Vostro 1000 (replace code: 312-0461, 312-0466, 312-0599, 451-10338, 451-10424, GD761, RD859, UD267, XU937) | 65.856 | EUR | 348.4544 | C | 12 | 19727 |
| Accesorii Not | ICEpower | Baterie Notebook Dell ICEpower IP-U4873, Li-Ion 11.1V, 6900mAh, baterie pentru Dell Inspiron 6000, Inspiron 9200, Inspiron 9300, Inspiron 9400, Inspiron E1705, Inspiron XPS Gen 2, Inspiron XPS M170, Inspiron XPS M1710, Precision M6300, Precision M90, XPS M170, XPS M1710 | 87.024 | EUR | 460.4544 | C | 12 | 23676 |
| Accesorii Not | ICEpower | Baterie Notebook Dell ICEpower IP-WR050, Li-Ion 11.1V - 4600mAh 51Wh battery for Dell Inspiron 1318, XPS M1330 (Replace code: 312-0566, 312-0739, 451-10473, TT485, WR050) | 67.648 | EUR | 357.9296 | C | 12 | 26106 |
| Accesorii Not | ICEpower | Baterie Notebook Dell ICEpower IP-312-0384, Li-Ion 14.8V, 2400mAh, pentru Dell Latitude D620, Latitude D630, Precision M2300 (replace code: 310-9080, 312-0384, 312-0653, 451-10299, JD648, NT379, RC126) | 68.992 | EUR | 365.0416 | C | 12 | 22820 |
| Accesorii Not | ICEpower | Baterie Notebook Dell ICEpower IP-TC030, Li-Ion 11.1V, 80Wh, 7200mAh baterie pentru Dell Latitude D620 (Replace code: 312-0383, 312-0386, 451-10297, 451-10298, JD634, PC764, TC030, TD175) | 102.592 | EUR | 542.8192 | C | 12 | 19413 |
| Accesorii Not | Dell | Adaptor Alimentare Notebook Dell 450-11040 2 Wire 65W AC Adapter fara cablu de alimentare, pentru Latitude D620 / D520 / 131L / D620 ATG / D531 / D631 / D630 / D630 ATG / XT / D630c, Vostro 1000 / 1400 / A840 CTO / A860 CTO, Inspiron 1525 /5. | 36.4 | USD | 147.1008 | C | 12 | 17380 |
| Accesorii Not | Dell | Adaptor Alimentare Notebook Dell DK_450-13581, European 30W, AC Adapter 3P (Kit) for Mini 10 | 11.312 | USD | 45.7184 | C | 12 | 24434 |
| Accesorii Not | Dell | Adaptor Notebook Dell DisplayPort-to-DVI-Kit | 18.48 | USD | 74.6816 | C | 12 | 24439 |

| | | | | | | | | |
|---------------|----------|--|---------|-----|----------|----|----|-------|
| Accesorii Not | Dell | Adaptor Alimentare Notebook Del DK_450-11303, Kensington 120W DC Auto/Air Power Adapter for Select Dell Inspiron/Latitude/Precision Notebooks | 90.16 | USD | 364.3472 | C | 12 | 24433 |
| Accesorii Not | Dell | Docking station Dell - advanced E-Port Replicator with 210W AC Adaptor, Power Cord - No Stand - Kit | 231.168 | USD | 934.192 | C | 12 | 24438 |
| Accesorii Not | Dell | Boxe Notebook Dell, AX210CR Black, USB - Kit, compatibile cu OptiPlex / Latitude / Vostro / Precision / Inspiron / XPS | 10.4048 | USD | 42.0448 | C | 12 | 24440 |
| Accesorii Not | ICEpower | Baterie Notebook Toshiba ICEpower IP-FPCBP151, 4600mAh, Li-Ion 14.4V, pentru FUJITSU-SIEMENS LifeBook C1410 (Replace code: FPCBP151, FPCBP151AP, S26391-F336-L250) | 98 | EUR | 518.5264 | C | 12 | 19670 |
| Accesorii Not | ICEpower | Baterie Notebook Fujitsu ICEpower IP-S26391-F400-L400, Li-Ion 11.1V - 4600mAh 51Wh battery for FUJITSU-SIEMENS Esprimo Mobile V5505, Esprimo Mobile V5545, Esprimo Mobile V6505, Esprimo Mobile V6535, Esprimo Mobile V6545, Esprimo Mobile V6555 (replace code: BTP-C0K8, S26391-F400-L400) | 65.988 | EUR | 349.0368 | C | 12 | 19981 |
| Accesorii Not | ICEpower | ICEpower, Li-Ion 11.1V - 4600mAh battery for SAMSUNG M60 Aura, NP-P5 NP-P60, NP-R40, NP-R40 Plus, NP-R45, NP-R65, NP-R70, NP-X60, P210 Series, P460, P50 Pro Series, P50 Series, P60 Pro Series, Acumulator Notebook IcePower IP-AA-PB6NC6B, pentru P60 Series, R40 Series, R45 Pro Series, R45 Series, R60plus, R65 Pro Series, R65 Series, R70 Series, R710, X60 Plus Series, X60 Pro Series, X60 Series, X65 Pro Series, X65 Series (Replace code: AA-PB2NC3B, AA-PB2NC6B, AA-PB2NC6B/E, AA-P | 79.296 | EUR | 419.5632 | C | 12 | 21943 |
| Accesorii Not | HP | Adaptor Alimentare Notebook HP, 65W, ED494AA | 16.912 | EUR | 89.488 | C | 12 | 18970 |
| Accesorii Not | HP | Adaptor Alimentare Notebook HP, 90W, ED495AA | 22.176 | EUR | 117.3312 | C | 12 | 17207 |
| Accesorii Not | HP | Docking station HP N2222AA 120W | 123.088 | EUR | 651.2688 | C | 12 | 23766 |
| Accesorii Not | HP | HP Activation License Microsoft Office Basic 2007, Media-less License RZ362A (for HP NB pre-loaded with the 2007 Microsoft Office) | 171.808 | EUR | 909.048 | C | 1 | 23972 |
| Accesorii Not | HP | HP Activation License Microsoft Office Small Business 2007, Media-less License RZ366A (for HP NB pre-loaded with the 2007 Microsoft Office) | 225.12 | EUR | 1191.131 | C | 1 | 23973 |
| Accesorii Not | ICEpower | Adaptor Alimentare Nb. ICEPower 18.5V, 6.5A, 120W for HP Pavilion ZD8000, ZD8100, ZD8200, ZD8300, ZV6000 , ZV6100, ZV6200 (replace code: 375126-001, 375126-002, 375143-001, 393952-001, PPP017L, 394209-001, 394809-001, EA350A, EA350A#ABA,etc | 55.776 | EUR | 295.12 | C | 12 | 20779 |
| Accesorii Not | ICEpower | Adaptor Alimentare Nb. ICEPower 20V, 6A, 120W for Compaq Presario R3000 Series, R3100 Series, R3200 Series, R3300 Series, R3400 Series (replace code: 316688-002, 317188-001, 325112-001, 344895-001, ADP-75FB, ADP-90HD, PPP017H, HP-OW121F13,F1814A, F4600A, F4813A, F4813-60901) | 47.6 | EUR | 251.8544 | C | 12 | 21851 |
| Accesorii Not | ICEpower | Adaptor Alimentare Nb. ICEPower 19V/90W pentru HP COMPAQ Business Notebook nc4000, nc4010, nc420 , nc6000, nc6120, nc6220, nc6230, nc8000, nc8230, nw8000, nw8200, nw8240, nx5000, nx6110, nx6120, nx6125, nx7000, nx7010, nx8220, nx9000,etc. | 45.808 | EUR | 242.3792 | C | 12 | 20626 |
| Accesorii Not | ICEpower | Baterie Notebook HP ICEpower IP-250848-B25, Li-Ion 14.8V - 4000mAh 50Wh battery for Compaq Evo N600, Evo N610c, Evo N620c series, Evo N600c, Evo N610v (replace code: 229783-001, 232633-001, 250848-B25) | 69.44 | EUR | 367.416 | C | 12 | 21852 |
| Accesorii Not | ICEpower | Baterie Notebook HP ICEpower IP-360483-004, Li-Ion 10.8V - 4600mAh baterie pentru HP Compaq Business Notebook 6910p/6510b/6710b/6715b/NC6105/NC6110/NC6115/NC6120/NC6200/NC6220/NC6230/NC6400/NX5100/NX6100/NX6105/NX6110/NX6115/NX6120/NX6125/NX6140/NX6310/NX6310/CT/NX6315/NX6320/NX6325, HSTNN-IB05, HSTNN-IB08(replace code: 360483-004, 364602-001, 365750-004, 372772-001, 383220-001, HSTNN-IB05, HSTNN-IB08, PB994A) | 71.344 | EUR | 377.4848 | C | 12 | 26891 |
| Accesorii Not | ICEpower | Baterie Notebook HP ICEpower IP-381374-001, Li-Ion 14.4V - 5200mAh 75Wh battery for HP Compaq 8510p, 8510w, 8710p, 6720i, 7400 Series, 8200 Series, 8400 Series, 8500 Series, 8510w Mobile Workstation, 8700 Series, 8710w Mobile Workstation, 9400 Series, NC8200, nc8230, nc8430, nw8200, nw8240, nw8240 Mobile Workstation, nw8440, nw8440, nw9440, nw9440 Mobile Workstation, nx7300, nx7400, nx8200, nx8220, nx8420, nx9420 | 75.824 | EUR | 401.1952 | C | 12 | 22825 |
| Accesorii Not | ICEpower | Baterie Notebook HP ICEpower IP-HSTNN-IB52, Li-Ion 10.8V - 4600mAh 50Wh battery for HP 530, HP COMPAQ Business Notebook 6720s, Business Notebook 6720s/CT, Business Notebook 6730s, Business Notebook 6730s/CT, Business Notebook 6735s, Business Notebook 6820s, Business Notebook 6830s (replace code: 451085-141, 451086-121, 451086-161, 451568-001, GJ655AA, HSTNN-IB51, HSTNN-IB52) | 66.864 | EUR | 353.7856 | C | 12 | 21721 |
| Accesorii Not | ICEpower | Baterie Notebook HP ICEpower IP-PPB004A, Li-Ion 14.4 V - 4400 mAh battery for COMPAQ EVO Nxxx series, Presario 1500 series, Presario 1700 Series, Presario 1701S Series, Presario 17XL Series, Presario 17XL2 Series, Presario 2800 series, Presario 900 series | 65.52 | EUR | 346.6736 | C | 12 | 26770 |
| Accesorii Not | MSI | Baterie Notebook MSI 9 Cell, 7200mAh, compatibila cu notebookuri MSI 15.4", (exceptie 16" si GX700, GX710, GX701, EX700, EX710, EX705, VR700, VR705) | 81.536 | EUR | 431.4128 | 0 | 12 | 13248 |
| Accesorii Not | MSI | Baterie Notebook MSI BTY-S12, compatibila laptop MSI Wind U123/U120/U100/U90, culoare negru, 6 celule, 4400mAh | 64.064 | EUR | 338.968 | C | 12 | 21372 |
| Accesorii Not | ICEpower | Baterie Notebook Sony Vaio series ICEpower IP-VGP-BPS2C, Li-Ion 11.1V 6900mAh Negru (Replace code: VGP-BPL2, VGP-BPL2C, VGP-BPS2, VGP-BPS2A, VGP-BPS2B, VGP-BPS2C) | 82.208 | EUR | 434.9744 | S | 6 | 25830 |
| Accesorii Not | ICEpower | Acc Notebook Toshiba Icepower IP-120W-PA3237U, 15V, 8A, 120W, pentru TOSHIBA Satellite A20 Series, Satellite A25 Series, Satellite A40 Series, Satellite A45 Series, Qosmio F30 Series, Qosmio G10 Series, Qosmio G20 Series, Qosmio G30 Series, Qosmio G40 Series (replace code: PA3237, PA3237U, PA3237U-1ACA, PA3237U-2ACA, PA3507E-1AC3, PA3237E-1ACA, PA3237E, PA3237E-3AC3, P000451490, P000411310, P000384570, P000397880, P000445480, P000411310) | 43.568 | EUR | 230.5184 | SL | 6 | 22562 |
| Accesorii Not | ICEpower | Acc Notebook Toshiba Icepower IP-AC090.008A4-TO, 19V, 4.74A, 90W pentru Toshiba Satellite1600, Satellite 1700, Satellite 1900, Satellite 3000, Satellite 1715XCDSeries, Satellite 1905-S301, Satellite 1955-S801, Satellite 2430series, SatelliSatellite 2435, M60 series | 43.904 | EUR | 232.2992 | C | 12 | 22448 |
| Accesorii Not | ICEpower | Acc Notebook Toshiba Icepower IP-PA3378E-2ACA, 15V, 5A, 75W pentru TOSHIBA Portege Series, Toshiba Satellite 1400 - 1800 Series, Toshiba Satellite 2400 - 2500 - 2800 - 4000 - 5000 Series, Toshiba Satellite A - M - R Series, Toshiba Satellite, Pro Series, Toshiba Tecra Series (replace code: PA3237, PA3237U, PA3237U-1ACA, PA3237U-2ACA, PA3507E-1AC3, PA3237E-1ACA, PA3237E, PA3237E-3AC3, P000451490, P000411310, P000384570, P000397880, P000445480, P000411310) | 34.832 | EUR | 184.296 | C | 12 | 19431 |
| Accesorii Not | Toshiba | Acc Notebook Toshiba, Adaptor Alimentare V000042150, 90W, 19V, 4.74A, for Toshiba Satellite A60, A65, A80, A85, A110, L10, L15, L20, L25, L35, L45, 1000 Series, 1100 Series, 1200 Series, 1600 Series, 1700 Series, 1900 Series, 2400 Series, 3000 series, M105 Series, M115 Series, M40/M45/M55 Series | PROMO | EUR | 352.7888 | SL | 12 | 18734 |
| Accesorii Not | ICEpower | Baterie Notebook Toshiba ICEPower IP-PA3284U-1BAS, Li-Ion 10.8V - 5200mAh battery for Toshiba Satellite A10 Series, Satellite A15 Series, Tecra A1 Series, Tecra A8 Series (OEM:PA3284U-1BAS, PA3284U-1BRS, PA3285U-1BAS, PA3285U-1BRS, PA3285U-2BAS, PA3285U-2BRS, PA3285U-3BRS, PABAS073, PABAS075) | 66.416 | EUR | 351.4112 | C | 12 | 26385 |
| Accesorii Not | ICEpower | Baterie Notebook Toshiba ICEpower IP-PA3399U-1BAS, 4800mAh, Li-Ion 14.4V, pentru Toshiba Satellite A100 Series (except Satellite A100-S2211TD, Satellite A100-S3211TD, Satellite A100-S8111TD), Satellite A105-S4000 Series, Satellite A80 Series Satellite M100 Series, Satellite M105-S3000 Series, Satellite M115-S3000 Series, Satellite M40 Series (except Satellite M40-S312TD), Satellite M45 Series(except M45-S165, M45-S165x, M45-S169 & M45-S169x), Satellite M50 Series | PROMO | EUR | 432.3088 | S | 12 | 19281 |

| | | | | | | | | |
|---------------|--------------|---|---------|-----|----------|----|----|-------|
| Accesorii Not | ICEpower | Baterie Notebook Toshiba ICEpower IP-PA3451U-1BRS, 2800mAh, Li-Ion 14.4V, pentru Toshiba Satellite A100; Satellite A105; Satellite A110; Satellite A80 Series; Satellite A85 Series; Satellite M115-51000 Series; Satellite M45; Satellite M50; Satellite M55; Satellite M70; (replace code: PA3451U-1BRS, PA3457U-1BRS, PABAS067) | 59.472 | EUR | 314.6752 | C | 12 | 19255 |
| Accesorii Not | ICEpower | Baterie Notebook Toshiba ICEpower IP-PA3591U-1BAS, 2300mAh, Li-Ion 14.4V, pentru Toshiba Equium L40 Series, Equium L40-10U, Satellite L40 Series, Satellite L402, Satellite L45 Series (except Satellite L45-S7xxx Series), replace code: PA3591U-1BAS, PA3591U-1BRS | 58.128 | EUR | 307.5632 | S | 12 | 23465 |
| Accesorii Not | Toshiba | Extindere garantie de la 2 la 3 ani pentru notebookurile Toshiba | 26.656 | EUR | 141.0416 | S | 36 | 19369 |
| Accesorii Not | Toshiba | Docking station Toshiba DynaDock, 4,5 cm x 7,8 cm x 22,2 cm, Network adapter - Ethernet, Fast Ethernet, 1 x serial - RS-232 - 9 pin D-Sub (DB-9) , 1 x display / video - DVI-Digital - 24 pin digital DVI , 6 x Hi-Speed USB - 4 PIN USB Type A, 1 x microphone - input - mini-phone mono 3.5 mm , 1 x headphones - output - mini-phone stereo 3.5 mm , 1 x network - Ethernet 10Base-T/100Base-TX - RJ-45 , 1 x Hi-Speed USB - 4 PIN USB Type B , 1 x audio - SPDIF output | PROMO | EUR | 425.5888 | SL | 12 | 22126 |
| Accesorii Not | ICEpower | Acc Notebook IBM Icepower IP-PA3378E-2ACA, 19V, 90W pentru IBM ThinkPad Z61m, Lenovo 3000 C100, Lenovo 3000 N100, Lenovo 3000 V100, ThinkPad R60e, ThinkPad T60, ThinkPad T60p, ThinkPad X60, ThinkPad X60s, ThinkPad Z60, ThinkPad Z60m, ThinkPad Z60t, ThinkPad Z61e, ThinkPad Z61t | 45.696 | EUR | 241.7856 | C | 12 | 19844 |
| Accesorii Not | ICEpower | Baterie Notebook IBM ICEpower IP-40Y6795, Li-Ion 10.8V - 6600mAh battery for IBM ThinkPad R60 0656, ThinkPad R60 0657, ThinkPad R60 0658, ThinkPad R60 0659, ThinkPad R60 9444, ThinkPad R60 9445, ThinkPad R60 9446, ThinkPad R60 9447, etc. | 83.44 | EUR | 441.4928 | C | 12 | 20631 |
| Accesorii Not | ICEpower | Baterie Notebook IBM ICEpower IP-40Y7001, Li-Ion 14.4V - 2300mAh 33Wh battery for IBM ThinkPad X60 1706, ThinkPad X60 1707, ThinkPad X60 1708, ThinkPad X60 1709, ThinkPad X60 2509, ThinkPad X60 2510, ThinkPad X60 Series, ThinkPad X60s 1702, ThinkPad X60s 1703, ThinkPad X60s 1704, ThinkPad X60s 1705, ThinkPad X60s 2507, ThinkPad X60s 2508, ThinkPad X60s 2522, ThinkPad X60s 2524, ThinkPad X60s 2533, ThinkPad X60s Series, LENOVO ThinkPad R61e Series | 63.728 | EUR | 337.1872 | C | 12 | 21295 |
| Accesorii Not | ICEpower | Baterie Notebook IBM ICEpower IP-40Y7001-HC, Li-Ion 14.4V - 4600mAh 66Wh battery 8 cells for IBM ThinkPad X60 1706/ 1707/ 1708/1709/2509/2510, ThinkPad X60s 1702/1703/ 1704/ 1705/2507/2508/2522/ 2524/2533, ThinkPad X60 Series, ThinkPad X617673/ 7674/7675/7676/7678/7679, ThinkPad X61s 15th Anniversary Edition, ThinkPad X61s 7666/7667/7668/7669/7670/ 7671, ThinkPad X61 Series, ThinkPad X61s Series | 74.704 | EUR | 395.2704 | S | 12 | 25696 |
| Accesorii Not | Targus | Kit Securitate Notebook Targus PA410E, Defcon CL - Cable Lock, 10,000 user settable combinations, 4 mm Cable diameter, 2,1m, 175g | 32.144 | EUR | 170.072 | C | 24 | 17396 |
| Accesorii Not | Targus | Privacy Screen Targus ASF121WEU, 12.1" Widescreen, Protect the "data" on your visible screen in the office or on the move | 51.296 | EUR | 271.4096 | C | 1 | 17395 |
| Accesorii Not | Delock | Adaptor Delock Express Card to Serial, 1 port, 66211 | 31.248 | EUR | 165.3344 | C | 12 | 26874 |
| Accesorii Not | Delock | Adaptor Delock PCMCIA CardBus adapter to USB2.0 3 porturi 61527 | 18.816 | EUR | 99.5568 | S | 12 | 21099 |
| Accesorii Not | Delock | Card PCMCIA cu 4 porturi USB 2.0, Delock, 61234 | 20.048 | EUR | 106.0752 | M | 12 | 21934 |
| Accesorii Not | Delock | Adaptor Delock PCMCIA CardBus adapter to Express card 34mm 61570 | 25.536 | EUR | 135.1168 | S | 12 | 20713 |
| Accesorii Not | Delock | Adaptor Delock PCMCIA CardBus adapter to Serial RS232 1 port 61622 | 34.272 | EUR | 181.3392 | M | 12 | 22229 |
| Accesorii Not | RPC | Hub USB 2.0 Activ RPC-USB240A, 4 porturi, Include cablu si adaptor alimentare | 10.2704 | USD | 41.5072 | S | 36 | 18159 |
| Accesorii Not | A4tech | Hub USB 2.0 Pasiv A4Tech MS-8 4 porturi + PS2 + Audio | 9.8448 | USD | 39.7824 | S | 12 | 10296 |
| Accesorii Not | Modacom | Hub USB 2.0 Pasiv Modecom MC-HUB4U, 4 porturi USB | 6.9888 | USD | 28.2464 | S | 12 | 26461 |
| Accesorii Not | Modacom | Hub USB 2.0 Activ Modecom Wave MC-WAVEHUB, 7 porturi USB | 13.216 | USD | 53.4128 | S | 12 | 26462 |
| Accesorii Not | Edimax | Hub USB 2.0 4 Porturi Activ Edimax EU-HB4M, slim | 15.904 | USD | 64.2656 | C | 24 | 24649 |
| Accesorii Not | Fujitsu-Siem | Mobile Notetaker Fujitsu, store over 100 pages A4, additional OCR software, convert your handwriting into 22 languages in a snap | 53.2 | EUR | 281.4896 | C | 12 | 23761 |
| Accesorii Not | Antec | Adaptor Alimentare Notebook Antec NP65, adaptor universal pentru notebook Dell, Toshiba, Acer, HP, Sony, Fujitsu, Compaq, ASUS, etc, input: 100-240V; 1.5A, 65W / 3.4A, Output voltage: 19 volts, Voltage range: 18.4 - 20 volts | 25.648 | EUR | 135.7104 | C | 36 | 26135 |
| Accesorii Not | Antec | Adaptor Alimentare Notebook Antec NP90, adaptor universal pentru notebook Dell, Toshiba, Acer, HP, Sony, Fujitsu, Compaq, ASUS, etc, input: 100-240V; 1.5A, output: 90 watts; 4.74A, Output voltage: 19 volts, Voltage range: 18.4 - 20 volts | 32.368 | EUR | 171.2592 | C | 36 | 26136 |
| Accesorii Not | Antec | Adaptor Alimentare Notebook Antec SNP90, adaptor universal slim pentru notebook Dell, Toshiba, Acer, HP, Sony, Fujitsu, Compaq, ASUS, etc, input: 100-240V; 1.5A, output: 90 watts; 4.74A, Output voltage: 19 volts, Voltage range: 18.4 - 20 volts | 49.84 | EUR | 263.704 | C | 36 | 26137 |
| Accesorii Not | Amacrox | Adaptor Alimentare Notebook, Auto, Universal, 65W | 22.736 | EUR | 120.2992 | S | 12 | 17222 |
| Accesorii Not | Inter-Tech | Adaptor Alimentare Notebook Inter-Tech CobaNitrox Extended NB-90-U 90W, utere: 90W, mufa USB pentru incarcarea echipamentelor, selectie automata a voltajelor in functie de conectorul utilizat (10 conectori), display LCD, voltaje: 5V, 9.5V,12V, 12.5V, 14.5V, 15V, 16V, 16.5V, 19V, 19.5V, 20V, 22V | 36.064 | EUR | 190.8144 | SL | 12 | 24390 |
| Accesorii Not | Targus | Adaptor Alimentare Notebook Targus 75W APA02EU, AC input: 100-240 V, 50-60 Hz, 2A, DC input: 15 V, 5 A, up to 75 Watts continuous, Power cables included: Europe, UK, Switzerland | 36.624 | EUR | 193.7824 | 0 | 24 | 17401 |
| Accesorii Not | Targus | Adaptor Alimentare Notebook Targus 90W APA03EU, AC input: 100-240 V, 50-60 Hz, 1.4A, DC input: 19 V, 4.7 A, up to 90 Watts continuous, Power cables included: Europe, UK, Switzerland | 36.624 | EUR | 193.7824 | C | 24 | 17402 |
| Accesorii Not | Amacrox | Adaptor Alimentare Notebook Amacrox N12 120W 6.32A | 36.064 | EUR | 190.8144 | S | 12 | 13854 |
| Accesorii Not | Amacrox | Adaptor Alimentare Notebook Amacrox N12 65W 3.42A | 25.648 | EUR | 135.7104 | S | 12 | 13852 |
| Accesorii Not | Amacrox | Adaptor Alimentare Notebook Amacrox N12 90W 4.74A | 31.472 | EUR | 166.5216 | S | 12 | 13853 |
| Accesorii Not | LiteOn | Adaptor Alimentare Notebook Lite-On 90W | 27.888 | EUR | 147.56 | 0 | 12 | 7906 |
| Accesorii Not | Fortron | Adaptor Alimentare Notebook Fortron Auto FSP-CAR120, AC input, 19V - 6.4A, 120W | 57.232 | USD | 231.28 | S | 24 | 9559 |
| Accesorii Not | Fortron | Adaptor Alimentare Notebook Fortron Auto FSP-CAR65, Total Power:65W, Output voltage 18V-20V, Input Voltage 12V, 9DC Output Tips for Maximum Compatibility incl. new HP tip, Slim size, Travel bag , Retail | 42.224 | USD | 170.632 | C | 24 | 25946 |
| Accesorii Not | Fortron | Adaptor Alimentare Notebook Fortron FSP-NBPLUS, AC Input, Adjustable output voltage 15V-21V, USB charger, LCD Panel to read output & temperature, 60W | 52.528 | USD | 212.2736 | C | 12 | 17764 |
| Accesorii Not | Fortron | Adaptor Alimentare Notebook Fortron FSP-NB120, AC Input, 19V output, 120W, 8 DC output tips for maximum compatibility | 51.408 | USD | 207.7488 | C | 24 | 23757 |
| Accesorii Not | Fortron | Adaptor Alimentare Notebook Fortron FSP-NB150, AC Input, 19V output, 150W, 8 DC output tips for maximum compatibility | 74.032 | USD | 299.1744 | C | 24 | 23756 |
| Accesorii Not | Fortron | Adaptor Alimentare Notebook Fortron FSP-NB65, AC input, 19V output, 65W, 8 DC output tips for maximum compatibility | 40.768 | USD | 164.752 | C | 24 | 23752 |
| Accesorii Not | Fortron | Adaptor Alimentare Notebook Fortron FSP-NBL65, input: 100-240Vac, output: 19V, 65W, 9 DC output tips for maximum compatibility | 43.904 | USD | 177.4192 | C | 24 | 23753 |
| Accesorii Not | Fortron | Adaptor Alimentare Notebook Fortron FSP-NBL90, input: 100-240Vac, output: 19V, 90W, 8 DC output tips for maximum compatibility | 47.6 | USD | 192.36 | C | 24 | 23755 |
| Accesorii Not | Fortron | Adaptor Alimentare Notebook Fortron FSP-NBS90, AC input, Selectable 15-17V or 18-21V output, 90W | 45.472 | USD | 183.7584 | C | 24 | 23754 |
| Accesorii Not | Fortron | Adaptor Alimentare Notebook Fortron FSP-NET36 pentru ASUS EEPF Series, input : 100-240Vac, output: 12V, 36W | 29.568 | USD | 119.4928 | C | 24 | 23750 |
| Accesorii Not | Fortron | Adaptor Alimentare Notebook Fortron FSP-NET40, input: 100-240Vac, output: 19V, 40W, 5 DC output tips for maximum compatibility | 32.704 | USD | 132.16 | C | 24 | 23751 |
| Accesorii Not | Fortron | Adaptor Alimentare Notebook Fortron, input: 220V AC, output: 19V DC, 90W, 6 DC output tips for maximum compatibility | 41.888 | USD | 169.2768 | C | 12 | 9990 |
| Accesorii Not | Kensington | Sistem anti-furt ptr monitoare plate, Kensington 1500138 TFT Saver, 2.55m | 15.68 | EUR | 82.9696 | SL | 12 | 19414 |
| Accesorii Not | A4tech | Numpad A4tech TK5, Taste numerice, 17 taste, argintiu, fir retractabil, USB | 5.2416 | USD | 21.1792 | S | 12 | 13466 |

| | | | | | | | | |
|-----------------------|--------------|--|--------|-----|----------|----|----|-------|
| Accesorii Not | Konig | Notebook Pack Konig CMP-NBACCKIT20 contine mouse optic mini cu cablu USB retractabil, tastatura numerica cu cablu USB, hub USB, cablu UTP retractabil, casti in-ear cu microfon -i cablu | 21.28 | EUR | 112.5936 | C | 12 | 21091 |
| Accesorii Not | Oem | Adaptor priza de la sistem britanic la sistem european | 0.7168 | EUR | 3.7968 | 0 | 12 | 20426 |
| Accesorii Not | Oem | Adaptor priza de la sistem american/britanic la sistem european | 1.9936 | EUR | 10.5504 | S | 12 | 20427 |
| Accesorii Not | Oem | Adaptor priza de la sistem american la sistem european | 0.5488 | EUR | 2.9008 | 0 | 12 | 20425 |
| Accesorii Not | Swiss Travel | USB Charger cu Adaptor Swiss, World Travel | 2.24 | EUR | 11.8496 | SL | 12 | 7341 |
| Accesorii Not | Swiss Travel | USB Charger Module Swiss, Motorola | 1.0864 | EUR | 5.7456 | S | 12 | 7335 |
| Accesorii Not | Swiss Travel | USB Charger Module Swiss, Samsung | 1.0864 | EUR | 5.7456 | S | 12 | 7337 |
| Accesorii Not | Swiss Travel | USB Charger Module Swiss, Siemens | 1.0864 | EUR | 5.7456 | S | 12 | 7332 |
| Accesorii Not | Swiss Travel | USB Charger Module Swiss, Sony | 1.0864 | EUR | 5.7456 | S | 12 | 7333 |
| Accesorii Not | Swiss Travel | USB Charger Module Swiss, Universal | 1.0864 | EUR | 5.7456 | S | 12 | 7345 |
| Accesorii Not | Logitech | Cooler Logitech Cooling Pad N100 , Notebook stand, Virtually silent airflow, Rear air intake, Low power consumption, Fan noise level: 27db, White | 19.6 | EUR | 103.7008 | M | 12 | 21710 |
| Accesorii Not | Deepcool | Cooler NB Deepcool E-COOL, structura usoara din plastic, dimensiune notebook: 14-15", racire pasiva, design anti-alunecare, DP-ECOOL | 6.5296 | USD | 26.3872 | S | 12 | 21148 |
| Accesorii Not | Logitech | Suport Logitech Alto Connect pentru PC notebook, Apple MacBook sau Apple MacBook Pro, USB Hub 4 porturi | 38.64 | EUR | 204.4448 | C | 12 | 11144 |
| Accesorii Not | Logitech | Stand Logitech Comfort Lapdesk N500, Notebook stand, -, Heat-shielding design, Air-mesh fabric materials include polyester and polyurethane, White | 27.216 | EUR | 143.9984 | C | 12 | 21709 |
| Accesorii Not | Cirkuit Plan | Laptop Skin "High School Musical" - Disney | 6.608 | EUR | 34.9664 | S | 12 | 20014 |
| Accesorii Not | Cirkuit Plan | Laptop Skin Disney MICKEY COMIC2 | 6.608 | EUR | 34.9664 | S | 12 | 19108 |
| Accesorii Not | Cirkuit Plan | Laptop Skin "Mickey" - Disney | 6.608 | EUR | 34.9664 | C | 12 | 20015 |
| Accesorii Not | Cirkuit Plan | Laptop Skin "MICKEY RETRO" - Disney | 6.608 | EUR | 34.9664 | S | 12 | 20013 |
| Genti Notebook | | | | | | | | |
| Genti Notebo | Serious | Geanta Notebook Serious SNC-EL1-15, 15.4", Polyester | 11.648 | USD | 47.0736 | C | 12 | 14510 |
| Genti Notebo | Canyon | Geanta Notebook Canyon CNR-NB7, 15.4", Nylon, Shoulder/Hand Carry, Negru | 16.464 | USD | 66.5392 | C | 24 | 13388 |
| Genti Notebo | Canyon | Geanta Notebook Canyon CNR-NB8, 15.4", Nylon, Trolley, maner telescopic, Black | 26.32 | USD | 106.3664 | C | 24 | 13389 |
| Genti Notebo | Canyon | Geanta Notebook Canyon CNR-NB12, 15.4", Nylon, Shoulder/Hand Carry, 430 x 340 x 90 mm, Grey/Orange | 25.648 | USD | 103.6448 | C | 24 | 22323 |
| Genti Notebo | Canyon | Geanta Notebook Canyon CNR-NB3, 15.4", Nylon, Shoulder/Hand Carry, Negru | 26.656 | USD | 107.7216 | 0 | 24 | 13385 |
| Genti Notebo | Canyon | Geanta Notebook Canyon CNR-NB5, 15.4", Nylon, BackPack, Negru | 24.864 | USD | 100.4752 | C | 24 | 13386 |
| Genti Notebo | Prestigio | Geanta Notebook Prestigio PBAGH5, Servieta, 14.1" Black | 16.912 | USD | 68.3424 | S | 24 | 23141 |
| Genti Notebo | Prestigio | Geanta Notebook Prestigio PBAGB1, rucsac 15.4" Black/Red | 26.432 | USD | 106.8144 | SL | 24 | 23139 |
| Genti Notebo | Prestigio | Geanta Notebook Prestigio PBAGH4, Servieta, 15.4" Black/Red | 21.168 | USD | 85.5456 | S | 24 | 23140 |
| Genti Notebo | Prestigio | Geanta Notebook Prestigio PBAG303H16RD, 16" Max up to 390x276x43mm Red | 14.784 | USD | 59.7408 | 0 | 24 | 23123 |
| Genti Notebo | Prestigio | Geanta Notebook Prestigio PNBSV115, Husa pentru MacBook Pro 15.4" Black | 19.04 | USD | 76.944 | S | 24 | 23138 |
| Genti Notebo | Prestigio | Geanta Notebook Prestigio PNBA, 15.4", Polyester, Negru, 52x41x320mm | 11.648 | USD | 47.0736 | C | 1 | 21565 |
| Genti Notebo | Dicota | Geanta Notebook Dicota N16168L ExecutiveSlight 13", Exclusive 13" Notebook case made of high-quality leather, black, 355 x 295 x 125 mm, 1.45 kg, For Notebooks up to: 315 x 250 x 100 mm | 70.336 | EUR | 372.1536 | C | 12 | 9291 |
| Genti Notebo | Dicota | Geanta Notebook Dicota N6208K Lady Career 15" Notebook Carry Bag material: high-quality Koskin, color black, dim 375 x 315 x 135mm, 1.3 kg, for notebooks up to: 330 x 290 x 55mm | 59.584 | EUR | 315.2688 | C | 12 | 9317 |
| Genti Notebo | Dicota | Geanta Notebook Dicota N15538L CosmoLeather black 15.4", Notebook bag, a sporty look, Material: High-quality Leather, color black/white, dim 410 x 325 x 95 mm, 1.5 kg, for Notebooks up to: 365 x 280 x 40 mm | PROMO | EUR | 375.1888 | S | 12 | 9284 |
| Genti Notebo | Dicota | Geanta Notebook Dicota N6628A DataBox Allround 15.4", Notebook and printer case, ext. dim: 420x365x200 mm, Material: Aluminum/Conpearl, for notebooks up to: 360x280x60 mm, for printers: HP DJ 450/460 | 70.336 | EUR | 372.1536 | C | 12 | 9322 |
| Genti Notebo | Dicota | Geanta Notebook Dicota N10349P MultiCompact beige 15.4", Compact Notebook Case in Multi-Design, dim: 420x330x130 mm, 1 kg, Material: Polyester, For notebooks up to: 370x290x55 mm, color beige | 36.848 | EUR | 194.9696 | S | 12 | 9244 |
| Genti Notebo | Dicota | Geanta Notebook Dicota N10359P MultiCompact brown 14"/15.4". Compact Notebook Case in Multi-Design, Dimension: 420x330x130 mm, 1kg, Material: Polyester, For notebooks up to: 370 x 290 x 55 mm, color brown | 36.848 | EUR | 194.9696 | C | 12 | 9245 |
| Genti Notebo | Dicota | Geanta Notebook Dicota N14498N Ultra Case Pro 15.4", Maximum security for 15.4" Notebooks, Permanent Air Cells, dim: 430x330x100 mm, Material: 2520 D Nylon, 1.9kg, For Notebooks up to: 370x285x50mm | 70.336 | EUR | 372.1536 | C | 12 | 9275 |
| Genti Notebo | Dicota | Geanta Notebook Dicota N12328N PerfectSkin 17", Protects your Notebook perfectly from scratches and small damages, Material: Neoprene, For Notebooks up to: 400 x 295 x 40 mm | 17.36 | EUR | 91.8512 | C | 12 | 9264 |
| Genti Notebo | Dicota | Geanta Notebook Dicota N4268N BackPack Jump Blue 15", Sporty Notebook Backpack, Dimensions: 330 x 450 x 190 mm, Material: 840 D/ 420 D Nylon, 1.3 kg, For Notebooks up to: 330 x 280 x 50 mm | 25.76 | EUR | 136.2928 | C | 12 | 9313 |
| Genti Notebo | Dicota | Geanta Notebook Dicota N13278P BackPack Campus grey 15.4", Sporty Notebook Bag, Material:Polyester/Nylon, for notebook up to :290 x 350 x 50 mm | 28 | EUR | 148.1536 | SL | 12 | 9269 |
| Genti Notebo | Dicota | Geanta Notebook Dicota N11628N Backpack Mission Bright Orange 15.4", Comfortable and trendy 15.4 Notebook Backpack, Material: Dobby Nylon/ Polyester, Weight: 1.0 kg, for NB up to: 360 x 280 x 50 mm | 25.76 | EUR | 136.2928 | C | 12 | 9258 |
| Genti Notebo | Dicota | Geanta Notebook Dicota N16408N BackPack Xtreme black 15.4", Notebook backpack with wind and weather protection, dim 500x360x250 mm, Material: Dobby Nylon, For Notebooks up to: 390 x 290 x 45 mm | 66.192 | EUR | 350.224 | C | 12 | 9305 |
| Genti Notebo | Dicota | Geanta Notebook Dicota N14518N BackPack Mission XL-pure black 17", Spacious Notebook backpack, dim: 520x380x150 mm, Material: Dobby Nylon/ Polyester, 1.2 kg, for Notebooks up to: 400x300x50 mm | 71.008 | EUR | 375.704 | C | 12 | 9276 |
| Genti Notebo | Fujitsu | Geanta Notebook Fujitsu A16 BackPack 16", for notebook up to: 320 x 140 x 460mm (WxDxH), Material: Polyester, Black with red details, S26391-F119-L165 | 22.176 | EUR | 117.3312 | S | 12 | 23763 |
| Genti Notebo | Modecom | Geanta Notebook Modecom MC-8004B, material: PU, marime notebook: pana la 15.4", 3 buzunare interioare, 2 buzunare exterioare, maner pentru umar | 15.344 | USD | 62.0032 | S | 1 | 24407 |
| Genti Notebo | Modecom | Geanta Notebook Modecom Hit, material: nylon, marime notebook: pana la 15.4", curea pentru umar, separator intarit in interior | 14 | USD | 56.5712 | S | 1 | 22693 |
| Genti Notebo | Modecom | Geanta Notebook Modecom Mark 15.6" Notebook Bag, material: nylon, marime notebook: pana la 15.6", curea pentru umar, separator intarit in interior | 14.672 | USD | 59.2928 | S | 1 | 22687 |
| Genti Notebo | Modecom | Geanta Notebook Modecom Mark 17" Notebook Bag, material: nylon, marime notebook: pana la 17", curea pentru umar, separator intarit in interior | 16.688 | USD | 67.4352 | S | 1 | 22688 |
| Genti Notebo | Modecom | Geanta Notebook Modecom Texas, marime notebook: pana la 15.4", tip backpack, material: nylon, baza si parti laterale intarite | 34.272 | USD | 138.4992 | S | 1 | 25014 |
| Genti Notebo | Logitech | Geanta Notebook Logitech Mobile Traveler, Briefcase + V100 Optical Mouse | 19.264 | EUR | 101.9312 | C | 24 | 17765 |
| Genti Notebo | Targus | Geanta Notebook Targus TBT014EU, Fusion Notebook Case 12"-13.3", Silver & Grey EVA, for notebooks with 12", 13.3", Interior Dimensions: 35x24x5cm, 0.8kg | 22.176 | EUR | 117.3312 | C | 36 | 17374 |

| | | | | | | | | |
|----------------|-----------|---|---------|-----|----------|---|----|-------|
| Genti Notebook | Targus | Geanta Notebook Targus TLT012EU, CityLite Retro Notebook Case Colour Black and White, Compatibility:14", Exterior Dimensions: 43 x 37 x 7 cm, Interior Dimensions: 31 x 26 x 3 cm, Material: PVC, 0.72 kg | 33.152 | EUR | 175.4144 | C | 36 | 17365 |
| Genti Notebook | Targus | Geanta Notebook Targus TLM009EU, Prism Ladies Messenger (Black & Pink), Colour: Black with Pink Stripe, Compatibility:15" notebooks, Exterior Dimensions: 40 x 10 x 33 cm, Interior Dimensions: 33.5 x 30 x 4.3 cm, Material: Nylon Twill, 1.46kg | 46.592 | EUR | 246.5232 | C | 36 | 17363 |
| Genti Notebook | Targus | Geanta Notebook Targus TLT029EU, 15.4", Getta Ladies, Nylon & Koskin, Black | 43.232 | EUR | 228.7488 | C | 36 | 17254 |
| Genti Notebook | Targus | Geanta Notebook Targus CL101, Black, Compatibility: 15.4", Exterior Dimensions: 44 x 33 x 14 cm, Material: Leather, Weight: 2 Kg, Style & Quality – Designed with style in mind and made from high quality leather for maximum durability | 98.784 | EUR | 522.6704 | 0 | 36 | 17372 |
| Genti Notebook | Targus | Geanta Notebook Targus CLN5, Leather Notebook Case, Black Leather, for notebooks with 15-15.4", Exterior Dimensions: 40x33x13cm, Interior Dimensions: 33x30x5cm, Max. Interior Dimensions: 39x30x5cm, 2.5kg | 103.6 | EUR | 548.1504 | 0 | 36 | 17375 |
| Genti Notebook | Targus | Geanta Notebook Targus TBC002EU, Leather Notebook Case, Black Nylon, for notebooks with 15-15.4", Exterior Dimensions: 40x33x9cm, Interior Dimensions: 36.4x30x4.3cm, 0.78kg | 8.8704 | EUR | 46.9392 | S | 36 | 17376 |
| Genti Notebook | Targus | Geanta Notebook Targus TCT009EU, Trademark Top Loading 200, Black Nylon, up to 15.4", Exterior Dimensions: 43x35x10cm, Interior Dimensions: 36x30x5cm, 1.1kg | 27.776 | EUR | 146.9664 | 0 | 36 | 17364 |
| Genti Notebook | Targus | Geanta Notebook Targus TET004EU, Global Executive Standard Case, Black Nylon, for notebooks with 15-15.4", Exterior Dimensions: 42x36x11cm, Interior Dimensions: 36x30x5cm, 1.45kg | 38.864 | EUR | 205.632 | C | 36 | 17368 |
| Genti Notebook | Targus | Geanta Notebook Targus TET017EU, Brown Leather Attache, Up to 15-15.4", Interior Dimensions: 36.4 x 30 x 4.3 cm, 2kg | 149.296 | EUR | 789.936 | 0 | 36 | 17371 |
| Genti Notebook | Targus | Geanta Notebook Targus TEV001EU, Fits notebooks with up to 15.4" screens and includes a removable slipcase, Storage: Front zip down workstation with retractable document holder, removable cell phone/PDA cases, key clip and business card holder, Travel Savvy: Inline skate wheels and telescoping trolley handle, 2-in-1 Design: Clothing cover to keep your personal item discreetly hidden away during meeting | 43.232 | EUR | 228.7488 | 0 | 36 | 17369 |
| Genti Notebook | Targus | Geanta Notebook Targus TLT013EU, General Product Type Notebook carrying case Product Material Nylon & Koskin, Width 41 cm, Depth 8 cm, Height 37 cm, Weight 1.4 kg, Dimensions: 37 cm x 30 m x 5 cm, Colour Black | 36.624 | EUR | 193.7824 | 0 | 36 | 17370 |
| Genti Notebook | Targus | Geanta Notebook Targus TNT007EU, Elegant innovative style: designed in an innovative style, Reception Blocker Pocket by Targus - You no longer have to turn your phone off when you do not wish to be disturbed, High-density padded notebook compartment for maximum protection for notebooks with screen sizes up to 15.4" | 34.384 | EUR | 181.9328 | C | 36 | 17373 |
| Genti Notebook | Targus | Geanta Notebook Targus TCG200, XL City Gear Messenger Notebook Case, Black and Silver Nylon, for notebooks with screens up to 17", Exterior Dimensions: 48x36x13cm, Interior Dimensions: 44x33x5.5cm, Max. Interior Dimensions: 44x33x5.5cm, 1.35kg | 38.864 | EUR | 205.632 | S | 36 | 17366 |
| Genti Notebook | Targus | Geanta Notebook Targus TCG417, XL City Gear Notebook Case, Black and Silver Nylon, for notebooks with screens up to 17", Exterior Dimensions: 49x39x12cm, Interior Dimensions: 43x32x5.5cm, Max. Interior Dimensions: 43x32x5.5cm, 1.7kg | 66.304 | EUR | 350.8176 | 0 | 36 | 17378 |
| Genti Notebook | Targus | Geanta Notebook Targus TCG717, XL City Gear Rolling Notebook Case, Black and Silver Nylon, for notebooks with screens up to 17", Exterior Dimensions: 49x42x25cm, Interior Dimensions: 40x32x5cm, Max. Interior Dimensions: 43x33x6cm, 3.3kg | 82.88 | EUR | 438.5248 | 0 | 36 | 17377 |
| Genti Notebook | Targus | Geanta Notebook Targus CN317, XL Notebook Case 17"-18" Nylon/Koskin Black, Exterior Dimensions: 43x37.5x10.3cm, Interior Dimensions: 42x32x5.5cm, 1.6Kg | 29.904 | EUR | 158.2224 | 0 | 36 | 20196 |
| Genti Notebook | Targus | Geanta Notebook Targus TCC008EU, XXL Notebook Case Black Nylon, for notebooks with screens up to 20", Exterior Dimensions: 51x44x11cm, 1.9kg | 22.176 | EUR | 117.3312 | 0 | 36 | 17379 |
| Genti Notebook | Targus | Geanta Notebook Targus Backpack CN600, Black Nylon, for notebooks with 15-15.4" screens, Exterior Dimensions: 50x36x12cm, Interior Dimensions: 33x30x5cm, Max. Interior Dimensions: 39x30x5cm, 1.06kg | 24.416 | EUR | 129.192 | S | 36 | 17385 |
| Genti Notebook | Targus | Geanta Notebook Targus Backpack TEB001EU, Black, Compatibility: Holds notebooks with up to 15.4" screen; Exterior Dimensions: 46 x 40 x 18 cm, Notebook Compartment Dimensions: 36 x 30 x 5 cm, Max. Notebook Compartment Dimensions: 36 x 30 x 5 cm, Material: Nylon, 1.5 kg | 82.88 | EUR | 438.5248 | C | 36 | 17388 |
| Genti Notebook | Targus | Geanta Notebook Targus Backpack TEB01, Campus Notebook Backpac, Black Nylon, for notebooks with 15-15.4" screens, Interior Dimensions: 33x28x5cm, 1.4kg | 43.232 | EUR | 228.7488 | 0 | 36 | 17386 |
| Genti Notebook | Targus | Geanta Notebook Targus Backpack TEB02, Campus Notebook Backpac, Black and Silver Nylon, for notebooks with 15-15.4" screens, Interior Dimensions: 33x28x5cm, 1.4kg | 26.656 | EUR | 141.0416 | 0 | 36 | 17387 |
| Genti Notebook | Targus | Geanta Notebook Targus Backpac TSB023EU, Essential Notebook Backpack, Black & Grey Nylon, for notebooks with 15-15.4" screens, Interior Dimensions: 36x30x5cm, 0.75kg | 22.736 | EUR | 120.2992 | C | 36 | 17390 |
| Genti Notebook | Targus | Geanta Notebook Targus Backpack TCB001EU, XL Notebook Backpac, Black & Blue Nylon, for notebooks with 17" screens, Exterior Dimensions: 54x37x14cm, Interior Dimensions: 40x30x6cm, Max. Interior Dimensions: 44x30x6cm, 1.6kg | 58.016 | EUR | 306.9696 | 0 | 36 | 17389 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs Netbook Nylon Black 10", 1 compartiment notebook + 2 buzunare laterale pentru documente, (135005) | 15.008 | EUR | 79.408 | C | 60 | 26664 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs BERLIN Skin Black 11.6", 1 compartiment notebook, aspect exterior matlasat, (140172) | 15.008 | EUR | 79.408 | C | 60 | 26669 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs BERLIN Skin Red 11.6", 1 compartiment notebook, aspect exterior matlasat, (140170) | 15.008 | EUR | 79.408 | C | 60 | 26668 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs Indiana 11.6", 1 compartiment notebook, 4 bunare exterioare pentru accesorii, (135050) | 18.256 | EUR | 96.5888 | 0 | 60 | 26671 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs Shanghai 11.6", 1 compartiment notebook, buzunar frontal pentru accesorii, (135051) | 17.248 | EUR | 91.2576 | 0 | 60 | 26670 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs Seoul Black 12", 1 compartiment notebook, buzunar frontal pentru accesorii, suport pentru umar, (105077) | 8.3216 | EUR | 44.0272 | 0 | 24 | 26661 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs AUSTIN Wide 13.3", 1 compartiment notebook, piele, suport pentru umar, (200772) | 27.776 | EUR | 146.9664 | C | 60 | 26672 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs Roma Red 13.3", 1 compartiment notebook, imitatie piele crocodil, suport pentru umar, (150016) | 27.776 | EUR | 146.9664 | 0 | 24 | 26673 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs Brighton Messenger Bag Brown 15.4", compartimente multiple, buzunare laterale pentru MP3-uri si telefoane, (160011) | 27.776 | EUR | 146.9664 | C | 60 | 26678 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs Cambridge 15.4", 1 compartiment notebook, buzunare frontal pentru accesorii, suport pentru umar, suport pentru troler, (140600) | 29.456 | EUR | 155.8592 | C | 60 | 26679 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs LUGANO Black 15.4", 1 compartiment notebook, buzunar frontal pentru accesorii, (140301) | 26.096 | EUR | 138.0736 | C | 24 | 26677 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs LUGANO Brown 15.4", 1 compartiment notebook, buzunar frontal pentru accesorii, (140501) | 21.056 | EUR | 111.4064 | C | 24 | 26676 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs LUGANO Red 15.4", 1 compartiment notebook, buzunar frontal pentru accesorii, (140500) | 21.056 | EUR | 111.4064 | C | 24 | 26675 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs Zurich II 15.4", 1 compartiment notebook + 1 compartiment documente, buzunar frontal pentru accesorii, suport pentru umar, suport pentru troler, (110061) | 38.864 | EUR | 205.632 | 0 | 60 | 26680 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs Manhattan Backpack 15.6", 1 compartiment notebook, 2 buzunare frontal pentru accesorii, sistem ergonomic anti-transpiratie, suport pentru troler, (170004) | 32.144 | EUR | 170.072 | C | 60 | 26697 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs Manhattan Trolley 15.6", 1 compartiment notebook + 1 compartiment bagaje, 1 buzunar frontal pentru accesorii, maner telescopic din aluminiu, (170005) | 61.04 | EUR | 322.9632 | 0 | 60 | 26698 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs Beirut Black 16", 1 compartiment notebook, 2 buzunare exterioare pentru documente, (105072) | 11.088 | EUR | 58.6656 | C | 24 | 26674 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs BERLIN Skin Black 16", 1 compartiment notebook, aspect exterior matlasat, (140178) | 21.616 | EUR | 114.3744 | C | 60 | 26682 |
| Genti Notebook | PORT Desi | Geanta Notebook PORT Designs BERLIN Skin Red 16", 1 compartiment notebook, aspect exterior matlasat, (140176) | 21.616 | EUR | 114.3744 | C | 60 | 26681 |

| | | | | | | | | |
|----------------|--------------|---|---------|-----|----------|---|----|-------|
| Genti Notebook | PORT Desig | Geanta Notebook PORT Designs Manhattan Clamshell 16", 1 compartiment notebook, buzunar frontal pentru accesorii, sistem de protectie al ecranului notebook-ului, suport pentru troler, (170002) | 25.536 | EUR | 135.1168 | C | 60 | 26683 |
| Genti Notebook | PORT Desig | Geanta Notebook PORT Designs S18+ 18", 1 compartiment notebook, buzunar frontal pentru accesorii, suport pentru umar, (105070) | 13.328 | EUR | 70.5152 | 0 | 24 | 26684 |
| Genti Notebook | PORT Desig | Husa Notebook PORT Designs Netbook Nylon Red 10", 1 compartiment notebook + 2 buzunare laterale pentru documente, (135006) | 15.008 | EUR | 79.408 | C | 60 | 26685 |
| Genti Notebook | PORT Desig | Husa Notebook PORT Designs Miami Skin Black 10", 1 compartiment notebook, protectie sporita la socuri si zgarieturi, (140141) | 11.088 | EUR | 58.6656 | 0 | 60 | 26682 |
| Genti Notebook | PORT Desig | Husa Notebook PORT Designs Miami Skin Black 15.4", Miami Skin Black, 1 compartiment notebook, protectie sporita la socuri si zgarieturi, (140143) | 14.336 | EUR | 75.8576 | C | 60 | 26683 |
| Genti Notebook | PORT Desig | Rucsac Notebook PORT Designs Avoriaz II 15.4", 1 compartiment notebook, buzunare frontal pentru accesorii, buzunar pentru GPS, (100080) | 17.696 | EUR | 93.632 | C | 60 | 26695 |
| Genti Notebook | PORT Desig | Rucsac Notebook PORT Designs Aspen Backpack 16", 2 compartimente, buzunare frontal pentru accesorii, compartiment notebook ramfortat, aparatoare de ploaie, (110237) | 26.656 | EUR | 141.0416 | C | 60 | 26696 |
| Genti Notebook | Cirkuit Plan | Husa notebook 15" Hanna Montana | 9.968 | EUR | 52.7408 | C | 12 | 20016 |
| Genti Notebook | Cirkuit Plan | Husa notebook 15" Mickey | 9.968 | EUR | 52.7408 | S | 12 | 20017 |
| Genti Notebook | Cirkuit Plan | Husa notebook 15" Mickey RETRO | 9.968 | EUR | 52.7408 | S | 12 | 20018 |
| Genti Notebook | Dell | Husa Net book Dell 10" Black | 22.064 | USD | 89.1632 | C | 12 | 24428 |
| Genti Notebook | Dell | Husa Net book Dell 12" Black | 28.112 | USD | 113.6016 | C | 12 | 24429 |
| Genti Notebook | Dell | Geanta Notebook Dell 15" Black, Nylon | 44.016 | USD | 177.8784 | C | 12 | 24431 |
| Genti Notebook | HP | Geanta Notebook HP AJ078AA | 12.096 | EUR | 63.9968 | S | 12 | 6788 |
| Genti Notebook | HP | Geanta Notebook HP Backpack, RR317AA | 26.656 | EUR | 141.0416 | C | 12 | 16487 |
| Genti Notebook | HP | Geanta Notebook HP RR316AA Executive Leather Case, up 17", Black | 48.384 | EUR | 255.9984 | C | 12 | 23767 |
| Genti Notebook | Toshiba | Geanta Notebook Toshiba Neoprene Sleeve, 13.3", Notebook Case | 9.9792 | EUR | 52.7968 | C | 12 | 19605 |
| Genti Notebook | Toshiba | Geanta Notebook Toshiba Backpack, 15.4", Notebook Case | 32.144 | EUR | 170.072 | C | 12 | 6231 |
| Genti Notebook | Toshiba | Geanta Notebook Toshiba Leather, Premium Case for NB up to 15.4", Brown Leather | 109.872 | EUR | 581.336 | C | 12 | 6107 |
| Genti Notebook | Toshiba | Geanta Notebook Toshiba Value Edition 16", Material: Polyester | 16.688 | EUR | 88.3008 | C | 12 | 23768 |
| Genti Notebook | Toshiba | Geanta Notebook Toshiba Value Edition 18.4", Material: Polyester | 21.056 | EUR | 111.4064 | C | 12 | 23769 |
| Genti Notebook | Lenovo | Geanta Notebook Lenovo BackPack Performance up to 15.6" | 38.64 | USD | 156.1504 | C | 1 | 23960 |
| Genti Notebook | Lenovo | Geanta Notebook Lenovo ThinkPad Basic Case for NB up to 15.6", Black | 31.36 | USD | 126.728 | C | 1 | 23962 |
| Genti Notebook | Lenovo | Geanta Notebook Lenovo for ThinkPad X100e Sling Case, Black | 35.84 | USD | 144.8384 | C | 1 | 23961 |
| Genti Notebook | Asus | Geanta Notebook Asus Conquer 90-XB0A00BA00010, 16", Backpack, Material Ballistic Nylon and Leather, Exterior Dimension 500 (L) x 350 (W) x 190 (H) | 36.288 | EUR | 192.0016 | C | 12 | 22892 |
| Genti Notebook | Fujitsu-Siem | Geanta Notebook Fujitsu Siemens, 15.4", Value Basic | 9.9792 | EUR | 52.7968 | C | 1 | 14980 |
| Genti Notebook | Acer | Geanta Notebook Acer One P9.0514C.A33, 10" Neoprene Cover Sleeve, Black | 15.344 | EUR | 81.1888 | 0 | 12 | 19736 |
| Genti Notebook | Acer | Geanta Notebook Acer Timeline P9.0514C.T01, 13.3" | 17.584 | EUR | 93.0384 | C | 12 | 20774 |
| Genti Notebook | Acer | Geanta Notebook Acer Timeline P9.0514C.T03, 15.6" | 18.704 | EUR | 98.9632 | 0 | 12 | 21546 |
| Genti Notebook | Sony | Husa Sony VAIO VGP-AKP1/B, up 8" / seria P, Cauciuc siliconic, Black | 52.416 | EUR | 277.3344 | 0 | 24 | 26536 |
| Genti Notebook | Sony | Husa Sony VAIO VGP-CKC3/R, up 14.1" / seria EA, Red | 54.768 | EUR | 289.7776 | C | 1 | 23720 |
| Genti Notebook | Sony | Husa Sony VAIO VGP-CKC3/W, up 14.1" / seria EA, White | 54.768 | EUR | 289.7776 | C | 1 | 23719 |
| Genti Notebook | Sony | Husa Sony VAIO VGP-CP15, up 13.1" / seria Z, Black | 46.592 | EUR | 246.5232 | 0 | 1 | 23724 |
| Genti Notebook | Sony | Husa Sony VAIO VGP-CP16, up 15.4" / seria CS, Z, EA, White | 46.592 | EUR | 246.5232 | C | 1 | 23723 |
| Genti Notebook | Sony | Husa Sony VAIO VGP-CP20, up 16.4" / seria FW, F, Black | 45.36 | EUR | 240.0048 | 0 | 1 | 23722 |
| Genti Notebook | Sony | Husa Sony VAIO VGP-CVZ1, Leather, up 13.1" / seria Z, Black | 90.048 | EUR | 476.448 | 0 | 1 | 23721 |
| Genti Notebook | Sony | Geanta Sony VAIO VGP-CKC4/B, up 14.1" / seria EA, Black | 64.064 | EUR | 338.968 | 0 | 1 | 23717 |
| Genti Notebook | Sony | Geanta Sony VAIO VGP-CKC4/P, up 14.1" / seria EA, Pink | 64.064 | EUR | 338.968 | 0 | 1 | 23715 |
| Genti Notebook | Sony | Geanta Sony VAIO VGP-CKC4/R, up 14.1" / seria EA, Red | 64.064 | EUR | 338.968 | C | 1 | 23716 |
| Genti Notebook | Sony | Geanta Sony VAIO VGP-CKC4/W, up 14.1" / seria EA, White | 64.064 | EUR | 338.968 | C | 1 | 23714 |
| Genti Notebook | Sony | Geanta Sony VAIO VGP-CKS3/B, up 13.1" / seria Z, Black | 54.768 | EUR | 289.7776 | 0 | 1 | 23718 |
| Genti Notebook | Sony | Rucsac Sony VAIO VGP-EMB05, up 15.4" / seria EB, Suede | 52.416 | EUR | 277.3344 | C | 24 | 26537 |
| Genti Notebook | Sony | Rucsac Sony VAIO VGP-EMB06, up 16.4" / seria F, Suede | 52.416 | EUR | 277.3344 | C | 24 | 26539 |
| Genti Notebook | Sony | Geanta Sony VAIO VGP-EMBLV01, up 14.1" / seria EA, Grey | 60.368 | EUR | 319.4128 | 0 | 24 | 26540 |
| Genti Notebook | Sony | Geanta Sony VAIO VGP-MBA10, Textil & Leather, up 18.4", seria AW | 147.504 | EUR | 780.4608 | C | 1 | 23709 |
| Genti Notebook | Sony | Geanta Sony VAIO VGPE-CCP3W, Nylon, up 17" / seria F, EB | 73.248 | EUR | 387.5648 | C | 1 | 23710 |
| Genti Notebook | Sony | Geanta Sony VAIO VGPE-MBMDM01/B, Textil, up 16.4" / seria F, Black, cu inscriptia Mandarin Duck | 156.688 | EUR | 829.0464 | 0 | 1 | 23711 |
| Genti Notebook | Sony | Geanta Sony VAIO VGPE-MBT01, Textil, up 15.4" / seria EA, Z, Black | 54.768 | EUR | 289.7776 | C | 1 | 23713 |
| Genti Notebook | Sony | Geanta Sony VAIO VGPE-MBT03/B, Textil, up 16.4" / seria F | 58.464 | EUR | 309.3328 | 0 | 1 | 23712 |
| Desktop | | | | | | | | |
| Desktop | | Unitate Centrala Cheo a+ Entry, AMD Sempron LE-140, AM3, 2.7GHz, Mb MSI K9N6PMG2-V, 512MB DDR2 667MHz, 160GB S-ATA2, DVD Reader, Video On-Board 256MB shared memory, 5.1Ch Audio, GbLan, Carcasa Delux M198, 450W peak PSU. | 163.15 | USD | 659.3216 | C | 24 | 7936 |
| Desktop | | Unitate Centrala Cheo a+ Gaming, AMD Phenom II X4 955, AM3, GigaByte GA-MA790X-UD3P, 4GB DDR3 PC10600 Dual Channel, 1TB S-ATA2, DVD+/-RW, Ati EAH4670 512MB, SB 8.1 channel, GbLan, Carcasa Antec 300, Sursa 500W real. | 632.117 | USD | 2554.485 | C | 24 | 7939 |
| Desktop | | Unitate Centrala Cheo a+ Home, AMD Athlon II X2 240, AM3, GigaByte M52L-S3P, 2GB DDR2 800MHz, 320GB S-ATA2, DVD+/-RW, ATI HD4350 512MB 64B, SB 7.1Ch, GbLan, Carcasa Delux 450W Peak. | 292.522 | USD | 1182.126 | C | 24 | 7942 |
| Desktop | | Unitate Centrala Cheo a+ Multimedia, AMD Athlon II X4 635 Quad, AM3, Mb Asus M4A78, 2GB DDR2 800MHz, 1TB S-ATA2, DVD+/-RW, HIS Ati HD4670 512MB/128B, 8Ch Audio, GbLan, Spire Blackfin V, Sursa Sirtec HPC-400-H12S. | 476.202 | USD | 1924.406 | C | 24 | 12889 |
| Desktop | | Unitate Centrala Cheo a+ Office, AMD Athlon II X2-240, AM2, Asrock N68-GE, 1GB DDR2 800MHz, 160GB S-ATA2, DVD+/-RW, Video On Board 256MB Shared, 7.1Ch.audio, 10/100Mb Lan on board, Carcasa Delux M198 cu 450W peak. | 217.706 | USD | 879.7824 | C | 24 | 7941 |
| Desktop | | Unitate Centrala Cheo i+ Entry, Intel Celeron 430 1.8GHz, LGA775, Asrock G31M-VS, 512MB DDR2 PC5300, 160GB S-ATA2, DVD Reader, Video On Board 256MB shared, SB.5.1 Channel, 10/100Mb Lan, Carcasa Delux M198 w. 450 peak. | 163.374 | USD | 660.2176 | C | 24 | 8757 |
| Desktop | | Unitate Centrala Cheo i+ Gaming, Intel Core i5-750 2.66GHz, LGA1156, GigaByte GA-P55-US3L, 4GB DDR3 PC10600 Dual Channel, 1TB S-ATA2, DVD+/-RW, ATI HD5850 1GB, SB 8.1 channel, GbLan, Carcasa Antec 300, Sursa 500W real. | 914.469 | USD | 3695.518 | C | 24 | 7949 |
| Desktop | | Unitate Centrala Cheo i+ Home, Intel Dual Core 5300 2.0GHz, LGA775, GigaByte GA-EP41-UD3L, 2GB DDR2 PC6400, 320GB S-ATA2, DVD+/-RW, ATI HD4350 256MB, SB.8 Channel, GbLan, Carcasa Delux w.450W peak. | 390.634 | USD | 1578.618 | C | 24 | 7943 |
| Desktop | | Unitate Centrala Cheo i+ Multimedia, Intel Core2Duo E7500 2.9GHz, LGA775, GigaByte GA-P43-ES3G, 2GB DDR2 800MHz, 1TB S-ATA2, DVD+/-RW, GT220 1GB, 8Ch Audio, GbLan, Spire Blackfin, Sursa Sirtec HPC-400-H12S. | 485.722 | USD | 1962.878 | C | 24 | 12572 |

| | | | | | | | | |
|---------|---------|---|---------|-----|----------|---|----|-------|
| Desktop | | Unitate Centrala Cheo i+ Office, Intel Celeron Dual Core E3300 2.5GHz, LGA775, GigaByte GA-G31M-ES2L, 1GB DDR2 PC6400, 160GB S-ATA2, DVD+/-RW, Video on board 256MB shared, SB 5.1 Channel, 10/100Mb Lan, Carcasa Delux M198 w. 450W peak. | 203.034 | USD | 820.4896 | C | 24 | 10379 |
| Desktop | | Unitate Centrala Cheo i+ PRO-i3, Intel Core i3 i3-530 2.93GHz, LGA1156, Intel DH55TC, 2GB DDR3 PC10600, 500GB S-ATA2, DVD+/-RW, Video On-Board, SB.5.1 Channel, GbLan, Carcasa Spire Blackfin V, Sursa Sirtec HPC-400-H12S 400W. | 398.698 | USD | 1611.198 | C | 24 | 22923 |
| Desktop | | Unitate Centrala Cheo i+ PRO-i5, Intel Core i5 i5-650 3.2GHz, LGA1156, Intel DH57DD, 4GB DDR3 PC10600, 1TB S-ATA2, DVD+/-RW, Video On-Board, SB.7.1 Channel, GbLan, Carcasa Spire Blackfin V, Sursa Sirtec HPC-400-H12S 400W. | 565.13 | USD | 2283.781 | C | 24 | 22924 |
| Desktop | ASRock | Unitate centrala Asrock CORE-100HT-BD, Intel HM55 (Intel Core i3-330M), 4GB DDR3 1600 Dual-Ch, maximum memory capacity 8GB, Intel HD Graphics, FullHD 1080p, HDD 2.5 500GB(support 2nd 2.5" HDD), Blu-Ray Combo, 8CH, Gigabit LAN,802.11 b/g/n/wireless, LAN, HDMI, 2" USB3.0, 6"USB2.0, THX TruStudio PRO, MCE Remote Controller, ErP/EuP, Energy Star 5.0 standards | 795.984 | USD | 3216.696 | C | 12 | 23549 |
| Desktop | ASRock | Unitate centrala Asrock CORE-100HT, Intel HM55 (Intel Core i3-330M), 4GB DDR3 1600 Dual-Ch, maximum memory capacity 8GB, Intel HD Graphics, FullHD 1080p, HDD 2.5 500GB(support 2nd 2.5" HDD), DVD Supermulti Slim, 8CH, Gigabit LAN,802.11 b/g/n wireless, LAN, HDMI, 2" USB3.0, 6"USB2.0, THX TruStudio PRO, MCE Remote Controller, ErP/EuP, Energy Star 5.0 standards | 640.64 | USD | 2588.925 | 0 | 12 | 23548 |
| Desktop | ASRock | Unitate centrala Asrock ION330HT, Nvidia Ion, Atom 330 1.6GHz Dual Core, 2GB DDR2 800 Dual-Ch, maximum memory capacity 4GB, VGA NVIDIA ION Directx10, FullHD 1080p, HDD 2.5 320GB(capable to support RAID 0, 1 by adopting the 2nd 2.5" HDD), DVD Supermulti Slim, 8CH, Gigabit LAN, 802.11 b/g/n wireless LAN, HDMI, 6" USB2.0, Asrock Overclocking, Instant Boot, Silent, eSATA/USB port, Windows 7 Compatible, MCE Remote Controller, Black | 381.808 | USD | 1542.946 | C | 12 | 23888 |
| Desktop | ASRock | Unitate centrala Asrock ION330HT-BD, Nvidia Ion, Atom 330 1.6GHz Dual Core, 2GB DDR2 800 Dual-Ch, maximum memory capacity 4GB, VGA NVIDIA ION Directx10, FullHD 1080p, HDD 2.5 320GB(capable to support RAID 0, 1 by adopting the 2nd 2.5" HDD),BluRay Combo, 8CH, Gigabit LAN, 802.11 b/g/n wireless LAN, HDMI, 6" USB2.0, Asrock Overclocking, Instant Boot, Silent, eSATA/USB port, Windows 7 Compatible, MCE Remote Controller, Black | 485.296 | USD | 1961.154 | C | 12 | 23890 |
| Desktop | ASRock | Unitate centrala Asrock ION330HT/B/W7HP, Nvidia Ion, Atom 330 1.6GHz Dual Core, 2GB DDR2 800 Dual-Ch, maximum memory capacity 4GB, VGA NVIDIA ION Directx10, FullHD 1080p, HDD 2.5 320GB(capable to support RAID 0, 1 by adopting the 2nd 2.5" HDD), DVD Supermulti Slim, 8CH, Gigabit LAN, 802.11 b/g/n wireless, LAN, HDMI, 6" USB2.0, Asrock Overclocking, Instant Boot, Silent, eSATA/USB port, Windows 7 Compatible, MCE Remote Controller, Black, OS Windows 7 Home Premium | 465.92 | USD | 1882.854 | 0 | 12 | 23889 |
| Desktop | ASRock | Unitate centrala Asrock ION330PRO, Nvidia Ion, Atom 330 1.6GHz Dual Core, 2GB DDR2 800 Dual-Ch, maximum memory capacity 4GB, VGA NVIDIA ION Directx10, FullHD 1080p, HDD 2.5 320GB(capable to support RAID 0, 1 by adopting the 2nd 2.5" HDD), DVD Supermulti Slim, 8CH, Gigabit LAN, HDMI, 6" USB2.0, Asrock Overclocking, Instant Boot, Silent, eSATA/USB port, Windows 7 Compatible, Black | 349.44 | USD | 1412.141 | C | 12 | 23887 |
| Desktop | Fujitsu | Unitate centrala Fujitsu ESPRIMO P2560, Intel Pentium Dual Core E5500 (2.80GHz, 800MHz FSB), 2GB DDR3 1066MHz (1x2), 500GB SATA II HDD, DVD SuperMulti SATA, No OS, Sursa 300W, tastatura, mouse | 327.936 | EUR | 1735.138 | C | 12 | 23523 |
| Desktop | Lenovo | Unitate centrala Lenovo ThinkCentre A58 7304W8F, Intel Core2Duo E7500 2.93GHz, 4GB DDR2, 320GB 7200rpm, Intel G41, Integrated Intel GMA 4500, DVD-RW Dual Layer 16x, 280W, Windows 7 Pro | 828.688 | USD | 3348.856 | C | 36 | 23321 |
| Desktop | Lenovo | Unitate centrala Lenovo ThinkCentre A58 Tower SMM73EU, Intel Pentium Dual-Core E5300 2.6GHz, 1x2GB DDR2, 250GB 7200rpm, DVD-RW DL, Intel GMA X4500, Eth Giga, Free DOS | 375.2 | USD | 1516.245 | C | 12 | 23880 |
| Desktop | Lenovo | Unitate centrala Lenovo ThinkCentre A58 Tower SMM7BEU, Intel Celeron Dual Core E3200 2.40GHz, 1X1GB DDR2, 250GB 7200rpm, DVD±RW DL, Intel GMA X4500, Eth Giga, Windows XP Pro/Windows 7 32bit RDVD | 509.6 | USD | 2059.378 | C | 12 | 23873 |
| Desktop | Lenovo | Unitate centrala Lenovo ThinkCentre A58 Tower SMR7MEU, Intel Pentium Dual Core E5400 2.7GHz, 1x2GB DDR2, 320GB 7200rpm, DVD±RW DL, Intel GMA X4500, Eth Giga, Windows 7 Pro 32bit/ XP RDVD | 560 | USD | 2263.05 | C | 36 | 23881 |
| Desktop | Lenovo | Unitate centrala Lenovo ThinkStation E20 VJD52EU, Intel Core i3-530 2.93GHz,1x2GB DDR3-1333 uDIMM, 500GB 7200rpm 3.5" SATA, DVD±RW, Intel x3450, Intel integrated, Eth Giga, 280 Watt, 25-in-1 Media Card Reader, Windows 7 Pro 64bit, 3/3 OnSite | 896 | USD | 3620.882 | 0 | 36 | 23884 |
| Desktop | Lenovo | Unitate centrala Lenovo ThinkStation E20 VJD53EU, Intel Core i5-650 3.20GHz, 2x2GB DDR3-1333 UDIMM ECC, 500GB 7200rpm 3.5" SATA, DVD±RW, Intel integrated, Eth Giga, 280 Watt, 25-in-1 Media Card Reader, Windows 7 Pro 64bit, 3/3 OnSite | 1092 | USD | 4412.946 | 0 | 36 | 23885 |
| Desktop | Lenovo | Unitate centrala Lenovo ThinkCentre M58e SFF 7306W4H, Intel Core 2Quad Core Q8400 2.66GHz, 4GB DDR2, 500GB 7200rpm, Intel G41, Integrated Intel GMA 4500, DVD-RW, 280W, Vista Business | 772.8 | USD | 3123.008 | C | 36 | 23870 |
| Desktop | Lenovo | Unitate centrala Lenovo ThinkCentre M90 SFF SR2A4EU, Intel Core i3 530, 2GB DDR2, 320GB 7200rpm, DVD±RW DL, Intel GMA X4500, Eth Giga, Windows 7 Pro 32bit XP RDVD | 761.6 | USD | 3077.749 | 0 | 36 | 23872 |
| Desktop | Lenovo | Unitate centrala Lenovo ThinkCentre M90 Tower SR3A2EU, Intel Core i3 530, 2GB DDR2, 320GB 7200rpm, DVD±RW DL, Intel GMA X4500, Eth Giga, Windows 7 Pro 32bit XP RDVD | 761.6 | USD | 3077.749 | C | 36 | 23871 |
| Desktop | Acer | Calculator Acer eMachines EZ1601_XPH 18.5", WXGA (1366x768), Intel Atom N270 1.6GHz, 1*1GB DDR2, 160GB (5400), Intel GMA 950, SM DVD-RW, SD/MMC/MS/MS-PRO, Gbit LAN, Wan B+G+Draft N, USB2.0*5, PS/2*2, Mic*1, Earphone*1, boxe, Tastatura, Mose, culoare negru, Windows XP Home, 1 an | 350.56 | EUR | 1854.843 | 0 | 12 | 19874 |
| Desktop | Benq | Calculator Benq I221, 21.5" Full HD Displa, AMD Sempron 1.5GHz, 1GB DDR2, 160GB HDD, ATI Radeon X1200, 802.11b/g & 100BaseT, 1.3 Mpixel Webcam, VoIP phone, 4 in 1 card reader, mouse, keyboard, Windows XP Home | 408.24 | EUR | 2160.032 | C | 24 | 23891 |
| Desktop | Acer | Acer Veriton M670G, Intel CORE2DUO E7300 (2.66GHz, 1066MHz,3MB), 2GB DDRIII, 320GB S-ATAII 7200rpm, Intel Q45+ICH10DO, Integrated Intel GMA 4500, DVD-RW Dual 16x, 10/100/1000 Mbps, RAID0/1/5/1+0, TPM on board, 300W, Vista Business,3 anigantie, Keyboard, Mouse | 543.984 | EUR | 2878.266 | C | 36 | 19472 |
| Desktop | RPC | Unitate centrala RPC Link, AMD Sempron LE-140, 1GB DDR2, 160GB SATA 7200rpm, VGA onboard (256MB max), 22X DVDRW, Sound 6 Channels HD, LAN, 8"USB2.0, All in one Card Reader, Optical mouse, Standard keyboard, 450W PSU | 214.48 | EUR | 1134.829 | 0 | 24 | 23892 |
| Desktop | RPC | Unitate centrala RPC Link Pro, Intel Celeron E3300, 2GB DDR2, 250GB SATA 7200rpm, VGA onboard (256MB max), 22X DVDRW, Sound 6 Channels HD, LAN, 8"USB2.0, All in one Card Reader, Optical mouse, Standard keyboard, 450W PSU | 258.048 | EUR | 1365.347 | C | 24 | 23893 |
| Desktop | RPC | Unitate centrala RPC Net Top, ATOM 510 Dual Core, 2GB DDR2, 500GB SATA 5400rpm, Intel Graphics Atom D510 (max sh 256MB), ODD 22X DVDRW, Sound 6 Channels HD, GLAN, 8"USB2.0, MB ASUS AT5NM10-I, all in one card reader, carcasa Foxconn mini-ITX 250W real PSU, No mouse&keyboard | 264.544 | USD | 1069.062 | C | 24 | 24994 |
| Desktop | RPC | Unitate centrala RPC Plasma, Intel Core2 Duo E7500, 2GB DDR2, 500GB SATA 7200rpm, ATI 5570 1GB DDR3, 22X DVDRW, Sound 6 Channels HD, LAN, 8"USB2.0, All in one Card Reader, Optical mouse, Standard keyboard, 450W PSU | 443.072 | EUR | 2344.328 | 0 | 24 | 23895 |
| Desktop | RPC | Unitate centrala RPC Ultimate, Intel Core i3 i3-530, 2GB DDR3, 500GB SATA 7200rpm, Intel HD Graphics, ODD 22X DVDRW, Sound 8 Channels HD, LAN, 10"USB2.0, All in one Card Reader, Optical mouse USB, Keyboard, 450W PSU | 400.624 | EUR | 2119.734 | 0 | 24 | 25284 |
| Desktop | RPC | Unitate centrala RPC Xprt Pro, Intel Pentium Dual Core E6500, 2GB DDR2, 500GB SATA 7200rpm, Nvidia GT220 1GB DDR2, 22X DVDRW, Sound 6 Channels HD, LAN, 8"USB2.0, All in one Card Reade, Optical mouse, Standard keyboard, 450W PSU | 369.04 | EUR | 1952.619 | C | 24 | 23896 |
| Desktop | RPC | Unitate centrala RPC Xprt, AMD Athlon II X2 240, 2GB DDR2, 320GB SATA 7200rpm, ATI 4350 1GB DDR2, 22X DVDRW, Sound 6 Channels HD, LAN, 8"USB2.0, All in one Card Reader, Optical mouse, Standard keyboard, 450W PSU | 320.096 | EUR | 1693.653 | C | 24 | 23894 |

| | | | | | | | | |
|--------------|----------|--|---------|-----|-----------------|---|----|-------|
| Desktop | Dell | Unitate centrala Dell Vostro 230MT, Intel Core 2 Duo E7500 2.93GHz, Intel G41 with ICH7, 3072MB (1x2048 + 1X1024) 1066MHz DDR3, 320GB Serial ATA 7200rpm, DVD+-RW, Intel GMA X4500, Free DOS, sursa 300W, GLan, tastatura, mouse, Mini tower, cod VOSME753G32WOX45 | 575.456 | USD | 2325.512 | C | 36 | 24203 |
| Desktop | Dell | Unitate centrala Dell Vostro 230MT, Intel Core 2 Duo E8400 3.00GHz, Intel G41 with ICH7, 4096MB (2x2048) 1066MHz DDR, 500GB Serial ATA 7200rpm, DVD+-RW, 1 GB NVIDIA GeForce GT220 (DVI, VGA, HDMI), Free DOS, sursa 300W, GLan, tastatura, mouse, Mini tower, cod VOSME844G50WOGT22_A1 | 767.648 | USD | 3102.187 | C | 36 | 24204 |
| Desktop | Dell | Unitate centrala Dell Vostro 230MT, Intel Pentium Dual Core E5400 2.7GHz, Intel G41 with ICH7, 2048MB (1x2048) 1066MHz DDR3, 320GB Serial ATA 7200rpm, DVD+-RW, Intel GMA X4500, Free DOS, sursa 300W, GLan, tastatura, mouse, Mini tower, codVOSME542G32WOX45 | 497.392 | USD | 2010.042 | 0 | 36 | 24201 |
| Desktop | Dell | Unitate centrala Dell Vostro 230ST, Intel Pentium Dual Core E6500 2.93GHz, Intel G41 with ICH7, 2048MB (1x2048) 1066MHz DDR3, 320GB Serial ATA 7200rpm, DVD+-RW, 512 MB NVIDIA GeForce G310, Free DOS, sursa 250W, GLan, tastatura, mouse, Slimtower, cod VOSDE652G32WOG31_A1 | 538.16 | USD | 2174.794 | C | 36 | 24199 |
| Desktop | Dell | Unitate centrala Dell Vostro 430MT, Intel Core i5 750 2.66GHz, Intel P55 Express, 4096MB (2x2048) 1333MHz DDR3, 500GB Serial ATA non Raid 7200rpm, DVD+-RW, 1GB NVIDIA GeForce GT220 (DVI, VGA, HDMI), Free DOS, sursa 300W, GLan, tastatura, mouse, Mini tower, cod MI57504G50WOGT22_A1 | 844.48 | USD | 3412.674 | C | 36 | 24205 |
| Desktop | Dell | Unitate centrala Dell Optiplex 380, Intel Pentium Dual Core E6500 2.93GHz, Intel G41 with ICH7, 2048MB (2x1024MB) 1066Mhz DDR3, 320GB Serial ATA 7200rpm, DVD+-RW, Intel GMA X4500, Free DOS, sursa 255W, tastatura, mouse, Mini tower, cod OPTME652G32WOU | 550.928 | USD | 2226.392 | C | 36 | 24207 |
| Desktop | Dell | Unitate centrala Dell Optiplex 380, Intel Pentium Dual Core E7500 2.93GHz, Intel G41 with ICH7, 2048MB (2x1024MB) 1066Mhz DDR3, 250GB Serial ATA 7200rpm, DVD+-RW, Intel GMA X4500, Free DOS, sursa 255W, tastatura, mouse, Mini tower, cod OPTME752G25WOU | 576.576 | USD | 2330.037 | C | 36 | 24208 |
| Desktop | Dell | Unitate centrala Dell Inspiron 580, Intel Core i3 530 2.93GHz, Intel H57, 4096MB (2x2048) 1066MHz DDR3, 640GB Serial ATA 7200rpm, DVD+-RW, 512MB nVidia GeForce G310, Windows 7 Home Premium 64bit, tastatura, mouse, sursa 300W, cod INSMI35304G64W7PG31 | 886.704 | USD | 3583.317 | C | 36 | 24196 |
| Desktop | Dell | Unitate centrala Dell Studio XPS 8100, Intel Core i7 860 2.80GHz, Intel P55, 4096MB (4x1024) 1333MHz DDR3, 750GB Serial ATA 7200rpm, Blu-Ray ROM combo, 1GB NVIDIA GeForce GT220, Windows 7 Professional 6bit, sursa 350W, GLan, tastatura, mouse, Card reader, cod MI78604G75BR7BGT22 | 1406.5 | USD | 5683.877 | C | 36 | 24197 |
| Desktop | Dell | Unitate centrala Dell Studio XPS 8100, Intel Core i7 860 2.80GHz, Intel P55, 4096MB (4x1024) 1333MHz DDR3, 1TB Serial ATA 7200rpm, Blu-Ray ROM combo, 1GB NVIDIA GeForce GT240, Windows 7 Professional 6bit, sursa 350W, GLan, tastatura, mouse, Card reader, cod MTI78704G100BR7BGT524 | 1834.56 | USD | 7413.75 | C | 36 | 24198 |
| Desktop | Dell | Unitate centrala Dell Precision T1500, One Intel Core i5 750 2.66GHz, Intel P55, 4GB(2x2GB)1333MHz DDR3, 500GB Serial ATA 7200rpm with NCQ and 16MB DataBurst Cache, DVD+-RW, 512 MB Quadro NVIDIA FX580 - 2 DP, 1 DVI (1 DP-DVI, 1 DVI-VGA adapter), Windows 7 Professional 64bit, sursa 350W, GLan, tastatura, mouse, Mini tower vertical orientation,, cod MI57504G50W7BQ58_A1 | 1281.28 | USD | 5177.861 | 0 | 36 | 24211 |
| Desktop | Dell | Unitate centrala Dell Precision T3500, One Intel Xeon W3520 2.66GHz-Memory runs at 1066MHz, Intel X58, 6GB (3x2GB) 1066MHz ECC-UDIMM, 750GB Serial ATA II 7200rpm with NCQ and 16MB DataBurst Cache, DVD+-RW, 768 MB Quadro NVIDIA FX1800 - 2 DP, 1 DVI (1 DP-DVI, 1 DVI-VGA adapter), Windows 7 Professional 64bit, sursa 525W PFC, tastatura, mouse, Mini tower vertical orientation, cod MW35306G75W7BQ18 | 2213.12 | USD | 8943.57 | C | 36 | 24212 |
| Desktop | Dell | Unitate centrala Dell Precision T5500, One Intel Xeon E5520 2.26GHz-Memory runs at 1066MHz, Intel 5520, 6GB(3x2GB)1066MHz DDR3 ECC-RDIMM Requires 64 Bit OS, 1TB Serial ATA II 7200rpm with NCQ and 16MB DataBurst Cache, DVD+-RW, 768 MB Quadro nVidia FX1800 - 2 DP, 1 DVI (1 DP-DVI, 1 DVI-VGA adapter), Windows 7 Professional 64bit, sursa 875W, GLan, tastatura, mouse, cod MSXE55206G1TW7BQ18_A1 | 2463.55 | USD | 9955.613 | C | 36 | 24213 |
| Desktop | HP | Unitate centrala HP Compaq 6000 Pro SFF VN776EA, Intel Core2Duo E7500 2.93GHz, 320GB HDD SATA, DVD+-RW (SM) Media Cd Rdr, 2GB PC3-10600 DDR3 1333 (dl ch), Intel GMA X4500, Windows 7 Pro downgrade to XP Pro, Office Ready | 532.448 | EUR | 2817.226 | 0 | 36 | 23861 |
| Desktop | HP | Unitate centrala HP Compaq 8000 Elite Ultrasubtire AZ891AW, Intel Core2Duo E8400 3.00GHz, 250GB HDD 7200rpm SATA, DVD+-RW (SM), 2GB PC3-10600 DDR3 1333 (sg ch), Intel GMA 4500, Windows 7 Pro 32 bit | 647.36 | EUR | 3425.229 | C | 36 | 23862 |
| Desktop | HP | Unitate centrala HP Compaq 8100 Elite CMT BM115AW, Intel Core i5 660, 250GB HDD SATA 3.5Gb/s, DVD+-RW (SM), 4GB PC3-10600 DDR3 1333 (dl ch), Windows 7 Professional 32 bit | 768.432 | EUR | 4065.835 | 0 | 36 | 26543 |
| Desktop | HP | Unitate centrala HP Compaq 8100 Elite Convertibil BM836AW, Intel Core i3-530 2,93 GHz, 250GB HDD SATA 3.5Gb/s, DVD+-RW (SM), 2GB PC3-10600 DDR3 1333 (sg ch), Intel HD, Windows 7 Pro 32 bit | 617.12 | EUR | 3265.237 | 0 | 36 | 23864 |
| Desktop | HP | Unitate centrala HP Compaq 8100 Elite SFF BM112AW, Intel Core i5 650, 250GB HDD SATA 3.5Gb/s, DVD-ROM, 2GB PC3-10600 DDR3 1333 (sg ch), Windows 7 Professional 32 bit | 665.504 | EUR | 3521.235 | 0 | 36 | 26542 |
| Desktop | HP | Unitate centrala HP Compaq 8100 Elite SFF M114AW, Intel Core i5-660 3,33 GHz, 250GB HDD SATA 3.5Gb/s, DVD+-RW (SM), 4GB PC3-10600 DDR3 1333 (dl ch), Intel HD, Windows 7 Pro 32 bit | 750.176 | EUR | 3969.246 | 0 | 36 | 23863 |
| Desktop | HP | Unitate centrala HP Compaq 8100 Elite SFF BM835AW, Intel Core i3-530 2,93 GHz, 2GB PC3-10600 DDR3 1333 (sg ch), 250GB HDD SATA, DVD+-RW (SM), Windows 7 Pro 32 bit | 605.024 | EUR | 3201.229 | C | 36 | 23522 |
| Desktop | HP | Unitate centrala HP Z200 K640EA, Intel Core i5-650 3.2GHz, 500GB HDD SATA 7200, 16X DVD+RW SM SATA, 4GB (2x2GB) DDR3-1333, Intel HD, Windows 7 Pro 64bit | 998.256 | EUR | 5281.853 | C | 36 | 23866 |
| Desktop | HP | Unitate centrala HP Z400 KK641EA, Intel Xeon W3530 2.80GHz, 500GB HDD SATA 7200, 4GB (2x2GB) DDR3-1333, No VGA, Windows 7 Pro 64bit | 1160.43 | EUR | 6139.941 | 0 | 36 | 23867 |
| Desktop | HP | Unitate centrala HP Z800 KK644EA, Intel Xeon Six-Core X5660 2.80GHz, 300GB HDD SAS 15K, 6GB (3x2GB) DDR3-1333, No VGA, Windows 7 Pro 64bit | 2982.78 | EUR | 15782.14 | 0 | 36 | 23868 |
| Desktop | HP Renew | Unitate centrala HP Compaq Presario CQ5015ES, Intel Core 2 Duo E5200 2.5GHz, 4GB (2x2GB), 500GB HDD, DVDRW LS, Wired, Vista Home Premium | 319.648 | EUR | 1691.278 | S | 12 | 25346 |
| Desktop | HP Renew | Unitate centrala HP Compaq Presario CQ5119DE, Intel Core 2 Quad Q8200 2.33GHz, 4GB (2x2GB), 640GB HDD, DVDRW LS, Nvidia GeForce G210 512 MB, Wired, Sursa 300W, Vista Home Premium | 373.072 | EUR | 1973.955 | C | 12 | 25350 |
| Desktop | HP Renew | Unitate centrala HP Pavilion p6125de, Intel Core 2 Duo E7300 2.8GHz, 2GB (2x1GB), 500GB HDD, DVDRW LS, Nvidia GeForce G210 512 MB, Wired, Vista Home Premium | 341.04 | EUR | 1804.466 | C | 12 | 25348 |
| Desktop | HP | Calculator HP 500B WU202EA, display 20" (1600 x 900), Intel Pentium Dual Core E5500 2.93 GHz, 320GB HDD 7200 SATA, DVD+-RW, 2GB DDR3 (sng ch), Intel GMA X4500 HD, Free DOS | 394.464 | EUR | 2087.142 | C | 12 | 23697 |
| Desktop bare | Asus | Desktop barebone Barebone Asus G1-P7P55E, Intel LGA1155 P55, FSB1333, 4*DDR3-1800(O.C.) DualCh, 2*Pcie16/1*Pcie1/1*Pci, 4*SATA2, 1*Esata, 8ch, GLan, 8*USB.2.0, 1*IEEE1394, WOOD WOFDD WOCooler, Card Reader, peak 500W | 241.808 | USD | 977.1888 | C | 24 | 23701 |

| | | | | | | | | |
|--------------------------|-------------|---|---------|-----|----------|----|----|-------|
| Desktop bare | Asus | Barebone Asus P6-M4A3000E, AMD Skt AM3, AMD 760/SB710, bus HT3 5200 2 DIMM*DDR3-1333/1066, VGA max 1GB Sh, 1*PCIE16/1*PCIE1x1, 1*D-sub/1*DVI-D, 133*/1/SATAII*3, GbLan, Sound 8 ch, 6*USB2.0, 200W(Peak) PFC, woODD, woFDD, woCooler, Card Reade | 161.84 | USD | 654.024 | C | 24 | 23698 |
| Desktop bare | Asus | Barebone Asus P6-P5G41E, Intel LGA775, G41/ICH10, FSB1333, 2*DDR3-1333/1066, VGA onboard Intel X4500, 1*PCIE16/1*PCIE1x1, SATA II*3, GbLan, ALC1200 Azalia 8 Channel, Card Reader 3 in1, USB2.0, HDMI, woCooler, 200W (peak) | 151.76 | USD | 613.2896 | SL | 24 | 22829 |
| Desktop bare | Asus | Barebone Asus T3-M3N8200, Socket AM2+, nVidia MCP78S, FSB2000/1600, 4*DDR11-800/667/533, VGA max 128MB Sh, 1*PCIE16x/1*PCI, 1*ATA133/3*SATA II, GbLan, ALC883 8CH, CardReader 6in1, 6*USB2.0, 2*1394, 300W woODD woFDD | 155.344 | USD | 627.7712 | C | 24 | 15869 |
| Desktop bare | Asus | Barebone Asus T5-P5G41E, Intel LGA775, G41/ICH17, FSB1600 (OC)/1333, 2*DDR3-1333/1066, VGA onboard (max 352MSh), 1*PCIE16/1*PCI, ATA133*/1/SATA II*3, GbLan, ALC1200 Azalia 8 Channel, CR 4 in1, 6*USB2.0, *1394, HDMI, WOCooler, 380W (peak) Eup Solution | 165.424 | USD | 668.5056 | C | 24 | 23699 |
| Desktop bare | Asus | Barebone Asus V2-M2NC61P, Socket AM2+, nVidia MCP61P, FSB2000; 4*DDR2-1066/800, VGA max 256MB Sh, 1*PCIE16/2*PCI, 100*1+SATAII*2, LAN 10/100, Sound Realtek ALC662 6CH, 6*USB2.0, 300W, woODD, woFDD, woCooler | 104.16 | USD | 420.9296 | C | 24 | 19729 |
| Desktop bare | Asus | Barebone Asus V2-M3N8200, Socket AM2+, nVidia MCP78S, HT3 5200 4*DDR2-1066/800/667, VGA Geforce 8 series max 256MB Sh, 1*PCIE16/1*PCIE1x2*PCI, 1*D-sub/1*DVI-D/1*HDMI, 100*1/SATAII*5, GbLan, Sound VT1708B 8-CH(HD), CR 10-in-1 x 1 (CF, Mirco Drive, MMC, RS-MMC, SD, Mini SD, MS, MS Duo, MS Pro, MS Pro Duo), 8*USB2.0, 300W(Peak) PFC, woODD, woFDD, woCooler | 123.984 | USD | 501.0432 | C | 24 | 16643 |
| Desktop bare | Asus | Barebone Asus V3-M2NC61P, Socket AM2+, nVidia MCP61P, FSB2000; 4*DDR2-1066/800, VGA max 256MB Sh, 1*PCIE16/2*PCI, 100*1+SATAII*2, LAN 10/100, Sound Realtek ALC662 6CH, 6*USB2.0, 300W, woODD, woFDD, woCooler | 104.16 | USD | 420.9296 | C | 24 | 15868 |
| Desktop bare | Asus | Barebone Asus V6-M4A3000E, Socket AM3, AMD RS780L/SB710, HT3 5200, 2*DDR3-1333/1066, VGA ATI 3000 max 1GB Sh, 1*PCIE16/1*PCIE1x2*PCI, 1*D-sub/1*DVI-D, 133*/1/SATAII*6, GbLan, Sound VT1708S 6-CH(HD), 6*USB2.0, 380W(Peak) PFC, woODD, woFDD, woCooler | 140.112 | USD | 566.216 | C | 24 | 23908 |
| Desktop bare | Asus | Barebone Asus V6-P5G31E, Intel LGA775, G31 / ICH7, FSB1333, 2*DDR2-1066/800/667, VGA on board (max 256Sh), 1*PCIE16x/2*PCI/1*PCIE, ATA100*/1/SATA II*4, GbLan, VT1708S 6CH, 6*USB2.0, woCD, woFDD, woCooler, peak 380W | 129.248 | USD | 522.312 | C | 24 | 23913 |
| Desktop bare | Asus | Barebone Asus V6-P5G41E, Intel LGA775, G41 / ICH7, FSB1333, 2*DDR3-1333/1066, VGA on board (max 1849Sh), 1*PCIE16x/2*PCI/1*PCIE, ATA100*/1/SATA II*4, GbLan, Via VT1708S 6CH, 6*USB2.0, woODD, woFDD, woCooler, peak 380W | 141.232 | USD | 570.7408 | C | 24 | 23914 |
| Desktop bare | Asus | Barebone Asus V6-P7H55E, Intel LGA1156 H55, 4*DDR3-1800(OC)/1600(OC)/1333/1066, VGA max 1748MB Sh, 1*PCIE16/2*PCI/1*PCIE1x1, SATA II*4, GbLan Realtek, ALC887 8CH, 8*USB2.0, * 1 x D-sub,* 1 x DVI-D,* 1 x HDMI, woCD, woFDD, woCooler, peak 380W(PFC) | 189.84 | USD | 767.1776 | C | 24 | 23915 |
| Desktop bare | AsRock | Barebone Asrock ION330HT-BDBB, Nvidia Ion, Atom 330 1.6Ghz Dual Core, barebone without memory and HDD, 2*DDR2800 up to 4 GB, VGA NVIDIA ION Directx10, FullHD 1080p, HDD 2.5 320GB(capable to support RAID 0, 1 by adopting the 2nd 2.5" HDD),BluRay COMBO, 8CH, Gigabit LAN, 802.11 b/g/n wireless LAN, HDMI, 6" USB2.0, Asrock Overclocking, Instant Boot, Silent, eSATA/USB port, Windows 7 Compatible, MCE Remote Controller, Black | 401.184 | USD | 1621.245 | 0 | 12 | 23918 |
| Desktop bare | AsRock | Barebone Asrock ION330HTBB, Nvidia Ion, Atom 330 1.6Ghz Dual Core, barebone without memory and HDD, 2*DDR2800 up to 4 GB, VGA NVIDIA ION Directx10, FullHD 1080p, HDD 2.5 320GB(capable to support RAID 0, 1 by adopting the 2nd 2.5" HDD), DVDCombo, 8CH, Gigabit LAN, 802.11 b/g/n wireless LAN, HDMI, 6" USB2.0, Asrock Overclocking, Instant Boot, Silent, eSATA/USB port, Windows 7 Compatible, MCE Remote Controller, Black | 297.696 | USD | 1203.037 | 0 | 12 | 23917 |
| Desktop bare | AsRock | Barebone Asrock ION330PROBB, Nvidia Ion, Atom 330 1.6Ghz Dual Core, barebone without memory and HDD, 2*DDR2800 up to 4 GB, VGA NVIDIA ION Directx10, FullHD 1080p, DVD COMBO, 8CH, Gigabit LAN, HDMI, 6" USB2.0, Asrock Overclocking, Instant Boot, Silent, eSATA/USB port, Windows 7 Compatible, Black | 254.576 | USD | 1028.787 | C | 12 | 23916 |
| Accesorii Desktop | | | | | | | | |
| Accesorii Des | PORT Des | Husa protectie HDD PORT Designs Berlin Black 2.5", 1 compartiment HDD + 1 compartiment accesorii, (400124) | 7.7728 | EUR | 41.1264 | C | 60 | 26691 |
| Accesorii Des | PORT Des | Husa protectie HDD PORT Designs Kyoto Black 2.5", 1 compartiment HDD + 1 compartiment accesorii, (400206) | 8.3216 | EUR | 44.0272 | 0 | 60 | 26694 |
| Accesorii Des | Western Dig | Husa protectie HDD WDigital- My Passport Protective Casing, Blue, WDBABL000NBL-WASN | 10.0464 | EUR | 53.1552 | 0 | 1 | 24258 |
| Accesorii Des | Akasa | Cable management Akasa AK-TK01, White, Include: cable wrap 10 mm - 1.5 m, Cable wrap 16 mm - 1.0 m, Cable ties 200 mm x 10 pcs, Cable ties 100 mm x 20 pcs, Self adhesive cable claps x 10 pcs | 3.3264 | EUR | 17.5952 | 0 | 1 | 10587 |
| Accesorii Des | Akasa | Neon Akasa AK 188 BL, neon TWIN CCFL 2 X 30cm, Blue | 7.56 | EUR | 39.9952 | 0 | 12 | 8158 |
| Accesorii Des | Akasa | Neon Akasa AK 188 UV, neon TWIN CCFL 2 X 30cm, Ultra Violet | 7.56 | EUR | 39.9952 | 0 | 12 | 8159 |
| Servere | | | | | | | | |
| Servere | Dell | Server Dell PowerEdge R210, Intel Quad Core Xeon X3430 2.4GHz, Intel 3420, 2GB Memory (2x1GB Single Rank UDIMMs) 1333MHz, 2x 500GB SATA 7200rpm 3.5"HD, Raid controller- PERC S100 (Embedded SATA Software RAID), Matrox G200eW w/ 8GB memory,DVD+/-RW, 4xUSB 2.0, eSATA, VGA, Serial, 2xRJ45, 1 PCIe x16, 250W, Rack Chassis, 3Y NBD | 1324.4 | USD | 5352.11 | C | 36 | 24215 |
| Servere | Dell | Server Dell PowerEdge R210, Intel Xeon X3430 2.4GHz, 8M Cache, Turbo, 4GB Memory (2x2GB Dual Rank UDIMMs) 1333MHz, 2x500GB SATA 7.2k 3.5" HD, PERC S100 Software Controller for Cabled HD Configuration, 16X DVD+/-RW Drive SATA, iDRAC6 Embedded BMC, 2/4-Post Static Rack Rails, Rack 1U Chassis for Up to 2 Cabled HDDs with Quad-Pack LED Diagnostics, 3Y NBD | 1197.62 | USD | 4839.755 | C | 36 | 24800 |
| Servere | Dell | Server Dell PowerEdge R310, Intel Quad Core Xeon X3440 2.53GHz, Intel 3420, 4GB Memory (2x2GB Dual Rank UDIMMs) 1333MHz, 2x 500GB SATA 7200rpm 3.5" HD, SAS 6iR Internal Controller, Matrox G200 w/ 8MB, DVD+/-RW, 6xUSB 2.0, Serial, VGA, 2xRJ45, 2x PCIe, 400W, Rack Chassis, 3Y NBD | 2163.06 | USD | 8741.253 | 0 | 36 | 24216 |
| Servere | Dell | Server Dell PowerEdge R510, Intel Quad Core Xeon E5504 2.0GHz, Intel 5500, 4GB Memory for 1 CPU (2x2GB Dual Rank UDIMMs) 1066MHz, 2x 300GB SAS 15k 3.5", PERC6i Internal Controller for 8x HDD Chassis, Matrox G200eW w/ 8MB, DVD+/-RW, 4xUSB 2.0, Serial, VGA, 2xRJ45, 4 PCIe, Non-Redundant Power Supply (1 PSU) 1100W, For 8x Hot Plug HDD Chassis, 3Y NBD | 2535.79 | USD | 10247.54 | C | 36 | 24217 |
| Servere | Dell | Server Dell PowerEdge T110, Intel Xeon X3430 2.4GHz, 8M Cache, Turbo, 4GB RAM (2x2GB Dual Rank UDIMMs) 1333MHz, HDD 500GB SATA 7.2k 3.5" HD Cabled, DVDRW 16X, iDRAC6 Embedded BMC, SAS 6iR Internal Controller, Tower Chassis for Up to 4x 3.5" Cabled HDDs, Free Dos | 1094.46 | USD | 4422.902 | 0 | 36 | 25719 |
| Servere | Fujitsu | Server Fujitsu Primergy RX300 S6, Rackabil, Intel Xeon E5620, 2.40 GHz, 12 MB, 4GB (1x4) DDR3-1333 reg ECC, DVD-RW slimline SATA, 2x 300GB 15K SAS 6G Hot Plug 3.5" (max. 6 HDD), RAID Ctrl SAS 5.6, 512MB, 2xGbit Ethernet LAN, 1x PS 800W Hot Plug, Management Software, telescopic rail, 2U | 2363.54 | EUR | 12505.66 | C | 36 | 25748 |
| Servere | Fujitsu | Server Fujitsu Primergy TX100 S1 Monoprocessor, Tower, Redundant, 1 x Xeon X3220 2400 Mhz 8 MB 1066,2x2GB RAM, 2xSATA 500GB 7.2k, DVD-RW, RAID 0/1, 1 x LAN 1Gbit on board, 1 x Power Supply 300W | 582.4 | EUR | 3081.523 | C | 12 | 22747 |
| Servere | Fujitsu | Server Fujitsu Primergy TX100 S1, Tower, Intel Xeon X3220, 2.4 GHz, 8 MB, 4GB (2x2) DDR2-800 ECC, DVD-RW SATA, 2x 500GB 7.2K SATA, RAID 0/1, 1xGbit Ethernet LAN, 1x PS 300W, no power cord, no keyboard + MS Windows Server 2008 R2 Foundation1CPU MULI | 756.56 | EUR | 4003.014 | C | 12 | 25749 |

| | | | | | | | | |
|--------------------------|--------------|---|---------|-----|----------|---|----|-------|
| Servere | Fujitsu | Server Fujitsu Primergy TX150 S6 Monoprocesor, Tower, Redundant+ MS Windows Server 2008 Foundation, 1 x Xeon E 3220, 2.4 GHz 2 x 4M, 2x 2 GB RAM, 2xSATA 500 GB HotPlug HDD, RAID 0, 1, 10, DVD-RW, 1 x LAN 1Gbit on board, 2 x Redundant PowerSupply 400W | 1827.62 | EUR | 9670.058 | C | 36 | 18754 |
| Servere | HP | Server HP DL160 G6, Intel Xeon E5504, 4GB PC3-10600R-9 Registered RDIMM memory with ECC, 250GB NHP SATA LFF 3.5", DVD-RW, 1U, cod AV340A | 1157.07 | EUR | 6122.155 | 0 | 36 | 25729 |
| Servere | HP | Server HP DL180 G6, Intel Xeon E5620 2.40 GHz, DDR3-1066, 8GB (2 x 4GB) PC3-10600R-9 Registered memory, Smart Array P410i Controller 256MB, sursa 460w, cod 590638-421 | 1884.51 | EUR | 9971.102 | C | 36 | 25728 |
| Servere | HP | Server HP DL380 G7, Intel Xeon E5620 2.40 GHz, DDR3-1066, 1x8GB RAM Dual Rank x4 PC3-10600 (DDR3-1333) Registered, Smart Array P410i Controller 512MB, 2x146GB SFF, DVD-RW, 2U Entry Server, cod 470065-361 | 2489.65 | EUR | 13172.92 | C | 36 | 25727 |
| Servere | HP | Server HP ProLiant ML110 G6, Intel Pentium G6950 2.80 GHz, 1 x 2048 PC3-10600E Unbuffered Advanced ECC memory, 1 x 250GB SATA NHP, 16x SATA DVD-ROM, Gigabit Ethernet, 300W Non-Hot Plug, Non-Redundant Power Supply, HP Smart Array B110i SATARAID Controller (RAID 0,1,10) | 342.72 | EUR | 1813.358 | 0 | 36 | 26918 |
| Servere barebone | | | | | | | | |
| Servere bare | Asus | SERVER BAREBONE ASUS 1U RS700-E6/RS4 1U Barebone, Up to 2xXeon Quad-Core 5500, S 770W (Optional Redundant), 4xHDD SATA (SAS Optional), up to 48GB RAM (12xDDR3 ECC 1333), 1xPCI-e 16x, 2xPCI-e 8x, 2xGB Lan, 4 x USB2.0, VGA AST2050 8MB, OpticOptional Slim, Management Card Optional, Cooler CPU Optional, Socket 1366 | 1502.26 | USD | 6070.859 | C | 24 | 20345 |
| Servere bare | Asus | SERVER BAREBONE ASUS 1U RS700D-E6/PS8 1U Barebone, Twin - Up to pe node 2xXeon Quad-Core 5500, S 770W, 4xHDD 2.5" SATA, up to 48GB RAM (12xDDR3 ECC 1333), 1xPCI-e 16x, 2xGB Lan, 3xUSB2.0, VGA AST2050 8MB, Management Card Optional, Cooler CPU Optional, Socket 1366 | 2003.01 | USD | 8094.475 | C | 24 | 20344 |
| Servere bare | Asus | SERVER BAREBONE ASUS 2U RS520-E6/RS8 2U Barebone, Up to 2xXeon Quad-Core 5500, S 770W (Optional Redundant), 6xHDD SATA (8xSAS Optional), up to 48GB RAM (12xDDR3 ECC 1333), 2xPCI-e 8x, 1xPCI-e 4x, 2xGB Lan, 4 x USB2.0, VGA AST2050 8MB, OpticOptional Slim, Management Card Optional, Cooler CPU Optional, Socket 1366 | 1439.09 | USD | 5815.589 | C | 24 | 20346 |
| Servere bare | Asus | SERVER BAREBONE ASUS 4U TS500-E6/PS4 4U Barebone, Up to 2xXeon Quad-Core 5500, S 470W, 4xHDD SATA (SAS Optional), up to 48GB RAM (6xDDR3 ECC 1333), 1xPCI-e 16x, 2xPCI-e 8x, 1xPCI, 2xGB Lan, 4 x USB2.0, VGA AST2050 8MB, Optic Optional Slim, Management Card Optional, Cooler CPU Optional, Rack Kit Optional, Socket 1366 | 976.528 | USD | 3946.309 | 0 | 24 | 20347 |
| Servere bare | Asus | SERVER BAREBONE ASUS 4U TS700-E6/RS8 4U Barebone, Up to 2xXeon Quad-Core 5500, SR 620W, 6xHDD SATA (8xSAS Optional), up to 96GB RAM (12xDDR3 ECC 1333), 4xPCI-e 8x, 2xPCI-X, 2xGB Lan, 4 x USB2.0, VGA AST2050 8MB, Optic Optional, Management Card Optional, Cooler CPU Optional, Rack Kit Optional, Socket 1366 | 1439.09 | USD | 5815.589 | C | 24 | 20348 |
| Servere bare | Supermicro | Server Barebone SuperMicro SYS-6025B-3V 2U Barebone, Up to 2xXeon Quad-Core 5300 3.7, FSB 1333Mhz, S 560W, 8xHDD SAS, up to 32GB RAM (8xDDR2 FB 667), 2xPCI-e 8x, 1xPCI-e 4x, 3xPCI-X, 2xGB Lan, ATI ES1000 16MB, ZCR Raid Card Ready (AOC-LPZCR2), Management Card Ready (AOC-SIMLP), Socket 771 | 1471.12 | USD | 5945.027 | C | 24 | 11965 |
| Accesorii Servere | | | | | | | | |
| Accesorii Ser | Intel | Combo Thermal Solution For Intel Servers | 30.352 | USD | 122.6624 | 0 | 36 | 22158 |
| Accesorii Ser | Intel | Passive Thermal Solution For Intel Servers | 25.536 | USD | 103.1968 | 0 | 36 | 20447 |
| Accesorii Ser | Asus | Controler SCSI 320-0 Raid Controller for SCSI 320 single channel Supports RAID 0, 1, 5, 10, PCI-X 64bit | 277.648 | USD | 1122.016 | C | 36 | 13652 |
| Accesorii Ser | Dell | Acc Server Dell DK_480-11432, Monitor LCD 1U 15" Flat-Panel cu Sine Rack (no Keyb) | 629.888 | USD | 2545.48 | C | 12 | 24219 |
| Accesorii Ser | Dell | Acc Server Dell DK_480-15717, Monitor LCD 1U 17" with 3rd Party Rack Rails - MUST order local Keyboard separately (Kit) | 777.84 | USD | 3143.381 | C | 12 | 24220 |
| Accesorii Ser | Dell | Acc Server Dell DK_450-14137, PDU, 12A, 120-240V, 8 x C13 Sockets, 0U/1U PDU with No Cord | 105.504 | USD | 426.3616 | C | 12 | 24222 |
| Accesorii Ser | Dell | Acc Server Dell DK_450-14140, PDU, 16A, 120-240, 13x C13 Sockets, 0U/1U with No Cord, Kit | 121.408 | USD | 490.6272 | C | 12 | 24223 |
| Accesorii Ser | Dell | Acc Server Dell DK_580-12128, Trackball Keyboard (Mini Keyboard) for 1U LCD US/Euro | 54.992 | USD | 222.2304 | C | 12 | 24221 |
| Accesorii Ser | Fujitsu-Siem | Hdd Server Fujitsu S26361-F3294-L100, 1TB, 7200rpm | 336.672 | EUR | 1781.36 | 0 | 36 | 21344 |
| Accesorii Ser | HP | Acc Server HP 507125-B21, HDD 146GB 6G SAS 10K 2.5" Dual Port Enterprise | 172.816 | EUR | 914.3792 | 0 | 36 | 24002 |
| Accesorii Ser | HP | Acc Server HP 454146-B21, HDD 1TB 3G SATA 7.2k 3.5" MDL | 231.84 | EUR | 1226.68 | 0 | 12 | 23737 |
| Accesorii Ser | HP | Acc Server HP HPU4512E, CARE PACK 3y 4h 13x5 ProLiant ML350 HW Support- 3 years of hardware support, 4 hour onsite response, 8am-9pm, Standard business days excluding HP holidays | 436.24 | EUR | 2308.186 | C | 1 | 23739 |
| Accesorii Ser | HP | Acc Server HP 512485-B21, iLO Advanced 1 Server License with 1yr 24x7 Tech Support and Updates | 287.952 | EUR | 1523.581 | C | 12 | 25017 |
| Accesorii Ser | HP | Acc Server HP 396632-001, IP Console 1 pack Interface Adapte | 98.112 | EUR | 519.12 | C | 12 | 26555 |
| Accesorii Ser | HP | Acc Server HP 589256-B21, Microsoft Windows Server 2008 R2 Standard Edition ROK en fr it de es Software | 612.304 | EUR | 3239.746 | 0 | 12 | 25019 |
| Accesorii Ser | HP | Acc Server HP ML350G6 Tower to Rack Conversion Kit | 234.304 | EUR | 1239.717 | C | 12 | 25018 |
| Accesorii Ser | HP | Acc Server HP 412648-B21, NC360T PCI-E Dual Port Gigabit Server Adapter | 127.008 | EUR | 672.0112 | C | 12 | 25016 |
| Accesorii Ser | HP | Acc Server HP 462830-B21, Smart Array P411/256 2-ports Ext PCIe x8 SAS Controller | 404.88 | EUR | 2142.258 | C | 12 | 26344 |
| Accesorii Ser | HP | Acc Server HP AG066A, TFT7600 Rackmount Keyboard and Monitor, 17" WXGA+ monitor and keyboard with touch pad | 1266.05 | EUR | 6698.765 | 0 | 36 | 24465 |
| Accesorii Ser | Asus | Acc Server ASUS PIKE-1068E Controller PIKE-1068E 8-port SAS RAID card | 187.264 | USD | 756.7616 | C | 24 | 20350 |
| Accesorii Ser | Asus | Acc Server ASUS PIKE-1078 Controller PIKE-1078 8-port SAS Hardware RAID card | 437.584 | USD | 1768.346 | C | 24 | 20351 |
| Telefoane PDA | | | | | | | | |
| Telefoane PD | HTC | PDA-Phone HTC Desire, CPU 1 GHz, 512MB RAM+576MB Flash ROM, 3.7" TFT (480x800), WiFi-802.11b/g, BT V2.1, GPS, Camera 5MP CMOS, slot microSD/SDHC card, Android 2.1 | 433.552 | EUR | 2293.962 | C | 24 | 22360 |
| Telefoane PD | HTC | PDA-Phone HTC HD Mini, CPU 600 MHz, 384MB RAM+512MB Flash ROM, 3.2" TFT (320x480), WiFi-802.11b/g, BT V2.1, GPS, Camera 5MP CMOS, slot microSD/SDHC card, Windows Mobile 6.5. Professional | 362.544 | EUR | 1918.246 | C | 24 | 22358 |
| Telefoane PD | HTC | PDA-Phone HTC Hero Black, Qualcomm 528 MHz, 288MB RAM+512MB Flash ROM, 3.2" TFT 320x480, Micro-SD/SDHC Card slot, 3.5G, GPS, WiFi-802.11g, BT V2.0, Camera 5.0MP CMOS, Android | 319.312 | EUR | 1689.509 | C | 24 | 20477 |
| Telefoane PD | HTC | PDA-Phone HTC Hero White, Qualcomm 528 MHz, 288MB RAM+512MB Flash ROM, 3.2" TFT 320x480, Micro-SD/SDHC Card slot, 3.5G, GPS, WiFi-802.11g, BT V2.0, Camera 5.0MP CMOS, Android | 319.312 | EUR | 1689.509 | C | 24 | 20476 |
| Telefoane PD | HTC | PDA-Phone HTC Legend, CPU 600 MHz, 384MB RAM+512MB Flash ROM, 3.2" TFT (320x480), WiFi-802.11b/g, BT V2.1, GPS, Camera 5MP CMOS, slot microSD/SDHC card, Android 2.1 | 405.664 | EUR | 2146.402 | C | 24 | 22359 |
| Telefoane PD | HTC | PDA-Phone HTC Snap, Qualcomm 528 MHz, 192MB RAM+256MB Flash ROM, 2.4" TFT 240x320, 3.5G, GPS, WiFi-802.11g, BT V2.0, Camera 2.0MP CMOS, Windows Mobile 6.1. Standard, 4-row QWERTY keyboard | 216.048 | EUR | 1143.128 | C | 24 | 20480 |
| Telefoane PD | HTC | PDA-Phone HTC Tattoo, Qualcomm 528 MHz, 256MB RAM+512MB Flash ROM, 2.8" TFT 240x320, Micro-SD/SDHC Card slot, 3.5G, GPS, WiFi-802.11g, BT V2.1, Camera 3.2MP CMOS, Android 1.6 | 225.344 | EUR | 1192.318 | C | 24 | 20474 |
| Telefoane PD | HTC | PDA-Phone HTC Touch 2, Qualcomm 528 MHz, 256MB RAM+512MB Flash ROM, 2.8" TFT 240x320, Micro-SD/SDHC Card slot, 3.5G, GPS, WiFi-802.11g, BT V2.1, Camera 3.2MP CMOS, Windows Mobile 6.5 Professional | 225.568 | EUR | 1193.494 | C | 24 | 20475 |
| Telefoane PD | HTC | PDA-Phone HTC Touch Diamond 2, Qualcomm 528 MHz, 288MB RAM+512MB Flash ROM, 3.2" TFT 480x800, Micro-SD/SDHC Card slot, 3.5G, GPS, WiFi-802.11g, BT V2.1, Camera 5.0MP CMOS, Windows Mobile 6.1 Professional | 309.232 | EUR | 1636.174 | C | 24 | 20473 |

| | | | | | | | | |
|----------------------|-------------|---|---------|-----|----------|---|----|-------|
| Telefoane PD | HTC | PDA-Phone HTC Touch HD2, CPU 1GHz, 448MB RAM+512MB Flash ROM, 4.3" TFT (480x800), WiFi-802.11b/g, BT V2.1, GPS, Camera 5MP CMOS, slot microSD/SDHC card, Windows Mobile 6.5. Professional | 486.864 | EUR | 2576.034 | C | 24 | 22357 |
| Telefoane PD | HTC | PDA-Phone HTC Touch Pro 2, Qualcomm 528 MHz, 288MB RAM+512MB Flash ROM, 3.6" TFT 480x800, WiFi-802.11b/g, BT V2.1, GPS, Camera 3.2MP CMOS, slot microSD/SDHC card, Windows Mobile 6.1 Professional, Sliding Keyboard | 367.472 | EUR | 1944.32 | 0 | 24 | 20479 |
| Navigatie GPS | | | | | | | | |
| Navigatie GP | Navilock | Adaptor GPS Navilock NL-402U 60095, conectare USB | 60.144 | EUR | 318.2256 | C | 12 | 22976 |
| Navigatie GP | Galeb | Navigator Galeb ES301 GPS043-G, PND (Personal Navigation Device), Windows CE 5.0, 4.3" 480x272 TFT LCD, Touch Screen, Samsung 400 MHz, 64 MB ROM + 1GB flash intern, slot SD, USB 2.0, black, harta Europei de Est + maj | 112.56 | EUR | 595.56 | S | 12 | 21086 |
| Navigatie GP | North Cross | Navigator North Cross ES303 GP, PND (Personal Navigation Device), rezistent la apa si socuri (utilizare pe motocicletă), Windows CE 6.0, 3.5" 320x240 TFT LCD, Touch Screen rezistiv (utilizare inclusiv cu manusi, Centrality Atlas IV 500 MHz, 128MB+2GB flash intern, slot SD, USB 2.0, gri+negru, acumulator Li-Ion, Bluetooth(casca audio), interfata multimedia: audio/video/foto, include: incarcator (montaj moto), cablu USB, suport metalic motocicletă, fara soft de navigare | 138.768 | EUR | 734.2272 | C | 24 | 26654 |
| Navigatie GP | North Cross | Navigator North Cross ES303 GP RO, PND (Personal Navigation Device), rezistent la apa si socuri (utilizare pe motocicletă), Windows CE 6.0, 3.5" 320x240 TFT LCD, Touch Screen rezistiv (utilizare inclusiv cu manusi, Centrality Atlas IV 500 MHz, 128MB+2GB flash intern, slot SD, USB 2.0, gri+negru, acumulator Li-Ion, Bluetooth (casca audio), include: incarcator (montaj moto), cablu USB, suport metalic motocicletă, incarcator casca Bluetooth, harta completa Romania | 145.04 | EUR | 767.4128 | 0 | 24 | 26655 |
| Navigatie GP | North Cross | Navigator North Cross ES404, PND (Personal Navigation Device), ultra-subtire: 12.9 mm, Windows CE 6.0, 4.3" 480x272 TFT LCD, Touch Screen, Centrality Atlas IV 500 MHz, 64 MB ROM + 2GB flash intern, slot microSD, USB 2.0, gri metalizat (gunmetal) + negru, acumulator Li-Ion 1100 mAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, manual in limba romana, fara soft de navigare | 64.624 | EUR | 341.936 | 0 | 24 | 22698 |
| Navigatie GP | North Cross | Navigator North Cross ES404 FE, PND (Personal Navigation Device), ultra-subtire: 12.9 mm, Windows CE 6.0, 4.3" 480x272 TFT LCD, Touch Screen, Centrality Atlas IV 500 MHz, 64 MB ROM + 2GB flash intern, slot microSD, USB 2.0, gri metalizat (gun metal) + negru, acumulator Li-Ion 1100 mAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale v3.0, harta completa Europa 09.2009 + Romania 11.2009 | 98.448 | EUR | 520.9008 | 0 | 24 | 22704 |
| Navigatie GP | North Cross | Navigator North Cross ES404 RO, PND (Personal Navigation Device), ultra-subtire: 12.9 mm, Windows CE 6.0, 4.3" 480x272 TFT LCD, Touch Screen, Centrality Atlas IV 500 MHz, 64 MB ROM + 2GB flash intern, slot microSD, USB 2.0, gri metalizat (gun metal) + negru, acumulator Li-Ion 1100 mAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, manual in limba romana, soft de navigare Mireo Cardinale v3.0, harta completa Romania 11.2009 | 75.152 | EUR | 397.6336 | 0 | 24 | 22701 |
| Navigatie GP | North Cross | Navigator North Cross ES404XT, PND (Personal Navigation Device), ultra-subtire: 12.9 mm, Windows CE 6.0, 4.3" 480x272 TFT LCD, Touch Screen, SIRF Atlas IV 500 MHz, 128 MB RAM + 2GB flash intern, slot microSDHC, USB 2.0, gri metalizat (gunmetal) + negru, acumulator Li-Ion 1450 mAh, Bluetooth, emitor FM, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, manual in limba romana, fara soft de navigare | 84.672 | EUR | 448.0112 | 0 | 24 | 22700 |
| Navigatie GP | North Cross | Navigator North Cross ES404XT FE, PND (Personal Navigation Device), ultra-subtire: 12.9 mm, Windows CE 6.0, 4.3" 480x272 TFT LCD, Touch Screen, SIRF Atlas IV 500 MHz, 128 MB RAM + 2GB flash intern, slot microSDHC, USB 2.0, gri metalizat (gun metal) + negru, acumulator Li-Ion 1450 mAh, Bluetooth, emitor FM, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale Black Edition (3.1), harta completa Europa 02.2010 | 118.608 | EUR | 627.5696 | 0 | 24 | 22706 |
| Navigatie GP | North Cross | Navigator North Cross ES404XT RO, PND (Personal Navigation Device), ultra-subtire: 12.9 mm, Windows CE 6.0, 4.3" 480x272 TFT LCD, Touch Screen, SIRF Atlas IV 500 MHz, 128 MB RAM + 2GB flash intern, slot microSDHC, USB 2.0, gri metalizat (gun metal) + negru, acumulator Li-Ion 1450 mAh, Bluetooth, emitor FM, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale Black Edition (3.1), harta Romania 02.2010 | 95.312 | EUR | 504.3024 | 0 | 24 | 22703 |
| Navigatie GP | North Cross | Navigator North Cross ES414, PND (Personal Navigation Device), ultra-subtire: 12 mm, Windows CE 6.0, 4.3" 480x272 TFT LCD, Touch Screen, SIRF Atlas IV 500 MHz, 64 MB RAM + 2GB flash intern, slot microSDHC, USB 2.0, gri metalizat (gun metal) + negru, acumulator Li-Ion 1000 mAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, manual in limba romana, fara soft de navigare | 64.624 | EUR | 341.936 | S | 24 | 22699 |
| Navigatie GP | North Cross | Navigator North Cross ES414 FE, PND (Personal Navigation Device), ultra-subtire: 12 mm, Windows CE 6.0, 4.3" 480x272 TFT LCD, Touch Screen, SIRF Atlas IV 500 MHz, 64 MB RAM + 2GB flash intern, slot microSD, USB 2.0, gri metalizat (gun metal) + negru, acumulator Li-Ion 1000 mAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale Black Edition (3.1), harta completa Europa 02.2010 + Romania 02.2010 | 98.448 | EUR | 520.9008 | C | 24 | 22705 |
| Navigatie GP | North Cross | Navigator North Cross ES414 RO, PND (Personal Navigation Device), ultra-subtire: 12 mm, Windows CE 6.0, 4.3" 480x272 TFT LCD, Touch Screen, SIRF Atlas IV 500 MHz, 64 MB RAM + 2GB flash intern, slot microSD, USB 2.0, gri metalizat (gun metal) + negru, acumulator Li-Ion 1000 mAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, manual in limba romana, soft de navigare Mireo Cardinale Black Edition (3.1), harta Romania 02.2010 | 75.152 | EUR | 397.6336 | C | 24 | 22702 |
| Navigatie GP | North Cross | Navigator North Cross ES505, PND (Personal Navigation Device), ultra-subtire: 12.9 mm, Windows CE 6.0, 5.0" 480x272 TFT LCD, Touch Screen, Centrality Atlas IV 500 MHz, 64 MB ROM + 2GB flash intern, slot microSD, USB 2.0, gri metalizat (gunmetal) + negru, acumulator Li-Ion 1250 mAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, manual in limba romana, fara soft de navigare | 77.28 | EUR | 408.8896 | 0 | 24 | 22707 |
| Navigatie GP | North Cross | Navigator North Cross ES505 DTV, PND (Personal Navigation Device), tuner TV digital (DVB-T), Windows CE 6.0, 5" 480x272 TFT LCD, Touch Screen, procesor Samsung 533 MHz, 128MB+2GB flash intern, slot microSDHC, USB 2.0, gri metalizat+ negru,acumulator Li-Ion, include: incarcator bricheta, cablu USB, suport parbriz, manual in limba romana, fara soft de navigare, receptiunea 9 post-uri cu emisie DVB-T in Romania | 131.264 | EUR | 694.5232 | C | 24 | 26658 |
| Navigatie GP | North Cross | Navigator North Cross ES505 DTV FE, PND (Personal Navigation Device), tuner TV digital (DVB-T), Windows CE 6.0, 5" 480x272 TFT LCD, Touch Screen, CPU Samsung 533 MHz, 128MB+2GB flash intern, slot microSDHC, USB 2.0, gri metalizat+ negru,acumulator Li-Ion, include: incarcator bricheta, cablu USB, suport parbriz, manual in limba romana, soft de navigare Mireo Cardinale Black Edition (3.1), harta completa Full Europe + Romania, receptiunea 9 post-uri cu emisie DVB-T in RO | 163.072 | EUR | 862.8256 | 0 | 24 | 26660 |
| Navigatie GP | North Cross | Navigator North Cross ES505 DTV RO, PND (Personal Navigation Device), tuner TV digital (DVB-T), Windows CE 6.0, 5" 480x272 TFT LCD, Touch Screen, CPU Samsung 533MHz, 128MB+ 2GB flash intern, slot microSDHC, USB 2.0, gri metalizat+ negru, acumulator Li-Ion, include: incarcator bricheta, cablu USB, suport parbriz, manual in limba romana, soft de navigare Mireo Cardinale Black Edition (3.1), harta completa Romania 03.2010, receptiunea 9 post-uri cu emisie DVB-T in Romania | 139.776 | EUR | 739.5696 | 0 | 24 | 26659 |
| Navigatie GP | North Cross | Navigator North Cross ES505 FE, PND (Personal Navigation Device), ultra-subtire: 12.9 mm, Windows CE 6.0, 5.0" 480x272 TFT LCD, Touch Screen, Centrality Atlas IV 500 MHz, 64 MB ROM + 2GB flash intern, slot microSD, USB 2.0, gri metalizat (gun metal) + negru, acumulator Li-Ion 1250 mAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale v3.0, harta completa Europa 09.2009 + Romania 11.2009 | 111.216 | EUR | 588.448 | 0 | 24 | 22713 |

| | | | | | | |
|--|---------|-----|----------|------|----|-------|
| Navigator North Cross ES505 RO, PND (Personal Navigation Device), ultra-subtire: 12.9 mm, Windows CE 6.0, 5.0" 480x272 TFT LCD, Touch Screen, Centrality Atlas IV 500 MHz, 64 MB ROM + 2GB flash intern, slot microSD, USB 2.0, gri metalizat (gun metal) + negru, acumulator Li-Ion 1250 mAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale v3.0, harta completa Romania 11.2009 | 87.92 | EUR | 465.192 | 0 | 24 | 22710 |
| Navigator North Cross ES505XT, PND (Personal Navigation Device), ultra-subtire: 12.9 mm, Windows CE 6.0, 5" 480x272 TFT LCD, Touch Screen, SIRF Atlas IV 500 MHz, 128 MB RAM + 2GB flash intern, slot microSDHC, USB 2.0, gri metalizat (gun metal) + negru, acumulator Li-Ion 1450 mAh, Bluetooth, emiator FM, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, manual in limba romana, fara soft de navigare | 97.44 | EUR | 515.5584 | 0 | 24 | 22709 |
| Navigator North Cross ES505XT FE, PND (Personal Navigation Device), ultra-subtire: 12.9 mm, Windows CE 6.0, 5" 480x272 TFT LCD, Touch Screen, SIRF Atlas IV 500 MHz, 128 MB RAM + 2GB flash intern, slot microSDHC, USB 2.0, gri metalizat (gunmetal) + negru, acumulator Li-Ion 1450 mAh, Bluetooth, emiator FM, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale Black Edition (3.1), harta completa Europa 02.2010 | 131.264 | EUR | 694.5232 | 0 | 24 | 22715 |
| Navigator North Cross ES505XT RO, PND (Personal Navigation Device), ultra-subtire: 12.9 mm, Windows CE 6.0, 5" 480x272 TFT LCD, Touch Screen, SIRF Atlas IV 500 MHz, 128 MB RAM + 2GB flash intern, slot microSDHC, USB 2.0, gri metalizat (gunmetal) + negru, acumulator Li-Ion 1450 mAh, Bluetooth, emiator FM, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale Black Edition (3.1), harta completa Romania 02.2010 | 107.968 | EUR | 571.2672 | 0 | 24 | 22712 |
| Navigator North Cross ES515, PND (Personal Navigation Device), ultra-subtire: 12 mm, Windows CE 6.0, 5" 480x272 TFT LCD, Touch Screen, SIRF Atlas IV 500 MHz, 64 MB RAM + 2GB flash intern, slot microSD, USB 2.0, gri metalizat (gun metal) +negru, acumulator Li-Ion 1200 mAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, manual in limba romana, fara soft de navigare | 82.656 | EUR | 437.3376 | 0 | 24 | 22708 |
| Navigator North Cross ES515 FE, PND (Personal Navigation Device), ultra-subtire: 12 mm, Windows CE 6.0, 5" 480x272 TFT LCD, Touch Screen, SIRF Atlas IV 500 MHz, 64 MB RAM + 2GB flash intern, slot microSD, USB 2.0, gri metalizat (gun metal)+ negru, acumulator Li-Ion 1200 mAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale Black Edition (3.1), harta completa Europa 02.2010 + Romania 02.2010 | 116.48 | EUR | 616.3024 | 0 | 24 | 22714 |
| Navigator North Cross ES515 RO, PND (Personal Navigation Device), ultra-subtire: 12 mm, Windows CE 6.0, 5" 480x272 TFT LCD, Touch Screen, SIRF Atlas IV 500 MHz, 64 MB RAM + 2GB flash intern, slot microSD, USB 2.0, gri metalizat (gun metal) + negru, acumulator Li-Ion 1200 mAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale Black Edition (3.1), harta completa Romania 02.2010 | 93.184 | EUR | 493.0464 | 0 | 24 | 22711 |
| Navigator Smailo HD35 Romania, PND (Personal Navigation Device) , Windows CE 5.0 , 3.5" 320x240 TFT LCD, Touch Screen , Mediatek 3351 468 MHz , 64 MB RAM + 2GB flash ROM , slot micro-SD , USB 2.0 , negru + argintiu , acumulator Li-Ion 900MAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale Black Edition (3.1), harta Romania | 67.424 | EUR | 356.7424 | C | 24 | 22717 |
| Navigator Smailo HD43 Full Europe, PND (Personal Navigation Device) , Windows CE 5.0 , 4.3" 480x272 TFT LCD, Touch Screen , Mediatek 3351 468 MHz , 64 MB RAM + 2GB flash ROM , slot micro-SD , USB 2.0 , negru + argintiu , acumulator Li-Ion900 MAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale Black Edition (3.1), harta Full Europe | 97.216 | EUR | 514.3824 | M | 24 | 22718 |
| Navigator Smailo HD43 Romania, PND (Personal Navigation Device) , Windows CE 5.0 , 4.3" 480x272 TFT LCD, Touch Screen , Mediatek 3351 468 MHz , 64 MB RAM + 2GB flash ROM , slot micro-SD , USB 2.0 , negru + argintiu , acumulator Li-Ion 900MAh, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale Black Edition (3.1), harta Romania | 73.584 | EUR | 389.3344 | S | 24 | 22719 |
| Navigator Smailo HD50 Full Europe, PND (Personal Navigation Device) , Windows CE 5.0 , 5.0" 480x272 TFT LCD, Touch Screen , Mediatek 3351 468 MHz , 64 MB RAM + 2GB flash ROM , slot micro-SD , USB 2.0 , negru + argintiu , acumulator Li-Ion900 MAh, Bluetooth, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale Black Edition (3.1), harta Full Europe | 114.352 | EUR | 605.0464 | S | 24 | 22720 |
| Navigator Smailo HD50 Romania, PND (Personal Navigation Device) , Windows CE 5.0 , 5.0" 480x272 TFT LCD, Touch Screen , Mediatek 3351 468 MHz , 64 MB RAM + 2GB flash ROM , slot micro-SD , USB 2.0 , negru + argintiu , acumulator Li-Ion 900MAh, Bluetooth, interfata multimedia: audio/video/foto, include: incarcator bricheta, cablu USB, suport parbriz, Mireo Cardinale Black Edition (3.1), harta Romania | 87.584 | EUR | 463.4112 | S | 24 | 22721 |
| Navigator Prestigio GeoVision 4120BT East Europe PND (Personal Navigation Device) Windows CE 6.0, 4.3" 480x272 TFT LCD, Touch Screen , CPU 533 MHz , 2GB internal memory , slot microSD up to 8GB , USB 2.0 , Bluetooth, acumulator Li-Ion, IGO Amigo (Eastern Europe Full + Major Roads Western Europe) | 143.36 | USD | 579.3424 | CALL | 24 | 23126 |
| Navigator Prestigio GeoVision 5120BT East Europe PND (Personal Navigation Device) Windows CE 6.0, 5.0" 480x272 TFT LCD, Touch Screen , CPU 533 MHz , 2GB internal memory , slot microSD up to 8GB , USB 2.0 , Bluetooth, acumulator Li-Ion, IGO Amigo (Eastern Europe Full + Major Roads Western Europe) | 164.528 | USD | 664.888 | SL | 24 | 23128 |
| Navigator MIO C-725, Samsung 2443 400MHz CPU Microsoft WindowsCE 5.0, Built in GPS module, 20-channel SIRFStarIII chipset, 64MB + 2GB, 7" TFT,800x480, Touch Panel, SD MMC, AV In (Portable HDD/DVD/Digital TV support), FM transmitter, Voicecommand, USB 2.0,MioMap 2008 with Full Europe maps (38 countries) | 391.776 | EUR | 2072.918 | C | 24 | 16641 |
| Navigator MIO Moov Spirit S605, 5" TFT, Samsung 2450 400Mhz, WinCE 6.0, SIRF GPS III (20 channels), 128MB+2Gb, TMC, Navpix, AV-IN, micro SD Full Europe | 175.728 | EUR | 929.7904 | S | 24 | 25738 |
| Navigator MIO Moov310u Samsung2443 400MHz CPU Microsoft Windows CE 5.0, Built in GPS module, 20-channel SIRFStarIII chipset, 64MB + 1GB, 4.3" TFT,Brightness 320nits,Touch Panel, SD, TMC, USB 2.0, Harta Full Europe | 173.6 | EUR | 918.5344 | C | 24 | 22727 |
| Navigator MIO Moov330u Samsung2443 400MHz CPU Microsoft Windows CE 5.0, Built in GPS module, 20-channel SIRFStarIII chipset, 64MB + 2GB, 4.3" TFT,Brightness 320nits,Touch Panel, SD, BT data, USB 2.0, Harta Full Europe | 142.24 | EUR | 752.6064 | C | 24 | 15707 |
| Navigator MIO Moov370 Samsung2443 400MHz CPU Microsoft Windows CE 5.0, Built in GPS module, 20-channel SIRFStarIII chipset, 64MB + 1GB, 4.3" TFT,Brightness 320nits,Touch Panel, SD, Bluetooth, TMC, USB 2.0, Harta Full Europe | 208.544 | EUR | 1103.424 | C | 24 | 22728 |
| Navigator MIO Moov500RO Samsung 2443 400MHz CPU Microsoft Windows CE 5.0, Built in GPS module, SIRFInstantfixll, 64MB + 2GB, 4.7" TFT,Touch Panel, SD/MMC,USB 2.0,NavPix, Romania Map 2008 | 77.728 | EUR | 411.264 | S | 24 | 17899 |
| Navigator MIO Moov580u Samsung2450 400MHz CPU Microsoft Windows CE 5.0, Built in GPS module, 20-channel SIRFStarIII chipset InstantFixll , 64MB + 2GB, 4.7" TFT, Touch Panel, SD, Modulator FM, TMC, USB 2.0, Harta Full Europe | 290.08 | EUR | 1534.837 | C | 24 | 22729 |
| Navigator MIO MoovM400U, 4.3" TFT, Samsung 2443 400MHz CPU Microsoft Windows CE 5.0, Built in GPS module, 20-channel SIRFStarIII chipset, 64MB + 2GB, Brightness 320nits,Touch Panel, BT data, USB 2.0, Harta Full Europe | 126.896 | EUR | 671.4176 | C | 24 | 22722 |
| Navigator MIO Spirit S505, 4.7" TFT, Samsung 2450 400Mhz, WinCE 5.0, SIRF GPS III (20 channels) 3TW, 128MB+2Gb, TMC, Navpix, Full Europe | 150.752 | EUR | 797.6416 | S | 24 | 22723 |

| | | | | | | | | | |
|---------------------------|-----|------------|---|---------|-----|----------|------|----|-------|
| Navigatie | GP | Mio | Navigator MIO Spirit S555, 4.7" TFT, Samsung 2450 400Mhz, WinCE 5.0, SiRF GPS III (20 channels) 3TW, 128MB+2Gb, BTHF, BT DUN, Navpix, Full Europe | 160.16 | EUR | 847.4144 | C | 24 | 22724 |
| Navigatie | GP | Mio | Navigator MIO Spirit S568, 4.7" TFT flat, Samsung 2450 400Mhz, WinCE 5.0, SiRF GPS III (20 channels) 3TW, 128MB+2Gb, BTHF, BT DUN, Navpix, Full Europe | 254.688 | EUR | 1347.573 | C | 24 | 22725 |
| Navigatie | GP | Mio | Navigator MIO Spirit S600, 5" TFT , Samsung 2450 400Mhz, WinCE 5.0, SiRF Star III (20 channels), 128MB+2Gb, AV-IN, SD, Full Europe | 153.888 | EUR | 814.2288 | CALL | 24 | 23977 |
| Navigatie | GP | Mio | Navigator MIO Spirit S760, 7" TFT, Samsung 2450 400MHz CPU Microsoft Windows® CE 5.0, Built in GPS module, 20-channel SiRFStarIII chipset with InstantFixII, 64MB + 2GB, 800x480, Touch Panel, Micro SD, FM transmitter, Voice command, USB 2.0, microfon, MioMap 2008 with Full Europe maps (38 countries) | 245.392 | EUR | 1298.394 | C | 24 | 22726 |
| Accesorii PDA, GSM | | | | | | | | | |
| Accesorii | PD | Asus | AC adapter pentru PDA Asus, 5V/2A (EUR) | 12.992 | EUR | 68.7456 | C | 12 | 17889 |
| Accesorii | PD | Fortron | AC Adapter Fortron pentru PDA, AC Adapter EU Dual USB Charger 2 x 5V (incarcator camera) | 8.3664 | USD | 33.8128 | S | 1 | 17891 |
| Accesorii | PD | Fortron | DC Adapter Fortron pentru PDA, DC to Dual USB Charger plus Dual DC Extension, Compatible with 12V and 24Vdc power applications (incarcator masina) | 9.4192 | USD | 38.0688 | S | 1 | 17892 |
| Accesorii | PD | Asus | AC Adapter Asus 5V 900mAh/EUR pentru PDA-Phone Asus P525 | 12.992 | EUR | 68.7456 | C | 12 | 13670 |
| Accesorii | PD | Asus | Baterie PDA-Phone Asus P525/P535 | 21.616 | EUR | 114.3744 | C | 12 | 13139 |
| Accesorii | PD | Asus | Bluetooth GPS SOL/UL RBT2001/Charger/Holder Asus P525 | 106.736 | EUR | 564.7488 | C | 12 | 13675 |
| Accesorii | PD | Asus | Bluetooth 238/ULBT GPS/CarCharger/Car Asus | 106.736 | EUR | 564.7488 | C | 12 | 13676 |
| Accesorii | PD | Asus | Car Kit Asus Holder, Gooseneck P525 | 20.496 | EUR | 108.4496 | C | 12 | 13672 |
| Accesorii | PD | Asus | Car Kit Holder/Pedestal pentru PDA-Phone Asus P320 | 21.616 | EUR | 114.3744 | C | 12 | 17883 |
| Accesorii | PD | Asus | Baterie (acumulator) pentru PDA-Phone Asus P320 | 21.616 | EUR | 114.3744 | C | 12 | 17884 |
| Accesorii | PD | Asus | USB Travellin Syn Cable Asus P525 | 9.6992 | EUR | 51.3184 | C | 12 | 13674 |
| Accesorii | PD | Prestigio | Carcasa iPod Touch 2g Prestigio, PIPC2103BK, Piele, Black, Retail (Blister) (6.8x2.1cm) | 21.392 | USD | 86.4528 | SL | 24 | 23113 |
| Accesorii | PD | Prestigio | Carcasa iPod Touch 2g Prestigio, PIPC2105BK, Piele, Black, Retail (Blister) (6.8x2.1cm) | 21.392 | USD | 86.4528 | SL | 24 | 23119 |
| Accesorii | PD | Prestigio | Carcasa iPod Touch 2g Prestigio, PIPC2103CF, Piele, Coffee, Retail (Blister) (6.8x2.1cm) | 21.392 | USD | 86.4528 | SL | 24 | 23118 |
| Accesorii | PD | Prestigio | Carcasa iPod Touch 2g Prestigio, PIPC2104KK, Piele, Khaki, Retail (Blister) (6.8x2.1cm) | 21.392 | USD | 86.4528 | SL | 24 | 23116 |
| Accesorii | PD | Prestigio | Carcasa iPod Touch 2g Prestigio, PIPC2103OG, Piele, Orange, Retail (Blister) (6.8x2.1cm) | 21.392 | USD | 86.4528 | SL | 24 | 23117 |
| Accesorii | PD | Prestigio | Carcasa iPod Touch 2g Prestigio, PIPC2104PK, Piele, Pink, Retail (Blister) (6.8x2.1cm) | 21.392 | USD | 86.4528 | SL | 24 | 23120 |
| Accesorii | PD | Prestigio | Carcasa iPod Touch 2g Prestigio, PIPC2103WR, Piele, Red, Retail (Blister) (6.8x2.1cm) | 21.392 | USD | 86.4528 | SL | 24 | 23115 |
| Accesorii | PD | Prestigio | Carcasa Iphone 3g Prestigio, PIPC1103BK, Plane leather, Black, Retail (Blister) (6.8x2.1cm) | 21.392 | USD | 86.4528 | 0 | 24 | 25813 |
| Accesorii | PD | Prestigio | Carcasa Iphone 3g Prestigio, PIPC1103OG, Plane leather, Orange, Retail (Blister) (6.8x2.1cm) | 21.392 | USD | 86.4528 | S | 24 | 23110 |
| Accesorii | PD | Prestigio | Dock Prestigio PiS1 cu FM tuner, ceas si alarma pt iPod, Argintiu, Retail (9.3x11.6cm) | 51.632 | USD | 208.656 | SL | 24 | 23121 |
| Accesorii | PD | JustMobile | Incarcator Auto JustMobile, Mini USB | 9.5312 | EUR | 50.4336 | C | 12 | 17048 |
| Accesorii | PD | Prestigio | Carcasa Iphone 3g Prestigio, PIPC1102BK, Retail (Blister) (6.8x2.1cm) | 12.768 | USD | 51.5984 | S | 24 | 23112 |
| Accesorii | PD | Prestigio | Carcasa Iphone 3g Prestigio, PIPC1102RD, Red, Retail (Blister) (6.8x2.1cm) | 12.768 | USD | 51.5984 | S | 24 | 23114 |
| Accesorii | PD | Mio | Acumulator 1200 mAh Mitac MIO A700/A701, Li-Ion | 29.904 | EUR | 158.2224 | C | 6 | 22249 |
| Accesorii | PD | HTC | Acumulator 1340mAh, HTC, + capac baterie, Touch Diamond/Touch Pro | 40.432 | EUR | 213.9312 | C | 6 | 16481 |
| Accesorii | PD | HTC | Acumulator PDA-Phone HTC Touch Cruise, 1350mAh | 26.208 | EUR | 138.6672 | C | 6 | 16995 |
| Accesorii | PD | HTC | Acumulator 1590mAh, HTC P3600, Li-Ion | 30.576 | EUR | 161.784 | C | 6 | 18784 |
| Accesorii | PD | HTC | Adaptor alimentare priza PDA-Phone HTC miniusb | 18.144 | EUR | 96.0064 | S | 6 | 17164 |
| Accesorii | PD | HTC | Cablu sincronizare HTC microUSB cod DC M400 | 11.0208 | EUR | 58.3072 | C | 6 | 22741 |
| Accesorii | PD | HTC | Car Kit cu speaker HTC P3600 | 9.5312 | EUR | 50.4336 | C | 12 | 14815 |
| Accesorii | PD | HTC | Cradle HTC Touch Diamond/Pro CR G300 | 44.912 | EUR | 237.6304 | C | 1 | 17010 |
| Accesorii | PD | HTC | Folie Protectie HTC Touch HD SP P200 (2 buc.) | 14.224 | EUR | 75.264 | C | 1 | 18785 |
| Accesorii | PD | HTC | Incarcator+Suport Auto PDA-Phone HTC Touch HD CU G100, 99HER043-00 | 40.432 | EUR | 213.9312 | C | 24 | 18493 |
| Accesorii | PD | HTC | Suport auto cu incarcare HTC S120, Tyn 2 | 39.2 | EUR | 207.4128 | C | 24 | 15418 |
| Accesorii | PD | HTC | Husa Pouch piele HTC HD2 PO S511 | 21.28 | EUR | 112.5936 | C | 6 | 23789 |
| Accesorii | PD | HTC | Husa toc piele HTC Touch Cruise ACC00581 | 19.488 | EUR | 103.1072 | C | 6 | 16602 |
| Accesorii | PD | HTC | Husa toc piele HTC Touch Diamond PO S322 | 18.144 | EUR | 96.0064 | S | 6 | 16482 |
| Accesorii | PD | HTC | Incarcator auto HTC microUSB CC-C200 | 18.144 | EUR | 96.0064 | C | 6 | 22742 |
| Accesorii | PD | HTC | Adaptor alimentare auto PDA-Phone HTC miniusb | 18.144 | EUR | 96.0064 | C | 6 | 13392 |
| Accesorii | PD | Eten | Stylus pentru PDA-Phone Eten M700, ACC00414 | 7.0672 | EUR | 37.3968 | C | 6 | 18819 |
| Accesorii | PD | Eten | Stylus pentru PDA-Phone Eten X600, 40009590 | 7.0672 | EUR | 37.3968 | C | 12 | 17271 |
| Accesorii | PD | HTC | Stylus PDA-Phone HTC P3600, 1 buc | 8.3888 | EUR | 44.3856 | SL | 6 | 13393 |
| Accesorii | PD | HTC | Incarcator+Suport Auto PDA-Phone HTC Touch Cruise S130 | 39.2 | EUR | 207.4128 | C | 6 | 16994 |
| Accesorii | PD | HTC | Incarcator+Suport Auto PDA-Phone HTC HD CU S230 | 38.976 | EUR | 206.2256 | C | 6 | 20604 |
| Accesorii | PD | JustMobile | Suport Auto JustMobile, Transformers | 16.912 | EUR | 89.488 | C | 1 | 17049 |
| Accesorii | PD | Asus | Car Kit Holder/Gooseneck pentru navigator Asus R300 | 16.24 | EUR | 85.9264 | C | 12 | 20886 |
| Accesorii | PD | Asus | Car Kit Holder/Gooseneck pentru navigator Asus R600 | 16.24 | EUR | 85.9264 | C | 12 | 17898 |
| Accesorii | PD | Mio | MIO Car charger, mini usb, Moov series | 8.8368 | EUR | 46.76 | 0 | 12 | 24270 |
| Accesorii | PD | Mio | MIO Home charger (with UK,EU,AUS,US plug), Moov series | 7.1792 | EUR | 37.9904 | C | 12 | 24269 |
| Accesorii | PD | PORT Desi | Husa GPS 3.5", PORT Designs Bali Black, 1 compartiment accesorii, suport prindere curea, (400104) | 8.3216 | EUR | 44.0272 | C | 60 | 26689 |
| Accesorii | PD | PORT Desi | Husa GPS 4.7", PORT Designs Lima Black, 1 compartiment GPS, carcasa solida rezistenta la socuri, (400113) | 15.568 | EUR | 82.376 | C | 60 | 26690 |
| Procesoare | | | | | | | | | |
| Procesoare | AMD | | CPU AMD Sempron 2600+, Socket 754, 128K, bus 1600, 0.09u, 1.4V, 62W, 64bit, (1600 MHz), Tray, Fara Cooler, S64X2600 | 12.208 | USD | 49.336 | CALL | 12 | 4632 |
| Procesoare | AMD | | CPU AMD Sempron LE-140, Socket AM3, 1024K L2, 0.045u, 45W, 64bit, (2700 MHz), BOX, Sargas, SDX140HBGGQBOX | 38.416 | USD | 155.2432 | S | 36 | 19732 |
| Procesoare | AMD | | CPU AMD Athlon II X2 235e, Socket AM3, 2X1024K L2, 0.45u, 45W, 64bit, (2700 MHz), BOX, Dual CORE, AD235EHDGQBOX | 72.352 | USD | 292.3872 | C | 36 | 21557 |
| Procesoare | AMD | | CPU AMD Athlon II X2 240, Socket AM3, 2X1024K L2, 0.45u, 0.85-1.425V, 65W, 64bit, (2800 MHz), BOX, Dual CORE, ADX240OCGQBOX | 64.96 | USD | 262.5168 | 0 | 36 | 19677 |
| Procesoare | AMD | | CPU AMD Athlon II X2 240e, Socket AM3, 2X1024K L2, 0.45u, 45W, 64bit, (2800 MHz), BOX, Dual CORE, AD240EHDGQBOX | 80.752 | USD | 326.3344 | 0 | 36 | 21558 |
| Procesoare | AMD | | CPU AMD Athlon II X2 245, Socket AM3, 2X1024K L2, 0.45u, 0.85-1.425V, 65W, 64bit, (2900 MHz), BOX, Dual CORE, ADX245OCGQBOX | 67.536 | USD | 272.9216 | S | 36 | 19516 |
| Procesoare | AMD | | CPU AMD Athlon II X2 245e, Socket AM3, 2X512K L2, 0.45u, 45W 64bit, (2900 MHz), BOX, Dual CORE, AD245EHDGMBOX | 91.392 | USD | 369.3312 | C | 36 | 23589 |

| | | | | | | | | |
|------------|-------|---|---------|-----|----------|----|----|-------|
| Procesoare | AMD | CPU AMD Athlon II X2 250, Socket AM3, 2X1024K L2, 0.45u, 0.85-1.425V, 65W, 64bit, (3000 MHz), BOX, Dual CORE, ADX250OQGBOX | 69.888 | USD | 282.4304 | SL | 36 | 19248 |
| Procesoare | AMD | CPU AMD Athlon II X2 255, Socket AM3, 2X512K L2, 0.45u, 65W, 64bit, (3100 MHz), BOX, Dual CORE, ADX255OCGBOX | 74.704 | USD | 301.896 | S | 36 | 25066 |
| Procesoare | AMD | CPU AMD Athlon II X2 260, Socket AM3, 2X512K L2, 0.45u, 65W, 64bit, (3200 MHz), BOX, Dual CORE, ADX260OCGBOX | 80.752 | USD | 326.3344 | S | 36 | 23994 |
| Procesoare | AMD | CPU AMD Athlon II X3 400e, Socket AM3, 3X512K L2, 0.45u, 45W, 64bit, (2200 MHz), BOX, Triple CORE, AD400EHDGIBOX | 100.128 | USD | 404.6336 | C | 36 | 21569 |
| Procesoare | AMD | CPU AMD Athlon II X3 405e, Socket AM3, 3X512K L2, 0.45u, 45W, 64bit, (2300 MHz), BOX, Triple CORE, AD405EHDGIBOX | 111.216 | USD | 449.4448 | S | 36 | 21560 |
| Procesoare | AMD | CPU AMD Athlon II X3 415e, Socket AM3, 3X512K L2, 0.45u, 45W, 64bit, (2500 MHz), BOX, Triple CORE, AD415EHDGIBOX | 119.616 | USD | 483.392 | C | 36 | 23590 |
| Procesoare | AMD | CPU AMD Athlon II X3 435, Socket AM3, 3X512K L2, 0.45u, 95W, 64bit, (2900 MHz), BOX, Triple CORE, ADX435WFGIBOX | 80.192 | USD | 324.072 | C | 36 | 21561 |
| Procesoare | AMD | CPU AMD Athlon II X3 440, Socket AM3, 3X512K L2, 0.45u, 95W, 64bit, (3000 MHz), BOX, Triple CORE, ADX440WFGIBOX | 84.448 | USD | 341.264 | 0 | 36 | 21950 |
| Procesoare | AMD | CPU AMD Athlon II X3 440, Socket AM3, 3X512K L2, 0.45u, 95W, 64bit, (3000 MHz), BOX, Triple CORE, ADX440WFGMBOX | 85.232 | USD | 344.4336 | 0 | 36 | 25959 |
| Procesoare | AMD | CPU AMD Athlon II X3 445, Socket AM3, 3X512K L2, 0.45u, 95W, 64bit, (3100MHz), BOX, Triple CORE, ADX445WFGMBOX | 89.264 | USD | 360.7296 | C | 36 | 23591 |
| Procesoare | AMD | CPU AMD Athlon II X4 600e, Socket AM3, 4X512K L2, 0.45u, 45W, 64bit, (2200 MHz), BOX, Quad CORE, AD600EHDGIBOX | 135.632 | USD | 548.1056 | C | 36 | 21562 |
| Procesoare | AMD | CPU AMD Athlon II X4 605e, Socket AM3, 4X512K L2, 0.45u, 45W, 64bit, (2300 MHz), BOX, Quad CORE, AD605EHDGIBOX | 147.616 | USD | 596.5344 | C | 36 | 21563 |
| Procesoare | AMD | CPU AMD Athlon II X4 610e, Socket AM3, 4X512K L2, 0.45u, 45W, 64bit, (2400 MHz), BOX, Quad CORE, AD610EHDGIBOX | 168.336 | USD | 680.2768 | 0 | 36 | 23995 |
| Procesoare | AMD | CPU AMD Athlon II X4 635, Socket AM3, 4X512K L2, 0.45u, 0.85-1.25V, 95W, 64bit, (2900 MHz), BOX, Quad CORE, ADX635WFGMBOX | 114.576 | USD | 463.0192 | S | 36 | 25067 |
| Procesoare | AMD | CPU AMD Athlon II X4 640, Socket AM3, 4X512K L2, 0.45u, 95W, 64bit, (3.000GHz), BOX, Quad CORE, ADX640WFGMBOX | 119.392 | USD | 482.4848 | C | 36 | 23592 |
| Procesoare | AMD | CPU AMD Phenom II X2 550, Socket AM3, 2X512K L2, 0.45u, 80W, 64bit, (3100 MHz), BOX, Dual CORE, HDX550WFGMBOX | 98.896 | USD | 399.6496 | SL | 36 | 23743 |
| Procesoare | AMD | CPU AMD Phenom II X2 550, Socket AM3, 6144K L3, 2X512K L2, 0.45u, 0.85-1.425V, 80W, 64bit, (3100 MHz), BOX, Dual CORE, Black Edition, HDZ550WGIBOX | 104.16 | USD | 420.9296 | 0 | 36 | 19249 |
| Procesoare | AMD | CPU AMD Phenom II X2 555, Socket AM3, 2X512K L2, 0.45u, 80W, 64bit, (3200 MHz), BOX, Dual CORE, Black Edition, HDZ555WFGMBOX | 104.944 | USD | 424.0992 | C | 36 | 25068 |
| Procesoare | AMD | CPU AMD Phenom II 945 Quad Core, Socket AM3, 6144K L3, 4X512K L2, 0.045u, 0.875-1.5V, 95W, 64bit (3000 MHz), BOX, Quad CORE, HDX945WFGIBOX | 160.048 | USD | 646.7776 | 0 | 36 | 21949 |
| Procesoare | AMD | CPU AMD Phenom II 945 Quad Core, Socket AM3, 6144K L3, 4X512K L2, 0.045u, 0.875-1.5V, 95W, 64bit (3000 MHz), BOX, Quad CORE, HDX945WFGMBOX | 157.136 | USD | 635.0064 | 0 | 36 | 26320 |
| Procesoare | AMD | CPU AMD Phenom II 955 Quad Core, Socket AM3, 6144K L3, 4X512K L2, 0.045u, 0.875-1.5V, 125W, 64bit (3200 MHz), WOF BOX, Black Edition, HDZ955FBGIBOX | 167.552 | USD | 677.1072 | C | 36 | 19251 |
| Procesoare | AMD | CPU AMD Phenom II 965 Quad Core, Socket AM3, 6144K L3, 4X512K L2, 0.045u, 0.825-1.4V, 125W, 64bit (3400 MHz), WOF BOX, Black Edition, HDZ965FBGIBOX | 191.744 | USD | 774.872 | SL | 36 | 21857 |
| Procesoare | AMD | CPU AMD Phenom II X6 1055T Six Core, Socket AM3, 6144K L3, 6X512K L2, 0.045u, 0.825-1.4V, 125W, 64bit (2800 MHz), BOX, Six CORE, HDT55TFBGRBOX | 235.088 | USD | 950.0288 | S | 36 | 22739 |
| Procesoare | AMD | CPU AMD Phenom II X6 1090T Six Core, Socket AM3, 6144K L3, 6X512K L2, 0.045u, 0.825-1.4V, 125W, 64bit (3200 MHz), WOF BOX, Black Edition, Six CORE, HDT90ZFBGRBOX | 343.616 | USD | 1388.61 | C | 36 | 22738 |
| Procesoare | AMD | CPU AMD Opteron UniProcessor 1210, Socket AM2, 2X1024K L2, bus 2000, 0.09u, 1.4V, 103W, 64bit, (1800 MHz), BOX, Dual CORE, OSA1210CSBOX | 79.408 | USD | 320.9024 | 0 | 36 | 6760 |
| Procesoare | AMD | CPU AMD Opteron UniProcessor 1212, Socket AM2, 2X1024K L2, bus 2000, 0.09u, 1.4V, 103W, 64bit, (2000 MHz), BOX, Dual CORE, OSA1212CSBOX | 86.8 | USD | 350.7728 | 0 | 36 | 6761 |
| Procesoare | AMD | CPU AMD Opteron UniProcessor 1214, Socket AM2, 2X1024K L2, bus 2000, 0.09u, 1.4V, 103W, 64 bit, (2200 MHz), BOX, Dual CORE, OSA1214CSBOX | 114.128 | USD | 461.2048 | 0 | 36 | 10618 |
| Procesoare | AMD | CPU AMD Opteron UniProcessor 1216, Socket AM2, 2X1024K L2, bus 2000, 0.09u, 1.4V, 103W, 64 bit, (2400 MHz), BOX, Dual CORE, OSA1216CSBOX | 135.296 | USD | 546.7504 | 0 | 36 | 10619 |
| Procesoare | AMD | CPU AMD Opteron UniProcessor 1218, Socket AM2, 2X1024K L2, bus 2000, 0.09u, 1.4V, 103W, 64 bit, (2600 MHz), BOX, Dual CORE, OSA1218CSBOX | 162.4 | USD | 656.2864 | 0 | 36 | 10620 |
| Procesoare | AMD | CPU AMD Opteron UniProcessor 1220, Socket AM2, 2X1024K, bus 2000, 0.09u, 1.4V, 103W, 64 bit, (2800 MHz), BOX, Dual CORE, OSA1220CZBOX | 189.728 | USD | 766.7184 | 0 | 36 | 10621 |
| Procesoare | AMD | CPU AMD Opteron UniProcessor 1222, Socket AM2, 2X1024K L2, bus 2000, 0.09u, 1.4V, 103W, 64 bit, (3000 MHz), BOX, Dual CORE, OSA1222CZBOX | 217.056 | USD | 877.1616 | 0 | 36 | 13642 |
| Procesoare | Intel | CPU Intel Celeron 430, 1800 MHz, Socket LGA775, 512K, bus 800, 0.065u, BOX, (Intel EM64T), BX80557430 | 40.88 | USD | 165.2 | 0 | 36 | 8967 |
| Procesoare | Intel | CPU Intel Celeron 450, 2200MHz, Socket LGA775, 512K, bus 800, TRAY, HH80557RG049512 | 41.776 | USD | 168.8288 | C | 36 | 24702 |
| Procesoare | Intel | CPU Intel Dual Core Celeron E1200, 1600MHz, Socket LGA775, 512K, bus 800, 0.065u, BOX, BX80557E1200 | 48.944 | USD | 197.792 | C | 36 | 12437 |
| Procesoare | Intel | CPU Intel Dual Core Celeron E3300, 2500MHz, Socket LGA775, 1024K, bus 800, 0.045u, BOX, BX80571E3300 | 51.408 | USD | 207.7488 | S | 36 | 20388 |
| Procesoare | Intel | CPU Intel Dual Core Celeron E3400, 2600MHz, Socket LGA775, 1024K, bus 800, 0.045u, BOX, BX80571E3400 | 62.608 | USD | 253.008 | C | 36 | 21909 |
| Procesoare | Intel | CPU Intel Pentium Dual Core G6950, 2800MHz, Socket LGA1156, 3072K, 0.032u, BOX, Dual Core, (Intel EM64T, VT), Integrated Graphics, BX80616G6950 | 106.736 | USD | 431.3344 | C | 36 | 23499 |
| Procesoare | Intel | CPU Intel Pentium Dual Core E5300, 2600 MHz, Socket LGA775, 2048K, bus 800, 0.045u, BOX, Dual CORE, (Intel EM64T), BX80571E5300 | 78.288 | USD | 316.3776 | C | 36 | 17833 |
| Procesoare | Intel | CPU Intel Pentium Dual Core E5400, 2700 MHz, Socket LGA775, 2048K, bus 800, 0.045u, BOX, Dual CORE, (Intel EM64T), BX80571E5400 | 70.112 | USD | 283.3376 | S | 36 | 17834 |
| Procesoare | Intel | CPU Intel Pentium Dual Core E5500, 2800 MHz, Socket LGA775, 2048K, bus 800, 0.045u, BOX, Dual CORE, (Intel EM64T, VT), BX80571E5500 | 80.528 | USD | 325.4272 | SL | 36 | 23996 |
| Procesoare | Intel | CPU Intel Pentium Dual Core E6500, 2930 MHz, Socket LGA775, 2048K, bus 1066, 0.045u, BOX, Dual CORE, (Intel EM64T, VT), BX80571E6500 | 84.112 | USD | 339.9088 | S | 36 | 21912 |
| Procesoare | Intel | CPU Intel Pentium Dual Core E6600, 3060MHz, Socket LGA775, 2048K, bus 1066, 0.045u, BOX, Dual CORE, (Intel EM64T, VT), BX80571E6600 | 91.952 | USD | 371.5936 | 0 | 36 | 25071 |
| Procesoare | Intel | CPU Intel Pentium Dual Core E6700, 3200MHz, Socket LGA775, 2048K, bus 1066, 0.045u, BOX, Dual CORE, (Intel EM64T, VT), BX80571E6700_S_LGUF | 103.936 | USD | 420.0224 | C | 36 | 23500 |
| Procesoare | Intel | CPU Intel Core 2 Duo E7500, 2930 MHz, Socket LGA775, 3072K, bus 1066, 0.045u, BOX, Dual CORE, (Intel EM64T), BX80571E7500 | 136.64 | USD | 552.1824 | M | 36 | 17835 |
| Procesoare | Intel | CPU Intel Core 2 Duo E7600, 3060 MHz, Socket LGA775, 3072K, bus 1066, 0.045u, BOX, Dual CORE, (Intel EM64T), BX80571E7600 | 157.136 | USD | 635.0064 | M | 36 | 19333 |
| Procesoare | Intel | CPU Intel Core 2 Duo E8400, 3000 MHz, Socket LGA775, 6144K, bus 1333, 0.045u, BOX, Dual CORE, (Intel EM64T, VT), BX80570E8400 | 195.104 | USD | 788.4464 | C | 36 | 12419 |

| | | | | | | | | |
|------------|-------|---|---------|-----|-----------------|---|----|-------|
| Procesoare | Intel | CPU Intel Core 2 Duo E8500, 3160 MHz, Socket LGA775, 6144K, bus 1333, 0.045u, BOX, Dual CORE, (Intel EM64T, VT), BX80570E8500 | 218.512 | USD | 883.0416 | C | 36 | 12417 |
| Procesoare | Intel | CPU Intel Core 2 Duo E8600, 3333 MHz, Socket LGA775, 6144K, bus 1333, 0.045u, BOX, Dual CORE, (Intel EM64T, VT), BX80570E8600SLB9L | 310.8 | USD | 1255.99 | 0 | 36 | 15149 |
| Procesoare | Intel | CPU Intel Core 2 Quad Q8300, 2500 MHz, Socket LGA775, 4096K, bus 1333, 0.045u, BOX, Quad CORE, (Intel EM64T), BX80580Q8300 | 162.4 | USD | 656.2864 | S | 36 | 17836 |
| Procesoare | Intel | CPU Intel Core 2 Quad Q8400, 2666 MHz, Socket LGA775, 4096K, bus 1333, 0.045u, BOX, Quad CORE, (Intel EM64T), BX80580Q8400 | 195.104 | USD | 788.4464 | C | 36 | 19268 |
| Procesoare | Intel | CPU Intel Core 2 Quad Q9400, 2666 MHz, Socket LGA775, 6144K, bus 1333, 0.045u, BOX, Quad CORE, (Intel EM64T, VT), BX80580Q9400 | 224.224 | USD | 906.1248 | C | 36 | 16175 |
| Procesoare | Intel | CPU Intel Core 2 Quad Q9505 2833MHz, Socket LGA775, 6144K, bus 1333, 0.045u, BOX, Quad CORE, (Intel EM64T, VT), BX80580Q9505 | 262.864 | USD | 1062.275 | C | 36 | 25072 |
| Procesoare | Intel | CPU Intel Core 2 Quad Q9550, 2833 MHz, Socket LGA775, 12288K, bus 1333, 0.045u, BOX, Quad CORE, (Intel EM64T, VT), BX80569Q9550SLAWQ | 321.104 | USD | 1297.632 | C | 36 | 14590 |
| Procesoare | Intel | CPU Intel Core 2 Quad Q9550S, 2833 MHz, Socket LGA775, 12288K, bus 1333, 0.045u, BOX, Quad CORE, (Intel EM64T, VT), Low Power, BX80569Q9550S | 375.536 | USD | 1517.6 | C | 36 | 22468 |
| Procesoare | Intel | CPU Intel Core 2 Quad Q9650, 3000 MHz, Socket LGA775, 12288K, bus 1333, 0.045u, BOX, Quad CORE, (Intel EM64T, VT), BX80569Q9650 | 370.384 | USD | 1496.779 | C | 36 | 17837 |
| Procesoare | Intel | CPU Intel Core 2 Extreme QX6850, 3000 MHz, Socket LGA775, 8192K, bus 1333, 0.065u, BOX, Quad CORE, (Intel EM64T, VT), BX80562QX6850SLAFN | 559.104 | USD | 2259.432 | C | 36 | 9396 |
| Procesoare | Intel | CPU Intel Core 2 Extreme QX9650, 3000 MHz, Socket LGA775, 12288K, bus 1333, 0.065u, BOX, Quad CORE, (Intel EM64T, VT), BX80569QX9650 | 582.4 | USD | 2353.568 | C | 36 | 12420 |
| Procesoare | Intel | CPU Intel Core i3 530 2930 MHz, Socket LGA1156, 4096K, 0.032u, BOX, CORE i3, Dual Core, HT, Integrated Graphics, BX80616I6530 | 121.744 | USD | 491.9824 | S | 36 | 21910 |
| Procesoare | Intel | CPU Intel Core i3 540 3060 MHz, Socket LGA1156, 4096K, 0.032u, BOX, CORE i3, Dual Core, HT, Integrated Graphics, BX80616I6540 | 136.64 | USD | 552.1824 | S | 36 | 21911 |
| Procesoare | Intel | CPU Intel Core i3 550, 3200 MHz, Socket LGA1156, 4096K, 0.032u, BOX, CORE i3, Dual Core, HT, (Intel EM64T, VT), Integrated Graphics, BX80616I3550_S_LBUD | 163.856 | USD | 662.1664 | 0 | 36 | 23494 |
| Procesoare | Intel | CPU Intel Core i5 650, 3200 MHz, Socket LGA1156, 4096K, 0.032u, BOX, CORE i5, Dual Core, HT, (Intel EM64T, VT), Integrated Graphics, BX80616I5650 | 200.928 | USD | 811.9776 | S | 36 | 22919 |
| Procesoare | Intel | CPU Intel Core i5 655K, 3200MHz, Socket LGA1156, 4096K, 0.032u, BOX, CORE i5, Dual Core, HT, (Intel EM64T, VT), Integrated Graphics, BX80616I5655K_S_LBXL | 250.432 | USD | 1012.032 | C | 36 | 23493 |
| Procesoare | Intel | CPU Intel Core i5 660, 3330 MHz, Socket LGA1156, 4096K, 0.032u, BOX, CORE i5, Dual Core, HT, (Intel EM64T, VT), Integrated Graphics, BX80605I5750 | 236.208 | USD | 954.5536 | C | 36 | 22920 |
| Procesoare | Intel | CPU Intel Core i5 661, 3330 MHz, Socket LGA1156, 4096K, 0.032u, BOX, CORE i5, Dual Core, HT, (Intel EM64T, VT), Integrated Graphics, BX80605I5750 | 232.512 | USD | 939.6128 | C | 36 | 22922 |
| Procesoare | Intel | CPU Intel Core i5 670, 3460 MHz, Socket LGA1156, 4096K, 0.032u, BOX, CORE i5, Dual Core, HT, (Intel EM64T, VT), Integrated Graphics, BX80605I5750 | 332.976 | USD | 1345.613 | C | 36 | 22921 |
| Procesoare | Intel | CPU Intel Core i5 680, 3600MHz, Socket LGA1156, 8192K, 0.032u, BOX, CORE i7, Dual Core, (Hyper-Threading, Intel EM64T, VT), Integrated Graphics, BX80616I5680_S_LBTM | 343.952 | USD | 1389.965 | 0 | 36 | 23495 |
| Procesoare | Intel | CPU Intel Core i5 750, 2666 MHz, Socket LGA1156, 8192K, 0.045u, BOX, CORE i5, (Intel EM64T, VT), BX80605I5750 | 224.336 | USD | 906.5728 | 0 | 36 | 19950 |
| Procesoare | Intel | CPU Intel Core i5 750S, 3200MHz, Socket LGA1156, 8192K, 0.045u, BOX, CORE i5, (Intel EM64T, VT), BX80605I5750S | 306.992 | USD | 1240.602 | C | 36 | 23496 |
| Procesoare | Intel | CPU Intel Core i5 760, 2800 MHz, Socket LGA1156, 8192K, 0.045u, BOX, CORE i5, (Intel EM64T, VT), BX80605I5760 | 224.336 | USD | 906.5728 | M | 36 | 25314 |
| Procesoare | Intel | CPU Intel Core i7 860, 2800 MHz, Socket LGA1156, 4096K, 0.045u, BOX, CORE i7, (Hyper-Threading, Intel EM64T, VT), BX80605I7860 | 317.856 | USD | 1284.506 | C | 36 | 20389 |
| Procesoare | Intel | CPU Intel Core i7 870, 2930 MHz, Socket LGA1156, 8192K, 0.045u, BOX, CORE i7, (Hyper-Threading, Intel EM64T, VT), BX80605I7870 | 332.976 | USD | 1345.613 | C | 36 | 20390 |
| Procesoare | Intel | CPU Intel Core i7 875K 2933 MHz, Socket LGA1156, 8192K, 0.045u, BOX, CORE i7, (Hyper-Threading ,Intel EM64T, VT), BX80605I7875K_S_LBS2 | 385.728 | USD | 1558.794 | 0 | 36 | 23492 |
| Procesoare | Intel | CPU Intel Core i7 930, 2800 MHz, Socket LGA1366, 8192K, 0.045u, BOX, CORE i7, (Hyper-Threading ,Intel EM64T, VT), BX80601930SLBKP | 317.856 | USD | 1284.506 | M | 36 | 22236 |
| Procesoare | Intel | CPU Intel Core i7 940, 2933 MHz, Socket LGA1366, 8192K, 0.045u, BOX, CORE i7, (Hyper-Threading ,Intel EM64T, VT), BX80601940SLBCK | 339.584 | USD | 1372.314 | C | 36 | 17071 |
| Procesoare | Intel | CPU Intel Core i7 950, 3066 MHz, Socket LGA1366, 8192K, 0.045u, BOX, CORE i7, (Hyper-Threading ,Intel EM64T, VT), BX80601950 | 342.832 | USD | 1385.44 | C | 36 | 19602 |
| Procesoare | Intel | CPU Intel Core i7 975 Extreme, 3333 MHz, Socket LGA1366, 8192K, 6.4 GT/sec, 0.045u, BOX, CORE i7, (Hyper-Threading ,Intel EM64T, VT), BX80601975 | 1157.74 | USD | 4678.632 | 0 | 36 | 19603 |
| Procesoare | Intel | CPU Intel Core i7 980X Extreme, 3333 MHz, Socket LGA1366, 12288K, 6.4 GT/sec, 0.032u, BOX, CORE i7, (Hyper-Threading ,Intel EM64T, VT), BX80613I7980X | 1157.74 | USD | 4678.632 | 0 | 36 | 23498 |
| Procesoare | Intel | CPU Intel Core i7 960, 3200MHz, Socket LGA1366, 8192K, 0.045u, BOX, CORE i7, (Hyper-Threading ,Intel EM64T, VT), BX80601960 | 649.04 | USD | 2622.872 | 0 | 36 | 23497 |
| Procesoare | Intel | CPU Intel Xeon Quad Core E5410, 2330MHz, Socket LGA771, 12288K, bus 1333, 0.045u, 80W, BOX, Quad CORE, (Active),BX80574E5410A | 360.528 | USD | 1456.952 | 0 | 36 | 19044 |
| Procesoare | Intel | CPU Intel Xeon Quad Core E5420, 2500MHz, Socket LGA771, 12288K, bus 1333, 0.065u, 80W, BOX, Quad CORE, (Active), BX80574E5420ASLANV | 391.888 | USD | 1583.68 | 0 | 36 | 13973 |
| Procesoare | Intel | CPU Intel Xeon Quad Core E5440, 2830MHz, Socket LGA771, 12288K, bus 1333, 0.045u, 80W, BOX, Quad CORE, (Active), BX80574E5440A | 832.384 | USD | 3363.797 | 0 | 36 | 16091 |
| Procesoare | Intel | CPU Intel Xeon Quad Core E5440, 2830MHz, Socket LGA771, 12288K, bus 1333, 0.045u, 80W, BOX, Quad CORE, (Pasive), BX80574E5440P | 832.384 | USD | 3363.797 | 0 | 36 | 18729 |
| Procesoare | Intel | CPU Intel Xeon Quad Core E5450, 3000MHz, Socket LGA771, 12288K, bus 1333, 0.045u, 120W, BOX, Quad CORE, (Active), BX80574E5450A | 1232.45 | USD | 4980.517 | 0 | 36 | 20776 |
| Procesoare | Intel | CPU XEON QUAD CORE E5520 2.26GHz/8M/5.86 GT/sec LGA1366 BOX | 441.504 | USD | 1784.194 | 0 | 36 | 20443 |
| Procesoare | Intel | CPU Intel Xeon Quad Core X3460, 2800MHz, Socket LGA1156, 8192K, DMI 2.5 GT/s, 0.045u, 95W, BOX, HT, Quad CORE, BX80605X3460 | 391.776 | USD | 1583.232 | 0 | 36 | 22155 |

| Coolere, ventilatoare | | | | | | | | | |
|-----------------------|------------|--|---------|-----|----------|----|----|-------|--|
| Coolere, vent | Spire | Cooler CPU Spire SP804S3 CoolReef, Socket AM2/AM3, 2700rpm (+/- 10%) | 4.5584 | USD | 18.424 | S | 12 | 21096 | |
| Coolere, vent | Spire | Cooler CPU Spire SP450S8 Lionstream V Pro, Cooperbased, Sleeve bearing, Socket 478, 3200rpm, P4 max. 3800MHz | 8.1536 | USD | 32.9504 | SL | 12 | 15024 | |
| Coolere, vent | Spire | Cooler CPU Spire SP805S3 CoolReef II, Socket AM2/754/939/940 AMD Cooler, Star Aluminum Heat-Sink, Tool-free, 92mm Round-Fan, Sleeve Bearing, 2400rpm, 21.0dBA, 35.7CFM | 5.712 | USD | 23.0832 | 0 | 12 | 25355 | |
| Coolere, vent | Spire | Cooler CPU Spire SP526S7 CoolWave V, Socket 775 Cooling kit, 2000rpm (+/- 10%) | 6.4064 | USD | 25.8944 | S | 12 | 18513 | |
| Coolere, vent | Spire | Cooler CPU Spire SP530S0 Minato, Socket 775 Intel Cooler, Radial Aluminium, Sleeve Bearing Fan | 5.2416 | USD | 21.1792 | C | 12 | 25353 | |
| Coolere, vent | Spire | Cooler CPU Spire SP532S7 Storm 532, Socket 1156/1366 Intel Cooler, Aluminum Heat-sink, Push Pins, Anti-Vibe 90x35 Storm blue Fan, Sleeve Bearing, 2700rpm | 6.7536 | USD | 27.2944 | C | 12 | 25354 | |
| Coolere, vent | Antec | Cooler CPU Antec KUHLEK box, compatibil cu: LGA 775, LGA 1366, LGA 1156, AM2, AM3, 8 hitpipe-uri, 120mm fan | 44.8 | EUR | 237.0368 | 0 | 24 | 26050 | |
| Coolere, vent | Antec | Cooler CPU Antec KUHLEK flow, compatibil cu: LGA 775, LGA 1366, LGA 1156, AM2, AM3, 7 hitpipe-uri, 120mm fan | 44.8 | EUR | 237.0368 | 0 | 24 | 26053 | |
| Coolere, vent | Antec | Cooler CPU Antec KUHLEK shelf, compatibil cu: LGA 775, LGA 1366, LGA 1156, AM2, AM3, 7 hitpipe-uri, 120mm fan | 44.8 | EUR | 237.0368 | 0 | 24 | 26052 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Alpha 10, baza de cupru, 92mm fan (2500 RPM, 47 CFM), compatibil Intel LGA775, DP-ALPH10 | 7.6272 | USD | 30.8224 | S | 12 | 21144 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Alpha 200 Plus, baza de cupru, 2 heatpipe-uri, 92x92x32mm fan (2200 RPM, 40.9 CFM), compatibil Intel LGA775, DP-ALPH200P | 13.776 | USD | 55.6752 | 0 | 12 | 21143 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Alpha 200 ST, baza de cupru, 2 heatpipe-uri, 92mm fan (2200 RPM, 40.9 CFM, 25 dBA), compatibil Intel LGA775 | 11.872 | USD | 47.9808 | S | 12 | 26220 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Alpha 200 ST PWM, baza de cupru, 2 heatpipe-uri, 92mm PWM fan, compatibil Intel LGA775 | 14.56 | USD | 58.8448 | S | 12 | 26219 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Alpha 400 Plus, baza de cupru, 4 heatpipe-uri, 92x92x32mm fan (800-2800 RPM, 55.75 CFM, PWM), compatibil Intel LGA775 | 23.744 | USD | 95.9504 | 0 | 12 | 21401 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Alpha 6, 92mm fan (2200 RPM, 40.9 CFM, 25 dBA), compatibil Intel LGA775 | 5.824 | USD | 23.5312 | S | 12 | 26223 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Alpha 7, 92x92x32mm fan (2200 RPM, 40.9 CFM, 25 dBA), compatibil Intel LGA775 | 6.4064 | USD | 25.8944 | S | 12 | 21399 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Alpha 9, 92mm fan (2200 RPM, 40.9 CFM, 25 dBA), compatibil Intel LGA775 | 4.7712 | USD | 19.2864 | S | 12 | 26222 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool AM2-1024, 80mm fan (3100 RPM, 38 CFM, 34 dBA), compatibil AMD 939, 940, 754, AM2, AM2+, AM3 | 5.824 | USD | 23.5312 | S | 12 | 26200 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Beta 10, 92mm fan (2200 RPM, 40.9 CFM, 25 dBA), compatibil AMD 939, 940, 754, AM2, AM2+, AM3 | 6.9888 | USD | 28.2464 | S | 12 | 26201 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Beta 11, 92mm fan (2200 RPM, 37.43 CFM, 30.7 dBA), compatibil AMD 939, 940, 754, AM2, AM2+, AM3 | 8.1536 | USD | 32.9504 | S | 12 | 26202 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Beta 200 Plus, baza de cupru, 2 heatpipe-uri, 92x92x32mm fan (2200 RPM, 40.9 CFM, 25 dBA), compatibil AMD 939, 940, 754, AM2, AM2+, AM3, DP-BETA200P | 13.776 | USD | 55.6752 | 0 | 12 | 21145 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Beta 200 ST, baza de cupru, 2 heatpipe-uri, 92mm fan (2200 RPM, 37.36 CFM, 30.1 dBA), compatibil AMD 939, 940, 754, AM2, AM2+, AM3 | 13.776 | USD | 55.6752 | S | 12 | 26203 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Beta 200 ST PWM, baza de cupru, 2 heatpipe-uri, 92mm PWM fan, compatibil AMD 939, 940, 754, AM2, AM2+, AM3 | 15.232 | USD | 61.5552 | S | 12 | 26204 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Beta 40, baza de cupru, 92x92x32mm fan (2200 RPM, 40.9 CFM, 25 dBA), compatibil AMD 939, 940, 754, AM2, AM2+, AM3 | 10.5952 | USD | 42.8176 | S | 12 | 21868 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Beta 400 Plus, baza de cupru, 4 heatpipe-uri, 92x92x32mm fan (800-2800 RPM, 55.75 CFM, PWM), compatibil AMD 939, 940, 754, AM2, AM2+, AM3 | 23.184 | USD | 93.688 | S | 12 | 21400 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool CK-77502, 92mm fan (2200 RPM, 40.9 CFM), compatibil Intel LGA775 | 4.1552 | USD | 16.7888 | S | 12 | 21404 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool CK-AM209, 80mm fan (2800 RPM, 35 CFM, 30 dBA), compatibil AMD 939, 940, 754, AM2, AM2+, AM3 | 4.7712 | USD | 19.2864 | S | 12 | 26210 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Gamma 50, 92x92x38mm fan (1100-2300 RPM, 41.5 CFM, PWM), compatibil Intel LGA775 / AMD AM2, AM2+, AM3 | 12.32 | USD | 49.784 | S | 12 | 21869 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Ice Blade Pro, 4x 8mm heatpipe-uri direct touch, 120mm fan (900-1500 RPM, 60.29 CFM, 21.4-32.1 dBA, PWM), compatibil Intel LGA775, LGA1156, LGA1366 / AMD 939, 940, 754, AM2, AM2+, AM3, DP-IBLADEP | 40.656 | USD | 164.2928 | S | 12 | 21140 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Ice Warrior, 6 heatpipe-uri, 120mm fan (500-1500 RPM, 66.3 CFM, 17.6-27.6 dBA, PWM, seria UF - acoperit cu cauciu), compatibil Intel LGA775, LGA1156, LGA1366 / AMD AM2, AM2+, AM3 | 63.504 | USD | 256.6256 | S | 12 | 26205 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Iceberg Pro, 3x 8mm heatpipe-uri direct touch, 92mm fan (1000-2400 RPM, 36.25 CFM, PWM), compatibil Intel LGA775, LGA1156, LGA1366 / AMD 939, 940, 754, AM2, AM2+, AM3 | 26.768 | USD | 108.1696 | SL | 12 | 21403 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Iceedge-200, baza de cupru, 2 heatpipe-uri, 92mm fan (2200 RPM, 37.18 CFM), compatibil Intel LGA775, LGA1156 / AMD 939, 940, 754, AM2, AM2+, AM3, DP-IEDGE200 | 17.808 | USD | 71.96 | S | 12 | 21142 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Iceedge-400 Ni, baza de cupru, 4 heatpipe-uri, 92mm fan (2200 RPM, 37.18 CFM), compatibil Intel LGA775, LGA1156 / AMD 939, 940, 754, AM2, AM2+, AM3, DP-IEDGE400 | 27.776 | USD | 112.2464 | S | 12 | 21141 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Killer Whale, baza de cupru, 6 heatpipe-uri, 120x120x48mm fan (800-1800 RPM, 78.31 CFM, 19.1-31.8 dBA, PWM), compatibil Intel LGA775, LGA1156, LGA1366 / AMD 939, 940, 754, AM2, AM2+, AM3 | 45.248 | USD | 182.8512 | S | 12 | 21402 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Theta 10, baza de cupru, 92mm fan (2500 RPM, 47 CFM, 32 dBA), compatibil Intel LGA1156 | 10.8304 | USD | 43.7696 | S | 12 | 26214 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Theta 30, 92mm fan (2200 RPM, 37.43 CFM, 30.7 dBA), compatibil Intel LGA1156 | 9.3184 | USD | 37.6544 | S | 12 | 26215 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Theta 7, 92mm fan (2200 RPM, 40.9 CFM, 25 dBA), compatibil Intel LGA1156 | 8.624 | USD | 34.8544 | S | 12 | 26213 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Winner D988, 92x92x32mm fan (2200 RPM, 40.9 CFM), compatibil Intel LGA775 | 6.8768 | USD | 27.7872 | S | 12 | 21870 | |
| Coolere, vent | Deepcool | Cooler CPU Deepcool Winner S915, 92mm fan (2200 RPM, 40.9 CFM, 25 dBA), compatibil Intel LGA775 | 6.4064 | USD | 25.8944 | S | 12 | 26221 | |
| Coolere, vent | Corsair | Cooler CPU Corsair CAF450, fan speed 1600-2000 rpm, noise 26-31.5 dBA, air flow 50-61CFM, compatibil cu: LGA 775, LGA 1366, LGA 1156, AM2, AM3, 3 hitpipe-uri, 120mm fan | 49.168 | USD | 198.6992 | 0 | 24 | 26095 | |
| Coolere, vent | Corsair | Cooler CPU Corsair CAF470, fan speed 1600-2000 rpm, noise 26-31.5 dBA, air flow 50-61CFM, compatibil cu: LGA 775, LGA 1366, LGA 1156, AM2, AM3, 4 hitpipe-uri, 120mm fan | 65.184 | USD | 263.424 | 0 | 24 | 26096 | |
| Coolere, vent | Corsair | Cooler CPU Corsair CWCH50, Sistem de racire cu lichid, radiator aluminiu, ventilator 120 mm, compatibil cu LGA 775, LGA1366 | 86.576 | USD | 349.8656 | 0 | 24 | 26097 | |
| Coolere, vent | Corsair | Cooler CPU Corsair CWCH50-1, Sistem de racire cu lichid, radiator aluminiu, ventilator 120 mm, compatibil cu LGA 775, 1156, 1366, AM2, AM3 | 86.576 | USD | 349.8656 | C | 24 | 26098 | |
| Coolere, vent | Arctic | Cooler CPU Artic Cooling Freezer 64 PRO, 6 Cooper Heatpipes, CopperBase, Ball Bearing, AMD Opteron, Athlon 64 Series, 92mm Fan | 16.24 | EUR | 85.9264 | 0 | 72 | 5130 | |
| Coolere, vent | Arctic | Cooler CPU Artic Cooling Freezer Xtreme Rev.2, socket 1366/ 1156/ 775/ 939/ AM2/ AM2+/ AM3, fan 120 mm cu PWM, 4 heatpipe-uri cupru "U" shape, radiator cu design twin-tower, capacitate masiva de disipare a caldurii - pana la 160W | 31.584 | EUR | 167.1152 | S | 72 | 21522 | |
| Coolere, vent | Coolity | Cooler CPU CoolIT Advanced Liquid cooling (Intel 775/1156/1366, AMD AM2/AM2+/AM3), Aluminium, Copper Micro-Channel, Ceramic Bearing, quiet 12V, 50.000 hours MTTF life cycle, 1800rpm, 120 mm fan | 71.008 | USD | 286.9552 | C | 24 | 25352 | |
| Coolere, vent | Cooler Mas | Cooler CPU Cooler Master Hyper 212 Plus Cooler CPU, Intel Core i7/Intel Core 2 Extreme Power/Core 2 Quad/Core 2 Duo/Pentium Extreme Power/Pentium Dual-Core/Pentium D/Pentium 4/Celeron Dual-Core/Celeron D/Celeron, AMD Phenom II/Phenom/Athlon64 FX/Athlon 64 X2/Athlon X2/Sempron, 626 g, aluminiu, 4x heatpipe in contact direct cu procesorul, 600-2000 R.P.M., CFM 21.2 - 76.8, 4-pin PWM, long life sleeve, 40.000 ore, 13-32dBA, 2 ani | 24.192 | EUR | 128.0048 | S | 24 | 19907 | |

| | | | | | | | | |
|---------------|-------------|--|--------|-----|----------|----|----|-------|
| Coolere, vent | Cooler Mas | Cooler CPU Cooler Master Hyper N520 Cooler CPU, Intel Core i7/Core 2 Extreme/Core 2 Quad/Core 2 Duo/Pentium 4/Pentium D/Celeron/Celeron D, AMD Phenom X4 Quad Core/Phenom X3 Triple Core/Athlon 64 x2 Dual Core/Athlon 64 FX/Athlon 64/Sempron, 688 g, aluminiu cu baza de cupru, 5x heatpipe, 2x 1800 R.P.M., CFM maxim 43.8, 3-pin, sleeve, 70.000 ore, 19dBA, 2 ani | 28.224 | EUR | 149.3408 | C | 24 | 19905 |
| Coolere, vent | Cooler Mas | Cooler CPU Cooler Master Hyper TX3 Cooler CPU, Intel Core 2 Extreme Power/Core 2 Quad/Core 2 Duo/Pentium Extreme Power/Pentium Dual-Core/Pentium D/Pentium 4/Celeron Dual-Core/Celeron D/Celeron, AMD Phenom/Athlon 64 FX/Athlon 64 X2/Athlon X2/Sempron, 470 g, aluminiu, 3x heatpipe in contact direct cu procesorul, 800-2800 R.P.M., CFM 15.7 - 54.8, 4-pin PWM, long life sleeve, 40.000 ore, 17-35dBA, 2 ani | 15.456 | EUR | 81.7824 | S | 24 | 19908 |
| Coolere, vent | Cooler Mas | Cooler CPU Cooler Master V10 Cooler CPU, Intel Core i7/Core 2 Extreme/Core 2 Quad/Core 2 Duo/Pentium Extreme/Pentium Dual-Core/Pentium D/Pentium 4 Extreme/Pentium 4 HT/Pentium 4/Celeron Dual-Core/Celeron D, AMD Phenom/Athlon 64 X2/Athlon X2/Sempron, 1200 g, aluminiu cu baza de cupru, 10x heatpipe, 800-2400 R.P.M., CFM maxim 90, 4-pin PWM, racire hibrida cu tehnologie TEC, ventilator rulmenti rifle, 40.000 ore, 17dBA, 2 ani | 92.848 | EUR | 491.2656 | C | 24 | 19906 |
| Coolere, vent | Cooler Mas | Cooler CPU Cooler Master V8, Compatibilitate: Intel SocketLGA775/LGA1156/LGA1366, AMD Socket Socket 940/AM2/AM2+ , Aluminiu cu baza de cupru, 800 -1800 rpm, 8 x heatpipe | 52.304 | EUR | 276.7408 | C | 24 | 17436 |
| Coolere, vent | Cooler Mas | Cooler CPU Cooler Master Vortex 752, Compatibilitate: Intel LGA775/ AMD K8, AM2, Aluminiu cu baza de cupru, 800 - 2200 rpm | 16.128 | EUR | 85.3328 | 0 | 24 | 17430 |
| Coolere, vent | OCZ | Cooler CPU OCZ Vendetta 2, heatpipe direct touch (HDT), fan 120mm cu conectori de cauciuc (800-1500rpm), compatibil Intel LGA 775/AMD 939, 754, 755, AM2 OCZTVENT2 | 39.648 | EUR | 209.776 | 0 | 12 | 19063 |
| Coolere, vent | OCZ | Cooler CPU OCZ Vindicator, 6 heatpipe-uri, fan 120mm (1000rpm), 18.5 dBA, PWM, compatibil Intel LGA775/AMD 939, 754, AM2, OCZTVIND | 34.944 | EUR | 184.8896 | 0 | 12 | 21139 |
| Coolere, vent | Scythe | Cooler CPU Scythe Kabuto, tower, AI + Cu, ventilator 120 mm sils stream, 6 heatpipes, posibilitate , compatibilitate 478/LGA775/LGA1366/754/939/940/AM2/AM2+/AM3 | 32.816 | EUR | 173.6336 | 0 | 24 | 19025 |
| Coolere, vent | Scythe | Cooler CPU Scythe Katana 3, tower, AI + Cu, ventilator 92 mm, 6 heatpipes, compatibilitate 478/LGA775/LGA1366/754/939/940/AM2/AM2+/AM3 | 16.912 | EUR | 89.488 | C | 24 | 19024 |
| Coolere, vent | Scythe | Cooler CPU Scythe Mugen 2 Rev. B, 10 Heatpipes AI + Copper, Silent, 120mm fan, 1300rpm, posibilitate racire pasiva, compatibilitate 478/LGA775/754/939/940/AM2/LGA1366/LGA1156 | 32.816 | EUR | 173.6336 | C | 12 | 22857 |
| Coolere, vent | Scythe | Adaptor Cooler CPU Scythe Mugen2, LGA1156 mounting clip | 4.3904 | EUR | 23.2288 | 0 | 12 | 22460 |
| Coolere, vent | Zerotherm | Cooler CPU ZEROtherm CORE92, tehnologie heatpipe direct touch, 92mm fan (900-2500rp, PWM), 3 heatpipe-uri, compatibil Intel LGA1366, LGA1156, LGA775CORE92 | 20.16 | EUR | 106.6688 | SL | 12 | 19411 |
| Coolere, vent | Zerotherm | Cooler CPU ZEROtherm Nirvana NV120 Premium, baza de cupru, 120mm fan (1000-2300rpm, fan controller inclus), compatibil Intel LGA775 (backplate inclus) / AMD 939, AM2, AM2+, AM3 (clip inclus) / Intel LGA1366, LGA1156 (clip optional)NV120PR | 23.744 | EUR | 125.6304 | S | 12 | 25013 |
| Coolere, vent | Zerotherm | Cooler CPU ZEROtherm Nirvana NV120 PWM, baza de cupru, 120mm fan (900-1800rpm, 60 CFM, PWM), compatibil Intel LGA775, LGA1366 (backplate inclus) / AMD 939, AM2, AM2+, AM3 (clip inclus) / LGA1156 (clip optional) | 31.024 | EUR | 164.1472 | 0 | 12 | 14156 |
| Coolere, vent | Zerotherm | Cooler CPU ZEROtherm Nirvana NV120 PWM, baza de cupru, 120mm fan (1100-1800rpm, PWM), compatibil Intel LGA775 (backplate inclus) / AMD 939, AM2, AM2+, AM3 (clip optional) / Intel LGA1366, LGA1156 (clip optional)FZ120 | 32.48 | EUR | 171.8528 | S | 12 | 24385 |
| Coolere, vent | Zerotherm | Cooler CPU ZEROtherm Zen FZ120, baza de cupru, 120mm fan (1100-1800rpm, PWM), compatibil Intel LGA775 (backplate inclus) / AMD 939, AM2, AM2+, AM3 (clip optional) / Intel LGA1366, LGA1156 (clip optional)FZ120 | 25.872 | EUR | 136.8864 | S | 12 | 19072 |
| Coolere, vent | Spire | Acc Cooler CPU Thermal-Kit- Cleanser fluid + Silver Grease 5.0 Gram tube + Compound spreader, Retail | 11.536 | USD | 46.6144 | C | 12 | 23997 |
| Coolere, vent | Zerotherm | Acc Cooler CPU ZEROtherm Intel LGA1366/LGA1156/LGA775 clip pentru Zen FZ120, Nirvana NV120 Premium, Nirvana NV120 PWM | 1.9152 | EUR | 10.136 | S | 1 | 23417 |
| Coolere, vent | Zerotherm | Acc Cooler CPU ZEROtherm AMD clip pentru Zen FZ120 | 1.5792 | EUR | 8.3552 | S | 1 | 23418 |
| Coolere, vent | Thermaltake | Cooler CPU Thermaltake Contac 29 CLP0568, 3 heatpipe-uri direct touch de 8mm, 120mm fan (800-2000 RPM, 29.434 - 72.084 CFM, 15 - 33.2 dBA, PWM), compatibil Intel LGA775, LGA1156, LGA1366 / AMD 939, 754, AM2, AM2+, AM3 | 28.56 | EUR | 151.1104 | S | 12 | 22559 |
| Coolere, vent | Thermaltake | Cooler CPU Thermaltake Frip CLP0564, baza de cupru, 5 heatpipe-uri de 8mm, 2x 120mm push,pull fans (1200-2500 RPM, 101.6 CFM, 20 - 43 dBA, fan controller incluse), compatibil Intel LGA775, LGA1156, LGA1366 / AMD AM2, AM2+, AM3 | 58.24 | EUR | 308.1568 | SL | 12 | 22557 |
| Coolere, vent | Thermaltake | Cooler CPU Thermaltake ISGC-100 CLP0537, baza de cupru, 3 heatpipe-uri, 92mm fan (600-1600 RPM, 37 CFM, 17 dBA, PWM), compatibil Intel LGA775, LGA1156 / AMD AM2, AM2+, AM3 | 30.24 | EUR | 160.0032 | S | 12 | 23352 |
| Coolere, vent | Thermaltake | Cooler CPU Thermaltake ISGC-300 CLP0539, baza de cupru, 4 heatpipe-uri, 120mm fan (800-1300 RPM, 58.3 CFM, 16 dBA, fan controller inclus), compatibil Intel LGA775, LGA1156, LGA1366 / AMD AM2, AM2+, AM3 | 41.328 | EUR | 218.6688 | S | 12 | 22558 |
| Coolere, vent | Thermaltake | Cooler CPU Thermaltake MiniTyp 90 Value Pack, 6 heatpipe-uri, constructie din cupru, 92mm fan (2200 RPM, 38.7 CFM, 18 dBA), include 2 ventilatoare satelit de 50mm (Blue LED, 3000 RPM, 16 dBA, ajustabile) ce pot fi folosite pentru a raci memoriile, northbridge-ul sau VRM-urile, compatibil Intel LGA775 / AMD 939, AM2, AM2+, AM3 | 18.592 | EUR | 98.3696 | S | 12 | 26358 |
| Coolere, vent | Thermaltake | Cooler CPU Thermaltake SlimX3, 2 heatpipe-uri, low profile: inaltime 36mm, 80mm fan (1200-2400 RPM, 10.814 ~ 22.35 CFM, 20 ~ 26.9 dBA, PWM), compatibil Intel LGA775, LGA1156 | 17.584 | EUR | 93.0384 | S | 12 | 26357 |
| Coolere, vent | Zalman | Cooler CPU Zalman CNPS8000, 4 Cooper Heatpipes, Cooper Heatpipes, Silent, 1400-2600 rpm, 2 Ball Bearing, Socket 775/754/939/940/AM2, 92mm Fan, Speed Contro, Blue LED | 35.728 | EUR | 189.0448 | 0 | 12 | 7185 |
| Coolere, vent | Zalman | Cooler CPU Zalman CNPS9500 AT, 3 Heatpipes, Full Cooper, Silent, 1300-2650 rpm, 2 Ball Bearing, Socket 754/939/940/AM2, 92mm Fan, Speed Control | 29.008 | EUR | 153.4848 | 0 | 12 | 15410 |
| Coolere, vent | Zalman | Cooler CPU Zalman CNPS9700 LED, 6 Heatpipes, Full Cooper, Silent, 1250-2800 rpm, 2 Ball Bearing, Socket 775/754/939/940/AM2, 92mm Fan, Speed Contro, Blue LED | 34.944 | EUR | 184.8896 | 0 | 12 | 7575 |
| Coolere, vent | Zalman | Cooler CPU Zalman, CNPS9700 NT, 6 Heatpipes, Full Cooper, Silent, 1250-2800 rpm, 2 Ball Bearing, Socket 775 / 754 / 939 / 940 / AM2, 92mm Fan, Speed Contro, Blue LED | 39.536 | EUR | 209.1936 | 0 | 12 | 8930 |
| Coolere, vent | Zalman | Cooler CPU Zalman, CNPS9900A LED, 3 heatpipe-uri "8" shape, full cupru, 1000-2000 rpm, 2 Ball Bearing, socket AM2/ AM2+/ 754/ 939/ 940/ 775/ 1156/ 1366, fan de 120 mm cu LED si functie PWM | 43.232 | EUR | 228.7488 | 0 | 12 | 21864 |
| Coolere, vent | Zalman | Adaptor Zalman CS4A pentru montarea seriei de coolere CNPS9700/9500 pe platforme LGA1366 | 3.696 | EUR | 19.5552 | C | 12 | 21294 |
| Coolere, vent | Nexus | Cooler CPU Nexus LOW7000, 4 heatpipe-uri din cupru (6 mm diametru), fan 120 mm cu PWM foarte silentios, radiator din aluminiu, baza din cupru, low profile (doar 7 cm inaltime) - ideal pentru sisteme HTPC, compatibilitate 775/ 1366 | 32.368 | EUR | 171.2592 | 0 | 12 | 17279 |
| Coolere, vent | Noctua | Cooler CPU Noctua NH-C12P, multi-socket LGA775, 754/939/940/AM2&AM2+, (550g, 900/1100/1300 RPM, 12/16/19 dBA), cu 6 heatpipe-uri din cupru, ventilator silentios NF-P12, ventilator cu rulment SSO-Bearing, reductor de turatie inclus (U.L.N.A.), pasta termoconductoare NT-H1, SecuFirm mounting kits for LGA & AM2(+), design C-type | 47.376 | EUR | 250.6672 | C | 60 | 20494 |
| Coolere, vent | Noctua | Cooler CPU Noctua NH-C12P SE14, multi-socket Intel LGA1366, LGA1156, LGA775 & AMD AM2, AM2+, AM3, (900g, 900/1200 RPM, 13.2/19.6 dBA), cu 6 heatpipe-uri din cupru, ventilator silentios NF-P12, ventilator cu rulment SSO-Bearing, reductor deturatie inclus (U.L.N.A. si L.N.A.), pasta termoconductoare NT-H1 | 57.008 | EUR | 301.6384 | C | 60 | 23658 |

| | | | | | | | | |
|---------------|-------------|---|---------|-----|----------|------|----|-------|
| Coolere, vent | Noctua | Cooler CPU Noctua NH-D14, multi-socket Intel LGA1366, LGA1156, LGA775 & AMD AM2, AM2+, AM3, (900g, 900/1200 RPM, 13.2/19.6 dBA), radiator dual cu 6 heatpipe-uri din cupru, 2 ventilatoare silentioase: NF-P14 (140mm) si unu NF-P12 (120mm), design asimetric, ventilator cu rulment SSO-Bearing, reductor de turatie inclus (U.L.N.A.), pasta termoconductoare NT-H1 | 71.008 | EUR | 375.704 | C | 60 | 23657 |
| Coolere, vent | Noctua | Cooler CPU Noctua NH-C12P NH-U12P SE2, multi-socket Intel LGA1366, LGA1156, LGA775 & AMD AM2, AM2+, AM3, (600g, 900/1300 RPM, 12/19 dBA), cu 8 heatpipe-uri din cupru, 2 ventilatoare silentioase NF-P12, ventilator cu rulment SSO-Bearing, reductor de turatie inclus (U.L.N.A.), pasta termoconductoare NT-H1, posibilitatea de montare a doua ventilatoare de 12cm, sistem de prindere multi-socket SecuFirm™ 2 | 55.776 | EUR | 295.12 | C | 60 | 20757 |
| Coolere, vent | Noctua | Cooler CPU Noctua NH-U9B SE2, multi-socket Intel LGA1366, LGA1156, LGA775 & AMD AM2, AM2+, AM3, (550g, 1000/1300/1600 RPM, 7/13/17 dBA), cu 8 heatpipe-uri din cupru, silentios, ventilator cu rulment SSO-Bearing, reductor de turatie inclus (U.L.N.A.), pasta termoconductoare NT-H1 | 44.464 | EUR | 235.2672 | S | 60 | 23659 |
| Coolere, vent | Noctua | Cooler CPU Noctua NH-U12D0, AMD Dual Opteron, Socket K8 (754, 939, 940) & Socket F (if the hole spacing is 88.9mm) , (700g, 900/1100/1300 RPM, 12/16/19 dBA), cu heatpipe-uri din cupru, ventilator silentios Noctua NF-P12, ventilator cu rulment SSO-Bearing, Nine Blade Design, reductor de turatie inclus U.L.N.A., pasta termoconductoare NT-H1, SecuFirm mounting kit for Socket F | 55.776 | EUR | 295.12 | C | 60 | 20499 |
| Coolere, vent | Noctua | Cooler CPU Noctua NH-U9D0, AMD Dual Opteron, Socket K8 (754, 939, 940) & Socket F (if the hole spacing is 88.9mm) , (590g, 1000/1300/1600 RPM, 8/13/17 dBA), cu heatpipe-uri din cupru, ventilator silentios Noctua NF-B9, ventilator cu rulmentSSO-Bearing, reductoare de turatie incluse U.L.N.A. si L.N.A., pasta termoconductoare NT-H1, SecuFirm mounting kit for Socket F | 46.48 | EUR | 245.9296 | C | 60 | 20500 |
| Coolere, vent | Noctua | Cooler CPU Noctua NH-U12DX, 4U Intel Xeon workstations and servers, socket Intel LGA 771 & mPGA 604 (10mm mounting-holes only), (770g, 900/1100/1300 RPM, 12/17/20 dBA), cu heatpipe-uri din cupru, ventilator silentios Noctua NF-P12, ventilator cu rulment SSO-Bearing, reductor de turatie inclus (U.L.N.A.), pasta termoconductoare NT-H1, SecuFirm2 mounting kits for 771/604 | 57.568 | EUR | 304.5952 | C | 60 | 20497 |
| Coolere, vent | Noctua | Cooler CPU Noctua NH-U9DX, 4U Xeon workstations and servers, socket Intel LGA 771 & mPGA 604 (10mm mounting-holes only), (590g, 1000/1300/1600 RPM, 8/13/17 dBA), cu heatpipe-uri din cupru, ventilator silentios Noctua NF-B9, ventilator cu rulment SSO-Bearing, reductor de turatie inclus (U.L.N.A.), pasta termoconductoare NT-H1, SecuFirm2 mounting kits for 771/604 | 49.168 | EUR | 260.1536 | 0 | 60 | 20495 |
| Coolere, vent | Noctua | Cooler CPU Noctua NH-U12DX-1366, Intel Xeon 5500 (LGA1366), socket Intel LGA1366, (770g, 900/1100/1300 RPM, 12/17/20 dBA), cu heatpipe-uri din cupru, ventilator silentios Noctua NF-P12, ventilator cu rulment SSO-Bearing, reductor de turatie inclus (U.L.N.A.), pasta termoconductoare NT-H1, SecuFirm2 mounting kit for LGA1366 | 57.232 | EUR | 302.8144 | C | 60 | 20498 |
| Coolere, vent | Noctua | Cooler CPU Noctua NH-U9DX-1366, Intel Xeon 5500 (LGA1366), socket Intel LGA1366, (590g, 1000/1300/1600 RPM, 8/13/17 dBA), cu heatpipe-uri din cupru, ventilator silentios Noctua NF-B9, ventilator cu rulment SSO-Bearing, reductoare de turatie incluse U.L.N.A. si L.N.A., pasta termoconductoare NT-H1, SecuFirm2 mounting kit for LGA1366 | 47.376 | EUR | 250.6672 | C | 60 | 20496 |
| Coolere, vent | Noctua | Acc Cooler Noctua NM-i3, Kit pentru instalarea compatibilitatea coolerelor Noctua cu socket-urile 1366 si 1156 (Core i5 si Core i7) | 6.328 | EUR | 33.4768 | C | 12 | 23586 |
| Coolere, vent | Prolimatech | Cooler CPU Prolimatech Armageddon, baza de cupru, 6 heatpipe-uri, compatibil Intel LGA1156, LGA1366 (backplate inclus) / AMD AM2, AM2+, AM3 (backplate optional) | 51.296 | EUR | 271.4096 | SL | 12 | 23795 |
| Coolere, vent | Prolimatech | Cooler CPU Prolimatech Megahalems, baza de cupru, 6 heatpipe-uri, compatibil Intel LGA775, LGA1366 (backplate inclus) / AMD AM2, AM2+, AM3 (backplate optional)PRO-MEGAHLM | 46.592 | EUR | 246.5232 | SL | 12 | 19676 |
| Coolere, vent | Prolimatech | Prolimatech Megahalems Intel LGA1156 Adapter Kit | 6.0592 | EUR | 32.0544 | 0 | 12 | 20789 |
| Coolere, vent | Evga | Cooler Watercooling Kit, include pompa, rezervor, radiator, furtun, lichid de racire, compatibil cu toate produsele EVGA din seria Black Pearl | 107.744 | USD | 435.4112 | C | 24 | 18799 |
| Coolere, vent | Oem | Cooling Fan OEM Case, Power Supply, 80x80x25 mm, Silent, OEMCF-8025 | 1.2768 | USD | 5.1632 | CALL | 6 | 70 |
| Coolere, vent | Spire | Cooling Fan Spire, Case Fan 120mm, Sleeve bearing, 3 Pin Connector, 120*120*25mm, 1500rpm, SP12025S1L3 | 3.8416 | USD | 15.5232 | C | 12 | 25357 |
| Coolere, vent | Spire | Cooling Fan Spire Case, Power Supply, 80x80x25 mm, SP08025S | 2.912 | USD | 11.7712 | S | 12 | 13088 |
| Coolere, vent | Spire | Cooling Fan Spire, Case Fan 90mm, Sleeve bearing, 3 Pin Connector, 90x90x25mm (l x w x h), 2500rpm, SP09025S1M3 | 3.6064 | USD | 14.5712 | C | 12 | 25356 |
| Coolere, vent | Spire | Cooling Fan Spire, Case Fan 90mm, Sleeve bearing, 3 Pin Connector, Transparent Blue, SP09025S3L3/4 | 3.7296 | USD | 15.0752 | C | 12 | 26552 |
| Coolere, vent | Cooler Mas | Cooling Fan Cooler Master MegaFlow Silent LED 200mm (blue) Ventilator Neon LED, 200x200x30 mm, 266g, plastic, 700 R.P.M., 110 CFM, 3-pin, 4x led albastru, sleeve, 30.000 ore, 19 dBA, 2 ani | 12.544 | EUR | 66.3712 | C | 24 | 19910 |
| Coolere, vent | Cooler Mas | Cooling Fan Cooler Master MegaFlow Silent LED 200mm (red) Ventilator Neon LED, 200x200x30 mm, 266g, plastic, 700 R.P.M., 110 CFM, 3-pin, 4x led rosu, sleeve, 30.000 ore, 19 dBA, 2 ani | 12.544 | EUR | 66.3712 | C | 24 | 19911 |
| Coolere, vent | Cooler Mas | COOLING FAN COOLER MASTERNEON LED 120MM (BLUE), Ventilator Neon LED, 120x120x25 mm, 137g, plastic, 1220 R.P.M., 42.734 CFM, 3-pin, 4x led albastru, sleeve, 30.000 ore, 22 dBA | 6.44 | EUR | 34.0704 | 0 | 24 | 19709 |
| Coolere, vent | Cooler Mas | COOLING FAN COOLER MASTERNEON LED 120MM (GREEN), Ventilator Neon LED, 120x120x25 mm, 137g, plastic, 1220 R.P.M., 42.734 CFM, 3-pin, 4x led verde, sleeve, 30.000 ore, 22 dBA | 6.44 | EUR | 34.0704 | C | 24 | 19710 |
| Coolere, vent | Cooler Mas | COOLING FAN COOLER MASTERNEON LED 80MM (BLUE), Ventilator Neon LED, 80x80x25 mm, 85g, plastic, 1800 R.P.M., 22.84 CFM, 3-pin, 4x led albastru, sleeve, 30.000 ore, 22 dBA | 4.424 | EUR | 23.408 | 0 | 24 | 19706 |
| Coolere, vent | Cooler Mas | COOLING FAN COOLER MASTERNEON LED 80MM (GREEN), Ventilator Neon LED, 80x80x25 mm, 85g, plastic, 1800 R.P.M., 22.84 CFM, 3-pin, 4x led verde, sleeve, 30.000 ore, 22 dBA | 4.424 | EUR | 23.408 | 0 | 24 | 19707 |
| Coolere, vent | Akasa | Cooling Fan Case Akasa 183 L2B 120mm | 7.0336 | EUR | 37.2176 | 0 | 12 | 7674 |
| Coolere, vent | Akasa | Cooling Fan Case Akasa AK-FN058 Apache black 120mm, 600 - 1300 rpm, hydro dynamic bearing, design S-Flow al palelor, conform cu standard militar IP-54 de protectie impotriva prafului si umezelii, negru, functie PWM | 12.208 | EUR | 64.5904 | 0 | 12 | 24376 |
| Coolere, vent | Deepcool | Cooling Fan Deepcool UF120 120mm fan, rama ventilatorului este acoperita cu cauciu pentru reducerea vibratiilor, doi rulmenti, 500-1500 RPM, 66.3 CFM, 17.6-27.8 dBA, conectori: 3 pin si Molex, 9 pale, DP-UF120 | 17.024 | USD | 68.8016 | S | 12 | 26229 |
| Coolere, vent | Deepcool | Cooling Fan Deepcool UF140 140mm fan, rama ventilatorului este acoperita cu cauciu pentru reducerea vibratiilor, doi rulmenti, 700-1200 RPM, 71.8 CFM, 17.6-26.7 dBA, conectori: 3 pin si Molex, 9 pale, DP-UF140 | 19.488 | USD | 78.7584 | S | 12 | 26230 |
| Coolere, vent | Deepcool | Cooling Fan Deepcool UF80 80mm fan, rama ventilatorului este acoperita cu cauciu pentru reducerea vibratiilor, doi rulmenti, 900-2200 RPM, 22.6 CFM, 17.6-23.4 dBA, conectori: 3 pin si Molex, DP-UF80 | 15.12 | USD | 61.1072 | S | 12 | 26227 |
| Coolere, vent | Deepcool | Cooling Fan Deepcool UF92 92mm fan, rama ventilatorului este acoperita cu cauciu pentru reducerea vibratiilor, doi rulmenti, 900-1800 RPM, 33 CFM, 17.6-24.6 dBA, conectori: 3 pin si Molex, DP-UF92 | 15.12 | USD | 61.1072 | S | 12 | 26228 |
| Coolere, vent | Deepcool | Cooling Fan Deepcool Wind Blade 120mm LED fan, 4 LED-uri albastre, 1300 RPM, 44.71 CFM, conectori: 3 pin si Molex, DP-WINDB | 6.9888 | USD | 28.2464 | S | 12 | 21153 |
| Coolere, vent | Deepcool | Cooling Fan Deepcool Xfan 120 120mm fan, 1300 RPM, 44.71 CFM, conectori: 3 pin si Molex, DP-XF120 | 4.6592 | USD | 18.8272 | S | 12 | 21151 |
| Coolere, vent | Deepcool | Cooling Fan Deepcool Xfan 120L Clear 120mm LED fan, 4 LED-uri albastre, 1300 RPM, 44.71 CFM, conectori: 3 pin si Molex, DP-XF120L | 5.936 | USD | 23.9904 | S | 12 | 21150 |
| Coolere, vent | Deepcool | Cooling Fan Deepcool Xfan 120U G/B Green 120mm UV LED fan, material reactiv la UV, 4 LED-uri albastre, 1300 RPM, 44.71 CFM, conectori: 3 pin si Molex, DP-XF120UGB | 6.8096 | USD | 27.5184 | S | 12 | 21154 |
| Coolere, vent | Deepcool | Cooling Fan Deepcool Xfan 120U O/G Orange 120mm UV LED fan, material reactiv la UV, 4 LED-uri verzi, 1300 RPM, 44.71 CFM, conectori: 3 pin si Molex, DP-XF120UOG | 6.8096 | USD | 27.5184 | S | 12 | 21155 |
| Coolere, vent | Deepcool | Cooling Fan Deepcool Xfan 80 80mm fan, 1800 RPM, 21.8 CFM, conectori: 3 pin si Molex, DP-XF80 | 2.5648 | USD | 10.36 | S | 12 | 21152 |

| | | | | | | | | |
|---------------|--------------|--|---------|-----|---------|------|----|-------|
| Coolere, vent | Deepcool | Cooling Fan Deepcool Xfan 80L Clear 80mm LED fan, 4 LED-uri albastre, 1800 RPM, 21.8 CFM, 20 dBA, DP-XF80L | 3.3824 | USD | 13.664 | S | 12 | 26226 |
| Coolere, vent | Deepcool | Cooling Fan Deepcool Xfan 80U G/B Green 80mm UV LED fan, material reactiv la UV, 4 LED-uri albastre, 1800 RPM, 21.8 CFM, 20 dBA, DP-XF80UGB | 4.5472 | USD | 18.3792 | S | 12 | 26225 |
| Coolere, vent | Deepcool | Cooling Fan Deepcool Xfan 80U O/G Orange 80mm UV LED fan, material reactiv la UV, 4 LED-uri verzi, 1800 RPM, 21.8 CFM, 20 dBA, DP-XF80UOG | 4.5472 | USD | 18.3792 | S | 12 | 26224 |
| Coolere, vent | Scythe | Cooling Fan Scythe 40mm - Mini Kaze, ventilator 40 mm, 3500 rpm, adaptor alimentare 2 sau 3 pini | 3.864 | EUR | 20.44 | 0 | 12 | 9951 |
| Coolere, vent | Scythe | Cooling Fan Case Scythe 92mm - Kama PWM Fan 92, 92 mm, sleeve-bearing, 0-2500 rpm, conector 4 pini pentru control de turatie tip PWM | 4.76 | EUR | 25.1888 | 0 | 12 | 9938 |
| Coolere, vent | Scythe | Cooling Fan Case Scythe 120mm - S-Flex, 120 mm, SONY Fluid Dynamic Bearing, 1200 rpm, motor silentios | 10.0688 | EUR | 53.2784 | 0 | 12 | 9940 |
| Coolere, vent | Scythe | Cooling Fan Case Scythe 120mm - S-Flex, 120 mm, SONY Fluid Dynamic Bearing, 800 rpm, motor silentios | 10.0688 | EUR | 53.2784 | C | 12 | 9939 |
| Coolere, vent | Scythe | Cooling Fan Case Scythe 120mm - Slip Stream, 120 mm, Sleeve Bearing, 1600 rpm, 33dBA, Connector - 3pin (3pin to 4pin adaptor included) | 4.76 | EUR | 25.1888 | C | 12 | 18995 |
| Coolere, vent | Scythe | Cooling Fan Case Scythe 120mm - Slip Stream, 120 mm, Sleeve Bearing, 500 rpm, 7.5dBA, Connector - 3pin (3pin to 4pin adaptor included) | 4.76 | EUR | 25.1888 | C | 12 | 13685 |
| Coolere, vent | Scythe | Cooling Fan Case Scythe 120mm - Slip Stream, 120 mm, Sleeve Bearing, 800 rpm, 10.7dBA, Connector - 3pin (3pin to 4pin adaptor included) | 4.76 | EUR | 25.1888 | CALL | 24 | 18994 |
| Coolere, vent | Scythe | Cooling Fan Case Scythe 120mm - Ultra Kaze, 120 mm, 38mm grosime, 2000 rpm, Lungimea cablului 30 cm, 32.91dBA, Connector - 3pin (3pin to 4pin adaptor included) | 6.3504 | EUR | 33.6 | C | 12 | 12818 |
| Coolere, vent | Scythe | Cooling Fan Case Scythe 120mm - Ultra Kaze, 120 mm, 38mm grosime, 3000 rpm, Lungimea cablului 30 cm, 45.90dBA, Connector - 3pin (3pin to 4pin adaptor included) | 6.3504 | EUR | 33.6 | 0 | 12 | 12819 |
| Coolere, vent | Inter-Tech | Cooling Fan Case Inter-Tech 120mm SinanPower F-120-S Silent Fan, 1200 rpm, 53 CFM, 20 dBA, conector 3 pin | 5.5888 | USD | 22.5904 | S | 12 | 26611 |
| Coolere, vent | Akasa | Cooling Fan Case Recom RC12025 120mm Yellow Light | 4.7936 | EUR | 25.368 | 0 | 12 | 7676 |
| Coolere, vent | Zalman | Cooling Fan Case Zalman ZM F3 120mm | 5.7792 | EUR | 30.576 | S | 12 | 7675 |
| Coolere, vent | Nexus | Cooling Fan Case Nexus 80mm, Silent, RS80BW | 3.92 | EUR | 20.7424 | 0 | 36 | 10301 |
| Coolere, vent | Nexus | Cooling Fan Case Nexus 92mm, Silent, RS92BW | 4.4576 | EUR | 23.5872 | SL | 36 | 7878 |
| Coolere, vent | Nexus | Cooling Fan Case Nexus 120mm, Real Silent, 1000 rpm, rama si pale translucide, LED-uri albastre, 3 pini, D12SL12BL | 6.888 | EUR | 36.4448 | S | 36 | 23482 |
| Coolere, vent | Nexus | Cooling Fan Case Nexus 120mm, Real Silent, 1000 rpm, rama si pale translucide, LED-uri albe, 3 pini, D12SL12WL | 6.6192 | EUR | 35.0224 | S | 36 | 23483 |
| Coolere, vent | Nexus | Cooling Fan Case Nexus 120mm, Silent, RS120BW | 5.6672 | EUR | 29.9824 | S | 36 | 7879 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker BlackSilent XL1 120mm - ventilator, 120x120x25mm (1000 RPM, 13 dBA), ultrasilentios, functioneaza intre 6-12V, include 4 suruburi din silicon cu rol antivibratie | 7.8736 | EUR | 41.664 | C | 36 | 26915 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker BlackSilent XLP 120mm - ventilator, 120x120x25mm (1000-2000 RPM, 14-31 dBA), ultrasilentios, functioneaza intre 6-12V, include 4 suruburi din silicon cu rol antivibratie, cu PWM | 9.0496 | EUR | 47.88 | C | 36 | 26916 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker BlackSilentPRO PL-1 120mm - ventilator, 120x120x25mm (900 RPM, 11 dBA), ultrasilentios, functioneaza intre 4-13.8V, include rama de silicon NB-SilentFrame, tehnologiile unice NB-EKAPlus Drive si NB-NanoSLI bearing | 11.872 | EUR | 62.8208 | C | 60 | 26917 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker BlackSilentPRO PL-PS 120mm - ventilator, 120x120x25mm (600-1500 RPM, 8-24 dBA), ultrasilentios, functioneaza intre 6-13.2V, include rama de silicon NB-SilentFrame, tehnologiile unice NB-EKAPlus Drive si NB-NanoSLI bearing, control prin PWM | 14.784 | EUR | 78.2208 | C | 60 | 26921 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker Multiframe M12-S1 120mm - ventilator, 120x120x25mm (750 RPM, 8 dBA), ultrasilentios, bazat pe tehnologia Multiframe, functioneaza intre 5-12V, cu PWM | 18.704 | EUR | 98.9632 | 0 | 60 | 26925 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker BlackSilent XK1 140mm - ventilator, 140x140x25mm (800 RPM, 19 dBA), ultrasilentios, functioneaza intre 7-13V | 9.8448 | EUR | 52.0912 | C | 36 | 26922 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker BlackSilent XK2 140mm - ventilator, 140x140x25mm (1100 RPM, 21 dBA), ultrasilentios, functioneaza intre 7-13V | 9.8448 | EUR | 52.0912 | C | 36 | 26923 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker BlackSilentPRO PK-2 140mm - ventilator, 140x140x25mm (1200 RPM, 20 dBA), ultrasilentios, functioneaza intre 4-13.8V, include rama de silicon NB-SilentFrame, tehnologiile unice NB-EKAPlus Drive si NB-NanoSLI bearing | 14.784 | EUR | 78.2208 | C | 60 | 26924 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker BlackSilent XM1 40mm - ventilator, 40x40x10mm (2800 RPM, 11 dBA), ultrasilentios, functioneaza intre 10-12V | 4.5136 | EUR | 23.8784 | C | 36 | 26908 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker BlackSilent XR1 60mm - ventilator, 60x60x25mm (1600 RPM, 11 dBA), ultrasilentios, functioneaza intre 9-12V, include 4 suruburi din silicon cu rol antivibratie | 4.9168 | EUR | 26.0176 | C | 36 | 26909 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker BlackSilent X1 80mm - ventilator, 80x80x25mm (1300 RPM, 10 dBA), ultrasilentios, functioneaza intre 6-12V, include 4 suruburi din silicon cu rol antivibratie | 5.9024 | EUR | 31.2256 | C | 36 | 26910 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker BlackSilent X2 80mm - ventilator, 80x80x25mm (1800 RPM, 18 dBA), ultrasilentios, functioneaza intre 6-12V, include 4 suruburi din silicon cu rol antivibratie | 5.9024 | EUR | 31.2256 | C | 36 | 26911 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker Multiframe M8-S1 80mm - ventilator, 80x80x25mm (1200 RPM, 17 dBA), ultrasilentios, bazat pe tehnologia Multiframe, functioneaza intre 6-12V, cu PWM | 13.888 | EUR | 73.4832 | C | 60 | 26912 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker BlackSilent XE1 92mm - ventilator, 92x92x25mm (1500 RPM, 17 dBA), ultrasilentios, functioneaza intre 5-12V, include 4 suruburi din silicon cu rol antivibratie | 6.1936 | EUR | 32.7712 | C | 36 | 26913 |
| Coolere, vent | NoiseBlocker | Cooling Fan NoiseBlocker BlackSilent XE2 92mm - ventilator, 92x92x25mm (1800 RPM, 21 dBA), ultrasilentios, functioneaza intre 6-12V, include 4 suruburi din silicon cu rol antivibratie | 6.1936 | EUR | 32.7712 | C | 36 | 26914 |
| Coolere, vent | Antec | Cooling Fan Antec TriCool 80mm - Cooling Fan Case, regulator turatie cu 3 pozitii 1500-2600 | 3.5616 | EUR | 18.8496 | S | 12 | 4029 |
| Coolere, vent | Antec | Cooling Fan Antec TriCool 80mm - Cooling Fan Case, regulator turatie cu 3 pozitii 1500-2600, Blue LED | 6.048 | EUR | 31.9984 | 0 | 12 | 4380 |
| Coolere, vent | Antec | Cooling Fan Antec TriCool 80mm - Cooling Fan Case, regulator turatie cu 3 pozitii 1500-2600, Dual Ball Bearing | 6.048 | EUR | 31.9984 | SL | 12 | 4030 |
| Coolere, vent | Antec | Cooling Fan Antec TriCool 80mm - Cooling Fan Case, regulator turatie cu 3 pozitii 1500-2600, Green LED | 6.048 | EUR | 31.9984 | S | 12 | 9968 |
| Coolere, vent | Antec | Cooling Fan Antec TriCool 80mm - Cooling Fan Case, regulator turatie cu 3 pozitii 1500-2600, Red LED | 6.048 | EUR | 31.9984 | C | 12 | 4381 |
| Coolere, vent | Antec | Cooling Fan Antec TriCool 92mm - Cooling Fan Case, regulator turatie cu 3 pozitii 1200-2200 | 4.2 | EUR | 22.2208 | S | 12 | 4031 |
| Coolere, vent | Antec | Cooling Fan Antec TriCool 92mm - Cooling Fan Case, regulator turatie cu 3 pozitii 1200-2200, Dual Ball Bearing | 6.4736 | EUR | 34.2496 | S | 12 | 4032 |
| Coolere, vent | Antec | Cooling Fan Antec TriCool 120mm - Cooling Fan Case, regulator turatie cu 3 pozitii 1200-2000 | 7.8176 | EUR | 41.3616 | C | 12 | 4027 |
| Coolere, vent | Antec | Cooling Fan Antec TriCool 120mm - Cooling Fan Case, regulator turatie cu 3 pozitii 1200-2000, Blue LED | 11.872 | EUR | 62.8208 | S | 12 | 4538 |
| Coolere, vent | Antec | Cooling Fan Antec TriCool 120mm - Cooling Fan Case, regulator turatie cu 3 pozitii 1200-2000, Dual Ball Bearing | 11.872 | EUR | 62.8208 | CALL | 12 | 4028 |
| Coolere, vent | Antec | Cooling Fan Antec TriCool 120mm - Cooling Fan Case, regulator turatie cu 3 pozitii, Green Led | 11.872 | EUR | 62.8208 | C | 12 | 26069 |
| Coolere, vent | Antec | Cooling Fan Antec TriCool 120mm - Cooling Fan Case, regulator turatie cu 3 pozitii 1200-2000, Red LED | 11.872 | EUR | 62.8208 | S | 12 | 4539 |
| Coolere, vent | Antec | Cooling Fan Antec TriCool 140mm - Cooling Fan Case, regulator turatie cu 3 pozitii | 17.92 | EUR | 94.8192 | 0 | 12 | 26070 |
| Coolere, vent | Antec | Cooling Fan Antec TriCool 200mm - Cooling Fan Case, comutator turatie cu 3 pozitii | 18.368 | EUR | 97.1824 | 0 | 12 | 9969 |

| | | | | | | | | |
|---------------|--------------|--|---------|-----|----------|----|----|-------|
| Coolere, vent | Antec | Cooling Fan Antec Spot Cool- Cooling Fan Case, regulator turatie cu 3 pozitii, posibilitate montare universala in carcasa, directionare completa a fluxului de aer | 11.872 | EUR | 62.8208 | 0 | 12 | 26068 |
| Coolere, vent | Noctua | Cooling Fan Noctua NF-P12-1300, 120mm - Cooling Fan Case, 3 pozitii 900-1300rpm, SSO Bearing, ultrasilentios, design special al palelor pentru presiune sportita, include 4 suruburi din cauciu antivibratie | 16.128 | EUR | 85.3328 | S | 60 | 15049 |
| Coolere, vent | Noctua | Cooling Fan Noctua NF-R8-1800, 80mm - Cooling Fan Case, 3 pozitii 800-1800rpm, SSO Bearing, include 4 suruburi din cauciu antivibratie | 11.312 | EUR | 59.8528 | S | 60 | 15050 |
| Coolere, vent | Noctua | Cooling Fan Noctua NF-B9-1600, 92mm - Cooling Fan Case, 3 pozitii 1000-1600rpm, SSO Bearing, design special al palelor pentru presiune sportita, include 4 suruburi din cauciu antivibratie | 12.88 | EUR | 68.152 | S | 60 | 15051 |
| Coolere, vent | Thermaltake | Cooling Fan Thermaltake ISGC Fan 12, 120mm, 800-1300 RPM, 58.3 CFM, 16 dBA, conector 3 pin, fan controller inclus, AF0018 | 10.3712 | EUR | 54.88 | S | 12 | 23342 |
| Coolere, vent | Thermaltake | Cooling Fan Thermaltake Smart Case Fan 120mm, 800-1800 RPM, 77.85 CFM, max 37 dBA, conector 4 pin, fan controller inclus | 8.624 | EUR | 45.6288 | S | 12 | 25011 |
| Coolere, vent | Thermaltake | Cooling Fan Thermaltake Thunderblade 120mm LED fan, 1800 RPM, 70.2 CFM, 31.7 dBA, conector 3 pin (include si adaptor pentru Molex), AF0032 | 6.4064 | EUR | 33.8912 | S | 12 | 23343 |
| Coolere, vent | Thermaltake | Cooling Fan Thermaltake 20cm Blue LED Silent Fan, 200mm, 800 RPM, 65.3 CFM, 28.8 dBA, conector 3 pin, include adaptor 3pin-Molex, AF0046 | 10.4832 | EUR | 55.4624 | S | 12 | 26457 |
| Coolere, vent | Thermaltake | Cooling Fan Thermaltake 23cm Blue LED Silent Fan, 230mm, 800 RPM, 76 CFM, 15 dBA, conector 3 pin, include adaptor 3pin-Molex, AF0047 | 11.984 | EUR | 63.4032 | S | 12 | 26458 |
| Coolere, vent | Chieffec | COOLING FAN CHIEFFTEC AF-0825S | 3.2368 | USD | 13.0816 | 0 | 36 | 4569 |
| Coolere, vent | Oem | Cooling Fan OEM VGA Chipset CMP-FAN11, 40x40x10 mm, Sleeve Bearing, cu mufe | 1.792 | EUR | 9.4864 | C | 6 | 13109 |
| Coolere, vent | Deepcool | Cooler VGA Chipset Deepcool V2000, baza de cupru, 2 heatpipe-uri, dual 80x80x12mm fans (2500 RPM, 40.64 CFM), compatibilitate: ATI Radeon X1550/X1600, ATI Radeon 2400/2600 Series, ATI X1600/X1300 Series, ATI Radeon 9xxx Series (except 9550/9600), ATI Radeon Xxxx Series, ATI Radeon 4850/3870/3850/3690/3650 Series, ATI Radeon X1900/X1800 Series, NVIDIA Geforce FX5xxx Series, NVIDIA Geforce 6500/6600/7300/7600/8500/8600 Series, NVIDIA Geforce4 Ti 4xxx Series, NVIDIA Geforce 9600 | 19.712 | USD | 79.6544 | S | 12 | 21397 |
| Coolere, vent | Deepcool | Cooler VGA Chipset Deepcool V4000, all copper (baza de cupru, lamele de cupru), 4 heatpipe-uri, dual 80x80x12mm fans (2500 RPM, 40.64 CFM), compatibilitate: ATI Radeon X1550/X1600, ATI Radeon 2400/2600 Series, ATI Radeon 4870/4850/3870/3850/3690/3650 Series, ATI Radeon X1900/X1800 Series, ATI X1600/X1300 Series, ATI Radeon 9xxx Series (except 9550/9600), ATI Radeon Xxxx Series, NVIDIA Geforce FX5xxx Series, NVIDIA Geforce 6500/6600/7300/7600/8500/8600 Series, NVIDIA Geforce4 | 30.912 | USD | 124.9248 | 0 | 12 | 21398 |
| Coolere, vent | Zerotherm | Cooler VGA Zerotherm CoolMaxx 2000, racire imbunatatita pentru toate componentele placii video prin design-ul BFF (Base, Fan, Fin), 3 heatpipe-uri, baza din cupru, 80mm fan (1000-2700rpm, 29.05 CFM, 20-33dBA, fan controller inclus), compatibil Nvidia (GeForce 9800 series reference design, GeForce 9600 series reference design), ATI (Radeon 4870 reference design, Radeon 4850 reference design, Radeon 4830 reference design) | 30.128 | EUR | 159.4096 | SL | 12 | 24386 |
| Coolere, vent | Zerotherm | Cooler VGA Zerotherm CoolMaxx 3000, racire imbunatatita pentru toate componentele placii video prin design-ul BFF (Base, Fan, Fin), 3 heatpipe-uri, baza din cupru, 2x 80mm Green LED fans (1500-2700rpm, 49.5 CFM, 20-39.6 dBA, 4pin PWM, include si adaptor pentru mufa 3pin), compatibil Nvidia (GeForce GTS250/9800/9600), ATI (Radeon 4870/4850/4830) | 36.512 | EUR | 193.1888 | SL | 12 | 25012 |
| Coolere, vent | Zerotherm | Cooling Heatsinks ZEROtherm ZH-100 for VGA FETs | 4.0208 | EUR | 21.2688 | S | 1 | 26231 |
| Coolere, vent | Zalman | Cooler VGA Zalman VF700 AICu CooperBase, Silent, 1350-2650rpm, merge pe orice placa video ATI sau Nvidia | 17.472 | EUR | 92.4448 | 0 | 12 | 7196 |
| Coolere, vent | Zalman | Cooler VGA Zalman VF700 Cu FullCooper, Silent, 1350-2650rpm, merge pe orice placa video ATI sau Nvidia | 18.704 | EUR | 98.9632 | 0 | 12 | 7197 |
| Coolere, vent | Zalman | Cooler VGA Zalman VF700 Cu FullCooper, Silent, 1350-2650rpm, merge pe orice placa video ATI sau Nvidia, LED | 23.408 | EUR | 123.8496 | 0 | 12 | 7711 |
| Coolere, vent | Zalman | Cooler VGA Zalman VF900 Cu FullCooper, 2 Heatpipe, Silent, 1350-2450rpm, 90mm Fan, merge pe orice placa video ATI sau Nvidia | 25.424 | EUR | 134.5232 | 0 | 12 | 7198 |
| Coolere, vent | Zalman | Cooler VGA Zalman VF900 Cu FullCooper, 2 Heatpipe, Silent, 1350-2450rpm, 90mm Fan, merge pe orice placa video (pana la) ATI Radeon X1950 si NVIDIA GeForce 7900/ 7950, ventilator cu led albastru | 31.248 | EUR | 165.3344 | 0 | 12 | 7570 |
| Coolere, vent | Arctic | Cooler VGA Arctic Cooling Accelero Twin Turbo, compatibil "up to" ATI Radeon HD 4890 si NVIDIA GeForce 9800GTX+ (inclusiv in configuratii SLI si CrossFire), 4 heatpipe-uri din cupru si radiator din aluminiu, doua ventilatoare 80 mm PWM, operare extrem de silentioasa, pasta termoconductoare MX-2 preaplicata | 25.984 | EUR | 137.48 | 0 | 60 | 24980 |
| Coolere, vent | Akasa | Cooling Fan Chipset Akasa AK-160, 5000rpm, 40x40x10 mm, Sleeve Bearing, Blue LED | 3.8864 | EUR | 20.5632 | 0 | 12 | 7163 |
| Coolere, vent | Akasa | Cooler Chipset Akasa AK-210, 5000rpm, 40x40x10 mm, Heatsink, Sleeve Bearing, Blue LED | 6.776 | EUR | 35.8512 | 0 | 12 | 7165 |
| Coolere, vent | Zalman | Cooler (Radiator) Chipset Zalman NBF47, 81x37x47 mm, Aluminium Heatsink | 8.3664 | EUR | 44.2624 | S | 12 | 7199 |
| Coolere, vent | Thermalright | Cooler Chipset Thermalright HR-05 SLI IFX 2 Heatpipes, Cooperbased, 0db, 87X62.5X105 mm | 18.592 | EUR | 98.3696 | 0 | 12 | 12742 |
| Coolere, vent | Titan | Cooler TITAN, TTC-003, CASE COOLER FOR PCI SLOT | 3.7408 | USD | 15.12 | S | 12 | 71 |
| Coolere, vent | Speeze | Cooler HDD Spire HD05010S1M4, Sleeve Bearing, 2 Ventilatoare | 5.2416 | USD | 21.1792 | S | 12 | 899 |
| Coolere, vent | Titan | Cooler TITAN, TTC-HD11, HDD COOLER FOR MOUNTING DIRECTLY UNDER HDD | 3.2144 | USD | 12.992 | C | 12 | 72 |
| Coolere, vent | Deepcool | Cooler memorie Deepcool DP-MEMO4, lamele de cupru, 1 heatpipe | 9.5088 | USD | 38.4272 | S | 12 | 21871 |
| Coolere, vent | Akasa | Cooler HDD Akasa 4500rpm, Ball Bearing, 2 Ventilatoare | 5.3088 | EUR | 28.0896 | 0 | 12 | 7203 |
| Coolere, vent | Scythe | Stabilizator HDD Scythe SCY-HDS2, Hard Disk Stabilizer 2, Sistem reducere vibratii pentru HDD (suspensie cu saibe de cauciu) | 4.76 | EUR | 25.1888 | C | 12 | 8916 |
| Coolere, vent | Deepcool | Cooler HDD Deepcool Icedisk 100, sistem de prindere anti-vibratie, pentru hard disk-uri de 3.5" | 25.648 | USD | 103.6448 | S | 12 | 21395 |
| Coolere, vent | Deepcool | Cooler HDD Deepcool Icedisk 2, dual 60x60x10mm fans (3500 RPM, 29.5CFM), pentru hard disk-uri de 3.5", DP-IDISK2 | 5.2416 | USD | 21.1792 | S | 12 | 21146 |
| Coolere, vent | Deepcool | Cooler HDD Deepcool Icedisk 200, 4 heatpipe-uri, sistem de prindere anti-vibratie, pentru hard disk-uri de 3.5" | 26.768 | USD | 108.1696 | S | 12 | 21396 |
| Coolere, vent | Deepcool | Cooler HDD Deepcool Icedisk 1, 60mm fan (3500 RPM, 15 CFM, 25.5 dBA), pentru hard disk-uri de 3.5" | 2.912 | USD | 11.7712 | S | 12 | 26206 |
| Coolere, vent | Vantec | Cooler HDD Vantec Iceberg HDC-701A-BK, 2800rpm, Ball Bearing, 1 Ventilator, Noise Levels 26 dBA | 5.9024 | EUR | 31.2256 | 0 | 12 | 18394 |
| Coolere, vent | Zalman | Cooler (Radiator) HDD Zalman ZM 2HC2, cu atenuator vibratii, zgomot | 21.28 | EUR | 112.5936 | 0 | 12 | 7200 |
| Coolere, vent | Nexus | Cooler HDD Nexus Frizbee 1500rpm, Ball Bearing, 1 Ventilator, Super Silent | 9.3296 | EUR | 49.3584 | C | 12 | 10302 |
| Coolere, vent | Corsair | Cooler (Fan) Memorie Corsair CMXAF1, Dominator Airflow Fan - modul 3 ventilatoare 40mm | 22.4 | USD | 90.5184 | 0 | 60 | 18757 |
| Coolere, vent | Corsair | Cooler (Fan) Memorie Corsair CMXAF2, Dominator Airflow Fan - modul cu 2 ventilatoare pentru racirea a 6 module de memorie | 32.032 | USD | 129.4496 | 0 | 36 | 26092 |
| Coolere, vent | Akasa | Cooler (Radiator) Memorie Akasa AK-171, 125 x 25 x 3 mm Full Cooper | 6.3392 | EUR | 33.544 | 0 | 12 | 7164 |
| Coolere, vent | Akasa | Controler de turatie Akasa AK-FC-06-BK Black, fan controller 5.25", controleaza 3 ventilatoare, 2 porturi USB 2.0, culoare neagra | 12.096 | EUR | 63.9968 | 0 | 12 | 19267 |
| Coolere, vent | NZXT | Controler de turatie NZXT Sentry 2, 5.25" bay touchscreen fan and temperature controller, se pot controla 5 ventilatoare (conectori 3 pin sau Molex), 5 senzori de temperatura, 10W/canal, alarma de temperatura, posibilitatea salvarii setarilor | 37.296 | EUR | 197.3328 | 0 | 24 | 22251 |
| Coolere, vent | Deepcool | Controler de turatie Deepcool Rockman, 3.5" bay fan control panel, se pot controla 3 ventilatoare (conectori 3 pin, 7V-12V pentru ventilatorul de cooler procesor, 0V-12V pentru ventilatoarele de carcasa), iluminare cu LED-uri albastre carereactioneaza la sunet DP-ROCKMAN | 17.024 | USD | 68.8016 | S | 12 | 21149 |
| Coolere, vent | Lamprtron | Controler de turatie Lamprtron FC2, black, 5.25" bay fan controller, 6 canale (45W/canal), 6 conectori pentru ventilatoare, LED-uri cu intensitate luminoasa variabila in functie de turatia ventilatoarelor, construit dintr-un bloc de 3/4" de aluminiu solid | 31.92 | EUR | 168.896 | S | 12 | 24401 |

| | | | | | | | | |
|----------------------|--------------|--|---------|-----|----------|----|----|-------|
| Coolere, vent | Zalman | Controler de turatie Zalman ZM-MFC1 Plus Black, fan controller 5.25", controleaza 6 ventilatoare, full aluminiu, culoare neagra | 28.672 | EUR | 151.704 | C | 12 | 15409 |
| Coolere, vent | Zalman | Controler de turatie Zalman ZM-MFC3 fan controller 5.25", controleaza 4 ventilatoare (1 ventilator cu tehnologie PWM) via jog wheel, monitorizare si alarma pentru 4 senzori de temperatura, afisaj in timp real al consumului sursei, afisarea timpului de utilizare a calculatorului, display FSTN pentru vizualizarea informatiilor din toate unghiurile, culoare gri | 55.888 | EUR | 295.7024 | 0 | 12 | 22372 |
| Coolere, vent | Oem | Pasta termoconductoare OEM WPS25GRAM 25g | 2.8 | EUR | 14.8176 | C | 1 | 9683 |
| Coolere, vent | Arctic | Pasta termoconductoare Arctic Silver AS5, 12g., contine argint cu puritate 99.9 si particule ceramice | 14.896 | EUR | 78.8144 | C | 1 | 15047 |
| Coolere, vent | Arctic | Pasta termoconductoare Arctic Silver AS5, 3.5g., contine argint cu puritate 99.9 si particule ceramice | 5.1632 | EUR | 27.3168 | C | 1 | 12579 |
| Coolere, vent | Arctic | Pasta termoconductoare Arctic Cooling MX-2, 4g. | 4.2448 | EUR | 22.456 | 0 | 1 | 15048 |
| Coolere, vent | Arctic | Pasta termoconductoare Arctic Cooling MX-3, 4g., cea mai performanta pasta termoconductoare la ora actuala | 7.4032 | EUR | 39.1664 | 0 | 1 | 19731 |
| Coolere, vent | Antec | Pasta termoconductoare Antec Formula 5 STC, conductivitate 350 kW/mC, rezistenta 0.0045 C-in/W | 7.0112 | EUR | 37.0944 | 0 | 0 | 9973 |
| Coolere, vent | Antec | Pasta termoconductoare Antec Thermal Grease, rezistenta 0.05B0C/W | 1.8816 | EUR | 9.9568 | C | 0 | 26142 |
| Coolere, vent | Zerotherm | Pasta termoconductoare ZEROtherm ZT-100 High Performance Thermal Grease 3,5 gZT100 | 3.2704 | EUR | 17.304 | 0 | 1 | 19061 |
| Coolere, vent | Zalman | Pasta termoconductoare Zalman ZM STG1 | 5.6896 | EUR | 30.1056 | S | 24 | 7673 |
| Coolere, vent | Spire | Pasta termoconductoare Spire, BlueFrost, SP802, cooling interface between your heatsink and CPU, 0.5 gram injection tube | 2.912 | USD | 11.7712 | C | 12 | 18525 |
| Coolere, vent | Spire | Pasta termoconductoare Spire, Silver grease Thermal cooling paste, thermal interface for your heat sink, 0.3 gram tube | 2.3296 | USD | 9.4192 | 0 | 12 | 25358 |
| Coolere, vent | Arctic | Solutie pentru curatat si purificat procesoarele, chipseturile, chip-urile de memorie etc., tub 2x 30ml, Arctic Silver Arcticlean 1&2 | 6.0368 | EUR | 31.9424 | C | 1 | 18391 |
| Coolere, vent | Thermalright | Adaptor Thermalright AM2 Bolt Thru Adaptor AM2 pentru coolerele Ultra 120 | 3.5392 | EUR | 18.7264 | C | 12 | 7551 |
| Coolere, vent | Akasa | Kit Antifonare Akasa AK-MX002, kit pentru reducerea vibratiilor produse de sursa si ventilatoare - include antivibe si suruburi pentru sursa, 8 suruburi de silicon pentru 2 ventilatoare | 2.8896 | EUR | 15.288 | 0 | 1 | 23487 |
| Coolere, vent | Thermalright | Kit Thermalright LGA775 RM, pentru instalarea radiatoarelor XP-90 si XP-120 pe platforme LGA775 | 2.7216 | EUR | 14.4032 | 0 | 1 | 17529 |
| Placi de baza | | | | | | | | |
| Placi de baza | AsRock | MB AsRock K7S41GX, SIS 741GX, Skt A, FSB 333Mhz, 2*DDR333 max 2GB, VGA Real 256E (Max. 64MB), 1*AGP 8x2*PCI/1*AMR, 6CH AC97, LAN 10/100,ATA133, USB 2.0, mATX | 59.584 | USD | 240.7888 | S | 24 | 2907 |
| Placi de baza | AsRock | MB AsRock K8NF3-VSTA, nForce3 250, S-754, Bus 800, ATX, AGP 8X, 4xPCI, 2xDDR400, U-DMA 133, S-ATA Raid, SB 8ch., Lan on board. | 53.424 | USD | 215.8912 | S | 24 | 9055 |
| Placi de baza | AsRock | MB AsRock 939A785GMH/128M, AMD 785G+SB710, Skt 939, FSB1000, 4*DDR400 DualCh max 4GB, 1*PClex16/1*PClex1/2*PCI, ATI CrossfireX, VGA HD4200 (Max512Sh), Integrated 128MB side port memory for iGPU, 8Ch SB Premium Level HD Audio, Gigabit LAN, 1*ATA133/5*SATA II, 3.0Gb/s, RAID (0, 1, 0+1, 5, JBOD), 6*USB2.0, 3 VGA outputs, mATX | 80.64 | USD | 325.8752 | C | 24 | 24498 |
| Placi de baza | AsRock | MB AsRock K8A780LM, AMD 760G+SB710, SKT 754, FSB1000, 2*DDR400 DualCh max 4GB, 1*PClex16/1*PClex1/2*PCI, VGA Radeon 3000 (Max 512Sh), Dual VGA Output , 6Ch HD Audio, Gigabit LAN, 1*ATA133/4*SATA II, 3.0Gb/s, RAID (0, 1, 0+1, 5, JBOD), 4*USB2.0, mATX | 62.048 | USD | 250.7456 | C | 24 | 24486 |
| Placi de baza | AsRock | MB AsRock 770 Extreme 3, ATI 770+ SB710, Skt AM3, HT 5200MT/s, 4*DDR3 1800(OC) DualCh max 16GB, 1*PClex2.0/2*PClex1/3*PCI, 8CH HD Audio, Gigabit LAN, 2 *SATA 3, 4*SATA2 support RAID (RAID 0, RAID 1, RAID10 and JBOD), NCQ, AHCI, 3*USB2.0, 3*USB2.0, | 81.872 | USD | 330.8592 | C | 24 | 24488 |
| Placi de baza | AsRock | MB AsRock 870 Extreme3, AMD 870+SB850, Skt AM3, HT 5200MT/s, 4*DDR3 1800(OC) DualCh max 16GB, 2*PClex2.0/2*PClex1/2*PCI, 8CH HD Audio, Gigabit LAN, 5*SATA 3 support RAID (RAID 0, RAID 1, RAID 0+1 and RAID 5), NCQ, AHCI, 3*USB2.0, 2*USB3.0,Quad Crossfire, ErP/EuP Ready, Six-Core CPU Ready, Supports UCC feature (Unlock CPU Core), ATX | 95.536 | USD | 386.0752 | C | 24 | 24491 |
| Placi de baza | AsRock | MB AsRock 890G Extreme3, AMD 890G+SB850, Skt AM3, HT 5200MT/s, 4*DDR3 1800(OC) DualCh max 16GB, VGA HD4250 (max 512MB shared), memorie 128MB DDR3 integrata pentru GPU, 3*PClex2.0/1*PClex1/3*PCI, 8CH HD Audio, Gigabit LAN, 6*SATA 3 support RAID 0, 1, 0+1,5, NCQ, AHCI, 1*e-SATA3, 4*USB2.0, 2*USB3.0, 3 VGA Output, Full HD 1080p Blu-ray (BD) / HD-DVD playback, Hybrid Crossfire, ATI Crossfire, ErP/EuP Ready, Six-Core CPU Ready, Supports UCC feature (Unlock CPU Core), ATX | 119.056 | USD | 481.1296 | 0 | 24 | 24494 |
| Placi de baza | AsRock | MB AsRock 880GM-LE, AMD 880G+SB710, Skt AM3, HT 5200MT/s, 2*DDR3 1800(OC) DualCh max 8GB, VGA HD4250 (max 512MB shared), Hybrid Crossfire, ErP/EuP Ready, Six-Core CPU Ready, Supports UCC feature (Unlock CPU Core), mATX | 69.44 | USD | 280.616 | S | 24 | 24492 |
| Placi de baza | AsRock | MB AsRock 880GMH/USB3, AMD 880G+SB710, Skt AM3, HT 5200MT/s, 4*DDR3 1800(OC) DualCh max 16GB, VGA HD4250 (max 512MB shared), memorie 128MB DDR3 integrata pentru GPU, 1*PClex2.0/1*PClex1/2*PCI, 8CH HD Audio, Gigabit LAN, 6*SATA 3 support RAID 0, 1, 0+1, 5), NCQ, AHCI, 1*e-SATA3, 4*USB2.0, 2*USB3.0, Multi VGA Output, Full HD 1080p Blu-ray (BD) / HD-DVD playback, Hybrid Crossfire, ATI Crossfire, ErP/EuP Ready, Six-Core CPU Ready, Supports UCC feature, mATX | 87.36 | USD | 353.0352 | C | 24 | 24493 |
| Placi de baza | AsRock | MB AsRock 880GXH/USB3, AMD 880G + SB710, Skt AM3, HT 5200MT/s, 4*DDR3 1800(OC) DualCh max 16GB, VGA HD4250, 28MB DDR3 integrata pentru GPU, 1*PClex2.0/2*PClex1/3*PCI, 8CH HD Audio, Gigabit LAN, 6*SATA 3 support RAID 0,1,0+1,5, 1*e-SATA3, 4*USB2.0, 2*USB3.0, ,Multi VGA Output, Full HD 1080p Blu-ray (BD) / HD-DVD playback, ErP/EuP Ready , Six-Core CPU Ready, Supports UCC feature (Unlock CPU Core), Supports CPU up to 140W, ATX | 95.536 | USD | 386.0752 | C | 24 | 23550 |
| Placi de baza | AsRock | MB AsRock 890FX Deluxe3, AMD 890FX+SB850 VISION BLACK, Skt AM3, HT 5200MT/s, 4*DDR3 1800(OC) DualCh max 16GB, 3*PClex2.0/2*PClex1/2*PCI, 8CH HD Audio, Gigabit LAN, 6*SATA 3, support RAID 0,1,0+1,5, NCQ, AHCI, 4*USB3.0, 4*USB2.0, Quad Crossfire, ErP/EuP Ready, Six-Core CPU Ready, Supports UCC feature (Unlock CPU Core), ATX | 168.672 | USD | 681.632 | C | 24 | 24497 |
| Placi de baza | AsRock | MB AsRock 890GM-PRO3, AMD 890GX+SB850, Skt AM3, HT 5200MT/s, 4*DDR3 1800(OC) DualCh max 16GB, VGA HD4290 (max 512MB shared), memorie 128MB integrata pentru GPU, 1*PClex2.0/1*PClex1/2*PCI, 8CH HD Audio, Gigabit LAN, 5*SATAII support RAID 0,1, 0+1, 5, JBOD, NCQ, AHCI, 1*ATA133, 4*USB2.0, 1*USB3.0, Multi VGA Output, Full HD 1080p Blu-ray (BD) / HD-DVD playback, Hybrid Crossfire, ErP/EuP Ready, Six-Core CPU Ready, Supports UCC feature (Unlock CPU Core), mATX | 104.16 | USD | 420.9296 | C | 24 | 24495 |
| Placi de baza | AsRock | MB AsRock 890GX Extreme3, AMD 890GX+SB850, Skt AM3, HT 5200MT/s, 4*DDR3 1800(OC) DualCh max 16GB, VGA HD4290 (max 512MB shared), memorie 128MB integrata pentru GPU, 3*PClex2.0/1*PClex1/3*PCI, 8CH HD Audio, Gigabit LAN, 6*SATA 3, 4*USB2.0, 2*USB3.0, , 3 VGA Output, Full HD 1080p Blu-ray (BD) / HD-DVD playback, Hybrid Crossfire, ATI Crossfire, ErP/EuP Ready, Six-Core CPU Ready, Supports UCC feature (Unlock CPU Core), Turbo 25 / Turbo 30 GPU Overclocking, ATX | 127.792 | USD | 516.432 | C | 24 | 24496 |
| Placi de baza | AsRock | MB AsRock 890GX Extreme4, AMD 890GX + SB750, Skt AM3, HT 5200MT/s, 4*DDR3 1800(OC) DualCh max 16GB, VGA HD4290 (max 512MB shared), memorie 128MB integrata pentru GPU, 3*PClex2.0/1*PClex1/3*PCI, 8CH HD Audio, Gigabit LAN, 5*SATA 3, 3*USB2.0, 2*USB3.0, , 3 VGA Output,Full HD 1080p Blu-ray (BD) / HD-DVD playback, Hybrid Crossfire, ATI Crossfire, ErP/EuP Ready , Six-Core CPU Ready, Supports UCC feature (Unlock CPU Core), Turbo 25 / Turbo 30 GPU Overclocking | 141.904 | USD | 573.4512 | C | 24 | 26297 |
| Placi de baza | ASRock | MB AsRock A790GMH/128M AMD790GX + SB750, Skt AM2/AM2+/AM3, HT 5200MT/s, 4*DDR2 1066 DualCh max 16GB, VGA HD3300 (max 512MB shared), memorie 128MB integrata pentru GPU, 1*PClex2.0/1*PClex1/2*PCI, 8CH HD Audio, Gigabit LAN, 1*ATA133/6*SATA II, 3.0Gb/s, RAID 0,1, 10, JBOD, 6*USB2.0, 3 VGA Output,Full HD 1080p Blu-ray (BD) / HD-DVD playback, AM3 READY, mATX | 73.248 | EUR | 387.5648 | 0 | 24 | 20364 |
| Placi de baza | AsRock | MB AsRock ALIVEDUAL-ESATA2 Nvidia M1695+ NForce3 250, Skt AM2, HT 2000MT/s, 4*DDR2 800 DualCh max 8GB, 1xPClex16,3xPCI,1*AGP 8X, 2*ATA133/2*SATA/2*SATAII/1eSATAII, RAID 0,1, 8CH Premium Level Audio, Gigabit LAN, 2*ATA133/2*SATA/2*SATAII/1eSATAII, RAID 0,1, 4*USB2.0, ATX | 67.648 | USD | 273.3808 | SL | 24 | 12058 |

| | | | | | | | | |
|---------------|--------|---|--------|-----|----------|------|----|-------|
| Placi de baza | AsRock | MB AsRock ALIVEXFIRE-ESATA2R3.0, ATI Radeon XPRESS 1600 CrossFire(RD480), Skt AM2+/ AM2, HT 2000MT/s, 4*DDR2 800DualCh max 8GB, 1*PClex16 slot with PCIe Switch card or 2*PClex slots for ATI CrossFire/1*PClex1/3*PCI, 6CH HD Audio, GigabitLAN, 2*ATA133/4*SATAII, 3.0 Gb/s, RAID 0,1,10, 2*eSATAII 3.0 Gb/s (shared with 2 SATAII ports), RAID 0, 1, 1*HDMI_SPDIF header, 6*USB2.0, ATX | 48.384 | USD | 195.5296 | CALL | 24 | 13050 |
| Placi de baza | AsRock | MB AsRock AM2NF3-VSTA, nForce3 250, S-AM2, ATX, AGP 8X, 5xPCI, Dual DDR2-800, U-DMA 133, S-ATA Raid, SB 6ch., Lan on board, AM2NF3-VSTA | 48.384 | USD | 195.5296 | S | 24 | 7591 |
| Placi de baza | AsRock | MB AsRock K10N78, Geforce 8200, Skt AM2/AM2+, ATX, Dual Channel 4xDDR2-1066 (cu AM2+), 6*S-ATA2, RAID, GBLAN, 1 x PCI-Ex16, 2 X PCI-Ex1, 3 X PCI, 8xUSB (6 in spate) | 56.336 | USD | 227.6624 | C | 24 | 17704 |
| Placi de baza | ASRock | MB AsRock K10N78D Nforce 720D, Skt AM2/AM2+/AM3 , HT 5200MT/s, 4*DDR2 1066/800 DualCh max 16GB, 1*PClex2.0/3*PClex1/3*PCI, 8CH HD Audio, Gigabit LAN, 1*ATA133/6*SATA II, 3.0Gb/s, RAID 0,1,0+1.5 , JBOD, 1*HDMI_SPDIF header, 6*USB2.0,Intelligent Energy Saver,Asrock Instant Boot,OC Tuner, ATX | 53.424 | USD | 215.8912 | C | 24 | 20359 |
| Placi de baza | AsRock | MB AsRock K10N78MPRO, Geforce 8200, Skt AM2/AM2+/AM3, HT 5200MT/s, 2*DDR2 1066/800 DualCh max 8GB, 1*PClex2.0/1*PClex1/2*PCI, SLI, VGA Geforce8200 (Max Share 512MB), 6CH HD Audio, Gigabit LAN, 1*ATA133/4*SATA II, 3.0Gb/s, RAID 0,1, 0+1, 5 JBOD, 1*WIFI/E, HDCP, FULL HD, 1*HDMI_SPDIF header, 4*USB2.0, mATX, Asrock Instant Flash | 57.008 | USD | 230.384 | C | 24 | 24487 |
| Placi de baza | ASRock | MB AsRock M3A770DE AMD 770 + SB710, Skt AM3 , HT 5200MT/s, 4*DDR3 1600 DualCh max 16GB, 2*PClex2.0/1*PClex1/3*PCI, CrossfireX, 8CH HD Audio, Gigabit LAN, 1*ATA133/4*SATA II, 3.0Gb/s, RAID 0,1, 10 , JBOD, 1*HDMI_SPDIF header, 6*USB2.0,Energy Saver (CPU up to 140W), ATX | 65.744 | USD | 265.6864 | S | 24 | 20366 |
| Placi de baza | ASRock | MB AsRock M3A785GXH/128M AMD 785G+SB710, Skt AM3, HT 5200MT/s, 4*DDR3 1600(OC) DualCh max 16GB, VGA HD4200(max 512MB shared), Built-in 128MB DDR3 1333(OC)/1200MHz SidePort Memory, 3*PClex2.0/1*PClex1/2*PCI, ATI CrossFireX, Hybrid CrossFireX, 3-Way CrossFireX, 8CH HD Audio, GBLAN, 1*ATA133/6*SATA II, 3.0Gb/s, RAID 0,1,10,JBOD, 1*eSATAII, 4*USB2.0, 1*IEEE 1394, 1*HDMI-SPDIF, D-Sub, DVI-D, HDMI, Full HD 1080p Blu-Ray (BD) / HD-DVD pl | 90.944 | USD | 367.5168 | C | 24 | 20368 |
| Placi de baza | ASRock | MB AsRock M3A790GMH/128M AMD 790GX + SB750, Skt AM3 , HT 5200MT/s, 4*DDR3 1066(OC) DualCh max 8GB, VGA HD3300 (max 512MB shared), memorie 128MB integrata pentru GPU, 1*PClex2.0/1*PClex1/2*PCI, 8CH HD Audio, Gigabit LAN, 1*ATA133/5*SATAII, 3.0Gb/s, RAID 0,1, 10 , JBOD, 4*USB2.0 , 3 VGA Output,Full HD 1080p Blu-ray (BD) / HD-DVD playback, Hybrid Crossfire, ATI Crossfire, mATX | 73.248 | USD | 296.0048 | S | 24 | 20369 |
| Placi de baza | AsRock | MB AsRock M3A790GXH/128M AMD 790GX + SB750, SktAM3 , HT 5200MT/s, 4*DDR3 1066(OC) DualCh max 16GB, VGA HD3300 (max 512MB shared), memorie 128MB integrata pentru GPU,3*PClex2.0/1*PClex1/2*PCI,8CH HD Audio,Gigabit LAN, 1*ATA133/6*SATA, 3.0Gb/s, RAID 0,1, 10 , JBOD, 1*eSATA II, 4*USB2.0 , 3 VGA Output,Full HD 1080p Blu-ray (BD) / HD-DVD playback, Hybrid Crossfire, ATI Crossfire, ATX | 90.608 | USD | 366.1616 | C | 24 | 19330 |
| Placi de baza | AsRock | MB AsRock M3A790GXH/USB3, AMD 790GX+SB750, Skt AM3, HT 5200MT/s, 4*DDR3 1600(OC) DualCh max 8GB, VGA HD3300 (max 512MB shared), memorie 128MB integrata pentru GPU, 3*PClex2.0/1*PClex1/2*PCI, 8CH HD Audio, Gigabit LAN, 1*ATA133/6*SATA II, 3.0Gb/s, RAID 0,1, 10, JBOD, 1*eSATA II, 4*USB2.0, Multi VGA Output, Full HD 1080p Blu-ray (BD) / HD-DVD playback, Hybrid Crossfire, ATI Crossfire, ErP/EuP Ready, 1 x ASRock USB 3.0 Card, 1 x ASRock SLI/XFire Switch Card, ATX | 89.824 | USD | 362.992 | C | 24 | 24490 |
| Placi de baza | ASRock | MB AsRock MA3785GMH/128M AMD 785G + SB710, Skt AM3 , HT 5200MT/s, 4*DDR3 1600(OC) DualCh max 16GB, VGA HD4200(max 512MB shared), Built-in 128MB DDR3 1333(OC)/1200MHz SidePort Memory, 1*PClex2.0/1*PClex1/2*PCI, Hybrid CrossfireX, 8CH HD Audio, Gigabit LAN, 1*ATA133/5*SATA II, 3.0Gb/s, RAID 0,1, 10 , JBOD, 4*USB2.0, Three VGA Output options: D-Sub, DVI-D and HDMI, Full HD 1080p Blu-ray (BD) / HD-DVD playback, mATX | 80.752 | USD | 326.3344 | C | 24 | 20367 |
| Placi de baza | ASRock | MB AsRock N68-GE Nforce 630A + GeForce7025, Skt AM2/AM2+/AM3, HT 2000MT/s, 4xDDR2 1200(OC) Dual Channel, 1xPClex16/1xPClex1/2xPCI, VGA GeForce7(Max256Sh), HDCP, SB 8ch HD, Gb Lan, 1xATA133/4xSATA II, 3.0Gb/s,(RAID), HDCP, FULL HD,EUP, mATX | 49.616 | USD | 200.5024 | C | 24 | 22569 |
| Placi de baza | ASRock | MB AsRock N68-GS, nForce 630A + GeForce7025, Skt AM2/AM2+/AM3, HT 2000MT/s, 2*DDR2 1066 DualCh max 8GB, 1*PClex16/1*PClex1/2*PCI, VGA GeForce 7025(Max Shared 256MB), 6CH HD Audio, Gigabit LAN, 1*ATA133/4*SATA II, 3.0Gb/s, RAID 0,1, 0+1.5,JBOD, 4*USB2.0, Supports D-Sub with max. resolution up to 1920x1440, mATX | 43.456 | USD | 175.616 | SL | 24 | 25798 |
| Placi de baza | AsRock | MB AsRock N68C-S UCC, nVidia Nforce 630A + GeForce7025, Skt AM2/AM2+/AM3, HT 2000MT/s, 2*DDR3 1600 Dual Ch max 8GB, 2*DDR2 1066 DualCh max 4GB, 1*PClex16/1*PClex1/2*PCI, VGA GeForce 7025(Max Shared 256MB), supports HDCP, 6CH HD Audio, Gigabit LAN, 1*ATA133/4*SATA II, 3.0Gb/s, RAID 0,1, 0+1.5 , JBOD, 4*USB2.0, Supports D-Sub with max. resolution up to 1920x1440 60Hz, mATX, Smart Blos, Supports UCC feature (Unlock CPU Core), Micro ATX | 42.224 | USD | 170.632 | S | 24 | 24484 |
| Placi de baza | AsRock | MB AsRock N68C-S UCC bulk, nVidia Nforce 630A + GeForce7025, Skt AM2/AM2+/AM3, HT 2000MT/s, 2*DDR3 1600 Dual Ch max 8GB, 2*DDR2 1066 DualCh max 4GB, 1*PClex16/1*PClex1/2*PCI, VGA GeForce 7025(Max Shared 256MB), supports HDCP, 6CH HD Audio,, Gigabit LAN, 1*ATA133/4*SATA II, 3.0Gb/s, RAID 0,1, 0+1.5 , JBOD, 4*USB2.0, Supports D-Sub with max. resolution up to 1920x1440 60Hz, mATX, Smart Blos, Supports UCC feature (Unlock CPU Core), Micro ATX | 40.432 | USD | 163.3968 | S | 24 | 26009 |
| Placi de baza | ASRock | MB AsRock P4I945GC Intel 945GC+ICH7, SK 478, FSB 800 Mhz, 2*DDR2 667 Dual Ch, VGA on board (max 224MB shared), 1xPClex16/1xPClex1/2xPci, 8ch, Gigabit LAN, 4xSATA2, 1XATA133, mATX | 62.048 | USD | 250.7456 | C | 24 | 20370 |
| Placi de baza | AsRock | MB AsRock P4I65G INTEL 865G, SK 478, FSB 800Mhz, 2*DDR400 DualCh max 2GB, VGA Intel Extreme(max 96MB sh), 2*ATA 100, 2*SATA, 1*AGP8x/3*PCI/1*AMR6ch SB , Lan.mATX , USB2.0 | 66.976 | USD | 270.6592 | C | 24 | 6454 |
| Placi de baza | ASRock | MB AsRock A330GC INTEL 945GC+ICH7 Dual Core Atom 330, Skt 775, FSB 533MHz, 2*DDR2 533 up to 4GB, 1*PCI, VGA on board(max 224MB shared), 6CH Premium Level HD AUDIO, Gigabit LAN, 1*ATA/ 2*SATA II 3.0 Gb/s, 4*USB2.0, Asrock Instant Boot, Intelligent Energy Saver, mATX and mini-ITX | 78.176 | USD | 315.9184 | 0 | 24 | 20371 |
| Placi de baza | ASRock | MB AsRock AD410PV, INTEL NM10 Express, CPU Atom D410 ON BOARD Single Core, 2*DDR2 800 up to 8GB, 1*PCI, VGA on board(max 224MB shared), 6CH Premium Level HD AUDIO, Gigabit LAN, 1*ATA/ 2*SATA II 3.0 Gb/s, 4*USB2.0, Asrock Instant Boot, Intelligent Energy Saver, mATX and mini-ITX | 66.08 | USD | 267.0416 | C | 24 | 23551 |
| Placi de baza | AsRock | MB AsRock AD510PV, INTEL NM10 Express CPU Atom D510 ON BOARD Dual Core, 2*DDR2 800 up to 8GB, 1*PCI, VGA on board(max 224MB shared), 6CH Premium Level HD AUDIO, Gigabit LAN, 1*ATA/ 2*SATA II 3.0 Gb/s, 4*USB2.0, Asrock Instant Boot, Intelligent Energy Saver, mATX and mini-ITX | 82.432 | USD | 333.1216 | C | 24 | 23552 |
| Placi de baza | AsRock | MB AsRock G31M-GS R2.0, INTEL G31+ICH7, Skt 775, FSB 1600MHz, 2*DDR2 800/667 Dual Ch up to 8GB, 1*PCI-Ex16/1*PCI-Ex1/2*PCI, VGA on board(max 384MB shared), 6CH Premium Level HD AUDIO, Gigabit LAN, 1*ATA/ 4*SATA II 3.0 Gb/s, 8 USB2.0, mATX | 43.456 | USD | 175.616 | S | 24 | 24501 |
| Placi de baza | AsRock | MB AsRock G31M-S R2.0, INTEL G31+ICH7, Skt 775, FSB 1600MHz, 2*DDR2 800/667 Dual Ch up to 4GB, 1*PCI-Ex16/1*PCI-Ex1/2*PCI, VGA on board(max 384MB shared), 6CH Premium Level HD AUDIO, LAN, 1*ATA/ 4*SATA II 3.0 Gb/s, 8 USB2.0, Energy Saver, Supports CPU up to 150W, Asrock OC Tuner, mATX | 42.224 | USD | 170.632 | S | 24 | 24500 |
| Placi de baza | ASRock | MB AsRock G31M-VS INTEL G31+ICH7, Skt 775, FSB 1333MHz, 2*DDR2 800/667 Dual Ch up to 8GB, 1*PCI-Ex16/1*PCI, VGA on board(max 384MB shared), 6CH Premium Level HD AUDIO, LAN, 1*ATA/ 2*SATA II 3.0 Gb/s, 4*USB2.0, Asrock Instant Boot, Intelligent Energy Saver,mATX, BULK | 39.872 | USD | 161.1344 | S | 24 | 20372 |

| | | | | | | | | |
|---------------|--------|---|--------|-----|----------|---|----|-------|
| Placi de baza | AsRock | MB AsRock G41C-GS, INTEL G41+ICH7, Skt 775, FSB 1333MHz, 2*DDR3 1333(OC) Dual Ch up to 8GB, 2*DDR2 800 max 8GB, 1*PCI-Ex16/1*PCI-Ex1/2*PCI, VGA X4500 on board(max 1759MB shared), 6CH HD AUDIO, Gigabit LAN, 1*ATA/ 4*SATA II 3.0 Gb/s, 4*USB2.0, Intelligent Energy Saver, EUP ready, Free Bundle Asrock suite, mATX | 48.384 | USD | 195.5296 | C | 24 | 24508 |
| Placi de baza | AsRock | MB AsRock G41C-S, INTEL G41+ICH7, Skt 775, FSB 1333MHz, 2*DDR3 1333(OC) Dual Ch up to 8GB, 2*DDR2 800 max 8GB, 1*PCI-Ex16/1*PCI-Ex1/2*PCI, VGA X4500 on board(max 1759MB shared), 6CH HD AUDIO, LAN, 1*ATA/ 4*SATA II 3.0 Gb/s, 4*USB2.0, Intelligent Energy Saver, EUP ready, Free Bundle Asrock suite, mATX | 47.152 | USD | 190.5456 | S | 24 | 24507 |
| Placi de baza | AsRock | MB AsRock G41C-VS, INTEL G41+ICH7, Skt 775, FSB 1333MHz, 2*DDR3 1333(OC) Dual Ch up to 8GB, 1*PCI-Ex16/1*PCI-Ex1, VGA X4500 on board(max 1759MB shared), 6CH HD AUDIO, LAN, 1*ATA/ 2*SATA II 3.0 Gb/s, 4*USB2.0, Intelligent Energy Saver, EUP ready, mATX | 46.48 | USD | 187.8352 | C | 24 | 24504 |
| Placi de baza | AsRock | MB AsRock G41M-S3, INTEL G41+ICH7, Skt 775, FSB 1333MHz, 2*DDR3 1333(OC) Dual Ch up to 8GB, 1*PCI-Ex16/1*PCI-Ex1/2*PCI, VGA X4500 on board(max 352MB shared), 6CH HD AUDIO, LAN, 1*ATA/ 4*SATA II 3.0 Gb/s, 4*USB2.0, Intelligent Energy Saver, EUP ready, Free Bundle Asrock suite, mATX | 48.384 | USD | 195.5296 | S | 24 | 24506 |
| Placi de baza | AsRock | MB AsRock P5B-DE, INTEL P965+ICH8, Skt 775, FSB 1333MHz, 4*DDR2 800 DualCh max 8GB, 1*Pciex16/2*Pciex1/3*PCI, 8CH HD AUDIO, Dual Gigabit LAN, 1*ATA, 4 *SATAII, 2*IEEE1394, 1 x HDMI_SPDIF header, 6* USB2.0, Intelligent Energy Saver, Asrock OC DNA, ATX | 48.384 | USD | 195.5296 | C | 24 | 24502 |
| Placi de baza | AsRock | MB AsRock 4CORE1600-GLAN, INTEL P31/G31+ICH7, Skt 775, FSB 1600MHz, 4*DDR2800 DualCh max 4GB, 1*Pciex16/2*Pci-ex1/3*PCI, 6CH HD AUDIO, Gigabit LAN, 1ATA/4 SATAII3.0 Gb/s, 1 x HDMI_SPDIF header, 6USB2.0, 1*WiFi/E header,ATX | 53.424 | USD | 215.8912 | C | 24 | 15858 |
| Placi de baza | AsRock | MB AsRock A330ION, Nvidia MCP7A-ION (GEFORCE 9300) with Dual Core CPU Atom 330 ON BOARD, FSB 533MHz, 2*DDR3 1066 up to 4GB, 1*Pciex2.0, VGA Geforce9 Series on board(max 512MB shared), Three VGA Output options: D-Sub, DVI-D, HDMI, 8CH HD AUDIO, Gigabit LAN, 4*SATA II 3.0 Gb/s, RAID 0, 1, 4*USB2.0, Asrock Instant Boot, Intelligent Energy Saver, HDCP function, Supports Full HD 1080p Blu-ray (BD) / HD-DVD playback, mini-ITX | 126.56 | USD | 511.448 | C | 24 | 24499 |
| Placi de baza | AsRock | MB AsRock G41M-LE INTEL G41+ICH7, Skt 775, FSB 1333MHz, 2*DDR2 1066 Dual Ch up to 8GB, 1*PCI-Ex16/1*PCI-Ex1/2*PCI, VGA X4500 on board(max 1759MB shared), 8CHHD AUDIO, Gigabit LAN, 1*ATA/ 4*SATA II 3.0 Gb/s, 4*USB2.0, 1*WIFI-e header, DualVGA Output, Intelligent Energy Saver, mATX | 57.568 | USD | 232.6464 | C | 24 | 17320 |
| Placi de baza | AsRock | MB AsRock G41M-VS3, INTEL G41+ICH7, Skt 775, FSB 1333MHz, 2*DDR3 1333(OC) Dual Ch up to 8GB, 1*PCI-Ex16/1*PCI, VGA X4500 on board(max 1759MB shared), 6CH HD AUDIO, LAN, 1*ATA/ 4*SATA II 3.0 Gb/s, 4*USB2.0, Intelligent Energy Saver, EUP ready, Free Bundle Asrock suite, mATX | 46.48 | USD | 187.8352 | C | 24 | 24505 |
| Placi de baza | AsRock | MB AsRock G41MH-GE, INTEL G41+ICH7, Skt 775, FSB 1333MHz, 4*DDR2 1066 Dual Ch up to 8GB, 1*PCI-Ex16/1*PCI-Ex1/2*PCI, VGA X4500 on board(max 1759MB shared), 8CH HD AUDIO, Gigabit LAN, 1*ATA/ 4*SATA II 3.0 Gb/s, 4*USB2.0, Multi VGA Output, Intelligent Energy Saver, mATX | 58.352 | USD | 235.8048 | S | 24 | 24503 |
| Placi de baza | AsRock | MB AsRock G41MH/USB3.0, INTEL G41+ICH7, Skt 775, FSB 1333MHz, 2*DDR3 1333(OC) Dual Ch up to 8GB, 1*PCI-Ex16/1*PCI-Ex1/2*PCI, VGA X4500 on board(max 1759MB shared), 6CH HD AUDIO, LAN, 1*ATA/ 4*SATA II 3.0 Gb/s, 4*USB2.0, 2*USB3.0, mATX | 56.224 | USD | 227.2144 | C | 24 | 25800 |
| Placi de baza | AsRock | MB AsRock G43TWINS-FULLHD, INTEL G43+ICH10, Skt 775, FSB 1333MHz, 2*DDR3 1066/800 Dual Ch up to 4GB, 2*DDR2 1066/800/667 Dual Ch up to 8GB, 1*PCI-Ex2.0/1*PCI-Ex1/2*PCI, VGA on board(max 352MB shared), 8CH, Gigabit LAN, 1*ATA/ 6*SATA II 3.0Gb/s, 8 USB2.0, 1*WIFI-e header, Full HD Blu-ray, mATX | 71.904 | USD | 290.5728 | C | 24 | 15859 |
| Placi de baza | AsRock | MB AsRock P41C-DE, INTEL G41+ICH7, Skt 775, FSB 1333MHz, 2*DDR3 1333(OC) up to 8GB/2*DDR2 1066(OC) Dual Ch up to 8GB, 1*PCI-Ex16/3*PCI-Ex1/2*PCI, 8CH HD AUDIO, Gigabit LAN, 1*ATA/ 4*SATA II 3.0 Gb/s, 4*USB2.0, Intelligent Energy Saver, Asrok Software Suite, Instant Boot, ATX | 59.584 | USD | 240.7888 | C | 24 | 24509 |
| Placi de baza | AsRock | MB AsRock P43DE, INTEL P43+ICH10, Skt 775, FSB 1600MHz, 4*DDR2 1200*(OC)/1066 DualCh max 16GB, 1*Pciex2.0/3*Pciex1/2*PCI, 8CH HD AUDIO, Gigabit LAN, 1*ATA, 6*SATAII, 1*WIFI/E header,4 USB2.0, Intelligent Energy Saver, ATX | 69.44 | USD | 280.616 | C | 24 | 17542 |
| Placi de baza | AsRock | MB AsRock P43DE3 INTEL P43+ICH10, Skt 775, FSB 1600MHz, 4*DDR3 1600/1333 DualCh max 16GB, 1*Pciex2.0/3*Pciex1/2*PCI, 8CH HD AUDIO, Gigabit LAN, 1*ATA, 6*SATAII, 1* HDMI_SPDIF header, 6*USB2.0, Intelligent Energy Saver, ATX | 70.784 | USD | 286.048 | C | 24 | 20378 |
| Placi de baza | AsRock | MB AsRock P43ME INTEL P43+ICH10, Skt 775, FSB 1600MHz, 2*DDR2 1200/1066 DualCh max 8GB, 1*Pciex2.0/1*Pciex1/2*PCI, 8CH HD AUDIO, Gigabit LAN, 1*ATA, 6*SATAII, 6* USB2.0, Intelligent Energy Saver, mATX | 62.048 | USD | 250.7456 | C | 24 | 20377 |
| Placi de baza | AsRock | MB AsRock P43PRO-USB3, INTEL P43+ICH10, Skt 775, FSB 1600MHz, 4*DDR3 1600/1333 DualCh max 16GB, 1*Pciex2.0/2*Pciex1/2*PCI, 8CH HD AUDIO, Gigabit LAN, 5*SATAII, 1* HDMI_SPDIF header, 6*USB2.0, Intelligent Energy Saver, ATX | 74.928 | USD | 302.792 | C | 24 | 23553 |
| Placi de baza | AsRock | MB AsRock P45DE INTEL P45+ICH10, Skt 775, FSB 2000MHz, 4*DDR2 1200(OC)/1066 DualCh max 16GB, 4*DDR2 1066 DualCh max 8GB, 1*Pciex2.0/3*Pciex1/2*PCI, 8CH HD AUDIO, Gigabit LAN, 1*ATA, 6*SATAII, 1*WIFI/E header, Crossfire, 6 USB2.0, ATX | 75.712 | USD | 305.9616 | C | 24 | 20379 |
| Placi de baza | AsRock | MB AsRock P45DE3 INTEL P45+ICH10, Skt 775, FSB 2000MHz, 4*DDR3 1600/1333 DualCh max 16GB, 4*DDR2 1066 DualCh max 8GB, 1*Pciex2.0/3*Pciex1/2*PCI, 8CH HD AUDIO, Gigabit LAN, 1*ATA, 6*SATAII, 1 *HDMI_SPDIF header, 6*USB2.0, ATX | 75.712 | USD | 305.9616 | C | 24 | 20380 |
| Placi de baza | AsRock | MB AsRock P45XE, INTEL P45+ICH10, Skt 775, FSB 2000MHz, 4*DDR2 1200 DualCh max 8GB, 2*Pciex2.0/3*Pciex1/2*PCI, 8CH HD AUDIO, Gigabit LAN, 1*ATA, 6*SATAII, 2*e SATAII, 1*WIFI/E header, Crossfire, 8 USB2.0, Rational Durable, Energy SaverATX | 95.2 | USD | 384.72 | 0 | 24 | 16531 |
| Placi de baza | AsRock | MB AsRock M3N78D, Nforce 720D, Skt AM3 , HT 5200MT/s, 4*DDR3 1800 DualCh max 16GB, 1*Pciex2.0/3*Pciex1/3*PCI, 8CH HD Audio, Gigabit LAN, 1*ATA133/4*SATA II, 3.0Gb/s, RAID 0, 1, 0+1.5 , JBOD, 1*HDMI_SPDIF header, 4*USB2.0,Intelligent Energy Saver,Asrock Instant Boot,OC Tuner, ATX | 57.008 | USD | 230.384 | C | 24 | 24485 |
| Placi de baza | AsRock | MB AsRock H55DE3, INTEL H55, SKT 1156, QPI up to 6400MT/s, 4*DDR3 2600+(OC) DualCh max 8GB, Intel Graphics Media Accelerator HD (max shared 1759 MB), Multi VGA Output options: D-Sub, DVI-D and HDMI, 1*Pciex2.0/1*Pciex1/1*PCI, CrossfireX, 8CH HD AUDIO, Pci-ex1 Gigabit LAN, 4*SATAII, HDMI port, 12 USB2.0, Asrock Software Suite, 2 x Powered eSATAII/USB Connectors, ATX | 95.536 | USD | 386.0752 | C | 24 | 24512 |
| Placi de baza | AsRock | MB AsRock H55M, INTEL H55, Skt 1156, QPI up to 6400MT/s, 2*DDR3 2600+(OC) DualCh max 8GB, Intel GMA HD (max shared 1759 MB), Multi VGA Output options: D-Sub, DVI-D and HDMI, 1*Pciex2.0/1*Pciex1/1*PCI, CrossfireX, 8CH HD Audio, PCI-ex1 Gigabit LAN, 4 *SATAII, HDMI port, 12 USB2.0, Combo Cooler Option, Asrock Software Suite, 2 x Powered eSATAII/USB Connectors, mATX | 82.656 | USD | 334.0288 | C | 24 | 24510 |
| Placi de baza | AsRock | MB AsRock H55M-LE, INTEL H55, SKT 1156, QPI up to 6400MT/s, 2*DDR3 2600+(OC) DualCh max 8GB, Intel GMA HD (max shared 1759 MB), Dual VGA Output options: D-Sub, DVI-D and HDCP, 1*Pciex2.0/1*Pciex16/2*PCI, 8CH HD AUDIO, Pci-ex1 Gigabit LAN, 4*SATAII, 1 x HDMI SPDIF header, 6 USB2.0, Combo Cooler Option, mATX | 71.904 | USD | 290.5728 | S | 24 | 25801 |
| Placi de baza | AsRock | MB AsRock H55M/USB3, INTEL H55, SKT 1156, QPI up to 6400MT/s, 2*DDR3 2600+(OC) DualCh max 8GB, GMA HD (max shared 1759 MB), D-Sub, DVI-D and HDMI, 1*Pciex2.0/2*Pciex16/1*PCI, CrossfireX, 8CH HD AUDIO, Pci-ex1 Gigabit LAN, 5*SATAII, HDMI port, 12 USB2.0, 2*IEEE1394, Combo Cooler Option, 1 x Powered eSATAII/USB Connectors, mATX | 86.688 | USD | 350.3248 | C | 24 | 23554 |

| | | | | | | | | |
|---------------|----------|--|---------|-----|----------|----|----|-------|
| Placi de baza | AsRock | MB AsRock H55M Pro, INTEL H55, SKT 1156, QPI up to 6400MT/s, 4*DDR3 2600+(OC) DualCh max 8GB, Intel Graphics Media Accelerator HD (max shared 1759 MB), Multi VGA Output options: D-Sub, DVI-D and HDMI, 1*Pciex2.0/1*Pciex16/1*Pciex11/1*PCI, CrossfireX, 8CH HD AUDIO, Pci-ex1 Gigabit LAN, 5*SATAII, HDMI port, 12 USB2.0, 2*IEEE1394, Combo Cooler Option, Asrock Software Suite, 1 x Powered eSATAII/USB Connectors, mATX | 94.304 | USD | 381.1024 | C | 24 | 24511 |
| Placi de baza | ASRock | MB AsRock P55-DELUXE Intel P55, Skt 1156, QPI up to 6400MT/s, 4*DDR3 2600+(OC) DualCh max 16GB, 3*Pciex2.0/1*Pciex1/3*PCI CrossfireX, SLI, 8CH HD AUDIO, Gigabit LAN, 1*ATA, 6 *SATAII, RAID (RAID 0, RAID 1, RAID 10, RAID 5 and Intel? MatrixStorage), NCQ, AHCI and Hot Plug, 2xIEEE1394, 6*USB2.0, ATX, Intelligent Energy Saver, Bundle Asrock SATA3 Card | 141.68 | USD | 572.5552 | C | 24 | 20385 |
| Placi de baza | AsRock | MB AsRock P55 Deluxe3, Intel P55, Skt 1156, QPI up to 6400MT/s, 4*DDR3 2600+(OC) DualCh max 16GB, 2*Pciex2.0/2*Pciex1/2*PCI CrossfireX, SLI, 8CH HD AUDIO, Gigabit LAN, 2 x SATA3 6.0 Gb/s (RAID 0, 1), 2 x USB 3.0, 1*ATA, 6 *SATAII, RAID 0,1,10,5 and Intel Matrix Storage), NCQ, AHCI and Hot Plug, 1xIEEE1394, 6*USB2.0, Intelligent Energy Saver, ASRock OC Tuner, ATX | 156.016 | USD | 630.4816 | C | 24 | 24513 |
| Placi de baza | ASRock | MB AsRock P55-Extreme Intel P55, Skt 1156, QPI up to 6400MT/s, 4*DDR3 2600+(OC) DualCh max 16GB, 3*Pciex2.0/1*Pciex1/3*PCI CrossfireX, SLI, 8CH HD AUDIO, Gigabit LAN, 1*ATA, 6 *SATAII, RAID (RAID 0, RAID 1, RAID 10, RAID 5 and Intel? Matrix Storage), NCQ, AHCI and Hot Plug, 2xIEEE1394, 6*USB2.0, ATX, Intelligent Energy Saver | 130.256 | USD | 526.3888 | C | 24 | 20384 |
| Placi de baza | ASRock | MB AsRock P55-PRO Intel P55, Skt 1156, QPI up to 6400MT/s, 4*DDR3 2600+(OC) DualCh max 16GB, 2*Pciex2.0/2*Pciex1/2*PCI CrossfireX, 8CH HD AUDIO, Gigabit LAN, 1*ATA, 6 *SATAII, RAID (RAID 0, RAID 1, RAID 10, RAID 5 and Intel? Matrix Storage), NCQ, AHCI and Hot Plug, 2xIEEE1394, 6*USB2.0, ATX, Intelligent Energy Saver | 105.504 | USD | 426.3616 | 0 | 24 | 20383 |
| Placi de baza | ASRock | MB AsRock P55M-PRO Intel P55, Skt 1156, QPI up to 6400MT/s, 4*DDR3 2400+(OC) DualCh max 16GB, 1*Pciex2.0/1*Pciex16/3*Pciex1/2*PCI CrossfireX, 8CH HD AUDIO, Gigabit LAN, 1*ATA, 4 *SATAII, RAID (RAID 0,RAID 1, RAID 10, RAID 5 and Intel? Matrix Storage), NCQ, AHCI and Hot Plug, 2xIEEE1394, 6*USB2.0, ATX, Intelligent Energy Saver | 98 | USD | 396.032 | C | 24 | 20382 |
| Placi de baza | AsRock | MB AsRock P55 PRO/USB3, Intel P55, Skt 1156, QPI up to 6400MT/s, 4*DDR3 2600+(OC) DualCh max 16GB, 2*Pciex2.0/2*Pciex1/2*PCI CrossfireX, 8CH HD AUDIO, Gigabit LAN, 1*ATA, 7 *SATAII, RAID (RAID 0, RAID 1, RAID 10, RAID 5, JBOD, INTEL RapidStorage), NCQ, AHCI and Hot Plug,, 6*USB2.0, 1*USB3.0, ATX, Asrock UCC, True 333 | 111.664 | USD | 451.248 | C | 24 | 25802 |
| Placi de baza | AsRock | MB AsRock X58 Extreme, INTEL X58+ICH10R, Skt 1366, QPI up to 6400MT/s, 6*DDR3 2000(OC)/1866(OC)/1600(OC)/1333(OC)/1066 Triple Ch max 24GB, 3*Pciex2.0/2*Pciex1/2*PCI, 8CH HD AUDIO, Gigabit LAN, 1*ATA, 6 *SATAII, 2'e SATAII, RAID(RAID | 181.104 | USD | 731.8752 | C | 24 | 19822 |
| Placi de baza | AsRock | MB AsRock X58 Extreme3, INTEL X58+ICH10R, Skt 1366, QPI up to 6400MT/s, 6*DDR3 2000(OC)/1866(OC)/1600(OC)/1333(OC)/1066 Triple Ch max 24GB, 2*Pciex2.0/1*Pciex16/1*Pciex1/2*PCI, 8CH HD AUDIO, Gigabit LAN, 2 x SATA3 6.0 Gb/s (RAID 0, 1), 2 x USB3.0, 1*ATA, 6 *SATAII (RAID 0,1,10, 5 and Intel Matrix Storage), NCQ, AHCI, 1*IEEE1394, 4 USB2.0, Free Bundle: 1 x ASRock SLI_Bridge_2S Card, ATI CrossFireX, 3-Way CrossFireX and Quad CrossFireX, NVIDIASLI and Quad SLI, ATX | 203.392 | USD | 821.9344 | C | 24 | 24514 |
| Placi de baza | ASRock | MB AsRock X58SUPERCOMPUTER INTEL X58+ICH10R, Skt 1366, QPI up to 6400MT/s, 6*DDR3 2000(OC)/1866(OC)/1600(OC)/1333(OC)/1066 Triple Ch.max 24GB, ATI up to Quad Crossfire, Nvidia Quad SLI, 3way SLI, 4*PciEx2.0, 3*PCI, 8CH HD AUDIO, GBLAN, 1*ATA, 6 *SATAII, 2'e SATAII, RAID(RAID 0, 1, 10, 5 and Intel? Matrix Storage), NCQ, AHCI, 2*IEEE1394, 7 USB2.0, Free bundle(3-way SLI bridge card, SLI_bridge_3s_card, SLI_bridge, Xfire_bridge_3s_ca | 298.704 | USD | 1207.114 | C | 24 | 20386 |
| Placi de baza | Gigabyte | MB GIGABYTE 770T-USB3, AMD 770, s.AM3, GbLAN, 6xSATA 2, 1xPCI-E(x16), 4xPCI-E(x1), 2xPCI, Raid 0,1, 0+1,5, 4xDDR3 1333, ATX, audio 8ch, 10xUSB2.0, 2xUSB3.0 | 96.432 | USD | 389.6928 | 0 | 36 | 25588 |
| Placi de baza | Gigabyte | MB GIGABYTE 770TA-UD3, AMD 770, s.AM3, GbELAN, 2xSATA 3, 6xSATA 2, 1xPATA, 1xPCI-E(x16), 2xPCI-E(x1), 4xPCI, Raid 0,1, 0+1,JBOD, 4xDDR3 DC 1333, ATX, audio 8ch, UpTo 2xUSB3.0,UpTo 10xUSB2.0, UpTo 3xIEEE 1394a, Dual BIOS | 103.6 | USD | 418.6672 | C | 36 | 25587 |
| Placi de baza | Gigabyte | MB GIGABYTE 790FXTA-UD5, AMD 790FX, s.AM3, 2xGbE LAN, 6xSATA 2, 1xPATA, 3xPCI-E 2.0(x16)(x16x8), 1xPCI-E(x1), 3xPCI, Raid 0,1,5, 0+1, 4xDDR3 1333, ATX, audio 8ch, 2xeSATA2,UpTo 3x1394a, Upto 10xUSB2, 2xUSB3 | 157.808 | USD | 637.728 | 0 | 36 | 25574 |
| Placi de baza | Gigabyte | MB GIGABYTE 790XT-USB3, AMD 790X, s.AM3, GbLAN, 6xSATA 2, 1xPATA, 2xPCI-E 2.0(x16)(x16x8), 2xPCI-E(x1), 3xPCI, Raid 0,1,5, 0+1, 4xDDR3 1333, ATX, audio 8ch, 2xeSATA, UpTo 3x1394a, Upto 10xUSB2, 2xUSB3 | 122.976 | USD | 496.9664 | C | 36 | 25575 |
| Placi de baza | Gigabyte | MB GIGABYTE 790XTA-UD4, AMD 790X, s.AM3, GbLAN, 2xSATA 3, 6xSATA 2, 1xPATA, 2xPCI-E 2.0(x16)(x16x8), 2xPCI-E(x1), 3xPCI, Raid 0,1,5, 0+1, 4xDDR3 1333, ATX, audio 8ch, 2xeSATA, UpTo 3x1394a, Upto 10xUSB2, 2xUSB3 | 147.616 | USD | 596.5344 | 0 | 36 | 25576 |
| Placi de baza | Gigabyte | MB GIGABYTE 870A-UD3, AMD 870, s. AM3, GbLAN, 6xSATA 3, 4xSATA 2, 1xPATA, 1xPCI-E 2.0(x16), 2xPCI-E(x1), 4xPCI, RAID 0, 1, 5, 0+1,JBOD, 4xDDR3 1333 2CH, ATX, audio 8ch(ALC892/Dolby), UpTo 14xUSB 2, 2xUSB 3, UpTo 3xIEEE 1394a | 111.44 | USD | 450.352 | 0 | 36 | 25577 |
| Placi de baza | Gigabyte | MB GIGABYTE 880GA-UD3H, AMD 880G, s. AM3, video, GbLAN, 6xSATA2.0, 1xPATA, 1xPCI-E 2.0(x16), 1xPCI-E(x4), 1xPCI-E(x1), 3xPCI, RAID 0, 1, 5, 0+1,JBOD, 4xDDR3 1333 2CH, ATX, audio 8ch(ALC892), UpTo 12xUSB 2, 2xUSB 3, UpTo 3xIEEE 1394a | 112.112 | USD | 453.0624 | 0 | 36 | 25579 |
| Placi de baza | Gigabyte | MB GIGABYTE 880GM-UD2H, AMD 880G, s. AM3, video, GbLAN, 6xSATA2.0, 1xPATA, 1xPCI-E 2.0(x16), 1xPCI-E(x1), 2xPCI, RAID 0, 1, 0+1,JBOD, 4xDDR3 1333 2CH, ATX, audio 8ch(ALC892), UpTo 12xUSB2.0, UpTo 2xIEEE 1394a | 87.584 | USD | 353.9424 | 0 | 36 | 25581 |
| Placi de baza | Gigabyte | MB GIGABYTE 880GMA-UD2H, AMD 880G, s. AM3, video, GbLAN, 6xSATA2.0, 1xPATA, 1xPCI-E 2.0(x16), 1xPCI-E(x4), 1xPCI-E(x1), 1xPCI, RAID 0, 1, 5, 0+1,JBOD, 4xDDR3 1333 2CH, ATX, audio 8ch(ALC892), UpTo 12xUSB 2, 2xUSB 3, UpTo 2xIEEE 1394a | 106.736 | USD | 431.3344 | C | 36 | 25580 |
| Placi de baza | Gigabyte | MB GIGABYTE 890FXA-UD5, AMD 890FX, s.AM3, 2xGbE LAN, 6xSATA 3, 4xSATA 2, 1xPATA, 3xPCI-E 2.0(x16)(x16x8x8), 1xPCI-E(x4), 1xPCI-E(x1), 2xPCI, Raid 0,1,5, 0+1,JBOD, 4xDDR3 1866(OC)/1333, ATX, audio 8ch, UpTo 14xUSB 2, 2xUSB 3, , UpTo 3xIEEE 1394a, Dual BIOS | 199.584 | USD | 806.5456 | C | 36 | 25572 |
| Placi de baza | Gigabyte | MB GIGABYTE 890FXA-UD7, AMD 890FX, s.AM3, 2xGbE LAN, 6xSATA 3, 4xSATA 2, 1xPATA, 4xPCI-E 2.0(2x16)(4x8), 2xPCI-E(x4), 1xPCI-E(x1), Raid 0,1,5, 0+1,JBOD, 4xDDR3 1866(OC)/1333, ATX, audio 8ch, UpTo 14xUSB 2, 2xUSB 3, UpTo 3xIEEE 1394a, Dual BIOS | 287.952 | USD | 1163.658 | 0 | 36 | 25571 |
| Placi de baza | Gigabyte | MB GIGABYTE 890GPA-UD3H, AMD 890GX, s.AM3, video, DVI, HDMI, GbLAN, 6xSATA 2, 1xPATA, 2xPCI-E 2.0(x16)(x16x8), 3xPCI-E(x1), 2xPCI, Raid 0,1,5, 0+1,JBOD, 4xDDR3 1866(OC)/1333, ATX, audio 8ch, UpTo 3x1394a, Upto 12xUSB2, 2xUSB3, Dual BIOS, 890GPA-UD3H | 141.568 | USD | 572.096 | SL | 36 | 22464 |
| Placi de baza | Gigabyte | MB GIGABYTE 890XA-UD3, AMD 790FX, s.AM3, GbE LAN, 6xSATA 3, 4xSATA 2, 1xPATA, 2xPCI-E 2.0 CF (x16)(x8x8), 3xPCI-E(x1), 2xPCI, Raid 0,1,5, 0+1, 4xDDR3 1333, ATX, audio 8ch, 2xeSATA 2,UpTo 3x1394a, Upto 10xUSB2, 2xUSB3 | 150.192 | USD | 606.9504 | 0 | 36 | 25573 |
| Placi de baza | Gigabyte | MB GIGABYTE M52L-S3P, nForce 520LE, s.AM2+, LAN, 2xSATA 2, 1xPCI-E(x16), 2xPCI-E(x1), 4xPCI, Raid 0,1, 4xDual DDRII 1066, ATX, audio 8ch, 8xUSB, GA-M52L-S3P | 53.872 | USD | 217.7056 | C | 36 | 19008 |
| Placi de baza | Gigabyte | MB GIGABYTE M720-US3, nVidia Nforce720d, s.AM2+, GbLAN, 6xSATA2 Raid 5, 1xPCI-E(x16), 2xPCI-E(x1), 4xPCI, 4xDDR2 800MHz, USB, ATX, audio 8ch. | 64.624 | USD | 261.1504 | 0 | 36 | 18844 |
| Placi de baza | Gigabyte | MB GIGABYTE MA74GM-S2, AMD RS740, s.AM2, video,LAN, 6xSATA2, 1xPCI-E(x16), 1xPCI-E(x1), 2xPCI, Raid 0,1,0+1, 2xDDR2 800, 12xUSB, mATX, video 6ch, MA74GM-S2 | 52.64 | USD | 212.7216 | C | 36 | 14611 |
| Placi de baza | Gigabyte | MB GIGABYTE MA74GM-S2H, AMD RS740, s.AM2, video, HDMI, LAN, 6xSATA2, 1xPCI-E(x16), 1xPCI-E(x1), 2xPCI, Raid 0,1,0+1, 2xDDR2 1066MHz, 12xUSB, mATX, video 6ch, MA74GM-S2H | 55.104 | USD | 222.6896 | 0 | 36 | 14596 |

| | | | | | | | | |
|---------------|----------|---|---------|-----|-----------------|---------|----|-------|
| Placi de baza | Gigabyte | MB GIGABYTE GA-MA74GMT-S2, AMD 740G + SB710, s.AM2, dual DDR3 1333, 1x PCIe X16 (X16 + Radeon 2100) + 1x PCIe X1 + 2 x PCI, 4x SATA 2.0 (RAID 0/1/0+1) + 1x PATA, LAN 1000 Mbps, sunet 7.1 (ALC888B), D-Sub + DVI, micro ATX | 50.064 | USD | 202.3168 | C | 36 | 26379 |
| Placi de baza | Gigabyte | MB GIGABYTE M68M-S2P, nVidia GF 7025/nF 630a , AM3, 2GT/S, video(D-SUB), 4*S-ATA2, 1*IDE, 1*PCI-E x16, 1*PCI-E x1, 2*PCI, RAID(0,1,5,10 JBOD), 2*DDR2 1066 2CH, MAX 8 GB, uATX, GbLAN, audio 7.1ch, UpTo 8*USB2.0 | 48.72 | USD | 196.8848 | SL | 36 | 25593 |
| Placi de baza | Gigabyte | MB GIGABYTE M85M-US2H, NV GeForce 8200, s.AM2, video, GbLAN, 6xSATA 2, 1xPATA, 1xPCI-E(x16 2.0), 1xPCI-E(x1), 2xPCI, Raid 0,1,0+1,5, 2xDDR2 1066 DC, UpTo 10xUSB, uATX, audio 6ch, M85M-US2H | 63.84 | USD | 257.992 | 0 | 36 | 20085 |
| Placi de baza | Gigabyte | MB GIGABYTE MA770-ES3, AMD 770, s.AM2+(AM3 CPU support), 1xGbLAN, 6xSATA 2, 1xIDE, 1xPCI-E 2.0(x16), 4xPCI-E(x1), 2xPCI, Raid 0,1, 0+1,5, 2xDDR2 1066 DC, ATX, audio 8ch, Up to 12xUSB 2.0 | 64.624 | USD | 261.1504 | 0 | 36 | 25592 |
| Placi de baza | Gigabyte | MB GIGABYTE MA770-UD3, AMD 770, s.AM2+, GbLAN, 6xSATA 2, 1xPCI-E(x16), 4xPCI-E(x1), 2xPCI, Raid 0,1, 0+1,5, 4xDDR2 1066, ATX, audio 8ch, 12xUSB, MA770-UD3 | 76.16 | USD | 307.776 | S | 36 | 20093 |
| Placi de baza | Gigabyte | MB GIGABYTE MA770-US3, AMD 770, s.AM2+(AM3 CPU support), 1xGbLAN, 6xSATA 2, 1xIDE, 1xPCI-E 2.0(x16), 4xPCI-E(x1), 2xPCI, Raid 0,1, 0+1,5, 4xDDR2 1066 DC, ATX, audio 8ch, Up to 12xUSB 2.0, Up to 3xIEEE 1394a | 71.456 | USD | 288.7696 | C | 36 | 25591 |
| Placi de baza | Gigabyte | MB GIGABYTE MA770T-ES3, AMD 770+SB710, s.AM3, 1*PCI-Ex16, 2 PCI, 4* PCI-E x1, 2*DDR2, 1*PATA, 4*SATA2, RAID, 12*USB2.0, 1*GbLAN, 8ChAudio, Dual BIOS, ATX | 71.456 | USD | 288.7696 | 0 | 36 | 25929 |
| Placi de baza | Gigabyte | MB GIGABYTE MA770T-UD3, AMD 770, s.AM3, 1xGbLAN, 6xSATA 2, 1xPCI-E(x16), 4xPCI-E(x1), 2xPCI, Raid 0,1, 0+1,JBOD, 1xIDE, 4xDDR3 1333, ATX, audio 8ch, Up to 12xUSB, Up to 3xIEEE 1394a, Dual BIOS | 78.848 | USD | 318.64 | 0 | 36 | 25589 |
| Placi de baza | Gigabyte | MB GIGABYTE MA785GM-US2H, AMD 785G, s.AM2+, video, DX10.1, HDMI, GbLAN, 6xSATA 2.0, 1xPATA, 1xPCI-E 2.0(x16), 1xPCI-E(x1), 2xPCI, RAID 0, 1, 0+1,JBOD, 4xDDR2 1066, uATX, audio 8ch (ALC889A), UpTo 12xUSB 2.0, Up to 2xIEEE 1394a, MA785GM- | 80.08 | USD | 323.6128 | C | 36 | 20089 |
| Placi de baza | Gigabyte | MB GIGABYTE MA785GMT-UD2H, AMD 785G, s.AM3, video, DX10.1, HDMI, GbLAN, 6xSATA 2.0, 1xPATA, 1xPCI-E 2.0(x16), 1xPCI-E(x1), 2xPCI, RAID 0, 1, 0+1,JBOD, 4xDDR3 1333, uATX, audio 8ch (ALC889A/Dolby), UpTo 12xUSB 2.0, Up to 2xIEEE 1394a | 85.12 | USD | 343.9856 | 0 | 36 | 20090 |
| Placi de baza | Gigabyte | MB GIGABYTE MA785GT-UD3H, AMD 785G, s.AM3, video, DX10.1, HDMI, GbLAN, 6xSATA 2.0, 1xPATA, 2xPCI-E 2.0(x16)(x16x4), 3xPCI-E(x1), 2xPCI, RAID 0, 1, 0+1,JBOD, 4xDDR3 1333, uATX, audio 8ch (ALC889A/Dolby), UpTo 12xUSB 2.0, UpTo 3xIEEE 1394a | 92.512 | USD | 373.856 | 0 | 36 | 20091 |
| Placi de baza | Gigabyte | MB GIGABYTE MA78LM-S2, AMD 780G, s.AM2+(AM3 CPU support), video, GbLAN, 4xSATA 2, 1xPATA, 1xPCI-E(x16), 1xPCI-E(x1), 2xPCI, Raid 0,1,0+1, 2xDDR2 1066, uATX, audio 6/8ch, up to 12xUSB | 58.8 | USD | 237.6192 | 0 | 36 | 25586 |
| Placi de baza | Gigabyte | MB GIGABYTE MA78LM-S2H, AMD 780G, s.AM2+(AM3 CPU support), video, HDMI, GbLAN, 4xSATA 2, 1xPATA, 1xPCI-E(x16), 1xPCI-E(x1), 2xPCI, Raid 0,1,0+1, 2xDDR2 1066, uATX, audio 6/8ch, up to 12xUSB | 60.144 | USD | 243.0512 | C | 36 | 25584 |
| Placi de baza | Gigabyte | MB GIGABYTE MA78LMT-S2, AMD 780G, s.AM3, video, GbLAN, 4xSATA 2, 1xPATA, 1xPCI-E(x16), 1xPCI-E(x1), 2xPCI, Raid 0,1,0+1, 2xDDR3 1333, uATX, audio 6/8ch, up to 12xUSB | 57.568 | USD | 232.6464 | C | 36 | 25585 |
| Placi de baza | Gigabyte | MB GIGABYTE MA78LMT-US2H, AMD 780G, s.AM3, video, HDMI, GbLAN, 5xSATA 2, 1xPATA, 1xPCI-E(x16), 1xPCI-E(x1), 2xPCI, Raid 0,1,0+1, 4xDDR3 1333, uATX, audio 6/8ch, up to 12xUSB, 1xeSATA | 68.208 | USD | 275.6432 | C | 36 | 25583 |
| Placi de baza | Gigabyte | MB GIGABYTE MA790X-UD3P, AMD 790X, s.AM2, GbLAN, 8xSATA 2, 1xPATA, 2xPCI-E 2.0(x16)(x8x8), 3xPCI-E(x1), 2xPCI, Raid 0,1,5, 0+1, 4xDDR2 1066, ATX, audio 8ch, Upto 12xUSB, Upto 3x1394a, MA790X-UD3P | 112.672 | USD | 455.3248 | C - LIM | 36 | 20087 |
| Placi de baza | Gigabyte | MB GIGABYTE D510UD, Intel NM10 + + Intel ATOM D510, video, GLAN, 4xSATA 2, 1xPATA, 1xPCI, 2xDDRII 800/667, mini-ITX, audio 8ch, Up To 8USB2.0, RAID 0,1, JBOD, Dual BIOS, D510UD | 91.392 | USD | 369.3312 | 0 | 36 | 22694 |
| Placi de baza | Gigabyte | MB GIGABYTE GC330UD, Intel 945GC + Intel ATOM 330, video, LAN, 2xSATA 2, 1xPATA, 1xPCI, 1xDDRII 667, mini-ITX, audio 6ch, UpTo 8USB2.0, GC330UD | 77.616 | USD | 313.656 | 0 | 36 | 20095 |
| Placi de baza | Gigabyte | MB GIGABYTE EG41MF-US2H, Intel G41, s.775, FSB 1333, video, DVI-D, HDMI, GbLAN, 4xSATA 2, 1xPATA, 1xPCI-E(x16), 1xPCI-E(x1), 2xPCI, 4xDDRII 800, mATX, audio 7.1ch, up to 8xUSB, up to 2xIEEE 1394a, EG41MF-US2H | 69.44 | USD | 280.616 | C | 36 | 20097 |
| Placi de baza | Gigabyte | MB GIGABYTE EG41MFT-US2H, Intel G41, s.775, FSB 1333, video, DVI-D, HDMI, GbLAN, 4xSATA 2, 1xPATA, 1xPCI-E(x16), 1xPCI-E(x1), 2xPCI, 2xDDRIII 1066, mATX, audio 7.1ch, up to 8xUSB, up to 2xIEEE 1394a | 72.352 | USD | 292.3872 | 0 | 36 | 25607 |
| Placi de baza | Gigabyte | MB GIGABYTE EP41-UD3L, Intel G41, s.775, FSB 1333, GbLAN, 4x SATA 2, 1xPATA, 1xPCI-E(x16), 3xPCI-E(x1), 3xPCI, 2xDDRII 800 DC, ATX, audio 8ch, Up to 8xUSB, EP41-UD3L | 68.544 | USD | 276.9984 | C | 36 | 20096 |
| Placi de baza | Gigabyte | MB GIGABYTE EP41T-UD3L, Intel G41, s.775, FSB 1333, GbLAN, 4xSATA 2, 1xPATA, 1xPCI-E(x16), 3xPCI-E(x1), 3xPCI, 4xDDR3 1066, ATX, audio 8ch, up to 8xUSB | 71.344 | USD | 288.3104 | 0 | 36 | 25608 |
| Placi de baza | Gigabyte | MB GIGABYTE EP43T-UD3L, Intel P43, s.775, FSB 1333, GbLAN, 6xSATA 2, 1xPATA, 1xPCI-E2.0(x16), 4xPCI-E(x1), 2xPCI, 2xDDR3 1333 DC, ATX, audio 8ch, U pto 12xUSB2.0, HW Dual BIOS | 88.48 | USD | 357.56 | 0 | 36 | 25601 |
| Placi de baza | Gigabyte | MB GIGABYTE EP43T-USB3, Intel P43, s.775, FSB 1333, GbLAN, 6xSATA 2, 1xPATA, 1xPCI-E2.0(x16), 3xPCI-E(x1), 2xPCI, 4xDDR3 1333 DC, ATX, audio 8ch, 2xUSB3.0, U pto 12xUSB2.0, HW Dual BIOS | 98.896 | USD | 399.6496 | C | 36 | 25597 |
| Placi de baza | Gigabyte | MB GIGABYTE G41M-ES2H, Intel G41, s.775, FSB 1333, video(D-SUB, DVI, HDMI FULL HD), GbLAN, 4xSATA 2, 1xPATA, 1xPCI-E(x16), 3xPCI, 2xDDRII 800 DC, mATX, audio 7.1ch, Up To 8xUSB, G41M-ES2H | 63.392 | USD | 256.1776 | C | 36 | 20099 |
| Placi de baza | Gigabyte | MB GIGABYTE G41M-ES2L, Intel G41, s.775, FSB 1333, video, HDMI, GbLAN, 4xSATA 2, 1xPCI-E(x16), 1xPCI-E(x1), 2xPCI, 2xDDRII 800, mATX, audio 8ch, 8xUSB, G41M-ES2L | 52.84 | USD | 212.7216 | S | 36 | 20098 |
| Placi de baza | Gigabyte | MB GIGABYTE G41MT-ES2L, Intel G41, s.775, FSB 1333, video, GbLAN, 4xSATA 2, 1xPCI-E(x16), 1xPCI-E(x1), 2xPCI, 2xDDRIII 1066, mATX, audio 8ch, 8xUSB 2.0 | 55.104 | USD | 222.6896 | 0 | 36 | 25609 |
| Placi de baza | Gigabyte | MB GIGABYTE EP45-UD3LR, Intel P45, s.775, FSB 1600, GB LAN, 6xSATA 2, 1xIDE, 1xPCI-E(x16), 4xPCI-E(x1), 2xPCI, 4xDDRII 1066 MHz Dual Channel, ATX, audio 8ch, 10xUSB (8 in spate), EP45-UD3LR | 107.296 | USD | 433.5968 | 0 | 36 | 17590 |
| Placi de baza | Gigabyte | MB GIGABYTE G31M-ES2L, Intel G31, Skt 775, FSB 1333 Mhz, video, LAN, 4xSATA 2, 1xPCI-E(x16), 1xPCI-E(x1), 2xPCI, 2*DDR2 800MHz, mATX, audio 6ch, 8xUSB, G31M-ES2L | 48.496 | USD | 195.9776 | S | 36 | 16448 |
| Placi de baza | Gigabyte | MB GIGABYTE GA-G41MT-D3, Intel G41 + ICH7, FSB 1333, dual DDR3 1066, 1x PCIe X16 (X16 + Intel GMA X4500) + 1x PCIe X1 + 2x PCI, 4x SATA 2.0 + 1x PATA, LAN 1000 Mbps, sunet 7.1 (ALC888), D-Sub, micro ATX | 54.992 | USD | 222.2304 | C | 24 | 26354 |
| Placi de baza | Gigabyte | MB GIGABYTE P41-ES3G, Intel G41, s.775, FSB 1333, GbLAN, 4x SATA 2, 1xPATA, 1xPCI-E(x16), 3xPCI-E(x1), 3xPCI, 2xDDRII 800 DC, ATX, audio 8ch, Up to 8xUSB | 62.16 | USD | 251.1936 | SL | 36 | 25606 |
| Placi de baza | Gigabyte | MB GIGABYTE P41T-ES3G, Intel G41, s.775, FSB 1333, GbLAN, 4x SATA 2, 1xPATA, 1xPCI-E(x16), 3xPCI-E(x1), 3xPCI, 2xDDR3 1333 DC, ATX, audio 8ch, Up to 8xUSB | 66.416 | USD | 268.3968 | 0 | 36 | 25604 |
| Placi de baza | Gigabyte | MB GIGABYTE P43-ES3G, Intel P43, s.775, FSB 1333, GbLAN, 6xSATA 2, 1xPATA, 1xPCI-E(x16), 1xPCI-E(x1), 5xPCI, 4xDDR2 1200, ATX, audio 8ch, Up to 12xUSB2.0, P43-ES3G | 77.616 | USD | 313.656 | C | 36 | 20100 |
| Placi de baza | Gigabyte | MB GIGABYTE P43T-ES3G, Intel P43, s.775, FSB 1333, GbLAN, 6xSATA 2, 1xPATA, 1xPCI-E(x16), 1xPCI-E(x1), 5xPCI, 4xDDR3 1600, ATX, audio 8ch, Up to 12xUSB2.0, HW Dual BIOS | 77.616 | USD | 313.656 | 0 | 36 | 25596 |
| Placi de baza | Gigabyte | MB GIGABYTE EP43-UD3L, Intel P43, s.775, FSB 1333, GbLAN, 6xSATA 2, 1xPATA, 1xPCI-E(x16), 4xPCI-E(x1), 2xPCI, 4xDDR2 1066, ATX, audio 8ch, Upto 12xUSB2.0, EP43-UD3L | 86.576 | USD | 349.8656 | CALL | 36 | 20672 |
| Placi de baza | Gigabyte | MB GIGABYTE EP45T-UD3LR, Intel P45, s.775, FSB 1600, GB LAN, 6xSATA 2, 1xIDE, 1xPCI-E(x16), 4xPCI-E(x1), 2xPCI, 4xDDRIII 2200+ MHz Dual Channel, ATX, audio 8ch, 10xUSB (8 in spate), EP45T-UD3LR | 114.688 | USD | 463.4672 | 0 | 36 | 17587 |
| Placi de baza | Gigabyte | MB GIGABYTE GA-P55-UD3L, LGA1156, Intel P55, QPI N/A, dual channel DDR3 2200, 1x PCIe X16 + 1x PCIe X4 + 1x PCIe X1 + 4x PCI, 8x SATA 2.0 (RAID 0/1/10/5), LAN 1000 Mbps, sunet 7.1 (ALC888), ATX, 100% full-AI Polymer caps | 106.4 | USD | 429.9792 | C | 36 | 22467 |

| | | | | | | | | |
|---------------|----------|---|---------|-----|-----------------|----------------|-----------|-------|
| Placi de baza | Gigabyte | MB GIGABYTE GA-P55-UD5, LGA1156, Intel P55, QPI N/A, dual channel 4 x DDR3 2000, 1x PCIe X16 + 1x PCIe X8 + 1x PCIe X4 + 2x PCIe X1 + 2x PCI, 12x SATA 2.0 (RAID 0/1/10/5) + 2x eSATA, LAN 1000 Mbps, IEEE1394, sunet 7.1 (ALC880A), ATX, Dual BIOS, 100% full-AI Polymer caps, Ultra Durable 3 | 168.784 | USD | 682.08 | 0 | 36 | 20137 |
| Placi de baza | Gigabyte | MB GIGABYTE GA-P55-UD6, LGA1156, Intel P55, QPI N/A, dual channel 6 x DDR3 2000, 1x PCIe X16 + 1x PCIe X8 + 1x PCIe X4 + 2x PCIe X1 + 2x PCI, 12x SATA 2.0 (RAID 0/1/10/5) + 2x eSATA, LAN 1000 Mbps, IEEE1394, sunet 7.1 (ALC880A), ATX, Dual BIOS, 100% full-AI Polymer caps, Ultra Durable 3 | 205.744 | USD | 831.4432 | 0 | 36 | 20138 |
| Placi de baza | Gigabyte | MB GIGABYTE GA-P55-US3L, LGA1156, Intel P55, QPI N/A, dual channel DDR3 2000, 1x PCIe X16 + 1x PCIe X4 + 1x PCIe X1 + 4x PCI, 8x SATA 2.0 (RAID 0/1/10/5), LAN 1000 Mbps, sunet 7.1 (ALC888), ATX, 100% full-AI Polymer caps | 100.128 | USD | 404.6336 | CALL | 36 | 20141 |
| Placi de baza | Gigabyte | MB GIGABYTE GA-P55M-UD2, LGA1156, Intel P55, QPI N/A, dual channel DDR3 2000, 1x PCIe X16 + 1x PCIe X4 + 2x PCI, 8x SATA 2.0 (RAID 0/1/10/5) + 1x eSATA rear, LAN 1000 Mbps, IEEE1394, sunet 7.1 (ALC888B), mATX, 100% full-AI Polymer caps, Ultra Durable 3 | 112.672 | USD | 455.3248 | SL | 36 | 20139 |
| Placi de baza | Gigabyte | MB GIGABYTE GA-P55M-UD4, LGA1156, Intel P55, QPI N/A, dual channel DDR3 2000, 1x PCIe X16 + 1x PCIe X8 + 1x PCIe X4 + 1x PCI, 8x SATA 2.0 (RAID 0/1/10/5) + 1x eSATA rear, LAN 1000 Mbps, IEEE1394, sunet 7.1 (ALC889A), mATX, 100% full-AI Polymer caps, Ultra Durable 3 | 169.68 | USD | 685.7088 | 0 | 36 | 20140 |
| Placi de baza | Gigabyte | MB GIGABYTE H55-UD3H, LGA1156, Intel H55, QPI 4.8GT/s, GbELAN, 6xSATA 2, 1xPATA, 1xPCI-E 2.0(x16)(1x16 or 2x61.x4), 1xPCI-E(x4), 1xPCI-E(x1), 4xPCI, 4xDDR3 DC 1333, ATX, audio 8ch, UpTo 12xUSB2.0, UpTo 2x1394a, Dual BIOS | 112.672 | USD | 455.3248 | C | 36 | 25620 |
| Placi de baza | Gigabyte | MB GIGABYTE H55M-S2, LGA1156, Intel H55 Express, QPI 6.4GT/s, video(D-SUB), 6'S-ATA2, 1*PCI-E x16, 1*PCI-E x1, 2*PCI, 2*DDR3 1333 2CH, MAX 16GB, uATX, GbLan(Realtek RTL8111E), audio 7.1ch(Realtek ALC888B), UpTo 12*USB2.0 | 82.656 | USD | 334.0288 | S | 36 | 25624 |
| Placi de baza | Gigabyte | MB GIGABYTE H55M-S2H, LGA1156, Intel H55, QPI 4.8GT/s, GbELAN, 6xSATA 2, 1xPATA, 1xPCI-E 2.0(x16)(1x16 or 2x61.x4), 1xPCI-E(x4), 2xPCI, 2xDDR3 DC 1333, uATX, audio 8ch, UpTo 12xUSB2.0, Dual BIOS | 86.352 | USD | 348.9584 | 0 | 36 | 25623 |
| Placi de baza | Gigabyte | MB GIGABYTE H55M-UD2H, LGA1156, Intel H55, QPI 4.8GT/s, GbELAN, 6xSATA 2, 1xPATA, 1xPCI-E 2.0(x16)(1x16 or 2x61.x4), 1xPCI-E(x4), 2xPCI, 4xDDR3 DC 1333, uATX, audio 8ch, UpTo 12xUSB2.0, UpTo 2x1394a, Dual BIOS | 98.896 | USD | 399.6496 | 0 | 36 | 25622 |
| Placi de baza | Gigabyte | MB GIGABYTE H55M-USB3, LGA1156, Intel H55, QPI 4.8GT/s, GbELAN, 8xSATA 2, 1xPATA, 1xPCI-E 2.0(x16)(1x16 or 2x61.x4), 1xPCI-E(x4), 2xPCI, RAID 0,1,5,10,JBOD, 4xDDR3 DC 1333, uATX, audio 8ch, UpTo 2xUSB3.0, UpTo 10xUSB2.0, UpTo 2x1394a, DualBIOS | 120.736 | USD | 487.9168 | C | 36 | 25621 |
| Placi de baza | Gigabyte | MB GIGABYTE H55N-USB3, LGA1156, Intel H55 Express, QPI 6.4GT/s, video(D-SUB,DVI-D,HDMI), 4'S-ATA2, 1*PCI-E x16, 2*DDR3 1333 2CH, MAX 8GB, Mini-ITX, GbLan(Realtek RTL8111E), audio 7.1ch(Realtek ALC892R), UpTo 2*USB3, UpTo 8*USB2, UpTo 1*eSATA | 112.672 | USD | 455.3248 | C | 36 | 25625 |
| Placi de baza | Gigabyte | MB GIGABYTE H57M-USB3, LGA1156, Intel H57, QPI 4.8GT/s, GbELAN, 8xSATA 2, 1xPATA, 1xPCI-E 2.0(x16)(1x16 or 2x16.x4), 1xPCI-E(x4), 2xPCI, RAID 0,1,5,10,JBOD, 4xDDR3 DC 2200+, uATX, audio 8ch, UpTo 2xUSB3.0, UpTo 12xUSB2.0, UpTo 2x1394a, 1xeSATA, Dual BIOS | 142.688 | USD | 576.6208 | C | 36 | 25619 |
| Placi de baza | Gigabyte | MB GIGABYTE P55-USB3, LGA1156, Intel P55 EX, QPI 6.4GT/s, 8'S-ATA2, 1*IDE, 1*PCI-E x16, 1*PCI-E x4, 2*PCI-E x1, 3*PCI, RAID(0,1,JBOD), 4*DDR3 2200 2CH, MAX 24 GB, ATX, GbLan,audio 7.1ch,UpTo 2*USB3, UpTo 14*USB2.0 | 127.68 | USD | 515.9728 | SL | 36 | 25618 |
| Placi de baza | Gigabyte | MB GIGABYTE P55A-UD3, LGA1156, Intel P55, QPI 4.8GT/s, GbELAN, 6xSATA 2, 2xSATA3, 2xPCI-E 2.0 (x16)(x16.x4), 2xPCI-E(x1), 3xPCI, RAID 0,1,5,10, 4xDDR3 DC 2200, ATX, audio 8ch, UpTo 14xUSB 2.0, 2xUSB3.0 | 143.92 | USD | 581.6048 | 0 | 36 | 25616 |
| Placi de baza | Gigabyte | MB GIGABYTE P55A-UD3R, LGA1156, Intel P55, QPI 4.8GT/s, GbELAN, 2xSATA 3, 8xSATA 2, 1xPATA, 1xPCI-E 2.0 (x16), 1xPCI-E(x4), 1xPCI-E(x1), 4xPCI, RAID 0,1,5,10, 4xDDR3 DC 2000, ATX, audio 8ch, 2xUB 3.0, UpTo 12xUSB 2.0, 2xeSATA | 160.832 | USD | 649.9472 | 0 | 36 | 25617 |
| Placi de baza | Gigabyte | MB GIGABYTE P55A-UD4, LGA1156, Intel P55, QPI 4.8GT/s, GbELAN, 8xSATA 2, 2xSATA3, 2xPCI-E 2.0 (x16)(x16.x8), 3xPCI-E(x1), 2xPCI, RAID 0,1,5,10, 4xDDR3 DC 2200, ATX, audio 8ch, UpTo 14xUSB 2.0, 2xUSB3.0, UpTo 3x1394a, 2xeSATA | 196 | USD | 792.064 | C - LIM | 36 | 25615 |
| Placi de baza | Gigabyte | MB GIGABYTE P55A-UD5, LGA1156, Intel P55, QPI 4.8GT/s, 2xGbELAN, 8xSATA 2, 2xSATA3, 3xPCI-E 2.0 (x16)(x16.x8.x4), 2xPCI-E(x1), 2xPCI, RAID 0,1,5,10, 6xDDR3 DC 2600+, ATX, audio 8ch, UpTo 14xUSB 2.0, 2xUSB3.0, UpTo 3x1394a, 2xeSATA | 244.832 | USD | 989.408 | 0 | 36 | 25614 |
| Placi de baza | Gigabyte | MB GIGABYTE P55A-UD6, LGA1156, Intel P55, QPI 4.8GT/s, 2xGbELAN, 8xSATA 2, 2xSATA3, 3xPCI-E 2.0 (x16)(x16.x8.x4), 2xPCI-E(x1), 2xPCI, RAID 0,1,5,10, 6xDDR3 DC 2600+, ATX, audio 8ch, UpTo 14xUSB 2.0, 2xUSB3.0, UpTo 3x1394a, 2xeSATA | 271.04 | USD | 1095.315 | 0 | 36 | 25613 |
| Placi de baza | Gigabyte | MB GIGABYTE P55A-UD7, LGA1156, Intel P55, QPI 4.8GT/s, 2xGbELAN, 8xSATA 2, 2xSATA3, 1xPATA, 4xPCI-E 2.0 (x16)(2*x16+2*x8), 1xPCI-E(x1), 2xPCI, RAID 0,1,5,10, 4xDDR3 DC 2000, ATX, audio 8ch, UpTo 12xUSB 2.0, 2xUSB3.0, UpTo 3x1394a, 2xeSATA | 303.744 | USD | 1227.475 | 0 | 36 | 25612 |
| Placi de baza | Gigabyte | MB GIGABYTE Q57M-S2H, LGA1156, Intel Q57 EX, QPI 6.4GT/s, video(D-SUB,DVI-D,HDMI,DP), 6'S-ATA2, 1*IDE, 1*PCI-E x16, 1*PCI-E x4, 2*PCI, 4*DDR3 1666 2CH, MAX 16 GB, uATX, GbLan,audio 7.1ch, UpTo 12*USB2.0 | 123.872 | USD | 500.584 | 0 | 36 | 25610 |
| Placi de baza | Gigabyte | MB GIGABYTE EX58-UD7 Extreme 2, Intel X58, LGA1366, QPI 6.4GT/s / 6.4GT/s, 2xGB LAN, 6xSATA 2, 2xSATA3, 2xeSATA, 1xIDE, 2xPCI-E(x16) at x16, 2xPCI-E(x8) at x8, 2xPCI-E(x1), 1xPCI, 6xDRIII 2200 MHz Triple Chanell, ATX, audio 8ch, 2xUSB3.0, 8x USB2.0 | 371.056 | USD | 1499.501 | C | 36 | 22226 |
| Placi de baza | Gigabyte | MB GIGABYTE GA-X58-USB3, LGA1366, Intel X58 + ICH10R, QPI 6400, tri DDR3 2000, 2x PCIe X16 (X16 + X16) + 1x PCIe X4 + 3x PCIe X1 + 1x PCI, 6x SATA 2.0 (RAID 0/1/10/5) + LAN 1000 Mbps, USB 3.0, sunet 7.1 (ALC892), 100% full-AI Polymer caps,Ultra Durable 3 | 212.8 | USD | 859.9584 | 0 | 36 | 26380 |
| Placi de baza | Gigabyte | MB GIGABYTE X58A-UD3R, Intel X58, LGA1366, QPI 4.8GT/s / 6.4GT/s, GB LAN, 8xSATA 2 Raid5, 2xSATA 3, 1xIDE, 2xPCI-E(x16) at x16, 2xPCI-E(x1), 1xPCI, 6xDRIII 2000+ MHz Triple Chanell, ATX, audio 8ch, 10xUSB 2.0 (6 in spate), 2xUSB 3.0, 1394, X58A-UD3R | 223.888 | USD | 904.7696 | C | 36 | 22335 |
| Placi de baza | Gigabyte | MB GIGABYTE X58A-UD5, Intel X58, s.1366, QPI 6.4GT/S, 2xGbELAN, 2xSATA3.0, 8xSATA 2, 2xPCI-E(x16), 2xPCI-E(x8), 2xPCI-E (x1), 1xPCI, RAID0,1,5,10, 6xDDR3 2000, ATX, audio 8ch, 12xUSB | 318.976 | USD | 1289.03 | C | 36 | 25627 |
| Placi de baza | Gigabyte | MB GIGABYTE X58A-UD9, Intel X58, s.1366, QPI 6.4GT/S, 2xGbELAN(RTL8111D), 2xSATA 3, 10xSATA 2, 1xPATA, 7xPCI-E(x16)(4*x16.3*x8), RAID0,1,5,10, 6xDDR3 2000, ATX, HD audio 8ch(ALC889), 2xeSATA, 3x1394A, 2xUSB3.0, 12xUSB2.0, Dual BIOS | 542.08 | USD | 2190.63 | C | 36 | 25626 |
| Placi de baza | Evga | MB EVGA 111-CD-E630-TR, LGA1156, Intel H55, dual channel DDR3 1333, 1x PCIe X16 + 1x PCIe X4 + 1x PCIe X1 + 1x PCI, 5x SATA 2.0 + 1x eSATA, LAN 1000 Mbps, sunet 7.1, DVI + D-Sub + HDMI, mATX | 90.384 | USD | 365.2544 | C | 24 | 26388 |
| Placi de baza | Evga | MB EVGA 120-LF-E650-TR, LGA1156, Intel P55, dual channel DDR3 1333, 2x PCIe X16 (X8 + X8) + 2x PCIe X1, 5x SATA 2.0 (RAID 0/1/10/5) + 1x eSATA, LAN 1000 Mbps, sunet 7.1, mATX | 92.512 | USD | 373.856 | C | 24 | 26389 |
| Placi de baza | Evga | MB EVGA 121-BL-E756-TR, LGA1366, Intel X58 / ICH10R, QPI 6400, triple DDR3 1600, 2x PCIe X16 (SLI) + 1x PCIe X1 + 1x PCI, 6x SATA 2.0 (RAID 0/1/0+1/5), LAN 1000 Mbps, sunet 7.1, microATX | 260.176 | USD | 1051.411 | 0 | 24 | 26396 |
| Placi de baza | Evga | MB EVGA 121-LF-E652-KR, LGA1156, Intel P55, dual channel DDR3 2000, 2x PCIe X16 (X8 + X8) + 1x PCIe X1 + 1x PCI, 6x SATA 2.0 (RAID 0/1/10/5) + 2x eSATA, LAN 1000 Mbps, IEEE1394, sunet 7.1, mATX | 199.584 | USD | 806.5456 | 0 | 24 | 26390 |
| Placi de baza | Evga | MB EVGA 123-LF-E653-KR, LGA1156, Intel P55, dual channel DDR3 2000, 2x PCIe X16 (X16 + X4) + 1x PCIe X1 + 3x PCI, 6x SATA 2.0 (RAID 0/1/10/5), LAN 1000 Mbps, IEEE 1394, sunet 7.1, ATX | 194.32 | USD | 785.2768 | 0 | 24 | 26391 |

| | | | | | | | | |
|---------------|------|---|---------|-----|----------|------|----|-------|
| Placi de baza | Evga | MB EVGA 132-GT-E768-EK, LGA1366, Intel X58 / ICH10R, QPI 6400, triple DDR3 1600 (max 24 GB), 3x PCIe X16 (16X + 16X + 8X) + 1x PCIe X1 + 2x PCI, 6x SATA 2.0 (RAID 0/1/0+1/5) + 2x SATA 3.0 (RAID 0/1), USB3.0, LAN 1000 Mbps, sunet 7.1 | 349.776 | USD | 1413.496 | 0 | 24 | 26398 |
| Placi de baza | Evga | MB EVGA 132-LF-E655-KR, LGA1156, Intel P55, dual channel DDR3 2000, 3x PCIe X16 (X16 + X8 + X4) + 1x PCIe X1 + 2x PCI, 6x SATA 2.0 (RAID 0/1/10/5) + 2x eSATA, 2x LAN 1000 Mbps, IEEE 1394, sunet 7.1, ATXMB EVGA, ATX | 226.8 | USD | 916.5296 | 0 | 24 | 26392 |
| Placi de baza | Evga | MB EVGA 132-LF-E657-KR, LGA1156, Intel P55, dual channel DDR3 2600, 3x PCIe X16 (X16 + X8 + X4) + 1x PCIe X1 + 2x PCI, 6x SATA 2.0 (RAID 0/1/10/5) + 2x eSATA, 2x LAN 1000 Mbps, IEEE 1394, sunet 7.1, 12+2 phase CPU VRM, ATX | 239.456 | USD | 967.68 | C | 24 | 26393 |
| Placi de baza | Evga | MB EVGA 141-BL-E757-TR, LGA1366, Intel X58 / ICH10R, QPI 6400, triple DDR3 1333 (max 12 GB), 4x PCIe X16 (16X + 8X + 4X) + 1x PCIe X1 + 1x PCI, 6x SATA 2.0 (RAID 0/1/0+1/5), LAN 1000 Mbps, sunet 7.1, ATX | 259.056 | USD | 1046.886 | 0 | 24 | 26397 |
| Placi de baza | Evga | MB EVGA 141-BL-E760-E1, LGA1366, Intel X58 / ICH10R, QPI 6400, triple DDR3 1600 (max 24 GB), 4x PCIe X16 (SLI) + 1x PCIe X1 + 1x PCI, 9x SATA 2.0 (RAID 0/1/0+1/5/JBOD) + 1x PATA, 2x LAN 1000 Mbps, Firewire, sunet 7.1, EATX | 440.496 | USD | 1780.117 | 0 | 24 | 26399 |
| Placi de baza | Evga | MB EVGA 141-LF-E658-KR, LGA1156, Intel P55, dual channel DDR3 2600, 3x PCIe X16 (X16 + X8 + X4) + 1x PCIe X4 + 1x PCIe X1 + 1x PCI, 8x SATA 2.0 (RAID 0/1/10/5), 2x LAN 1000 Mbps, IEEE 1394, sunet 7.1, 12+2 phase CPU VRM, ATX | 326.48 | USD | 1319.36 | 0 | 24 | 26394 |
| Placi de baza | Evga | MB EVGA 160-LF-E659-KR, LGA1156, Intel P55, 4 x dual channel DDR3 2600, 5x PCIe X16 (X16 + X8) + 1x PCIe X4 + 1x PCIe X1, 8x SATA 2.0 (RAID 0/1/10/5), 2x LAN 1000 Mbps, IEEE 1394, sunet 7.1, 12+2 phase CPU VRM, EATX | 353.808 | USD | 1429.792 | 0 | 24 | 26395 |
| Placi de baza | Evga | MB EVGA 170-BL-E762-A1, LGA1366, Intel X58 / ICH10R, QPI 6400, triple DDR3 1600 (max 24 GB), 7x PCIe X16 (SLI), 9x SATA 2.0 (RAID 0/1/0+1/5/JBOD) + 1x PATA, 2x LAN 1000 Mbps, Firewire, sunet 7.1, EATX | 537.712 | USD | 2172.979 | 0 | 24 | 26400 |
| Placi de baza | Asus | MB ASUS P5G41-M/S1, Intel G41/ICH7, LGA 775 1333/1066/800MHz, 4*DDR2-800/667 Dual Ch, VGA on board (max 1849MB Sh), 1*PCIE16/3*PCI, 1*D-Sub+1*DVI+1*HDMI, ATA100*1/SATA 3Gb/s*4, Sound 6CH HD VIA VT1708S, S/PDIF(Optical out), TPM Infineon header (90-C1BOAF*), GbLan Realtek PCIe, 8*USB2.0, mATX, white box, Floppy header | 51.632 | USD | 208.656 | S | 36 | 23639 |
| Placi de baza | Asus | MB ASUS CROSSHAIR-II-FORMULA NForce 780a SLI (MCP72XE), Sk AM2/AM2+HT3 5200/4800, 4*DDR2-1066/800/667 DualCh ECC, VGA on board (max 512MB Sh), 3*PCIE16(all PCIe2.0),3-Way SLI(Dual x16 or Triple x8)/2*PCIE11/1*PCI, 133*/1/SATA 3Gb/s*6(RAO, 1, 0+1, 5, JBOD), SupremeFX II Audio Card AD1988B, S/PDIF(Coaxial + Optical out), GbLan Marvell PCIe+GbLan Marvell PHY, 12*USB, 2*1394a, ATX | 134.96 | USD | 545.3952 | C | 36 | 15735 |
| Placi de baza | Asus | MB ASUS CROSSHAIR-III-FORMULA ATI 790FX/SB750, Sk AM3 HT3 5200/4800, 4*DDR3-1600(O.C.)/1333/1066 DualCh ECC, 2*PCIe 2.0(CrossFireX dual x16;up to 4 GPUs)/3*PCIE11/1*PCI, ATA133*/1/SATA 3Gb/s*5(RAID 0, 1, 5, 10, JBOD) + 1*eSATA, SupremeFX X-Fi Audio Card AD2000B, S/PDIF(Coaxial out+Optical out)(on the audio card), 1*GbLan Realtek PCIe, 12*USB, 2*1394a, ATX | 204.736 | USD | 827.3664 | C | 36 | 20246 |
| Placi de baza | Asus | MB ASUS CROSSHAIR-IV-FORMULA ATI 890FX/SB850, Sk AM3 HT3 5200/4800, 4*DDR3 2000(O.C.)/1800(O.C.)/1600(O.C.)/1333/1066, 3*PCIe 2.0(CrossFireX dual x16;triple x16 x8 x8)/1*PCIE11/2*PCI, ATA133*/1/SATA 6Gb/s*5(RAID 0, 1, 5, 10, JBOD) + 1*eSATA, SB 8ch X-Fi Audio Card, S/PDIF(Coaxial out+Optical out)(on the audio card), 1*GbLan Realtek PCIe, 2*USB3.0, 12*USB, 2*1394a, ATX | 243.152 | USD | 982.6208 | C | 36 | 22916 |
| Placi de baza | Asus | MB ASUS M2A74-AM AMD 740G/SB700, Sk AM2/AM2+ HT 2000/1600, 2*DDR2-1066/800/667 DualCh ECC, VGA onboard (max 256MB Sh), 1*PCIE16/1*PCIE11/2*PCI, ATA133*/1/SATA 3Gb/s*4(RAID 0, 1, 0+1, JBOD), Sound 6-CH(HD) VIA VT1708S, GbLan Realtek PCIe, 10*USB, mATX | 59.248 | USD | 239.4336 | SL | 36 | 20232 |
| Placi de baza | Asus | MB ASUS M2N68-AM-PLUS, NForce630a/GeForce 7025, Sk AM2/AM2+ HT3 2000/1600, 2*DDR2-1066(O.C.)/800/667 Dual Ch ECC, VGA on board (max 256MB Sh), 1*PCIE2.0x16/2*PCI/1*PCIE1, ATA133*/1/SATA 3Gb/s*4(RAID 0, 1, 0+1, 5, JBOD), Sound 6-CH(HD) ALC662, GbLan PHY, 10*USB, mATX | 49.616 | USD | 200.5024 | S | 36 | 19515 |
| Placi de baza | Asus | MB ASUS M2N68-AM SE2, NForce630a/GeForce 7025, Sk AM2/AM2+ HT3 5200/4800, 2*DDR2-1066(O.C.)/800/667 Dual Ch ECC, VGA on board (max 256MB Sh), 1*PCIE2.0x16/2*PCI/1*PCIE1, ATA133*/1/SATA 3Gb/s*5(RAID 0, 1, 0+1, 5, JBOD), Sound 6-CH(HD) ALC662, GbLan Realtek, 10*USB, mATX | 47.488 | USD | 191.912 | S | 36 | 19514 |
| Placi de baza | Asus | MB ASUS M2N68-PLUS NForce630a, Sk AM2/AM2+ HT 2000/1600, 2*DDR2-1066(O.C.)/800/667 Dual Ch ECC, 1*PCIE2.0x16/4*PCI/2*PCIE1, ATA133*/1/SATA 3Gb/s*4(RAID 0, 1, 0+1, JBOD), Sound 6-CH(HD) ALC662, GbLan PHY, 10*USB, ATX | 58.352 | USD | 235.8048 | S | 36 | 20247 |
| Placi de baza | Asus | MB ASUS M3A78-CM AMD 780V/SB700, Sk AM2/AM2+ HT3 5200/4800, 4*DDR2-1066/800/667/533 DualCh ECC, VGA onboard (max 256MB Sh), 1*PCIE16/1*PCIE11/2*PCI, ATA133*/1/SATA 3Gb/s*6 (RAID 0.1.10), Sound8-CH(HD) VIAVT1708B, GbLan Realtek PCIe, TP(Infineon) without module, 12*USB, ATX | 72.24 | USD | 291.928 | S | 36 | 15713 |
| Placi de baza | Asus | MB ASUS M3N-WS GeForce 8200 (MCP78S), Sk AM2/AM2+ HT3 5200/4800, 4*DDR2-1066/800/667/533 Dual Ch ECC, VGA on board (max 512MB Sh), 1*PCIE16 2.0(Hybrid SLI support)/2*PCI/2*PCIE1, ATA133*/1/SATA 3Gb/s*6(RAID 0, 1, 0+1, 5, JBOD); SATA5-6 oy support AHCI and RAID mode, Sound 8-CH(HD) ALC888, TPM(Sinosun) Without Module, GbLan Realtek PCIe, 12*USB, 2*1394a, ATX | 78.736 | USD | 318.1808 | C | 36 | 15732 |
| Placi de baza | Asus | MB ASUS M4A77D AMD 770/SB710, Sk AM2/AM2+ HT3 5200/4800, 4*DDR2-1200(O.C.)/1066/800/667 DualCh ECC, 1*PCIE2.0x16/3*PCI/2*PCIE1, ATA133*/1/SATA 3Gb/s*5(RAID 0, 1, 10, JBOD) + 1*eSATA, Sound8-CH(HD) ALC 887, S/PDIF(Optical out), 1*GbLan Realtek PCIe, 12*USB, ATX | 81.872 | USD | 330.8592 | M | 36 | 21995 |
| Placi de baza | Asus | MB ASUS M4A77T AMD 770/SB710, Sk AM3 HT3 5200/4800, 4*DDR3-1800(O.C.)/1600/1333/1066 DualCh ECC, 1*PCIE2.0x16/3*PCI/2*PCIE1, ATA133*/1/SATA 3Gb/s*6(RAID0, 1, 10, JBOD), Sound8-CH(HD) VIA VT1708S, 1*GbLan Realtek PCIe, 12*USB, ATX | 74.48 | USD | 300.9888 | CALL | 36 | 22901 |
| Placi de baza | Asus | MB ASUS M4A77T/USB3 AMD 770/SB710, Sk AM3 HT3 5200/4800, 4*DDR3-1800(O.C.)/1600/1333/1066 DualCh ECC, 1*PCIE2.0x16/3*PCI/2*PCIE1, ATA133*/1/SATA 3Gb/s*6(RAID0, 1, 10, JBOD), Sound8-CH(HD) VIA VT1708S, 1*GbLan Realtek PCIe, 10*USB2.0, 2*USB3.0, ATX | 92.736 | USD | 374.7632 | C | 36 | 25293 |
| Placi de baza | Asus | MB ASUS M4A78 AMD 770/SB700, Sk AM2/AM2+ HT3 5200/4800, 4*DDR2-1066/800/667/533 DualCh, 1*PCIE2.0x16/2*PCIE1/3*PCI, ATA133*/1/SATA 3Gb/s*5(RAID 0, 1, 10, JBOD) + 1*eSATA, Sound8-CH(HD) ALC 887, S/PDIF(Optical out), 1*GbLan Realtek PCIe, 12*USB, ATX | 89.824 | USD | 362.992 | CALL | 36 | 20234 |
| Placi de baza | Asus | MB ASUS M4A78-AM AMD 780G/SB710, Sk AM2/AM2+ HT3 5200/4800, 2*DDR2-1200(O.C.)/1066/800/667 DualCh ECC, VGA onboard (max 256MB Sh), 1*PCIE2.0x16(Hybrid CFX support)/1*PCIE11/2*PCI, ATA133*/1/SATA 3Gb/s*4(RAID 0, 1, 0+1, JBOD), Sound8-CH(HD) VIA VT1708S, GbLan Realtek PCIe, 10*USB, mATX | 67.536 | USD | 272.9216 | 0 | 36 | 20235 |
| Placi de baza | Asus | MB ASUS M4A78-HTPC AMD 780G/SB700, Sk AM2/AM2+ HT3 5200/4800, 4*DDR2-1066/800/667 DualCh ECC, VGA onboard (max 256MB Sh), 1*PCIE16(Hybrid CrossFireX support)/2*PCIE11/1*PCI, ATA133*/1/SATA 3Gb/s*5(RAID 0, 1, 10) + 1*eSATA, Sound8-CH(HD) VIAVT1718S, S/PDIF(Coaxial + Optical out), GbLan Atheros PCIe, 10*USB, mATX | 81.648 | USD | 329.952 | S | 36 | 20238 |
| Placi de baza | Asus | MB ASUS M4A785-M AMD 785G/SB710, Sk AM2+ HT3 5200/4800, 4*DDR2-1200(O.C.)/1066/800/667 DualCh ECC, VGA onboard (max 512MB Sh), 1*PCIE2.0x16(Hybrid CrossFireX support)/2*PCI/1*PCIE1, 1*D-Sub+1*DVI+1*HDMI, ATA133*/1/SATA 3Gb/s*6(RAID 0, 1, 10, JBOD), Sound8-CH(HD) VIA VT1708S, S/PDIF(Optical out), 1*GbLan Realtek PCIe, 12*USB, mATX | 83.104 | USD | 335.832 | SL | 36 | 21997 |

| | | | | | | | | |
|---------------|------|--|---------|-----|----------|----|----|-------|
| Placi de baza | Asus | MB ASUS M4A785G-HTPC AMD 785G/SB710, Sk AM2+ HT3 5200/4800, 4*DDR2-1200(O.C.)/1066/800/667 DualCh ECC, VGA onboard (max 512MB Sh), 1*PCle2.0x16(Hybrid CrossFireX support)/1*PCI/2*PClex1, 1*D-Sub+1*DVI+1*HDMI, ATA133*/1*SATA 3Gb/s*5(RAID 0, 1, 10, JBOD) + 1*eSATA, Sound 10-CH(HD) VIA VT2020, S/PDIF(Optical out), 1*GbLan Realtek PCIe, 10*USB, 2*1394a, mATX | 99.456 | USD | 401.9232 | S | 36 | 21992 |
| Placi de baza | Asus | MB ASUS M4A785G-HTPC/RC AMD 785G/SB710, Sk AM2+ HT3 5200/4800, 4*DDR2-1200(O.C.)/1066/800/667 DualCh ECC, VGA onboard (max 512MB Sh), 1*PCle2.0x16(Hybrid CrossFireX support)/1*PCI/2*PClex1, 1*D-Sub+1*DVI+1*HDMI, ATA133*/1*SATA 3Gb/s*5(RAID 0, 1, 10, JBOD) + 1*eSATA, Sound 10-CH(HD) VIA VT2020, S/PDIF(Optical out), 1*GbLan Realtek PCIe, 10*USB, 2*1394a, mATX, Bundled with Remote Controller | 113.344 | USD | 458.0464 | 0 | 36 | 21993 |
| Placi de baza | Asus | MB ASUS M4A785T-M AMD 785G/SB710, Sk AM3 HT3 5200/4800, 4*DDR3-1800(O.C.)/1600(O.C.)/1333/1066 DualCh ECC, VGA onboard (max 512MB Sh), 1*PCle2.0x16(Hybrid CrossFireX support)/2*PCI/1*PClex1, 1*D-Sub+1*DVI+1*HDMI, ATA133*/1*SATA 3Gb/s*5(RAID0, 1, 10, JBOD), Sound8-CH(HD) VIA VT1708S, S/PDIF(Optical out), 1*GbLan Realtek PCIe, 12*USB, 2*1394a, mATX | 86.8 | USD | 350.7728 | S | 36 | 22001 |
| Placi de baza | Asus | MB ASUS M4A785TD-V-EVO-U3S6 AMD 785G/SB710, Sk AM3 HT3 5200/4800, 4*DDR3-1800(O.C.)/1600(O.C.)/1333/1066 DualCh ECC, VGA onboard (max 512MB Sh), 1*PCle x16+1*PCle x16 (max. x4)(Hybrid CrossFireX support)/3*PCI/1*PClex1, 1*D-Sub+1*DVI+1*HDMI, ATA133*/1*SATA 3Gb/s*5(RAID 0, 1, 5, 10, JBOD) + 1*eSATA, 2*SATA 6Gb/s connectors @ U3S6 card, Sound8-CH(HD) VIA VT1708S, S/PDIF(Optical out), 1*GbLan Realtek PCIe, 12*USB, 2*USB 3.0 @ U3S6 card, 2*1394a, ATX | 119.056 | USD | 481.1296 | SL | 36 | 22905 |
| Placi de baza | Asus | MB ASUS M4A785TD.M.EVO AMD 785G/SB710, Sk AM3 HT3 5200/4800, 4*DDR3-DDR3 1800(O.C.)/1600(O.C.)/1333/1066 DualCh ECC, VGA onboard (max 512MB Sh), 1*PCle2.0x16(Hybrid CrossFireX support)/2*PCI/1*PClex1, 1*D-Sub+1*DVI+1*HDMI, ATA133*/1*SATA 3Gb/s*5(RAID 0, 1, 5, 10, JBOD) + 1*eSATA, Sound8-CH(HD) VIA VT1708S, S/PDIF(Optical out), 1*GbLan Realtek PCIe, 12*USB, 2*1394a, mATX | 83.104 | USD | 335.832 | 0 | 36 | 20243 |
| Placi de baza | Asus | MB ASUS M4A785TD.V.EVO AMD 785G/SB710, Sk AM3 HT3 5200/4800, 4*DDR3-DDR3 1800(O.C.)/1600(O.C.)/1333/1066 DualCh ECC, VGA onboard (max 512MB Sh), 1*PCle x16+1*PCle x16 (max. x4)(Hybrid CrossFireX support)/3*PCI/1*PClex1, 1*D-Sub+1*DVI+1*HDMI, ATA133*/1*SATA 3Gb/s*5(RAID 0, 1, 5, 10, JBOD) + 1*eSATA, Sound8-CH(HD) VIA VT1708S, S/PDIF(Optical out), 1*GbLan Realtek PCIe, 12*USB, 2*1394a, ATX | 96.768 | USD | 391.0592 | SL | 36 | 20244 |
| Placi de baza | Asus | MB ASUS M4A78L-M AMD 760G(780L)/SB710, Sk AM3 HT3 5200/4800, 2*DDR2-1200(O.C.)/1066/800/667 DualCh ECC, VGA onboard (max 1024MB Sh), 1*PCle2.0x16(Hybrid CFX support)/1*PClex1/2*PCI, 1*D-Sub+1*DVI+1*HDMI, ATA133*/1*SATA 3Gb/s*6(RAID0, 1, 10, JBOD), Sound 8-CH(HD) VIA VT1708S, S/PDIF (Optical out), GbLan Atheros PCIe, 12*USB, mATX | 70.672 | USD | 285.6 | SL | 36 | 21998 |
| Placi de baza | Asus | MB ASUS M4A78LT-M AMD 760G(780L)/SB710, Sk AM3 HT3 5200/4800, 2*DDR3-1800(O.C.)/1600(O.C.)/1333/1066 DualCh ECC, VGA onboard (max 1024MB Sh), 1*PCle2.0x16/1*PClex1/2*PCI, 1*D-Sub+1*DVI, ATA133*/1*SATA 3Gb/s*6(RAID0, 1, 10, JBOD), Sound 6-CH(HD) VIA VT1708S, GbLan Atheros PCIe, 10*USB, mATX | 69.44 | USD | 280.616 | M | 36 | 22903 |
| Placi de baza | Asus | MB ASUS M4A78LT-M LE AMD 760G(780L)/SB710, Sk AM3 HT3 5200/4800, 2*DDR3-1800(O.C.)/1600(O.C.)/1333/1066 DualCh ECC, VGA onboard (max 1024MB Sh), 1*PCle2.0x16/1*PClex1/2*PCI, 1*D-Sub+1*DVI, ATA133*/1*SATA 3Gb/s*6(RAID0, 1, 10, JBOD), Sound 6-CH(HD) VIA VT1708S, GbLan Atheros PCIe, 10*USB, mATX | 62.048 | USD | 250.7456 | M | 36 | 21999 |
| Placi de baza | Asus | MB ASUS M4A78T-E AMD 790GX/SB750, Sk AM3 HT3 5200/4800, 4*DDR3-1600(O.C.)/1333/1066 DualCh ECC, 1*PCle2.0x16/1*PCle2.0x4(CrossFireX support)/3*PCI/1*PClex1, ATA133*/1*SATA 6Gb/s*6(RAID 0, 1, 5, 10, JBOD), VT1818 High Definition Audio 8-CH(HD)1394a, GbLan, 2*USB 3.0, 12*USB, 2*1394a, ATX | 106.848 | USD | 431.7936 | C | 36 | 19326 |
| Placi de baza | Asus | MB ASUS M4A79-DELUXE AMD 790FX/SB750, Sk AM2/AM2+HT3 5200/4800,4*DDR2-1066/800/667 DualCh ECC, 4*PCle 2.0(CrossFireX dual x16/tripple x16 /x8 /x8; or quad x8 modes)/2*PCI, ATA133*/1*SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra Storage ControllerMarvell 88SE6111: SATA 3Gb/s*1 (1*eSATA), Sound8-CH(HD) ALC1200, S/PDIF(Coaxial out+Optical out), 1*GbLan Realtek PCIe, 12*USB, 2*1394a, ATX | 178.976 | USD | 723.2736 | C | 36 | 19327 |
| Placi de baza | Asus | MB ASUS M4A79T-DELUXE AMD 790FX/SB750, Sk AM3HT3 5200/4800, 4*DDR3-1600(O.C.)/1333/1066 DualCh ECC, 4*PCle 2.0(CrossFireX dual x16/tripple x16 /x8 /x8; or quad x8 modes)/2*PCI/2*PClex1, ATA133*/1*SATA 3Gb/s*5(RAID 0, 1, 5, 10, JBOD) + 1*eSATA, Sound8-CH(HD) ALC1200, S/PDIF(Coaxial out+Optical out), 1*GbLan Realtek PCIe, 12*USB, 2*1394a, ATX | 186.704 | USD | 754.4992 | C | 36 | 19328 |
| Placi de baza | Asus | MB ASUS M4A79T-DELUXE/U3S6 ATI 790FX/SB750, Sk AM3 HT3 5200/4800, 4*DDR3-1600(O.C.)/1333/1066 DualCh ECC, 4*PCle 2.0(CrossFireX dual x16/tripple x16 /x8 /x8; or quad x8 modes)/2*PCI/2*PClex1, ATA133*/1*SATA 3Gb/s*5(RAID 0, 1, 5, 10, JBOD) + 1*eSATA, 2*SATA 6Gb/s connectors @ U3S6 card, Sound8-CH(HD) ALC1200, S/PDIF(Coaxial out+Optical out), 1*GbLan Realtek PCIe, 12*USB, 2*USB 3.0 @ U3S6 card, 2*1394a, ATX | 193.648 | USD | 782.5664 | C | 36 | 22906 |
| Placi de baza | Asus | MB ASUS M4A79XTD-EVO/USB3, ATI 790X/SB750, Sk AM3 HT3 5200/4800, 4*DDR3-1800(O.C.)/1600/1333/1066 DualCh ECC, 2*PCle2.0x16/2*PCle2.0x16/2*PClex1, ATA133*/1*SATA 3Gb/s*6(RAID 0, 1, 5, 10), 1*e-SATA 3Gb/s, Sound8-CH(HD) VIA VT1708S, 1*GbLan Realtek, 12*USB2.0, 2*USB3.0, 2*1394a, ATX | 130.256 | USD | 526.3888 | C | 36 | 23631 |
| Placi de baza | Asus | MB ASUS M4A79XTD.EVO ATI 790X/SB750, Sk AM3 HT3 5200/4800, 4*DDR3-1800(O.C.)/1600/1333/1066 DualCh ECC, 2*PCle2.0x16(1 x16 or dual x8)(CrossFireX @dual x8; up to 4 GPUs)/2*PCI/2*PClex1, ATA133*/1*SATA 3Gb/s*5(RAID 0, 1, 5, 10, JBOD), Extra Storage Controller Marvell 88SE6121: SATA 3Gb/s *2 (one is eSATA), Sound8-CH(HD) VIA VT1708S, S/PDIF(Optical out), 1*GbLan Realtek, 12*USB, 2*1394a, ATX | 114.128 | USD | 461.2048 | C | 36 | 20245 |
| Placi de baza | Asus | MB ASUS M4A87TD ATI 870/SB850, Sk AM3 HT3 5200/4800, 4*DDR3-2000(O.C.)/1800(O.C.)/1600(O.C.)/1333/1066 DualCh up to 16GB, 1*PCle 2.0/1 x PClex4/1*PClex1/3*PCI, SATA 6Gb/s*6(RAID0, 1, 5, 10), Extra storage Controller JMB368: ATA133*1, Sound8-CH(HD) VIA VT1818S, S/PDIF(Optical out)(on the audio card), 1*GbLan Realtek, 14*USB2.0, ATX | 93.072 | USD | 376.1184 | C | 36 | 26294 |
| Placi de baza | Asus | MB ASUS M4A87TD EVO AMD 870/SB850, Sk AM3 HT3 5200/4800, 4*DDR3-2000(O.C.)/1600/1333/1066 DualCh ECC, 2*PCle 2.0/1*PClex1/3*PCI, SATA 6Gb/s*6(RAID0, 1, 5, 10), ATA133*1, 1*eSATA, Sound 8-CH(HD) VIA VT1818S, GbLan, 12*USB2.0, 2*USB3.0, ATX | 111.664 | USD | 451.248 | S | 36 | 22907 |
| Placi de baza | Asus | MB ASUS M4A87TD/USB3 ATI 870/SB850, Sk AM3 HT3 5200/4800, 4*DDR3-2000(O.C.)/1800(O.C.)/1600(O.C.)/1333/1066 DualCh ECC, 1*PCle 2.0/1 x PClex4@x4 Speed/1*PClex1/3*PCI, SATA 6Gb/s*6(RAID0, 1, 5, 10), Extra storage Controller JMB368: ATA133*1, Sound 8-CH(HD) VIA VT1818S, S/PDIF(Optical out)(on the audio card), 1*GbLan Realtek, 12*USB, 2*USB3.0, ATX | 105.504 | USD | 426.3616 | C | 36 | 22990 |
| Placi de baza | Asus | MB ASUS M4A88T-M, ATI 880G/SB710, Sk AM3 HT3 5200/4800, 4*DDR3-1866(O.C.)/1333/1066 DualCh ECC, Onboard VGA HD4250 max 1024MB Sh, 1*PCle 2.0/2*PClex1/1*PCI, SATA 3Gb/s*6(RAID 0, 1, 10, JBOD), ATA133*1, Sound 8-CH(HD), GbLan, 12*USB 2.0, ATX | 93.072 | USD | 376.1184 | S | 36 | 23632 |
| Placi de baza | Asus | MB ASUS M4A88T-M/USB3, ATI 880G/SB710, Sk AM3 HT3 5200/4800, 4*DDR3-1866(O.C.)/1333/1066 DualCh ECC, Onboard VGA HD4250 max 1024MB Sh, 1*PCle 2.0/2*PClex1/1*PCI, SATA 3Gb/s*6(RAID 0, 1, 10, JBOD), ATA133*1, Sound 8-CH(HD), GbLan, 10*USB2.0, 2*USB3.0, ATX | 103.6 | USD | 418.6672 | C | 36 | 23633 |
| Placi de baza | Asus | MB ASUS M4A88T-V-EVO, ATI 880G/SB710, Sk AM3 HT3 5200/4800, 4*DDR3-2000(O.C.)/1333/1066 DualCh ECC, Onboard VGA HD4250 max 1024MB Sh, onboard 128MB DDR3 1333 memory, 2*PCle 2.0/1*PClex1/3*PCI, SATA 3Gb/s*5(RAID 0, 1, 10, JBOD), 1*e-SATA, ATA133*1, Sound 8-CH(HD), GbLan, 12*USB2.0, DVI/D-SUB/HDMI, ATX | 109.2 | USD | 441.2912 | C | 36 | 26295 |

| | | | | | | | | |
|---------------|------|--|---------|-----|----------|------|----|-------|
| Placi de baza | Asus | MB ASUS M4A88T-V-EVO/USB3, ATI 880G/SB710, Sk AM3 HT3 5200/4800, 4*DDR3-2000(O.C.)/1333/1066 DualCh ECC, Onboard VGA HD4250 max 1024MB Sh, onboard 128MB DDR3 1333 memory, 2*PCIe 2.0/1*PClex1/3*PCI, SATA 3Gb/s*5(RAID 0, 1, 10, JBOD), 1*e-SATA, ATA133*1, Sound 8-CH(HD), GbLan, 10*USB2.0, 2*USB3.0, DVI/D-SUB/HDMI, ATX | 107.856 | USD | 435.8592 | C | 36 | 26296 |
| Placi de baza | Asus | MB ASUS M4A88TD-M EVO/USB3 AMD 880G/SB850, Sk AM3 HT3 5200/4800, 4*DDR3 2000(O.C.)/1600/1333/1066, 1*PCIe x16/1*PCI/2*PClex1, ATA133*1/SATA3 6Gb/s*5(RAID 0, 1, 5, 10, JBOD) + 1*eSATA, ATI Radeon HD 4250 GPU, Realtek ALC 892 8-Ch, Gigabit LAN, 1394a, 2 x USB 3.0 ports (@PCIe USB3 card), 14 x USB 2.0, HDMI, DVI | 115.472 | USD | 466.6368 | S | 36 | 22908 |
| Placi de baza | Asus | MB ASUS M4A88TD-V EVO/USB3 ATI 880G/SB850, Sk AM3 HT3 5200/4800, 4*DDR3-2000(O.C.)/1600/1333/1066 DualCh ECC, Onboard VGA 128MB DDR3 1333 (max 1024MB Sh), 1*PClex16+1*PClex16 (max. x4/1*PClex1/3*PCI, 1*D-Sub+1*DVI+1*HDMI, SATA 6Gb/s*5(RAID 0, 1, 5, 10, JBOD)+1*eSATA, Extra storage Controller VT8330: ATA133*1, Sound 8-CH(HD) VIA ALC 892, S/PDIF(Optical out)(on the audio card), 1*GbLan Realtek PCIe, 12*USB, 2*USB3.0, 2*1394a, ATX | 122.864 | USD | 496.5184 | C | 36 | 22989 |
| Placi de baza | Asus | MB ASUS M4A89GTD PRO ATI 890GX/SB850, Sk AM3 HT3 5200/4800, 4*DDR3-1866(O.C.)/1600/1333/1066 DualCh ECC, VGA onboard Int 128MB DDR3(sh up to 512MB), 2*PCIe 2.0(CrossFireX dual x8;up to 4 GPUs)/1*PClex4/1*PClex1/2*PCI, 1*D-Sub+1*DVI+1*HDMI,SATA 6Gb/s*6(RAID0, 1, 5, 10), Extra storage JMB361: ATA133*1/SATA 3Gb/s*1 (one is eSATA), Audio ALC 892 8-CH(HD), S/PDIF(Optical out)(on the audio card), 1*GbLan Realtek PCIe, 14*USB, 2*1394a, ATX | 136.416 | USD | 551.2752 | S | 36 | 22910 |
| Placi de baza | Asus | MB ASUS M4A89GTD PRO/USB3 ATI 890GX/SB850, Sk AM3 HT3 5200/4800, 4*DDR3-1866(O.C.)/1600/1333/1066 DualCh ECC, VGA onboard Int 128MB DDR3(sh up to 512MB), 2*PCIe 2.0(CrossFireX dual x8;up to 4 GPUs)/1*PClex4/1*PClex1/2*PCI, 1*D-Sub+1*DVI+1*HDMI,SATA 6Gb/s*6(RAID0, 1, 5, 10), Extra storage JMB361: ATA133*1/SATA 3Gb/s*1 (one is eSATA), Audio ALC 892 8-CH(HD), S/PDIF(Optical out)(on the audio card), 1*GbLan Realtek PCIe, 12*USB, 2*USB 3.0, 2*1394a, ATX | 161.28 | USD | 651.7616 | S | 36 | 22911 |
| Placi de baza | Asus | MB ASUS M4A89TD PRO AMD 890FX/SB850, Sk AM3 HT3 5200/4800, 4*DDR3-1866(O.C.)/1600/1333/1066 DualCh ECC, 2*PCIe 2.0(CrossFireX dual x16;up to 4 GPUs)/1*PClex4/1*PClex1/2*PCI, SATA 6Gb/s*6(RAID0, 1, 5, 10), Extra storage JMB361: ATA133*1/SATA 3Gb/s*1 (one is eSATA), Audio ALC 892 8-CH(HD), S/PDIF(Optical out)(on the audio card), 1*GbLan Realtek PCIe, 14*USB, 2*1394a, ATX | 195.216 | USD | 788.8944 | C | 36 | 22909 |
| Placi de baza | Asus | MB ASUS M4A89TD-PRO/USB3, ATI 890FX/SB850, Sk AM3 HT3 5200/4800, 4*DDR3- 2000(O.C.)/1600/1333/1066 DualCh ECC, 2*PCIe2.0x16 (dual x16)/1*PClex4/1*PClex1/2*PCI, SATA 6Gb/s*6(RAID0, 1, 5, 10), Extra storage JMB361: ATA133*1/SATA 3Gb/s*1 (one is eSATA), Audio ALC 892 8-CH(HD), S/PDIF(Optical out)(on the audio card), 1*GbLan Realtek PCIe, 12*USB2.0, 2*USB3.0, 2*1394a, ATX | 198.464 | USD | 802.0208 | C | 36 | 23634 |
| Placi de baza | Asus | MB ASUS M4N68T NForce630a, Sk AM3 HT 2000/1600, 4*DDR3-1800(O.C.)/1600(O.C.)/1333/1066 Dual Ch ECC, 1*PCIe2.0x16/4*PCI/2*PClex1, ATA133*1/SATA 3Gb/s*4(RAID 0, 1, 0+1, 5, JBOD), Sound 8-CH(HD) VIA VT1708S, GbLan PHY, 10*USB, ATX | 60.816 | USD | 245.7616 | S | 36 | 22914 |
| Placi de baza | Asus | MB ASUS M4N68T-M NForce630a/GeForce 7025, Sk AM3 HT 2000/1600, 2*DDR3-1800(O.C.)/1600(O.C.)/1333/1066 Dual Ch ECC, VGA on board (max 256MB Sh), 1*PCIe2.0x16/2*PCI/1*PClex1, ATA133*1/SATA 3Gb/s*4(RAID 0, 1, 0+1, 5, JBOD), Sound 8-CH(HD) VIA/VT1708S, GbLan PHY, 10*USB, mATX | 54.544 | USD | 220.416 | C | 36 | 22912 |
| Placi de baza | Asus | MB ASUS M4N68T-M/LE, NForce630a/GeForce 7025, Sk AM2/AM2+ HT3 2000/1600, 2*DDR3 1800(O.C.)/1600(O.C.)/1333/1066, VGA on board (max 256MB Sh), 1*PCIe2.0x16/2*PCI/1*PClex1, ATA133*1/SATA 3Gb/s*4(RAID 0, 1, 5, 10, JBOD), Sound 8-CH(HD), GbLan, 10*USB, mATX | 57.12 | USD | 230.832 | C | 36 | 23732 |
| Placi de baza | Asus | MB ASUS M4N68T-PRO NForce630a, Sk AM3 HT 2000/1600, 4*DDR3-1800(O.C.)/1600(O.C.)/1333/1066 Dual Ch ECC, 1*PCIe2.0x16/4*PCI/2*PClex1, ATA133*1/SATA 3Gb/s*4(RAID 0, 1, 0+1, 5, JBOD), Sound 8-CH(HD) VIA VT1708S, GbLan PHY, 10*USB, ATX | 71.568 | USD | 289.2176 | S | 36 | 22913 |
| Placi de baza | Asus | MB ASUS M4N72-E NForce 750a SLI(MCP72P), Sk AM2/AM2+ HT3 5200/4800, 4*DDR2-1066/800/667/533 Dual Ch ECC, 2*PCIe2.0x16(SLI @dual x8)/2*PClex1/2*PCI, ATA133*1/SATA 3Gb/s*6(RAID 0, 1, 0+1, 5, JBOD), Sound 8-CH(HD) VIA VT1708S, S/PDIF(Optical out), GbLan ARealtek PCIe, 12*USB, 2*1394a, ATX | 124.992 | USD | 505.1088 | 0 | 36 | 20253 |
| Placi de baza | Asus | MB ASUS M4N75TD, NForce 750a SLI, Sk AM3 HT3 5200/4800, 4*DDR3-2200(O.C.)/1333/1066 Dual Ch, 2*PCIe2.0x16/2*PCI/2*PClex1, VGA on board NVIDIA GeForce 8 series GPU for NVIDIA Hybrid SLI support only, ATA133*1/SATA 3Gb/s*6(RAID 0, 1, 0+1,5, JBOD), Sound 8-CH(HD), GbLan Realtek, 12*USB, 2*1394a, ATX | 99.008 | USD | 400.1088 | C | 36 | 23635 |
| Placi de baza | Asus | MB ASUS M4N78-AM GeForce 8200(MCP78S), Sk AM2/AM2+ HT3 5200/4800, 2*DDR2-1066/800/667 Dual Ch ECC, VGA on board (max 512MB Sh), 1*PClex16/2*PCI/1*PClex1, ATA133*1/SATA 3Gb/s*4(RAID 0, 1, 0+1, 5, JBOD), Sound 6-CH(HD) VIA VT1708S, GbLan PHY, 12*USB, mATX | 56.448 | USD | 228.1104 | CALL | 36 | 20250 |
| Placi de baza | Asus | MB ASUS M4N78-AM V2 GeForce 8200(MCP78S), Sk AM2/AM2+ HT3 5200/4800, 2*DDR2-1066/800/667 Dual Ch ECC, VGA on board (max 512MB Sh), 1*PClex16/2*PCI/1*PClex1, ATA133*1/SATA 3Gb/s*4(RAID 0, 1, 0+1, 5, JBOD), Sound 6-CH(HD) VIA VT1708S, GbLanPHY, 12*USB, mATX | 66.864 | USD | 270.2112 | SL | 36 | 22915 |
| Placi de baza | Asus | MB ASUS M4N78-SE NForce 720D (MCP78D), Sk AM2/AM2+ HT3 5200/4800, 2*DDR2-1066/800/667 Dual Ch ECC, 1*PCIe2.0x16/3*PCI/2*PClex1, ATA133*1/SATA 3Gb/s*4(RAID 0, 1, 0+1, 5, JBOD), Sound 6-CH(HD) ALC662, GbLan Realtek, 12*USB, ATX | 59.36 | USD | 239.8816 | SL | 36 | 20248 |
| Placi de baza | Asus | MB ASUS M4N78-VM GeForce 8200(MCP78S), Sk AM2/AM2+ HT3 5200/4800, 2*DDR2-1200(O.C.)/1066/800/667 Dual Ch ECC, VGA on board (max 512MB Sh), 1*PClex16(Hybrid SLI support)/2*PCI/1*PClex1, ATA133*1/SATA 3Gb/s*6(RAID 0, 1, 0+1, 5, JBOD), Sound6-CH(HD) ALC 887, GbLan PHY, 12*USB, mATX | 64.624 | USD | 261.1504 | SL | 36 | 20251 |
| Placi de baza | Asus | MB ASUS M4N98TD-EVO, NForce 980a SLI, Sk AM3 HT3 5200/4800, 4*DDR2-DDR3 2000(O.C.)/1333/1066 Dual Ch, VGA on board NVIDIA GeForce 8 series GPU for NVIDIA Hybrid SLI support only, 2*PCIe2.0x16/2*PClex1/2*PCI, ATA133*1/SATA 3Gb/s*5(RAID 0, 1,0+1, 5, JBOD), 1*e-SATA, Sound 8-CH(HD), GbLan, 12*USB, 2*1394a, ATX | 142.688 | USD | 576.6208 | 0 | 36 | 23636 |
| Placi de baza | Asus | MB ASUS AT3GC-I, Intel 945GC+ICH7 (CPU Atom 330 on board, FSB 533MHz), 1*DDR2 533 up to 2GB, 1*PCI, VGA on board(max 224MB shared), 6CH Premium Level HD AUDIO, Gigabit LAN, 2*SATA II 3.0 Gb/s, 8*USB2.0, mini-ITX | 94.304 | USD | 381.1024 | 0 | 36 | 23984 |
| Placi de baza | Asus | MB ASUS AT3IONT-I-DELUXE, Intel Atom 330 Cpu on board, FSB 533 Mhz, 2*DDR3 1066 up to 4GB, 1*PClex16, Integrated VGA Nvidia Ion Graphics, 4*SATA3, Glan, 6ch, 10 USB2.0, Wireless - Wifi Antenna, Home Theatre Gate, mini ITX | 217.168 | USD | 877.6096 | C | 36 | 23986 |
| Placi de baza | Asus | MB ASUS AT3N7A-I Nvidia GeForce 9300 (MCP7A-S), CPU Atom 330 (On-board), BGA 437, 2*DDR2-800/667 Dual Ch, VGA On board (max 512MB Sh), 1*PCI, 1*D-Sub+1*HDMI, SATA 3Gb/s*3(RAID1) + 1*e-SATA, Audio 8-CH(HD) VIA VT1708S, S/PDIF (Coaxial+ Optical out), GbLan Realtek PCIe, 10*USB2.0, Mini ITX | 153.104 | USD | 618.7216 | C | 36 | 21760 |
| Placi de baza | Asus | MB ASUS AT4NM10-I, Intel NM10 (CPU ATOM D410 on board), 2*DDR2 - 800/667 Single Channel max 4GB, 1xPCI, VGA on board Intel Graphics Atom D510 (max sh 256MB), 2 xSATA 3 Gb/s, GLAN, 6CH Audio , 8 USB2.0, mini ITX | 80.64 | USD | 325.8752 | C | 36 | 23641 |
| Placi de baza | Asus | MB ASUS AT5NM10-I, NM10 (CPU ATOM D510 Dual Core on board), 2* DDR2 800/667 Single Channel max 4GB, 1xPCI, VGA on board Intel Graphics Atom D510 (max sh 256MB), 2 xSATA 3 Gb/s, GLAN, 6CH Audio , 8 USB2.0, mini ITX | 98.112 | USD | 396.4912 | C | 36 | 23642 |
| Placi de baza | Asus | MB ASUS AT3IONT-I, Intel Atom 330 on board, FSB 533MHz, 2*DDR3 1066 up to 4GB, 1*PClex16, Integrated VGA Nvidia Ion Graphics, 4*SATA3, Glan, 6ch, 10 USB2.0, mini ITX | 158.816 | USD | 641.8048 | C | 36 | 23985 |

| | | | | | | | | |
|---------------|------|--|---------|-----|----------|----|----|-------|
| Placi de baza | Asus | MB ASUS Maximus III EXTREME, INTEL P55, LGA 1156 4*DDR3-2200(O.C.)/2133(O.C.)/2000(O.C.)/1800(O.C.)/1600/1333/1066 Dual Ch max 16GB, 5*PCle2.0x16/1*PCI2.2, NVIDIA® SLI / ATI® CrossFireX, SATA 3Gb/s*6(RAID 0, 1, 5, 10), 1*e-SATA3 Gb/s, 2 x SATA 6.0Gb/s, Gigabit LAN, 10 ch HD AUDIO, 2 x 1394a port(s), 2 x USB 3.0, 11 x USB2.0, ATX | 387.408 | USD | 1565.581 | C | 36 | 23640 |
| Placi de baza | Asus | MB ASUS P5E-DELUXE INTEL X48/ICH9R, LGA 775 1600/1333/1066/800MHz, 4*DDR2-1200(O.C.)/1066/800/667 Dual Ch ECC, 2*PClex16 2.0(CrossFire x16+x16)/2*PCI/3*PClex1, SATA 3Gb/s*6(RAID 0, 1, 0+1, 5, JBOD), Extra storage Controller JMB368: ATA133, SupremeFX II Audio Card AD1988B, S/PDIF (Coaxial + Optical out), GbLan Marvell PCIe, 12*USB2.0, 2*1394a, ATX | 177.856 | USD | 718.7488 | C | 36 | 15740 |
| Placi de baza | Asus | MB ASUS P5G41-M-LX2/GB/LPT INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 2*DDR2-800/667 Dual Ch, VGA on board (max 1759MB Sh), 1*PCle2.0x16/2*PCI/1*PClex1, 1*D-Sub, ATA133*/1SATA 3Gb/s*4, Sound 6CH HD VIA VT1705, S/PDIF(Optical out)/TPM Infineon header (90-C1B0AF*), GbLan Realtek PCIe, 8*USB2.0, LPT, Floppy header, mATX | 48.944 | USD | 197.792 | C | 36 | 22973 |
| Placi de baza | Asus | MB ASUS P5G41-M-LX2/GB/SI INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 2*DDR2-800/667 Dual Ch, VGA on board (max 1759MB Sh), 1*PCle2.0x16/2*PCI/1*PClex1, 1*D-Sub, ATA133*/1SATA 3Gb/s*4, Sound 6CH HD VIA VT1705, S/PDIF(Optical out), TPM Infineon header (90-C1B0AF*), GbLan Realtek PCIe, 8*USB2.0, mATX | 47.376 | USD | 191.4528 | S | 36 | 22004 |
| Placi de baza | Asus | MB ASUS P5G41-M/LX INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 2*DDR2-1066(O.C.)/800/667 Dual Ch, VGA on board (max 384MB Sh), 1*PClex16/1*PCI/2*PClex1, 1*D-Sub, ATA100*/1SATA 3Gb/s*4, Sound 6CH HD ALC662, Lan 10/100 Realtek, 8*USB2.0, mATX | 51.296 | USD | 207.3008 | S | 36 | 22003 |
| Placi de baza | Asus | MB ASUS P5G41.M INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 2*DDR2-1066(O.C.)/800/667 Dual Ch, VGA on board (max 256MB Sh), 1*PClex16/2*PCI/1*PClex1, 1*D-Sub+1*HDMI, ATA100*/1SATA 3Gb/s*4, Sound 6CH HD ALC 887, S/PDIF(Optical out), GbLan Atheros PCIe, 8*USB2.0, mATX | 62.048 | USD | 250.7456 | C | 36 | 20262 |
| Placi de baza | Asus | MB ASUS P5G41.M LE INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 2*DDR2-1066(O.C.)/800/667 Dual Ch, VGA on board (max 384MB Sh), 1*PClex16/2*PCI/1*PClex1, 1*D-Sub+1*DVI, ATA100*/1SATA 3Gb/s*4, Sound 6CH HD RTL Audio Codec, GbLan Atheros PCIe, 8*USB2.0, mATX | 58.8 | USD | 237.6192 | SL | 36 | 20261 |
| Placi de baza | Asus | MB ASUS P5G41C-M INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 2*DDR2-1066(O.C.)/800/667 or 2*DDR3-1333(O.C.)/1066/800 Dual Ch, VGA onboard (max 1024MB Sh), 1*PClex16/2*PCI/1*PClex1, 1*D-Sub+1*HDMI, ATA100*/1SATA 3Gb/s*4, Sound 8CH HD ALC 887, S/PDIF(Optical out), GbLan Atheros PCIe, 8*USB2.0, mATX | 70.672 | USD | 285.6 | M | 36 | 22975 |
| Placi de baza | Asus | MB ASUS P5G41C-M LX INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 2*DDR2-1066(O.C.)/800/667 or 2*DDR3-1333(O.C.)/1066/800 Dual Ch, VGA onboard (max 1024MB Sh), 1*PClex16/2*PCI/1*PClex1, 1*D-Sub, ATA100*/1SATA 3Gb/s*4, Sound 8CH HD ALC 887, S/PDIF(Optical out), GbLan Atheros PCIe, 8*USB2.0, mATX | 58.24 | USD | 235.3568 | S | 36 | 22977 |
| Placi de baza | Asus | MB ASUS P5G41T-M INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 2*DDR3-1333(O.C.)/1066/800 Dual Ch, VGA onboard (max 1024MB Sh), 1*PClex16/2*PCI/1*PClex1, 1*D-Sub+1*HDMI, ATA100*/1SATA 3Gb/s*4, Sound 8CH HD ALC 887, S/PDIF(Optical out), GbLan Atheros PCIe, 8*USB2.0, mATX | 70.784 | USD | 286.048 | S | 36 | 22005 |
| Placi de baza | Asus | MB ASUS P5G41T-M LE INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 2*DDR3-1333(O.C.)/1066/800 Dual Ch, VGA onboard (max 1024MB Sh), 1*PClex16/2*PCI/1*PClex1, 1*D-Sub+1*DVI, ATA100*/1SATA 3Gb/s*4, Sound 8CH HD ALC 887, S/PDIF(Optical out), GbLan Atheros PCIe, 8*USB2.0, mATX | 67.984 | USD | 274.736 | S | 36 | 22006 |
| Placi de baza | Asus | MB ASUS P5G41T-M LX INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 2*DDR3-1333(O.C.)/1066/800 Dual Ch, VGA onboard (max 1024MB Sh), 1*PClex16/2*PCI/1*PClex1, 1*D-Sub, ATA100*/1SATA 3Gb/s*4, Sound 8CH HD ALC 887, S/PDIF(Optical out), GbLan Atheros PCIe, 8*USB2.0, mATX | 57.008 | USD | 230.384 | S | 36 | 22007 |
| Placi de baza | Asus | MB ASUS P5G41TD-M PRO INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 2*DDR3-1333(O.C.)/1066/800 Dual Ch, VGA onboard (max 1024MB Sh), 1*PClex16/2*PCI/1*PClex1, 1*D-Sub+1*DVI+1*HDMI, ATA100*/1SATA 3Gb/s*4, Sound 8CH HD ALC 887, S/PDIF(Optical out), GbLan Realtek PCIe, 8*USB2.0, mATX | 70.784 | USD | 286.048 | S | 36 | 22008 |
| Placi de baza | Asus | MB ASUS P5G43T-M PRO INTEL G43/ICH10, LGA 775 1333/1066/800MHz, 2*DDR3-1333 (O.C.)/1066/800 Dual Ch, VGA on board (max 1759MB Sh), 1*PCle2.0x16/2*PCI/1*PClex1, 1*D-Sub+1*DVI+1*HDMI, SATA 3Gb/s*6, Extra storage Controller JMB368: ATA133*1, Sound 8CH HD ALC 887, S/PDIF(Optical out), GbLan Atheros PCIe, 12*USB2.0, mATX | 91.504 | USD | 369.7792 | S | 36 | 22011 |
| Placi de baza | Asus | MB ASUS P5KPL-AM-SE INTEL G31/ICH7, LGA 775 1600(O.C.)/1333/1066/800MHz, 2*DDR2-1066(O.C.)/800/667 Dual Ch, VGA On board (max 256MB Share), 1*PClex16/1*PCI/1*PClex1, ATA100*/1SATA II*2, Audio 8-CH(HD) VIA VT1708B, LAN 10/100 Realtek, 8*USB2.0, mATX | 45.696 | USD | 184.6656 | S | 36 | 20256 |
| Placi de baza | Asus | MB ASUS P5KPL-AM/EPU INTEL G31/ICH7, LGA 775 1600(O.C.)/1333/1066/800MHz, 2*DDR2-1066(O.C.)/800/667 Dual Ch, VGA On board (max 256MB Share), 1*PClex16/2*PCI/1*PClex1, ATA100*/1SATA II*4, Audio 8-CH(HD) VIA VT1708B, GbLan Realtek, 8*USB2.0, mATX/ EPU | 48.496 | USD | 195.9776 | S | 36 | 22002 |
| Placi de baza | Asus | MB ASUS P5KPL-SE INTEL G31/ICH7, LGA 775 1600(O.C.)/1333/1066/800MHz, 2*DDR2-1066(O.C.)/800/667 Dual Ch, 1*PClex16/3*PClex1/3*PCI, ATA100*/1SATA 3Gb/s*4, Audio 6-CH(HD) ALC662, S/PDIF (Optical out), GbLan Realtek PCIe, 8*USB2.0, ATX | 64.624 | USD | 261.1504 | S | 36 | 16563 |
| Placi de baza | Asus | MB ASUS P5KPL/EPU INTEL G31/ICH7, LGA 775 1600(O.C.)/1333/1066/800MHz, 4*DDR2-1066(O.C.)/800/667 Dual Ch, 1*PClex16/3*PClex1/3*PCI, ATA100*/1SATA 3Gb/s*4, Audio 8-CH(HD) ALC 887, S/PDIF (Optical out), GbLan Realtek PCIe, 8*USB2.0, ATX | 72.016 | USD | 291.032 | S | 36 | 20257 |
| Placi de baza | Asus | MB ASUS P5N-D NForce 750i SLI(C72P)MCP51, LGA 775 1333/1066/800/533MHz, 4*DDR2-800/667/533 Dual Ch, 2*PClex2.0x16(SLI x8+x8)/2*PClex1/2PCI, ATA133*/1SATA 3Gb/s*4(RAID 0, 1, 0+1, 5, JBOD), Sound 8-CH(HD) ALC883, S/PDIF (Coaxial+Optical out), 1*GbLan PHY, 8*USB2.0, 2*1394a, ATX | 101.472 | USD | 410.0656 | 0 | 36 | 12764 |
| Placi de baza | Asus | MB ASUS P5N72-T-PREMIUM NForce 780i SLI (C72XE)/MCP55PXE, LGA 775 1600(O.C.)/1333/1066/800MHz, 4*DDR2-1200(O.C.)/1066/800/667 Dual Ch, 3*PClex16 (2*PCle2.0x16, 1*PClex16)(3-Way SLI X16+X16+X16)/2*PClex1/2*PCI, ATA133*/1SATA 3Gb/s*6(RAID 0+1, 5, JBOD), SupremeFX II Audio Card 8ch HD AD1988B, S/PDIF (Coaxial + Optical out), 2*GbLan Marvell PHY, 10*USB2.0, 2*1394a, ATX | 182.336 | USD | 736.848 | C | 36 | 15757 |
| Placi de baza | Asus | MB ASUS P5P41C INTEL G41/ICH7, LGA775 1333/1066/800MHz, 2*DDR2/2*DDR3 1333 (OC.)(Dual Channel), 1xPClex16/3xPCI/2xPClex1, ATA100x1/SATA 3Gb/sx4, Sound 8CH HD ALC 887, GbLan, 8xUSB, ATX | 76.048 | USD | 307.3168 | S | 36 | 22979 |
| Placi de baza | Asus | MB ASUS P5P41D INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 4*DDR2-1066(O.C.)/800/667 Dual Ch, 1*PClex16/3*PCI/2*PClex1, ATA100*/1SATA 3Gb/s*4, Sound 8CH HD ALC 887, S/PDIF(Optical out), GbLan Atheros PCIe, 8*USB2.0, ATX | 75.376 | USD | 304.6064 | S | 36 | 20263 |
| Placi de baza | Asus | MB ASUS P5P41T-LE INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 2*DDR3-1333(O.C.)/1066/800 Dual Ch, 1*PClex16/3*PCI/2*PClex1, ATA100*/1SATA 3Gb/s*4, Sound 6CH HD ALC 662, S/PDIF(Optical out), GbLan Atheros PCIe, 8*USB2.0, ATX | 71.904 | USD | 290.5728 | S | 36 | 22009 |
| Placi de baza | Asus | MB ASUS P5P41T/USB3 INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 4*DDR3-1333(O.C.)/1066/800 Dual Ch, 1*PClex16/3*PCI/2*PClex1, ATA100*/1SATA 3Gb/s*4, Sound 8CH HD ALC 887, GbLan, 6*USB2.0, 2*USB3.0, ATX | 101.696 | USD | 410.9728 | C | 36 | 23980 |
| Placi de baza | Asus | MB ASUS P5P41TD INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 4*DDR3-1333(O.C.)/1066/800 Dual Ch, 1*PClex16/3*PCI/2*PClex1, ATA100*/1SATA 3Gb/s*4, Sound 8CH HD ALC 887, S/PDIF(Optical out), GbLan Realtek PCIe, 8*USB2.0, ATX | 79.408 | USD | 320.9024 | M | 36 | 22980 |

| | | | | | | | | |
|---------------|------|---|---------|-----|----------|----|----|-------|
| Placi de baza | Asus | MB ASUS P5P43TD INTEL P43/ICH10, LGA 775 1600(O.C.)/1333/1066/800MHz, 4*DDR3-1600(O.C.)/1333/1066/800 Dual Ch, 1*PCle2.0x16/3*PCI/2*PClex1, SATA 3Gb/s*6, Extra storage Controller JMB368: ATA133*1/SATA 3Gb/s*1 (one is eSATA), Sound 8-CH(HD) ALC 887, S/PDIF (Optical out), GbLan Atheros PCIe, 12*USB2.0, ATX | 90.608 | USD | 366.1616 | S | 36 | 20264 |
| Placi de baza | Asus | MB ASUS P5P43TD-PRO INTEL P43/ICH10, LGA 775 1600(O.C.)/1333/1066/800MHz, 4*DDR3-1600(O.C.)/1333/1066/800 Dual Ch, 1*PCle2.0x16/3*PCI/2*PClex1, SATA 3Gb/s*6, Extra storage Controller JMB368: ATA133*1/SATA 3Gb/s*1 (one is eSATA), Sound 8-CH(HD) ALC 887, S/PDIF (Optical out), GbLan Atheros PCIe, 12*USB2.0, 1*1394a, ATX | 100.128 | USD | 404.6336 | C | 36 | 20265 |
| Placi de baza | Asus | MB ASUS P5P43TD/USB3 INTEL P43/ICH10, LGA 775 1600/1333/1066/800MHz, 4xDDR3-1600/1333/1066/800 Dual Ch, 1xPCle2.0x16/3xPCI/2xPClex1, SATA 3Gb/s*6, ATA133x1, 8-CH, GbLan, 12xUSB2.0, USB 3.0, ATX | 111.664 | USD | 451.248 | S | 36 | 22981 |
| Placi de baza | Asus | MB ASUS P5Q-DELUXE INTEL P45/ICH10R, LGA 775 1600/1333/1066/800MHz, 4*DDR2-1200/1066/800/667 Dual Ch, 2*PCle2.0x16/1*PClex16/2*PClex1, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller SiI5723, Marvell 88SE6111: ATA133*1/SATA3Gb/s *2 (Drive Xpert Technology) , Sound 8-CH(HD) AD2000B, S/PDIF (Coaxial out), TPM(INFINEON) Without Module, GbLan Marvell PCIe+GbLan Marvell PCI, 10*USB2.0, 2*1394a, ATX | 136.416 | USD | 551.2752 | C | 36 | 15749 |
| Placi de baza | Asus | MB ASUS P5Q-EM, INTEL G45/ICH10R, LGA 775 1600/1333/1066/800MHz, 4*DDR2-1066(O.C.)/800/667 Dual Ch, VGA on board (max 1894MB Sh), 1*PCle2.0x16/1*PCI/2*PClex1, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller Marvell 88SE6102: ATA133*1, Sound 8-CH(HD) ALC1200, S/PDIF (Optical out), TPM(INFINEON) Without Module, GbLan Realtek PCIe, 12*USB2.0, 2*1394a, mATX | 131.824 | USD | 532.7168 | C | 36 | 15908 |
| Placi de baza | Asus | MB ASUS P5Q-PREMIUM INTEL P45/ICH10R, LGA 775 1600/1333/1066/800MHz, 4*DDR2-1200/1066/800/667 Dual Ch, 2*PCle2.0x16/2*PClex16/2*PCI/1*PClex1, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller SiI5723, Marvell 88SE6111: ATA133*1/SAT3Gb/s*4 (Drive Xpert Technology) , Sound 8-CH(HD) AD2000B, S/PDIF (Coaxial + Optical out), TPM(INFINEON) Without Module, 4*GbLan Marvell PCIe, 14*USB2.0, 2*1394a, ATX | 156.24 | USD | 631.3888 | C | 36 | 15750 |
| Placi de baza | Asus | MB ASUS P5Q-PRO-TURBO INTEL P45/ICH10R, LGA 775 1600/1333/1066/800MHz, 4*DDR2-1200/1066/800/667 Dual Ch, 2*PCle2.0x16/2*PCI/3*PClex1, SATA 3Gb/s*5(RAID 0, 1, 5, 10), Extra storage Controller JMB368: ATA133*1, Sound 8-CH(HD) VIA VT1708S, S/PDIF (Optical out), GbLan Atheros PCIe, 12*USB2.0, 2*1394a, ATX | 142.688 | USD | 576.6208 | C | 36 | 20268 |
| Placi de baza | Asus | MB ASUS P5Q-SE-PLUS INTEL P45/ICH10, LGA 775 1600/1333/1066/800MHz, 4*DDR2-1200/1066/800/667 Dual Ch, 1*PCle2.0x16/3*PCI/2*PClex1, SATA 3Gb/s*6, Extra storage Controller JMB368: ATA133*1, Sound 8-CH(HD) VIA VT1708S, S/PDIF (Optical out), GbLan Realtek PCIe, 12*USB2.0, ATX | 96.768 | USD | 391.0592 | S | 36 | 16638 |
| Placi de baza | Asus | MB ASUS P5Q-SE2 INTEL P45/ICH10, LGA 775 1600/1333/1066/800MHz, 4*DDR2-1200/1066/800/667 Dual Ch, 1*PCle2.0x16/3*PCI/2*PClex1, SATA 3Gb/s*6, Extra storage Controller Marvell 88SE6102: ATA133*1, Sound 8-CH(HD) VIA VT1708B/S, S/PDIF (Coaxialout) , GbLan Realtek PCIe, 12*USB2.0, ATX | 86.8 | USD | 350.7728 | S | 36 | 16639 |
| Placi de baza | Asus | MB ASUS P5Q-VM DO INTEL Q45/ICH10DO, LGA 775 1600/1333/1066/800MHz, 4*DDR2-1066(O.C.)/800/667 Dual Ch, VGA on board (max 1894MB Sh), 1*PCle2.0x16/3*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Sound 6-CH(HD) VIA VT1705, S/PDIF (Optical out), TPM(INFINEON) Without Module, GbLan Realtek PCIe, 10*USB2.0, mATX | 126.56 | USD | 511.448 | C | 36 | 22013 |
| Placi de baza | Asus | MB ASUS P5Q-WS INTEL P45/ICH10R, LGA 775 1600/1333/1066/800MHz, 4*DDR2-1200/1066/800/667 Dual Ch, 2*PCle2.0x16/1*PCI/2*PClex1, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller Marvell 88SE6121: ATA133*1/SATA 3Gb/s *2 (both eSATA)Sound 8-CH(HD) ALC888, S/PDIF (Coaxial + Optical out), TPM(INFINEON) Without Module, 2*GbLan Marvell PCIe, 12*USB2.0, 2*1394a, ATX | 149.072 | USD | 602.4256 | 0 | 36 | 15751 |
| Placi de baza | Asus | MB ASUS P5QD-TURBO INTEL P45/ICH10R, LGA 775 1600/1333/1066/800MHz, 4*DDR2-1200/1066/800/667 Dual Ch, 1*PCle2.0x16/2*PCI/3*PClex1, SATA 3Gb/s*5(RAID 0, 1, 0+1, 5, JBOD), Extra storage Controller SiI5723, JMB361: ATA133*1/SATA 3Gb/s *2 (Drive Xpert Technology) + 1*eSATA, Sound 8-CH(HD) VIA VT1708S, S/PDIF (Optical out), GbLan Atheros PCIe, 12*USB2.0, 2*1394a, ATX | 102.48 | USD | 414.1424 | C | 36 | 20267 |
| Placi de baza | Asus | MB ASUS P5QL-CM, INTEL G43/ICH10, LGA 775 1333/1066/800MHz, 2*DDR2-1066(O.C.)/800/667 Dual Ch, VGA on board (max 1894MB Sh), 1*PCle2.0x16/2*PCI/1*PClex1, SATA 3Gb/s*6/ATA133*1, Sound 8CH HDVIAVT1708B, GbLan Realtek PCIe, 12*USB2.0, mATX | 91.84 | USD | 371.1456 | S | 36 | 16050 |
| Placi de baza | Asus | MB ASUS P5QL-PRO INTEL P43/ICH10, LGA 775 1600(O.C.)/1333/1066/800MHz, 4*DDR2-1066/800/667 Dual Ch, 1*PCle2.0x16/3*PCI/2*PClex1, SATA 3Gb/s*6, Extra storage Controller Marvell 88SE6102: ATA133*1, Sound 8-CH(HD) ALC1200, S/PDIF (Coaxial out)GbLan Atheros PCIe, 12*USB2.0, ATX | 90.496 | USD | 365.7136 | SL | 36 | 15744 |
| Placi de baza | Asus | MB ASUS P5QL/EPU, INTEL P43/ICH10, LGA 775 1600(O.C.)/1333/1066/800MHz, 4*DDR2-1066/800/667 Dual Ch, 1*PCle2.0x16/3*PCI/2*PClex1, SATA 3Gb/s*6, Extra storage Controller Marvell 88SE6102: ATA133*1, Sound 8-CH(HD) VIA VT1708B/S, S/PDIF (Coaxial out), GbLan Realtek PCIe, 12*USB2.0, ATX, EPU | 74.48 | USD | 300.9888 | S | 36 | 20167 |
| Placi de baza | Asus | MB ASUS P5QPL-AM INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 2*DDR2-1066(O.C.)/800/667 Dual Ch, VGA on board (max 256MB Sh), 1*PClex16/2*PCI/1*PClex1, ATA100*1/SATA 3Gb/s*4, Sound 6CH HD ALC 887, GbLan Atheros PCIe, 8*USB2.0, mATX | 56.336 | USD | 227.6624 | S | 36 | 20259 |
| Placi de baza | Asus | MB ASUS P5QPL-VM/EPU INTEL G41/ICH7, LGA 775 1333/1066/800MHz, 2*DDR2-1066(O.C.)/800/667 Dual Ch, VGA on board (max 384MB Sh), 1*PClex16/2*PCI/1*PClex1, ATA100*1/SATA 3Gb/s*4, Sound 8CH HD ALC 887, S/PDIF(Optical out), GbLan Atheros PCIe,8*USB2.0, mATX | 72.8 | USD | 294.2016 | S | 36 | 20260 |
| Placi de baza | Asus | MB ASUS RAMPAGE-FORMULA INTEL X48/ICH9R, LGA 775 1600/1333/1066/800MHz, 4*DDR2-1200(O.C.)/1066/800/667 Dual Ch, 2*PCle2.0x16(CrossFire x16x16)/2*PCI/3*PClex1, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller JMB368: ATA133*1, SouSupremeFX II Audio Card, S/PDIF (Coaxial + Optical out), 2*GbLan Marvell PCIe, Wifi 802.11n, 12*USB2.0, 2*1394a, ATX | 214.928 | USD | 868.56 | C | 36 | 15742 |
| Placi de baza | Asus | MB ASUS MAXIMUS III FORMULA INTEL P55, LGA 1156 4*DDR3-2133(OC)/1600/1333/1066 Dual Ch, 2*PCle2.0x16(1x16 or dual x8)+1*PCle2.0x16(max. x4, 2.5GT/s)(SLI+CrossFireX)/2*PClex1/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller MaSATA 3Gb/s*2 (Speeding HDD) + SATA 3Gb/s *2 (SATA_ODD) +1*eSATA, SupremeFX X-Fi Audio Card VIA VT2020, S/PDIF (Coaxial+Optical out) on the audio card, GbLan Realtek, 2*1394a, 14*USB2.0, ATX | 285.264 | USD | 1152.794 | C | 36 | 20679 |
| Placi de baza | Asus | MB ASUS MAXIMUS-III-GENE INTEL P55, LGA 1156 4*DDR3-2133(OC)/1600/1333/1066 Dual Ch, 2*PCle2.0x16(1x16 or dual x8)(SLI+CrossFireX)/1 x PCIe x4 @ x4 Speed/1*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller Marvell JMB363: SATA 3Gb/s *2 (one is eSATA), SupremeFX X-Fi Audio Card VIA VT2020, S/PDIF (Optical out), GbLan Realtek PCIe, 2*1394a, 14*USB2.0, mATX | 218.288 | USD | 882.1344 | C | 36 | 20790 |
| Placi de baza | Asus | MB ASUS P7H55 INTEL H55, LGA 1156, 4*DDR3-2200(OC)/1600/1333/1066 Dual Ch, 1*PCle2.0x16, 3*PClex1, 3*PCI, SATA 3Gb/s*6, Extra storage Controller VT6415: ATA133*1, Express Gate, Audio 8-CH(HD) VIA VT1708S, S/PDIF (Optical out)GbLan Realtek PCIe, 12*USB2.0, ATX | 105.504 | USD | 426.3616 | C | 36 | 22967 |
| Placi de baza | Asus | MB ASUS P7H55-M INTEL H55, LGA 1156, 4*DDR3-2200(OC)/1600/1333/1066 Dual Ch, VGA onboard (max 1748MB Sh), 1*PCle2.0x16, 2*PClex1, 1*PCI, 1*D-Sub+1*HDMI, SATA 3Gb/s*6, Extra storage Controller VT6415: ATA133*1, Express Gate,Audio 8-CH(HD) ALC 887, S/PDIF (Optical out), GbLan Realtek PCIe, 12*USB2.0, mATX | 95.536 | USD | 386.0752 | C | 36 | 22968 |

| | | | | | | | | |
|---------------|------|--|---------|-----|----------|---|----|-------|
| Placi de baza | Asus | MB ASUS P7H55-M PRO INTEL H55, LGA 1156, 4*DDR3-2133(OC)/1333/1066 Dual Ch, VGA onboard (max 1748MB Sh), 1*PCle2.0x16/1*PClex1/2*PCI, 1*D-Sub+1*DVl+1*HDMI, SATA 3Gb/s*6, Extra storage Controller JMB368: ATA133*1, Express Gate, Audio 8-CH(HD) Realtek Audio Codec, S/PDIF (Optical out), GbLan Realtek PCIe, 12*USB2.0, mATX | 114.128 | USD | 461.2048 | S | 36 | 22014 |
| Placi de baza | Asus | MB ASUS P7H55-M/USB3 INTEL H55, LGA 1156, 4*DDR3-2200(OC)/2000 Dual Ch, VGA onboard (max 1748MB Sh), Multi Vga Output, 1*PCle2.0x16/2*PClex1/1*PCI, SATA 3Gb/s*6, SATA 6Gb/s*2, Audio 8-CH(HD) ALC 892, S/PDIF (Optical out), GbLan Realtek PC | 135.296 | USD | 546.7504 | C | 36 | 23981 |
| Placi de baza | Asus | MB ASUS P7H55-V INTEL H55, LGA 1156, 4*DDR3-2200(OC)/1333/1066 Dual Ch, VGA onboard (max 1748MB Sh), 1*PCle2.0x16/3*PClex1/3*PCI, 1*D-Sub+1*HDMI, SATA 3Gb/s*6, Extra storage Controller VT6415: ATA133*1, Express Gate, Audio 8-CH(HD) ALC 887S/PDIF (Optical out), GbLan Realtek PCIe, 12*USB2.0, ATX | 119.056 | USD | 481.1296 | C | 36 | 22970 |
| Placi de baza | Asus | MB ASUS P7H55D-M EVO INTEL H55, LGA 1156, 4*DDR3-2133(OC)/1333/1066 Dual Ch, VGA onboard (max 1748MB Sh), 1*PCle2.0x16/2*PClex1/1*PCI, 1*D-Sub+1*DVl+1*HDMI, SATA 3Gb/s*6, Extra storage Controller Marvell 88SE6111: ATA133*1/SATA 3Gb/s*1 (one is eSATA), Express Gate, Audio 8-CH(HD) Realtek Audio Codec, S/PDIF (Optical out), GbLan Realtek PCIe, 2*1394a, 10*USB2.0, 2*USB3.0, mATX | 135.856 | USD | 549.0128 | C | 36 | 22015 |
| Placi de baza | Asus | MB ASUS P7H55D-M-PRO, INTEL H55, LGA 1156, 4xDDR3-2133 OC Dual-Channel, VGA(max.1748MB Shared memory), 1xPCle2.0x16/1xPClex1/2xPCI, D-Sub/DVI/HDMI, SATA 3Gb/sx6, ATA133*1, Express Gate, 8 Channel (HD) ALC 892, S/PDIF, GbLan, mATX | 107.856 | USD | 435.8592 | C | 36 | 22442 |
| Placi de baza | Asus | MB ASUS P7H57D-V-EVO INTEL H57, LGA 1156, 4*DDR3-2133(OC)/1333/1066 Dual Ch, VGA onboard (max 1748MB Sh), 2*PCle2.0x16(1 x16, or Dual x8)(SLI + CrossFireX)/3*PClex1/2*PCI, 1*D-Sub+1*DVl+1*HDMI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller: Marvell 88SE6111 + Marvell SATA 6Gb/s controller: ATA133*1/SATA 6Gb/s*2+ SATA 3Gb/s*1 (one is eSATA), Express Gate, Audio 8-CH(HD) Realtek Audio Codec, S/PDIF (Optical out), GbLan Realtek PCIe, 2*1394a, 12*USB2.0, 2*USB3.0, AT | 186.032 | USD | 751.7888 | C | 36 | 22016 |
| Placi de baza | Asus | MB ASUS P7P55-LX INTEL P55, LGA 1156 4*DDR3-2200(O.C.)/1600/1333/1066 Dual Ch, 1*PCle2.0 x16(single at x16)+1*PCle2.0 x16(@x4 mode, 2.5GT/s)/CrossFire@x16(x4)/2*PClex1/3*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller VT6415:ATA133*2, Sound 8-CH(HD) VIA VT1708S, S/PDIF (Optical out), 1*GbLan Realtek, 14*USB2.0, ATX | 114.128 | USD | 461.2048 | C | 36 | 22018 |
| Placi de baza | Asus | MB ASUS P7P55-M INTEL P55, LGA 1156 4*DDR3-2000(O.C.)/1600/1333/1066 Dual Ch, 1*PCle2.0x16/2*PClex1/1*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller VT6415: ATA133*1, Sound 8-CH(HD) VIA VT1708S, 1*GbLan Realtek PCIe, 1*1394a, 14*USB2.0, mATX | 119.504 | USD | 482.9328 | C | 36 | 22017 |
| Placi de baza | Asus | MB ASUS P7P55-WS-SUPERCOMP INTEL P55 + NF200, LGA 1156, 4*DDR3-2133(OC)/1600/1333/1066 Dual Ch, 4*PCle2.0x16(dual x16, or Quad x8)(3-Way SLI@triple x16 + CrossFireX@dual x16)/1*PClex4/1*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Audio 8-CH(HD)ALC1200-GR, S/PDIF (Coaxial + Optical out), TMP Infineon header (90-C1B0AF*), GbLan Realtek PCIe, 2*1394a, 14*USB2.0, ATX | 260.512 | USD | 1052.766 | C | 36 | 22024 |
| Placi de baza | Asus | MB ASUS P7P55D INTEL P55, LGA 1156 4*DDR3-2133(OC)/1600/1333/1066 Dual Ch, 1*PCle2.0x16 (single at x16)+1*PCle2.0x16(@x4 mode, 2.5GT/s)/CrossFire @x16(x4)/2*PClex1/3*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller Marvell JMB363: ATA133*1/SATA 3Gb/s*2 (one is eSATA), Sound 8-CH(HD) VIA VT1828, S/PDIF (Optical out), 1*GbLan Realtek, 2*1394a, 14*USB2.0, ATX | 142.688 | USD | 576.6208 | S | 36 | 20270 |
| Placi de baza | Asus | MB ASUS P7P55D-E INTEL P55, LGA 1156 4*DDR3-2200(OC)/1600/1333/1066 Dual Ch, 1*PCle2.0x16(single at x16)+1*PCle2.0x16(@x4 mode, 2.5GT/s)/CrossFire@x16(x4)/3*PClex1/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller JMB363: ATA133*1/SATA 6Gb/s*2, Express Gate, Audio 8-CH(HD) VIA VT1828, S/PDIF (Optical out), GbLan Realtek, 2*1394a, 14*USB2.0, 2*USB3.0, ATX | 167.216 | USD | 675.752 | C | 36 | 22020 |
| Placi de baza | Asus | MB ASUS P7P55D-E DELUXE INTEL P55, LGA 1156 4*DDR3-2200(OC)/1600/1333/1066 Dual Ch, 2*PCle2.0x16(1 x16, or Dual x8)(SLI + CrossFireX)/3*PClex1/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller: JMB363 + Marvell SATA 6Gb/s controller: ATA133*1/SATA 6Gb/s*2+ SATA 3Gb/s*2 (one is eSATA), Express Gate, Audio 10-CH(HD) VIA VT2020, S/PDIF (Coaxial + Optical out), 2*GbLan Realtek PCIe, 2*1394a, 12*USB2.0, 2*USB3.0, ATX | 271.264 | USD | 1096.222 | C | 36 | 22023 |
| Placi de baza | Asus | MB ASUS P7P55D-E EVO INTEL P55, LGA 1156 4*DDR3-2200(OC)/1600/1333/1066 Dual Ch, 2*PCle2.0x16(1 x16, or Dual x8)(SLI + CrossFireX)/3*PClex1/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller: JMB363 + Marvell SATA 6Gb/s controller: ATA133*1/SATA 6Gb/s*2+ SATA 3Gb/s*2 (one is eSATA), Express Gate, Audio 8-CH(HD) VIA VT1828, S/PDIF (Coaxial + Optical out), 2*GbLan Realtek PCIe, 2*1394a, 12*USB2.0, 2*USB3.0, ATX | 236.208 | USD | 954.5536 | C | 36 | 22022 |
| Placi de baza | Asus | MB ASUS P7P55D-E PREMIUM INTEL P55, LGA 1156 4*DDR3-2200(OC)/1600/1333/1066 Dual Ch, 2*PCle2.0x16(1 x16, or Dual x8)(SLI + CrossFireX)/2*PClex1/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller: JMB368, Marvell 88SE9123: ATA133*1/SATA 6Gb/s*2, Express Gate SSD, Audio 10-CH(HD) VIA VT2020, S/PDIF (Coaxial + Optical out), TMP Infineon header (90-C1B0AF*), GbLan Realtek PCIe + GbLan Realtek PCI, 2*1394a, 12*USB2.0, 2*USB3.0, ATX | 334.32 | USD | 1351.045 | C | 36 | 22027 |
| Placi de baza | Asus | MB ASUS P7P55D-E PRO INTEL P55, LGA 1156 4*DDR3-2200(OC)/1600/1333/1066 Dual Ch, 2*PCle2.0x16(1 x16, or Dual x8)(SLI + CrossFireX)/3*PClex1/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller: JMB363 + Marvell SE9123: ATA133*1/SATA 6Gb/s*2+ SATA 3Gb/s*2 (one is eSATA), Express Gate, Audio 8-CH(HD) VIA VT1828, S/PDIF (Coaxial + Optical out), GbLan Realtek, 2*1394a, 12*USB2.0, 2*USB3.0, ATX | 204.736 | USD | 827.3664 | C | 36 | 22021 |
| Placi de baza | Asus | MB ASUS P7P55D-E LX INTEL P55, LGA 1156 4*DDR3-2200(O.C.)/1600/1333/1066 Dual Ch, 1*PCle2.0 x16+1*PClex1/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller JMB361: SATA 6Gb/s*2+ SATA 3Gb/s*1 (one is eSATA), Sound 8-CH(HD) VIS/PDIF (Optical out), 1*GbLan Realtek, 12*USB2.0, 2*USB3.0, ATX | 155.344 | USD | 627.7712 | C | 36 | 22971 |
| Placi de baza | Asus | MB ASUS P7P55D-LE INTEL P55, LGA 1156 4*DDR3-2000(O.C.)/1600(O.C.)/1333/1066 Dual Ch, 4*PCle2.0x16(Quad x 16, or x16x8x8)/2*PClex1/3*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller Marvell JMB361: ATA133*1/SATA 3Gb/s*1 (one is eSATA), Sound 8-CH(HD) VIA VT1828, S/PDIF (Optical out), 1*GbLan Realtek, 14*USB2.0, ATX | 123.984 | USD | 501.0432 | C | 36 | 22019 |
| Placi de baza | Asus | MB ASUS P7P55D-PREMIUM INTEL P55, LGA 1156 4*DDR3-2133(OC)/1600/1333/1066 Dual Ch, 2*PCle2.0x16(1x16 or dual x8)(SLI+CrossFireX)/2*PClex1/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller Marvell JMB368, 88SE9123: ATA133*1/SAT6Gb/s*2, Sound 10-CH(HD) VIA VT2020, S/PDIF (Coaxial+Optical out), TPM Infineon header (90-C1B0AF*), 1*Gb Realtek PCIe+1*Gb Realtek PCI, 2*1394a, 12*USB2.0, ATX | 280.224 | USD | 1132.432 | C | 36 | 22026 |
| Placi de baza | Asus | MB ASUS P7P55D-DELUXE INTEL P55, LGA 1156 4*DDR3-2133(OC)/1600/1333/1066 Dual Ch, 2*PCle2.0x16(1x16 or dual x8)+1*PCle2.0x16(max. x4, 2.5GT/s)(SLI+CrossFireX)/2*PClex1/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller MarvellJMB363, JMB322: ATA133*1/SATA 3Gb/s*2 (Drive Xpert Technology)+1*eSATA, Sound 10-CH(HD) VIA VT2020, S/PDIF (Coaxial+Optical out), 1*Gb Realtek PCIe+1*Gb Realtek PCI, 2*1394a, 14*USB2.0, ATX | 240.24 | USD | 970.8496 | C | 36 | 20273 |
| Placi de baza | Asus | MB ASUS P7P55D-EVO INTEL P55, LGA 1156 4*DDR3-2133(OC)/1600/1333/1066 Dual Ch, 2*PCle2.0x16(1x16 or dual x8)+1*PCle2.0x16(max. x4, 2.5GT/s)(SLI+CrossFireX)/2*PClex1/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller Marvell JMB363, JMB322: ATA133*1/SATA 3Gb/s*2 (Drive Xpert Technology)+1*eSATA, Sound 8-CH(HD) VIA VT1828, S/PDIF (Coaxial+Optical out), 1*Gb Realtek PCIe+1*Gb Realtek PCI, 2*1394a, 14*USB2.0, ATX | 214.592 | USD | 867.2048 | C | 36 | 20272 |

| | | | | | | | | |
|---------------|------|---|---------|-----|----------|----|----|-------|
| Placi de baza | Asus | MB ASUS P7P55D.PRO INTEL P55, LGA 1156 4*DDR3-2133(O.C.)/1600/1333/1066 Dual Ch, 2*PCle2.0x16(1x16 or dual x8)+1*PCle2.0x16(max. x4, 2.5GT/s)(SLI+CrossFireX)/2*PClex1/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller Marvell JMB363: ATA133*/SATA 3Gb/s*2 (one is eSATA), Sound 8-CH(HD) VIA VT1828, S/PDIF (Coaxial+Optical out), 1*GbLan Realtek, 2*1394a, 14*USB2.0, ATX | 173.6 | USD | 701.5456 | C | 36 | 20271 |
| Placi de baza | Asus | MB ASUS P7Q57-M-DO INTEL Q57, LGA 1156, 4*DDR3-1333/1066 Dual Ch, VGA onboard (max 128MB Sh), 1*PCle2.0x16/1*PClex1/2*PCI, 1*D-Sub+1*DV+1*HDMI, ATA133*/SATA 3Gb/s*6(RAID 0, 1, 5, 10), Audio 8-CH(HD) ALC 887,TPM Infineon, GbLan PHY, 14*USB2.0, mATX | 142.688 | USD | 576.6208 | C | 36 | 22972 |
| Placi de baza | Asus | MB ASUS SABERTOOTH-55I INTEL P55, LGA 1156, 4*DDR3-2000/1600/1333/1066 Dual Ch, 2*PCle2.0x16(1x16 or dual x8)(SLI + CrossFireX)/3*PClex1/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra Storage Controller JMB363, JMB322: ATA133*/SATA 3Gb/s *2(Drive Xpert Technology) + 1 x eSATA, Audio 10-CH(HD) VIA VT2020, S/PDIF (Optical out), GbLan Realtek PCIe, 2*1394a, 14*USB2.0, ATX | 223.216 | USD | 902.048 | C | 36 | 22025 |
| Placi de baza | Asus | MB ASUS P6T-DELUXE-V2 INTEL X58/ICH10R, LGA 1366 QPI Up to 6.4GT/s, 6*DDR3-1600(O.C.)/1333/1066 Triple Ch, 3*PCle2.0x16(dual x16 or triple x16/x8/x8)(SLI+CrossFireX)/1*PClex4@x4 Speed/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller Marvell 88SE6320+6111: ATA133*/SATA 3Gb/s*1 (one is eSATA), Sound 8-CH(HD) AD2000B, S/PDIF (Coaxial + Optical out), TPM Infineon header (90-C1B0AF*), 2*GbLan Marvell PCIe, 14*USB2.0, 2*1394a, ATX | 285.264 | USD | 1152.794 | C | 36 | 20276 |
| Placi de baza | Asus | MB ASUS P6T-SE INTEL X58/ICH10R, LGA 1366 QPI Up to 6.4GT/s, 6*DDR3-2000(O.C.)/1800(O.C.)/1600(O.C.)/1333/1066 Triple Ch, 3*PCle2.0x16 (CrossFireX @x16/x16/x4)/1*PClex1/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller MarvellJMB363: ATA133*/SATA 3Gb/s*1 (one is eSATA), Sound 8-CH(HD) ALC1200, S/PDIF (Coaxial + Optical out), 1*GbLan Realtek PCIe, 12*USB2.0, 2*1394a, ATX | 210.896 | USD | 852.264 | SL | 36 | 20274 |
| Placi de baza | Asus | MB ASUS P6T-WS-PROFESSIONAL, INTEL X58/ICH10R, LGA 1366 QPI Up to 6.4GT/s, 6*DDR3-1600(O.C.)/1333/1066 Triple Ch, 2*PCle2.0x16(SLI+CrossFireX)/1*PClex1/1*PCI, SATA 3Gb/s*6(RAID 0, 1, 0+1, 5, JBOD), Extra storage Controller Marvell 88SE6320+6121: SATA 3Gb/s *2 (both eSATA), Sound 8-CH(HD) AD2000B, S/PDIF (Coaxial + Optical out), TPM Infineon header (90-C1B0AF*), 2*GbLan Marvell PCIe, 12*USB2.0, 2*1394a, ATX | 338.688 | USD | 1368.696 | C | 36 | 17945 |
| Placi de baza | Asus | MB ASUS P6T6-WS-REVOLUTION, INTEL X58/ICH10R, LGA 1366 QPI Up to 6.4GT/s, 6*DDR3-1600(O.C.)/1333/1066 Triple Ch, 6*PCle2.0x16(3-Way SLI@triple16 + CrossFireX@dualx16), SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller Marvell 88SE621: SATA 3Gb/s *2 (both eSATA), Sound 8-CH(HD) AD2000B, S/PDIF (Coaxial + Optical out), TPM Infineon header (90-C1B0AF*), GbLan Realtek PCIe, 12*USB2.0, ATX | 405.664 | USD | 1639.355 | C | 36 | 17946 |
| Placi de baza | Asus | MB ASUS P6TD.DELUXE INTEL X58/ICH10R, LGA 1366 QPI Up to 6.4GT/s, 6*DDR3-1600(O.C.)/1333/1066 Triple Ch, 3*PCle2.0x16(dual x16 or triple x16/x8/x8)(SLI+CrossFireX)/1*PClex4@x4 Speed/2*PCI, SATA 3Gb/s*6(RAID 0, 1, 5, 10), Extra storage Controller Marvell 88SE6111: ATA133*/SATA 3Gb/s*1 (one is eSATA), Sound 8-CH(HD) AD2000B, S/PDIF (Coaxial + Optical out), TPM Infineon header (90-C1B0AF*), 2*GbLan Marvell PCIe, 14*USB2.0, 2*1394a, ATX | 310.128 | USD | 1253.28 | C | 36 | 20277 |
| Placi de baza | Asus | MB ASUS P6X58D PREMIUM, Intel X58/ICH10R,LGA 1366 6xDDR3-1600(O.C.)TpCh, 3xPCle2.0x16(3-Way SLI @x16/x8/x8 + CFX @dual x16), SATA 3Gb/sx6(RAID) SATA 3Gb/sx1 (eSATA), 8-CH,S/PDIF, 2xGbLan, 2x1394a, ATX | 345.184 | USD | 1394.949 | C | 36 | 22966 |
| Placi de baza | Asus | MB ASUS P6X58D-E Intel X58/ICH10R, 6xDDR3-2000(O.C.)TpCh, 3xPCle 2.0 x16 (dual x16 or triple x16/x8/x8) 3xPCle2.0x16, SATA 3Gb/sx6(RAID), SATA 6Gb/s x2, 8-CH,S/PDIF, GbLan, 2x1394a, ATX | 260.512 | USD | 1052.766 | C | 36 | 22938 |
| Placi de baza | Asus | MB ASUS RAMPAGE-III-GENE, INTEL X58/ICH10R, LGA 1366 QPI Up to 6.4GT/s, 6*DDR3-2200(O.C.)/1600/1333/1066 Triple Ch max 24GB, 2*PCle2.0 x16 (dual x16)(SLI + CrossFireX)/1*PClex4/1*PCI, 6 xSATA 3.0 Gb/s (RAID 0, 1, 5, 10), 2 xSATA 6.0 Gb/s,Gigabit LAN, 8CH SupremeFX X-Fi 2 Built-in, 2 x 1394a, 2 x USB 3.0, 11 x USB 2.0, mATX | 285.264 | USD | 1152.794 | C | 36 | 26545 |
| Placi de baza | Asus | MB ASUS RAMPAGE III-EXTREME, INTEL X58/ICH10R, LGA 1366 QPI Up to 6.4GT/s, 6*DDR3-2133(O.C.) Triple Ch, 4*PClex2.0/1*PClex1/1*PCI2.2, 6*SATA3, 1*eSATA3, 2*SATA6, Glan, 8ch Blu-ray audio layer Content Protection , 2*IEEE1394, 9*USB2.0, 3*USB3.0, ATX | 435.456 | USD | 1759.744 | C | 36 | 23983 |
| Placi de baza | Asus | MB ASUS RAMPAGE-II-EXTREME, INTEL X58/ICH10R, LGA 1366 QPI Up to 6.4GT/s, 6*DDR3-1800(O.C.)/1600(O.C.)/1333/1066 Triple Ch, 3*PCle2.0x16(dual x16 or triple x16/x8/x8)(3-Way SLI@x16/x8/x8+CrossFireX@dual x16)/1*PCI2*PClex1, SATA 3Gb/s*6(RAID 0, 1, 0+1, 5, JBOD), Extra storage Controller JMB363: ATA133*/SATA 3Gb/s *2 (one is eSATA), SupremeFX X-Fi Audio Card AD2000B, S/PDIF (Coaxial + Optical out), 2*GbLan Marvell PCIe, 12*USB2.0, 2*1394a, ATX | 399.392 | USD | 1614.01 | C | 36 | 17947 |
| Placi de baza | Asus | MB ASUS RAMPAGE-II-GENE INTEL X58/ICH10R, LGA 1366 QPI Up to 6.4GT/s, 6*DDR3-2000(O.C.)/1800(O.C.)/1600/1333/1066/800 Triple Ch, 2*PCle2.0 x16 (dual x16)(SLI + CrossFireX)/1*PClex4/1*PCI, SATA 3Gb/s*6(RAID 0, 1, 0+1, 5, JBOD), Extra storageController JMB363: ATA133*/SATA 3Gb/s *2 (one is eSATA), SupremeFX X-Fi Audio Card AD2000B, S/PDIF (Optical out), GbLan Realtek PCIe, 12*USB2.0, 2*1394a, mATX | 261.632 | USD | 1057.291 | C | 36 | 20278 |
| Placi de baza | Asus | MB ASUS PVL-D/SCSI INTEL E7250 + ICH5R+6700 PXH, Sk604 Dual Xeon Dual-Core FSB 800MHz, 8*DDR2-400 Registered ECC (up to 16GB), VGA ATI RageXL 8MB, 1*PClex8/4*PCI-X/1*PCI32, 2*100/1*133/2*SATA, PCI-X U320 Adaptec 7902 SCSI controller, Support Adaptec AIC-2015 ZCR Card, 2*GbLan Broadcom BCM5721 PCI-E, 4*USB2.0, E-ATX (12"x13"), 1U/2U/5U/Tower, Support ASMB2.0 management card. | 571.648 | USD | 2310.123 | C | 36 | 11862 |
| Placi de baza | Asus | MB ASUS KFN32-D-SLI/SAS Nvidia nForce 3050+6702PXH, Socket F, Dual AMD Opteron 2000, HT 2000MT/s, 8*DDR2-667/533MHz 3 Channel Registered ECC (up to 16GB), 2*PClex16/1*PClex8/2*PCI-X133/2*PCI32/2*133/6*SATA II support RAID 0, 1, 0+1, 5JBOD,2*SAS optional Raid support wit ZCR Raid 0, 1, 10, 5, 2 * Broadcom® BCM5754 PCI-E GB LAN, E-ATX (12"x13"), 1U/2U/5U/Tower,Supports Dual AMD Opteron 2000. | 455.168 | USD | 1839.41 | C | 36 | 11860 |
| Placi de baza | Asus | MB ASUS KFN5-D-SLI, Nvidia MCP55 Professional, Sk F (1207), Dual Opteron Dual-Core (up to 2.8GHz), FSB-HT2000MT/s, 8*DDR2-667/533MHz Dual Ch Registered ECC (up to 16GB), 1*PClex16/1*PClex16(x8 link)/1*PClex1*PCI32, 2*133/6*SATAII, RAID 0, 1, 0+1, 5, JBOD, Extra Storage controller SI3132:2*SATAII RAID 0, 1, 2*Broadcom BCM5754 PCI-E GBLAN, 6*USB2.0, ATX, 5U/Tower | 291.2 | USD | 1176.784 | C | 36 | 23637 |
| Placi de baza | Asus | MB ASUS M2N-LR/SATA, Nvidia MCP55 Professional/Intel PXH-V, Sk AM2, FSB-HT2000MT/s, 4*DDR2-800MHz Dual Ch ECC unbuffered (up to 4GB), 1*PClex16/2*PCI-X/2*PCI32/1*SODIMM socket for ASMB3-SOL, 1*100/nVIDIA MCP55 P: Three channel 6 SATA2 ports, RAID 0, 1, 10, 5, JBOD; Extra storage controller AIC8130: 4*SATAII ports, RAID 0, 1, 10, 5, Simple volume, 2*Broadcom BCM5721 PCI-E GBLAN, 8*USB2.0, ATX, 1U/2U/5U/Tower | 264.208 | USD | 1067.707 | C | 36 | 23638 |
| Placi de baza | MSI | MB MSI K9A2 Platinum, AMD 790FX, S-AM2+, ATX, 4xPCI-E x16 Crossfire, 2xPCI, 1xPCI-x, 4xDual DDR2-1066, U-DMA 133, 6xS-ATAII Raid 0, 1, 0+1, 2xeS-ATA, SB 8ch., 1394, GbLan on board, Condensatori solizi, Racire Circu-Pipe | 129.472 | USD | 523.2192 | C | 36 | 16565 |
| Placi de baza | MSI | MB MSI K9N NEO-F V3, nForce560, S-AM2, FSB 1000 HT, DDR2-800, PCI-Ex16, 2PCI-Ex1, 3PCI, RAID 0/1/0+1/5, SB HD 7.1ch, GbLan, condensatori solizi | 61.488 | USD | 248.4832 | 0 | 36 | 10080 |
| Placi de baza | MSI | MB MSI K9N6PGM2-V, nVidia MCP61, S-AM2+, mATX, Up to 1000MT/s, Dual DDR2-800, PCI-Ex16, 1xPCI-Ex1, 2xPCI, RAID 0/1 Video onboard, SB HD 5.1ch, GbLan | 42.112 | USD | 170.184 | S | 36 | 20547 |
| Placi de baza | MSI | MB MSI K9N6PGM2-V2, Socket AM2+, nVidia MCP61P, 2x Dual DDRII 800, VGA 256MB, 1xPCI-Ex16, 1xPCI-Ex1, 2xPCI, Realtek 8201CL 10/100, 1xIDE, 2xSATAII, Raid 0,1, uATX | 42.336 | USD | 171.0912 | S | 36 | 21358 |

| | | | | | | | | |
|---------------|-------|---|---------|-----|----------|------|----|-------|
| Placi de baza | MSI | MB MSI KA790GX, AMD 790GX, S-AM2+, ATX, Up to 5200MT/s, PCI-E x16 2.0, 3xPCI, 1xPCI-x, 4xDual DDR2-1066, U-DMA 133, 4xS-ATAII Raid 0, 1.0+1 Video onboard, HDMI, DVI, SB 8ch., GBLan on board. | 102.48 | USD | 414.1424 | 0 | 36 | 18899 |
| Placi de baza | MSI | MB MSI 770-C45, Socket AM3, AMD770+SB710, 4x Dual DDRIII 1333, 1xPCI-Ex16, 2xPCI-Ex1, 3xPCI, 6xSATAII, Raid, Heatsink, Realtek GbLAN, APS, ATX | 73.92 | USD | 298.7264 | S | 36 | 21353 |
| Placi de baza | MSI | MB MSI 785G-E53, Socket AM3, AMD 785G+SB710, 4x Dual DDRIII 1333, VGA 512MB D-SUB, DVI, HDMI, 1xPCI-Ex16, 3xPCI-Ex1, 2xPCI, GbLAN, 5xSATAII Raid5, 1xeSATAII, OC Switch, 1394, ATX | 95.76 | USD | 386.9824 | M | 36 | 21361 |
| Placi de baza | MSI | MB MSI 785GM-E51, Socket AM3, AMD785G+SB710, 4x Dual DDRIII 1333, VGA 512MB, 1xPCI-Ex16, 1xPCI-Ex1, 2xPCI, Realtek 8111DL GbLAN, 5xSATAII Raid5, 1xeSATA, Heatsink, OC Switch, Hybrid Crossfire, uATX | 81.536 | USD | 329.504 | S | 36 | 21360 |
| Placi de baza | MSI | MB MSI 785GM-E65, Socket AM3, AMD785G+SB710, 4x Dual DDRIII 1333, VGA 512 Mb, D-SUB, DVI, HDMI, 1xPCI-Ex16, 1xPCI-Ex1, 2xPCI, GbLAN, 5xSATAII Raid, Heatpipe, uATX | 95.984 | USD | 387.8896 | S | 36 | 21354 |
| Placi de baza | MSI | MB MSI 790GX-G65, Socket AM3, AMD790GX+SB750, 4DDRIII, 2PCI-Ex16, 2PCI-Ex1, 2PCI, 5SATAII, 1eSATA, RAID, GbLAN, 1394, APS, Bluray Audio, HeatPipe, VGA Share Memory (MB) 512+1Gb Sideport D-Sub+DVI+HDMI, ATX | 118.72 | USD | 479.7632 | S | 36 | 19828 |
| Placi de baza | MSI | MB MSI G31TM-P35, Socket LGA775, Intel G31+ICH7, 2x Dual DDRII 800, 1xPCI-Ex16, 2xPCI, 4xSATAII, VGA 256MB (include DVMT), Realtek GbLAN, Heatsink, 95W CPU, 8 Ch, OC Switch, Solid Cap, uATX | 41.888 | USD | 169.2768 | 0 | 36 | 21355 |
| Placi de baza | MSI | MB MSI G41M-E43, Socket LGA775, Intel G41+ICH7, FSB 1333, 2x Dual DDRIII 1066, VGA 256MB shared, DVI, HDMI, 1xPCI-Ex16, 2xPCI, 1xPCI-Ex1, 1xIDE, 4xSATAII, GbLAN, SB 8ch, uATX | 61.488 | USD | 248.4832 | S | 36 | 21969 |
| Placi de baza | MSI | MB MSI G41M4-F, Socket LGA775, Intel G41+ICH7, 2x Dual DDRII 800 (OC1066), VGA 256MB shared, 1PCI-Ex16, 2PCI, 4SATAII, GbLAN, uATX | 55.888 | USD | 225.848 | C | 36 | 19829 |
| Placi de baza | MSI | MB MSI P43-C51, Core 2 Quad iP43, LGA775, FSB 1333, ATX, PCI-Express x16, 2xPCI-Ex1, 3xPCI, 4xDual DDR3 1333, U-DMA 100, 6xS-ATA II, SB 8ch., GbLAN on board, USB2.0, APS | 75.152 | USD | 303.6992 | C | 36 | 21299 |
| Placi de baza | MSI | MB MSI P43T-C51, Socket LGA775, IntelP43+ICH10, 4x Dual DDRII 800, 1xPCI-Ex16, 2xPCI-Ex1, 3xPCI, 6xSATAII, Realtek 8111DL Gb LAN, APS, OCswitch, Heatsink, ATX | 73.696 | USD | 297.8192 | CALL | 36 | 21357 |
| Placi de baza | MSI | MB MSI P45-C51, Socket LGA775, Intel P45+ICH10, FSB 1333, 4x Dual DDR3 1333, 1xPCI-Express 2.0 x16, 2xPCI-Ex1, 3xPCI, 6xSATAII, 1xIDE, GbLAN, Sb 8ch, Heatsink, APS, ATX | 91.504 | USD | 369.7792 | C | 36 | 20555 |
| Placi de baza | MSI | MB MSI P45T-C51, Socket LGA775, Intel P45+ICH10, FSB 1333, 4x Dual DDR2 800, 1xPCI-Express 2.0 x16, 2xPCI-Ex1, 3xPCI, 6xSATAII, 1xIDE, GbLAN, Sb 8ch, Heatsink, APS, ATX | 86.24 | USD | 348.5104 | SL | 36 | 20554 |
| Placi de baza | MSI | MB MSI BIG BANG TRINERGY, Socket LGA1156, Intel P55 + Nvidia NF200, 4x Dual DDRIII 1333/2133(OC), 3xPCI-Ex16 2.0, 2xPCI-Ex1, 2xPCI, 10xSATAII Raid5, SolidCap, 2xGbLAN, 1394, DrMOS, APS, OC Genie, Super PIPE, D-LED2, ATX | 359.184 | USD | 1451.52 | C | 36 | 21968 |
| Placi de baza | MSI | MB MSI H55M-E33, Socket LGA1156, Intel H55, 4x Dual DDRIII 1333, 1xPCI-Ex16, 2xPCI-Ex1, 1xPCI, 1xIDE, 6xSATAII, GbLAN, APS, Video onboard 512MB, DVI, HDMI, SB 8ch, Heatsink, uATX | 94.64 | USD | 382.4576 | C | 36 | 21967 |
| Placi de baza | MSI | MB MSI H55M-ED55, Socket LGA1156, Intel H55, 4x Dual DDRIII 1333, 2xPCI-Ex16, 1xPCI-Ex1, 1xPCI, 1xIDE, 6xSATAII, GbLAN, APS, Video onboard 512MB, DVI, HDMI, SB 8ch, Heatsink, uATX | 103.488 | USD | 418.208 | S | 36 | 22134 |
| Placi de baza | MSI | MB MSI P55-GD55, Socket LGA1156, Intel P55, 4x Dual DDRIII 1333MHz, 1xPCI-Express x16, 1xPCI-Express x4, 3xPCI-Ex1, 2xPCI, 6xSATAII Raid5, 2xeSATA, SolidCap, GbLAN, SB 8ch, DrMOS, APS, OC Genie, ATX | 129.584 | USD | 523.6672 | C | 36 | 21970 |
| Placi de baza | MSI | MB MSI P55-GD80, Socket LGA1156, Intel P55, 4x Dual DDRIII 1333, 3xPCI-Ex16, 2xPCI-Ex1, 2xPCI, 8xSATAII Raid5, SolidCap, 2GbLAN, 1394, DrMOS, APS, OC Genie, Super PIPE, ATX | 230.832 | USD | 932.8256 | 0 | 36 | 21351 |
| Placi de baza | MSI | MB MSI, Socket LGA1366 X58 PRO-E, Intel X58+ICH10R, DrMOS, APS, 6DDRIII, 3PCI-Ex16, 2PCI-Ex1, 2PCI, 7SATAII, 1eSATA, RAID, 1394, GbLAN, CrossFire, True Blu-Ray audio, ATX | 205.856 | USD | 831.9024 | C | 36 | 19835 |
| Placi de baza | Intel | MB Intel DG41CN, Intel G41, LGA 775, DDR2 800, Intel GMA X4500, VGA ,GbE, PCIe x16, PCIe x1, 2PCI, 4SATA, 2DIMM, Audio6-ch, 4+4 USB2.0, CORNER FIELD MATX, Bulk | 63.392 | USD | 256.1776 | S | 36 | 26751 |
| Placi de baza | Intel | MB Intel DG41TY, Core 2 Quad, Intel G41, FSB 1333, LGA775, mATX, 1xPCI-E x16, 1xPCI-E x1, 2xPCI, DDR2 800Mhz, Intel Grph. Media Accel. X4500, SB8ch., GbLAN on board, bulk | 73.36 | USD | 296.464 | 0 | 36 | 18832 |
| Placi de baza | Intel | MB Intel DG43GT, Classic GOLDTREE, uATX, G43, 4xDDR2-800, Intel GMA X4500, HDMI + DVI-I, 1xPCI Express x16, 2xPCI Express x1, 1xPCI, 4xSATA, GbE, 8-ch audio, 6 + 6xUSB 2.0,1394a. | 91.84 | USD | 371.1456 | 0 | 36 | 22044 |
| Placi de baza | Intel | MB Intel DG43RK, Intel G43, FSB 1333, LGA775, mATX, 1x PCI-E x16, HDMI + DVI-I, GbE, DDR3-1333, 2PCIe x1, PCI, PATA, 4SATA, 4DIMM, Audio10ch, 6+6 USB2.0, 1394a, bulk | 95.2 | USD | 384.72 | S | 36 | 26752 |
| Placi de baza | Intel | MB Intel DG45FC, Intel G45, FSB 1333, LGA775, mITX, 1xPCI-E x 1, DDR2-800, S-ATA Raid 0,1,5,10 , Viiv, Video Intel GMA X4500HD (HDMI + DVI-I), GbLAN, eSATA, 6+4USB2.0, SB 7.1 on board, bulk | 122.976 | USD | 496.9664 | C | 36 | 17075 |
| Placi de baza | Intel | MB Intel DG45ID, Intel G45, FSB 1333, LGA775, mATX, 1xPCI-E x16, 2xPCI-E x 1, 1xPCI, DDR2-800, S-ATA Raid 0,1,5,10 , Viiv, Video Intel GMA X4500HD (HDMI + DVI-I), GbLAN, IEEE1394, eSATA, 6+6USB2.0, SB 7.1 on board, box | 115.136 | USD | 465.2816 | 0 | 36 | 17080 |
| Placi de baza | Intel | MB Intel DG45ID, Intel G45, FSB 1333, LGA775, mATX, 1xPCI-E x16, 2xPCI-E x 1, 1xPCI, DDR2-800, S-ATA Raid 0,1,5,10 , Viiv, Video Intel GMA X4500HD (HDMI + DVI-I), GbLAN, IEEE1394, eSATA, 6+6USB2.0, SB 7.1 on board, bulk | 106.064 | USD | 428.624 | C | 36 | 16215 |
| Placi de baza | Intel | MB Intel DP45SG, Intel P45, FSB 1333, LGA775, ATX, 2xPCI-E x16 (ATI Crossfire), 2xPCI-E x 1, 3xPCI, DDR3-1333, S-ATA Raid 0,1,5,10, GbLAN, eSATA, 6+6USB2.0, SB 7.1 on board, box | 153.44 | USD | 620.0768 | 0 | 36 | 17084 |
| Placi de baza | Intel | MB Intel DP45SG, Intel P45, FSB 1333, LGA775, ATX, 2xPCI-E x16 (ATI Crossfire), 2xPCI-E x 1, 3xPCI, DDR3-1333, S-ATA Raid 0,1,5,10, GbLAN, eSATA, 6+6USB2.0, SB 7.1 on board, bulk | 145.824 | USD | 589.2992 | 0 | 36 | 17076 |
| Placi de baza | Intel | MB Intel DP55WG, Intel P55, ATX, LGA1156, 2x PCIe x1, 1x PCIe x8 , 1x PCIe x16, 2.66 Ghz, 4 DDR3 SDR, SB, 1GbITLAN, Serial ATA II/300-RAID, IEEE-1394, 8+6 USB 2.0, bulk | 155.68 | USD | 629.1264 | 0 | 36 | 26803 |
| Placi de baza | Intel | MB Intel DQ45CB, Intel Q45, FSB 1333, LGA775, mATX, DDR2-800, Intel 4500, DVI-I&DVI-D, GbLAN, 1xPCIex16, 2xPCIex1, 1xPCI, 5XSATA, 1xeSATA, 4XDIMM, 0,1,5,10 & Matrix, 4-ch, 6+6USB2.0, 1394, bulk | 130.48 | USD | 527.296 | 0 | 36 | 16970 |
| Placi de baza | Intel | MB Intel DQ45EK, Intel Q45, FSB 1333, LGA775, mITX, DDR2-800, Intel 4500, DVI-I&DVI-D, GbLAN, 2xPCIex1, 5XSATA, 1xeSATA, Raid 0,1,5,10, 6ch, 6+4USB2.0, 1394, bulk | 145.824 | USD | 589.2992 | 0 | 36 | 17077 |
| Placi de baza | Intel | MB Intel DH55HC, Intel H55, ATX, LGA1156, 1xPCI-E2.0 x16, 2xPCI-E x 1, 3xPCI, 4xDDR3-1333, S-ATA, Viiv, Video, VGA&DVI-D, GbLAN, 6+6USB2.0, SB 6ch on board, BOX | 109.872 | USD | 444.0128 | 0 | 36 | 22917 |
| Placi de baza | Intel | MB Intel DH55HC, Intel H55, ATX, LGA1156, 1xPCI-E2.0 x16, 2xPCI-E x 1, 3xPCI, 4xDDR3-1333, S-ATA, Viiv, Video, VGA&DVI-D, GbLAN, 6+6USB2.0, SB 6ch on board, Bulk | 107.744 | USD | 435.4112 | SL | 36 | 26756 |
| Placi de baza | Intel | MB Intel DH55TC, Intel H55, mATX, LGA1156, 1xPCI-E2.0 x16, 2xPCI-E x 1, 1xPCI, 4xDDR3-1333, S-ATA, Viiv, Video, VGA, DVI-D, HDMI, GbLAN, 6+6USB2.0, SB 6ch on board, BOX | 105.056 | USD | 424.5472 | 0 | 36 | 22918 |
| Placi de baza | Intel | MB Intel DH57DD, Intel H57, mATX, LGA1156, 1xPCI-E2.0 x16, 2xPCI-E x 1, 1xPCI, 4xDDR3-1333, 5xS-ATA Raid 0,1,5, eSATA, 1394, VIIV, Video, DVI-D, HDMI, GbLAN, 6+8USB2.0, SB 8ch on board, Bulk | 120.736 | USD | 487.9168 | 0 | 36 | 22925 |
| Placi de baza | Intel | MB Intel DH57JG, Intel H57, Mini-ITX, LGA1156, 1xPCI-E x16, 4xDIMM DDR3-1333, 4xSATA, 1xeSATA, Intel Rapid Storage Technology for RAID 0, 1, 5, 10, 6+6xUSB 2.0, bulk | 137.088 | USD | 553.9968 | 0 | 36 | 23491 |
| Placi de baza | Intel | MB Intel Extreme KINGSBERG - ATX, LGA1156, max.I7,P55,4DDR3-1600,PCIe 2.0 x16 or Dual x8,1PCI Express x16,2PCI Express x1,2PCI,8SATA,2eSATA,0,1,5,10 & Matrix,GbE,8-ch,8+1+4USB 2.0,1394a, DP55KG. | 218.736 | USD | 883.9488 | SL | 36 | 22493 |

| | | | | | | | | |
|----------------|------------|---|---------|-----|----------|------|----|-------|
| Placi de baza | Intel | MB Intel DP55SB, Intel P55, mATX, LGA1156, 4DDR3-1600, PCIe 2.0 x16 or Dual x8, 1PCI Express x16, 2PCI Express x1, 6SATA, 1eSATA,0,1,5,10 & Matrix, GbE,8-ch, 8+1+4USB 2.0, 1394a | 187.04 | USD | 755.8544 | 0 | 36 | 26771 |
| Placi de baza | Intel | MB Intel BLKDP55WB, Intel P55, LGA1156, mATX, 1xPCI Express2.0 x16, 2xPCI-Ex1, 1xPCI, 6x SATA Raid 0,1,5,10 & Matrix, Gb Lan, SB 6ch, 8+6USB 2.0, 1394a, bulk | 117.264 | USD | 473.8832 | 0 | 36 | 21342 |
| Placi de baza | Intel | MB Intel Executive TUNNEL MOUNTAIN Q57, LGA115, 4*DDR3-1333,PCIe 2.0 x16 or GMA HD,DVI-D+DVI-I+ Display port,GbE,PCIe16,2PCIe x1,1PCI,4SATA,2eSATA,0,1,5,10 & Matrix,6-ch,6+8USB2.0, VPRO, TPM1.2 | 131.712 | USD | 532.2688 | C | 36 | 22164 |
| Placi de baza | Intel | MB Intel DX58SO, Intel X58, FSB 1600, LGA1366, ATX, 3xPCI-E x16 (ATI Crossfire), 1xPCI-E x 1, 1xPCI, DDR3-1600, 6XS-ATA Raid 0,1,5,10, Matrix, GBLan, 2XeSATA, 8+4USB2.0, SB 7.1 on board, Intel Integrator Toolkit (ITK), Intel Integrator Assistant (IIA)1.0.2.Dolby Control Center (DCC), bulk | 258.832 | USD | 1045.979 | C | 36 | 17072 |
| Placi de baza | Intel | MB Intel Grosse Point LX S3420GPLX, Intel 3420, LGA1156, Xeon Quad Core din seria 3400, 6 x SATA Raid, 6 x DDR3 (3 channels), Dual Gigabit Lan, 2 x PCI-Express x8, 1 x PCI-Express x4, 1 x PCI-Express x1. | 302.96 | USD | 1224.306 | 0 | 36 | 22156 |
| Placi de baza | Supermicro | MB Supermicro PDSG4, i955X, LGA775, FSB 1066, ATX, 1xPCI-E x16, 3 PCI, 2xPCI-X64, 1xPCIe11, 4xDual DDR2-667, U-Data 133, 4xS-ATA II, 1xSCSI U320, 8xUSB2.0, Raid 0 1, 0+1, 10, 5, SB 6ch, GBLan on board | 290.08 | USD | 1172.259 | 0 | 24 | 10680 |
| Memorii | | | | | | | | |
| Memorii | Elixir | DIMM 512Mb DDRAM, PC-3200, 400MHz, Elixir | 21.616 | USD | 87.3488 | 0 | 36 | 2330 |
| Memorii | Elixir | DIMM 1Gb DDRAM, PC-3200, 400MHz, Elixir | 41.328 | USD | 167.0144 | S | 36 | 147 |
| Memorii | Elixir | DIMM 1Gb DDR2, PC-6400, 800MHz, Elixir | 24.416 | USD | 98.672 | S | 36 | 7996 |
| Memorii | Elixir | DIMM 2Gb DDR2, PC6400, 800MHz, Elixir | 42.112 | USD | 170.184 | SL | 36 | 13340 |
| Memorii | Sycron | DIMM 512Mb DDRAM, PC-3200, 400MHz, Sycron | 20.608 | USD | 83.2832 | SL | 60 | 162 |
| Memorii | Sycron | DIMM 1Gb DDRAM, PC-3200, 400MHz, Sycron | 39.424 | USD | 159.32 | CALL | 60 | 6466 |
| Memorii | Sycron | DIMM 512Mb DDR2, PC-5300, 667MHz, Sycron | 7.9408 | USD | 32.088 | S | 60 | 5602 |
| Memorii | Sycron | DIMM 1Gb DDR2, PC-5300, 667MHz, Sycron | 21.28 | USD | 85.9936 | S | 60 | 6006 |
| Memorii | Sycron | DIMM 1Gb DDR2, PC-8500, 1066MHz, Sycron | 22.736 | USD | 91.8848 | S | 60 | 11857 |
| Memorii | Sycron | DIMM 1Gb DDR2, PC-6400, 800MHz, Sycron | 21.392 | USD | 86.4528 | S | 60 | 7035 |
| Memorii | Sycron | DIMM 2Gb DDR2, PC-5300, 667MHz, Sycron | 38.528 | USD | 155.7024 | C | 60 | 11419 |
| Memorii | Sycron | DIMM 2Gb DDR2, PC-6400, 800MHz, Sycron | 40.208 | USD | 162.4896 | SL | 60 | 11420 |
| Memorii | Sycron | DIMM 2Gb DDR2, PC-8500, 1066MHz, Sycron | 43.456 | USD | 175.616 | C | 60 | 18241 |
| Memorii | Sycron | DIMM 2Gb DDR3, PC-8500, 1066MHz, Sycron | 39.76 | USD | 160.6752 | C | 60 | 25692 |
| Memorii | Sycron | DIMM 1Gb DDR3, PC-10600, 1333MHz, Sycron, (128Mx8-8C) CL9-9-9-24 | 21.392 | USD | 86.4528 | 0 | 60 | 24794 |
| Memorii | Sycron | DIMM 2Gb DDR3, PC-10600, 1333MHz, Sycron (128Mx8-16C) CL9-9-9-24 | 41.888 | USD | 169.2768 | 0 | 60 | 24796 |
| Memorii | Sycron | DIMM 2Gb DDR3, PC-12800, 1600MHz, Sycron (128Mx8-16C) CL9-9-9-24 Sycron | 42.224 | USD | 170.632 | SL | 60 | 24799 |
| Memorii | Sycron | SODIMM 512Mb DDRAM, PC-3200, 400MHz, Sycron | 21.056 | USD | 85.0864 | SL | 60 | 2560 |
| Memorii | Sycron | SODIMM 1Gb DDR2, PC-5300, 667MHz, Sycron | 21.28 | USD | 85.9936 | S | 60 | 7255 |
| Memorii | Sycron | SODIMM 2Gb DDR2, PC-5300, 667MHz, Sycron | 38.64 | USD | 156.1504 | 0 | 60 | 18242 |
| Memorii | Sycron | SODIMM 1Gb DDR2, PC-6400, 800MHz, Sycron | 21.616 | USD | 87.3488 | SL | 60 | 11422 |
| Memorii | Sycron | SODIMM 2Gb DDR2, PC-6400, 800MHz, Sycron | 41.104 | USD | 166.1072 | C | 60 | 16553 |
| Memorii | Zeppelin | DIMM 512Mb DDRAM, PC-3200, 400MHz, Zeppelin, Bulk | 21.392 | USD | 86.4528 | CALL | 36 | 12910 |
| Memorii | Zeppelin | DIMM 1Gb DDRAM, PC-3200, 400MHz, Zeppelin, Bulk | 40.88 | USD | 165.2 | S | 36 | 12892 |
| Memorii | Zeppelin | DIMM 1Gb DDRAM, PC-3200, 400MHz, Zeppelin, Retail, (Kit 2 x 512MB) | 43.232 | USD | 174.7088 | SL | 36 | 12893 |
| Memorii | Zeppelin | DIMM 2Gb DDRAM, PC-3200, 400MHz, Zeppelin, Retail, (Kit 2 x 1GB) | 82.096 | USD | 331.7664 | C | 36 | 12909 |
| Memorii | Zeppelin | DIMM 1Gb DDR2, PC-5300, 667MHz, Zeppelin, Bulk | 22.064 | USD | 89.1632 | S | 36 | 12894 |
| Memorii | Zeppelin | DIMM 2Gb DDR2, PC-5300, 667MHz, Zeppelin, Bulk | 39.984 | USD | 161.5824 | M | 36 | 12900 |
| Memorii | Zeppelin | DIMM 1Gb DDR2, PC-6400, 800MHz, Zeppelin, Bulk | 22.176 | USD | 89.6112 | S | 36 | 12897 |
| Memorii | Zeppelin | DIMM 1Gb DDR2, PC-6400, 800MHz, Zeppelin, Retail | 22.512 | USD | 90.9776 | S | 36 | 8976 |
| Memorii | Zeppelin | DIMM 2Gb DDR2, PC-6400, 800MHz, Zeppelin, Bulk | 41.776 | USD | 168.8288 | S | 36 | 12903 |
| Memorii | Zeppelin | DIMM 2Gb DDR2, PC-6400, 800MHz, Zeppelin, Retail | 42.112 | USD | 170.184 | S | 36 | 12901 |
| Memorii | Zeppelin | DIMM 2Gb DDR2, PC-6400, 800MHz, Zeppelin, Retail, (Kit 2 x 1GB) | 44.688 | USD | 180.5888 | SL | 36 | 12902 |
| Memorii | Zeppelin | DIMM 4Gb DDR2, PC-6400, 800MHz, Zeppelin, Retail, (Kit 2 x 2GB) | 83.888 | USD | 339.0016 | 0 | 36 | 12905 |
| Memorii | Zeppelin | DIMM 1Gb DDR3, PC-10600, 1333MHz, Zeppelin, Bulk | 22.176 | USD | 89.6112 | C | 36 | 15173 |
| Memorii | Zeppelin | SODIMM 1Gb DDR2, PC-5300, 667MHz, Zeppelin, Retail | 22.064 | USD | 89.1632 | 0 | 36 | 12911 |
| Memorii | Zeppelin | SODIMM 1Gb DDR2, PC-6400, 800MHz, Zeppelin, Bulk | 22.4 | USD | 90.5184 | C | 36 | 12913 |
| Memorii | PQI | DIMM 1Gb DDR2, PC-5300, 667MHz, PQI | 22.736 | USD | 91.8848 | 0 | 36 | 7253 |
| Memorii | PQI | DIMM 2Gb DDR2, PC-5300, 667MHz, PQI | 43.456 | USD | 175.616 | C | 36 | 11838 |
| Memorii | PQI | DIMM 1 Gb DDR2, PC-6400, 800MHz, PQI | 25.2 | USD | 101.8416 | SL | 36 | 8679 |
| Memorii | PQI | DIMM 2Gb DDR2, PC-6400, 800MHz, PQI | 57.904 | USD | 234.0016 | SL | 36 | 11839 |
| Memorii | A-Data | DIMM 1Gb DDR2, PC-6400, 800MHz, A-Data | 25.2 | USD | 101.8416 | S | 60 | 7384 |
| Memorii | A-Data | DIMM 2Gb DDR2, PC-6400, 800MHz, A-Data, Retail | 65.296 | USD | 263.872 | CALL | 60 | 19819 |
| Memorii | A-Data | DIMM 4Gb DDR2, PC-6400, 800MHz, A-Data Vitesta Gaming (Kit 2 x 2GB) (5-5-5-12) Radiator Aluminiiu Retail | 107.632 | USD | 434.9632 | 0 | 60 | 14589 |
| Memorii | A-Data | DIMM 4Gb DDR2, PC-8500, 1066MHz, A-Data Vitesta Extreme (Kit 2 x 2GB) (5-5-5-15) Radiator Aluminiiu,Retail | 140 | USD | 565.768 | SL | 60 | 17309 |
| Memorii | A-Data | DIMM 2Gb DDR3, PC-12800, 1600MHz, A-Data Vitesta Gaming (9-9-9-24) Radiator Aluminiiu, Retail | 53.76 | USD | 217.2576 | CALL | 60 | 24572 |
| Memorii | A-Data | DIMM 3Gb DDR3, PC-12800, 1600MHz, A-Data Vitesta Extreme Triple (Kit 3 x 1GB) (8-8-8-24) Radiator Aluminiiu, Retail | 93.968 | USD | 379.736 | C | 60 | 19560 |
| Memorii | A-Data | DIMM 4Gb DDR3, PC-16000, 2000MHz, A-Data Vitesta X v2.0 (Kit 2 x 2GB) (9-9-9-24) Radiator Aluminiiu, dual-fan unit, voltaj 1.6V-1.8V, Retail | 159.264 | USD | 643.608 | S | 60 | 21975 |
| Memorii | A-Data | DIMM 6Gb DDR3, PC-12800, 1600MHz, A-Data Vitesta Extreme Triple (Kit 3 x 2GB) (8-8-8-24) Radiator Aluminiiu, Retail | 166.208 | USD | 671.6752 | C | 60 | 19561 |
| Memorii | A-Data | DIMM 1Gb DDR2, PC-5400, 667MHz, A-Data, FBDIMM, ECC, Elpida Chip, SRV1GBPC667-FB HS-S | 43.904 | USD | 177.4192 | 0 | 60 | 13000 |
| Memorii | Kingmax | DIMM 512Mb DDRAM, PC-3200, 400MHz, Kingmax SuperRAM, CL2.5, Retail | 22.064 | USD | 89.1632 | CALL | 60 | 5153 |
| Memorii | Kingmax | DIMM 1Gb DDRAM, PC-3200, 400MHz, Kingmax SuperRAM CL3, Bulk | 43.68 | USD | 176.5232 | S | 60 | 3745 |
| Memorii | Kingmax | DIMM 1Gb DDRAM, PC-3200, 400MHz, Kingmax SuperRAM, CL3, Retail | 42.896 | USD | 173.3536 | SL | 60 | 5151 |
| Memorii | Kingmax | DIMM 1Gb DDR2, PC-5300, 667MHz, Kingmax Mars | 22.288 | USD | 90.0704 | S | 60 | 6083 |
| Memorii | Kingmax | DIMM 2Gb DDR2, PC-5300, 667MHz, Kingmax Mars | 42.336 | USD | 171.0912 | S | 60 | 10956 |
| Memorii | Kingmax | DIMM 1Gb DDR2, PC-6400, 800MHz, Kingmax Mars | 22.288 | USD | 90.0704 | S | 60 | 7126 |
| Memorii | Kingmax | DIMM 2Gb DDR2, PC-6400, 800MHz, Kingmax Mars | 43.456 | USD | 175.616 | 0 | 60 | 10957 |
| Memorii | Kingmax | DIMM 4Gb DDR3, PC-10600, 1333MHz, Kingmax FLFF6-DDR3-4G1333, CL9 | 93.744 | USD | 378.84 | C | 60 | 24600 |
| Memorii | Kingmax | DIMM 4Gb DDR3, PC-16000, 2000MHz, Kingmax (Kit of 2x2GB) FLIE8DDR32G2000/K2 | 137.648 | USD | 556.2592 | 0 | 60 | 24601 |

| | | | | | | | | |
|---------|---------|---|---------|-----|----------|------|----|-------|
| Memorii | Kingmax | DIMM 4GB DDR3, PC3-8500, 2200MHz, Kingmax (Kit of 2x2Gb) FLKE8DDR322004G/K2 | 199.472 | USD | 806.0976 | C | 60 | 24603 |
| Memorii | Kingmax | DIMM 1Gb DDR2, PC-8500, 1066MHz, Kingmax Mars | 23.296 | USD | 94.1472 | S | 60 | 9688 |
| Memorii | Kingmax | DIMM 2Gb DDR2, PC-8500, 1066MHz, Kingmax Mars | 44.8 | USD | 181.048 | 0 | 60 | 17214 |
| Memorii | Kingmax | DIMM 1Gb DDR3, PC-10600, 1333MHz, Kingmax, FBGA Mars | 22.624 | USD | 91.4256 | S | 60 | 17324 |
| Memorii | Kingmax | DIMM 1Gb DDR3, PC-12800, 1600MHz, Kingmax, FBGA Mars | 25.536 | USD | 103.1968 | S | 60 | 17326 |
| Memorii | Kingmax | DIMM 2Gb DDR3, PC-10600, 1333MHz, Kingmax, FBGA Mars | 41.888 | USD | 169.2768 | SL | 60 | 17325 |
| Memorii | Kingmax | DIMM 2Gb DDR3, PC-12800, 1600MHz, Kingmax, FBGA Mars | 49.056 | USD | 198.24 | S | 60 | 17327 |
| Memorii | Kingmax | SODIMM 512Mb DDRAM, PC-3200, 400MHz, Kingmax | 23.52 | USD | 95.0432 | CALL | 60 | 6448 |
| Memorii | Kingmax | SODIMM 1Gb DDR2, PC-5300, 667MHz, Kingmax | 22.288 | USD | 90.0704 | S | 60 | 7234 |
| Memorii | Kingmax | SODIMM 2Gb DDR2, PC-5300, 667MHz, Kingmax | 42.336 | USD | 171.0912 | CALL | 60 | 11415 |
| Memorii | Kingmax | SODIMM 1Gb DDR2, PC-6400, 800MHz, Kingmax | 22.288 | USD | 90.0704 | C | 60 | 11416 |
| Memorii | Kingmax | SODIMM 2Gb DDR2, PC-6400, 800MHz, Kingmax | 42.672 | USD | 172.4464 | S | 60 | 18160 |
| Memorii | Kingmax | SODIMM 2Gb DDR3, PC-10600, 1333MHz, Kingmax FSFE8-SD3-2G1333 | 41.888 | USD | 169.2768 | C | 60 | 24605 |
| Memorii | Kingmax | SODIMM 2Gb DDR3, PC-8500, 1066MHz, Kingmax FSFE8-SD3-2G1066 | 42.336 | USD | 171.0912 | C | 60 | 24604 |
| Memorii | Corsair | DIMM 512Mb DDRAM, PC-3200, (400MHz - 2x200MHz), Corsair VS512MB400, CL2.5 | 26.768 | USD | 108.1696 | 0 | 60 | 4068 |
| Memorii | Corsair | DIMM 1Gb DDRAM, PC-3200, (400MHz - 2X200MHz), Corsair VS1GB400C3, CL3 | 48.048 | USD | 194.1744 | C | 60 | 7974 |
| Memorii | Corsair | DIMM 1Gb DDRAM, PC-3200, (400MHz - 2x200MHz), Corsair VS1GBKIT400, CL2.5, (Kit 2 x 512Mb) | 52.416 | USD | 211.8256 | C | 60 | 4066 |
| Memorii | Corsair | DIMM 1Gb DDR2, PC-5300, 667MHz, Corsair VS1GB667D2, CL5 | 25.536 | USD | 103.1968 | C | 60 | 6121 |
| Memorii | Corsair | DIMM 1Gb DDR2, PC-6400, 800MHz, Corsair VS2GB800D2, CL5 | 47.6 | USD | 192.36 | C | 60 | 20544 |
| Memorii | Corsair | DIMM 2Gb DDR2, PC-5300, 667MHz, Corsair VS2GB667D2, CL5 | 47.6 | USD | 192.36 | C | 60 | 9887 |
| Memorii | Corsair | DIMM 2Gb DDR2, PC-5400, 667MHz, Corsair VS2GBKIT667D2, CL5, (Kit 2 x 1Gb) | 51.072 | USD | 206.3936 | CALL | 60 | 5851 |
| Memorii | Corsair | DIMM 2Gb DDR2, PC-6400, 800MHz, Corsair TWIN2X2048-6400, CL5, (5-5-5-18), (Kit 2 x 1Gb), XMS2 | 64.176 | USD | 259.3472 | S | 60 | 5747 |
| Memorii | Corsair | DIMM 2Gb DDR2, PC-6400, 800MHz, Corsair TWIN2X2048-6400C4, CL4, (4-4-4-12) (Kit 2 x 1Gb), XMS2 | 58.8 | USD | 237.6192 | SL | 60 | 7983 |
| Memorii | Corsair | DIMM 2Gb DDR2, PC-6400, 800MHz, Corsair TWIN2X2048-6400C4DHX, CL4, (4-4-4-12), (Kit 2 module 1 Gb), Radiatoare DHX, XMS2 | 71.68 | USD | 289.6656 | SL | 60 | 9886 |
| Memorii | Corsair | DIMM 2Gb DDR2, PC-8500, 1066MHz, Corsair TWIN2X2048-8500C5D, CL5, (5-5-5-15), (Kit 2 x 1Gb), Dominator, Radiatoare DHX, XMS2 | 74.816 | USD | 302.344 | S | 60 | 7979 |
| Memorii | Corsair | DIMM 4Gb DDR2, PC-5300, 667MHz, Corsair VS4GBKIT667D2, CL5, (5-5-5-15), (Kit 2 x 2Gb) | 95.088 | USD | 384.2608 | 0 | 60 | 18334 |
| Memorii | Corsair | DIMM 4Gb DDR2, PC-6400, 800MHz, Corsair TWIN2X4096-6400C4DHX, (4-4-4-12), (Kit 2 x 2Gb), Radiatoare DHX, XMS2 | 113.344 | USD | 458.0464 | SL | 60 | 13116 |
| Memorii | Corsair | DIMM 4Gb DDR2, PC-6500, 800MHz, Corsair TWIN2X4096-6400C5C, CL5, (5-5-5-18), (Kit 2 x 2Gb), Radiatoare, XMS2 | 99.344 | USD | 401.464 | S | 60 | 20079 |
| Memorii | Corsair | DIMM 4Gb DDR2, PC-6400, 800MHz, Corsair TWIN2X4096-6400C5DHX, CL5, (5-5-5-18), (Kit 2 x 2Gb), Radiatoare DHX, XMS2 | 113.344 | USD | 458.0464 | S | 60 | 11331 |
| Memorii | Corsair | DIMM 4Gb DDR2, PC-6400, 800MHz, Corsair VS4GBKIT800D2, CL5, (5-5-5-18), (Kit 2 x 2Gb) | 95.088 | USD | 384.2608 | C | 60 | 20545 |
| Memorii | Corsair | DIMM 4Gb DDR2, PC-8500, 1066MHz, Corsair TWIN2X4096-8500C5, CL5, (5-5-5-15), (Kit 2 x 2Gb), Radiatoare, XMS2 | 130.368 | USD | 526.8368 | SL | 60 | 18340 |
| Memorii | Corsair | DIMM 4Gb DDR2, PC-8500, 1066MHz, Corsair TWIN2X4096-8500C5C, CL5, (5-6-6-18), (Kit 2 x 2Gb), Radiatoare, XMS2 | 122.864 | USD | 496.5184 | SL | 60 | 20080 |
| Memorii | Corsair | DIMM 4Gb DDR2, PC-8500, 1066MHz, Corsair TWIN2X4096-8500C5D, CL5, (5-5-5-15), (Kit 2 x 2Gb), Dominator, Radiatoare DHX, XMS2 | 137.872 | USD | 557.1664 | C | 60 | 16599 |
| Memorii | Corsair | DIMM 4Gb DDR2, PC-8500, 1066MHz, Corsair TWIN2X4096-8500C5DF, CL5, (5-5-5-15), (Kit 2 x 2Gb), Dominator DHX, Radiator+Ventilator, XMS2 | 144.256 | USD | 582.96 | SL | 60 | 18336 |
| Memorii | Corsair | DIMM 4Gb DDR2, PC-8500, 1066MHz, Corsair TWIN2X4096-8500C7, CL7, (7-7-7-20), (Kit 2 x 2Gb), Radiatoare, XMS2 | 122.416 | USD | 494.704 | S | 60 | 20546 |
| Memorii | Corsair | DIMM 2Gb DDR3, PC-10600, 1333MHz, Corsair TW3X2G1333C9, CL9, (9-9-9-24), (Kit 2 x 1Gb), XMS3 | 60.928 | USD | 246.2208 | S | 60 | 9889 |
| Memorii | Corsair | DIMM 2Gb DDR3, PC-10600, 1333MHz, Corsair TW3X2G1333C9DHX, CL9, (9-9-9-24), (Kit 2 x 1Gb), Radiatoare DHX, XMS3 | 76.944 | USD | 310.9456 | S | 60 | 9890 |
| Memorii | Corsair | DIMM 2Gb DDR3, PC-10600, 1333MHz, Corsair TW3X2G1333C9A, CL9, 9-9-9-24, (Kit 2 x 1Gb), Radiatoare, XMS3 | 57.68 | USD | 233.0944 | 0 | 60 | 26133 |
| Memorii | Corsair | DIMM 2Gb DDR3, PC-10600, 1333MHz, Corsair VS2GB1333D3, CL9, (9-9-9-24) | 47.6 | USD | 192.36 | C | 60 | 22549 |
| Memorii | Corsair | DIMM 2Gb DDR3, PC-12800, 1600MHz, Corsair TW3X2G1600C9D, CL9, (9-9-9-24), (Kit 2 x 1Gb), Radiator Dominator | 66.752 | USD | 269.752 | 0 | 60 | 26146 |
| Memorii | Corsair | DIMM 3Gb DDR3, PC-10600, 1333MHz, Corsair TR3X3G1333C9, CL9, (9-9-9-24), (Kit 3 x 1Gb), Radiatoare, XMS3 | 86.576 | USD | 349.8656 | 0 | 60 | 18344 |
| Memorii | Corsair | DIMM 3Gb DDR3, PC-12800, 1600MHz, Corsair TR3X3G1600C8D, CL8, (8-8-8-24), (Kit 3 x 1Gb), Radiatoare DHX, XMS3 | 115.36 | USD | 466.1888 | SL | 60 | 18347 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-10600, 1333MHz, Corsair TW3X4G1333C9A, CL9, (9-9-9-24), (Kit 2 x 2Gb), Radiatoare, XMS3 | 97.216 | USD | 392.8624 | SL | 60 | 20882 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-10600, 1333MHz, Corsair TW3X4G1333C9DHX, CL9, (9-9-9-24), (Kit 2 x 2Gb), Radiatoare DHX, XMS3 | 119.728 | USD | 483.84 | M | 60 | 18335 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-10600, 1333MHz, Corsair CMV4GX3M1A1333C9, (9-9-9-24), (Kit 2 x 1Gb) Value | 93.52 | USD | 377.9328 | SL | 60 | 25820 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-12800, 1600MHz, Corsair CMD4GX3M2A1600C8, CL8, (9-9-9-24), (Kit 2 x 2Gb), radiatoare Dominator, rev.A | 104.72 | USD | 423.192 | C | 60 | 22252 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-12800, 1600MHz, Corsair CMG4GX3M2B1600C7, CL7, (7-7-7-24), (Kit 2 x 2Gb), Radiatoare, Dominator GT, rev. B, ventilator inclus | 191.296 | USD | 773.0576 | 0 | 60 | 26151 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-12800, 1600MHz, Corsair CMP4GX3M2A1600C8, CL8, (8-8-8-24), (Kit 2 x 2Gb), Radiatoare Dominator, rev. A | 129.36 | USD | 522.76 | 0 | 60 | 26149 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-12800, 1600MHz, Corsair CMP4GX3M2A1600C9, CL9, (9-9-9-24), (Kit 2 x 2Gb), Radiatoare, XMS3 Dominator | 129.36 | USD | 522.76 | 0 | 60 | 26148 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-12800, 1600MHz, Corsair CMP4GX3M2B1600C8, CL8, (8-8-8-24), (Kit 2 x 2Gb), Radiatoare Dominator, rev. B | 132.496 | USD | 535.4384 | 0 | 60 | 26150 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-12800, 1600MHz, Corsair CMP4GX3M2C1600C7, CL7, (7-8-7-24), (Kit 2 x 2Gb), Radiatoare Dominator, rev. C | 136.752 | USD | 552.6416 | 0 | 60 | 26153 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-12800, 1600MHz, Corsair CMT4GX3M2A1600C7, CL7, (7-7-7-24), (Kit 2 x 2Gb), Radiatoare, Dominator GT, rev. A | 190.176 | USD | 768.5328 | C | 60 | 26152 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-12800, 1600MHz, Corsair CMX4GX3M2A1600C7, CL7, (7-7-7-24), (Kit 2 x 2Gb), Radiatoare DHX, XMS3, rev. A | 121.856 | USD | 492.4416 | 0 | 60 | 26138 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-12800, 1600MHz, Corsair CMX4GX3M2A1600C8, CL8, (8-8-8-24), (Kit 2 x 2Gb), Radiatoare, rev. A | 121.856 | USD | 492.4416 | 0 | 60 | 26134 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-12800, 1600MHz, Corsair TW3X4G1600C9D, CL9, (9-9-9-24), (Kit 2 x 2Gb), Radiatoare Dominator | 120.736 | USD | 487.9168 | 0 | 60 | 26147 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-15000, 1866MHz, Corsair CMT4GX3M2A1866C9, CL9, (9-9-9-24), (Kit 2 x 2Gb), Radiatoare, Dominator GT, rev. A | 164.528 | USD | 664.888 | 0 | 60 | 26155 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-16000, 2000MHz, Corsair CMT4GX3M2A2000C8, CL8, (8-9-8-24), (Kit 2 x 2Gb), Radiatoare, Dominator GT, rev. A, ventilator inclus | 159.264 | USD | 643.608 | 0 | 60 | 26156 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-16000, 2000MHz, Corsair CMX4GX3M2A2000C9, CL9, (9-9-9-24), (Kit 2 x 2Gb), Radiatoare, XMS3, rev. A | 127.12 | USD | 513.7104 | 0 | 60 | 26139 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-17000, 2133MHz, Corsair CMT4GX3M2A2133C9, CL9, (9-10-9-27), (Kit 2 x 2Gb), Radiatoare, Dominator GT, rev. A, | 169.904 | USD | 686.6048 | 0 | 60 | 26157 |
| Memorii | Corsair | DIMM 4Gb DDR3, PC-8500, 1066MHz, Corsair CMD4GX2M2A1066C5, CL5, (Kit 2 x 2Gb), Radiatoare, Dominator, rev. A | 141.008 | USD | 569.8336 | 0 | 60 | 26176 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-10600, 1333MHz, Corsair TR3X6G1333C9, CL9, (9-9-9-24), (Kit 3 x 2Gb), Radiatoare, XMS3 | 158.256 | USD | 639.5424 | C | 60 | 18343 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-10600, 1333MHz, Corsair CMX6GX3M3A1333C8, CL8, (8-9-8-24), Radiatoare, triple channel, rev. A | 153.888 | USD | 621.8912 | 0 | 60 | 26865 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-10600, 1333MHz, Corsair CMX6GX3M3A1333C9, CL9, (9-9-9-24), (Kit 3 x 2Gb), Radiatoare, XMS3, rev.A | 148.512 | USD | 600.1632 | C | 60 | 26165 |

| | | | | | | | | |
|---------|-----------|--|---------|-----|----------|------|----|-------|
| Memorii | Corsair | DIMM 6Gb DDR3, PC-10600, 1333MHz, Corsair TR3X6G1333C7, CL7, (7-7-7-20), (Kit 3 x 2Gb), Radiatoare, XMS3 | 187.04 | USD | 755.8544 | 0 | 60 | 26166 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-12800, 1600MHz, Corsair CMX6GX3M3A1600C9, CL9, (9-9-9-24), (Kit 3 x 2Gb), Radiatoare, rev.A | 157.136 | USD | 635.0064 | C | 60 | 25328 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-12800, 1600MHz, Corsair TR3X6G1600C7, CL7, (7-7-7-20), (Kit 3 x 2Gb), Radiatoare, XMS3 | 223.328 | USD | 902.5072 | 0 | 60 | 20777 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-12800, 1600MHz, Corsair TR3X6G1600C8, CL8, (8-8-8-24), (Kit 3 x 2Gb), Radiatoare, XMS3 | 191.296 | USD | 773.0576 | C | 60 | 21116 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-12800, 1600MHz, Corsair TR3X6G1600C8D, CL8, (8-8-8-24), (Kit 3 x 2Gb), Radiatoare DHX, XMS3 | 195.552 | USD | 790.2608 | C | 60 | 17909 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-12800, 1600MHz, Corsair TR3X6G1600C9, CL9, (9-9-9-24), (Kit 3 x 2Gb), Radiatoare, XMS3 | 158.256 | USD | 639.5424 | C | 60 | 18346 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-12800, 1600MHz, Corsair CMP6GX3M3A1600C7, CL7, (7-8-7-20), (Kit 3 x 2Gb), Radiatoare, Ultimate Dominator + DHX / XMS3 | 221.2 | USD | 893.9056 | 0 | 60 | 26171 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-12800, 1600MHz, Corsair CMP6GX3M3A1600C8, CL8, (8-8-8-24), (Kit 3 x 2Gb), Radiatoare, XMS3 DHX Dominator | 184.912 | USD | 747.264 | C | 60 | 26169 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-12800, 1600MHz, Corsair CMT6GX3M3A1600C7, CL7, (7-7-7-20), (Kit 3 x 2Gb), Radiatoare, Dominator GT, ventilator inclus | 287.504 | USD | 1161.854 | C | 60 | 26172 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-12800, 1600MHz, Corsair CMX6GX3M3C1600C7, CL7, (7-8-7-24), (Kit 3 x 2Gb), Radiatoare, XMS3, rev. C | 187.04 | USD | 755.8544 | 0 | 60 | 26167 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-12800, 1600MHz, Corsair TR3X6G1600C7D, CL7, (7-7-7-20), (Kit 3 x 2Gb), Radiatoare, XMS3 DHX Dominator | 266.112 | USD | 1075.402 | 0 | 60 | 26170 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-15000, 1866MHz, Corsair CMT6GX3M3A1866C9, CL9, (9-9-9-24), (Kit 3 x 2Gb), Radiatoare, Dominator GT, ventilator inclus | 246.848 | USD | 997.5504 | C | 60 | 26173 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-16000, 2000MHz, Corsair CMT6GX3M3A2000C8, CL8, (8-9-8-24), (Kit 3 x 2Gb), Radiatoare, Dominator GT, ventilator inclus | 274.624 | USD | 1109.797 | C | 60 | 26174 |
| Memorii | Corsair | DIMM 6Gb DDR3, PC-16000, 2000MHz, Corsair CMX6GX3M3A2000C9, CL9, (9-9-9-24), (Kit 3 x 2Gb), Radiatoare, XMS3, rev. A | 192.416 | USD | 777.5824 | 0 | 60 | 26168 |
| Memorii | Corsair | DIMM 8Gb DDR3, PC-12800, 1600MHz, Corsair CMX8GX3M4A1600C9, CL9, (9-9-9-24), (Kit 4 x 2Gb), Radiatoare, XMS3, rev. A | 209.44 | USD | 846.384 | C | 60 | 26144 |
| Memorii | Corsair | DIMM 8Gb DDR3, PC-10600, 1333MHz, Corsair CMD8GX3M4A1333C7, CL7, (7-7-7-20), (Kit 4 x 2Gb), Radiatoare, Dominator, rev. A | 298.144 | USD | 1204.851 | C | 60 | 26159 |
| Memorii | Corsair | DIMM 8Gb DDR3, PC-10600, 1333MHz, Corsair CMX8GX3M2A1333C9, CL9, (9-9-9-24), Radiatoare, XMS3, rev. A | 200.928 | USD | 811.9776 | C | 60 | 26145 |
| Memorii | Corsair | DIMM 8Gb DDR3, PC-10600, 1333MHz, Corsair CMX8GX3M4A1333C9, CL9, (9-9-9-24), (Kit 4 x 2Gb), Radiatoare, XMS3, rev. A | 207.312 | USD | 837.7824 | C | 60 | 26141 |
| Memorii | Corsair | DIMM 8Gb DDR3, PC-10600, 1333MHz, Corsair CMX8GX3M4B1333C9, CL9, (9-9-9-24), (Kit 4 x 2Gb), Radiatoare, XMS3, rev. B | 207.312 | USD | 837.7824 | C | 60 | 26143 |
| Memorii | Corsair | DIMM 8Gb DDR3, PC-12800, 1600MHz, Corsair CMP8GX3M2A1600C9, CL9, (9-9-9-24), (Kit 2 x 4Gb), Radiatoare, Dominator, rev. A | 308.896 | USD | 1248.296 | C | 60 | 26162 |
| Memorii | Corsair | DIMM 8Gb DDR3, PC-12800, 1600MHz, Corsair CMX8GX3M2A1600C9, CL9, (9-9-9-24), (Kit 2 x 4Gb), Radiatoare, dual channel, rev. A | 272.496 | USD | 1101.195 | 0 | 60 | 26863 |
| Memorii | Corsair | DIMM 8Gb DDR3, PC-15000, 1866MHz, Corsair CMT8GX3M4A1866C9, CL9, (9-9-9-24), (Kit 4 x 2Gb), Radiatoare, Dominator GT, rev. A, ventilator inclus | 325.92 | USD | 1317.098 | C | 60 | 26160 |
| Memorii | Corsair | DIMM 8Gb DDR3, PC-16000, 2000MHz, Corsair CMX8GX3M2A2000C9, CL9, (9-9-9-24), (Kit 2 x 4Gb), Radiatoare, dual channel, rev. A | 293.888 | USD | 1187.648 | 0 | 60 | 26864 |
| Memorii | Corsair | DIMM 12Gb DDR3, PC-10600, 1333MHz, Corsair HX3X12G1333C9, CL9, (9-9-9-24), (Kit 6 x 2Gb), Radiatoare, XMS3 | 323.792 | USD | 1308.496 | C | 60 | 18348 |
| Memorii | Corsair | DIMM 12Gb DDR3, PC-12800, 1600MHz, Corsair HX3X12G1600C9, CL9, (9-9-9-24), (Kit 6 x 2Gb), Radiatoare, XMS3 | 330.176 | USD | 1334.29 | C | 60 | 20602 |
| Memorii | Corsair | DIMM 12Gb DDR3, PC-12800, 1600MHz, Corsair CMD12GX3M6A1600C8, CL8, (8-8-8-24), (Kit 6 x 2Gb), Radiatoare, XMS3 Dominator, Intel Core i7, ventilator inclus | 437.024 | USD | 1766.083 | C | 60 | 26175 |
| Memorii | Corsair | DIMM 12Gb DDR3, PC-12800, 1600MHz, Corsair CMP12GX3M3A1600C9, CL9, (9-9-9-24), (Kit 3 x 4Gb), Radiatoare, Dominator, rev. A | 394.352 | USD | 1593.637 | C | 60 | 26163 |
| Memorii | Corsair | DIMM 16Gb DDR3, PC-10600, 1333MHz, Corsair CMP16GX3M4A1333C9, CL9, (9-9-9-24), (Kit 4 x 4Gb), Radiatoare, Dominator, rev. A | 571.76 | USD | 2310.571 | C | 60 | 26164 |
| Memorii | Corsair | SODIMM 512Mb DDR, PC-3200, 400MHz, Corsair, VS512MB400, (2.5-3-3-8) | 26.768 | USD | 108.1696 | C | 60 | 7969 |
| Memorii | Corsair | SODIMM 1Gb DDR, PC-3200, 400MHz, Corsair, VS1GB400C3, (3-3-3-8) | 54.544 | USD | 220.416 | C | 60 | 7678 |
| Memorii | Corsair | SODIMM 1Gb DDR2, PC-5300, 667MHz, Corsair, VS1GB667D2, (5-5-5-15) | 25.536 | USD | 103.1968 | C | 60 | 7414 |
| Memorii | Corsair | SODIMM 1Gb DDR2, PC-6400, 800MHz, Corsair, VS1GSD5800D2, (5-5-5-18) | 25.536 | USD | 103.1968 | C | 60 | 18999 |
| Memorii | Corsair | SODIMM 2Gb DDR2, PC-5300, 667MHz, Corsair, VS2GBKIT1667D2, (5-5-5-15), (Kit 2 x 1Gb) | 52.416 | USD | 211.8256 | 0 | 60 | 7972 |
| Memorii | Corsair | SODIMM 2Gb DDR2, PC-5300, 667MHz, Corsair, VS2GB667D2, (5-5-5-15) | 48.608 | USD | 196.4368 | CALL | 60 | 9894 |
| Memorii | Corsair | SODIMM 2Gb DDR2, PC-6400, 800MHz, Corsair, VS2GSD5800D2, 64Mx64, non-ECC 200 SODIMM, Unbuffered | 48.608 | USD | 196.4368 | 0 | 60 | 26107 |
| Memorii | Corsair | SODIMM 4Gb DDR2, PC-5300, 667MHz, Corsair, VS4GBKIT1667D2, (5-5-5-15), (Kit 2 x 2Gb) | 97.216 | USD | 392.8624 | 0 | 60 | 14388 |
| Memorii | Corsair | SODIMM 4Gb DDR2, PC-6400, 800MHz, Corsair, VS4GSD5800D2, CL5, (5-5-5-18), (Kit 2 x 2Gb) | 97.216 | USD | 392.8624 | C | 60 | 18775 |
| Memorii | Corsair | SODIMM 4Gb DDR2, PC-6400, 800MHz, Corsair, VS4GSD5800D2, (5-5-5-18) | 144.256 | USD | 582.96 | C | 60 | 18779 |
| Memorii | Corsair | SODIMM 8Gb DDR2, PC-6400, 800MHz, Corsair, VS8GSD5800D2, (5-5-5-18), (Kit 2 x 4Gb) | 298.144 | USD | 1204.851 | C | 60 | 18780 |
| Memorii | Corsair | SODIMM 2Gb DDR3, PC-10600, 1333MHz, Corsair, CMSO2GX3M1A1333C9, CL9-9-9-24 204PIN, (Kit 2 x 2Gb) | 48.608 | USD | 196.4368 | 0 | 60 | 26108 |
| Memorii | Corsair | SODIMM 2Gb DDR3, PC-8500, 1066MHz, Corsair, CMX3X2GSD1066, CL7, (7-7-7-20) | 48.608 | USD | 196.4368 | 0 | 60 | 18776 |
| Memorii | Corsair | SODIMM 4Gb DDR3, PC-10600, 1333MHz, Corsair, CMSO4GX3M1A1333C9, CL9-9-9-24 204PIN, (1x 4 GB) | 102.592 | USD | 414.5904 | 0 | 60 | 26110 |
| Memorii | Corsair | SODIMM 4Gb DDR3, PC-10600, 1333MHz, Corsair, CMSO4GX3M2A1333C9, CL9-9-9-24 204PIN, (Kit 2x 2 GB) | 97.216 | USD | 392.8624 | 0 | 60 | 26109 |
| Memorii | Corsair | SODIMM 4Gb DDR3, PC-8500, 1066MHz, Corsair, CMX3X4GSD1066, CL7, (7-7-7-20) | 102.592 | USD | 414.5904 | 0 | 60 | 18777 |
| Memorii | Corsair | SODIMM 8Gb DDR3, PC-10600, 1333MHz, Corsair, CMSO8GX3M2A1333C9, CL9-9-9-24 204PIN, (Kit 2x 4 GB) | 205.184 | USD | 829.1808 | C | 60 | 26111 |
| Memorii | Corsair | SODIMM 8Gb DDR3, PC-8500, 1066MHz, Corsair, CMX3X8GSDKIT1066, CL7, (7-7-7-20), (Kit 2 x 4Gb) | 205.184 | USD | 829.1808 | C | 60 | 18778 |
| Memorii | TeamGroup | DIMM 512Mb DDR, PC-3200, 400MHz, TeamGroup Value, CL3-4-4-8-2T, 2.6v, TVDR512M400C3 | 23.632 | USD | 95.5024 | C | 60 | 25295 |
| Memorii | TeamGroup | DIMM 1GB DDR, PC-3200, 400MHz, TeamGroup Value, CL3-4-4-8, 2.6v, TVDR1024M400C3 | 40.096 | USD | 162.0304 | 0 | 48 | 22524 |
| Memorii | TeamGroup | DIMM 1GB DDR, PC-3200, 400MHz, TeamGroup Elite, CL2.5-4-4-8, 2.6v, radiator, TEDR1024M400HC25 | 42.784 | USD | 172.8944 | 0 | 48 | 22526 |
| Memorii | TeamGroup | DIMM 1GB DDR, PC-3200, 400MHz, TeamGroup Elite, CL3-4-4-8, 2.6v, radiator, TEDR1024M400HC3 | 41.216 | USD | 166.5552 | 0 | 48 | 22525 |
| Memorii | TeamGroup | DIMM 1GB DDR2, PC-5300, 667MHz, TeamGroup Value, CL5-5-5-15-2T, 1.8v, TVDD1024M800C75 | 23.856 | USD | 96.4096 | C | 60 | 25298 |
| Memorii | TeamGroup | DIMM 1GB DDR2, PC-6400, 800MHz, TeamGroup Value, CL5-5-5-18, 1.5v, TVDD1024M800C5 | 23.856 | USD | 96.4096 | C | 48 | 22528 |
| Memorii | TeamGroup | DIMM 2GB DDR2, PC-5300, 667MHz, TeamGroup Value, CL5-5-5-15-2T, 1.8v, TVDD2048M800C75 | 45.472 | USD | 183.7584 | C | 60 | 25300 |
| Memorii | TeamGroup | DIMM 2GB DDR2, PC-6400, 800MHz, TeamGroup Value, CL5-5-5-18, 1.5v, TVDD2048M800C5 | 46.032 | USD | 186.0208 | S | 48 | 22529 |
| Memorii | TeamGroup | DIMM 1GB DDR2, PC-6400, 800MHz, TeamGroup Elite, CL5-5-5-15, 1.8v, radiator, TEDD1024M800HC5 | 24.416 | USD | 98.672 | C | 48 | 22531 |
| Memorii | TeamGroup | DIMM 2GB DDR2, PC-5300, 667MHz, TeamGroup Elite, CL5-5-5-15-2T, 1.8v, TEDD2048M800HC5 | 46.592 | USD | 188.2832 | C | 60 | 25305 |
| Memorii | TeamGroup | DIMM 2GB DDR2, PC-6400, 800MHz, TeamGroup Elite, CL5-5-5-15, 1.8v, radiator, TEDD2048M800HC5 | 46.592 | USD | 188.2832 | S | 48 | 21137 |
| Memorii | TeamGroup | DIMM 2GB DDR2, PC-6400, 800MHz, TeamGroup Elite, CL5-5-5-15, 1.8v, (Kit 2 x 1Gb), radiator, TEDD2048M800HC5DC | 51.968 | USD | 210.0112 | 0 | 48 | 21136 |
| Memorii | TeamGroup | DIMM 2GB DDR2, PC-6400, 800MHz, TeamGroup Xtream Dark, CL4-4-4-12, 2.0-2.1v, (Kit 2 x 1Gb), radiator, TXDD2048M800HC4DC-D | 64.96 | USD | 262.5168 | 0 | 48 | 22534 |
| Memorii | TeamGroup | DIMM 4GB DDR2, PC-6400, 800MHz, TeamGroup Elite, CL5-5-5-15, 1.8v, (Kit 2 x 2Gb), TEDD4096M800HC5DC | 96.656 | USD | 390.6 | S | 48 | 20683 |

| | | | | | | | | |
|---------|-----------|--|---------|-----|----------|---------|----|-------|
| Memorii | TeamGroup | DIMM 4GB DDR2, PC-6400, 800MHz, TeamGroup Xtream Dark, CL4-4-4-12, 2.0-2.1v, (Kit 2 x 2Gb), TXDD4096M800HC4DC-D | 108.304 | USD | 437.6736 | 0 | 48 | 21138 |
| Memorii | TeamGroup | DIMM 2GB DDR2, PC-8500, 1066MHz, TeamGroup Xtream Dark, CL5-5-5-15, 2.1-2.2v, (Kit 2 x 1Gb), radiator, TXDD2048M1066HC5DC-D | 67.2 | USD | 271.5664 | 0 | 48 | 22535 |
| Memorii | TeamGroup | DIMM 4GB DDR2, PC-8500, 1066MHz, TeamGroup Xtream Dark, CL5-5-5-15, 2.1-2.2v, (Kit 2 x 2Gb), TXDD4096M1066HC5DC-D | 118.048 | USD | 477.0528 | 0 | 48 | 20682 |
| Memorii | TeamGroup | DIMM 1GB DDR3, PC-10600, 1333MHz, TeamGroup Elite, CL9-9-9-24, 1.5v, (Kit 2 x 2Gb), TED31024M1333HC9 | 24.528 | USD | 99.12 | SL | 48 | 22576 |
| Memorii | TeamGroup | DIMM 2GB DDR3, PC-10600, 1333MHz, TeamGroup Elite, CL9-9-9-24, 1.5v, (Kit 2 x 1Gb), TED32048M1333HC9DC | 59.584 | USD | 240.7888 | 0 | 48 | 22578 |
| Memorii | TeamGroup | DIMM 2GB DDR3, PC-10600, 1333MHz, TeamGroup Elite, CL9-9-9-24, 1.5v, TED32048M1333HC9 | 46.592 | USD | 188.2832 | 0 | 48 | 22577 |
| Memorii | TeamGroup | DIMM 3GB DDR3, PC-10600, 1333MHz, TeamGroup Elite, CL9-9-9-24, 1.5v, (Kit 3 x 1Gb), TED33072M1333HC9TC | 97.552 | USD | 394.2288 | 0 | 48 | 22579 |
| Memorii | TeamGroup | DIMM 3GB DDR3, PC-10600, 1333MHz, TeamGroup Xtream Dark, CL7-7-7-21, 1.5-1.6v, (Kit 3 x 1Gb), TXD33072M1333HC7TC-D | 102.928 | USD | 415.9456 | 0 | 48 | 22582 |
| Memorii | TeamGroup | DIMM 4GB DDR3, PC-10600, 1333MHz, TeamGroup Elite, CL9-9-9-24, 1.5v, (Kit 2 x 2Gb), TED34096M1333HC9DC | 110.544 | USD | 446.7232 | 0 | 48 | 21135 |
| Memorii | TeamGroup | DIMM 4GB DDR3, PC-19200, 2400MHz, TeamGroup Xtream Dark, CL9-9-9-24, 1.65v, (Kit 2 x 2Gb), TXD34M2400HC9DC-L | 270.256 | USD | 1092.146 | 0 | 60 | 25306 |
| Memorii | TeamGroup | DIMM 6GB DDR3, PC-10600, 1333MHz, TeamGroup Elite, CL9-9-9-24, 1.5v, (Kit 3 x 2Gb), TED36144M1333HC9TC | 173.376 | USD | 700.6384 | 0 | 48 | 22580 |
| Memorii | TeamGroup | DIMM 6GB DDR3, PC-10600, 1333MHz, TeamGroup Xtream Dark, CL7-7-7-21, 1.5-1.6v, (Kit 3 x 2Gb), TXD36144M1333HC7TC-D | 186.368 | USD | 753.144 | 0 | 48 | 22583 |
| Memorii | TeamGroup | DIMM 2GB DDR3, PC-12800, 1600MHz, TeamGroup Elite, CL9-9-9-24, 1.5-1.65v, TED32048M1333HC9 | 59.584 | USD | 240.7888 | 0 | 48 | 22581 |
| Memorii | TeamGroup | DIMM 4GB DDR3, PC-12800, 1600MHz, TeamGroup Elite, CL9-9-9-24, 1.5v, (Kit 2 x 2Gb), TED34096M1600HC9DC | 141.904 | USD | 573.4512 | 0 | 48 | 22124 |
| Memorii | TeamGroup | DIMM 4GB DDR3, PC-12800, 1600MHz, TeamGroup Xtream, CL7-7-7-21, 1.65v, (Kit 2 x 2Gb), TXD34096M1600HC7DC-L | 139.776 | USD | 564.8608 | SL | 48 | 20794 |
| Memorii | TeamGroup | DIMM 4GB DDR3, PC-12800, 1600MHz, TeamGroup Xtream Dark, CL8-8-8-24, 1.65v, (Kit 2 x 2Gb), TXD34096M1600HC8DC-D, Low Voltage P55 | 133.952 | USD | 541.3184 | C | 48 | 22125 |
| Memorii | TeamGroup | DIMM 6GB DDR3, PC-12800, 1600MHz, TeamGroup Xtream Dark, CL8-8-8-24, 1.65v, (Kit 3 x 2Gb), TXD36144M1600HC8TC-D | 184.016 | USD | 743.6352 | 0 | 48 | 22584 |
| Memorii | TeamGroup | DIMM 3GB DDR3, PC-16000, 2000MHz, TeamGroup Xtream, CL9-9-9-24, 1.65v, (Kit 3 x 1Gb), TXD33072M2000HC9TC | 135.408 | USD | 547.2096 | 0 | 48 | 22593 |
| Memorii | TeamGroup | DIMM 4GB DDR3, PC-12800, 1600MHz, TeamGroup Xtream, CL6-7-6-18, 1.65v, (Kit 2 x 2Gb), TXD34096M1600HC6DC-L, Low Voltage P55, Limited Edition | 331.52 | USD | 1339.722 | 0 | 48 | 22586 |
| Memorii | TeamGroup | DIMM 4GB DDR3, PC-12800, 1600MHz, TeamGroup Xtream, CL7-7-7-21, 1.75v, (Kit 2 x 2Gb), TXD34096M1600HC7DC | 161.392 | USD | 652.2096 | 0 | 48 | 22590 |
| Memorii | TeamGroup | DIMM 4GB DDR3, PC-14400, 1800MHz, TeamGroup Xtream, CL8-8-8-24, 1.9v, (Kit 2 x 2Gb), TXD34096M1800HC8DC | 163.632 | USD | 661.2592 | 0 | 48 | 22591 |
| Memorii | TeamGroup | DIMM 4GB DDR3, PC-15000, 1866MHz, TeamGroup Xtream, CL7-7-7-21, 1.65v, (Kit 2 x 2Gb), TXD34096M1866HC7DC-L, Low Voltage P55, Limited Edition | 303.296 | USD | 1225.672 | 0 | 48 | 22587 |
| Memorii | TeamGroup | DIMM 4GB DDR3, PC-15000, 1866MHz, TeamGroup Xtream, CL8-8-8-24, 1.65v, (Kit 2 x 2Gb), TXD34096M1866HC8DC-L, Low Voltage P55 | 141.904 | USD | 573.4512 | 0 | 48 | 22585 |
| Memorii | TeamGroup | DIMM 4GB DDR3, PC-16000, 2000MHz, TeamGroup Xtream, CL9-9-9-24, 1.65v, (Kit 2 x 2Gb), TXD34096M2000HC9DC-L, Low Voltage P55 | 145.6 | USD | 588.392 | S | 48 | 22536 |
| Memorii | TeamGroup | DIMM 4GB DDR3, PC-17000, 2133MHz, TeamGroup Xtream, CL9-9-9-24, 1.65v, (Kit 2 x 2Gb), TXD34096M2133HC9DC-L, Low Voltage P55, Limited Edition | 209.664 | USD | 847.2912 | C | 48 | 22588 |
| Memorii | TeamGroup | DIMM 4GB DDR3, PC-17600, 2200MHz, TeamGroup Xtream, CL9-9-9-24, 1.65v, (Kit 2 x 2Gb), TXD34096M2200HC9DC-L, Low Voltage P55, Limited Edition | 335.776 | USD | 1356.925 | 0 | 48 | 22589 |
| Memorii | TeamGroup | DIMM 6GB DDR3, PC-15000, 1866MHz, TeamGroup Xtream, CL9-9-9-24, 1.65v, (Kit 3 x 2Gb), TXD36144M1866HC9TC | 238.336 | USD | 963.1552 | 0 | 48 | 22592 |
| Memorii | TeamGroup | DIMM 6GB DDR3, PC-16000, 2000MHz, TeamGroup Xtream, CL9-9-9-24, 1.65v, (Kit 3 x 2Gb), TXD36144M2000HC9TC | 226.016 | USD | 913.3712 | C | 48 | 22594 |
| Memorii | TeamGroup | SODIMM 512MB DDR, PC-2700, 333MHz, TeamGroup Elite, CL2.5-3-3-7, 2.7v, TSDR512M333C25-E | 28.672 | USD | 115.864 | C | 48 | 22537 |
| Memorii | TeamGroup | SODIMM 512MB DDR, PC-3200, 400MHz, TeamGroup Elite, CL3-4-4-8, 2.5v, TSDR512M400C3-E | 31.472 | USD | 127.1872 | 0 | 48 | 22595 |
| Memorii | TeamGroup | SODIMM 1GB DDR, PC-2700, 333MHz, TeamGroup Elite, CL2.5-3-3-7, 2.7v, TSDR1024M333C25-E | 55.216 | USD | 223.1376 | C | 48 | 22538 |
| Memorii | TeamGroup | SODIMM 1GB DDR, PC-3200, 400MHz, TeamGroup Elite, CL3-4-4-8, 2.5v, TSDR1024M400C3-E | 61.712 | USD | 249.3904 | 0 | 48 | 22596 |
| Memorii | TeamGroup | SODIMM 1GB DDR2, PC-6400, 800MHz, TeamGroup Elite, CL5, 1.8v, TSDD1024M800C5-E | 29.792 | USD | 120.3888 | 0 | 48 | 22597 |
| Memorii | TeamGroup | SODIMM 2GB DDR2, PC-6400, 800MHz, TeamGroup Elite, CL5, 1.8v, TSDD2048M800C5-E | 55.776 | USD | 225.4 | C | 48 | 22598 |
| Memorii | TeamGroup | SODIMM 1GB DDR3, PC-8500, 1066MHz, TeamGroup Elite, CL7, 1.5v, TSD31024M1066C7-E | 33.936 | USD | 137.144 | 0 | 48 | 22599 |
| Memorii | TeamGroup | SODIMM 2GB DDR3, PC-8500, 1066MHz, TeamGroup Elite, CL7, 1.5v, TSD32048M1066C7-E | 63.392 | USD | 256.1776 | 0 | 48 | 22600 |
| Memorii | TeamGroup | SODIMM 1GB DDR3, PC-10600, 1333MHz, TeamGroup Elite, CL9, 1.5v, TSD31024M1333C9-E | 34.16 | USD | 138.0512 | 0 | 48 | 22601 |
| Memorii | TeamGroup | SODIMM 2GB DDR3, PC-10600, 1333MHz, TeamGroup Elite, CL9, 1.5v, TSD32048M1333C9-E | 63.952 | USD | 258.44 | 0 | 48 | 22602 |
| Memorii | Kingston | DIMM 256Mb DDRAM, PC-3200, (400MHz - 2x200MHz), Kingston KVR400X64C3A/256, CL3 | 12.768 | USD | 51.5984 | 0 | 60 | 1804 |
| Memorii | Kingston | DIMM 512Mb SDRAM, PC-133, (133MHz), Kingston KVR133X64C2/512, CL2 | 58.24 | USD | 235.3568 | 0 | 60 | 18161 |
| Memorii | Kingston | DIMM 1Gb DDRAM, PC-2700, (333MHz - 2x166MHz), Kingston KVR333X72C25/1G, CL2.5 | 63.168 | USD | 255.2704 | 0 | 60 | 13355 |
| Memorii | Kingston | DIMM 1Gb DDRAM, PC-3200, (400MHz - 2x200MHz), Kingston KHX3200AK2/1G, CL2, (2-3-2-6-1), (Kit 2 x 512Mb) | 50.736 | USD | 205.0272 | 0 | 60 | 2613 |
| Memorii | Kingston | DIMM 512Mb DDRAM, PC-3200, (400MHz - 2x200MHz), Kingston KVR400X64C25/512, CL2.5 | 26.992 | USD | 109.0768 | C | 60 | 13038 |
| Memorii | Kingston | DIMM 512Mb DDRAM, PC-3200, (400MHz - 2x200MHz), Kingston KVR400X64C3A/512, CL3 | 26.992 | USD | 109.0768 | CALL | 60 | 156 |
| Memorii | Kingston | DIMM 1Gb DDRAM, PC-3200, (400MHz - 2x200MHz), Kingston KVR400X64C3AK2/1G, CL3, (Kit 2 x 512Mb) | 47.824 | USD | 193.2672 | C - LIM | 60 | 1816 |
| Memorii | Kingston | DIMM 1Gb DDRAM, PC-3200, (400MHz - 2x200MHz), Kingston KVR400X64C3A/1G, CL3 | 45.696 | USD | 184.6656 | SL | 60 | 6112 |
| Memorii | Kingston | DIMM 2Gb DDRAM, PC-3200, (400MHz - 2x200MHz), Kingston KVR400X64C3AK2/2G, CL3, (Kit 2 x 1Gb) | 101.36 | USD | 409.6064 | C | 60 | 5232 |
| Memorii | Kingston | DIMM 512Mb DDR2, PC-4200, 533MHz, Kingston KVR533D2N4/512, CL4 | 17.248 | USD | 69.6976 | 0 | 60 | 3867 |
| Memorii | Kingston | DIMM 1Gb DDR2, PC-4200, 533MHz, Kingston KVR533D2N4/1G, CL4 | 25.872 | USD | 104.552 | CALL | 60 | 5233 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-4200, 533MHz, Kingston KVR533D2N4K2/2G, CL4 (Kit 2 x 1024MB) | 47.6 | USD | 192.36 | 0 | 60 | 2785 |
| Memorii | Kingston | DIMM 512Mb DDR2, PC-5300, 667MHz, Kingston KVR667D2N5/512, CL5 | 14.112 | USD | 57.0304 | 0 | 60 | 5739 |
| Memorii | Kingston | DIMM 1Gb DDR2, PC-5300, 667MHz, Kingston KVR667D2N5K2/1G, CL5, (Kit 2 x 512Mb) | 32.368 | USD | 130.8048 | 0 | 60 | 5740 |
| Memorii | Kingston | DIMM 1Gb DDR2, PC-5300, 667MHz, Kingston KVR667D2N5/1G, CL5 | 23.744 | USD | 95.9504 | C | 60 | 5737 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-5300, 667MHz, Kingston KVR667D2N5K2/2G, CL5, (Kit 2 x 1Gb) | 46.368 | USD | 187.376 | C | 60 | 5741 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-5300, 667MHz, Kingston KVR667D2N5/2G, CL5 | 45.136 | USD | 182.4032 | C | 60 | 12158 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-5300, 667MHz, Kingston KVR667D2N5K2/4G, CL5, (Kit 2 x 2Gb) | 99.008 | USD | 400.1088 | 0 | 60 | 9650 |
| Memorii | Kingston | DIMM 1Gb DDR2, PC-6400, 800MHz, Kingston KHX6400D2/1G, CL5 | 27.552 | USD | 111.3392 | SL | 60 | 7486 |
| Memorii | Kingston | DIMM 1Gb DDR2, PC-6400, 800MHz, Kingston KHX6400D2LL/1G, CL4 | 28.672 | USD | 115.864 | 0 | 60 | 8837 |
| Memorii | Kingston | DIMM 1GB DDR2, PC-6400, 800MHz, Kingston KVR800D2N5/1G, CL5 | 24.192 | USD | 97.7648 | SL | 60 | 8979 |
| Memorii | Kingston | DIMM 1Gb DDR2, PC-6400, 800MHz, Kingston KVR800D2N6/1G, CL6 | 23.52 | USD | 95.0432 | M | 60 | 12972 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-6400, 800MHz, Kingston KHX6400D2K2/2G, CL5, (Kit 2 x 1Gb) | 53.984 | USD | 218.1536 | C | 60 | 9647 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-6400, 800MHz, Kingston KHX6400D2LLK2/2G, CL4, (Kit 2 x 1Gb) | 54.992 | USD | 222.2304 | SL | 60 | 9649 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-6400, 800MHz, Kingston KVR800D2N5K2/2G, CL5, (Kit 2 x 1Gb) | 48.272 | USD | 195.0704 | S | 60 | 8051 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-6400, 800MHz, Kingston KVR800D2N6K2/2G, CL6, (Kit 2 x 1Gb) | 47.152 | USD | 190.5456 | S | 60 | 15841 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-6400, 800MHz, Kingston D25664G60, CL6, Kingston Branded | 57.68 | USD | 233.0944 | 0 | 60 | 18478 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-6400, 800MHz, Kingston KHX6400D2/2G, CL5 | 50.624 | USD | 204.5792 | SL | 60 | 12461 |

| | | | | | | | | |
|---------|----------|--|---------|-----|----------|-------|----|-------|
| Memorii | Kingston | DIMM 2Gb DDR2, PC-6400, 800MHz, Kingston KVR800D2N5/2G, CL5 | 45.584 | USD | 184.2176 | S | 60 | 11417 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-6400, 800MHz, Kingston KVR800D2N6/2G, CL6 | 44.688 | USD | 180.5888 | C | 60 | 16914 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-6400, 800MHz, Kingston KHX6400D2K2/4G, CL5, (Kit 2 x 2Gb) | 101.248 | USD | 409.1584 | SL | 60 | 8718 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-6400, 800MHz, Kingston KHX6400D2LLK2/4G, CL4, (Kit 2 x 2Gb) | 101.248 | USD | 409.1584 | SL | 60 | 18164 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-6400, 800MHz, Kingston KVR800D2N5K2/4G, CL5, (Kit 2 x 2Gb) | 92.736 | USD | 374.7632 | S | 60 | 18163 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-6400, 800MHz, Kingston KVR800D2N6K2/4G, CL6, (Kit 2 x 2Gb) | 91.728 | USD | 370.6864 | S | 60 | 15895 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-6400, 800MHz, Kingston KVR800D2N6, CL6 | 156.016 | USD | 630.4816 | S | 60 | 22437 |
| Memorii | Kingston | DIMM 1Gb DDR2, PC-8500, 1066MHz, Kingston KHX8500D2/1G, CL5 | 28.336 | USD | 114.5088 | SL | 60 | 12460 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-8500, 1066MHz, Kingston KHX8500D2K2/2G, CL5, (Kit 2 x 1Gb) | 47.936 | USD | 193.7152 | C-LIM | 60 | 14399 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-8500, 1066MHz, Kingston KHX8500D2K2/2GN, CL5, (Kit 2 x 1Gb), (NVIDIA SLI-Ready) | 56.672 | USD | 229.0176 | SL | 60 | 18165 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-8500, 1066MHz, Kingston KHX8500D2/2G, CL5 | 51.856 | USD | 209.5632 | 0 | 60 | 15842 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-8500, 1066MHz, Kingston KHX8500D2K2/4G, CL5, (Kit 2 x 2Gb) | 103.6 | USD | 418.6672 | C | 60 | 15843 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-8500, 1066MHz, Kingston KHX8500D2K4/4G, CL5 (5-5-5-15), (Kit 4x 1Gb), HyperX | 91.728 | USD | 370.6864 | S | 60 | 24741 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-8500, 1066MHz, Kingston KHX8500D2T1K2/4G, CL5 (5-5-5-15), (Kit 2x 2Gb), Tall HS - HyperX | 103.6 | USD | 418.6672 | C | 60 | 24742 |
| Memorii | Kingston | DIMM 1GB DDR3, PC-8500, 1066MHz, Kingston KVR1066D3N7/1G, CL7 | 24.416 | USD | 98.672 | C | 60 | 12368 |
| Memorii | Kingston | DIMM 3GB DDR3, PC-8500, 1066MHz, Kingston KVR1066D3N7K3/3G, CL7, (Kit 3 x 1Gb) | 73.136 | USD | 295.5568 | 0 | 60 | 18167 |
| Memorii | Kingston | DIMM 1GB DDR3, PC-10600, 1333MHz, Kingston KVR1333D3N9/1G, CL9 | 24.192 | USD | 97.7648 | S | 60 | 11418 |
| Memorii | Kingston | DIMM 2GB DDR3, PC-10600, 1333MHz, Kingston KVR1333D3N9K2/2G, CL9, (Kit 2 x 1Gb) | 48.272 | USD | 195.0704 | S | 60 | 15871 |
| Memorii | Kingston | DIMM 2Gb DDR3, PC-10600, 1333MHz, Kingston KHX1333C7D3/2G, CL9 (Kit 2Gb), HyperX | 60.928 | USD | 246.2208 | C | 60 | 24743 |
| Memorii | Kingston | DIMM 2Gb DDR3, PC-10600, 1333MHz, Kingston KHX1333C7D3/2G, CL7 (Kit 2x 1Gb), HyperX | 66.976 | USD | 270.6592 | C | 60 | 24744 |
| Memorii | Kingston | DIMM 2GB DDR3, PC-10600, 1333MHz, Kingston KHX1333C9D3B1K2/4G, CL9, (Kit 2 x 1Gb), HyperX Blu | 55.328 | USD | 223.5856 | C | 60 | 26304 |
| Memorii | Kingston | DIMM 2GB DDR3, PC-10600, 1333MHz, Kingston KVR KVR1333D3N9/2G, CL9 | 45.584 | USD | 184.2176 | C | 60 | 18169 |
| Memorii | Kingston | DIMM 3GB DDR3, PC-10600, 1333MHz, Kingston KVR1333D3N9K3/3G, CL9, (Kit 3 x 1Gb) | 73.136 | USD | 295.5568 | C-LIM | 60 | 18170 |
| Memorii | Kingston | DIMM 4GB DDR3, PC-10600, 1333MHz, Kingston KVR1333D3N9K2/4G, CL9, (Kit 2 x 2Gb) | 91.168 | USD | 368.424 | C | 60 | 16079 |
| Memorii | Kingston | DIMM 4Gb DDR3, PC-10600, 1333MHz, Kingston KHX1333C7D3K2/4G, CL7 (Kit 2x 2Gb), XMP, HyperX | 122.976 | USD | 496.9664 | C | 60 | 24746 |
| Memorii | Kingston | DIMM 4GB DDR3, PC-10600, 1333MHz, Kingston KHX1333C9D3B1K2/4G, CL9, (Kit 2 x 2Gb), HyperX Blu | 100.8 | USD | 407.344 | C | 60 | 26305 |
| Memorii | Kingston | DIMM 4Gb DDR3, PC-10600, 1333MHz, Kingston KHX1333C9D3K2/4G, CL9 (Kit 2x 2Gb), HyperX | 109.984 | USD | 444.4608 | 0 | 60 | 24745 |
| Memorii | Kingston | DIMM 4GB DDR3, PC-10600, 1333MHz, Kingston KVR KVR1333D3N9/4G, CL9 | 105.28 | USD | 425.4544 | S | 60 | 24155 |
| Memorii | Kingston | DIMM 6GB DDR3, PC-10600, 1333MHz, Kingston KVR1333D3N9K3/6G, CL9, (Kit 3 x 2Gb) | 127.792 | USD | 516.432 | S | 60 | 18171 |
| Memorii | Kingston | DIMM 2Gb DDR3, PC-12800, 1600MHz, Kingston KHX1600C9D3/2G, CL9 (Kit 2Gb), HyperX | 54.88 | USD | 221.7824 | 0 | 60 | 24747 |
| Memorii | Kingston | DIMM 2Gb DDR3, PC-12800, 1600MHz, Kingston KHX1600C9D3B1/2G, CL9, (Kit 2Gb), HyperX | 50.512 | USD | 204.1312 | C | 60 | 26306 |
| Memorii | Kingston | DIMM 2Gb DDR3, PC-12800, 1600MHz, Kingston KHX1600C9D3K2/2G, CL9 (9-9-9-27), (Kit 2x 1Gb), HyperX | 59.36 | USD | 239.8816 | C | 60 | 24748 |
| Memorii | Kingston | DIMM 3Gb DDR3, PC-12800, 1600MHz, Kingston KHX1600C8D3K3/3GX, LowLat CL8 (8-8-8-24), (Kit 3x 1Gb), Intel XMP, HyperX | 100.576 | USD | 406.448 | C | 60 | 24750 |
| Memorii | Kingston | DIMM 3Gb DDR3, PC-12800, 1600MHz, Kingston KHX1600C9D3K3/3GX, CL9 (Kit 3x 1Gb), Intel XMP, HyperX | 88.48 | USD | 357.56 | C | 60 | 24749 |
| Memorii | Kingston | DIMM 4GB DDR3, PC-12800, 1600MHz, Kingston KHX1600C8D3K2/4GX, CL8, (Kit 2 x 2Gb), Kingston HyperX XMP | 123.984 | USD | 501.0432 | C | 60 | 20793 |
| Memorii | Kingston | DIMM 4Gb DDR3, PC-12800, 1600MHz, Kingston KHX1600C9D3K2/4GX, CL9, (Kit 2x 2Gb), XMP HyperX Blu | 98.112 | USD | 396.4912 | C | 60 | 26307 |
| Memorii | Kingston | DIMM 4Gb DDR3, PC-12800, 1600MHz, Kingston KHX1600C9D3K2/4G, CL9 (9-9-9-27), (Kit 2x 2Gb), HyperX | 108.976 | USD | 440.384 | C | 60 | 24751 |
| Memorii | Kingston | DIMM 4Gb DDR3, PC-12800, 1600MHz, Kingston KHX1600C9D3K2/4GX, CL9 (Kit 2x 2Gb), XMP, HyperX | 108.976 | USD | 440.384 | C | 60 | 24752 |
| Memorii | Kingston | DIMM 6Gb DDR3, PC-12800, 1600MHz, Kingston KHX1600C9D3K3/6GX, CL9 (9-9-9-27), (Kit 3x 2Gb), Intel XMP, HyperX | 164.976 | USD | 666.6912 | C | 60 | 24753 |
| Memorii | Kingston | DIMM 2Gb DDR3, PC-14400, 1800MHz, Kingston KHX1800C9D3/2G, CL9 (Kit 2Gb), HyperX | 61.488 | USD | 248.4832 | C | 60 | 24754 |
| Memorii | Kingston | DIMM 3Gb DDR3, PC-14400, 1800MHz, Kingston KHX1800C9D3K3/3GX, CL9 (9-9-9-27), (Kit 3x 1Gb), Intel XMP, HyperX | 105.168 | USD | 424.9952 | C | 60 | 24755 |
| Memorii | Kingston | DIMM 4Gb DDR3, PC-14400, 1800MHz, Kingston KHX1800C9D3K2/4G, CL9 (Kit 2x 2Gb) HyperX | 127.904 | USD | 516.88 | C | 60 | 25808 |
| Memorii | Kingston | DIMM 6Gb DDR3, PC-14400, 1800MHz, Kingston KHX1800C9D3TK3/6GX, CL9 (9-9-9-27), (Kit 3x 2Gb), XMP Tall HS, HyperX | 204.96 | USD | 828.2736 | C | 60 | 24757 |
| Memorii | Kingston | DIMM 3Gb DDR3, PC-15000, 1866MHz, Kingston KHX1866C9D3K3/3GX, CL9, (Kit 3x 1Gb), Intel XMP, HyperX | 110.656 | USD | 447.1824 | C | 60 | 24758 |
| Memorii | Kingston | DIMM 4Gb DDR3, PC-15000, 1866MHz, Kingston KHX1866C9D3K2/4GX, CL9, (Kit 2x 2Gb), XMP Low-Power, HyperX | 158.592 | USD | 640.8976 | C | 60 | 24759 |
| Memorii | Kingston | DIMM 6Gb DDR3, PC-15000, 1866MHz, Kingston KHX1866C9D3TK3/6GX, CL9, (Kit 3x 2Gb), Intel XMP, HyperX | 215.936 | USD | 872.6368 | C | 60 | 24760 |
| Memorii | Kingston | DIMM 3Gb DDR3, PC-16000, 2000MHz, Kingston KHX1866C9D3TK3/6GX, CL9, (Kit 3x 1Gb), XMP, HyperX | 114.352 | USD | 462.112 | C | 60 | 24761 |
| Memorii | Kingston | DIMM 4GB DDR3, PC-16000, 2000MHz, Kingston KHX2000AD3W1K2/4GX, CL9, (Kit 2 x 2Gb), XMP Water-cooled | 153.664 | USD | 620.984 | C | 60 | 26308 |
| Memorii | Kingston | DIMM 4Gb DDR3, PC-16000, 2000MHz, Kingston KHX2000C9ADT3K2/4GX, CL9, (Kit 2x 2Gb), XMP T1 Series, HyperX | 140.224 | USD | 566.664 | C | 60 | 24763 |
| Memorii | Kingston | DIMM 4GB DDR3, PC-17000, 2133MHz, Kingston KHX2133AD3W1K2/4GX, CL9, (Kit 2 x 2Gb), XMP Water-cooled | 178.304 | USD | 720.552 | C | 60 | 26309 |
| Memorii | Kingston | DIMM 4Gb DDR3, PC-18000, 2250MHz, Kingston KHX2250CD3T1K2/4GX, CL9, (Kit 2 x 2Gb), XMP T1 Series | 193.088 | USD | 780.304 | C | 60 | 26310 |
| Memorii | Kingston | DIMM 4Gb DDR3, PC-18600, 2333MHz, Kingston KHX2333CD3T1K2/4GX, CL9, (Kit 2 x 2Gb), XMP T1 Series | 199.584 | USD | 806.5456 | C | 60 | 26311 |
| Memorii | Kingston | DIMM 6Gb DDR3, PC-16000, 2000MHz, Kingston KHX2000C9ADTK3/6GX, CL9, (Kit 3x 2Gb), XMP T1 Series, HyperX | 210.336 | USD | 850.0016 | C | 60 | 24764 |
| Memorii | Kingston | DIMM 4GB DDR3, PC-17000, 2133MHz, Kingston KHX2133C9AD3T1K2/4GX, CL9, (Kit 2 x 2Gb) | 192.08 | USD | 776.2272 | 0 | 60 | 23993 |
| Memorii | Kingston | SODIMM 512Mb DDR, PC-3200, Kingston KVR400X64SC3A/512 | 28 | USD | 113.1536 | S | 60 | 7207 |
| Memorii | Kingston | SODIMM 1Gb DDR, PC-3200, Kingston KVR400X64SC3A/1G | 54.88 | USD | 221.7824 | S | 60 | 9588 |
| Memorii | Kingston | SODIMM 1Gb DDR2, PC-5300, Kingston KVR667D2S5/1G | 23.52 | USD | 95.0432 | S | 60 | 7235 |
| Memorii | Kingston | SODIMM 1Gb DDR2, PC-6400, Kingston KVR800D2S5/1G, CL5 | 24.192 | USD | 97.7648 | S | 60 | 10508 |
| Memorii | Kingston | SODIMM 2Gb DDR2, PC-4300, Kingston KVR533D2S4/2G | 45.136 | USD | 182.4032 | 0 | 60 | 10507 |
| Memorii | Kingston | SODIMM 2Gb DDR2, PC-5300, Kingston KHX5300S2LLK2/2G, CL4, (4-4-4-12), (Kit 2 x 1Gb) | 57.008 | USD | 230.384 | 0 | 60 | 16078 |
| Memorii | Kingston | SODIMM 2Gb DDR2, PC-5300, Kingston KVR667D2S5/2G | 44.688 | USD | 180.5888 | CALL | 60 | 8832 |
| Memorii | Kingston | SODIMM 2Gb DDR2, PC-6400, Kingston KHX6400S2LLK2/2G, Low-Latency CL5 (Kit 2x 1Gb), HyperX | 53.2 | USD | 214.9952 | C | 60 | 24773 |
| Memorii | Kingston | SODIMM 2Gb DDR2, PC-6400, Kingston KHX6400S2LJK2/2G, Ultra Low-Latency CL4 (Kit 2x 1Gb), HyperX | 56.784 | USD | 229.4768 | S | 60 | 24774 |
| Memorii | Kingston | SODIMM 2Gb DDR2, PC-6400, Kingston KVR800D2S5/2G, CL5 | 45.584 | USD | 184.2176 | C | 60 | 12462 |
| Memorii | Kingston | SODIMM 2Gb DDR2, PC-6400, Kingston KVR800D2S6/2G, CL6 | 44.688 | USD | 180.5888 | C | 60 | 18179 |
| Memorii | Kingston | SODIMM 2Gb DDR2, PC-6400, Kingston M25664G60, CL6 (Kit 2Gb) | 57.68 | USD | 233.0944 | 0 | 60 | 24771 |
| Memorii | Kingston | SODIMM 4Gb DDR2, PC-5300, Kingston KHX5300S2LLK2/4G, CL4, (4-4-4-12), (Kit 2 x 2Gb) | 99.232 | USD | 401.016 | C | 60 | 16076 |
| Memorii | Kingston | SODIMM 4Gb DDR2, PC-6400, Kingston KHX6400S2LLK2/4G, Low-Latency CL5 (Kit 2x 2Gb), HyperX | 101.36 | USD | 409.6064 | C | 60 | 24776 |
| Memorii | Kingston | SODIMM 4Gb DDR2, PC-6400, Kingston KHX6400S2LJK2/4G, Ultra Low-Latency CL4 (Kit 2x 2Gb), HyperX | 103.6 | USD | 418.6672 | SL | 60 | 24779 |
| Memorii | Kingston | SODIMM 1Gb DDR3, PC-8500, Kingston KVR1066D3S7/1G, CL7 | 20.608 | USD | 83.2832 | S | 60 | 18191 |
| Memorii | Kingston | SODIMM 2Gb DDR3, PC-10600, Kingston KVR1333D3S9/2G, CL9 (Kit 2Gb), ValueRam | 45.584 | USD | 184.2176 | C | 60 | 24781 |
| Memorii | Kingston | SODIMM 2Gb DDR3, PC-8500, Kingston KVR1066D3S7/2G, CL7 | 45.584 | USD | 184.2176 | SL | 60 | 18192 |
| Memorii | Kingston | SODIMM 4Gb DDR3, PC-10600, Kingston KHX1333C7S3K2/4G, CL7 (Kit 2x 2Gb), HyperX | 122.976 | USD | 496.9664 | C | 60 | 24784 |
| Memorii | Kingston | SODIMM 4Gb DDR3, PC-10600, Kingston KVR1333D3S9/4G, CL9 (Kit 4Gb), ValueRam | 114.352 | USD | 462.112 | C | 60 | 24782 |

| | | | | | | | | |
|---------|----------|--|---------|-----|----------|----|----|-------|
| Memorii | Kingston | SODIMM 4Gb DDR3, PC-12800, Kingston KHX1600C9S3K2/4GX, CL9 (Kit 2x 2Gb), XMP, HyperX | 127.232 | USD | 514.1696 | C | 60 | 24785 |
| Memorii | Kingston | SODIMM 4Gb DDR3, PC-8500, Kingston KHX1066C5S3K2/4G, CL5 (Kit 2x 2Gb), HyperX | 149.968 | USD | 606.0432 | C | 60 | 24783 |
| Memorii | Kingston | SODIMM 4Gb DDR3, PC-8500, Kingston KVR1066D3S7/4G, CL7 (Kit 4Gb), ValueRam | 114.912 | USD | 464.3744 | C | 60 | 24780 |
| Memorii | Kingston | DIMM 2Gb DDR, PC-3200, 400MHz, Kingston KTS8006/2G, (Kit 2 x 1Gb), for Sun: Fire X2100 Server, Ultra 20 Workstation. | 267.008 | USD | 1079.019 | 0 | 60 | 19127 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-3200, 400MHz, Kingston KTH-MLG4/2G, (Kit 2 x 1Gb), for HP/Compaq: ProLiant BL20p G3, ProLiant DL140 G2, ProLiant DL360 G4p, ProLiant DL380 G4, ProLiant DL580 G3, ProLiant DL580 G4, ProLiant ML350 G4p (DDR2), ProLiant ML370 G4, ProLiant ML570 G3, ProLiant ML570 G4. | 74.032 | USD | 299.1744 | 0 | 60 | 21988 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-3200, 400MHz, Kingston KTD-W670/2G, (Kit 2 x 1Gb), Server Memory for Dell: A0453787 (Dell), A0455461 (Dell), A0455465 (Dell), A0455466 (Dell), A0455467 (Dell), A0455469 (Dell), A0455473 (Dell), A0466924 (Dell), A0466925 | 76.496 | USD | 309.1312 | 0 | 60 | 26588 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-3200, 400MHz, Kingston KTM2865/4G, Single Rank Kit (Chipkill), (Kit 2 x 2Gb), 39M5808 (2pcs) (IBM); 39M5809 (IBM); 41Y2777 (IBM); 73P2866 (IBM); FRU 33R9141 (IBM); OEM FRU 73P2870 (IBM) | 158.032 | USD | 638.6352 | 0 | 60 | 21097 |
| Memorii | Kingston | DIMM 512Mb DDR2, PC-5300, 667MHz, Kingston KTD-DM8400BE/512, for: Dell: Dimension XPS Gen 5, PowerEdge 830, PowerEdge 840, PowerEdge 850, PowerEdge 860, PowerEdge R200, PowerEdge SC430, PowerEdge SC440, PowerEdge T100, PowerEdge T105, PowerVault NF100, Precision Workstation 380, Precision Workstation 390, Precision Workstation T3400. | 10.08 | USD | 40.7344 | C | 60 | 20769 |
| Memorii | Kingston | DIMM 1Gb DDR, PC-2100, Kingston ECC KTC7494/1G for P/Compaq: ProLiant BL30p, ProLiant ML350 G3 | 80.304 | USD | 324.52 | 0 | 60 | 9810 |
| Memorii | Kingston | DIMM 1Gb DDRAM, PC-3200, (400MHz - 2x200MHz), Kingston KVR400X72C3A/1G, CL3, ECC registered | 60.368 | USD | 243.9584 | 0 | 60 | 6521 |
| Memorii | Kingston | DIMM 1Gb DDRAM, PC-3200, 400MHz, Kingston KTM4049/1GB, ECC Reg, Server MEMory, For IBM xSeries 206.306 | 99.008 | USD | 400.1088 | 0 | 60 | 18847 |
| Memorii | Kingston | DIMM 1Gb DDR2, PC-5300, 667MHz, Kingston KTH-XW4300/1G, for HP/Compaq | 32.592 | USD | 131.712 | SL | 60 | 22148 |
| Memorii | Kingston | DIMM 1Gb DDR2, PC-5300, 667MHz, Kingston KTH-XW4300E/1G, for HP/Compaq: ProLiant DL320 G5, ProLiant DL320s, ProLiant ML110 G4, ProLiant ML115, ProLiant ML310 G4, StorageWorks All-In-One 1200 (AiO1200), Workstation xw4300, Workstation xw4300/CT, Workstation xw4400, Workstation xw4550, Workstation xw4600 / xw4600/CT. | 36.4 | USD | 147.1008 | 0 | 60 | 19126 |
| Memorii | Kingston | DIMM 1Gb DDR2, PC-5300, 667MHz, Kingston KTD-DM8400BE/1G, for Dell: Dimension XPS Gen 5, PowerEdge 830, PowerEdge 840, PowerEdge 850, PowerEdge 860, PowerEdge R200, PowerEdge SC430, PowerEdge SC440, PowerEdge T100, PowerEdge T105, PowerVaultNF100, Precision Workstation 380, Precision Workstation 390, Precision Workstation T3400. | 36.96 | USD | 149.3632 | 0 | 60 | 19197 |
| Memorii | Kingston | DIMM 1Gb DDR2, PC-5300, 667MHz, Kingston KVR667D2E5/1G, ECC Unbuffered, CL5, Server Memory | 28.448 | USD | 114.968 | 0 | 60 | 9105 |
| Memorii | Kingston | DIMM 1Gb DDR2, PC-6400, 800MHz, Kingston KVR800D2E5/1G, ECC Unbuffered, CL5, Server Memory | 29.12 | USD | 117.6784 | 0 | 60 | 18180 |
| Memorii | Kingston | DIMM 2Gb DDR, PC-2100, Kingston ECC KTC-ML370G3/2G for HP/Compaq Integrity BL60p, ProLiant BL20p G2, ProLiant BL30p, ProLiant BL40p, ProLiant DL360 G3, ProLiant DL380 G3, ProLiant DL560, ProLiant DL585, ProLiant ML150, ProLiant ML370 G3, StorageWorks NAS 4000s, StorageWorks NAS b2000 v2, StorageWorks NAS b3000 v2 | 160.496 | USD | 648.592 | 0 | 60 | 19265 |
| Memorii | Kingston | DIMM 2Gb DDR, PC-2100, Kingston ECC KTC7494/2G for P/Compaq: ProLiant BL30p, ProLiant ML350 G3 | 200.592 | USD | 810.6224 | 0 | 60 | 20828 |
| Memorii | Kingston | DIMM 2Gb DDR, PC-2700, Kingston ECC KTH8348/2G for HP/Compaq: ProLiant DL360 G4, ProLiant ML150 G2, ProLiant ML350 G4 (DDR) | 200.592 | USD | 810.6224 | 0 | 60 | 19115 |
| Memorii | Kingston | DIMM 2Gb DDR, PC-3200, 400MHz, Kingston KKR400D4R3A/2G, ECC Registered, Server Memory | 143.584 | USD | 580.2496 | 0 | 60 | 18006 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-3200, 400MHz, Kingston KVR400D2S4R3/2G, ECC Reg CL3 (Kit 2Gb), Single Rank, x4, ValueRam, Server Memory | 68.992 | USD | 278.8128 | 0 | 60 | 24786 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-5300, 667MHz, Kingston KTH-XW9400LPK2/2G, (Kit 2 x 1Gb), for HP/Compaq, Low Power Single Rank Kit | 74.032 | USD | 299.1744 | 0 | 60 | 26772 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-5300, 667MHz, Kingston KVR667D2D8F5/2G, CL5, Fully Buffered, Dual Rank, x8, Server Memory | 73.92 | USD | 298.7264 | C | 60 | 18185 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-5300, 667MHz, Kingston KTH-XW4300/2G, for HP/Compaq | 57.68 | USD | 233.0944 | 0 | 60 | 22149 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-5300, 667MHz, Kingston KTM5780/2G, Chipkill, for IBM BladeCenter HS21 (1915, 8853-xxx), BladeCenter HS21 XM (7995-xxx), IntelliStation Z Pro (9228-xxx), System x3400 (7973, 7974, 7975, 7976-xxx), System x3450 (7948-xxx), System x3500 (7977-xxx), System x3550 (1913, 7978-xxx), System x3650 (1914, 7979-xxx) | 102.816 | USD | 415.4976 | SL | 60 | 25611 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-5300, 667MHz, Kingston KVR667D2D8P5/2G, ECC Reg with Parity, CL5, Dual Rank, x8, Server Memory | 62.608 | USD | 253.008 | C | 60 | 18184 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-5300, 667MHz, Kingston KTD-DM8400BE, ECC Unbuffered, Server Memory | 71.456 | USD | 288.7696 | 0 | 60 | 17239 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-5300, 667MHz, Kingston KVR667D2E5/2G ECC Unbuffered, CL5, Server Memory | 53.872 | USD | 217.7056 | 0 | 60 | 13550 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-5300, 667MHz, Kingston KVR667D2E5/2G ECC Unbuffered, CL5, Server Memory, Intel Validated | 56.784 | USD | 229.4768 | 0 | 60 | 22432 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-6400, 800MHz, Kingston KVR800D2E5/2G, ECC Unbuffered, CL5, Server Memory | 55.216 | USD | 223.1376 | SL | 60 | 18181 |
| Memorii | Kingston | DIMM 2Gb DDR2, PC-6400, 800MHz, Kingston KVR800D2E5/2G, ECC Unbuffered, CL5, Server Memory, Intel Validated | 58.128 | USD | 234.9088 | 0 | 60 | 19138 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-5300, 667MHz, Kingston KTA-MP667AK2/4G (Kit 2 x 2Gb), FB Dimm, for HP Servers | 159.264 | USD | 643.608 | 0 | 60 | 10420 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-3200, 400MHz, Kingston KVR400D2D4R3/4GI, ECC Reg, CL3, Dual Rank, x4, Intel Validated, Server Memory | 136.192 | USD | 550.3792 | 0 | 60 | 19012 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-3200, 400MHz, Kingston KVR400D2S4R3K2/4G, ECC Reg CL3 (Kit 2x 2Gb), Single Rank, x4, ValueRam, Server Memory | 134.848 | USD | 544.9472 | C | 60 | 24787 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-3200, 400MHz, Kingston KTH-MLG4SR/4G, ECC Reg, CL3, Single Rank, for HP/Compaq ProLiant DL140 G2, ProLiant DL360 G4p, ProLiant DL380 G4, ProLiant DL580 G3, ProLiant DL580 G4, ProLiant ML350 G4p (DDR2), ProLiant ML370 G4, ProLiant ML570 G3, ProLiant ML570 G4. | 147.952 | USD | 597.9008 | 0 | 60 | 25689 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-4200, 533MHz, Kingston KFJ-E50/4G, ECC, (Kit 2 x 2Gb), Server Memory | 151.76 | USD | 613.2896 | 0 | 60 | 26927 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-5300, 667MHz, Kingston KVR667D2D4F5/4G, CL5, Fully Buffered, Dual Rank, x4, Server Memory | 135.856 | USD | 549.0128 | C | 60 | 18188 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-5300, 667MHz, Kingston KVR667D2D4P5/4G, ECC Reg with Parity, CL5, Dual Rank, x4, Server Memory | 128.24 | USD | 518.2352 | S | 60 | 18187 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-5300, 667MHz, Kingston KTL-TS10K2/4G, FB DIMM, (Kit 2 x 2Gb) | PROMO | USD | 649.5888 | SL | 60 | 16009 |
| Memorii | Kingston | DIMM 4Gb DDR2, PC-5300, 667MHz, Kingston KVR667D2D4F5K2/4G, CL5, (Kit 2 x 2Gb), Fully Buffered, Server Memory | 167.216 | USD | 675.752 | 0 | 60 | 8801 |
| Memorii | Kingston | DIMM 1Gb DDR3, PC-10600, 1333MHz, Kingston KTH-PL313E/1G, ECC Single Rank x8, Server Memory | 42.672 | USD | 172.4464 | 0 | 60 | 26919 |
| Memorii | Kingston | DIMM 2Gb DDR3, PC-10600, 1333MHz, Kingston KTH-PL313E/2G, ECC Dual Rank x8 module, Server Memory | 82.768 | USD | 334.4768 | 0 | 60 | 26920 |
| Memorii | Kingston | DIMM 2Gb DDR3, PC-10600, 1333MHz, Kingston KVR1333D3D8R9S/2GI, ECC Reg with Parity, CL9, Server Memory, Intel Validated | 75.488 | USD | 305.0544 | 0 | 60 | 22433 |
| Memorii | Kingston | DIMM 2Gb DDR3, PC-10600, 1333MHz, Kingston KVR1333D3E9S/2GI, ECC CL9 (Kit 2Gb), w/Thermal Sensor (Intel), ValueRam, Server Memory | 54.656 | USD | 220.8752 | C | 60 | 24789 |
| Memorii | Kingston | DIMM 2Gb DDR3, PC-8500, 1066MHz, Kingston KVR1066D3S4R7S/2GI, ECC Reg CL7 (Kit 2Gb), DIMM SR, x4 w/Therm Sensor (Intel), ValueRam, Server Memory | 75.376 | USD | 304.6064 | C | 60 | 24788 |
| Memorii | Kingston | DIMM 2Gb DDR3, PC-8500, 1066MHz, ECC Registered with Parity Control, CL7, Dual Rank, x8, Kingston KVR1066D3D8R7S/2G | 73.36 | USD | 296.464 | 0 | 60 | 20445 |
| Memorii | Kingston | DIMM 4Gb DDR3, PC-10600, 1333MHz, Kingston KTD-PE313E/4G, ECC for Dell PowerEdge C1100, PowerEdge C2100, PowerEdge C61000, PowerEdge M610, PowerEdge M710, PowerEdge R210, PowerEdge R410, PowerEdge R510, PowerEdge R610, PowerEdge R710, PowerEdge T110, PowerEdge T410, PowerEdge T610, PowerEdge T710, Precision Workstation T3500, Precision Workstation T5500. | 221.872 | USD | 896.616 | 0 | 60 | 24946 |
| Memorii | Kingston | DIMM 4Gb DDR3, PC-10600, 1333MHz, Kingston KVR1333D3D4R9S/4G, ECC Reg w/Parity CL9 (Kit 4Gb), Dual Rank, x4 w/Therm Sen, ValueRam, Server Memory | 139.776 | USD | 564.8608 | C | 60 | 24790 |

| | | | | | | | | |
|----------------|----------|---|---------|-----|----------|------|----|-------|
| Memorii | Kingston | DIMM 6Gb DDR3, PC-10600, 1333MHz, Kingston KVR1333D3E9SK3/6G, ECC CL9 (Kit 3x 2Gb), w/Thermal Senso, ValueRam, Server Memory | 166.096 | USD | 671.216 | 0 | 60 | 24791 |
| Memorii | Kingston | DIMM 6Gb DDR3, PC-10600, 1333MHz, Kingston KVR1333D3E9SK3/6GI, ECC CL9 (Kit 3x 2Gb), w/Thermal Sensor (Intel), ValueRam, Server Memory | 163.52 | USD | 660.8112 | 0 | 60 | 24792 |
| Memorii | Kingston | DIMM 12Gb DDR3, PC-10600, 1333MHz, Kingston KVR1333D3D4R9SK3/12G, ECC Reg w/Par CL9 (Kit 3x 4Gb)DR, x4 w/Therm Sen, Server Memory | 419.44 | USD | 1695.019 | C | 60 | 24793 |
| Memorii | Kingston | SODIMM 1GB DDR, PC-2700, Kingston FSC KTP-BAV4/1G, compatibil doar cu FSC LifeBook P Series P1510/P1510D, LifeBook P Series P7120; Panasonic: Toughbook (Let us note) R4, T4, W4, Y4 SeriesNu este compatibil cu notebookurile standard. | 22.288 | USD | 90.0704 | S | 36 | 18325 |
| Memorii | Kingston | SODIMM 1Gb DDR2, PC-5300, Kingston KTA-MB667/1G, for Apple: iMac Intel Core 2 Duo 17-inch Combo Drive(Late 2006), iMac Intel Core 2 Duo 17-inch SuperDrive (Late 2006), iMac Intel Core 2 Duo 20-inch (Late 2006), iMac Intel Core 2 Duo 20-inch(Mid 2007), iMac Intel Core 2 Duo 24-inch (Late 2006), iMac Intel Core 2 Duo 24-inch (Mid 2007), iMac Intel Core Duo 17-inch (Early 2006), iMac Intel Core Duo 20-inch (Early 2006), MacBook (DDR2) 13-inch 1, 2 Generation, MacBook (DDR2) | 32.592 | USD | 131.712 | 0 | 60 | 19811 |
| Memorii | Kingston | SODIMM 1Gb DDR2, PC-5300, Kingston KTH-ZD8000B/1G, for HP/Compaq | 32.592 | USD | 131.712 | 0 | 60 | 22435 |
| Memorii | Kingston | SODIMM 2Gb DDR2, PC-4300, 533MHz, Kingston KTH-ZD8000A/2G, for HP/Compaq | 57.68 | USD | 233.0944 | 0 | 60 | 22165 |
| Memorii | Kingston | SODIMM 2Gb DDR2, PC-5300, Kingston KTA-MB667/2G, for Apple: iMac Intel Core 2 Duo 17-inch Combo Drive(Late 2006), iMac Intel Core 2 Duo 17-inch SuperDrive (Late 2006), iMac Intel Core 2 Duo 20-inch (Late 2006), iMac Intel Core 2 Duo 20-inch(Mid 2007), iMac Intel Core 2 Duo 24-inch (Late 2006), iMac Intel Core 2 Duo 24-inch (Mid 2007), iMac Intel Core Duo 17-inch (Early 2006), iMac Intel Core Duo 20-inch (Early 2006), MacBook (DDR2) 13-inch 1, 2 Generation, MacBook (DDR2) | 56.448 | USD | 228.1104 | 0 | 60 | 19812 |
| Memorii | Lenovo | SODIMM 2GB DDR3-1066, PC3-8500 Low-Halogen, Lenovo 55Y3707 | 50.4 | USD | 203.672 | 0 | 36 | 23966 |
| Memorii | Kingston | SODIMM 4Gb DDR2, PC-6400, Kingston KTH-ZD8000C6/4G, for HP/Compaq | 206.864 | USD | 835.968 | 0 | 60 | 20216 |
| Memorii | Kingston | SODIMM 4Gb DDR3, PC-8500, Kingston KTA-MB1066K2/4G, (Kit 2 x 2Gb), for Apple: iMac Intel Core 2 Duo 20-inch/24-inch (Early 2009), Mac mini Core 2 Duo 2.0GHz/2.26GHz, MacBook (DDR3) 13-inch (Aluminum Late 2008), MacBook Pro (DDR3) 15-inch (Aluminum Late 2008), MacBook Pro (DDR3) 17-inch (Aluminum Early 2009). | 126.672 | USD | 511.9072 | 0 | 60 | 19053 |
| Memorii | Mushkin | DIMM 1 GB DDR2, SP2-6400, 800MHz, Mushkin, 5-5-5-15, (1x 1024 MB), Cipuri Elpida | 28.56 | USD | 115.416 | 0 | 60 | 15562 |
| Memorii | Mushkin | DIMM 2 GB DDR2, SP2-6400, 800MHz, Mushkin, 5-5-5-18, (1x 2048 MB) | 53.536 | USD | 216.3504 | SL | 60 | 15565 |
| Memorii | Mushkin | DIMM 2Gb DDR2, PC-6400, 800MHz, Mushkin EM2-6400, CL5 (5-5-5-12), 1.8V, (Kit 2 x 1GB), Radiator | 61.152 | USD | 247.128 | 0 | 60 | 8493 |
| Memorii | Mushkin | DIMM 2 GB DDR2, SP2-6400, 800MHz, Mushkin, 5-5-5-15, (2x 1024 MB), Retail | 57.12 | USD | 230.832 | 0 | 60 | 15563 |
| Memorii | Mushkin | DIMM 2 GB DDR2, HP2-6400, 800Mhz, Mushkin, 4-4-4-12, Dual Pack (2x 1024 MB) | 79.184 | EUR | 418.9696 | SL | 60 | 15536 |
| Memorii | Mushkin | DIMM 2 GB DDR2, 2048 MB, XP2-8500, 5-5-5-15 Dual Pack (2x 1024 MB), 1066MHz, 2.0-2.1V, with EPP, Retail, Black Frostbyte | 68.768 | USD | 277.9056 | CALL | 60 | 19674 |
| Memorii | Mushkin | DIMM 4 GB DDR2, SP2-6400, 800MHz, Mushkin, 5-5-5-18, (2x 2048 MB), Retail | 107.184 | USD | 433.1488 | 0 | 60 | 15567 |
| Memorii | Mushkin | DIMM 4 GB DDR2, XP2-6400, 800MHz, Mushkin, 4-4-4-12, Dual Pack (2x 2048 MB) 2.0-2.1V | 136.304 | USD | 550.8272 | 0 | 60 | 15520 |
| Memorii | Mushkin | DIMM 4Gb DDR2, PC-6400, 800MHz, Mushkin, 996622, 4-4-4-12, (Kit 2 x 2Gb), EPP, Black Ascent Heatspreader | 158.368 | USD | 639.9904 | 0 | 60 | 14733 |
| Memorii | Mushkin | DIMM 4 GB DDR2, ES2-6400, 800Mhz, Mushkin, 5-5-5-18, (2x 2048 MB), Green Essential Heatspreader, Retail | 102.48 | USD | 414.1424 | SL | 60 | 15552 |
| Memorii | Mushkin | DIMM 4 GB DDR2, XP2-8000, 1000MHz, Mushkin, 5-5-5-15, Dual Pack (2x 2048 MB) 2.1V, Redline | 111.776 | USD | 451.7072 | 0 | 60 | 15523 |
| Memorii | Mushkin | DIMM 4Gb DDR2, PC-8500, 1066MHz, Mushkin, 996599, 5-5-5-15, (Kit 2 x 2Gb), radiatoare Frostbyte, seria eXtreme Performance | 138.656 | USD | 560.336 | 0 | 60 | 13354 |
| Memorii | Mushkin | DIMM 4Gb DDR2, PC-8500, 1066MHz, Mushkin, 996619, 5-5-5-15, (Kit 2 x 2Gb), radiatoare Black Ascent, seria eXtreme Performance | 158.368 | USD | 639.9904 | 0 | 60 | 14155 |
| Memorii | Mushkin | DIMM 4 GB DDR2 XP2-8800, 1100MHz, Mushkin, 5-5-5-15, Dual Pack (2x 2048 MB), 1.9V, with EPP, Black Frostbyte, Retail | 133.952 | USD | 541.3184 | 0 | 60 | 15526 |
| Memorii | Mushkin | DIMM 2 GB DDR3, SP3-10666, 1333MHz, Mushkin, 9-9-9-24, (1x 1024 MB), Standard Performance, Retail | 43.68 | EUR | 231.112 | S | 60 | 25452 |
| Memorii | Mushkin | DIMM 2 GB DDR3, ES3-10666, 1333MHz, Mushkin, 9-9-9-24, (2x 1024 MB), 1.5V, Retail | 43.68 | USD | 176.5232 | S | 60 | 26467 |
| Memorii | Mushkin | DIMM 2 GB DDR3, EM3-10666, 1333MHz, Mushkin, 9-9-9-24, (2x 1024 MB) 1.5V, Retail | 71.008 | USD | 286.9552 | 0 | 60 | 15548 |
| Memorii | Mushkin | DIMM 2 GB DDR3, SP3-10666, 1333MHz, Mushkin, 9-9-9-24, (2x 1024 MB), Retail | 68.768 | USD | 277.9056 | 0 | 60 | 15569 |
| Memorii | Mushkin | DIMM 2 GB DDR3, ES3-10666, 1333MHz, Mushkin, 9-9-9-27, (2x 1024 MB), Silver Essential Heatspreader, Retail | 58.016 | EUR | 306.9696 | C | 60 | 15559 |
| Memorii | Mushkin | DIMM 2Gb DDR3, SP3-12800, 1600MHz, Mushkin, 9-9-9-24, 1.5-1.6v, (1x2048 MB), Stiletto Heatspreader | 57.12 | USD | 230.832 | 0 | 60 | 25768 |
| Memorii | Mushkin | DIMM 4 GB DDR3, EM3-10666, 1333MHz, Mushkin, 9-9-9-24, (2x 2048 MB), 1333Mhz, 1.5V, Retail | 102.48 | USD | 414.1424 | 0 | 60 | 15549 |
| Memorii | Mushkin | DIMM 4 GB DDR3, SP3-10666, 1333MHz, Mushkin, 9-9-9-24, (2x 2048 MB), 1.5V, Retail, 996596 | 99.008 | USD | 400.1088 | S | 60 | 25425 |
| Memorii | Mushkin | DIMM 4 GB DDR3, EM3-10666, 1333MHz, Mushkin, 9-9-9-24, (2x 2048 MB), 1333Mhz, 1.5V, Stiletto Heatspreader, Retail | 100.128 | USD | 404.6336 | S | 60 | 26469 |
| Memorii | Mushkin | DIMM 4 GB DDR3, XP3-12800, 1600MHz, Mushkin, 9-9-9-27, (2x 2048 MB), 1.5-1.65V, Stiletto Heatspreader, Retail | 145.6 | EUR | 770.3808 | SL | 60 | 22676 |
| Memorii | Mushkin | DIMM 4 GB DDR3, XP3-12800, 1600MHz, Mushkin, 7-8-7-20, (2x 2048 MB), 1.65V, radiatoare Black Frostbyte, optimizate pentru LGA1156, Retail, 996679 | 135.072 | USD | 545.8432 | SL | 60 | 25426 |
| Memorii | Mushkin | DIMM 4 GB DDR3, XP3-12800, 1600MHz, Mushkin, 9-9-9-24, (2x 2048 MB), 1.65V, Stiletto Heatspreader, Retail | 138.656 | EUR | 733.6448 | SL | 60 | 22541 |
| Memorii | Mushkin | DIMM 4 GB DDR3, XP3-12800, 1600MHz, Mushkin, 7-9-7-24, (2x 2048 MB), 1.65V, radiatoare Black Frostbyte, Retail | 132.832 | USD | 536.7936 | SL | 60 | 26468 |
| Memorii | Mushkin | DIMM 4 GB DDR3, XP3-12800, 1600MHz, Mushkin, 6-8-6-24, (2x 2048 MB), 1.65V, Redline Heatspreader, Retail | 146.72 | USD | 592.9168 | S | 60 | 22539 |
| Memorii | Mushkin | DIMM 4 GB DDR3, XP3-16000, 2000MHz, Mushkin, 9-11-9-27, (2x 2048 MB), 1.65V, Frostbyte Heatspreader, Retail | 157.248 | USD | 635.4656 | SL | 60 | 25769 |
| Memorii | Mushkin | DIMM 1 GB DDR2 FBDimm, PC2-5300, 667Mhz, Mushkin, ECC, 5-5-5-15 (1x 1024 MB), Heatspreader, Retail | 61.712 | USD | 249.3904 | 0 | 60 | 15572 |
| Memorii | Mushkin | DIMM 1 GB DDR2 FBDimm, PC2-6400, 800MHz, Mushkin, ECC, 5-5-5-18 (1x 1024 MB), Heatspreader, Retail | 64.96 | USD | 262.5168 | 0 | 60 | 15573 |
| Memorii | Mushkin | DIMM 2 GB DDR2 FBDimm, PC2-5300, 667Mhz, Mushkin, ECC, 5-5-5-15 (1x 2048 MB), Heatspreader, Retail | 85.008 | USD | 343.5264 | 0 | 60 | 15575 |
| Memorii | Mushkin | DIMM 2 GB DDR2 FBDimm, PC2-6400, 800MHz, Mushkin, ECC, 5-5-5-18 (1x 2048 MB), Heatspreader, Retail | 82.656 | USD | 334.0288 | 0 | 60 | 15576 |
| Memorii | Mushkin | DIMM 4 GB DDR2 FBDimm, PC2-5300, 667Mhz, Mushkin, ECC, 5-5-5-15 (1x 4096 MB), Heatspreader, Retail | 198.016 | USD | 800.2176 | 0 | 60 | 15577 |
| Memorii | Mushkin | DIMM 4 GB DDR2 FBDimm, PC2-6400, 800MHz, Mushkin, ECC, 5-5-5-18 (1x 4096 MB), Heatspreader, Retail | 203.84 | USD | 823.7488 | 0 | 60 | 15578 |
| Memorii | Mushkin | SODIMM 1GB DDR, Mushkin 991304, PC-2700, 333MHz, 2.5-3-3-7 | 55.888 | USD | 225.848 | SL | 60 | 26439 |
| Memorii | Mushkin | SODIMM 412MB DDR, Mushkin 991011, PC-2700, 333MHz, 2.5-3-3-7 | 28 | USD | 113.1536 | S | 60 | 26546 |
| Memorii | OCZ | DIMM 4Gb DDR3, PC3-12800, 1600MHz, OCZ, 8-8-8-24, (2x 2048 MB), 1.65V, Gold Edition, Low Voltage | 133.952 | USD | 541.3184 | SL | 60 | 25770 |
| Memorii | OCZ | DIMM 4Gb DDR3, PC3-12800, 1600MHz, OCZ, 6-8-8-24, (2x 2048 MB), 1.65V, Platinum, Low Voltage | 154.896 | USD | 625.9568 | SL | 60 | 25771 |
| HDD-uri | | | | | | | | |
| HDD-uri | Maxtor | HDD Maxtor, 1 TB, 7200rpm, 32Mb, Serial-ATAII 300, STM31000528AS | 96.768 | USD | 391.0592 | SL | 36 | 19452 |
| HDD-uri | Maxtor | HDD Maxtor, 750 GB, 7200rpm, 32Mb, Serial-ATAII 300, DiamondMax 23, with NCQ, STM3750528AS | 82.432 | USD | 333.1216 | SL | 36 | 19946 |
| HDD-uri | Samsung | HDD Samsung, 80 GB, 7200rpm, 8Mb, Serial-ATA II 300, HD083GJ, SpinPoint F1 Series | 39.088 | USD | 157.9648 | 0 | 36 | 21266 |
| HDD-uri | Samsung | HDD Samsung, 160 GB, 7200rpm, 8Mb, Serial-ATA II 300, HD161GJ, SpinPoint F1 Series | 40.32 | USD | 162.9376 | 0 | 36 | 21267 |
| HDD-uri | Samsung | HDD Samsung, 160 GB, 7200rpm, 8Mb, Serial-ATA II 300 HD163GJ, SpinPoint F3 Series | 40.32 | USD | 162.9376 | C | 36 | 25311 |
| HDD-uri | Samsung | HDD Samsung, 250 GB, 7200rpm, 16Mb, Serial-ATA II 300, HD253GJ, with PMR F1 Series | 42.336 | USD | 171.0912 | C | 36 | 21959 |
| HDD-uri | Samsung | HDD Samsung, 250 GB, 7200rpm, 16Mb, Serial-ATA II 300, HD256GJ, with PMR SpinPoint F4 Series | 42.336 | USD | 171.0912 | S | 36 | 25823 |
| HDD-uri | Samsung | HDD Samsung, 320 GB, 7200rpm, 16Mb, Serial-ATA II 300, HD322GJ, SpinPoint F4 | 44.24 | USD | 178.7856 | CALL | 36 | 24425 |
| HDD-uri | Samsung | HDD Samsung, 320 GB, 7200rpm, 16Mb, Serial-ATA II 300, HD322HJ, with NCQ F1 Series | 44.016 | USD | 177.8784 | SL | 36 | 15038 |

| | | | | | | | |
|---------|---------|---|-------------|----------|----|----|-------|
| HDD-uri | Samsung | HDD Samsung, 500 GB, 5400rpm, 16Mb, Serial-ATA II 300, HD502HJ PMR SpinPoint F3 | 45.696 USD | 184.6656 | C | 36 | 20431 |
| HDD-uri | Samsung | HDD Samsung, 500 GB, 5400rpm, 16Mb, Serial-ATA II 300, HD503HI, PMR SpinPoint F2 EcoGreen Series | 45.808 USD | 185.1136 | C | 36 | 21288 |
| HDD-uri | Samsung | HDD Samsung, 750 GB, 7200rpm, 32Mb PMR (Perpendicular Magnetic Recording), Serial-ATA II 300, HD753LJ | 66.304 USD | 267.9488 | 0 | 36 | 13097 |
| HDD-uri | Samsung | HDD Samsung, 1.5 TB, 5400rpm, 32Mb, Serial-ATA II 300, HD153WI, PMR SpinPoint F3 EcoGreen Series | 90.272 USD | 364.8064 | 0 | 36 | 25074 |
| HDD-uri | Samsung | HDD Samsung, 1.5 TB, 5400rpm, 32Mb, Serial-ATA II 300, HD154UI, PMR SpinPoint F2 EcoGreen Series | 89.488 USD | 361.6368 | C | 36 | 21270 |
| HDD-uri | Samsung | HDD Samsung, 1 TB, 5400rpm, 32Mb, Serial-ATA II 300, HD103SI, PMR SpinPoint F2 EcoGreen Series | 71.232 USD | 287.8624 | 0 | 36 | 21269 |
| HDD-uri | Samsung | HDD Samsung, 1 TB, 7200rpm, 32Mb, Serial-ATA II 300, HD103SJ, PMR SpinPoint F3 | 72.24 USD | 291.928 | 0 | 36 | 21271 |
| HDD-uri | Samsung | HDD Samsung, 1 TB, 7200rpm, 32Mb PMR (Perpendicular Magnetic Recording), Serial-ATA II 300, HD103UJ | 84 USD | 339.4608 | SL | 36 | 13098 |
| HDD-uri | Samsung | HDD Samsung, 1 TB, 5400rpm, 32Mb, Serial-ATA II 300, HD105SI, PMR SpinPoint F3 EcoGreen Series | 71.792 USD | 290.1248 | C | 36 | 25073 |
| HDD-uri | Samsung | HDD Samsung, 2 TB, 5400rpm, 32Mb, Serial-ATA II 300, HD203WI, PMR SpinPoint F2 EcoGreen Series | 126.224 USD | 510.0928 | C | 36 | 21958 |
| HDD-uri | Samsung | HDD Samsung Enterprise, 750 GB, 7200rpm, 32Mb, Serial-ATA II 300, HE753LJ, 1.2 million hours MTBF, Spinpoint F1 RAID Class | 80.864 USD | 326.7824 | C | 60 | 18373 |
| HDD-uri | Samsung | HDD Samsung Spinpoint M 2.5, 160 GB, 5400rpm, 8Mb, Ultra-ATA 100, HM160HC, (Notebook) | 65.184 USD | 263.424 | 0 | 36 | 13463 |
| HDD-uri | Samsung | HDD Samsung Spinpoint M 2.5, 320 GB, 5400rpm, 8Mb, Serial-ATA2, HM321HI, TuMR/PMR SpinPoint M7 Series, (Notebook) | 48.496 USD | 195.9776 | C | 36 | 21961 |
| HDD-uri | Samsung | HDD Samsung Spinpoint M 2.5, 500 GB, 5400rpm, 8Mb, Serial-ATA2, HM500JI, TuMR/PMR SpinPoint M7 Series, (Notebook) | 64.736 USD | 261.6096 | C | 36 | 21274 |
| HDD-uri | Samsung | HDD Samsung Spinpoint M 2.5, 640 GB, 5400rpm, 8Mb, Serial-ATA2, HM641JI, TuMR/PMR SpinPoint M7 Series, (Notebook) | 77.168 USD | 311.8528 | C | 36 | 25079 |
| HDD-uri | Samsung | HDD Samsung 2.5, 160 GB, Extern, USB 2.0, HXMU016DA/G22, S2 Portable External Hard Drive, USB Y-cable(85cm), USB Mini cable(10cm), Stylish Piano Black (Negru) | 54.32 USD | 219.52 | C | 36 | 21278 |
| HDD-uri | Samsung | HDD Samsung 2.5, 250 GB, Extern, USB 2.0, HXMU025DA/G22, S2 Portable External Hard Drive, USB Y-cable(85cm), USB Mini cable(10cm), Stylish Piano Black (Negru) | 64.176 USD | 259.3472 | C | 36 | 18456 |
| HDD-uri | Samsung | HDD Samsung 2.5, 320 GB, Extern, USB 2.0, HXMU032DA/G22, S2 Portable External Hard Drive, USB Y-cable(85cm), USB Mini cable(10cm), Stylish Piano Black (Negru) | 71.792 USD | 290.1248 | 0 | 36 | 18460 |
| HDD-uri | Samsung | HDD Samsung 2.5, 320 GB, Extern, USB 2.0, HXMU032DA/R22, S2 Portable External Hard Drive, USB Y-cable(85cm), USB Mini cable(10cm), Quick Install Guide, Bundle software preloaded on the hard drive, Electronic User Documentation (PDF), Stylish Black, Retail | 71.792 USD | 290.1248 | 0 | 36 | 26551 |
| HDD-uri | Samsung | HDD Samsung 2.5, 500 GB, Extern, USB 2.0, HXMU050DA/G22, S2 Portable External Hard Drive, USB Y-cable(85cm), USB Mini cable(10cm), Stylish Piano Black (Negru) | 90.272 USD | 364.8064 | 0 | 36 | 21281 |
| HDD-uri | Samsung | HDD Samsung 2.5, 640 GB, Extern, USB 2.0, HX-MU064DA/G22, S2 Portable External Hard Drive, USB Y-cable(85cm), USB Mini cable(10cm), Stylish Piano Black (Negru) | 123.088 USD | 497.4144 | C | 36 | 21282 |
| HDD-uri | Samsung | HDD Samsung 1.8, 120 GB, Extern, USB 2.0, HXSU012BA/G22, S1 Portable External Hard Drive, USB cable(80cm), USB Mini cable(10cm), Stylish Piano Black (Negru) | 65.184 USD | 263.424 | C | 36 | 18465 |
| HDD-uri | Samsung | HDD Samsung 1.8, 160 GB, Extern, USB 2.0, HXSU016BA/G22, S1 Portable External Hard Drive, USB cable(80cm), USB Mini cable(10cm), Stylish Wine Red (Rosu) | 76.048 USD | 307.3168 | C | 36 | 21277 |
| HDD-uri | Samsung | HDD Samsung 1.8, 250 GB, Extern, USB 2.0, HX-SU025BA/G22, S1 Portable External Hard Drive, USB cable(80cm), USB Mini cable(10cm), Stylish Wine Red (Rosu) | 97.888 USD | 395.584 | C | 36 | 21304 |
| HDD-uri | Samsung | HDD Samsung 3.5, 1.5 TB, Extern, USB 2.0, HX-DU015EC/AB2, G3 Station, Cobalt Black, Retail package (USB Cable (120cm), Power Adapter Cable (160cm), Bundle software preloaded on the hard drive, Quick Install Guide, User Documentation (PDF) | 110.88 USD | 448.0784 | C | 36 | 25081 |
| HDD-uri | Samsung | HDD Samsung 3.5, 1 TB, Extern, USB 2.0, HX-DU010EB/A62, Story Station, Metallic Grey, Retail package (USB Cable (120cm), Power Adapter Cable (160cm), Bundle software preloaded on the hard drive | 103.152 USD | 416.8528 | S | 36 | 21275 |
| HDD-uri | Samsung | HDD Samsung 3.5, 1 TB, Extern, USB 2.0, HX-DU010EC/AB2, G3 Station, Cobalt Black, Retail package (USB Cable (120cm), Power Adapter Cable (160cm), Bundle software preloaded on the hard drive, Quick Install Guide, User Documentation (PDF) | 90.272 USD | 364.8064 | C | 36 | 25080 |
| HDD-uri | Samsung | HDD Samsung 3.5, 2 TB, Extern, USB 2.0, HX-DU020EB/A62, Story Station, Metallic Grey, Retail package (USB Cable (120cm), Power Adapter Cable (160cm), Bundle software preloaded on the hard drive | 198.576 USD | 802.48 | C | 36 | 21963 |
| HDD-uri | Samsung | HDD Samsung 3.5, 2 TB, Extern, USB 2.0, HX-DU020EC/AB2, G3 Station, Cobalt Black, Retail package (USB Cable (120cm), Power Adapter Cable (160cm), Bundle software preloaded on the hard drive, Quick Install Guide, User Documentation (PDF) | 174.16 USD | 703.808 | C | 36 | 25083 |
| HDD-uri | Kingmax | HDD Kingmax 2.5, 500 GB, Extern, USB 2.0, KE-91/500GB, Cable, LEATHER Bag, Black | 69.328 USD | 280.168 | C | 36 | 25313 |
| HDD-uri | Hitachi | HDD Hitachi 2.5, 320GB, Extern, USB 2.0, 5400rpm, SimpleDrive Mini, Blue Dusk | 58.128 USD | 234.9088 | 0 | 36 | 25775 |
| HDD-uri | Hitachi | HDD Hitachi 2.5, 500GB, Extern, USB 2.0, 5400rpm, SimpleDrive Mini, Carbon Fiber | 84.336 USD | 340.816 | C | 36 | 25776 |
| HDD-uri | Hitachi | HDD Hitachi 3.5, 1 TB, Extern, USB 2.0, SimpleDrive Rev.3 | 75.936 USD | 306.8688 | 0 | 36 | 25773 |
| HDD-uri | Hitachi | HDD Hitachi 3.5, 2 TB, Extern, USB 2.0, SimpleDrive Rev.3 | 137.872 USD | 557.1664 | 0 | 36 | 25774 |
| HDD-uri | Hitachi | HDD Hitachi 3.5, 500GB, Extern, USB 2.0, SimpleDrive Rev.3 | 68.768 USD | 277.9056 | C | 36 | 25777 |
| HDD-uri | Hitachi | HDD Hitachi, 160GB, 7200rpm, 8MB, Serial-ATA II 300, 7K1000.C, HDS721016CLA382 | 40.096 USD | 162.0304 | C | 36 | 25762 |
| HDD-uri | Hitachi | HDD Hitachi, 250GB, 7200rpm, 8MB, Serial-ATA II 300, 7K1000.C, HDS721025CLA382 | 40.768 USD | 164.752 | C | 36 | 25761 |
| HDD-uri | Hitachi | HDD Hitachi, 250GB, 7200rpm, 8MB, Serial-ATA II 300, P7K500, HDP725025GLA380 | 48.944 USD | 197.792 | 0 | 36 | 14230 |
| HDD-uri | Hitachi | HDD Hitachi, 320GB, 7200rpm, 16MB, Serial-ATA II 300, 7K1000.C, HDS721032CLA362 | 44.688 USD | 180.5888 | C | 36 | 25764 |
| HDD-uri | Hitachi | HDD Hitachi, 500GB, 7200rpm, 16MB, Serial-ATA II 300, 7K1000.C, HDS721050CLA362 | 43.232 USD | 174.7088 | 0 | 36 | 25766 |
| HDD-uri | Hitachi | HDD Hitachi, 1000GB, 7200rpm, 32MB, Serial-ATA II 300, 7K1000.C, HDS721010CLA332 | 68.992 USD | 278.8128 | C | 36 | 25763 |
| HDD-uri | Hitachi | HDD Hitachi, 2000GB, 7200rpm, 32MB, Serial-ATA II 300, 7K2000, HDS722020ALA330 | 144.144 USD | 582.512 | C | 36 | 25765 |
| HDD-uri | Hitachi | HDD Hitachi, 147GB, 15000rpm, 16MB, Ultrastar 15K300, SAS (3Gbps), 3.5", HUS153014VLS300 | 162.96 USD | 658.5488 | 0 | 60 | 25767 |
| HDD-uri | Hitachi | HDD Hitachi, 2 TB, 7200rpm, 32MB, Ultrastar A7K2000, Serial-ATA II 300, 3.5", HUA722020ALA330 | 275.744 USD | 1114.322 | 0 | 60 | 25772 |
| HDD-uri | Fujitsu | HDD Fujitsu MBA3073RC, Enterprise, 73.5 GB, 15000 rpm, 16 MB buffer, SAS (3Gbps), 3.5", read seek: 3.4 ms, write seek: 3.9 ms | 160.048 USD | 646.7776 | C | 60 | 15799 |
| HDD-uri | Fujitsu | HDD Fujitsu MBA3073NC, Enterprise, 73.5 GB, 15000 rpm, 16 MB buffer, SCA-2 (NC Series) U320 SCSI, 3.5", read seek: 3.4 ms, write seek: 3.9 ms | 202.384 USD | 817.8688 | C | 60 | 15784 |
| HDD-uri | Fujitsu | HDD Fujitsu MBA3073NP, Enterprise, 73.5 GB, 15000 rpm, 16 MB Buffer, 68 pin (NP Series) U320 SCSI, 3.5", read seek: 3.4 ms, write seek: 3.9 ms | 176.288 USD | 712.4096 | C | 60 | 15785 |
| HDD-uri | Fujitsu | HDD Fujitsu MBA3147FD, Enterprise, 147 GB, 15000 rpm, 16 MB Buffer, FC4 (4Gbps), 3.5", read seek: 3.4 ms, write seek: 3.9 ms | 250.32 USD | 1011.584 | C | 60 | 15791 |
| HDD-uri | Fujitsu | HDD Fujitsu MBA3147RC, Enterprise, 147 GB, 15000 rpm, 16 MB Buffer, SAS (3Gbps), 3.5", read seek: 3.4 ms, write seek: 3.9 ms | 173.04 USD | 699.2832 | C | 60 | 15800 |
| HDD-uri | Fujitsu | HDD Fujitsu MBA3147NC, Enterprise, 147GB, 15000 rpm, 8 MB buffer, SCA-2 (NC Series) U320 SCSI, 3.5", read seek: 3.4 ms, write seek: 3.9 ms | 269.92 USD | 1090.79 | C | 60 | 15786 |
| HDD-uri | Fujitsu | HDD Fujitsu MBA3147NP, Enterprise, 147 GB, 15000 rpm, 16 MB Buffer, 68 pin (NP Series) U320 SCSI, 3.5", read seek: 3.4 ms, write seek: 3.9 ms | 248.08 USD | 1002.534 | C | 60 | 15787 |
| HDD-uri | Fujitsu | HDD Fujitsu MBA3300FD, Enterprise, 300 GB, 15000 rpm, 16 MB Buffer, FC4 (4Gbps), 3.5", read seek: 3.4 ms, write seek: 3.9 ms | 389.2 USD | 1572.816 | C | 60 | 15792 |
| HDD-uri | Fujitsu | HDD Fujitsu MBA3300RC, Enterprise, 300 GB, 15000 rpm, 16 MB buffer, SAS (3Gbps), 3.5", read seek: 3.4 ms, write seek: 3.9 ms | 239.456 USD | 967.68 | 0 | 60 | 15801 |
| HDD-uri | Fujitsu | HDD Fujitsu MBA3300NC, Enterprise, 300 GB, 15000 rpm, 8 MB Buffer, SCA-2 (80-pin) U320 SCSI, 3.5", read seek: 3.4 ms, write seek: 3.9 ms | 459.984 USD | 1858.864 | C | 60 | 15788 |

| | | | | | | | | |
|---------|-------------|---|---------|-----|----------|---------|----|-------|
| HDD-uri | Fujitsu | HDD Fujitsu MBA3300NP, Enterprise, 300 GB, 15000 rpm, 16 MB Buffer, 68 pin (NP Series) U320 SCSI, 3.5", read seek: 3.4 ms, write seek: 3.9 ms | 407.008 | USD | 1644.787 | C | 60 | 15789 |
| HDD-uri | Western Dig | HDD WDigital, 160 GB, 7200rpm, 8Mb, Ultra-ATA 100, WD1600AAJB | 51.184 | USD | 206.8416 | S | 36 | 10071 |
| HDD-uri | Western Dig | HDD WDigital, 250 GB, 7200rpm, 8Mb, Ultra-ATA 100, WD2500AAJB | 63.168 | USD | 255.2704 | SL | 36 | 10960 |
| HDD-uri | Western Dig | HDD WDigital, 320 GB, 7200rpm, 8Mb, Ultra-ATA 100, WD3200AAJB | 68.32 | USD | 276.0912 | S | 36 | 10072 |
| HDD-uri | Western Dig | HDD WDigital, 500 GB, 7200rpm, 16Mb, Ultra-ATA 100, WD5000AAKB | 86.576 | USD | 349.8656 | SL | 36 | 13201 |
| HDD-uri | Western Dig | HDD WDigital, 80 GB, 7200rpm, 8Mb, Serial-ATA II 300, WD800AAJS | 39.984 | USD | 161.5824 | C | 36 | 10069 |
| HDD-uri | Western Dig | HDD WDigital, 160 GB, 7200rpm, 8Mb, Serial-ATA II 300, WD1600AAJS | 40.544 | USD | 163.8448 | S | 36 | 10075 |
| HDD-uri | Western Dig | HDD WDigital, 250 GB, 7200rpm, 8Mb, Serial-ATA II 300, WD2500AAJS | 41.216 | USD | 166.5552 | S | 36 | 8829 |
| HDD-uri | Western Dig | HDD WDigital, 250 GB, 7200rpm, 16Mb, Serial-ATA II 300, WD2500AAKS | 44.8 | USD | 181.048 | S | 36 | 10073 |
| HDD-uri | Western Dig | HDD WDigital 250 GB, 7200rpm, 16Mb, Serial-ATA II 300, WD2502ABYS, Enterprise RE3 Edition, recomandate pentru servere | 66.752 | USD | 269.752 | C | 60 | 21986 |
| HDD-uri | Western Dig | HDD WDigital, 320 GB, 7200rpm, 8Mb, Serial-ATA II 300, WD3200AAJS | 43.792 | USD | 176.9712 | S | 36 | 10493 |
| HDD-uri | Western Dig | HDD WDigital, 320 GB, 7200rpm, 16Mb, Serial-ATA II 300, WD3200AAKS | 45.024 | USD | 181.944 | S | 36 | 10381 |
| HDD-uri | Western Dig | HDD WDigital, 320 GB, 7200rpm, 16Mb, Serial-ATA II 300, WD3202ABYS, Enterprise RE3 Edition | 72.912 | USD | 294.6496 | C - LIM | 60 | 16450 |
| HDD-uri | Western Dig | HDD WDigital, 500 GB, 7200rpm, 16Mb, Serial-ATA II 300, WD5002ABYS, Enterprise RE3 Edition | 80.528 | USD | 325.4272 | 0 | 60 | 15054 |
| HDD-uri | Western Dig | HDD WDigital, 500 GB, 7200rpm, 16Mb, Serial-ATA II 300, WD5000AAKS | 46.144 | USD | 186.48 | S | 36 | 9082 |
| HDD-uri | Western Dig | HDD WDigital, 500 GB, 7200rpm, 32Mb, Serial-ATA II 300, WD5000AADS | 45.36 | USD | 183.3104 | S | 36 | 19254 |
| HDD-uri | Western Dig | HDD WDigital, 500 GB, 7200rpm, 32Mb, Serial-ATA II 300, WD5001AALS, Caviar Black, Perpendicular Magnetic Recording (PMR) | 60.928 | USD | 246.2208 | C | 36 | 16951 |
| HDD-uri | Western Dig | HDD WDigital, 640 GB, 7200rpm, 16Mb, Serial-ATA II 300, WD6400AACS, Green Power | 62.72 | USD | 253.456 | 0 | 36 | 18731 |
| HDD-uri | Western Dig | HDD WDigital, 640 GB, 7200rpm, 16Mb, Serial-ATA II 300, WD6400AAKS | 55.44 | USD | 224.0448 | S | 36 | 13596 |
| HDD-uri | Western Dig | HDD WDigital, 640 GB, 7200rpm, 32Mb, Serial-ATA II 300, WD6401AALS, Caviar Green, Perpendicular Magnetic Recording (PMR) | 52.864 | USD | 213.6288 | CALL | 36 | 21919 |
| HDD-uri | Western Dig | HDD WDigital, 640 GB, 7200rpm, 32Mb, Serial-ATA II 300, WD6401AALS, Caviar Black, Perpendicular Magnetic Recording (PMR) | 66.416 | USD | 268.3968 | S | 60 | 16950 |
| HDD-uri | Western Dig | HDD WDigital, 640 GB, 5400rpm, 64Mb, Serial-ATA II 300, WD6400AARS, Caviar Green, Perpendicular Magnetic Recording (PMR) | 55.44 | USD | 224.0448 | 0 | 36 | 22403 |
| HDD-uri | Western Dig | HDD WDigital, 750 GB, 7200rpm, 32Mb, Serial-ATA II 300, WD7500AADS | 61.488 | USD | 248.4832 | C | 36 | 19744 |
| HDD-uri | Western Dig | HDD WDigital, 750 GB, 7200rpm, 32Mb, Serial-ATA II 300, WD7501AALS, Caviar Black, Perpendicular Magnetic Recording (PMR) | 81.648 | USD | 329.952 | C | 60 | 18496 |
| HDD-uri | Western Dig | HDD WDigital, 1.5 TB, 7200rpm, 32Mb, Serial-ATA II 300, WD15EA0S, Green Power | 97.888 | USD | 395.584 | 0 | 36 | 19219 |
| HDD-uri | Western Dig | HDD WDigital, 1.5 TB, 5400rpm, 64Mb, Serial-ATA II 300, WD15EARS, Caviar Green | 89.264 | USD | 360.7296 | S | 36 | 22146 |
| HDD-uri | Western Dig | HDD WDigital, 1 TB, 7200rpm, 32Mb, Serial-ATA II 300, WD1001FALS, Caviar Black | 95.984 | USD | 387.8896 | S | 60 | 19270 |
| HDD-uri | Western Dig | HDD WDigital, 1 TB, 7200rpm, 32Mb, Serial-ATA II 300, WD10EADS, Caviar Green, Perpendicular Magnetic Recording (PMR) | 84.896 | USD | 343.0784 | 0 | 36 | 16952 |
| HDD-uri | Western Dig | HDD WDigital, 1 TB, 7200rpm, 32Mb, Serial-ATA II 300, WD10EALS, Caviar Blue, Perpendicular Magnetic Recording (PMR) | 71.344 | USD | 288.3104 | S | 36 | 22552 |
| HDD-uri | Western Dig | HDD WDigital, 1 TB, 5400rpm, 64Mb, Serial-ATA II 300, WD10EARS, Caviar Green, IntelliPower, Perpendicular Magnetic Recording (PMR) | 68.88 | USD | 278.3536 | C | 36 | 21861 |
| HDD-uri | Western Dig | HDD WDigital, 1 TB, 7200rpm, 8Mb, Serial-ATA II 300, WD10EAVS, Caviar Green, Perpendicular Magnetic Recording (PMR) | 75.152 | USD | 303.6992 | SL | 36 | 22522 |
| HDD-uri | Western Dig | HDD WDigital, 1 TB, 7200rpm, 64Mb, Serial-ATA III 6 Gb/s, WD1002FAEX, Caviar Black | 97.664 | USD | 394.6768 | S | 36 | 22400 |
| HDD-uri | Western Dig | HDD WDigital, 2 TB, 7200rpm, 32Mb, Serial-ATA II 300, WD20EADS, Caviar Green, Perpendicular Magnetic Recording (PMR) | 129.36 | USD | 522.76 | S | 36 | 19323 |
| HDD-uri | Western Dig | HDD WDigital, 2 TB, 7200rpm, 64Mb, Serial-ATA II 300, WD2001FASS, Caviar Black | 182.896 | USD | 739.1104 | C | 60 | 25906 |
| HDD-uri | Western Dig | HDD WDigital, 2 TB, 5400rpm, 64Mb, Serial-ATA II 300, WD20EARS, Caviar Green, Perpendicular Magnetic Recording (PMR) | 123.088 | USD | 497.4144 | S | 36 | 22402 |
| HDD-uri | Western Dig | HDD WDigital, 1 TB, 7200rpm, 16Mb, Serial-ATA II 300, WD1000FYPS, Enterprise RE2 Edition Green Power | 190.512 | USD | 769.888 | 0 | 60 | 12777 |
| HDD-uri | Western Dig | HDD WDigital, 150 GB, 10000rpm, 16Mb, Serial-ATA II 300, WD1500BLFS, VelociRaptor, Ideal pentru servere | 178.528 | USD | 721.4592 | C | 60 | 16949 |
| HDD-uri | Western Dig | HDD WDigital, 150 GB, 10000rpm, 16Mb, Serial-ATA II 300, WD1500HLFS, (si adaptor pt 3.5"), VelociRaptor, Ideal pentru servere | 160.048 | USD | 646.7776 | C | 60 | 17012 |
| HDD-uri | Western Dig | HDD WDigital, 1 TB, 7200rpm, 32Mb, Serial-ATA II 300, WD1002FBYS, Enterprise RE3 Edition | 143.696 | USD | 580.6976 | 0 | 60 | 25887 |
| HDD-uri | Western Dig | HDD WDigital, 2 TB, 7200rpm, 64Mb, Serial-ATA II 300, WD2002FYPS, Enterprise RE4 Edition Green Power | 253.232 | USD | 1023.355 | 0 | 60 | 25888 |
| HDD-uri | Western Dig | HDD WDigital, 2 TB, 7200rpm, 64Mb, Serial-ATA II 300, WD2003FYYS, Enterprise RE4 Edition | 311.36 | USD | 1258.253 | 0 | 60 | 25907 |
| HDD-uri | Western Dig | HDD WDigital, 300 GB, 10000rpm, 16Mb, Serial-ATA II 300, WD3000BLFS, VelociRaptor, Ideal pentru servere | 212.8 | USD | 859.9584 | 0 | 60 | 16948 |
| HDD-uri | Western Dig | HDD WDigital, 300 GB, 10000rpm, 16Mb, Serial-ATA II 300, WD3000HLFS, (si adaptor pt 3.5"), VelociRaptor, Ideal pentru servere | 194.88 | USD | 787.5392 | C - LIM | 60 | 17013 |
| HDD-uri | Western Dig | HDD WDigital, 450 GB, 10000rpm, 32Mb, Serial-ATA III 600, WD4500HLHX, IcePack Mounting Frame VelociRaptor | 281.68 | USD | 1138.312 | C | 60 | 25919 |
| HDD-uri | Western Dig | HDD WDigital, 600 GB, 10000rpm, 32Mb, Serial-ATA III 600, WD6000HLHX, IcePack Mounting Frame VelociRaptor | 306.768 | USD | 1239.694 | 0 | 60 | 25920 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 80 GB, 5400rpm, 8Mb, Ultra-ATA 100, WD800BEVE, (Notebook) | 57.904 | USD | 234.0016 | C | 36 | 8795 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 120 GB, 5400rpm, 8Mb, Ultra-ATA 100, WD1200BEVE, (Notebook) | 66.416 | USD | 268.3968 | 0 | 36 | 12340 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 160 GB, 5400rpm, 8Mb, Ultra-ATA 100, WD1600BEVE, (Notebook) | 72.8 | USD | 294.2016 | 0 | 36 | 10848 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 250 GB, 5400rpm, 8Mb, Ultra-ATA 100, WD2500BEVE, (Notebook) | 93.632 | USD | 378.3808 | SL | 36 | 11703 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 80 GB, 5400rpm, 8Mb, Serial-ATA II 300, WD800BEVT, (Notebook), Scorpio Blue | 46.816 | USD | 189.1904 | C | 36 | 16947 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 120 GB, 5400rpm, 8Mb, Serial-ATA II 300, WD1200BEVT, (Notebook), Scorpio Blue | 42.112 | USD | 170.184 | C | 36 | 16946 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 160 GB, 5400rpm, 8Mb, Serial-ATA II 300, WD1600BEVT, (Notebook), Scorpio Blue | 43.12 | USD | 174.2496 | SL | 36 | 16945 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 160 GB, 7200rpm, 16Mb, Serial-ATA II, WD1600BJKT, (Notebook), Scorpio Black, free fall sensor | 60.256 | USD | 243.4992 | 0 | 60 | 25889 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 1 TB, 5400rpm, 8Mb, Serial-ATA II 300, WD10TEVT, (Notebook), Scorpio Blue | 249.76 | USD | 1009.322 | 0 | 36 | 22401 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 250 GB, 5400rpm, 8Mb, Serial-ATA II 300, WD2500BEVT, (Notebook), Scorpio Blue | 43.12 | USD | 174.2496 | 0 | 36 | 16944 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 250 GB, 5400rpm, 8Mb, Serial-ATA II 300, WD2500BPVT, (Notebook), Scorpio Blue | 44.464 | USD | 179.6816 | 0 | 36 | 25917 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 250 GB, 7200rpm, 16Mb, Serial-ATA II, WD2500BEKT, (Notebook), Scorpio Black, Non-Free-Fall sensor | 53.312 | USD | 215.4432 | C | 60 | 25890 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 250 GB, 7200rpm, 16Mb, Serial-ATA II, WD2500BJKT(Notebook) | 65.184 | USD | 263.424 | 0 | 60 | 24737 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 320 GB, 5400rpm, 8Mb, Serial-ATA 150, WD3200BEVT, (Notebook) | 50.288 | USD | 203.224 | C | 36 | 12384 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 320 GB, 5400rpm, 8Mb, Serial-ATA II 300, WD3200BPVT, (Notebook), Scorpio Blue | 51.632 | USD | 208.656 | C | 36 | 25918 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 320 GB, 7200rpm, 16Mb, Serial-ATA II, WD3200BEKT, (Notebook), Scorpio Black | 61.488 | USD | 248.4832 | C | 36 | 25903 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 320 GB, 7200rpm, 16Mb, Serial-ATA II 300, WD3200BJKT, (Notebook), Scorpio Black | 73.92 | USD | 298.7264 | 0 | 60 | 25076 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 500 GB, 5400rpm, 8Mb, Serial-ATA II 300, WD5000BEVT, (Notebook), Scorpio Blue | 63.504 | USD | 256.6256 | S | 36 | 16943 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 500 GB, 5400rpm, 8Mb, Serial-ATA II 300, WD5000BPVT, (Notebook), Scorpio Blue | 62.72 | USD | 253.456 | 0 | 36 | 25921 |
| HDD-uri | Western Dig | HDD WDigital Scorpio 2.5, 750 GB, 5400rpm, 8Mb, Serial-ATA II 300, WD7500KEVT, (Notebook), Scorpio Blue | 169.792 | USD | 686.1568 | 0 | 36 | 25891 |
| HDD-uri | Western Dig | HDD WDigital 2.5, 1 TB, 5400rpm, Extern, USB 2.0, 8MB, 12ms, MY PASSPORT ESSENTIAL SE, Black, WDBABM010BBK | 155.008 | USD | 626.416 | 0 | 36 | 22543 |
| HDD-uri | Western Dig | HDD WDigital 2.5, 250 GB, 5400rpm, Extern, USB 2.0, WDBAAA2500ABK, My Passport Essential, Nu necesita alimentare externa, Black | 67.088 | USD | 271.1184 | C | 24 | 22410 |
| HDD-uri | Western Dig | HDD WDigital 2.5, 250 GB, 5400rpm, Extern, USB 2.0, WDBAAA2500ABL, My Passport Essential, Nu necesita alimentare externa, Light Blue | 84.896 | USD | 343.0784 | 0 | 24 | 22411 |
| HDD-uri | Western Dig | HDD WDigital 2.5, 250 GB, 5400rpm, Extern, USB 2.0, WDME2500TE, My Passport Essential, Nu necesita alimentare externa, Black | 56.56 | USD | 228.5696 | 0 | 24 | 13865 |

| | | | | | | | | |
|---------|-------------|---|---------|-----|----------|---------|----|-------|
| HDD-uri | Western Dig | HDD WDigital 2.5, 320 GB, 5400rpm, Extern, USB 2.0, WDBAA3200ABK, My Passport Essential, Nu necesita alimentare externa, Black | 66.416 | USD | 268.3968 | 0 | 24 | 22412 |
| HDD-uri | Western Dig | HDD WDigital 2.5, 320 GB, 5400rpm, Extern, USB 2.0, WDBAA3200ABL, My Passport Essential, Nu necesita alimentare externa, Light Blue | 66.416 | USD | 268.3968 | 0 | 24 | 22413 |
| HDD-uri | Western Dig | HDD WDigital 2.5, 320 GB, 5400rpm, Extern, USB 2.0, WDBAAC3200ACH, My Passport Elite, Include Docking Station, Nu necesita alimentare externa, Blue | 86.128 | USD | 348.0624 | C | 36 | 22414 |
| HDD-uri | Western Dig | HDD WDigital 2.5, 320 GB, 5400rpm, Extern, USB 2.0, WDME3200TE, My Passport Essential, Nu necesita alimentare externa, Black | 71.904 | USD | 290.5728 | 0 | 24 | 13866 |
| HDD-uri | Western Dig | HDD WDigital 2.5, 500 GB, 5400rpm, Extern, USB 2.0, 8MB, 12ms, BLACK MY PASSPORT ESSENTIAL Edition, WDBAA5000ABK | 86.24 | USD | 348.5104 | SL | 24 | 20838 |
| HDD-uri | Western Dig | HDD WDigital 2.5, 500 GB, 5400rpm, Extern, USB 2.0, 8MB, 12ms, WDBAA5000ABL, My Passport Essential (Pacific Blue) | 90.384 | USD | 365.2544 | SL | 24 | 25899 |
| HDD-uri | Western Dig | HDD WDigital 2.5, 500 GB, 5400rpm, Extern, USB 2.0, WDBAAC5000ACH, My Passport Elite, Include Docking Station, Nu necesita alimentare externa, Black | 98.112 | USD | 396.4912 | C | 36 | 22754 |
| HDD-uri | Western Dig | HDD WDigital 2.5, 500 GB, 5400rpm, Extern, USB 2.0, WDME5000TE, My Passport Essential, Nu necesita alimentare externa, Black | 96.88 | USD | 391.5072 | 0 | 24 | 19043 |
| HDD-uri | Western Dig | HDD WDigital 2.5, 640 GB, 5400rpm, Extern, USB 2.0, 8MB, 12ms, BLACK MY PASSPORT ESSENTIAL Edition, WDBAA6400ABK | 103.264 | USD | 417.3008 | S | 24 | 20413 |
| HDD-uri | Western Dig | HDD WDigital 2.5, 640 GB, 5400rpm, Extern, USB 2.0, WDBAAC6400ACH, My Passport Elite, Include Docking Station, Nu necesita alimentare externa, Black | 122.08 | USD | 493.3488 | C | 36 | 22755 |
| HDD-uri | Western Dig | HDD WDigital 2.5, 750 GB, 5400rpm, Extern, USB 2.0, 8MB, 12ms, MY PASSPORT ESSENTIAL SE, Black, WDBABM7500ABK | 115.472 | USD | 466.6368 | C | 24 | 20414 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 1.5 TB, 7200rpm, Extern, USB 2.0, 16MB, WDBAAF0015HBK, My Book Essential | 122.976 | USD | 496.9664 | 0 | 24 | 25893 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 1.5 TB, 7200rpm, Extern, USB 2.0, WDBAAH0015HCH, My Book Essential | 138.992 | USD | 561.6912 | 0 | 36 | 25894 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 1.5 TB, 7200rpm, Extern, USB 2.0, FireWire 800, WDBAAJ0015HSL, My Book Studio | 172.256 | USD | 696.1136 | 0 | 36 | 25902 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 1.5 TB, 7200rpm, Extern, Ethernet, WD11NC15000E, My Book World Edition | 190.624 | USD | 770.3472 | 0 | 36 | 25908 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 1 TB, 7200rpm, Extern, USB 3.0, WDBABP0010HCH, My Book 3.0, include USB 3.0 ADAPTOR | 178.416 | USD | 671.0112 | 0 | 24 | 25916 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 1 TB, 7200rpm, Extern, USB 2.0, 16MB, WDBAAF0010HBK, My Book Essential Edition | 106.736 | USD | 431.3344 | CALL | 24 | 21305 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 1 TB, 7200rpm, Extern, USB 2.0, WDBAAH0010HCH, My Book Elite | 110.768 | USD | 447.6304 | 0 | 36 | 25896 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 1 TB, 7200rpm, Extern, USB 2.0, FireWire 800, WDBAAJ0010HSL, My Book Studio | 135.296 | USD | 546.7504 | 0 | 36 | 25904 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 1 TB, 7200rpm, Extern, USB 3.0, WDBAAK0010HCH, My Book 3.0 | 159.936 | USD | 646.3296 | 0 | 24 | 25910 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 1 TB, 7200rpm, Extern, USB 2.0, WDBAAU0010HBK, Elements Desktop | 96.88 | USD | 391.5072 | C | 24 | 25909 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 1 TB, 7200rpm, Extern, Retea (Gigabit), 16Mb, WD11NC10000E, My Book World- New Edition | 153.776 | USD | 621.432 | 0 | 36 | 18475 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 2 TB, 7200rpm, Extern, USB 2.0, WDBAAF0020HBK, My Book Essential | 163.632 | USD | 661.2592 | C | 24 | 25897 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 2 TB, 7200rpm, Extern, USB 2.0, WDBAAH0020HCH, My Book Elite Edition | 182.112 | USD | 735.9408 | 0 | 36 | 21341 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 2 TB, 7200rpm, Extern, USB 2.0, FireWire 800, WDBAAJ0020HSL, My Book Studio | 209.104 | USD | 845.0176 | 0 | 36 | 25905 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 2 TB, 7200rpm, Extern, Retea (Gigabit), 16Mb, WD11NC20000E, My Book World- New Edition | 216.608 | USD | 875.3472 | C | 36 | 18476 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 2 TB, 7200rpm, Extern, Ethernet, WD2NC20000E, My Book World Edition II | 258.384 | USD | 1044.176 | 0 | 36 | 25892 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 2 TB, 7200rpm, Extern, USB 2.0, 16Mb, Firewire 800, es-ATA, WD2Q20000E, My Book2 Studio Edition II | 227.584 | USD | 919.6992 | 0 | 60 | 13983 |
| HDD-uri | Western Dig | NAS WDigital, 2 TB, 7200rpm, Extern, Retea, USB 2.0, RAID 0/1, Remote Access Software, WDA4NC20000E, Sherespace | 634.704 | USD | 2564.946 | 0 | 36 | 17145 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 4 TB, 7200rpm, Extern, Ethernet, WD2NC40000E, My Book World 2 | 490.56 | USD | 1982.434 | C | 36 | 20653 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 4 TB, 7200rpm, Extern, USB 2.0, eSATA, FireWire 800, FireWire 400, WD2H2Q40000E, My Book Studio Edition II | 449.008 | USD | 1814.512 | 0 | 36 | 25901 |
| HDD-uri | Western Dig | NAS WDigital, 4 TB, 7200rpm, Extern, Retea, USB 2.0, RAID 0/1, Remote Access Software, WDA4NC40000E, Sherespace | 571.984 | USD | 2311.478 | C - LIM | 36 | 17146 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 500 GB, 7200rpm, Extern, USB 2.0, WDBAAF5000EBK, My Book Essential | 81.648 | USD | 329.952 | S | 24 | 25898 |
| HDD-uri | Western Dig | HDD WDigital 3.5, 750 GB, 7200rpm, Extern, USB 2.0, WDBAAF7500EBK, My Book Essential | 103.376 | USD | 417.76 | 0 | 24 | 25900 |
| HDD-uri | Western Dig | NAS WDigital, 8 TB, 7200rpm, Extern, Retea, USB 2.0, RAID 0/1, Remote Access Software, WDA4NC80000E, Sherespace | 1106.56 | USD | 4471.79 | C | 36 | 22404 |
| HDD-uri | Seagate | HDD Seagate, 80 GB, 7200rpm, 8Mb, Serial-ATAII 300, ST380818AS, Baracuda 7200.10, with NCQ | 39.76 | USD | 160.6752 | C | 36 | 8346 |
| HDD-uri | Seagate | HDD Seagate, 160 GB, 7200rpm, 8Mb, Serial-ATAII 300, ST3160318AS, Baracuda 7200.12, with NCQ | 40.32 | USD | 162.9376 | C | 36 | 22049 |
| HDD-uri | Seagate | HDD Seagate, 250 GB, 7200rpm, 8Mb, Serial-ATAII 300, ST3250318AS, Baracuda 7200.12, with NCQ | 40.992 | USD | 165.6592 | C | 36 | 19393 |
| HDD-uri | Seagate | HDD Seagate, 320 GB, 7200rpm, 16Mb, Serial-ATAII 300, ST3320418AS, Baracuda 7200.12, with NCQ, Perpendicular Recording | 44.128 | USD | 178.3264 | S | 36 | 20192 |
| HDD-uri | Seagate | HDD Seagate, 320 GB, 7200rpm, 16Mb, Serial-ATAII 300, ST3320613AS, Baracuda 7200.11, with NCQ, Perpendicular Recording | 44.128 | USD | 178.3264 | 0 | 36 | 13595 |
| HDD-uri | Seagate | HDD Seagate, 500 GB, 7200rpm, 16Mb, Serial-ATAII 300, ST3500418AS, Baracuda 7200.12, with NCQ, Perpendicular Recording | 44.8 | USD | 181.048 | S | 36 | 17736 |
| HDD-uri | Seagate | HDD Seagate, 250 GB, 7200rpm, 32Mb, Serial-ATAII 300, Barracuda ES.2 ST3250310NS, recomandat pentru servere. | 78.176 | USD | 315.9184 | 0 | 60 | 20444 |
| HDD-uri | Seagate | HDD Seagate, 500 GB, 7200rpm, 32Mb, Serial-ATAII 300, ST3500320NS, Baracuda ES.2, with NCQ, Perpendicular Recording | 107.52 | USD | 434.504 | 0 | 60 | 10341 |
| HDD-uri | Seagate | HDD Seagate, 750 GB, 7200rpm, 32Mb, Serial-ATAII 300, ST3750528AS, Baracuda 7200.12, with NCQ, Perpendicular Recording | 61.152 | USD | 247.128 | C | 36 | 19046 |
| HDD-uri | Seagate | HDD Seagate, 1 TB, 7200rpm, 32Mb, Serial-ATAII 300, ST31000340NS, Baracuda ES.2, with NCQ, Perpendicular Recording | 183.232 | USD | 740.4656 | 0 | 60 | 10368 |
| HDD-uri | Seagate | HDD Seagate, 1 TB, 5900rpm, 32Mb, Serial-ATAII 300, ST31000520AS, Baracuda LP 5900.12 with NCQ, Low Power | 67.088 | USD | 271.1184 | C - LIM | 36 | 21210 |
| HDD-uri | Seagate | HDD Seagate, 1 TB, 7200rpm, 32Mb, Serial-ATAII 300, ST31000528AS, Baracuda 7200.12, Tunneling Magnetoresistive (TMR) technology, Perpendicular Recording | 69.104 | USD | 279.2608 | S | 36 | 18698 |
| HDD-uri | Seagate | HDD Seagate, 1.5 TB, 7200rpm, 32Mb, Serial-ATAII 300, ST31500341AS, Baracuda 7200.11, PMR technology, Perpendicular Recording | 93.072 | USD | 376.1184 | C | 36 | 16266 |
| HDD-uri | Seagate | HDD Seagate, 2 TB, 5900rpm, 32Mb, Serial-ATAII 300, ST32000542AS, Baracuda 5900.12 | 120.512 | USD | 487.0096 | C - LIM | 36 | 26718 |
| HDD-uri | Seagate | HDD Seagate, 2 TB, 7200rpm, 64Mb, Serial-ATAIII 600, ST32000641AS, Baracuda XT, with NCQ | 236.096 | USD | 954.1056 | 0 | 36 | 26719 |
| HDD-uri | Seagate | HDD Seagate Cheetah, 73.4 Gb, 15000rpm, 16Mb, Ultra320 SCSI, ST3734655LC, Perpendicular Recording | 215.824 | USD | 872.1776 | 0 | 60 | 14745 |
| HDD-uri | Seagate | HDD Seagate Cheetah, 146.8 Gb, 15000rpm, 16Mb, Ultra320 SCSI, ST3146855LC, Perpendicular Recording | 295.008 | USD | 1192.173 | 0 | 60 | 14747 |
| HDD-uri | Seagate | HDD Seagate Cheetah, 146.8 Gb, 15000rpm, 16Mb, SAS 3Gb/s, ST3146356SS, Perpendicular Recording | 173.6 | USD | 701.5456 | C | 60 | 21102 |
| HDD-uri | Seagate | HDD Seagate Cheetah, 300 Gb, 15000rpm, 16Mb, Ultra320 SCSI, ST3300655LC, Perpendicular Recording | 514.64 | USD | 2079.739 | 0 | 60 | 14749 |
| HDD-uri | Seagate | HDD Seagate Cheetah, 300 Gb, 15000rpm, 16Mb, SAS 3Gb/s, ST3300655SS, Perpendicular Recording | 510.944 | USD | 2064.81 | C | 60 | 14750 |
| HDD-uri | Seagate | HDD Seagate Constellation ES, 1 TB, 7200rpm, 32Mb, Serial ATA II-300, ST31000524NS | 184.016 | USD | 743.6352 | 0 | 60 | 26008 |
| HDD-uri | Seagate | HDD Seagate Constellation ES, 500 Gb, 7200rpm, 32Mb, Serial ATA II-300, 3.5", ST3500514NS | 107.968 | USD | 436.3184 | S | 60 | 26773 |
| HDD-uri | Seagate | HDD Seagate Momentus 2.5, 160 GB, 5400.6, 8Mb, Serial-ATA 2, ST9160314AS | 43.456 | USD | 175.616 | C | 36 | 20610 |
| HDD-uri | Seagate | HDD Seagate Momentus 2.5, 250 GB, 7200.4rpm, 16Mb, Serial-ATA 300, ST9250410ASG, G Force Protection, (Notebook) | 56 | USD | 226.3072 | 0 | 36 | 20881 |
| HDD-uri | Seagate | HDD Seagate Momentus 2.5, 500 GB, 5400.5rpm, 8Mb, Serial-ATA II- 300, ST9500325AS, (Notebook) | 65.856 | USD | 266.1344 | C - LIM | 36 | 23538 |
| HDD-uri | Seagate | HDD Seagate Momentus 2.5, 500 GB, 7200.4rpm, 16Mb, Serial-ATA 300, ST9500420AS, NCQ, (Notebook) | 72.24 | USD | 291.928 | C | 36 | 21863 |
| HDD-uri | Seagate | HDD Seagate Momentus 2.5, 500 GB, 7200.4rpm, 16Mb, Serial-ATA 300, ST9500420ASG, G Force Protection, NCQ, (Notebook) | 78.4 | USD | 316.8256 | C | 36 | 19319 |
| HDD-uri | Seagate | HDD Seagate FreeAgent Desktop 2, 3.5, 500 GB, 7200rpm, 16Mb, Extern, USB 2.0, ST305004FDD2E1-RK, Necesita alimentare externa (cablu USB2.0 si adaptor AC include) | 81.648 | USD | 329.952 | 0 | 60 | 16014 |
| HDD-uri | Seagate | HDD Seagate External Desktop 3.5,1.5 TB, 7200rpm, Extern, USB 2.0, Black, ST315005EXD101-RK | 118.608 | USD | 479.3152 | S | 24 | 25330 |
| HDD-uri | Seagate | HDD Seagate FreeAgent GO2 2.5", 1 TB 5400rpm, 16Mb, Extern, USB 2.0, Black, ST910004FAD2E1-RK | 162.96 | USD | 658.5488 | 0 | 60 | 25039 |
| HDD-uri | Seagate | HDD Seagate External Desktop 3.5,1.0 TB, 7200rpm, Extern, USB 2.0, Black, ST310005EXD101-RK | 92.288 | USD | 372.9488 | S | 24 | 22684 |

| | | | | | | | | |
|---------|-----------|---|---------|-----|----------|------|----|-------|
| HDD-uri | Seagate | HDD Seagate FreeAgent 3.5", 1 TB, 7200rpm, 32MB, Extern, USB 2.0, Argintiu, ST310005FDD2E1-RK | 105.28 | USD | 425.4544 | 0 | 36 | 19721 |
| HDD-uri | Seagate | HDD Seagate Expansion, 2.5, 320GB, 5400 rpm, 8MB, USB 2.0, negru, ST903204EXD101-RK | 82.432 | USD | 333.1216 | 0 | 24 | 25695 |
| HDD-uri | Toshiba | HDD NB Toshiba 250GB, 2.5" SATA2, 5400rpm, 8MB, MKxx65GSX Series, "Ramp-Load" Technology, Shock sensor circuit | 46.48 | USD | 187.8352 | C | 36 | 25075 |
| HDD-uri | Toshiba | HDD NB Toshiba 320GB, 2.5" SATA2, 5400rpm, 8MB, MKxx65GSX Series, "Ramp-Load" Technology, Shock sensor circuit | 50.96 | USD | 205.9344 | C | 36 | 24448 |
| HDD-uri | Toshiba | HDD NB Toshiba 500GB, 2.5" SATA2, 5400rpm, 8MB, MKxx65GSX Series, "Ramp-Load" Technology, Shock sensor circuit | 66.528 | USD | 268.8448 | C | 36 | 25077 |
| HDD-uri | Toshiba | HDD NB Toshiba 640GB, 2.5" SATA2, 5400rpm, 8MB, MKxx65GSX Series, "Ramp-Load" Technology, Shock sensor circuit | 83.104 | USD | 335.832 | C | 36 | 25078 |
| HDD-uri | Toshiba | HDD Toshiba Ext. 320GB 2.5" Portable drive, USB2.0, 5400rpm, Store Art series, Black, Pre-installed with award-winning McAfee Internet Security (trial version), No AC adapter needed | 56.448 | EUR | 298.6704 | C | 24 | 20071 |
| HDD-uri | Toshiba | HDD Toshiba Ext. 640GB 2.5" Portable drive, USB2.0, 5400rpm, Store Art series, Black, Pre-installed with award-winning McAfee Internet Security (trial version), No AC adapter needed | 81.648 | EUR | 432.0064 | C | 24 | 25084 |
| HDD-uri | Toshiba | HDD Toshiba Ext. 1,5TB 3.5" Portable drive, StorE Art Series, USB2.0 7200rpm, Fanless design for silent operation, Stylish high-gloss finish, black | 98.672 | EUR | 522.0768 | C | 24 | 25006 |
| HDD-uri | Toshiba | HDD Toshiba Ext. 1TB 2.5" Portable drive, StoreArt series, USB2.0, 5400rpm, Store Art 3, NTI BackupNOW EZ software, 256-bit data encryption, password protection, USB Powered, Black | 127.456 | EUR | 674.3744 | 0 | 24 | 25008 |
| HDD-uri | Toshiba | HDD Toshiba Ext. 1TB 3.5" Portable drive, Store Alu Series, USB2.0 7200rpm, Aluminium Case, advanced heat dissipation system, Pre-installed with award-winning McAfee® Internet Security (trial version) | 72.128 | EUR | 381.64 | S | 24 | 20069 |
| HDD-uri | Toshiba | HDD Toshiba Ext. 2TB 3.5" Portable drive, StorE Alu2, USB2.0, 7200rpm, Aluminium Case, Silver | 138.656 | EUR | 733.6448 | 0 | 24 | 25958 |
| HDD-uri | Toshiba | HDD Toshiba Ext. 500GB 2.5" Portable drive, USB2.0, 5400rpm, Store Art series, Black, Pre-installed with award-winning McAfee Internet Security (trial version), No AC adapter needed | 71.456 | EUR | 378.0784 | C | 24 | 20072 |
| HDD-uri | Toshiba | HDD Toshiba Ext. 750GB 2.5" Portable drive, StoreArt series, USB2.0, 5400rpm, Store Art 3, NTI BackupNOW EZ software, 256-bit data encryption, password protection, USB Powered, Blue | 95.088 | EUR | 503.1152 | C | 24 | 25007 |
| HDD-uri | RPC | HDD RPC Ext. 250GB 2.5" Portable drive, USB2.0, Smooth Aluminum casing, Operates directly with USB power, Silver, with Samsung 2.5" 5400rpm hard drive, Bundle software Bitdefender Internet Security 3 months trial | 52.304 | USD | 211.3664 | C | 24 | 25009 |
| HDD-uri | Prestigio | Hdd Extern Prestigio PDS1BLACK320E, Data Safe I, 2.5" 320GB Serial ATA II-300 USB 2.0 (max 480 Mbps), Black/Silver | 80.528 | USD | 325.4272 | SL | 24 | 23103 |
| HDD-uri | Prestigio | Hdd Extern Prestigio PDS1BLACK500E, Data Safe I, 2.5" 500GB Serial ATA II-300 USB 2.0 (max 480 Mbps), Black | 101.696 | USD | 410.9728 | 0 | 24 | 23104 |
| HDD-uri | Prestigio | Hdd Extern Prestigio, PDS2BK640 Data Safe II 2.5" 640GB SATA 5400rpm USB 2.0 (max 480 Mbps), Black | 147.168 | USD | 594.7312 | SL | 24 | 23129 |
| HDD-uri | Prestigio | Hdd Extern Prestigio PMSDS2SATABROWN500, Data Safe II, 2.5" 500GB SATA USB 2.0 with Drivers, Brown | 126 | USD | 509.1856 | 0 | 24 | 23142 |
| HDD-uri | Prestigio | Hdd Extern Prestigio PDR1RD320, DataRacer I, 2.5" 320GB Serial ATA II-300 5400rpm USB2.0/eSATA (max 3000 Mbps), Black/Red | 113.344 | USD | 458.0464 | SL | 24 | 23102 |
| HDD-uri | Prestigio | Hdd Extern Prestigio PDR1RD500, DataRacer I, 2.5", 500GB, Extern, USB 2.0/eSATA, Black/Red | 142.912 | USD | 577.528 | 0 | 24 | 26360 |
| HDD-uri | Prestigio | Hdd Extern Prestigio PDR2RD320, DataRacer II, 2.5" 320GB Serial ATA II-300 5400rpm USB2.0/eSATA (max 3000 Mbps), Black/Red | 122.864 | USD | 496.5184 | SL | 24 | 23100 |
| HDD-uri | Prestigio | Hdd Extern Prestigio PDR2RD500, Data Racer II, 2.5, 500 GB, Extern, USB 2.0/eSATA, S-ATA, Retail, Nu necesita alimentare externa, Red-Black | 127.008 | USD | 513.2624 | 0 | 24 | 22135 |
| HDD-uri | Prestigio | Hdd Extern Prestigio PDR3RD1TB, DataRacer III, 3.5" 1TB Serial ATA II-300 7200rpm USB2.0/eSATA, Black/Red | 141.904 | USD | 573.4512 | 0 | 24 | 23098 |
| HDD-uri | Prestigio | Hdd Extern Prestigio PDR3RD2TB, DataRacer III, 3.5", 2TB, USB2.0/eSATA, Black/Red | 242.48 | USD | 979.8992 | SL | 24 | 23101 |
| HDD-uri | LaCie | LaCie d2 Network 2, 1.5TB, 1xGBLAN, 68MB/s, Gigabit Ethernet, USB, eSATA, ACPowered (301505) | 215.264 | EUR | 1138.984 | C | 36 | 25935 |
| HDD-uri | LaCie | LaCie d2 Network 2, 1TB, 1xGBLAN, 68MB/s, Gigabit Ethernet, USB, eSATA, ACPowered (301504) | 171.024 | EUR | 904.904 | C | 36 | 25934 |
| HDD-uri | LaCie | LaCie d2 Network 2, 2TB, 1xGBLAN, 68MB/s, Gigabit Ethernet, USB, eSATA, ACPowered (301506) | 240.576 | EUR | 1272.902 | 0 | 36 | 25936 |
| HDD-uri | LaCie | LaCie d2 Quadra v2.1, 1TB, 7200rpm, 16MB Cache, USB 2.0, FireWire 400, 2xFireWire 800, eSATA, AC Powered (301442EK) | 133.28 | EUR | 705.1968 | 0 | 24 | 19177 |
| HDD-uri | LaCie | LaCie Ethernet Disk, 1TB, 7200rpm, 8MB Cache, GBLAN, Windows XP Embedded, VIA C7 1GHz, 256DDR, Porturi: 4xUSB 2.0, 1xVGA, 2xPSII, ACPowered (301297EK) | 275.072 | EUR | 1455.429 | C | 24 | 19169 |
| HDD-uri | LaCie | LaCie Ethernet Disk, 2TB, 7200rpm, 16MB Cache, GBLAN, Windows XP Embedded, VIA C7 1GHz, 256DDR, 4xUSB 2.0, 1xVGA, 1xKB, 1xMOUSE, ACPowered (301298EK) | 462.896 | EUR | 2449.216 | C | 24 | 19170 |
| HDD-uri | LaCie | LaCie Little Disk, 250GB, 5400rpm, 8MB Cache, FireWire 400 & USB 2.0, USBPowered (301282) | 59.36 | EUR | 314.0816 | C | 24 | 19171 |
| HDD-uri | LaCie | LaCie Quadra, 1TB, Design by Neil Poulton, USB 2.0, eSATA, FireWire 400, FireWire 800, AC Powered (301881EK) | 107.296 | EUR | 567.7168 | 0 | 24 | 22160 |
| HDD-uri | LaCie | LaCie Mobile Rugged, 250GB, 5400rpm, 8MB Cache, USB 2.0, FireWire 400, FireWire 800, BusPowered(301291) | 86.352 | EUR | 456.8928 | C | 24 | 19158 |
| HDD-uri | LaCie | LaCie Mobile Rugged, 320GB, 5400rpm, 8MB Cache, USB 2.0, FireWire 400, FireWire 800, BusPowered(301832) | 92.288 | EUR | 488.2976 | 0 | 24 | 19159 |
| HDD-uri | LaCie | LaCie Mobile Rugged, 320GB, 5400rpm, 8MB Cache, USB 2.0, BusPowered(301833) | 70 | EUR | 370.3728 | C | 24 | 19157 |
| HDD-uri | LaCie | LaCie Mobile Rugged, 500GB, 5400rpm, 8MB Cache, USB 2.0, FireWire 400, FireWire 800, BusPowered(301371) | 121.408 | EUR | 642.376 | 0 | 24 | 19160 |
| HDD-uri | A-Data | HDD A-Data NH03 1.5TB, Extern, 3.5", USB, 7200rpm, SuperSpeed USB 3.0, software de accelerare a vitezei TurboHDD USB (+10MB/s), Buton backup, Buton On/Off, posibilitate criptare 256-bit AES, viteza transfer pana la 5GB/s, Sistem avansat de disipare a caldurii, alimentator, cablu USB 3.0 | 156.688 | USD | 633.2032 | C | 36 | 25788 |
| HDD-uri | A-Data | HDD A-Data NH03 1TB, Extern, 3.5", USB, 7200rpm, SuperSpeed USB 3.0, software de accelerare a vitezei TurboHDD USB (+10MB/s), Buton backup, Buton On/Off, posibilitate criptare 256-bit AES, viteza transfer pana la 5GB/s, Sistem avansat de disipare a caldurii, alimentator, cablu USB 3.0 | 111.552 | USD | 450.8 | C | 36 | 25787 |
| HDD-uri | A-Data | HDD A-Data CH94 250GB, Extern, 2.5", USB, 5400rpm, 8Mb, Nu necesita alimentare externa, black | 54.432 | USD | 219.968 | S | 36 | 21769 |
| HDD-uri | A-Data | HDD A-Data SH93 320GB, Extern, 2.5", USB, 5400rpm, 8Mb, Nu necesita alimentare externa, waterproof and shock resistant, Yellow | 65.296 | USD | 263.872 | C | 36 | 26345 |
| HDD-uri | A-Data | HDD A-Data NH01 320GB, Extern, 2.5", USB, 5400rpm, pana la 88MB/s citire si 81 MB/S scriere, interfata USB 3.0, de 3 ori mai rapid decat USB 2.0, alimentare din USB, cablu USB 3.0 inclus, download gratuit HDDtoGO, OStoGO, Norton Internet Security 2010 (trial 60 zile), Black | 69.104 | USD | 279.2608 | CALL | 36 | 25784 |
| HDD-uri | A-Data | HDD A-Data CH94 320GB, Extern, 2.5", USB, 5400rpm, 8Mb, Nu necesita alimentare externa, black | 58.464 | USD | 236.264 | S | 36 | 21770 |
| HDD-uri | A-Data | HDD A-Data CH94 320GB, Extern, 2.5", USB, 5400rpm, 8Mb, Nu necesita alimentare externa, white | 59.808 | USD | 241.696 | C | 36 | 22248 |
| HDD-uri | A-Data | HDD A-Data NH01 500GB, Extern, 2.5", USB, 5400rpm, pana la 88MB/s citire si 81 MB/S scriere, interfata USB 3.0, de 3 ori mai rapid decat USB 2.0, alimentare din USB, cablu USB 3.0 inclus, download gratuit HDDtoGO, OStoGO, Norton Internet Security 2010 (trial 60 zile), Black | 85.008 | USD | 343.5264 | C | 36 | 25785 |
| HDD-uri | A-Data | HDD A-Data CH94 500GB, Extern, 2.5", USB, 5400rpm, 8Mb, Nu necesita alimentare externa, black | 73.696 | USD | 297.8192 | M | 36 | 21771 |
| HDD-uri | A-Data | HDD A-Data SH93 500GB, Extern, 2.5", USB, 5400rpm, 8Mb, Nu necesita alimentare externa, water & shock resistant, chilli pepper red | 78.4 | USD | 316.8256 | C | 36 | 22824 |
| HDD-uri | A-Data | HDD A-Data SH93 500GB, Extern, 2.5", USB, 5400rpm, 8Mb, Nu necesita alimentare externa, water & shock resistant, Yellow | 79.072 | USD | 319.5472 | C | 36 | 26346 |
| HDD-uri | A-Data | HDD A-Data NH01 640GB, Extern, 2.5", USB, 5400rpm, pana la 88MB/s citire si 81 MB/S scriere, interfata USB 3.0, de 3 ori mai rapid decat USB 2.0, alimentare din USB, cablu USB 3.0 inclus, download gratuit HDDtoGO, OStoGO, Norton Internet Security 2010 (trial 60 zile), Black | 98.224 | USD | 396.9392 | C | 36 | 25786 |
| HDD-uri | A-Data | HDD A-Data CH94 640GB, Extern, 2.5", USB, 5400rpm, 8Mb, Nu necesita alimentare externa, black | 85.008 | USD | 343.5264 | S | 36 | 23585 |
| HDD-uri | LG | HDD LG XD5 HXD5U50GLS 320GB, Extern, 2.5", USB, 5400rpm, 8Mb, Nu necesita alimentare externa, black | 72.128 | USD | 291.48 | C | 24 | 22794 |

| | | | | | | | | |
|---------|-------------|---|---------|-----|----------|---|----|-------|
| HDD-uri | LG | HDD LG XD2 HXD2U50PW 500GB, Extern, 2.5", USB, 5400rpm, 8Mb, Nu necesita alimentare externa, Pearl White, carcasa aluminiu, protectie anti-soc | 96.544 | USD | 390.152 | C | 24 | 22796 |
| HDD-uri | LG | HDD LG XD5 HXD5U50GLS 500GB, Extern, 2.5", USB, 5400rpm, 8Mb, Nu necesita alimentare externa, black | 94.304 | USD | 381.1024 | C | 24 | 22795 |
| HDD-uri | TeamGroup | Hdd Extern Team TP1021-500G2B 500GB, 2.5", USB, 5400rpm, 8Mb, Black, Nu necesita alimentare externa | 76.832 | USD | 310.4864 | 0 | 24 | 26319 |
| HDD-uri | TeamGroup | Hdd Extern Team TP1021-500G2B 500GB, 2.5", USB, 5400rpm, 8Mb, White, Nu necesita alimentare externa | 76.832 | USD | 310.4864 | C | 24 | 26550 |
| HDD-uri | TeamGroup | Hdd Extern Team TP1022-500S 500GB, 2.5", USB, 5400rpm, 8Mb, Nu necesita alimentare externa | 71.008 | USD | 286.9552 | M | 24 | 23364 |
| HDD-uri | A-Data | HDD A-Data 64GB, Solid-State Drive (SSD) 300 Series, 2.5", Intern, S-ATAII | 147.84 | USD | 597.4416 | C | 24 | 18444 |
| HDD-uri | A-Data | HDD A-Data 128GB, Solid-State Drive (SSD) 300 Series, 2.5", Intern, S-ATAII | 249.872 | USD | 1009.77 | C | 24 | 19555 |
| HDD-uri | TeamGroup | HDD TeamGroup 32GB Solid-State Drive (SSD), TG032GS25AC1S, S-ATAII, 2.5", Mini USB, Read: 145MB/s, Retail, Combo | 175.84 | USD | 710.5952 | C | 24 | 26312 |
| HDD-uri | Western Dig | HDD WDigital 128GB Solid-State Drive (SSD), SSC-D0128SC-2500, SATA 3GB/s, 2.5", read:240MB/s, write: 140MB/s, pt Server | 1501.02 | USD | 6065.875 | 0 | 60 | 25911 |
| HDD-uri | Western Dig | HDD WDigital 256GB Solid-State Drive (SSD), SSC-D0256SC-2100, SATA 3GB/s, 2.5", read:250MB/s, write: 170MB/s, pt Desktop | 850.08 | USD | 3435.309 | 0 | 36 | 25912 |
| HDD-uri | Western Dig | HDD WDigital 32GB Solid-State Drive (SSD), SSC-D0032SC-2500, SATA 3GB/s, 2.5", read:240MB/s, write: 140MB/s, pt Server | 411.824 | USD | 1664.242 | 0 | 60 | 25913 |
| HDD-uri | Western Dig | HDD WDigital 64GB Solid-State Drive (SSD), SSC-D0064SC-2100, SATA 3GB/s, 2.5", read:250MB/s, write: 170MB/s, pt Deskto | 174.048 | USD | 703.36 | 0 | 36 | 25915 |
| HDD-uri | Western Dig | HDD WDigital 64GB Solid-State Drive (SSD), SSC-D0064SC-2500, SATA 3GB/s, 2.5", read:240MB/s, write: 140MB/s, pt Server | 787.472 | USD | 3182.301 | 0 | 60 | 25914 |
| HDD-uri | Western Dig | HDD WDigital 128GB Solid-State Drive (SSD), SSC-D0128SC-2100, SATA 3GB/s, 2.5", read:250MB/s, write: 170MB/s, pt Desktop | 299.152 | USD | 1208.917 | 0 | 36 | 23879 |
| HDD-uri | Intel | HDD Intel X25-M, SATA, Solid-State Drive (SSD), 160GB, SATA2, 2.5", Intern, MLC, High Performance, 34nm | 503.888 | USD | 2036.294 | C | 36 | 25815 |
| HDD-uri | Intel | HDD Intel X25-M, SATA, Solid-State Drive (SSD), 40GB, SATA2, 2.5", Intern, MLC, 34nm | 119.728 | USD | 483.84 | 0 | 36 | 25814 |
| HDD-uri | Intel | HDD Intel X25-V, SATA, Solid-State Drive (SSD), 40GB, SATA2, 2.5", MLC, High Performance | 119.168 | USD | 481.5776 | 0 | 36 | 22492 |
| HDD-uri | Intel | HDD Intel X25-M, SATA, Solid-State Drive (SSD), 80GB, 2.5", SATA2, MLC, High Performance, pentru Desktop, notebook, and read-intensive server applications, Kit Retail, Contine: SSD, Kit instalare de la 2.5" la 3.5", suruburi, Gen 2 | 239.008 | USD | 965.8656 | 0 | 36 | 22127 |
| HDD-uri | Corsair | HDD Corsair 32GB Solid-State Drive (SSD) CMFSSD-32D1, 2.5", SATA2, Read/Write 220/130 MB/s, Cache 64MB, MTBF: 1.000.000 h | 161.392 | USD | 652.2096 | C | 24 | 26177 |
| HDD-uri | Corsair | HDD Corsair 32GB Solid-State Drive (SSD) CSSD-V32GB2-BRKT, 2.5", SATA2, Read/Write 195/70 MB/s, Cache 64MB, Includes 2.5" to 3.5" bracket for use in desktop systems | 102.592 | USD | 414.5904 | C | 24 | 26191 |
| HDD-uri | Corsair | HDD Corsair 40GB Solid-State Drive (SSD) CSSD-F40GB2, 2.5", SATA2, Read/Write 280/270 MB/s | 145.376 | USD | 587.4848 | 0 | 24 | 26185 |
| HDD-uri | Corsair | HDD Corsair 60GB Solid-State Drive (SSD) CSSD-F60GB2-BRKT, 2.5", SATA2, Read/Write 285/275 MB/s, bracket 2.5" la 3.5" inclus | 181.664 | USD | 734.1376 | C | 24 | 26186 |
| HDD-uri | Corsair | HDD Corsair 64GB Solid-State Drive (SSD) CMFSSD-64D1, 2.5", SATA2, Read/Write 220/135 MB/s, MTBF: 1.000.000 h | 282.128 | USD | 1140.126 | C | 24 | 26178 |
| HDD-uri | Corsair | HDD Corsair 64GB Solid-State Drive (SSD) CMFSSD-64GBG2D, 2.5", SATA2, Read/Write 220/200 MB/s, MTBF: 1.000.000 h | 229.712 | USD | 928.3008 | 0 | 24 | 26181 |
| HDD-uri | Corsair | HDD Corsair 64GB Solid-State Drive (SSD) CSSD-V64GB2-BRKT, 2.5", SATA2, Read/Write 215/130 MB/s, Cache 64MB | 158.144 | USD | 639.0832 | C | 24 | 26192 |
| HDD-uri | Corsair | HDD Corsair 80GB Solid-State Drive (SSD) CSSD-F80GBP2-BRKT, 2.5", SATA2, Read/Write 285/275 MB/s, bracket 2.5" la 3.5" inclus | 266.112 | USD | 1075.402 | C | 24 | 26187 |
| HDD-uri | Corsair | HDD Corsair 120GB Solid-State Drive (SSD) CSSD-F120GB2-BRKT, 2.5", SATA2, Read/Write 285/275 MB/s, bracket 2.5" la 3.5" inclus | 340.928 | USD | 1377.746 | C | 24 | 26188 |
| HDD-uri | Corsair | HDD Corsair 128GB Solid-State Drive (SSD) CMFSSD-128D1, 2.5", SATA2, Read/Write 240/170 MB/s, Cache 64MB, MTBF: 1.000.000 h | 544.992 | USD | 2202.402 | C | 24 | 26179 |
| HDD-uri | Corsair | HDD Corsair 128GB Solid-State Drive (SSD) CMFSSD-128GBG2D, 2.5", SATA2, Read/Write 220/200 MB/s, MTBF: 1.000.000 h | 443.52 | USD | 1792.336 | C | 24 | 26182 |
| HDD-uri | Corsair | HDD Corsair 128GB Solid-State Drive (SSD) CSSD-V128GB2-BRKT, 2.5", SATA2, Read/Write 215/195 MB/s, Cache 64MB | 304.528 | USD | 1230.645 | C | 24 | 26193 |
| HDD-uri | Corsair | HDD Corsair 160GB Solid-State Drive (SSD) CSSD-F160GBP2-BRKT, 2.5", SATA2, Read/Write 285/275 MB/s, bracket 2.5" la 3.5" inclus | 522.592 | USD | 2111.883 | C | 24 | 26189 |
| HDD-uri | Corsair | HDD Corsair 240GB Solid-State Drive (SSD) CSSD-F240GB2-BRKT, 2.5", SATA2, Read/Write 285/275 MB/s, bracket 2.5" la 3.5" inclus | 714.896 | USD | 2889.006 | C | 24 | 26190 |
| HDD-uri | Corsair | HDD Corsair 256GB Solid-State Drive (SSD) CMFSSD-256D1, 2.5", SATA2, Read/Write 240/170 MB/s, MTBF: 1.000.000 h | 935.088 | USD | 3778.835 | C | 24 | 26180 |
| HDD-uri | Corsair | HDD Corsair 256GB Solid-State Drive (SSD) CMFSSD-256GBG2D, 2.5", SATA2, Read/Write 220/200 MB/s, MTBF: 1.000.000 h | 860.272 | USD | 3476.491 | C | 24 | 26183 |
| HDD-uri | Corsair | HDD Corsair 256GB Solid-State Drive (SSD) CSSD-V256GB2-BRKT, 2.5", SATA2, Read/Write 250/195 MB/s, Cache 64MB, Includes 2.5" to 3.5" bracket for use in desktop systems | 721.28 | USD | 2914.811 | C | 24 | 26194 |
| HDD-uri | Corsair | HDD Corsair 512GB Solid-State Drive (SSD) CSSD-P512GB3, 3.5", SATA2, Read/Write 200/240 MB/s, Cache 128MB | 1815.63 | USD | 7337.254 | C | 24 | 26184 |
| HDD-uri | Kingston | HDD Kingston 128GB Solid-State Drive (SSD) SNV425-S2/128GB, SSDNow V-Series SATA2 2.5" | 260.4 | USD | 1052.318 | 0 | 36 | 24874 |
| HDD-uri | Kingston | HDD Kingston 128GB Solid-State Drive (SSD) SNV425-S2BD/128GB, SSDNow V-Series SATA2 2.5" Desktop Bundle | 272.608 | USD | 1101.654 | 0 | 36 | 24876 |
| HDD-uri | Kingston | HDD Kingston 128GB Solid-State Drive (SSD) SNVP325-S2/128GB, SSDNow V-Series V+ SATA2 2.5" | 320.992 | USD | 1297.184 | C | 36 | 22681 |
| HDD-uri | Kingston | HDD Kingston 128GB Solid-State Drive (SSD) SNVP325-S2B/128GB, SSDNow V-Series V+ SATA2 2.5", w/Bundled Desktop Upgrade Kit | 333.088 | USD | 1346.061 | 0 | 36 | 24879 |
| HDD-uri | Kingston | HDD Kingston (Intel X25-M SATA Solid-State Drive)160GB, SSDNow M Series, 2.5", Intern, SATA2 | 473.2 | USD | 1912.277 | C | 36 | 24882 |
| HDD-uri | Kingston | HDD Kingston 256GB Solid-State Drive (SSD) SNVP325-S2B/256GB, SSDNow V-Series V+ SATA2 2.5", w/Bundled Desktop Upgrade Kit | 769.216 | USD | 3108.526 | 0 | 36 | 24880 |
| HDD-uri | Kingston | HDD Kingston 30GB Solid-State Drive (SSD) SNV125-S2/30GB, SSDNow V-Series SATA2 2.5" | 92.96 | USD | 375.6704 | C | 36 | 24871 |
| HDD-uri | Kingston | HDD Kingston 30GB Solid-State Drive (SSD) SNV125-S2BD/30GB, SSDNow V-Series SATA2 2.5" Desktop Bundle | 99.12 | USD | 400.5568 | C | 36 | 24872 |
| HDD-uri | Kingston | HDD Kingston (Intel X25-E SATA Solid-State Drive) 32GB, SSDNow E Series, 2.5", Intern, S-ATA2 | 424.032 | USD | 1713.578 | 0 | 36 | 18318 |
| HDD-uri | Kingston | HDD Kingston 512GB Solid-State Drive (SSD) SNVP325-S2B/512GB, SSDNow V-Series V+ SATA2 2.5", w/Bundled Desktop Upgrade Kit | 1562.74 | USD | 6315.266 | 0 | 36 | 24881 |
| HDD-uri | Kingston | HDD Kingston 64GB Solid-State Drive (SSD) SNV125-S2BN/64GB, SSDNow V-Series SATA2 2.5", w/Bundled Notebook Upgrade Kit | 137.648 | USD | 556.2592 | 0 | 36 | 22183 |
| HDD-uri | Kingston | HDD Kingston 64GB Solid-State Drive (SSD) SNV425-S2/64G, SSDNow V-Series SATA2 2.5" | 142.912 | USD | 577.528 | 0 | 36 | 24873 |
| HDD-uri | Kingston | HDD Kingston 64GB Solid-State Drive (SSD) SNV425-S2BD/64G, SSDNow V-Series SATA2 2.5" Desktop Bundle | 158.816 | USD | 641.8048 | C | 36 | 24875 |
| HDD-uri | Kingston | HDD Kingston 64GB Solid-State Drive (SSD) SNVP325-S2/64GB, SSDNow V-Series V+ SATA2 2.5" | 187.824 | USD | 759.024 | 0 | 36 | 24877 |
| HDD-uri | Kingston | HDD Kingston 64GB Solid-State Drive (SSD) SNVP325-S2B/64GB, SSDNow V-Series V+ SATA2 2.5", w/Bundled Desktop Upgrade Kit | 199.92 | USD | 807.912 | 0 | 36 | 24878 |
| HDD-uri | Kingston | HDD Kingston 80GB Solid-State Drive (SSD), SSDNow M-Series SATA2 2.5" | 227.248 | USD | 918.344 | C | 36 | 21538 |
| HDD-uri | TeamGroup | HDD Team TG0128GS25AC1M, Combo SSD 128GB Team MLC SATA 2, citire: 140-170MB/s, scriere: 80-100MB/s, miniUSB, 2.5" | 326.144 | USD | 1318.005 | 0 | 24 | 22605 |
| HDD-uri | TeamGroup | HDD Team TG0032GS25AC1M, Combo SSD 32GB Team MLC SATA 2, citire: 140-170MB/s, scriere: 80-100MB/s, miniUSB, 2.5" | 138.656 | USD | 560.336 | 0 | 24 | 22603 |
| HDD-uri | TeamGroup | HDD Team TG0064GS25AC1M, Combo SSD 64GB Team MLC SATA 2, citire: 140-170MB/s, scriere: 80-100MB/s, miniUSB, 2.5" | 202.608 | USD | 818.776 | 0 | 24 | 22604 |
| HDD-uri | TeamGroup | HDD Team TG120GS25A02M, Xtream G1-type SSD 120GB Team MLC SATA 2, citire: 260MB/s, scriere: 180MB/s, 2.5", built in 64Mb SDRAM | 389.984 | USD | 1575.986 | 0 | 24 | 22607 |

| | | | | | | | | |
|-----------------------|-----------|---|---------|-----|----------|------|----|-------|
| HDD-uri | TeamGroup | HDD Team TG120GS25A03M, Xtream G1-type SSD 250GB Team MLC SATA 2, citire: 260MB/s, scriere: 180MB/s, 2.5", built in 64Mb SDRAM | 878.528 | USD | 3550.277 | 0 | 24 | 22608 |
| HDD-uri | TeamGroup | HDD Team TG060GS25AG1M, Xtream G1-type SSD 60GB Team MLC SATA 2, citire: 260MB/s, scriere: 180MB/s, 2.5", built in 64Mb SDRAM | 205.856 | USD | 831.9024 | 0 | 24 | 22606 |
| HDD-uri | TeamGroup | HDD Team TG250GS25A02M, Xtream R-type SSD 120GB Team MLC SATA 2, citire: 240MB/s, scriere: 170MB/s, 2.5", support Raid 0 | 443.072 | USD | 1790.522 | 0 | 24 | 22609 |
| HDD-uri | TeamGroup | HDD Team TG250GS25A03M, Xtream R-type SSD 250GB Team MLC SATA 2, citire: 240MB/s, scriere: 170MB/s, 2.5", support Raid 0 | 872.032 | USD | 3524.024 | 0 | 24 | 22610 |
| HDD-uri | TeamGroup | HDD Team TG060G-S25AG1M, Xtream S1-type SSD 60GB Team MLC SATA 2, citire: 280MB/s, scriere: 270MB/s, 2.5", Controller Sandforce SF1222 | 225.344 | USD | 910.6496 | 0 | 24 | 26609 |
| HDD-uri | Mushkin | HDD Mushkin 60GB Solid-State Driver (SSD) MKNSSDCL60GB-DX, 2.5", SATA 300/SATA 2, controller SandForce SF-1200, citire 285MB/s, scriere 275MB/s, 50.000 IOPS, NAND Type: MLC, Callisto Deluxe | 208.544 | USD | 842.7552 | 0 | 36 | 26629 |
| FDD-uri | | | | | | | | |
| FDD-uri | NEC | FDD NEC, 3.5", Black | 9.968 | USD | 40.2864 | 0 | 12 | 862 |
| FDD-uri | Alps | FDD ALPS, 3.5", Black | 9.7888 | USD | 39.5584 | 0 | 12 | 1837 |
| FDD-uri | Sony | FDD SONY, 3.5", Black | 8.0416 | USD | 32.5024 | 0 | 24 | 2765 |
| FDD-uri | Mitsumi | FDD Extern Mitsumi, 3.5", 1.44 Mb, USB 1.1 | 23.856 | USD | 96.4096 | S | 12 | 13851 |
| FDD-uri | Nec | FDD Extern Nec, 3.5", 1.44 Mb, USB 1.1, UF0002S-102/108 | 23.968 | USD | 96.8576 | 0 | 12 | 1190 |
| FDD-uri | Sony | FDD Extern Sony, 3.5", USB 1.1, MPF82EU31Y2 | 27.104 | USD | 109.536 | 0 | 12 | 12988 |
| Unitati optice | | | | | | | | |
| Unitati optice | LiteOn | DVD+/-RW Lite-On IHAS124-19, 24X, Serial-ATA, Negru, Bulk | 18.592 | USD | 75.1296 | S | 24 | 25459 |
| Unitati optice | LG | DVD LG DH16NS30, 20x/52x, Serial-ATA, Bulk, Black | 12.432 | EUR | 65.7776 | 0 | 24 | 22760 |
| Unitati optice | LG | DVD+/-RW LG GH22LP20, 22X, Ultra-ATA, Negru, Bulk, Lightscribe | 21.392 | EUR | 113.1872 | C | 24 | 16920 |
| Unitati optice | LG | DVD+/-RW LG GH22NP20, 22X, Ultra-ATA, Negru, Bulk | 17.472 | EUR | 92.4448 | CALL | 24 | 15408 |
| Unitati optice | LG | DVD+/-RW LG GH22LP20R, 22X, Ultra-ATA, Negru, Retail, Lightscribe | 22.736 | EUR | 120.2992 | S | 24 | 18225 |
| Unitati optice | LG | DVD+/-RW LG GH22NP20R, 22X, Ultra-ATA, Negru, Retail | 20.384 | EUR | 107.856 | C | 24 | 18224 |
| Unitati optice | LG | DVD+/-RW LG GH22LS50, 22X, Serial-ATA, Bulk, Dual Layer, Black, Lightscribe | 19.6 | EUR | 103.7008 | S | 24 | 22051 |
| Unitati optice | LG | DVD+/-RW LG GH22NS50, 22X, Serial-ATA, Bulk, Dual Layer, Black | 16.576 | EUR | 87.7072 | M | 24 | 19612 |
| Unitati optice | LG | DVD+/-RW LG GH22LS50R, 22X, Serial-ATA, Bulk, Dual Layer, Black, Lightscribe | 21.392 | EUR | 113.1872 | C | 24 | 22763 |
| Unitati optice | LG | DVD+/-RW LG GH22NS50R, 22X, Serial-ATA, Retail, Dual Layer, Black | 18.032 | EUR | 95.4128 | S | 24 | 22761 |
| Unitati optice | LG | DVD+/-RW LG GH24NS50R, 24X, Serial-ATA, Retail, Dual Layer, Black | 20.048 | EUR | 106.0752 | C | 24 | 22762 |
| Unitati optice | LG | DVD+/-RW LG GH22NS40, 22X, Serial-ATA, Negru, Bulk | 16.576 | EUR | 87.7072 | 0 | 24 | 17306 |
| Unitati optice | LG | DVD+/-RW LG GE20LU11, 20X, Extern, USB2.0, Retail, Lightscribe, Black | 39.648 | EUR | 209.776 | S | 24 | 22767 |
| Unitati optice | LG | DVD+/-RW LG GE20NU11, 20X, Extern, USB2.0, Retail, Black | 37.744 | EUR | 199.7072 | C | 24 | 22766 |
| Unitati optice | LG | DVD+/-RW LG GP08LU10, 8X, Extern, USB2.0, Retail, Slim, Lightscribe | 45.92 | EUR | 242.9616 | 0 | 24 | 18229 |
| Unitati optice | LG | DVD+/-RW LG GP08LU11, 8X, Extern, USB2.0, Retail, Slim, Lightscribe, Black | 44.24 | EUR | 234.08 | C | 24 | 22765 |
| Unitati optice | LG | DVD+/-RW LG GP08NU6B, 8X, Extern, USB2.0, Retail, Slim, Black | 38.528 | EUR | 203.8512 | C | 24 | 26317 |
| Unitati optice | LG | Blu-Ray Reader LG CH10LS20B, 10X Blu-Ray reader, HD-DVD reader 3x, DVD+/-RW 16x, Serial-ATA, Negru, Bulk, Lightscribe | 76.944 | EUR | 407.12 | C | 24 | 22769 |
| Unitati optice | LG | Blu-Ray Reader LG CH08LS10, 8X Blu-Ray reader, HD-DVD reader 3x, DVD+/-RW 16x, Serial-ATA, Negru, Retail, Lightscribe | 76.944 | EUR | 407.12 | C | 24 | 21519 |
| Unitati optice | LG | Blu-Ray Reader LG CH10LS20, 10X Blu-Ray reader, HD-DVD reader 3x, DVD+/-RW 16x, Serial-ATA, Negru, Retail, Lightscribe | 80.84 | EUR | 426.6752 | 0 | 24 | 22768 |
| Unitati optice | LG | Blu-Ray Writer LG BH08LS30B, SATA, 8x BD-R Read Speed, 3x HD DVD Read Speed, 16x DVD Write Speed, Bulk, Lightscribe, Black | 132.72 | EUR | 702.2288 | S | 24 | 22770 |
| Unitati optice | LG | Blu-Ray Writer LG BH10LS30, SATA, 10x BD-R Read Speed, 3x HD DVD Read Speed, 16x DVD Write Speed, Retail, Lightscribe, Black | 144.256 | EUR | 763.2688 | CALL | 24 | 22771 |
| Unitati optice | LG | Blu-Ray Writer LG BE06LU10, Extern, USB2.0, LightScribe, Retail | 196 | EUR | 1037.053 | 0 | 24 | 17303 |
| Unitati optice | LG | Blu-Ray Writer LG BE08LU20, Extern, USB2.0 si eSATA, Black and White Stylish, DVD Rewriter 16X, Blu-Ray Rewriter 8X, Retail. | 198.464 | EUR | 1050.09 | C | 24 | 21939 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc AD-5240S-0B, 24X, Serial-ATA, Bulk, Black | 19.824 | USD | 80.1136 | C | 24 | 20644 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc AD-5240S-0S, 24X, Serial-ATA, Bulk, Silver, Dual Layer | 19.264 | USD | 77.8512 | S | 24 | 25046 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc AD-7240S-0B, 24X, Serial-ATA, Bulk, Black, Multi Writer | 26.544 | USD | 107.2736 | C | 24 | 20847 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc AD-7241S-0B, 24X, Serial-ATA, Bulk, Black, Dual Layer, RAM, Lightscribe | 23.408 | USD | 94.5952 | C | 24 | 25049 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc AD-7241S-0S, 24X, Serial-ATA, Bulk, Silver, Dual Layer, RAM, Lightscribe | 23.408 | USD | 94.5952 | C | 24 | 25050 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc AD-7243S-0B, 24X, Serial-ATA, Bulk, Black, Dual Layer, RAM, Labelflash | 23.408 | USD | 94.5952 | C | 24 | 25051 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc AD-7243S-0S, 24X, Serial-ATA, Bulk, Silver, Dual Layer, RAM, Labelflash | 23.408 | USD | 94.5952 | C | 24 | 25052 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc AD-7670S-01, 8X, Serial-ATA, Slim Dual Layer, RAM 5X, Slot In, Bulk, Black | 52.864 | USD | 213.6288 | C | 24 | 25055 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc AD-7700S-01, 8X, Serial-ATA, Slim Dual Layer, RAM 5X, Tray Load, Bulk, Black | 35.616 | USD | 143.9312 | CALL | 24 | 25053 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc AD-7703S-01, 8X, Serial-ATA, Slim Dual Layer, RAM 5X, Tray Load, Labelflash, Bulk, Black | 37.744 | USD | 152.5328 | C | 24 | 25054 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc AD-7930H-01, 8X, Serial-ATA, SuperSlim(9.5mm), RAM, Drawer Disc Loading, Bulk, Black | 87.36 | USD | 353.0352 | 0 | 24 | 25056 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc DRU-870S, 24X, Serial-ATA, Dual Layer, RAM, LightScribe, Retail, Black | 24.864 | USD | 100.4752 | C | 24 | 25048 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc DRU-875S, 24X, Serial-ATA, Dual Layer, RAM, LightScribe, Retail, Black | 28.56 | USD | 115.416 | C | 24 | 23950 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc DRX-S70U-W, 8X, USB 2.0, Tray load, Retail, Black, Slim, EXTERN | 60.928 | USD | 246.2208 | 0 | 24 | 25057 |
| Unitati optice | Sony | DVD+/-RW Sony Optiarc DRX-S70U-WW, 8X, USB 2.0, Tray load, Retail, White, Slim, EXTERN | 60.928 | USD | 246.2208 | C | 24 | 25058 |
| Unitati optice | Samsung | DVD Samsung SH-D163B/BEBE, 16X, Serial-ATA, Negru, Bulk | 11.872 | EUR | 62.8208 | 0 | 24 | 18196 |
| Unitati optice | Samsung | DVD Samsung SH-D163C/BEBE, 16X, Serial-ATA, Negru, Bulk | 11.76 | EUR | 62.2272 | 0 | 24 | 21964 |
| Unitati optice | Samsung | DVD+/-RW Samsung SH-S222A/RSMN, 22X, Ultra-ATA, Fete de schimb: Bej & Negru & Argintiu, Retail | 18.256 | EUR | 96.5888 | 0 | 24 | 18198 |
| Unitati optice | Samsung | DVD+/-RW Samsung SH-S222L/BEWE, 22X, Ultra-ATA, Lightscribe, Alb, Bulk | 18.032 | EUR | 95.4128 | 0 | 24 | 21257 |
| Unitati optice | Samsung | DVD+/-RW Samsung SH-S222A/BEBE, 22X, Ultra-ATA, Negru, Bulk | 15.68 | EUR | 82.9696 | 0 | 24 | 21252 |
| Unitati optice | Samsung | DVD+/-RW Samsung SH-S222L/BEBE, 22X, Ultra-ATA, Lightscribe, Negru, Bulk | 18.032 | EUR | 95.4128 | C | 24 | 21256 |
| Unitati optice | Samsung | DVD+/-RW Samsung SH-S222L/RSMN, 22X, Ultra-ATA, Lightscribe, Fete de schimb: Bej & Negru & Argintiu, Retail | 20.384 | EUR | 107.856 | C | 24 | 25042 |
| Unitati optice | Samsung | DVD+/-RW Samsung SH-S223L/BEWE, 22X, Serial-ATA, Lightscribe, Alb, Bulk | 18.032 | EUR | 95.4128 | 0 | 24 | 21259 |
| Unitati optice | Samsung | DVD+/-RW Samsung SH-S223C/BEBE, 22X, Serial-ATA, Negru, Bulk | 14.784 | EUR | 78.2208 | S | 24 | 21254 |
| Unitati optice | Samsung | DVD+/-RW Samsung SH-S223L/BEBE, 22X, Serial-ATA, Lightscribe, Negru, Bulk | 18.144 | EUR | 96.0064 | C | 24 | 19651 |
| Unitati optice | Samsung | DVD+/-RW Samsung SH-S223C/RSMN, 22X, Serial-ATA, Fete de schimb: Bej & Negru & Argintiu, Retail | 18.256 | EUR | 96.5888 | 0 | 24 | 26318 |
| Unitati optice | Samsung | DVD+/-RW Samsung SH-S223L/RSMN, 22X, Serial-ATA, Lightscribe, Fete de schimb: Bej & Negru & Argintiu, Retail | 20.384 | EUR | 107.856 | C | 24 | 25817 |
| Unitati optice | Samsung | DVD+/-RW Samsung SH-S223C/BESE, 22X, Serial-ATA, Silver, Bulk | 15.568 | EUR | 82.376 | 0 | 24 | 25040 |

| | | | | | | | | |
|--------------------|--------------|---|---------|-----|----------|----|----|-------|
| Unitati optice | Samsung | DVD+-RW Samsung SN-S083C/BEBE, 8X, Serial-ATA, Negru, Bulk, Slim for notebooks | 30.128 | EUR | 159.4096 | 0 | 24 | 21261 |
| Unitati optice | Samsung | DVD+-RW Samsung SN-T083C/BEBE, 8X, Serial-ATA, Negru, Bulk, Slim for notebooks, SLOT IN 12 cm | 49.504 | EUR | 261.9344 | C | 24 | 25818 |
| Unitati optice | Samsung | Blu-Ray Reader Samsung SH-B123L/BSBP, 12x, Serial-ATA, Lightscribe, Bulk, Black | 79.744 | EUR | 421.9264 | 0 | 24 | 25821 |
| Unitati optice | Samsung | Blu-Ray Reader Samsung SH-B123L/BSBP, 12x, Serial-ATA, Lightscribe, Retail, Black | 86.128 | EUR | 455.7056 | C | 24 | 25822 |
| Unitati optice | Samsung | DVD+-RW Samsung SE-T084P/RSSF, 8X, Extern USB2.0, Lightscribe, Silver, Retail, Slim, SLOT IN 12cm / 8cm media | 53.872 | EUR | 285.04 | C | 24 | 25819 |
| Unitati optice | Samsung | DVD+-RW Samsung SE-S084C/USBS, 8X, Extern USB2.0, Negru, Retail, limited edition (includes free Pouch) | 43.008 | EUR | 227.5616 | C | 24 | 21965 |
| Unitati optice | Samsung | Nero Express Software w/o Dolby, cod SH-ANREE | 1.624 | EUR | 8.5904 | C | 1 | 25045 |
| Unitati optice | Lenovo | DVD+-RW Lenovo 41N556, Extern USB, Super Multi-Burner Drive with Lightscribe | 196 | USD | 792.064 | C | 12 | 23955 |
| Unitati optice | Lenovo | DVD+-RW Lenovo 43N3214 ThinkPad DVD Burner Ultrabay, Slim, S-ATA (T400/500 and X200 Ultrabase, W500/700) | 224 | USD | 905.2176 | 0 | 12 | 23956 |
| Unitati optice | Asus | DVD ASUS DVD-E818A4-B, 18X48X, Serial-ATA, Negru, Retail | 16.8 | USD | 67.8944 | C | 24 | 24943 |
| Unitati optice | Asus | DVD ASUS DVD-E818A6T-B, 18X48X, Serial-ATA, Negru, Retail | 16.8 | USD | 67.8944 | C | 24 | 24944 |
| Unitati optice | Asus | DVD ASUS SDRW-08B1S-U/B, 8x Exernal Slim, USB2.0, Retail, Black | 40.096 | USD | 162.0304 | 0 | 24 | 26313 |
| Unitati optice | Asus | DVD ASUS SDRW-08B1S-U/W, 8x Exernal Slim, USB2.0, Retail, White | 40.096 | USD | 162.0304 | C | 24 | 26314 |
| Unitati optice | Asus | DVD+-RW ASUS EXT. SDRW-08D1S-U/B 8xDVDRW - Exernal Slim, Black, Retail | 59.584 | USD | 240.7888 | C | 24 | 20331 |
| Unitati optice | Asus | DVD+-RW ASUS EXT. SDRW-08D1S-U/W 8xDVDRW - Exernal Slim, White, Retail | 59.584 | USD | 240.7888 | C | 24 | 20330 |
| Unitati optice | Asus | DVD+-RW ASUS EXT. SDRW-08D2S-U/B - Exernal Slim, Black, Retail, USB2.0, elegant design | 62.16 | USD | 251.1936 | C | 24 | 26315 |
| Unitati optice | Asus | DVD+-RW ASUS EXT. SDRW-08D2S-U/W - Exernal Slim, White, Retail, USB2.0, elegant design | 62.16 | USD | 251.1936 | C | 24 | 26316 |
| Unitati optice | Asus | DVD+-RW ASUS IDE DRW-22B2L/B+W 22xDVDRW + Lightscribe Dual Panel(Black+White) Retail | 29.008 | USD | 117.2304 | S | 24 | 20325 |
| Unitati optice | Asus | DVD+-RW ASUS IDE DRW-22B2L/B+W/G/AS, IDE, 22xDVDRW + Lightscribe Dual Panel (Black+White) Retail. | 30.464 | USD | 123.1104 | S | 24 | 21940 |
| Unitati optice | Asus | DVD+-RW ASUS IDE DRW-22B2L/BLK/B/AS, IDE, 22xDVDRW + Lightscribe Black Bulk. | 26.88 | USD | 108.6288 | S | 24 | 22147 |
| Unitati optice | Asus | DVD+-RW ASUS IDE DRW-22B2S-B 22xDVDRW Black Bulk | 27.216 | USD | 109.984 | S | 24 | 22491 |
| Unitati optice | Asus | DVD+-RW ASUS IDE DRW-22B2S-B 22xDVDRW Black Retail | 27.216 | USD | 109.984 | S | 24 | 20324 |
| Unitati optice | Asus | DVD+-RW ASUS S-ATA DRW-24B1LT/B 24xDVDRW SATA + Lightscribe, Bulk | 26.992 | USD | 109.0768 | S | 24 | 21918 |
| Unitati optice | Asus | DVD+-RW ASUS S-ATA DRW-24B1LT/B+W 24xDVDRW SATA + Lightscribe Dual Panel(Black+White) Retail | 28 | USD | 113.1536 | S | 24 | 20328 |
| Unitati optice | Asus | DVD+-RW ASUS S-ATA DRW-24B1ST-B 24xDVDRW Black Retail SATA | 26.544 | USD | 107.2736 | S | 24 | 20327 |
| Unitati optice | Asus | DVD+-RW Asus DRW-24B1ST-BULK-B, 24X, Serial-ATA, Negru, Bulk | 25.312 | USD | 102.2896 | S | 24 | 20643 |
| Unitati optice | Asus | BLU-RAY COMBO ASUS EXT. SBC-06D1S-U/B, Slim, Retail, Black | 188.72 | USD | 762.6528 | C | 24 | 24947 |
| Unitati optice | Asus | BLU-RAY COMBO ASUS S-ATA BC-08B1ST-B, Retail, Black | 85.232 | USD | 344.4336 | C | 24 | 20335 |
| Unitati optice | Asus | BLU-RAY COMBO ASUS S-ATA BC-08B1LT/BLK/B, Lightscribe, Retail, Black | 103.6 | USD | 418.6672 | C | 24 | 23735 |
| Unitati optice | Asus | BLU-RAY COMBO ASUS S-ATA BC-08B1LT/BLK/G, Lightscribe, Retail, Black, Cyberlink Power2Go 6+PowerDVD 9 | 122.976 | USD | 496.9664 | C | 24 | 23736 |
| Unitati optice | Asus | BLU-RAY READER ASUS S-ATA BR-04B2T-B, Black, Retail | 83.104 | USD | 335.832 | C | 24 | 20332 |
| Unitati optice | Pliextor | DVD+-RW Pliextor PX-880SA, 24x, SATA, Black, Lightscribe, PlexERASE technology, retail | 47.712 | USD | 192.808 | 0 | 24 | 26879 |
| Unitati optice | NEC | DVD+-RW NEC AD-7173A LabelFlash 18x8x16x/18x6x/8x8x/12x12x/48x32x48x Ultra-ATA Bulk | 38.416 | USD | 155.2432 | 0 | 24 | 7697 |
| Unitati optice | NEC | DVD+-RW Nec AD-5170A, 18X, Ultra-ATA, Negru, Bulk | 33.04 | USD | 133.5152 | 0 | 24 | 7696 |
| Unitati optice | NEC | DVD+-RW NEC ND-4571A/GNB8X16X8X15X - 48X32X48X, Ultra-ATA BULK Dual Layer BLACK | 41.664 | USD | 168.3696 | 0 | 24 | 4051 |
| Unitati optice | NEC | DVD+-RW NEC ND-7173S18x8x16x/18x6x/8x8x/12x12x/48x32x48x, Serial ATA-150, Black, Bulk | 35.728 | USD | 144.3792 | 0 | 24 | 8284 |
| Unitati optice | NEC | DVD+-RW Nec AD-7170A, 18x6x16x - 18x8x - 8x12x - 48x32x48x, Ultra-ATA, Bulk Black | 35.168 | USD | 142.1168 | 0 | 24 | 9880 |
| Unitati optice | NEC | DVD+-RW Nec AD-7173A, LabelFlash, 18x8x16x - 18x6x - 8x8x - 12x12x - 48x32x48x, Ultra-ATA, Bulk Black | 35.728 | USD | 144.3792 | 0 | 24 | 8282 |
| Placi video | | | | | | | | |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce 8400GS PCI-EX16 256MB DDR2 64bit, 450/800MHz, DVI/TV-out, HDTV, HDCP ready, HDTV cable | 29.12 | USD | 117.6784 | S | 24 | 9465 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce 8400GS PCI-EX16 256MB DDR2 64bit, 567/700MHz, DVI/TV-out, Heatsink, HDTV, HDCP ready, HDTV cable | 29.12 | USD | 117.6784 | S | 24 | 25804 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce 8400GS PCI-EX16 512MB DDR2 64bit, 567/700MHz, DVI/TV-out, Heatsink, HDTV, HDCP ready, HDTV cable | 34.384 | USD | 138.9472 | S | 24 | 25805 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce 8400GS PCI-EX16 512MB DDR2 64bit, 450/800MHz, DVI/TV-out, HDTV, HDCP ready, HDTV cable | 34.384 | USD | 138.9472 | S | 24 | 11762 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce 9500GT Super PCI-EX2.0 1024MB DDR2 128bit | 57.68 | USD | 233.0944 | C | 24 | 15496 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce 9500GT Super PCI Express 2.0 512MB DDR2 128bit, 550/800MHz, DVI/TV-out, HDTV, HDCP ready, Dual-link DVI, SLI Ready, Heatsink | 48.048 | USD | 194.1744 | C | 24 | 15495 |
| Placi video | Palit Daytor | VC PALIT Nvidia Geforce 9800GT Green Super+ PCI Express 2.0 1024MB DDR3 256bit, 550/1800MHz, CRT/DVI, Fan Cooler, HDCP, HDMI on board, Dual-link DVI, SLI ready, HDTV cable, DVI adapter, power cable | 112.224 | USD | 453.5104 | M | 24 | 24526 |
| Placi video | Palit Daytor | VC PALIT Nvidia Geforce 9800GT Green PCI Express 2.0 512MB DDR3 256bit, 550/1800MHz, CRT/DVI, Fan Cooler, HDCP, HDMI on board, Dual Dual-link DVI, SLI ready, HDTV cable, DVI adapter, power cable | 96.32 | USD | 389.2448 | SL | 24 | 24525 |
| Placi video | Palit Daytor | VC PALIT Nvidia Geforce G210 PCI Express 2.0, 1024MB DDR2, 128bit, 589/800Mhz, CRT /DVI , Fan Cooler, Dual-link DVI,VGA, NVIDIA PureVideo HD, Dual-link HDCP | 57.232 | USD | 231.28 | SL | 24 | 23990 |
| Placi video | Palit Daytor | VC PALIT Nvidia Geforce 210 PCI Express 2.0, 512MB DDR2 64bit, 589/800MHz, CRT /DVI /HDMI, Dual-link DVI, Low Profile, Fan Cooler | 42.896 | USD | 173.3536 | 0 | 24 | 26301 |
| Placi video | Palit Daytor | VC PALIT Nvidia Geforce GT220 PCI Express 2.0 1024MB DDR2 128bit, 635/800MHz, CRT/ DVI, Fan Cooler, Dual-link DVI, VGA, Dual-link HDCP | 68.768 | USD | 277.9056 | 0 | 24 | 24519 |
| Placi video | Palit Daytor | VC PALIT Nvidia Geforce GT220 PCI Express 2.0 1024MB DDR3 128bit, 635/1580MHZ, CRT/ DVI/ HDMI, Fan Cooler, Dual-link DVI, VGA, HDMI 1.3a output, Dual-link HDCP | 76.272 | USD | 308.224 | S | 24 | 24520 |
| Placi video | Palit Daytor | VC PALIT Nvidia Geforce GT220 PCI Express 2.0 512MB DDR2 128bit, 635/800 Mhz, CRT/ DVI, Fan Cooler, Dual-link DVI, VGA, Dual-link HDCP | 58.24 | USD | 235.3568 | 0 | 24 | 25002 |
| Placi video | Palit Daytor | VC PALIT Nvidia Geforce GT220 Sonic PCI Express 2.0 512MB GDDR3 128bit, 650/1800Mhz, CRT/ DVI /HDMI, Fan Cooler, Dual-link DVI, VGA, HDMI 1.3a output, Dual-link HDCP | 64.064 | USD | 258.888 | 0 | 24 | 24518 |
| Placi video | Palit Daytor | VC PALIT Nvidia Geforce GT240 PCI Express 2.0 1024MB TC DDR3 128bit, 550/1580 Mhz, CRT/ DVI /HDMI, Dual-link DVI, Fan Cooler | 95.312 | USD | 385.168 | 0 | 24 | 24523 |
| Placi video | Palit Daytor | VC PALIT Nvidia Geforce GT240 PCI Express 2.0 1024MB TC DDR5 128bit 550/3400 Mhz, CRT/ DVI /HDMI, Dual-link DVI, Fan Cooler | 98.448 | USD | 397.8464 | SL | 24 | 24524 |
| Placi video | Palit Daytor | VC PALIT Nvidia Geforce GT240 PCI Express 2.0 1024MB TC DDR2 128bit 550/800 Mhz, CRT/ DVI, Fan Cooler, Nvidia Starcraft II Coupon | 76.272 | USD | 308.224 | 0 | 24 | 26302 |
| Placi video | Palit Daytor | VC PALIT Nvidia Geforce GT240 Sonic PCI Express 2.0, 1024MB TC DDR5, 128bit, 585/3780 Mhz, CRT/ DVI /HDMI,VGA, Dual-link DVI, Fan Cooler | 95.312 | USD | 385.168 | 0 | 24 | 23991 |
| Placi video | Palit Daytor | VC PALIT Nvidia Geforce GT240 PCI Express 2.0 512MB TC DDR3 128bit, 550/1800 Mhz, CRT/ DVI /HDMI, Dual-link DVI, Fan Cooler | 76.832 | USD | 310.4864 | 0 | 24 | 24521 |
| Placi video | Palit Daytor | VC PALIT Nvidia Geforce GT240 PCI Express 2.0 512MB TC DDR5 128bit, 550/3400 Mhz, CRT/ DVI /HDMI, Dual-link DVI, Fan Cooler | 82.096 | USD | 331.7664 | 0 | 24 | 24522 |

| | | | | | | | | |
|-------------|--------------|--|---------|-----|----------|---------|----|-------|
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce GTS250 E-Green PCI Express 2.0 512MB DDR3 256bit, 675/1800MHz, CRT/DVI, Fan Cooler, HDCP, HDMI, Dual-link DVI, SLI support, Extremely Green Extra Power Saving | 110.096 | USD | 444.92 | M | 24 | 24527 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce GTS250 E-Green PCI Express 2.0 1024MB DDR3 256bit, 675/1800MHz, CRT/DVI, Fan Cooler, HDCP, HDMI, Dual-link DVI, SLI support, Extremely Green Extra Power Saving | 127.12 | USD | 513.7104 | SL | 24 | 24529 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce GTS450 PCI Express 2.0 1024MB DDR5 128bit, 783/1804MHz, DVI/HDMI/CRT, Fan Cooler, SLI Ready, 3D Vision Support | 141.904 | USD | 573.4512 | 0 | 24 | 26982 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce GTS450 Sonic PCI Express 2.0 1024MB DDR5 128bit, 880/1950MHz, Dual-DVI/HDMI/CRT, Fan Cooler, SLI Ready, 3D Vision Support | 147.168 | USD | 594.7312 | 0 | 24 | 26983 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce GTS450 Sonic Platinum PCI Express 2.0 1024MB DDR5 128bit, 930/2000MHz, Dual-DVI/HDMI/CRT, Fan Cooler, SLI Ready, 3D Vision Support | 168.336 | USD | 680.2768 | 0 | 24 | 26984 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce GTX460 Sonic PCI Express 2.0 1024MB DDR5 256bit, 700/3600 MHz, Dual DVI/ HDMI/VGA, Dual Fan Cooler, Palit Design, DirectX11, Dual-link DVI | 248.864 | USD | 1005.704 | C | 24 | 25004 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce GTX460 Sonic Platinum PCI Express 2.0 1024MB DDR5 256bit, 800/4000 MHz, Dual DVI/ HDMI/VGA, Dual Fan Cooler, Palit Design, DirectX11, Dual-link DVI | 276.416 | USD | 1117.043 | C | 24 | 25005 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce GTX460 PCI Express 2.0 768MB DDR5 192bit, 675/3600 MHz, DVI/ HDMI/VGA, Dual Fan Cooler, Palit Design, DirectX11, Dual-link DVI | 185.36 | USD | 749.0672 | C | 24 | 25003 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce GTX460 Sonic PCI-EX2.0 2048MB DDR5 256bit, 700/3600 MHz, DVI/ HDMI/VGA, Dual Fan Cooler, Palit Design, DirectX11, Dual-link DVI, Nvidia Starcraft II Coupon | 283.808 | USD | 1146.914 | C | 24 | 26303 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce GTX465, PCI-Express 2.0 1024MB DDR5 (256bit), 607/3206 MHz, Dual Dvi/Display Port/ HDMI, Quiet and Cool Thermal Solution, 4 Video Outputs, Palit Design, Fermi Architecture , DirectX11 | 232.96 | USD | 941.4272 | 0 | 24 | 23734 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce GTX470 PCI Express 2.0 1280MB DDR5 320bit, 607/3348MHz, Dual-DVI/HDMI/Display Port, Dual Fan Cooler, Dual-link DVI, SLI ready, DirectX11, Fermi Architecture, 3D Graphics, PhysX Technology, Palit Design, DVI-CRTadapter, Cooler and Quieter Thermal Design, nVidia StarCraft II coupon | 345.184 | USD | 1394.949 | 0 | 24 | 26981 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce GTX480 PCI Express 2.0 1536MB DDR5 384bit, 700/3696MHz, Dual-DVI/mini HDMI, Fan Cooler, Dual Dual-link DVI, SLI ready, DirectX11, Fermi Architecture, 3D Graphics, PhysX Technology | 502.992 | USD | 2032.666 | C | 24 | 24532 |
| Placi video | Palit Daytor | VC PALIT Nvidia GeForce GTX480 PCI Express 2.0 1536MB DDR5 384bit, 700/3696MHz, Dual-DVI/mini HDMI, Fan Cooler, Dual Dual-link DVI, SLI ready, DirectX11, Fermi Architecture, 3D Graphics, PhysX Technology + TRICOU NVIDIA CADOU | 502.992 | USD | 2032.666 | 0 | 24 | 26980 |
| Placi video | Galaxy | VC Galaxy Nvidia GeForce GT220 PCI-Express 2.0, 1GB DDR3, 128bit, w/CRT/DVI/HDMI Cooling Fan, CUDA enabled, Galaxy/KFA2, 22TGS8HX3AXT | 72.128 | USD | 291.48 | SL | 24 | 24801 |
| Placi video | Forsa | VC Forsa GF FX 5500, 256Mb, DDRAM, AGP 8X, (128bit), TV-OUT, S-VHS, DVI | 33.376 | USD | 134.8816 | S | 24 | 20514 |
| Placi video | MSI | VC MSI Nvidia N210-MD512H, GF 210, 512Mb, DDR2, PCI Express, (64bit), Dual-link DVI-I, VGA, HDMI, Heatsink, 589/800 MHz | 44.8 | USD | 181.048 | 0 | 36 | 21980 |
| Placi video | MSI | VC MSI Nvidia N220GT-MD1GZ, GF 220GT, 1Gb, DDR2, PCI Express, (128bit), Dual-link DVI-I, VGA, HDMI, Heatpipe, Military Class, 625/810 MHz | 85.12 | USD | 343.9856 | 0 | 36 | 21981 |
| Placi video | MSI | VC MSI Nvidia N220GT-MD512, GF 220GT, 512Mb, DDR2, PCI Express, (128bit), Dual-link DVI-I, VGA, HDMI, 625/810 MHz | 64.512 | USD | 260.7024 | 0 | 36 | 21380 |
| Placi video | MSI | VC MSI Nvidia GF 250GTS, 512Mb, DDR3, PCI Express 2.0, (256bit), Over CLock Edition, HDTV-out +Dual DVI Connectors, Dual-link DVI Support, HDCP Support, 738/2200 MHz, N250GTS-2D512-OC | 117.6 | USD | 475.2384 | 0 | 36 | 18886 |
| Placi video | MSI | VC MSI Nvidia N9500GT-MD1G, GF 9500GT, 1Gb, DDR2, PCI Express, (128bit), Dual-link DVI-I, VGA, HDMI, 550/800 MHz | 68.656 | USD | 277.4464 | 0 | 24 | 21386 |
| Placi video | MSI | VC MSI Nvidia GF 9500GT, 512Mb, DDR2, PCI Express 2.0, (128bit), HDTV Support, HDCP Support, DVI, HDMI-Output(via DVI to HDMI adaptor), 550/800 MHz, N9500GT-MD512 | 58.688 | USD | 237.1712 | SL | 24 | 18887 |
| Placi video | MSI | VC MSI Nvidia N98001GT-MD1G/PWM, GF 9800GT, 1Gb, DDR3, PCI Express, 256bit, DVlx1, VGAx1, HDMI, SLI, 550/1800 MHz | 127.456 | USD | 515.0656 | S | 36 | 21382 |
| Placi video | Gigabyte | VC GIGABYTE GV-N62256DP2-RH, GF 6200, 256Mb, DDRAM, AGP 8X, (64bit), TV-OUT, DVI, HeatSink | 47.712 | USD | 192.808 | SL | 24 | 11049 |
| Placi video | Gigabyte | VC GIGABYTE N84STC-512I, NVIDIA Graphics PLUS, GeForce with CUDA 8400GS, PCI-E 2.0, 128MB ON BOARD, 512MB SHARED GDDR2, 64bit, HDMI, Dual-link DVI-I, low profile | 33.712 | USD | 136.2368 | C | 36 | 25930 |
| Placi video | Gigabyte | VC GIGABYTE N84S-512I, NVIDIA Graphics PLUS, GeForce with CUDA 8400GS, PCI-E, 512MB, 64 bit, DDR2, DVI-I, TwinView, Scream Cooling, HDCP, CUDA enabled, low profile | 39.2 | USD | 158.4128 | 0 | 36 | 20124 |
| Placi video | Gigabyte | VC GIGABYTE N84S-512I-ED, NVIDIA Graphics PLUS, GeForce with CUDA 8400GS, PCI-E, 512MB, 64 bit, DDR2, DVI-I, TwinView, Scream Cooling, HDCP, CUDA enabled, low profile, Cablu HDMI 2M inclus | 40.32 | USD | 162.9376 | C | 36 | 25658 |
| Placi video | Gigabyte | VC GIGABYTE NX84S512HP, NVIDIA Graphics PLUS, GeForce with CUDA 8400GS, PCI-E, 512MB, 64 bit, DDR2, TV-Out, DVI-I, TwinView, Scream Cooling, HDCP, CUDA enabled | 41.328 | USD | 167.0144 | C | 36 | 20122 |
| Placi video | Gigabyte | VC GIGABYTE N98TSL-1GI, NVIDIA Graphics PLUS, GeForce with CUDA 9800GT, PCI-E, 1GB, 256 bit, GDDR3, HDMI, HDCP, DL-DVI-I, TwinView, Silent Cell, CUDA enabled | 133.952 | USD | 541.3184 | C - LIM | 36 | 20110 |
| Placi video | Gigabyte | VC GIGABYTE N98TGR-512I, NVIDIA Graphics PLUS, GeForce with CUDA 9800GT, PCI-E, 512MB, 256 bit, GDDR3, HDMI, HDCP, DL-DVI-I, TwinView, Low Power, CUDA enabled | 105.168 | USD | 424.9952 | 0 | 36 | 20111 |
| Placi video | Gigabyte | VC GIGABYTE GV-N210TC-1GI, NVIDIA Graphic PLUS, GeForce with CUDA G210, PCI-E 2.0, 1GB DDR3 (Turbo Cache), 64 bit, DVI + VGA + HDMI | 53.2 | USD | 214.9952 | 0 | 36 | 26381 |
| Placi video | Gigabyte | VC GIGABYTE N210D2-1GI, NVIDIA Graphics PLUS, GeForce with CUDA G210, PCI-E 2.0, 1GB, 128 bit, DDR2, HDCP, HDMI(native), DL-DVI, GBT FAN | 63.84 | USD | 257.992 | 0 | 36 | 25656 |
| Placi video | Gigabyte | VC GIGABYTE N210D3-512I, NVIDIA Graphic PLUS, GeForce with CUDA G210, PCI-E 2.0, 512 MB DDR3, 64bit, HDMI, Dual link DVI-I, ATX | 52.304 | USD | 211.3664 | 0 | 36 | 25925 |
| Placi video | Gigabyte | VC GIGABYTE N210OC-512I, NVIDIA Graphics PLUS, GeForce with CUDA G210, PCI-E 2.0, 512MB, 64 bit, GDDR2, HDCP, HDMI(native), DL-DVI, FAN, OC, Gamer Hud Lite | 47.6 | USD | 192.36 | 0 | 36 | 25657 |
| Placi video | Gigabyte | VC GIGABYTE N220D2-1GI, NVIDIA Graphics PLUS, GeForce with CUDA GT220, PCI-E 2.0, 1GB, 128 bit, DDR2, HDCP, HDMI(native), DL-DVI, GBT FAN | 76.496 | USD | 309.1312 | 0 | 36 | 25655 |
| Placi video | Gigabyte | VC GIGABYTE N220OC-1GI, NVIDIA Graphics PLUS, GeForce with CUDA GT220, PCI-E 2.0, 1GB, 128 bit, DDR3, HDCP, HDMI(native), DL-DVI, FAN, OC, Gamer Hud Lite | 88.816 | USD | 358.9152 | 0 | 36 | 25654 |
| Placi video | Gigabyte | VC GIGABYTE N240D3-1GI, NVIDIA Graphics PLUS, GeForce with CUDA GT240, PCI-E, 1GB, 128bit, DDR3, HDCP, HDMI, DL-DVI-I, GBT FAN, CUDA enabled | 102.368 | USD | 413.6832 | 0 | 36 | 25652 |
| Placi video | Gigabyte | VC GIGABYTE N240D5-512I, NVIDIA Graphics PLUS, GeForce with CUDA GT240, PCI-E, 512MB, 128bit, GDDR5, HDCP, HDMI, DL-DVI-I, GBT FAN, CUDA enabled | 87.584 | USD | 353.9424 | 0 | 36 | 25653 |
| Placi video | Gigabyte | VC GIGABYTE N240OC-1GI, NVIDIA Graphics PLUS, GeForce GTS240 OC, PCI-E, 1GB, 128bit, GDDR5, 2xDL-DVI-I, HDMI, HDCP, OC | 107.632 | USD | 434.9632 | 0 | 36 | 23844 |
| Placi video | Gigabyte | VC GIGABYTE N250-1GI, NVIDIA Graphics PLUS, GeForce GTS250, PCI-E, 1GB, 256bit, GDDR3, DL-DVI-I, HDMI, HDCP | 140.224 | USD | 566.664 | 0 | 36 | 25651 |
| Placi video | Gigabyte | VC GIGABYTE N250OC-1GI, NVIDIA Graphics PLUS, GeForce GTS250 OC, PCI-E, 1GB, 256bit, GDDR3, DL-DVI-I, HDMI, HDCP, OC, ZALMAN | 166.432 | USD | 672.5824 | 0 | 36 | 20106 |

| | | | | | | | | |
|-------------|--------------|--|---------|-----|-----------------|---------|----|-------|
| Placi video | Gigabyte | VC GIGABYTE N2500C-1GI-P1, NVIDIA Graphics PLUS, GeForce GTS250 OC, PCI-E, 1GB, 256bit, GDDR3, DL-DVI-I, HDMI, HDCP, OC, ZALMAN + Gaming MousePad | 166.432 | USD | 672.5824 | S | 36 | 25650 |
| Placi video | Gigabyte | VC GIGABYTE N4600C-1GI, NVIDIA GeForce GTX460, PCI-E 2.0, 1GB GDDR5, 256bit, HDMI, Dual-link DVI, ATX | 252.56 | USD | 1020.634 | C | 36 | 25931 |
| Placi video | Gigabyte | VC GIGABYTE GV-N460OC-768I, NVIDIA GeForce GTX460, PCI-E 2.0, 768MB GDDR5, 192 bit, DVI+DVI+mHDMI, SLI | 227.472 | USD | 919.2512 | 0 | 36 | 26382 |
| Placi video | Gigabyte | VC GIGABYTE N465UD-1GI, NVIDIA GeForce GTX465, PCI-E, 1GB, 256bit, GDDR5, HDMI, 2xDL-DVI, HDCP | 269.584 | USD | 1089.435 | 0 | 36 | 25649 |
| Placi video | Gigabyte | VC GIGABYTE N470D5-13I-B, NVIDIA GeForce GTX470, PCI-E, 1280MB, 320bit, GDDR5, HDMI, 2xDL-DVI, HDCP | 344.288 | USD | 1391.32 | 0 | 36 | 25646 |
| Placi video | Gigabyte | VC GIGABYTE N4700C-13I, NVIDIA GeForce GTX470, PCI-E, 1280MB, 320bit, GDDR5, HDMI, 2xDL-DVI, HDCP, OC | 396.032 | USD | 1600.424 | C | 36 | 25648 |
| Placi video | Gigabyte | VC GIGABYTE N470UD-13I, NVIDIA GeForce GTX470, PCI-E, 1280MB, 320bit, GDDR5, HDMI, 2xDL-DVI, HDCP | 364.672 | USD | 1473.696 | C - LIM | 36 | 25647 |
| Placi video | Gigabyte | VC GIGABYTE N480D5-15I-B, NVIDIA GeForce GTX480, PCI-E, 1536MB, 384bit, GDDR5, HDMI, 2xDL-DVI, HDCP | 515.76 | USD | 2084.264 | 0 | 36 | 25645 |
| Placi video | Gigabyte | VC GIGABYTE N250-512I, NVIDIA Graphics PLUS, GeForce with CUDA GTS250, PCI-E 2.0, 512MB GDDR3, 256bit, HDMI, Dual-link DVI-I, ATX | 126.336 | USD | 510.5408 | C | 36 | 25926 |
| Placi video | Evga | VC EVGA 512-P3-1213-LR, NVIDIA GeForce 210, PCI Express 2.0, 589/800 MHz, 512 MB GDDR2, 64 bit, DVI + VGA + HDMI, racire pasiva | 48.944 | USD | 197.792 | 0 | 24 | 26402 |
| Placi video | Evga | VC EVGA 01G-P3-1225-LR, NVIDIA GeForce GT 220, PCI Express 2.0, 625/980 MHz, 1 GB GDDR2, 128 bit, DVI + VGA + HDMI, SLI | 76.16 | USD | 307.776 | 0 | 24 | 26404 |
| Placi video | Evga | VC EVGA 01G-P3-1226-LR, NVIDIA GeForce GT 220, PCI Express 2.0, 625/1580 MHz, 1 GB GDDR3, 128 bit, DVI + VGA + HDMI, SLI | 90.16 | USD | 364.3472 | 0 | 24 | 26405 |
| Placi video | Evga | VC EVGA 512-P3-1220-LR, NVIDIA GeForce GT 220, PCI Express 2.0, 625/1000 MHz, 512 MB GDDR2, 128 bit, DVI + VGA + HDMI, SLI | 67.088 | USD | 271.1184 | 0 | 24 | 26403 |
| Placi video | Evga | VC EVGA 01G-P3-1236-LR, NVIDIA GeForce GTS 240, PCI Express 2.0, 550/1580 MHz, 1 GB GDDR3, 128 bit, DVI + VGA + HDMI | 107.52 | USD | 434.504 | 0 | 24 | 26406 |
| Placi video | Evga | VC EVGA 512-P3-1140-TR, NVIDIA GeForce GTS 250, PCI Express 2.0, 675/1800 MHz, 512 MB GDDR3, 256 bit, DVI + VGA + HDMI, SLI, 55 nm | 114.352 | USD | 462.112 | 0 | 24 | 26411 |
| Placi video | Evga | VC EVGA 01G-P3-1450-ET, NVIDIA GeForce GTS 450, PCI Express 2.0, 822/3608 MHz, 1 GB GDDR5, 128 bit, DVI+DVI+mHDMI, SLI, Free Performance Boost | 149.184 | USD | 602.8736 | 0 | 24 | 26854 |
| Placi video | Evga | VC EVGA 01G-P3-1452-EK, NVIDIA GeForce GTS 450, PCI Express 2.0, 882/3800 MHz, 1 GB GDDR5, 128 bit, DVI+DVI+mHDMI, SLI, SuperClocked | 157.808 | USD | 637.728 | 0 | 24 | 26855 |
| Placi video | Evga | VC EVGA 01G-P3-1371-ER, NVIDIA GeForce GTX 460, PCI Express 2.0, 675/3600 MHz, 1 GB GDDR5, 256 bit, DVI+DVI+mHDMI, SLI, External Exhaust | 256.032 | USD | 1034.667 | 0 | 24 | 26415 |
| Placi video | Evga | VC EVGA 01G-P3-1373-ER, NVIDIA GeForce GTX 460, PCI Express 2.0, 763/3800 MHz, 1 GB GDDR5, 256 bit, DVI+DVI+mHDMI, SLI, SuperClocked, External Exhaust | 271.264 | USD | 1096.222 | 0 | 24 | 26416 |
| Placi video | Evga | VC EVGA 768-P3-1360-ET, NVIDIA GeForce GTX 460, PCI Express 2.0, 675/3600 MHz, 768 MB GDDR5, 192 bit, DVI+DVI+mHDMI, SLI | 222.992 | USD | 901.1408 | C | 24 | 26413 |
| Placi video | Evga | VC EVGA 768-P3-1362-ER, NVIDIA GeForce GTX 460, PCI Express 2.0, 763/3800 MHz, 768 MB GDDR5, 192 bit, DVI+DVI+mHDMI, SLI, SuperClocked | 217.616 | USD | 879.424 | C | 24 | 26414 |
| Placi video | Evga | VC EVGA 012-P3-1470-AR, NVIDIA GeForce GTX 470, PCI Express 2.0, 607/3348 MHz, 1280 MB GDDR5, 320 bit, 2x DVI + mini HDMI | 352.8 | USD | 1425.726 | 0 | 24 | 26419 |
| Placi video | Evga | VC EVGA 012-P3-1472-AR, NVIDIA GeForce GTX 470, PCI Express 2.0, 625/3402 MHz, 1280 MB GDDR5, 320 bit, 2x DVI + mini HDMI, SuperClocked | 365.568 | USD | 1477.314 | 0 | 24 | 26420 |
| Placi video | Evga | VC EVGA 015-P3-1480-AR, NVIDIA GeForce GTX 480, PCI Express 2.0, 700/3696 MHz, 1536 MB GDDR5, 384 bit, 2x DVI + mini HDMI | 557.872 | USD | 2254.448 | 0 | 24 | 26421 |
| Placi video | Evga | VC EVGA 015-P3-1482-AR, NVIDIA GeForce GTX 480, PCI Express 2.0, 726/3800 MHz, 1536 MB GDDR5, 384 bit, 2x DVI + mini HDMI, SuperClocked | 609.616 | USD | 2463.552 | 0 | 24 | 26422 |
| Placi video | Evga | EVGA Backplate 401-EV-1234-01, montare pe orice placa video GTX 295, ajuta la disparea rapida a caldurii degajate | 9.8 | USD | 39.6032 | 0 | 1 | 26424 |
| Placi video | Evga | EVGA EVBot 100-EV-EB01-BR, dispozitiv reglare/monitorizare tensiunii/frecvente CPU/VGA, functioneaza in timp real la nivel hardware (fara software), gestioneaza pana la 4 placi video simultan, functioneaza numai cu placile video si de baza EVGA din gama Classified + P55 | 87.024 | USD | 351.68 | C | 24 | 26425 |
| Placi video | Evga | VGA Adapter EVGA UV-16, conectare USB 2.0, Multiple displays up to 8, VGA, DVI Display support | 46.816 | USD | 189.1904 | 0 | 24 | 26423 |
| Placi video | Point of Vie | VC Point of View R-VGA150927-D3, NVIDIA GeForce 210, PCI Express, 589/1600 MHz, 512 MB DDR3, 64 bit, DVI + VGA + HDMI | 46.032 | USD | 186.0208 | 0 | 36 | 26595 |
| Placi video | Point of Vie | VC Point of View R-VGA150927-D2, NVIDIA GeForce 210, PCI Express, 589/1000 MHz, 512 MB DDR2, 64 bit, DVI + VGA + HDMI | 42.112 | USD | 170.184 | 0 | 36 | 26594 |
| Placi video | Point of Vie | VC Point of View R-VGA150851H-P, NVIDIA GeForce 8400 GS, PCI Express, 567/666 MHz, 256 MB DDR2, 64 bit, DVI + VGA + HDMI, racire pasiva single-slot | 31.024 | USD | 125.3728 | 0 | 36 | 26592 |
| Placi video | Point of Vie | VC Point of View R-VGA150853H-P, NVIDIA GeForce 8400 GS, PCI Express, 567/666 MHz, 512 MB DDR2, 64 bit, DVI + VGA + HDMI, racire pasiva single-slot | 37.184 | USD | 150.2704 | 0 | 36 | 26593 |
| Placi video | Point of Vie | VC Point of View R-VGA150909H, NVIDIA GeForce 9500GT, PCI Express, 550/666 MHz, 1GB DDR2, 128 bit, DVI + VGA + HDMI | 63.84 | USD | 257.992 | 0 | 36 | 26613 |
| Placi video | Point of Vie | VC Point of View R-VGA150908-LH, NVIDIA GeForce 9500GT, PCI Express, 550/800 MHz, 512MB DDR2, 128 bit, DVI + VGA + HDMI | 53.2 | USD | 214.9952 | 0 | 36 | 26612 |
| Placi video | Point of Vie | VC Point of View R-VGA150913G, NVIDIA GeForce 9800GT, PCI Express, 550/1600 MHz, 1GB DDR3, 256 bit, DVI + VGA + HDMI | 118.16 | USD | 477.5008 | 0 | 36 | 26624 |
| Placi video | Point of Vie | VC Point of View R-VGA150913H-C, NVIDIA GeForce 9800GT, PCI Express, 550/1000 MHz, 1GB GDDR3, 128 bit, DVI + VGA + HDMI | 98.784 | USD | 399.2016 | 0 | 36 | 26617 |
| Placi video | Point of Vie | VC Point of View R-VGA150929-D2, NVIDIA GeForce GT 220, PCI Express, 625/1000 MHz, 1GB DDR2, 128 bit, DVI + VGA + HDMI | 68.768 | USD | 277.9056 | 0 | 36 | 26597 |
| Placi video | Point of Vie | VC Point of View R-VGA150929-D3, NVIDIA GeForce GT 220, PCI Express, 625/1600 MHz, 1GB DDR3, 128 bit, DVI + VGA + HDMI | 80.976 | USD | 327.2416 | 0 | 36 | 26598 |
| Placi video | Point of Vie | VC Point of View R-VGA150928-D3, NVIDIA GeForce GT 220, PCI Express, 625/1000 MHz, 512 MB DDR2, 128 bit, DVI + VGA + HDMI | 63.84 | USD | 257.992 | 0 | 36 | 26596 |
| Placi video | Point of Vie | VC Point of View R-VGA150930-SD3-2, NVIDIA GeForce GT 240, PCI Express, 530/2000 MHz, 1GB DDR3, 128 bit, DVI + VGA + HDMI | 82.656 | USD | 334.0288 | 0 | 36 | 26616 |
| Placi video | Point of Vie | VC Point of View R-VGA150931-GD3, NVIDIA GeForce GT 240, PCI Express, 550/1800 MHz, 512MB DDR3, 128 bit, DVI + VGA + HDMI | 79.744 | USD | 322.2576 | 0 | 36 | 26614 |
| Placi video | Point of Vie | VC Point of View R-VGA150931-GD5, NVIDIA GeForce GT 240, PCI Express, 550/3400 MHz, 512MB DDR5, 128 bit, DVI + VGA + HDMI | 94.304 | USD | 381.1024 | 0 | 36 | 26615 |
| Placi video | Point of Vie | VC Point of View R-VGA150925-1, NVIDIA GeForce GTS 250, PCI Express, 738/2200 MHz, 1GB DDR3, 256 bit, DVI + VGA + HDMI | 144.256 | USD | 582.96 | 0 | 36 | 26628 |
| Placi video | Point of Vie | VC Point of View R-VGA150925-3, NVIDIA GeForce GTS 250, PCI Express, 650/1800 MHz, 1GB DDR3, 256 bit, DVI + VGA + HDMI | 143.696 | USD | 580.6976 | 0 | 36 | 26627 |
| Placi video | Point of Vie | VC Point of View R-VGA150924-1, NVIDIA GeForce GTS 250, PCI Express, 738/2200 MHz, 512MB DDR3, 256 bit, DVI + VGA + HDMI | 131.488 | USD | 531.3616 | 0 | 36 | 26626 |
| Placi video | Point of Vie | VC Point of View R-VGA150924-2, NVIDIA GeForce GTS 250, PCI Express, 650/1800 MHz, 512MB DDR3, 256 bit, DVI + VGA + HDMI | 116.48 | USD | 470.7136 | 0 | 36 | 26625 |

| | | | | | | | | |
|-------------|--------------|---|---------|-----|----------|------|----|-------|
| Placi video | Point of Vie | VC Point of View VGA-460-A2-1024, NVIDIA GeForce GTX 460, PCI Express, 675/3600 MHz, 1GB DDR5, 256 bit, DVI + DVI + mini HDMI | 281.792 | USD | 1138.771 | 0 | 36 | 26631 |
| Placi video | Point of Vie | VC Point of View VGA-460-A1-768, NVIDIA GeForce GTX 460, PCI Express, 675/3600 MHz, 768MB DDR5, 192 bit, DVI + DVI + mini HDMI | 231.84 | USD | 936.9024 | 0 | 36 | 26630 |
| Placi video | Point of Vie | VC Point of View VGA-465-A1, NVIDIA GeForce GTX 465, PCI Express, 607/3206 MHz, 1GB DDR5, 256 bit, DVI + DVI + mini HDMI | 309.456 | USD | 1250.558 | 0 | 36 | 26632 |
| Placi video | Point of Vie | VC Point of View VGA-470-A1, NVIDIA GeForce GTX 470, PCI Express, 607/3348 MHz, 1280MB DDR5, 320 bit, DVI + DVI + mini HDMI | 366.128 | USD | 1479.587 | 0 | 36 | 26633 |
| Placi video | Point of Vie | VC Point of View VGA-480-A1, NVIDIA GeForce GTX 480, PCI Express, 700/3696 MHz, 1536MB DDR5, 384 bit, DVI + DVI + mini HDMI | 553.616 | USD | 2237.256 | 0 | 36 | 26634 |
| Placi video | Asus | VC ASUS EN210 SILENT/DI/512MD2(LP), GFGT210/ PCIE 2.0/ 512Mb DDR2-64bit/ 800MHz/1402Ghz/Passive Single slot/ 1xDVI-I HDCP/ Native HDMI/ LP bracket | 52.08 | USD | 210.4592 | S | 36 | 22982 |
| Placi video | Asus | VC ASUS EN210SIL/DI/1GD2LP, Nvidia GF210 PCI Express 2.0, 1024MB DDR2, 128bit, HDTV, 1*DVI-I (1HDCP), Native HDMI, Dual Slot Passive Cooling | 71.904 | USD | 290.5728 | C | 36 | 25854 |
| Placi video | Asus | VC ASUS EN8400GS-SILENT/P/512M GF8400GS, PCI Express, 512MB DDR2-64bit, 567/800MHz, Passive, D-Sub, DVI-I | 40.432 | USD | 163.3968 | S | 36 | 22056 |
| Placi video | Asus | VC ASUS EN8400GS/P/512M(LP) GF8400GS, PCI Express, 512MB DDR2-64bit, 567/800MHz, Active Fan, HDTV, DVI-I, LP | 40.432 | USD | 163.3968 | S | 36 | 22055 |
| Placi video | Asus | VC ASUS EN9500GT/DI/1GD2V2 Nvidia GF9500GT, PCI Express, 1024MB DDR2-128bit, HDTV, 2*DVI-I (1HDCP), Native HDMI | 74.48 | USD | 300.9888 | S | 36 | 20303 |
| Placi video | Asus | VC ASUS EN9800GT/DI/512MD3 GF9800GT, PCI Express 2.0, 512MB DDR3-256bit, 600/1800MHz, 1xDVI-I(1HDCP), Active Fan Dual slot, HDCP, HDMI | 123.088 | USD | 497.4144 | CALL | 36 | 22061 |
| Placi video | Asus | VC ASUS ENGT220/DI/512MD3 GFGT220, PCI Express 2.0, 512MB DDR3-128bit, 625/1800MHz, Active Fan Dual slot, 1xDVI-I HDCP, HDMI | 78.176 | USD | 315.9184 | S | 36 | 22062 |
| Placi video | Asus | VC ASUS ENGT220/G/DI/1GD2(LP) GFGT220, PCI Express 2.0, 1GB DDR2-128bit, 625/800MHz, Active Fan Single slot, 1xDVI-I HDCP, HDMI, LP bracket | 78.176 | USD | 315.9184 | S | 36 | 22063 |
| Placi video | Asus | VC ASUS ENGT220/G/DI/1GD3(LP) GFGT220, PCI Express 2.0, 1GB DDR3-128bit, 625/1580MHz, Active Fan Single slot, 1xDVI-I HDCP, HDMI, LP bracket | 80.752 | USD | 326.3344 | S | 36 | 22064 |
| Placi video | Asus | VC ASUS ENGT220D11GD3LPV2, Nvidia GFGT220, PCIE*2.0, 1024MB DDR3-128bit, 1*DVI-I (1HDCP), Native HDMI, LP bracket inside, Windows 7 Ready | 92.736 | USD | 374.7632 | C | 36 | 26298 |
| Placi video | Asus | VC ASUS ENGT240/DI/1GD3 GFGTS240, PCI Express 2.0, 1GB-128bit DDR3, 550/1580MHz, Active Dual slot, HDTV, DVI-I, HDCP, HDMI | 99.232 | USD | 401.016 | CALL | 36 | 22065 |
| Placi video | Asus | VC ASUS ENGT240/DI/1GD5, Nvidia GFGT240, PCIE* 2.0, 1024MB DDR5-128bit, DVI-I*(HDCP support), native HDMI | 116.144 | USD | 469.3584 | S | 36 | 22983 |
| Placi video | Asus | VC ASUS ENGT240/DI/1GD5/WW Nvidia GFGT240, PCIE* 2.0, 1024MB DDR5-128bit, DVI-I*(HDCP support), native HDMI, WoW door hanger with 14-days trial download code | 112.112 | USD | 453.0624 | C | 36 | 22984 |
| Placi video | Asus | VC ASUS ENGT240/DI/512MD3/A GFGTS240, PCI Express 2.0, 512MB-128bit DDR, 550/2000MHz, Active Dual slot, HDTV, DVI-I, HDCP, HDMI | 80.64 | USD | 325.8752 | CALL | 36 | 22066 |
| Placi video | Asus | VC ASUS ENGT240/DI/512MD5 GFGTS240, PCI Express 2.0, 512MB DDR5-128bit, 550/3400MHz, Active Dual slot, HDTV, DVI-I, HDCP, HDMI | 88.816 | USD | 358.9152 | S | 36 | 22067 |
| Placi video | Asus | VC ASUS ENGTS250 DK/DI/1GD3/WW Nvidia GFGTS250, PCI Express 2.0, 1GB, DDR3-256bit, 675Mhz/ 2000Mhz, Active DI-Slot, 1xDVI-I (1xHDCP), Native HDMI, WoW door hanger 14-days trial code | 156.688 | USD | 633.2032 | C | 36 | 22986 |
| Placi video | Asus | VC ASUS ENGTS250-DK/DI/512MD3 GFGTS250, PCI Express 2.0, 512MB DDR3-256bit, 740Mhz/2200Mhz, 1xDVI-I(1HDCP), Active Fan Dual slot, HDCP, HDMI | 138.096 | USD | 558.0736 | S | 36 | 22068 |
| Placi video | Asus | VC ASUS ENGTS250-OC-GEAR/DI/512MD3 GFGTS250, PCI Express 2.0, 512MB DDR3-256bit, 740/2200Mhz, Active Fan Dual slot, DVI-I, HDCP, HDMI, OC gear | 166.88 | USD | 674.3856 | M | 36 | 22069 |
| Placi video | Asus | VC ASUS ENGTS250/DI/1GD3/WW Nvidia GFGTS250, PCI Express, 1024MB DDR3-256bit, 675Mhz/ 2000Mhz, Active DI-Slot, HDTV, DVI-I (1HDCP), Native HDMI, WoW door hanger 14-days trial code | 160.272 | USD | 647.6848 | 0 | 36 | 22985 |
| Placi video | Asus | VC ASUS ENGTS250/DI/512MD3 Nvidia GFGTS250, PCI Express 2.0, 512MB, DDR3-256bit, 2*DVI-I (1*HDCP) | 128.352 | USD | 518.6944 | S | 36 | 20307 |
| Placi video | Asus | VC ASUS ENGTS250/DK/DI/1GD3 Nvidia GFGTS250, PCI Express 2.0, 1024MB, DDR3-256bit, 2*DVI-I (1*HDCP), Native HDMI, ASUS exclusive Dark Knight fansink | 167.552 | USD | 677.1072 | CALL | 36 | 20311 |
| Placi video | Asus | VC ASUS ENGTX460/2DI/768D5 Nvidia GF GTX460, PCI Express 2.0, 768MB, DDR5-192bit, 2*DVI, HDMI, D-sub via adapter | 224.896 | USD | 908.8352 | C | 36 | 25001 |
| Placi video | Asus | VC ASUS ENGTX460DIR2DI1GD5, Nvidia GF GTX460, PCI Express 2.0, 1024MB, DDR5-256bit, DVI/mini HDMI, 675/3600 MHz, HDCP, HDMI adapter, DirectX11 | 272.832 | USD | 1102.562 | C | 36 | 25803 |
| Placi video | Asus | VC ASUS ENGTX460DIRTP2D768 Nvidia GFGTX460, PCI Express 2.0, 768MB, DDR5-192bit, Dual DVI/VGA, 700/3680 MHz, HDMI adapter, HDCP, DirectX11, DirectCu Thermal Solution | 229.712 | USD | 928.3008 | C | 36 | 26299 |
| Placi video | Asus | VC ASUS ENGTX460DIRTP2DI1G, Nvidia GFGTX460, PCIE 2.0, 1024MB, DDR5-256bit, Dual DVI/VGA, 775/4000 MHz, HDMI adapter, HDCP, DirectX11, DirectCU Thermal Solution | 291.2 | USD | 1176.784 | C | 36 | 26300 |
| Placi video | Asus | VC ASUS ENGTX465/2DI/1GD5 Nvidia GF GTX265, PCI Express 2.0, 1024MB, DDR5-256bit, 2*DVI-I (1*HDCP), HDMI | 254.352 | USD | 1027.88 | 0 | 36 | 24599 |
| Placi video | Asus | VC ASUS ENGTX470/2DI/1280MD5 Nvidia GF GTX470, PCI Express 2.0, 1280MB, DDR5-320bit, 2*DVI-I (1*HDCP), Native HDMI | 339.808 | USD | 1373.221 | M | 36 | 22987 |
| Placi video | Asus | VC ASUS ENGTX480/2DI/1536MD5 Nvidia GF GTX480, PCI Express 2.0, 1536MB, DDR5-384bit, 2*DVI-I (1*HDCP), Native HDMI | 518.784 | USD | 2096.494 | C | 36 | 22988 |
| Placi video | Leadtek | VC WinFast PX8400GS, GF 8400 GS, 512Mb, DDR2, PCI Express, (64bit), HDTV, DVI, Dual Display, 567/667 | 37.52 | USD | 151.6256 | S | 24 | 22163 |
| Placi video | Leadtek | VC Leadtek WinFast PX9500 GT, 1Gb, DDR2, PCI Express, (64bit), VGA, DVI, HDMI, DirectX 10, PureVideo HD, racire activa, low profile, 550/800 MHz | 66.976 | USD | 270.6592 | S | 24 | 22247 |
| Placi video | Leadtek | VC Leadtek WinFast PX9500 GT, 512Mb, DDR2, PCI Express, (128bit), VGA, DVI, HDMI, DirectX 10, PureVideo HD, racire activa, low profile, 550/800 MHz | 53.2 | USD | 214.9952 | M | 24 | 22246 |
| Placi video | Leadtek | VC Leadtek WinFast PX9500 GT, PCI-E 16X, 575 MHz, 512MB GDDR3, 1600MHz, 128bit, Dual-Link DVI, VGA, HDMI, DirectX 10, racire activa, monitorizare hardware, PureVideo HD | 66.304 | USD | 267.9488 | S | 24 | 17230 |
| Placi video | Leadtek | VC Leadtek WinFast PX9800 GT, 550MHz, 512MB DDR3, 1800MHz, 256bit, Dual Dual-Link DVI, HDTV, DirectX 10, NVIDIA PhysX, CUDA, SLI, racire activa, monitorizare hardware, alimentare doar din slot PCI-E, PCI-E 16X, 2 ani. | 104.496 | USD | 422.2848 | 0 | 24 | 16189 |
| Placi video | Leadtek | VC Leadtek WinFast GT210 LP, 512Mb, DDR3, PCI Express 2.0, (64bit), VGA, DVI, HDMI, DirectX 10, PureVideo HD, Lumenex Engine, GigaThread, racire activa, low profile, 589/1580 MHz | 55.104 | USD | 222.6896 | S | 24 | 22674 |
| Placi video | Leadtek | VC Leadtek WinFast GT210 LP, 512Mb, DDR2, PCI Express 2.0, (64bit), VGA, DVI, HDMI, DirectX 10, PureVideo HD, racire activa, low profile, 589/800 MHz | 48.832 | USD | 197.3328 | C | 24 | 21643 |
| Placi video | Leadtek | VC Leadtek WinFast GT220 LP, 1Gb, DDR3, PCI Express 2.0, (128bit), VGA, DVI, HDMI, DirectX 10, GigaThread, PureVideo HD, Lumenex Engine, racire activa, 625/1580 MHz | 85.12 | USD | 343.9856 | S | 24 | 21639 |
| Placi video | Leadtek | VC Leadtek WinFast GT240, 1Gb, DDR3, PCI Express 2.0, (128bit), VGA, DVI, HDMI, DirectX 10.1, PureVideo HD, NVIDIA PhysX, racire activa, GigaThread, Lumenex Engine, CUDA, 550/1580 MHz | 110.208 | USD | 445.368 | S | 24 | 21642 |

| | | | | | | | | |
|-------------|------------|--|---------|-----|----------|------|----|-------|
| Placi video | Leadtek | VC Leadtek WinFast GT240, 512Mb, DDR3, PCI Express 2.0, (128bit), VGA, DVI, HDMI, DirectX 10.1, PureVideo HD, NVIDIA PhysX, racire activa, GigaThread, Lumenex Engine, CUDA, 550/2000 MHz | 89.152 | USD | 360.2816 | S | 24 | 25721 |
| Placi video | Leadtek | VC Leadtek WinFast GT240, 512Mb, DDR5, PCI Express 2.0, (128bit), VGA, DVI, HDMI, DirectX 10.1, PureVideo HD, NVIDIA PhysX, racire activa, GigaThread, Lumenex Engine, CUDA, 550/3600 MHz | 100.128 | USD | 404.6336 | S | 24 | 26584 |
| Placi video | Leadtek | VC Leadtek WinFast GT250 LP, 1Gb, DDR3, PCI Express 2.0, (256 bit), Dual DVI, DirectX 10, NVIDIA PhysX, CUDA, PureVideo HD, Lumenex Engine, Quantum Effects, Tri-SLI, Hybrid SLI, racire activa, adaptor DVI-VGA, power cord, 675/2000 MHz | 140.896 | USD | 569.3856 | S | 24 | 26586 |
| Placi video | Leadtek | VC Leadtek WinFast GT250 LP, 512Mb, DDR3, PCI Express 2.0, (256 bit), Dual DVI, DirectX 10, NVIDIA PhysX, CUDA, PureVideo HD, Lumenex Engine, Quantum Effects, Tri-SLI, Hybrid SLI, racire activa, adaptor DVI-VGA, power cord, 675/2000 MHz | 126.448 | USD | 511 | C | 24 | 26585 |
| Placi video | Gainward | VC Gainward GF8400GS-256-DVI-VGA, GF 8400 GS, PCI Express, 567/7700 MHz, 256 MB DDR2, 64 bit, D-Sub + DVI, SLI, racire pasiva single-slot | 30.464 | USD | 123.1104 | C | 36 | 26429 |
| Placi video | Gainward | VC Gainward GF8400GS-512-DVI-VGA, GF 8400 GS, PCI Express, 567/7700 MHz, 512 MB DDR2, 64 bit, DVI + VGA, SLI, racire pasiva single-slot | 37.072 | USD | 149.8112 | C | 36 | 26430 |
| Placi video | Gainward | VC Gainward Bliss 9500GT, GF 9500 GT, 1Gb, DDR2, PCI Express, (128bit), DVI + VGA, 550/800, DVI + D-Sub + HDMI, SLI | 62.608 | USD | 253.008 | C | 36 | 20078 |
| Placi video | Gainward | VC Gainward Bliss 9500GT, GF 9500 GT, 512Mb, DDR2, PCI Express, (128bit), DVI + VGA, 550/800, Dual Display, SLI | 51.072 | USD | 206.3936 | 0 | 36 | 19006 |
| Placi video | Gainward | VC Gainward Bliss 9800GT, GF 9800 GT, 1Gb, DDR3, PCI Express2.0, (256bit), DVI-I + VGA, HDTV, HDMI, 600/1800, 2-Slot Fan | 113.792 | USD | 459.8496 | CALL | 36 | 19110 |
| Placi video | Gainward | VC Gainward Bliss 9800GT, GF 9800 GT, 512Mb, DDR3, PCI Express2.0, (256bit), DVI-I + HDMI + VGA, HDTV, 600/1800, 2-Slot Fan | 97.104 | USD | 392.4144 | M | 36 | 16216 |
| Placi video | Gainward | VC Gainward GF210-1024-HDMI-DVI, GF 210, PCI Express 2.0, 475/800 MHz, 1024 MB DDR2, 128 bit, DVI + VGA + HDMI | 63.168 | USD | 255.2704 | 0 | 36 | 26432 |
| Placi video | Gainward | VC Gainward GT210-512-HDMI-DVI, GF GT210, 512Mb, DDR2, PCI Express, (64bit), DVI + VGA + HDMI, 589/800, Dual Display | 44.128 | USD | 178.3264 | SL | 36 | 22099 |
| Placi video | Gainward | VC Gainward GT220-1024-HDMI-DVI, GF GT220, 1Gb, DDR3, PCI Express, (128bit), DVI + VGA + HDMI, 645/1580, Dual Display | 79.856 | USD | 322.7056 | C | 36 | 22100 |
| Placi video | Gainward | VC Gainward GT220-1024-HDMI-DVI, GF GT220, PCI Express 2.0, 635/800 MHz, 1024 MB DDR2, 128 bit, DVI + VGA + HDMI | 72.912 | USD | 294.6496 | 0 | 36 | 26434 |
| Placi video | Gainward | VC Gainward GT220-512-HDMI-DVI, GF GT220, 512Mb, DDR3, PCI Express, (128bit), DVI + VGA + HDMI, 650/1800, Dual Display | 62.608 | USD | 253.008 | 0 | 36 | 22101 |
| Placi video | Gainward | VC Gainward GT220-512-HDMI-DVI DDR2, GF GT220, PCI Express 2.0, 650/800 MHz, 512 MB DDR2, 128 bit, DVI + VGA + HDMI, SLI | 62.608 | USD | 253.008 | C | 36 | 26433 |
| Placi video | Gainward | VC Gainward GT240-1024-HDMI-DVI, GF GT240, 1Gb, DDR3, PCI Express, (128bit), DVI + VGA + HDMI, 585/1600, Dual Display | 91.616 | USD | 370.2384 | C | 36 | 22102 |
| Placi video | Gainward | VC Gainward GT240-1024-HDMI-DVI GDDR5 GS, GF GT240, 1Gb, DDR5, PCI Express, (128bit), DVI + VGA + HDMI, 585/3780, Dual Display | 101.36 | USD | 409.6064 | S | 36 | 22103 |
| Placi video | Gainward | VC Gainward GT240-512-HDMI-DVI, GF GT240, 512Mb, DDR3, PCI Express, (128bit), DVI + VGA + HDMI, 585/2000, Dual Display | 76.496 | USD | 309.1312 | S | 36 | 22104 |
| Placi video | Gainward | VC Gainward GT240-512-HDMI-DVI GDDR5, GF GT240, 512Mb, DDR5, PCI Express, (128bit), DVI + VGA + HDMI, 585/3600, Dual Display | 78.176 | USD | 315.9184 | C | 36 | 22105 |
| Placi video | Gainward | VC Gainward GTS250-512-HDMI-DVI, GF GTS250, 512Mb, DDR3, PCI Express, (256bit), DVI + VGA + HDMI, 745/2200, Dual Display | 125.104 | USD | 505.568 | M | 36 | 22106 |
| Placi video | Gainward | VC Gainward GTS250-512-HDMI-DVI DEEP GREEN, GF GTS250, 512Mb, DDR3, PCI Express, (256bit), DVI + VGA + HDMI, 700/1800, Dual Display | 113.232 | USD | 457.5872 | 0 | 36 | 22108 |
| Placi video | Gainward | VC Gainward GTS250-1024-HDMI-DVI DEEP GREEN, GF GTS250, 1Gb, DDR3, PCI Express 2.0, (256bit), DVI-I + VGA + HDMI, SLI, 700/1800, 2-Slot Fan | 126.336 | USD | 510.5408 | 0 | 36 | 22109 |
| Placi video | Gainward | VC Gainward GTS450-1024-DD-GLH, GF GTS450, PCI Express 2.0, 930/4000 MHz, 1GB GDDR5, 128 bit, DVI+DVI+HDMI+VGA, SLI, Golden Sample GLH | 169.68 | USD | 685.7088 | 0 | 36 | 26858 |
| Placi video | Gainward | VC Gainward GTS450-1024-DD-GS, GF GTS450, PCI Express 2.0, 880/3900 MHz, 1GB GDDR5, 128 bit, DVI+DVI+HDMI+VGA, SLI, Golden Sample | 154.448 | USD | 624.1536 | 0 | 36 | 26857 |
| Placi video | Gainward | VC Gainward GTX460-2GB-DD-HDMI-GS, GF GTX460, PCI Express 2.0, 700/3600 MHz, 2GB GDDR5, 256 bit, DVI+DVI+HDMI, SLI | 298.256 | USD | 1205.299 | 0 | 36 | 26353 |
| Placi video | Gainward | VC Gainward GTS450-1GB-DD-HDMI, GF GTS450, PCI Express 2.0, 783/3608 MHz, 1GB GDDR5, 128 bit, DVI+DVI+HDMI+VGA, SLI | 147.952 | USD | 597.9008 | C | 36 | 26856 |
| Placi video | Gainward | VC Gainward GTX460-1024-DD-GLH, GF GTX460, PCI Express 2.0, 800/4000 MHz, 1 GB GDDR5, 256 bit, DVI+DVI+HDMI+VGA, SLI, Golden Sample GLH | 286.272 | USD | 1156.87 | 0 | 36 | 26440 |
| Placi video | Gainward | VC Gainward GTX460-1024-DD-GS, GF GTX460, PCI Express 2.0, 700/3600 MHz, 1 GB GDDR5, 256 bit, DVI+DVI+HDMI+VGA, SLI, Golden Sample | 261.296 | USD | 1055.936 | C | 36 | 26438 |
| Placi video | Gainward | VC Gainward GTX460-768-DD-HDMI-DP, GF GTX460, PCI Express 2.0, 675/3600 MHz, 768 MB GDDR5, 192 bit, DVI+DVI+HDMI+ VGA, SLI | 218.848 | USD | 884.3968 | 0 | 36 | 26437 |
| Placi video | Gainward | VC Gainward GTX470-1280MB-DD-HDMI, GF GTX470, 1.28Gb, DDR5, PCI Express 2.0, (320bit), DVI + DVI + HDMI, 607/3348 MHz, Dual Display, SLI, CUDA | 342.944 | USD | 1385.888 | 0 | 36 | 22828 |
| Placi video | Gainward | VC Gainward GTX480-1536MB-DD-HDMI, GF GTX480, 1.54Gb, DDR5, PCI Express 2.0, (384bit), DVI + DVI + HDMI, 700/3696 MHz, Dual Display, SLI, CUDA | 533.456 | USD | 2155.776 | 0 | 36 | 22932 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD3650, 1GB, DDR2, AGP, (128bit), DVI + VGA, 600/800 MHz, AG3650 1GBD2-V3 | 86.24 | USD | 348.5104 | 0 | 24 | 23045 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD3450, 512Mb, DDR2, AGP, (64bit), DVI + VGA, 600/800 MHz, AG3450 512MD2 | 51.296 | USD | 207.3008 | 0 | 24 | 23044 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD3650, 512MB, DDR2, AGP, (128bit), Dual DVI+ TV Out, VGA via adapter, 725/667 MH, AG3650 512MD2 | 71.008 | USD | 286.9552 | 0 | 24 | 23046 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD3650, 512MB, DDR2, AGP, (64bit), DVI + VGA + TV Out, 600/800 MHz, AG3650 512MD2-V3 | 58.576 | USD | 236.712 | 0 | 24 | 23047 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4670, 1GB, DDR3, AGP, (128bit), DVI + VGA + TV Out, 750/1333 MHz, AG4670 1GBK3-P | 109.872 | USD | 444.0128 | 0 | 24 | 23048 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4650, 1GB, DDR2, PCI-Express, (128bit), Dual DVI + TV Out + HDMI via adapter, 600/800 MHz, AX4650 1GBD2 | 61.712 | USD | 249.3904 | 0 | 24 | 23059 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4670, 512MB, DDR3, PCI-Express, (128bit), Dual DVI+ TV Out, 750/1746 MHz, AX4670 512MK3-P | 74.592 | USD | 301.4368 | 0 | 24 | 23067 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4890, 1GB, GDDR5, PCI-Express, (256bit), Dual DVI+ VGA via adapter+ HDMI via adapter, 850/3900 MHz, AX4890 1GBD5-HM | 227.136 | USD | 917.896 | 0 | 24 | 23168 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5450 Go! Green, 1GB, DDR3, PCI-Express, (64bit), DVI+ VGA+ HDMI, 650/1333 MHz, AX5450 1GBK3-SH | 64.064 | USD | 258.888 | S | 24 | 23075 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5450 Go! Green, 512MB, DDR2, PCI-Express, (64bit), DVI+ VGA+ HDMI, 650/800 MHz, AX5450 512MD2-SH | 46.704 | USD | 188.7424 | S | 24 | 23071 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5450 Go! Green, 512MB, DDR3, PCI-Express, (64bit), DVI+ VGA+ HDMI, 650/1333 MHz, AX5450 512MK3-SH | 50.064 | USD | 202.3168 | SL | 24 | 23073 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD3450, 256Mb, DDR2, PCI-Express, (64bit), DVI + VGA + HDMI, 600/667 MHz, AX3450 256MD2-H | 32.928 | USD | 133.0672 | S | 24 | 23043 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD3450, 512Mb, DDR2, PCI-Express, (64bit), DVI + VGA + HDMI, 600/667 MHz, AX3450 512MD2-H | 38.08 | USD | 153.888 | SL | 24 | 23049 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD3450, 512Mb, DDR2, PCI-Express, (64bit), DVI + VGA + HDMI, 600/800 MHz, AX3450 512MD2-S | 31.472 | USD | 127.1872 | 0 | 24 | 23050 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4350, 1GB, DDR2, PCI-Express, (64bit), DVI + VGA + HDMI, 600/667 MHz, AX4350 1GBD2-H | 48.608 | USD | 196.4368 | 0 | 24 | 23051 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4350, 256Mb, DDR2, PCI-Express, (64bit), DVI + VGA + HDMI, 600/667 MHz, AX4350 256MD2-H | 36.176 | USD | 146.1936 | S | 24 | 23053 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4350, 256Mb, DDR2, PCI-Express, (64bit), DVI + VGA, 600/800 MHz, AX4350 256MD2-S | 32.592 | USD | 131.712 | 0 | 24 | 23055 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4350, 512Mb, DDR2, PCI-Express, (64bit), DVI + VGA, 600/800 MHz, AX4350 512MD2-S | 36.064 | USD | 145.7456 | 0 | 24 | 23054 |

| | | | | | | | | |
|-------------|------------|---|---------|-----|----------|------|----|-------|
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4350, 512Mb, DDR2, PCI-Express, (64bit), DVI + VGA + HDMI, 600/667 Mhz, AX4350_512MD2-H | 38.416 | USD | 155.2432 | 0 | 24 | 23056 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4550, 512Mb, DDR3, PCI-Express, (64bit), DVI + VGA , 600/1500 Mhz, AX4550 512MK3 | 46.592 | USD | 188.2832 | 0 | 24 | 23057 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4550, 512Mb, DDR3, PCI-Express, (64bit), DVI + VGA + HDMI, 600/1500 Mhz, AX4550 512MK3-H | 47.376 | USD | 191.4528 | 0 | 24 | 23058 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4650,1GB, DDR2, PCI-Express, (128bit), DVI + VGA + HDMI, 600/800 Mhz, AX4650-1GBD2-H | 60.368 | USD | 243.9584 | 0 | 24 | 23062 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4650, 512MB, DDR2, PCI-Express, (128bit), Dual DVI + VGA via adapter, 600/800 Mhz, AX4650 512MD2 | 59.36 | USD | 239.8816 | 0 | 24 | 23060 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4650, 512MB, DDR2, PCI-Express, (128bit), DVI + VGA + HDMI, 600/800 Mhz, AX4650 512MD2-H | 56.448 | USD | 228.1104 | 0 | 24 | 23061 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4670, 1GB, DDR3, PCI-Express, (128bit), Dual DVI+ TV Out, 750/1746 Mhz, AX4670 1GBK3-P | 85.008 | USD | 343.5264 | 0 | 24 | 23063 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4670, 1GB, DDR3, PCI-Express, (128bit), Dual DVI+ TV Out, 750/1600 Mhz, AX4670 1GBK3-PV2 | 83.552 | USD | 337.6464 | 0 | 24 | 23066 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4670, 1GB, DDR3, PCI-Express, (128bit), DVI+ VGA+ HDMI, 750/1333 Mhz, AX4670-1GBK3-PH | 78.064 | USD | 315.4704 | 0 | 24 | 23069 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4670, 512MB, DDR3, PCI-Express, (128bit), DVI+ VGA+ HDMI, 750/1600 Mhz, AX4670 512MK3-PH | 78.064 | USD | 315.4704 | 0 | 24 | 23070 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4730, 512MB, GDDR5, PCI-Express, (128bit), Dual DVI+ HDMI via adapter, 700/3200 Mhz, AX4730 512MD5 | 91.168 | USD | 368.424 | 0 | 24 | 23081 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4770, 512MB, GDDR5, PCI-Express, (128bit), Dual DVI+ VGA via adapter+ HDMI via adapter, 750/3200 Mhz, AX4770 512MD5-M | 127.008 | USD | 513.2624 | 0 | 24 | 23161 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4770, 512MB, GDDR5, PCI-Express, (128bit), DVI+ VGA+ HDMI, 750/3200 Mhz, AX4770_512MD5-PH | 129.248 | USD | 522.312 | 0 | 24 | 23162 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4830, 512MB, GDDR3, PCI-Express, (256bit), DVI+ VGA+ HDMI, 575/1800 Mhz, AX4830 512MD3-H | 95.536 | USD | 386.0752 | 0 | 24 | 23163 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4850, 1GB, GDDR3, PCI-Express, (256bit), DVI+ VGA+ HDMI, 625/1900 Mhz, AX4850 1GBD3-PH | 130.032 | USD | 525.4816 | 0 | 24 | 23164 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4850, 512MB, GDDR3, PCI-Express, (256bit), DVI+ VGA+ HDMI, 625/1900 Mhz, AX4850-512MD3-PH | 113.456 | USD | 458.4944 | 0 | 24 | 23087 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4870, 1GB, GDDR5, PCI-Express, (256bit), Dual DVI+ VGA via adapter+ HDMI via adapter, 780/3700 Mhz, AX4870 1GBD5-PPH | 172.032 | USD | 695.2064 | 0 | 24 | 23165 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4870, 512MB, GDDR5, PCI-Express, (256bit), Dual DVI+ TV Out, 770/3600 Mhz, AX4870 512MD5-PP | 153.776 | USD | 621.432 | 0 | 24 | 23166 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4890, 1GB, GDDR5, PCI-Express, (256bit), Dual DVI+ VGA via adapter+ HDMI via adapter, 850/3900 Mhz, AX4890 1GBD5 | 216.608 | USD | 875.3472 | 0 | 24 | 23167 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5550, 1GB, DDR2, PCI-Express, (128bit), Dual DVI+ VGA+ HDMI, 550/800 Mhz, AX5550 1GBD2-H | 79.072 | USD | 319.5472 | C | 24 | 23876 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5550, 512MB, DDR3, PCI-Express, (128bit), Dual DVI+VGA+HDMI, 550MHz, AX5550 512MK3-H | 68.544 | USD | 276.9984 | SL | 24 | 23875 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5570, 1GB, DDR3, PCI-Express (128bit), Dual DVI+HDMI+VGA, 650MHz, AX5570 1GBD3-H | 86.912 | USD | 351.2208 | SL | 24 | 23874 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5670, 1GB, GDDR5, PCI-Express, (128bit), DVI+ VGA+ HDMI, 775/4000 Mhz, AX5670 1GBD5-H | 118.72 | USD | 479.7632 | 0 | 24 | 23170 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5670, 512MB, GDDR5, PCI-Express, (128bit), DVI+ VGA+ HDMI, 775/4000 Mhz, AX5670 512MD5-H | 97.664 | USD | 394.6768 | 0 | 24 | 23171 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5750, 1GB, GDDR5, PCI-Express, (128bit), DVI+ VGA+ HDMI, 700/4600 Mhz, AX5750 1GBD5-H | 154.112 | USD | 622.7872 | CALL | 24 | 23090 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5750, 512MB, GDDR5, PCI-Express, (128bit), DVI+ VGA+ HDMI, 700/4600 Mhz, AX5750 512MD5-H | 151.424 | USD | 611.9232 | 0 | 24 | 23173 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5770, 1GB, GDDR5, PCI-Express, (128bit), DVI+ VGA+ HDMI, 850/4800 Mhz, AX5770 1GBD5-H | 176.96 | USD | 715.12 | 0 | 24 | 23093 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5770, 1GB, GDDR5, PCI-Express, (128bit), Dual DVI+ VGA via adapter+ HDMI+ Display Port, 850/4800 Mhz, AX5770 1GBD5-MDH | 185.024 | USD | 747.712 | 0 | 24 | 23174 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5850, 1GB, GDDR5 (DIRT2 Edition), PCI-Express, (256bit), Dual DVI+ VGA via adapter+ HDMI+ Display Port, 725/4000 Mhz, AX5850 1GBD5-MDHG | 324.24 | USD | 1310.31 | 0 | 24 | 23176 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5850, 1GB, GDDR5, PCI-Express, (256bit), Dual DVI+ VGA via adapter+ HDMI+ Display Port, 725/4000 Mhz, AX5850 1GBD5-MDH | 314.496 | USD | 1270.931 | 0 | 24 | 23175 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5870, 1GB, GDDR5 (DIRT2 Edition), PCI-Express, (256bit), Dual DVI+ VGA via adapter+ HDMI+ Display Port, 850/4800 Mhz, AX5870 1GBD5-MDHG | 447.44 | USD | 1808.173 | 0 | 24 | 23178 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5870, 1GB, GDDR5, PCI-Express, (256bit), Dual DVI+ VGA via adapter+ HDMI+ Display Port, 850/4800 Mhz, AX5870 1GBD5-MDH | 433.216 | USD | 1750.694 | 0 | 24 | 23177 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4670, 512MB, DDR3, PCI-Express, (128bit), Dual DVI+ TV Out+ VGA via adapter, HDMI via adapter, 750/1600 MH, AX4670 512MK3-PV2 | 74.592 | USD | 301.4368 | 0 | 24 | 23068 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4730, 512MB, GDDR5, PCI-Express, (128bit), DVI+ VGA+ HDMI, 700/900 Mhz, AX4730 512MD5-PH | 93.968 | USD | 379.736 | 0 | 24 | 23160 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD5750, 1GB, GDDR5, PCI-Express, (128bit), Dual DVI+ VGA via adapter+ HDMI+ Display Port, 700/4600 Mhz, AX5750 1GBD5-PDH | 193.312 | USD | 781.2 | 0 | 24 | 23172 |
| Placi video | PowerColor | VC PowerColor Ati Radeon HD4890, 1GB, GDDR5, PCI-Express, (256bit), Dual DVI+ VGA via adapter+ HDMI via adapter, 900/4000 Mhz, AX4890 1GBD5-UH | 220.864 | USD | 892.5504 | 0 | 24 | 23169 |
| Placi video | HP | VC HP NVIDIA Quadro FX1800 768MB GDDR3, PCI-Express, Dual Display port, Dual-Link DVI-I, compatibil cu HP Workstations Z400, Z600 and Z800 | 544.544 | EUR | 2881.222 | C | 12 | 23901 |
| Placi video | HP | VC HP NVIDIA Quadro FX580, 512MB GDDR3, PCI-Express, Dual Display port, Dual-Link DVI-I, compatibil cu HP Workstations Z400, Z600 and Z800 | 144.928 | EUR | 766.8304 | 0 | 12 | 23900 |
| Placi video | His | VC His Ati Radeon HD4670, 1Gb GDDR3, AGP8X, 128bit, DL DVI + VGA + HDMI, Full HD 1080p, Platinum, IceQ, 750/1746 Mhz, H467Q1GHDAP | 139.328 | USD | 563.0464 | C | 24 | 20759 |
| Placi video | His | VC His Ati Radeon HD 4850 IceQ 4 PCI-Express (Full HD 1080p) 1GB GDDR3 (256bit), HDMI(native), HDCP, Dual Link DVI, Platinum | 146.944 | USD | 593.824 | 0 | 24 | 20190 |
| Placi video | His | VC His Ati Radeon HD5570, 1Gb GDDR3, PCI-Express 2.1, 128bit, DL DVI + VGA + HDMI, Full HD 1080p, 650/1334 Mhz, Heatsink, H557HR1G | 96.32 | USD | 389.2448 | S | 24 | 25516 |
| Placi video | His | VC His Ati Radeon HD 5970, 2GB GDDR5, PCI-Express 2.1, 512bit(2x256bit), Dual DL-DVI / Mini Display Port (HDCP), HDMI(native), MiniDisplayPort, Full HD 1080p, 725 Mhz/4Gbps Mhz, H597F2GDG | 734.832 | USD | 2969.579 | 0 | 24 | 23948 |
| Placi video | MSI | VC MSI ATI R4350-MD1GH, ATI HD4350, 1GB DDR2, PCI-Express 2.0, 64bit, 600Mhz/1000Mhz, D-Sub, HDMI, DVI, Heatsink | 46.144 | USD | 186.48 | 0 | 24 | 21971 |
| Placi video | MSI | VC MSI ATI R4350-MD512H, ATI HD4350, 512MB DDR2, PCI-Express, 64bit, 600Mhz/800Mhz, HDMI, DVI, Heatsink | 40.768 | USD | 164.752 | C | 24 | 21377 |
| Placi video | MSI | VC MSI ATI R4650-MD1G, ATI HD4650, 1GB DDR2, PCI-Express, 128bit, 600Mhz/800Mhz, HDMI, DVI, Fansink, Solid State Choke, Hi-c cap | 69.552 | USD | 281.0752 | C | 24 | 21378 |
| Placi video | MSI | VC MSI ATI R4770 Cyclone, ATI HD4770, 512MB DDR5, PCI Express 2.0, 128bit, 750Mhz/3200Mhz, D-Sub, HDMI, DVI, Fan Cyclone | 119.728 | USD | 483.84 | S | 24 | 21973 |
| Placi video | MSI | VC MSI ATI R5450-MD1GH, HD5450, 1GB DDR3, PCI-Express 2.0, 64bit, 650/1600 Mhz, D-Sub, DVI, HDMI, Fan | 65.184 | USD | 263.424 | S | 24 | 21974 |
| Placi video | MSI | VC MSI ATI R5770-MD1G, ATI HD5770, 1GB DDR3, PCI-Express 2.0, 128bit, 650/1600 Mhz, VGA, DVI, HDMI, Fan | 95.424 | USD | 385.6272 | CALL | 24 | 22849 |
| Placi video | MSI | VC MSI ATI R5770 HAWK, ATI HD5770, 1GB DDR5, PCI-Express 2.1, 128bit, 875/4800 Mhz, DVI, HDMI, Display Port, Fan Twin Frozr 2 | 195.888 | USD | 791.616 | C | 24 | 22851 |
| Placi video | MSI | VC MSI ATI R5770-PM2D1G, ATI HD5770, 1GB DDR5, PCI-Express 2.0, 128bit, 850/4800 Mhz, Dual DVI, HDMI, Fan | 183.344 | USD | 740.9248 | C | 24 | 21376 |
| Placi video | MSI | VC MSI ATI R5870-PM2D1G, ATI HD5870, 1GB DDR6, PCI-Express 2.1, 256bit, 850/4800 Mhz, Dual DVI, HDMI, Display Port, Fan | 462.672 | USD | 1869.728 | 0 | 24 | 22853 |
| Placi video | MSI | VC MSI ATI R5970-P2D2G, ATI HD5970, 2GB DDR5, PCI-Express 2.1, 2x256bit, 725/4000 Mhz, Dual DVI, Display Port, Fan | 754.992 | USD | 3051.048 | C | 24 | 22854 |
| Placi video | Club3D | VC Club 3D CGAX-57724DPO Overclocked Edition, ATI HD5770, 1GB DDR5, PCI-Express 2.1, 128bit, 875/4900 Mhz, Dual DVI, HDMI, Active Fansink 2 Slots | 143.808 | EUR | 760.8944 | 0 | 24 | 22171 |

| | | | | | | | | |
|-------------|----------|--|---------|-----|----------|---------|----|-------|
| Placi video | Club3D | VC Club 3D CGAX-5772I, ATI HD5770, 512MB DDR5, PCI-Express 2.1, 128bit, 850/4800 MHz, VGA, DVI, HDMI, Active Fansink 2 Slots | 114.464 | EUR | 605.64 | SL | 24 | 22170 |
| Placi video | Club3D | VC Club 3D CGAX-58524DPO Overclocked Edition, ATI HD5850, 1GB DDR5, PCI-Express 2.1, 256bit, 760/4200 MHz, Dual DVI, HDMI, Display Port, Active Fansink 2 Slots | 257.6 | EUR | 1362.984 | 0 | 24 | 22173 |
| Placi video | Club3D | VC Club 3D CGAX-58524ND, ATI HD5850, 1GB DDR5, PCI-Express 2.1, 256bit, 725/4000 MHz, Dual DVI, HDMI, Display Port, Active Fansink 2 Slots | 242.928 | EUR | 1285.357 | 0 | 24 | 22172 |
| Placi video | Club3D | VC Club 3D CGAX-58724ND, ATI HD5870, 1GB DDR5, PCI-Express 2.1, 256bit, 850/4800 MHz, Dual DVI, HDMI, Display Port, Active Fansink 2 Slots | 344.176 | EUR | 1821.064 | 0 | 24 | 22174 |
| Placi video | Club3D | VC Club 3D CGAX-59748DP, ATI HD5970, 2GB DDR5, PCI-Express 2.1, 2x256bit, 2x725/4000 MHz, Dual DVI, Display Port, DVI-HDMI adapter, Active Fansink 2 Slots | 526.064 | EUR | 2783.446 | 0 | 24 | 22175 |
| Placi video | Diamond | VC DIAMOND VD4350PE512, ATI Radeon HD 4350, PCI Express 2.0, 600/800 MHz, 512 MB GDDR2, 64 bit, DVI + VGA + HDMI, single slot | 38.864 | USD | 157.0576 | 0 | 24 | 26002 |
| Placi video | Diamond | VC DIAMOND VD4550PE3512, ATI Radeon HD 4550, PCI Express 2.0, 600/1800 MHz, 512 MB GDDR3, 64 bit, DVI + DVI + VGA, single slot | 42 | USD | 169.7248 | 0 | 24 | 26001 |
| Placi video | Diamond | VC DIAMOND 5870PE51G, ATI Radeon HD 5870, PCI Express 2.0, 850/4800 MHz, 1 GB GDDR5, 256 bit, DVI + DVI+ HDMI + Display Port, dual slot | 376.096 | USD | 1519.862 | 0 | 24 | 26000 |
| Placi video | Gigabyte | VC GIGABYTE R465D2-1GI, ATI Radeon HD 4650, AGP, 1Gb, 128 bit, DDR2, HDCP, HDMI, DVI, GBT Fansink | 96.88 | USD | 391.5072 | C | 36 | 20133 |
| Placi video | Gigabyte | VC GIGABYTE GV-R435OC-512I, ATI Radeon HD4350, 512MB, GDDR2, PCI Express, (64 bit), DVI-I, TwinView, Fansink, HDCP, HDMI, 650/800 MHz | 40.32 | USD | 162.9376 | 0 | 36 | 19262 |
| Placi video | Gigabyte | VC GIGABYTE R455OC-1GI, ATI Radeon HD 4550, PCI-E, 1GB, 64 bit, GDDR3, DVI-I, TwinView, Screen Cooling, HDCP, HDMI | 62.048 | USD | 250.7456 | C | 36 | 25644 |
| Placi video | Gigabyte | VC GIGABYTE R455D3-512I, ATI Radeon HD 4550, PCI-E, 512MB, 64 bit, GDDR3, TV-Out, DVI-I, TwinView, Screen Cooling, HDCP, HDMI | 48.832 | USD | 197.3328 | 0 | 36 | 20132 |
| Placi video | Gigabyte | VC GIGABYTE R465OC-1GI, ATI Radeon HD 4650, PCI-E, 1GB, 128 bit, GDDR2, TV-Out, DVI-I, TwinView, Fansink, HDCP | 66.304 | USD | 267.9488 | 0 | 36 | 20131 |
| Placi video | Gigabyte | VC GIGABYTE R467ZL-1GI, ATI Radeon HD 4670, PCI-E, 1GB, 128 bit, GDDR3, HDCP, HDMI, DL-DVI-I, TwinView, ZALMAN | 84.896 | USD | 343.0784 | 0 | 36 | 20130 |
| Placi video | Gigabyte | VC GIGABYTE R477UD-1GI, ATI Radeon HD 4770, PCI-E, 1GB, 128 bit, GDDR5, 2*DL-DVI-I, HDCP, HDMI | 138.656 | USD | 560.336 | C | 36 | 25643 |
| Placi video | Gigabyte | VC GIGABYTE GV-R485OC-1GH, ATI Radeon HD 4850, PCI-E, 1GB, 256 bit, GDDR3, TV-Out, DVI-I, TwinView, Zalman, HDCP | 113.904 | USD | 460.3088 | 0 | 36 | 16924 |
| Placi video | Gigabyte | VC GIGABYTE R485MC-1GI, ATI Radeon HD 4850, PCI-E, 1GB, 256 bit, GDDR3, TV-Out, DVI-I, TwinView, Zalman, HDCP | 166.432 | USD | 672.5824 | C | 36 | 20127 |
| Placi video | Gigabyte | VC GIGABYTE R485SL-1GH, ATI Radeon HD 4850, PCI-E, 1GB, 256 bit, GDDR3, DVI-I, SilentCell, HDCP, HDMI | 166.432 | USD | 672.5824 | C | 36 | 25639 |
| Placi video | Gigabyte | VC GIGABYTE GV-R485ZL-512H, ATI Radeon HD 4850, PCI-E, 512MB, 256 bit, GDDR3, TV-Out, DVI-I, TwinView, Zalman, HDCP | 101.248 | USD | 409.1584 | 0 | 36 | 16171 |
| Placi video | Gigabyte | VC GIGABYTE R545SC-1GI, ATI Radeon HD 5450, PCI-E 2.0, 1GB, 64bit, DDR3, HDCP, HDMI(native), DL-DVI, DirectX 11, ATI Eyefinity | 70.784 | USD | 286.048 | C | 36 | 25642 |
| Placi video | Gigabyte | VC GIGABYTE R545OC-512I, ATI Radeon HD 5450, PCI-E 2.0, 512MB GDDR3, 64bit, HDMI, Dual-link DVI-I, ATX | 53.312 | USD | 215.4432 | C | 36 | 25927 |
| Placi video | Gigabyte | VC GIGABYTE R557OC-1GI, ATI Radeon HD 5570, PCI-E 2.0, 1GB, 128 bit, DDR3, HDCP, HDMI(native), DL-DVI, DirectX 11, ATI Eyefinity | 89.264 | USD | 360.7296 | C - LIM | 36 | 25641 |
| Placi video | Gigabyte | VC GIGABYTE R567OC-1GI, ATI Radeon HD 5670, PCI-E 2.0, 1GB, 128 bit, GDDR5, HDCP, HDMI(native), DL-DVI, DirectX 11, ATI Eyefinity | 113.904 | USD | 460.3088 | 0 | 36 | 25640 |
| Placi video | Gigabyte | VC GIGABYTE R575SL-1GI, ATI Radeon HD 5750, PCI-E, 1GB, 128 bit, GDDR5, HDCP, HDMI, DVI-I, DVI-D | 178.64 | USD | 721.9184 | C | 36 | 25638 |
| Placi video | Gigabyte | VC GIGABYTE GV-R575OC-1GI, ATI Radeon HD 5750, PCI-E 2.0, 1GB GDDR5, 128 bit, DVI + DVI + HDMI + DisplayPort, dual slot | 150.192 | USD | 606.9504 | 0 | 36 | 26383 |
| Placi video | Gigabyte | VC GIGABYTE R575D5-1GD, ATI Radeon HD 5750, PCI-E 2.0, 1GB, 128 bit, GDDR5, HDCP, HDMI(native), 2xDL-DVI, Display Port, DirectX 11, ATI Eyefinity, GBT Fansink | 158.592 | USD | 640.8976 | 0 | 36 | 25637 |
| Placi video | Gigabyte | VC GIGABYTE R577SO-1GD, ATI Radeon HD 5770, PCI-E 2.0, 1GB, 128 bit, GDDR5, HDCP, HDMI(native), 2xDL-DVI, Display Port, DirectX 11, ATI Eyefinity | 208.544 | USD | 842.7552 | S | 36 | 25634 |
| Placi video | Gigabyte | VC GIGABYTE R577UD-1GD, ATI Radeon HD 5770, PCI-E 2.0, 1GB, 128 bit, GDDR5, HDCP, HDMI(native), 2xDL-DVI, Display Port, DirectX 11, ATI Eyefinity | 184.016 | USD | 743.6352 | C | 36 | 25635 |
| Placi video | Gigabyte | VC GIGABYTE R583UD-1GD, ATI Radeon HD 5830, PCI-E, 1GB, 256 bit, GDDR5, HDCP, HDMI(native), 2xDL DVI-I, D-SUB(adaptor), DirectX 11, ATI Eyefinity | 236.208 | USD | 954.5536 | 0 | 36 | 25633 |
| Placi video | Gigabyte | VC GIGABYTE R585OC-1GD, ATI Radeon HD 5850, PCI-E, 1GB, 256 bit, GDDR5, HDCP, HDMI(native), 2xDL DVI-I, D-SUB(adaptor), Display Port, DirectX 11, ATI Eyefinity | 329.504 | USD | 1331.579 | 0 | 36 | 25632 |
| Placi video | Gigabyte | VC GIGABYTE R587D5-1GD-B, ATI Radeon HD 5870, PCI-E, 1GB, 256 bit, GDDR5, HDCP, HDMI(native), 2xDL DVI-I, D-SUB(adaptor), Display Port, DirectX 11, ATI Eyefinity | 441.504 | USD | 1784.194 | 0 | 36 | 25630 |
| Placi video | Gigabyte | VC GIGABYTE R587OC-1GD, ATI Radeon HD 5870, PCI-E, 1GB, 256 bit, GDDR5, HDCP, HDMI(native), 2xDL DVI-I, D-SUB(adaptor), Display Port, DirectX 11, ATI Eyefinity | 499.184 | USD | 2017.288 | C | 36 | 25629 |
| Placi video | Gigabyte | VC GIGABYTE R587SO-1GD, ATI Radeon HD 5870, PCI-E, 1GB, 256 bit, GDDR5, HDCP, HDMI(native), 2xDL DVI-I, D-SUB(adaptor), Display Port, DirectX 11, ATI Eyefinity | 462.672 | USD | 1869.728 | 0 | 36 | 25631 |
| Placi video | Gigabyte | VC GIGABYTE R587UD-1GD, ATI Radeon HD 5870, PCI-E 2.0, 1GB GDDR5, 256bit, HDMI, Display Port, Dual-link DVI-I, ATX | 425.6 | USD | 1719.917 | 0 | 36 | 25928 |
| Placi video | Gigabyte | VC GIGABYTE GV-R587P-2GD-B, ATI Radeon HD 5870, PCI-E 2.0, 2GB GDDR5, 256 bit, 6x mini DisplayPort (+ DVI/DP/HDMI adapter), dual slot, Eyefinity 6 Edition | 500.752 | USD | 2023.616 | 0 | 36 | 26384 |
| Placi video | Gigabyte | VC GIGABYTE R597D5-2GD-B, ATI Radeon HD 5970, PCI-E, 2GB, 512bit(2x256 bit), GDDR5, HDCP, 2xDL DVI-I, MiniDisplay Port, DirectX 11, ATI Eyefinity | 726.096 | USD | 2934.266 | 0 | 36 | 25628 |
| Placi video | Asus | VC ASUS AH3450/DI/512MD2(LP) ATI RADEON HD 3450 AGP 8X, 512MB DDR2-64bit, HDTV, DVI-I, Low Profile | 58.24 | USD | 235.3568 | 0 | 36 | 20280 |
| Placi video | Asus | VC ASUS AH4650/DI/1GD2 ATI Radeon HD 4650 AGP 8X, 1024MB DDR2-128bit, HDTV, DVI-I*(2)(HDCP), DVI+HDMI adapter, Passive V-Cool silent heatsink | 100.576 | USD | 406.448 | S | 36 | 20205 |
| Placi video | Asus | VC ASUS 5870EYEFINITY6 ATI Radeon HD 5870 Eyefinity 6, PCIE* 2.1, 2048MB DDR5-256bit, DVI-I*(2)(HDCP), mini DP to HDMI adapter, ATI Eyefinity 6 monitors | 620.144 | USD | 2506.101 | 0 | 36 | 23989 |
| Placi video | Asus | VC ASUS ARES/2DIS/4GD5 ATI Radeon HD5870X2 Pciex2.1, 4GB DDR5 256bitx2, 850/4800 Mhz, Dual DVI, native HDMI, Display Port, special metal case, ROG gaming mouse bundled, 600% Airflow fansink Design | 1401.01 | USD | 5661.701 | C | 36 | 24997 |
| Placi video | Asus | VC ASUS EAH4350 SILENT/DI/1GD2 ATI Radeon HD4350, PCI Express 2.0, 1GB DDR2-64bit, 600/800Mhz, Passive Single slot, DVI-I, HDCP, HDMI | 49.952 | USD | 201.8688 | CALL | 36 | 22072 |
| Placi video | Asus | VC ASUS EAH4350-SILENT/DI/256MD2(LP) ATI Radeon HD4350, PCI Express, 256MB DDR2, 600/800Mhz, Passive, HDTV, DVI-I (1HDCP), Native HDMI, LP | 37.184 | USD | 150.2704 | C | 36 | 22073 |
| Placi video | Asus | VC ASUS EAH4350-SILENT/DI/512MD2(LP) ATI Radeon HD 4350, PCI Express 2.0, 512MB DDR2-64bit, HDTV, DVI-I, Native HDMI + LP bracket inside, Passive | 43.12 | USD | 174.2496 | C | 36 | 20281 |
| Placi video | Asus | VC ASUS EAH4670/DI/1GD3/V2 ATI Radeon HD 4670, PCI Express 2.0, 1024MB DDR3-128bit, HDTV, DVI-I, Native HDMI | 89.488 | USD | 361.6368 | S | 36 | 20289 |
| Placi video | Asus | VC ASUS EAH4670/DI/512MD3 ATI Radeon HD 4670, PCI Express 2.0, 512MB DDR3-128bit, HDTV, DVI-I, Native HDMI | 78.512 | USD | 317.2848 | S | 36 | 20288 |

| | | | | | | | | |
|-------------|----------|---|---------|-----|----------|------|----|-------|
| Placi video | ASUS | VC ASUS EAH4770-FORMULA/DI/512MD5 ATI Radeon HD4770, PCI Express 2.0, 512MB DDR5-128bit, 750/3200MHz HDTV, Active Fan Single slot, DVI-Ix2(1HDCP), DVI-HDMI adapter | 123.872 | USD | 500.584 | SL | 36 | 22075 |
| Placi video | Asus | VC ASUS EAH4850/2DI/1GD3, ATI Radeon HD 4850, PCI Express 2.0, 1GB DDR3-256bit, HDTV, Dual DVI-I(1HDCP), DVI to HDMI adaptor, ASUS exclusive Glacierator fansink | 121.296 | USD | 490.1792 | S | 36 | 22415 |
| Placi video | Asus | VC ASUS EAH5450 SILENT/DI/1GD3(LP) ATI Radeon HD 5450, PCI Express 2.1, 1GB DDR3-64bit, DVI-I(HDCP support), HDMI, LP bracket inside, Heatsink, dual slot | 80.64 | USD | 325.8752 | S | 36 | 22417 |
| Placi video | Asus | VC ASUS EAH5450 SILENT/DI/1GD2 ATI Radeon HD 5450, PCI Express 2.1, 1GB DDR2-64bit, 650/800 MHz, VGA, DVI-I(HDCP support), HDMI, Passive | 70.56 | USD | 285.1408 | SL | 36 | 22845 |
| Placi video | Asus | VC ASUS EAH5450 SILENT/DI/512MD2(LP) ATI Radeon HD 5450, PCI Express 2.1, 512MB DDR2-64bit, 650/800 MHz, VGA, DVI-I(HDCP support), HDMI, LP bracket inside, Passive | 57.12 | USD | 230.832 | S | 36 | 22844 |
| Placi video | Asus | VC ASUS EAH5450/DI/1GD3(LP) ATI Radeon HD 5450, PCI Express 2.1, 1GB DDR3-64bit, DVI-I(HDCP support), HDMI, LP bracket inside | 70.56 | USD | 285.1408 | S | 36 | 22416 |
| Placi video | Asus | VC ASUS EAH5570/DI/1GD3LP ATI Radeon HD 5570, PCI Express 2.1, 1GB DDR3-128bit, DVI-I(HDCP support), HDMI, LP bracket inside | 101.696 | USD | 410.9728 | S | 36 | 22418 |
| Placi video | ASUS | VC ASUS EAH5570/SIL/D/1GD2 ATI Radeon HD 5570, PCI Express 2.1, 1024MB DDR2-128bit, DVI-I*1(HDCP support), native HDMI, Passive Cooling, DirectX11 | 90.608 | USD | 366.1616 | C | 36 | 23987 |
| Placi video | ASUS | VC ASUS EAH5670/DI/1GD5 ATI Radeon HD5670, PCI Express 2.1, 1GB GDDR5-128bit, 775/4000MHz, VGA, DVI-Ix(1HDCP),native HDMI | 127.904 | USD | 516.88 | CALL | 36 | 22077 |
| Placi video | ASUS | VC ASUS EAH5670/DI/512MD5 ATI Radeon HD5670, PCI Express 2.1, 512MB GDDR5-128bit, 775/4000MHz, VGA, DVI-Ix(1HDCP), native HDMI | 100.912 | USD | 407.8032 | CALL | 36 | 22846 |
| Placi video | Asus | VC ASUS EAH5750 FORMULA/2DI/1GD5 ATI Radeon HD 5750, PCI Express 2.1, 1GB GDDR5-128bit, Dual DVI-I(HDCP support), HDMI | 162.288 | USD | 655.8272 | C | 36 | 22420 |
| Placi video | Asus | VC ASUS EAH5750 FORMULA/DI/512MD5 ATI Radeon HD 5750, PCI Express 2.1, 512MB GDDR5-128bit, DVI-I(HDCP support), HDMI | 144.48 | USD | 583.8672 | S | 36 | 22421 |
| Placi video | Asus | VC ASUS EAH5750/2DIS/1GD5 ATI Radeon HD 5750, PCI Express 2.0, 1GB DDR5-128bit, Dual DVI-I(1HDCP), HDMI | 156.464 | USD | 632.296 | SL | 36 | 22419 |
| Placi video | ASUS | VC ASUS EAH5770/2DI/512MD5 ATI Radeon HD5770, PCI Express 2.1, 512MB DDR5-128bit, 850/4800MHz, Active Dual slot, HDTV, VGA, DVI-I, HDMI, HDMI to DVI adaptor | 149.968 | USD | 606.0432 | M | 36 | 22076 |
| Placi video | Asus | VC ASUS EAH5770/CU/CORE/2DI/1GD5 ATI Radeon HD 5770, PCI Express 2.1, 1GB DDR5-128bit, Dual DVI-I(HDCP support), HDMI | 185.024 | USD | 747.712 | C | 36 | 22422 |
| Placi video | Asus | VC ASUS EAH5830 DIRECTCU/2DIS/1GD5, ATI Radeon HD 5830, PCI Express 2.1, 1GB DDR5-256bit, 800/4000 MHz, DVI-I(1HDCP), HDMI, Display Port, 1 x DVI to D-Sub adaptor, 1 x HDMI to DVI adaptor, CF cable | 311.808 | USD | 1260.067 | SL | 36 | 22847 |
| Placi video | Asus | VC ASUS EAH5850/2DIS/1GD5 ATI Radeon HD 5850, PCI Express 2.1, 1GB DDR5-256bit, Dual DVI-I(1HDCP), HDMI | 347.312 | USD | 1403.539 | C | 36 | 22423 |
| Placi video | Asus | VC ASUS EAH5850DIR/2D/1G5, ATI Radeon HD 5850, PCI Express* 2.0, 1GB DDR5-256bit, 725/4000 MHz, DVI-I*2(1HDCP), native HDMI, Asus Splendid HD | 353.696 | USD | 1429.344 | C | 36 | 25690 |
| Placi video | Asus | VC ASUS EAH5850DIRTOP2D1G5, ATI Radeon HD 5850, PCI Express* 2.0, 1GB DDR5-256bit, 765/4000 MHz, DVI-I*2(1HDCP), native HDMI, Asus Splendid HD | 359.744 | USD | 1453.782 | C | 36 | 25691 |
| Placi video | Asus | VC ASUS EAH5870/2DIS/1GD5 ATI Radeon HD 5870, PCI Express 2.1, 1GB DDR5-256bit, Dual DVI-I(1HDCP), HDMI | 437.92 | USD | 1769.701 | C | 36 | 22424 |
| Placi video | Asus | VC ASUS EAH5870/2DIS/1GD5/V2 ATI Radeon HD 5870, PCI Express 2.1, 1024MB DDR5-256bit, 850/4800MHz, HDTV, 1xdual link DVI, 1x single link DVI via adapter (HDCP support), HDMI, DX11, Active Dual Slot, Native Display | 438.032 | USD | 1770.16 | C | 36 | 25280 |
| Placi video | Asus | VC ASUS EAH5970/G/2DIS/2GD5, ATI Radeon HD 5970, PCI Express 2.1, 2GB DDR5-2x256bit, 725/4000 MHz, Dual DVI-I(1HDCP), Display Port, 1 x DVI to HDMI adaptor, Active Dual Slot, DIRT2, CF cable | 689.136 | USD | 2784.914 | C | 36 | 22848 |
| Placi video | Asus | VC ASUS MATRIX5870/2DIS/2GD5 ATI Radeon HD 5870 Matrix OC, PCIE* 2.1, 2048MB DDR5-256bit, DVI-I*1(1HDCP), native HDMI, Display Port | 564.032 | USD | 2279.346 | C | 36 | 23988 |
| Placi video | Sapphire | VC Sapphire SPH-HD3450HD512ATI ATI Radeon HD3450 AGP 8X 512Mb 64-bit DDR2, 600/800MHz, Heatsink, DVI, HDMI, HDTV (ROHS), Lite | 56.112 | USD | 226.7552 | C | 24 | 20560 |
| Placi video | Sapphire | VC Sapphire SPH-HD3650R512B128HTD ATI Radeon HD 3650 AGP 8X 512MB DDR2 128bit, 600/800MHz, Single Slot Fan Cooler, DVI/TVO, Lite Retail | 62.496 | USD | 252.56 | S | 24 | 15456 |
| Placi video | Sapphire | VC Sapphire SPH-HD4650HT1G ATI Radeon HD 3650 AGP 8X 1GB DDR2 128bit, 600/800MHz, Dual DVI/TVO, Single Slot Fan Cooler, HDTV, HDMI adaptor, Lite Retail | 88.928 | USD | 359.3744 | C | 24 | 20438 |
| Placi video | Sapphire | VC Sapphire SPH-HD4650HT512M ATI Radeon HD4650, AGP 8X, 512Mb DDR2 128bit, 600/800MHz, Single Slot Fan Cooler, DUAL DVI-I, TVO, Lite | 77.28 | USD | 312.3008 | S | 24 | 22084 |
| Placi video | Sapphire | VC Sapphire SPH-EHD4350R1024B64HTD ATI Radeon HD4350, PCI Express 2.0, 1GB DDR2 64bit, VGA, DVI-I, HDMI, Heatsink, Lite | 48.608 | USD | 196.4368 | S | 24 | 20562 |
| Placi video | Sapphire | VC Sapphire 11142-10-20R ATI Radeon HD4350, PCI Express 2.0, 256MB DDR2 64bit, 1GB HM, 600/800MHz, Fan, DVI-I, VGA, Low Profile, Lite | 34.048 | USD | 137.592 | S | 24 | 22831 |
| Placi video | Sapphire | VC Sapphire 11142-07-20R ATI Radeon HD4350, PCI Express 2.0, 512MB DDR2 64bit, 600/800MHz, Heatsink, HDMI, DVI-I, VGA, LP bracket, Lite | 39.2 | USD | 158.4128 | S | 24 | 22304 |
| Placi video | Sapphire | VC Sapphire 11141-16-20R ATI Radeon HD4550, PCI Express 2.0, 512MB DDR3 64bit, 1GB HM, 600/1333MHz, Heatsink, HDMI, DVI-I, VGA, bundle with LP bracket, Lite | 52.304 | USD | 211.3664 | SL | 24 | 22830 |
| Placi video | Sapphire | VC Sapphire 11141-15-20R ATI Radeon HD4550, PCI Express 2.0, 512MB DDR3 64bit, 600/1333MHz, Single Slot Heatsink, HDMI, DVI-I, VGA, LP bracket, Lite | 48.944 | USD | 197.792 | C | 24 | 22081 |
| Placi video | Sapphire | VC Sapphire SPH-EHD4650R1024B128HDMI ATI Radeon HD4650, PCI Express 2.0, 1GB DDR2 128bit, 600/800MHz, Single Slot Fan Cooler, HDMI, DVI-I, VGA, Lite | 68.88 | USD | 278.3536 | 0 | 24 | 22082 |
| Placi video | Sapphire | VC Sapphire 11140-41-20R ATI Radeon HD4650, PCI Express 2.0, 512MB DDR2 64bit, 600/1000MHz, Single Slot Fan Cooler, HDMI, DVI-I, VGA, LP bracket, Lite | 46.368 | USD | 187.376 | M | 24 | 22086 |
| Placi video | Sapphire | VC Sapphire SPH-EHD4650M512.64 ATI Radeon HD4650, PCI Express 2.0, 512MB DDR2 64bit, 600/1000MHz, Single Slot Fan Cooler, HDMI, DVI-I, VGA, LP bracket, Lite | 45.584 | USD | 184.2176 | 0 | 24 | 22083 |
| Placi video | Sapphire | VC Sapphire SPH-EHD4670G1024B128HDMI ATI Radeon HD4670, PCI Express 2.0, 1GB GDDR3 128bit, 750/1600MHz, Single Slot Fan Cooler, HDMI, DVI-I, VGA, Lite | 86.8 | USD | 350.7728 | SL | 24 | 20567 |
| Placi video | Sapphire | VC Sapphire SPH-EHD4670H512B128HDMI Ultimate, ATI Radeon HD4670, PCI Express 2.0, 512MB DDR3 128bit, 750/1746MHz, DVI, VGA, Dual Slot Heatpipe, HDTV, HDMI on board, Dual Display, CrossfireX, Lite Retail | 76.608 | USD | 309.5904 | S | 24 | 17971 |
| Placi video | Sapphire | VC Sapphire 11166-14-20R ATI Radeon HD5450, PCI Express 2.1, 1GB DDR2 64bit, 650/800MHz, Heatsink, HDMI, DVI-I, VGA, Lite | 62.496 | USD | 252.56 | S | 24 | 22308 |
| Placi video | Sapphire | VC Sapphire 11166-02-20R ATI Radeon HD5450, PCI Express 2.1, 1GB DDR3 64bit, 650/1600MHz, Heatsink, HDMI, DVI-I, VGA, Lite | 59.248 | USD | 239.4336 | SL | 24 | 22306 |
| Placi video | Sapphire | VC Sapphire 11166-04-20R ATI Radeon HD5450, PCI Express 2.1, 512MB DDR2 64bit, 650/800MHz, Heatsink, HDMI, DVI-I, VGA, Lite | 45.584 | USD | 184.2176 | 0 | 24 | 22307 |
| Placi video | Sapphire | VC Sapphire 11166-01-20R ATI Radeon HD5450, PCI Express 2.1, 512MB DDR3 64bit, 650/1600MHz, Heatsink, HDMI, DVI-I, VGA, Lite | 50.848 | USD | 205.4864 | SL | 24 | 22305 |

| | | | | | | | | |
|-------------|----------|--|---------|-----|----------|------|----|-------|
| Placi video | Sapphire | VC Sapphire 11166-00-20R ATI Radeon HD5450, PCI Express 2.0, 512MB DDR3 64bit, 650/1600MHz, DVI, VGA, Display Port, Single Slot Heatsink, ATI Eyefinity Technology, support up to 3 displays, ATI Stream Technology, Low Profile Bracket, Lite Retail | 47.712 | USD | 192.808 | C | 24 | 24570 |
| Placi video | Sapphire | VC Sapphire 11170-05-20R ATI Radeon HD5550, PCI Express 2.0, 1GB DDR2 128bit, 550/800MHz, DVI, VGA, HDMI, Single Slot Fan Cooler, DirectX11, ATI Stream Technology, Low Profile Bracket, Lite Retail | 76.272 | USD | 308.224 | C | 24 | 24576 |
| Placi video | Sapphire | VC Sapphire 11170-25-20R ATI Radeon HD5550, PCI Express 2.0, 1GB DDR5 128bit, 550/2000MHz, DVI/VGA/HDMI, Dual Slot Fan Cooler, DirectX11, ATI Stream Technology, Lite Retail | 97.44 | USD | 393.7696 | C | 24 | 24999 |
| Placi video | Sapphire | VC Sapphire 11170-27-20R, ATI Radeon HD5550, PCI Express 2.0, 2048MB DDR5 128bit, 550/2000MHz, DVI/VGA/HDMI, Dual Slot Fan Cooler, DirectX11, ATI Stream Technology, Lite Retail | 114.352 | USD | 462.112 | C | 24 | 25735 |
| Placi video | Sapphire | VC Sapphire 11170-16-20R ATI Radeon HD5550, PCI Express 2.0, 512MB DDR3 128bit, 550/1400MHz, DVI/VGA/HDMI, Single Slot Fan Cooler, DirectX11, ATI Stream Technology, Lite Retail | 72.016 | USD | 291.032 | C | 24 | 24998 |
| Placi video | Sapphire | VC Sapphire 11170-14-20R ATI Radeon HD5550 Ultimate, PCI Express 2.0, 1GB DDR2 128bit, 550/800MHz, DVI, VGA, HDMI, Dual Slot Heatpipe, DirectX11, ATI Stream Technology, Lite Retail | 79.408 | USD | 320.9024 | C | 24 | 24577 |
| Placi video | Sapphire | VC Sapphire 11167-00-20R ATI Radeon HD5570, PCI Express 2.0, 1GB DDR3 128bit, 650/1800MHz, Single Slot Fan Cooler, HDMI, DVI-I, VGA, Lite | 91.616 | USD | 370.2384 | SL | 24 | 22311 |
| Placi video | Sapphire | VC Sapphire 11167-04-20R ATI Radeon HD5570, PCI Express 2.0, 1GB DDR3 128bit, 650/1800MHz, Single Slot Fan Cooler, VGA, DVI-I, Display Port, Lite | 94.976 | USD | 383.8128 | C | 24 | 22312 |
| Placi video | Sapphire | VC Sapphire 11167-08-20R ATI Radeon HD5570 PCI Express 2.0, 1024MB GDDR5 128bit, 650/2000MHz, DVI/VGA/HDMI, Dual Slot Fan Cooler, HDTV, CrossfireX, ATI Stream Technology, Lite Retail | 106.96 | USD | 432.2416 | C | 24 | 25000 |
| Placi video | Sapphire | VC Sapphire SPH-EHD56701G128B ATI Radeon HD5670, PCI Express 2.0, 1GB GDDR5 128bit,775/4000MHz, Dual Slot Fan Cooler, HDMI, DVI-I, Display Port, Lite | 112.224 | USD | 453.5104 | 0 | 24 | 22087 |
| Placi video | Sapphire | VC Sapphire SPH-EHD5670512G128B ATI Radeon HD5670, PCI Express 2.0, 512MB GDDR5 128bit, 775/4000MHz, Dual Slot Fan Cooler, HDMI, DVI-I, VGA, Lite | 97.44 | USD | 393.7696 | 0 | 24 | 22089 |
| Placi video | Sapphire | VC Sapphire SPH-EHD5670HD512DP ATI Radeon HD5670, PCI Express 2.0, 512MB GDDR5 128bit, 775MHz/4000MHz, Dual Slot Fan Cooler, HDMI, DVI-I, DP (Display Port), Lite | 98.448 | USD | 397.8464 | S | 24 | 22088 |
| Placi video | Sapphire | VC Sapphire SPH-EHD57501G ATI Radeon HD5750, PCI Express 2.0, 1GB DDR5 128bit, 700/4600MHz, Dual Slot Fan Cooler, DVI-I, HDMI, Display Port, Lite | 154.56 | USD | 624.6016 | C | 24 | 22090 |
| Placi video | Sapphire | VC Sapphire 11164-03-20R ATI Radeon HD5750, PCI Express 2.0, 512MB GDDR5 128bit,700/4600MHz, Dual Slot Fan Cooler, HDMI, Dual DVI-I, Display Port, Lite | 133.84 | USD | 540.8704 | C | 24 | 22832 |
| Placi video | Sapphire | VC Sapphire SPH-EHD5750V1G Vapor-X ATI Radeon HD5750, PCI Express 2.0, 1GB DDR5 128bit, 710/4640MHz, Dual Slot Fan Cooler, DVI-I, HDMI, Display Port, Lite | 167.328 | USD | 676.2 | CALL | 24 | 22095 |
| Placi video | Sapphire | VC Sapphire SPH-EHD5770HD1G128 ATI Radeon HD5770, PCI Express 2.0, 1GB GDDR5 128bit, 850/4800MHz, Dual Slot Fan Cooler, DVI-I, HDMI, DP, Lite | 181.104 | USD | 731.8752 | 0 | 24 | 22091 |
| Placi video | Sapphire | VC Sapphire 11163-07-20R ATI Radeon HD5770, PCI Express 2.0, 512MB GDDR5 128bit,850/4800MHz, Dual Slot Fan Cooler, HDMI, DVI-I, Display Port, CF Bridge Cable, HDMI to DVI cable, Lite | 155.68 | USD | 629.1264 | C | 24 | 22833 |
| Placi video | Sapphire | VC Sapphire SPH-EHD5770V1G Vapor-X ATI Radeon HD5770, PCI Express 2.0, 1G GDDR5 128bit, 860/4800MHz, Dual Slot Fan Cooler, Dual DVI-I, HDMI, Display Port, Lite | 194.32 | USD | 785.2768 | C | 24 | 22096 |
| Placi video | Sapphire | VC Sapphire 11169-00-20R ATI Radeon HD5830, PCI Express 2.0, 1GB GDDR5 256bit, 800/4000MHz, Dual Slot Fan Cooler, Dual DVI-I, HDMI, Display Port, CF Bridge Interconnect Cable, Lite | 178.976 | USD | 723.2736 | C | 24 | 22834 |
| Placi video | Sapphire | VC Sapphire 11169-00-51R ATI Radeon HD5830, PCI Express 2.0, 1GB GDDR5 256bit, 800/4000MHz, Dual Slot Fan Cooler, Dual DVI-I, HDMI, Display Port, CF Bridge Interconnect Cable, Modern Warfare 2, Full Retail | 179.984 | USD | 727.3392 | C | 24 | 22835 |
| Placi video | Sapphire | VC Sapphire 11162-00-40R ATI Radeon HD5850, PCI Express 2.1, 1GB GDDR5 256 bit, 725/4000Mhz, DUAL DVI-I, HDMI, Display Port, HDCP, Dual Slot Fan Cooler, DIRECTX11.1, ATI Eyefinity(supports up to 3 displays), ATI CROSSFIREX, FULL RETAIL | 321.888 | USD | 1300.802 | C | 24 | 24580 |
| Placi video | Sapphire | VC Sapphire 11162-00-51R ATI Radeon HD5850, PCI Express 2.0, 1GB GDDR5 256bit, 725/4000MHz, Dual Slot Fan Cooler, Dual DVI-I, HDMI, Display Port, ATI Eyefinity (supports up to 3 displays), Full Retail, Modern Warfare 2 | 316.624 | USD | 1279.533 | 0 | 24 | 22836 |
| Placi video | Sapphire | VC Sapphire 11162-05-40R Toxic ATI Radeon HD5850, PCI Express 2.0, 1GB GDDR5 256bit, 765/4500MHz, Dual Slot Fan Cooler, Dual DVI-I, HDMI, Display Port, ATI Eyefinity (supports up to 3 displays), Full Retail, CF Bridge Cable, 2x4-pin to 6-pin cable | 370.608 | USD | 1497.686 | C | 24 | 22837 |
| Placi video | Sapphire | VC Sapphire 11162-03-40R Vapor-X ATI Radeon HD5850, PCI Express 2.0, 1GB GDDR5 256bit, 735/4200MHz, Dual Slot Fan Cooler, Dual DVI-I, HDMI, Display Port, ATI Eyefinity (supports up to 3 displays), Full Retail, CF Bridge Cable, 2x4-pin to 6-pin cable, SIM HD | 343.056 | USD | 1386.347 | C | 24 | 22838 |
| Placi video | Sapphire | VC Sapphire 11161-01-50R ATI Radeon HD5870, PCI Express 2.1, 1GB GDDR5 256bit, 850/4800MHz, Dual Slot Fan Cooler, Dual DVI-I, HDMI, Display Port, ATI Eyefinity (supports up to 3 displays), Full Retail, CF Bridge Cable, DIRT2, SIM HD | 463.792 | USD | 1874.253 | C | 24 | 22839 |
| Placi video | Sapphire | VC Sapphire 21161-10-40R ATI Radeon HD5870, PCI Express 2.1, 2GB GDDR5 256bit, 850/4800MHz, Dual slot Fan auto fan controler, 6 x Mini DisplayPort, ATI Eyefinity 6 edition (supports up to 6 displays), CrossFire Bridge, Mini-DP to DP Cable,Mini DP to HDMI Adaptor, Mini DP to SL-DVI Passive dongle | 545.328 | USD | 2203.757 | C | 24 | 22840 |
| Placi video | Sapphire | VC Sapphire 11161-03-50R Vapor-X ATI Radeon HD5870, PCI Express 2.1, 1GB GDDR5 256bit, 875/5000MHz, Dual slot Fan auto fan controler, Dual DL-DVI-I, Display Port, HDMI, VGA(Via adaptor), DIRT 2 cupon, ATI Eyefinity (supports up to 3 displays) | 471.184 | USD | 1904.134 | C | 24 | 22309 |
| Placi video | Sapphire | VC Sapphire 21165-00-51R ATI Radeon HD5970 dual GPU, PCI Express 2.1, 1024MBX2 GDDR5 256X2 bit, 735/4040MHz, DUAL DVI-I, HDMI, Display Port, HDCP, DIRECTX11.1, ATI Eyefinity(supports up to 3 displays), ATI CROSSFIREX, FULL RETAIL | 658.672 | USD | 2661.803 | C | 24 | 24582 |
| Placi video | Sapphire | VC Sapphire SPH-EHD5970HD2G OC Edition ATI Radeon HD5970 Dual GPU, PCI Express 2.1, 1GBX2 GDDR5 256X2 bit, 735/4040Mhz, Dual DVI-I, HDMI, Display Port, HDCP, ATI Eyefinity(supports up to 3 displays), Full Retail, DIRT2 Cupon | 671.104 | USD | 2712.035 | 0 | 24 | 22094 |
| Placi video | XFX | VC XFX 675X-ZNDA ATI Radeon HD5750, PCI Express 2.0, 1GB, DDR5, 128bit, 720/4800MHz, xXx Edition, Dual DVI, HDMI - EyeFinity, DisplayPort | 156.016 | USD | 630.4816 | 0 | 24 | 22431 |
| Placi video | XFX | VC XFX 675X-ZNFC ATI Radeon HD5750, PCI Express 2.0, 1GB, DDR5, 128bit, 700/4600MHz, XFX Built, Dual DVI, HDMI - EyeFinity, DisplayPort | 152.768 | USD | 617.3552 | 0 | 24 | 22426 |
| Placi video | XFX | VC XFX 597A-CNB9 ATI Radeon HD5970, PCI Express 2.0, 2GB, DDR5, 512bit, Max.1024/6000MHz, Black Edition, XFX OC TOOL, Dual DVI, HDMI - EyeFinity, DisplayPort | 679.056 | USD | 2744.179 | C | 24 | 22425 |
| Placi video | PNY | VC PNY Quadro NVS 290 256Mb DDR2 PCI Express, 64bit, DM59, dual VGA/DVI | 150.304 | EUR | 795.2672 | C | 24 | 22029 |
| Placi video | PNY | VC PNY Quadro FX 1800 768Mb GDDR3 PCI Express, 192bit, 59W, dual link DVI + 2 DisplayPort | 492.576 | EUR | 2606.262 | C | 36 | 21297 |
| Placi video | PNY | VC PNY Quadro FX 3700 512Mb GDDR3 PCI Express, 256bit, 80W, Twin dual link DVI outputs drive two digital displays at resolutions up to 3840 x 2400 at 24Hz | 930.608 | EUR | 4923.923 | C | 36 | 17293 |
| Placi video | Lenovo | VC Lenovo 45K1672, NVIDIA Quadro FX 1800, PCI Express, 768 MB DDR3, 128bit, 2 x DisplayPort, connector DVI, cooler | 470.4 | USD | 1900.965 | 0 | 12 | 23907 |
| Placi video | Lenovo | VC Lenovo 45K1670, NVIDIA Quadro FX 380, PCI Express, 256 MB GDDR3, 128bit, 2x DisplayPort, 400MHz | 117.6 | USD | 475.2384 | 0 | 12 | 23905 |
| Placi video | Lenovo | VC Lenovo 45K1671, NVIDIA Quadro FX 580, PCI Express, 512 MB DDR3, 128bit, 2x DisplayPort, connector DVI, cooler | 201.6 | USD | 814.6992 | 0 | 12 | 23906 |
| | | Placi de sunet | | | | | | |

| | | | | | | | | |
|-------------------------|-------------|--|---------|-----|----------|----|----|-------|
| Placi de sune | C-Media | SB C-Media CMI 8738, 5.1ch., PCI | 8.4448 | USD | 34.1264 | M | 12 | 418 |
| Placi de sune | Konig | SB Konig CMP-SOUNDCAR20, 5.1ch., PCI | 8.7696 | EUR | 46.4016 | S | 12 | 21085 |
| Placi de sune | Asus | SB Asus XONAR HDAV1.3 Slim, 5.1ch., HDMI1.3 audio card PCI, HDMI In/HDMI Out/SPDIF Out, THDN 0.0003%, SNR All channel: 124 dB, DVI-to-HDMI cable*1, HDMI-to-HDMI cable*1, S/PDIF adaptor *1 | 167.552 | USD | 677.1072 | C | 24 | 24606 |
| Placi de sune | Asus | SB Asus XONAR-U1, 5.1ch., USB, (Piano Black), Output Signal-to-Noise Ratio - 100dB, Output THD+N at 1kHz - 87dB, Dynamic Range - 96dB, 1 x Optical S/PDIF adaptor cable, 1 x Stereo Vertical Array Microphone | 63.616 | USD | 257.0848 | C | 24 | 13084 |
| Placi de sune | Asus | SB Asus XONAR-D1, 7.1ch., PCI, Audio Card with Low Profile design | 71.568 | USD | 289.2176 | C | 24 | 15896 |
| Placi de sune | Asus | SB Asus XONAR-D2, 7.1ch., PCI, 118dB In/Out SNR, High-definition audio processing at 192KHz/24Bit, Dolby (DVS, DH, DPLIIX, DDL) .DTS (DTS Connect, DTS Interactive, DTS NEO:PC) | 161.168 | USD | 651.3024 | C | 24 | 9833 |
| Placi de sune | Asus | SB Asus XONAR-D2X, 7.1ch., PCIe1, 118dB In/Out SNR, High-definition audio processing at 192KHz/24Bit, Dolby (DVS, DH, DPLIIX, DDL) .DTS (DTS Connect, DTS Interactive, DTS NEO:PC) | 186.032 | USD | 751.7888 | C | 24 | 12062 |
| Placi de sune | Asus | SB ASUS 7.1 XONAR-DS XONAR DS 7.1 Channel Audio Card with PCI interface, SPDIF Out, Line In/ Mac in Combo, S/PDIF Header, Front Audio Header, Aux In | 51.744 | USD | 209.104 | C | 24 | 20317 |
| Placi de sune | Asus | SB Asus XONAR-DX, 7.1ch., PCIe1, Low Profile design, 116dB In/Out SNR, Dolby (DVS, DH, DPLIIX, DDL) | 76.832 | USD | 310.4864 | C | 24 | 18082 |
| Placi de sune | Asus | SB Asus Xonar-Essence-ST, 7.1ch., Audio Card with PCI interface, SNR All channel: 124 dB, THDN 0.0003%, SPDIF adoptor*1, Stereo 3.5mm-to-RCA *1, 6.3mm to 3.5mm stereo adapter*1 | 199.248 | USD | 805.1904 | C | 24 | 24607 |
| Placi de sune | Asus | SB Asus Xonar-Essence-STX, 7.1ch., Audio Card with PCIe interface, 118dB In/Out SNR, Industry-leading 124 dB SNR / Headphone Amp card for Audiophiles, High-definition audio processing at 192KHz/24Bit, Dolby Headphone, Dolby Virtual Speaker, Dolby Pro-Logic II | 198.464 | USD | 802.0208 | C | 24 | 24608 |
| Placi de sune | Diamond | SB Diamond XS51, 5.1, DolbyB, EX and DTSB, formats 5.1 channel DVD playback, 48K/16 bit playback, 48K/16bit recording, EAX 2.0 and A3D sound support, PCI 2.2 | 16.688 | USD | 67.4352 | 0 | 24 | 25997 |
| Placi de sune | Diamond | SB Diamond XS71, 7.1, DolbyB, EX and DTSB, formats 6.1/7.1 channel DVD playback, 96K/24bit playback, 48K/16bit recording, EAX 2.0 and A3D sound support, PCI 2.2 | 23.296 | USD | 94.1472 | C | 24 | 25998 |
| Placi de sune | Diamond | SB Diamond XS71DDL, 7.1, DolbyB, EX and DTSB, formats 6.1/7.1 channel DVD playback, 96K/24bit playback, 48K/16bit recording, EAX 2.0 and A3D sound support, Dolby Digital LiveB, PCI 2.2 | 26.656 | USD | 107.7216 | C | 24 | 25999 |
| Placi de sune | SteelSeries | SB SteelSeries Siberia USB Black, Virtual 7.1 surround, pozitionare 3D, egalizator pe 12 benzi | 35.952 | EUR | 190.2208 | C | 12 | 18393 |
| Placi de sune | SteelSeries | SB SteelSeries Siberia USB White, Virtual 7.1 surround, pozitionare 3D, egalizator pe 12 benzi | 35.952 | EUR | 190.2208 | C | 12 | 18392 |
| Placi de sune | Creative | SB Creative Audigy SE 7.1ch. SB0570, PCI (bulk) | 19.264 | EUR | 101.9312 | S | 24 | 5042 |
| Placi de sune | Creative | SB Creative Audigy SE 7.1ch. SB0570, PCI, Retail | 31.024 | EUR | 164.1472 | SL | 24 | 22551 |
| Placi de sune | Creative | Placa de sunet CREATIVE X-Fi GO! - USB | 39.536 | EUR | 209.1936 | 0 | 24 | 19802 |
| Placi de sune | Creative | Placa de sunet CREATIVE X-Fi Mx Xtreme Audio bulk | 33.824 | EUR | 178.9648 | 0 | 24 | 19803 |
| Placi de sune | Creative | SB Creative X-Fi XtremeGamer, 7.1ch., 24-bit/96KHz, PCI | 76.048 | EUR | 402.3712 | C | 24 | 8155 |
| Placi de sune | Creative | Placa de sunet CREATIVE X-Fi Mx Xtreme Gamer, 7.1 canale, 24-bit Analog-to-Digital conversion | 67.2 | EUR | 355.5552 | 0 | 24 | 19805 |
| Placi de sune | Creative | Placa de sunet CREATIVE X-Fi Notebook Xpress Card/Wireless | 56.336 | EUR | 298.0768 | 0 | 24 | 19806 |
| Placi de sune | Creative | Placa de sunet CREATIVE X-Fi Surround 5.1 - USB | 54.32 | EUR | 287.4144 | S | 24 | 19807 |
| Placi de sune | Creative | SB Creative X-Fi Titanium Fatal1ty Champion, 7.1ch., 64MB of X-RAM, PCI-Ex1, X-Fi I/O Drive | 142.576 | EUR | 754.376 | C | 24 | 18721 |
| Placi de sune | Creative | SB Creative X-Fi Titanium Fatal1ty Pro, 7.1ch., 64MB of X-RAM, PCI-Ex1 | 118.608 | EUR | 627.5696 | C | 24 | 17927 |
| Placi de sune | Creative | Placa de sunet CREATIVE X-Fi Titanium PCI-E | 74.704 | EUR | 395.2704 | 0 | 24 | 19808 |
| Placi de sune | Creative | Placa de sunet CREATIVE X-Fi Titanium PCI-E - bulk | 66.416 | EUR | 351.4112 | 0 | 24 | 19809 |
| Placi de sune | Creative | SB Creative X-Fi XtremeAudio, 7.1ch, PCI Express 1x, 24-bit/96kHz, Bulk | 33.488 | EUR | 177.184 | 0 | 24 | 17500 |
| Placi de sune | Creative | SB Creative X-Fi XtremeAudio 7.1ch., 24-bit/96KHz, PCI-Ex1 | 49.728 | EUR | 263.1104 | C | 24 | 13930 |
| Placi de sune | Creative | Placa de sunet CREATIVE X-Fi Xtreme Audio PCI, 7.1 canale, X-Fi 24-bit Crystalizer | 47.824 | EUR | 253.0416 | C | 24 | 19810 |
| Placi de sune | Hercules | SB Hercules Gamesurround Muse XL Pocket LT3 5.1, externa .51 portabila, conectare si alimentare pe port USB (compatibil USB 1.1 si USB 2.0), redare si inregistrare in 16biti cu 22, 32, 44 si 48KHz, 3 conectori externi independenti pentru conectarea a pana la 6 boxe, conector line-in, iesire casti stereo, intrare microfon, controlul volumului prin 2 butoane progresive, software Hercules Media Station II, engine Sensaura compatibil DirectSound si EAX, Gratis casca cu microfon | 23.52 | EUR | 124.4432 | M | 24 | 22054 |
| Placi de sune | Hercules | Consola Hercules Mobile DJ MP3 USB - Consola Mixaj Audio pentru DJ fara fir, - 2 puncti pentru mixaj, scratch, 2 platane vinyl-style, 3 fadere, 25 butoane, Retail | 58.8 | EUR | 311.1136 | 0 | 24 | 12095 |
| Placi de sune | Hercules | SB Hercules DJ Console RMX - Consola Mixaj Audio pentru DJ - 2 jog-wheels, 12 potentiometre, 6 fadere, 43 butoane, 2 iesiri stereo independente, 2 intrari stereo independente, Mic input for talk-over | 245.28 | EUR | 1297.8 | 0 | 24 | 19512 |
| Placi de sune | Hercules | SB Hercules DJ Console MK2 USB - Consola Mixaj Audio pentru DJ - placa sunet externa - 2 platane vinyl-style, 8 potentiometre, 3 fadere, 28 butoane, 2 iesiri stereo independente, 2 intrari stereo independente, drivere ASI | 110.88 | EUR | 586.6784 | 0 | 24 | 6677 |
| Placi de captura | | | | | | | | |
| Placi de captu | Oem | Placa captura digitala OEM Firewire IEEE1394, DV Capture, PCI, 2+1 Porturi, fara cablu, fara software. | 8.7584 | USD | 35.392 | S | 12 | 3768 |
| Placi de captu | Delock | Placa captura digitala Delock 61114 Firewire IEEE1394, DV Capture, PCMCIA, 2 Porturi, fara cablu, fara software. | 16.912 | EUR | 89.488 | S | 12 | 22167 |
| Placi de captu | Kworld | Placa captura Kworld DVD Maker 2, USB 2.0, Captura MPEG 1, 2, 4, intrari SVIDEO + RCA video, audio, rezolutie maxima 720 x 576 @ 25 FPS, standard PAL, NTSC, Bundle with CyberLink PowerDirector V6 & CyberLink PowerProducer 4 | 48.496 | USD | 195.9776 | C | 24 | 22612 |
| Placi de captu | Kworld | Convertor PC to TV - Kworld PC2TV, intrare (splitter) D-Sub, iesiri SVIDEO + HDTV + RCA, rezolutie maxima 1600 x 1200, functii de freeze, zoom, OSD, standard PAL, NTSC | 50.736 | USD | 205.0272 | C | 24 | 26646 |
| Placi de captu | Kworld | Convertor Video IN K-World DVD MAKER USB 2.0, Captura MPEG 1, 2, 4, Rezolutie maxima 720 x 576 @ 25 FPS, Intrari SVIDEO + RCA video | 33.488 | EUR | 177.184 | C | 36 | 1633 |
| TV Tunere | | | | | | | | |
| TV Tunere | RPC | TV Tuner RPC-TV-PCI-FM, Intern, PCI, FM, MPEG1/2, telecomanda cu functii multiple, functie time-shifting, programare inregistrari | 20.16 | USD | 81.4688 | C | 12 | 18007 |
| TV Tunere | RPC | TV Tuner RPC-TV-UAD880, stick USB 2.0 Digital / Analog TV, DVB-T, NTSC / PAL / SECAM HDTV, telecomanda | 40.432 | USD | 163.3968 | C | 12 | 24446 |
| TV Tunere | RPC | TV Tuner RPC-TV-USB, Extern, USB 2.0, MPEG1/2/4, telecomanda cu functii multiple, functie time-shifting, programare inregistrari, PIP, nu necesita alimentare separata | 31.808 | USD | 128.5424 | C | 12 | 17282 |
| TV Tunere | RPC | TV Tuner RPC-TV-HDU Extern, D-Sub (nu necesita prezenta unui PC - se conecteaza direct la monitor), PIP, telecomanda cu functii multiple | 34.384 | USD | 138.9472 | C | 12 | 24596 |
| TV Tunere | Kworld | TV Tuner Kworld UB405-A, Analog, USB 2.0, Captura MPEG 1/2/4, Telecomanda, Timeshifting, Scheduled Recording, Software TiVme, Compatibil Windows 7 | 35.504 | USD | 143.472 | C | 24 | 26640 |
| TV Tunere | Kworld | TV Tuner Kworld + FM, UB490-A, Analog, USB 2.0, Captura MPEG 1/2/4, Telecomanda, intrari video: S-Video + RCA, intrari audio: 2x RCA, Timeshifting, Scheduled Recording, Software TiVme, Compatibil Windows 7 | 49.504 | USD | 200.0544 | C | 24 | 26641 |
| TV Tunere | Kworld | TV Tuner Kworld UB450-T, Digital, DVB-T, USB 2.0, high definition digital TV in H.264, Telecomanda, Timeshifting, Scheduled Recording, Software TiVme, Compatibil Windows 7 | 31.248 | USD | 126.28 | C | 24 | 26639 |

| | | | | | | | | |
|-----------|-----------|---|---------|-----|----------|---|----|-------|
| TV Tunere | Kworld | TV Tuner Kworld + FM, UB424-D, Analog + Digital (DVB-T), USB 2.0, H.264 + Captura MPEG 1/2/4, Telecomanda, intrari video: S-Video + RCA, intrari audio: 2x RCA, Timeshifting, Scheduled Recording, Software TVme, Compatibil Windows 7 | 64.624 | USD | 261.1504 | C | 24 | 26642 |
| TV Tunere | Kworld | TV Tuner Kworld V-Stream Studio TV Terminator, Analog, Radio, Teletext, Captura MPEG 1, 2, 4, Telecomanda, B/G-D/K, PCI, Philips 7131 | 24.304 | USD | 98.2128 | 0 | 24 | 3390 |
| TV Tunere | Kworld | TV Tuner Kworld PVR-TV 7134SE, 10bit, Analog, Radio, Teletext, Captura MPEG 1, 2, 4, Telecomanda, B/G-D/K, PCI, Philips 7134SE | 24.304 | USD | 98.2128 | 0 | 36 | 16472 |
| TV Tunere | Kworld | TV Tuner Kworld DVB-T210, Analog + Digital, Radio, Teletext, Captura MPEG 1, 2, 4, Telecomanda, B/G-D/K, PCI, PiP, PoP, include antena DVB-T | 42.112 | USD | 170.184 | 0 | 36 | 9533 |
| TV Tunere | Kworld | TV Tuner Kworld DVB-T PE310, Analog + Digital, Radio, Stereo, Teletext, Captura MPEG 1, 2, 4, Telecomanda, B/G-D/K, Timeshifting, PiP, PoP, PCI-x1 | 42.112 | USD | 170.184 | C | 36 | 9534 |
| TV Tunere | Kworld | TV Tuner Kworld SA230, Extern Stand Alone, 1920x1200, Telecomanda, functioneaza si fara PC, intrari: VGA + RCA video, audio, iesiri: D-Sub | 48.496 | USD | 195.9776 | C | 24 | 26643 |
| TV Tunere | Kworld | TV Tuner Kworld SA230WP, Extern Stand Alone, 1920x1200, Telecomanda, functioneaza si fara PC, intrari: VGA + SVIDEO + RCA video, audio, iesiri: D-Sub, include 2 adaptoare pentru Sony Playstation 2/3 si Nintendo Wii, Blazing Orange | 52.864 | USD | 213.6288 | C | 24 | 26644 |
| TV Tunere | Kworld | TV Tuner Kworld SA300, Extern Stand Alone, 1920x1200, Telecomanda, functioneaza si fara PC, intrari: DVI + SVIDEO + RCA video, audio, iesiri: DVI, HDMI | 106.736 | USD | 431.3344 | 0 | 24 | 26645 |
| TV Tunere | Kworld | TV Tuner Kworld KW-SA220, Extern Stand Alone, 1680x1050, telecomanda, functioneaza si fara PC, intrari VGA + SVIDEO + RCA video, audio, iesiri D-Sub, include 2 adaptoare pentru Sony Playstation 2/3 si Nintendo Wii | 40.432 | USD | 163.3968 | C | 24 | 19023 |
| TV Tunere | Kworld | TV Tuner Kworld UB365-S, Tuner TV Satelit, Digital (DVB-S), USB 2.0, H.264 + Captura MPEG 1/2/4, Telecomanda, Timeshifting, Scheduled Recording, Software CyberLink Power Producer 5 + PowerDirector 7 + Kworld HyperMedia, Compatibil Windows Vista (32/64 bit) | 42.112 | USD | 170.184 | C | 24 | 26653 |
| TV Tunere | X3M | TV Tuner X3M HE2500, Express Card, Hybrid DVB-T, HDTV receiving, MPEG 2/4 H264, AV input, capture, Total Media Aplicacion, telecomanda | 42.672 | USD | 172.4464 | S | 12 | 18738 |
| TV Tunere | X3M | TV Tuner X3M APC100 Analog TV-Tuner intern, PCI, FM radio, video in, telecomanda | 17.584 | USD | 71.064 | C | 12 | 20557 |
| TV Tunere | X3M | TV Tuner X3M HPCE2100 Hybrid DVB-T/Analog TV-tuner intern, PCI-e, HDTV receiving, MPEG 2/4 H264, AV-S Video input, capture, Total Media Aplicacion, telecomanda | 32.928 | USD | 133.0672 | C | 12 | 20559 |
| TV Tunere | Avermedia | TV Tuner Avermedia Stand Alone & , Analog, 1920x1200, Telecomanda, 16:9/16:10 Widescreen, Transparent PIP, Input Signal: VGA, PC Audio, Analog RF Antenna, MMC, SD and MS Memory Card, USB Drive, RCA, S-Video, Component, Output Signal: VGA, Audio, TV System: PAL/NTSC | 116.368 | USD | 470.2656 | C | 24 | 24591 |
| TV Tunere | Avermedia | TV Tuner Avermedia + FM + GPS, USB 2.0, Hybrid, Pen-Drive, Telecomanda, MPEG2/4 & H.264, Stereo TV, Teletext, TV recording Scheduler, TimeShift, 16-Channel preview, 16:9 Widescreen, PIP, Digital Radio, HDTV (1080i/720) ReadyTV System: PAL/SECAM/NTSC & DVB-T | 96.32 | USD | 389.2448 | C | 24 | 20848 |
| TV Tunere | Avermedia | TV Tuner Avermedia + FM, PCI, Analog, Telecomanda, MPEG1/2/4 & H.264, Stereo TV, Teletext, TV recording Scheduler, TimeShift, 16-Channel preview, 16:9 Widescreen, PIP, TV System: PAL/SECAM/NTSC | 25.312 | USD | 102.2896 | C | 24 | 24583 |
| TV Tunere | Avermedia | TV Tuner Avermedia + FM, USB 2.0, Analog, Pen-Drive, Telecomanda, MPEG2/4 & H.264, Stereo TV, Teletext, TV recording Scheduler, TimeShift, 16-Channel preview, 16:9 Widescreen, PIP, Radio, TV System: PAL/SECAM/NTSC | 59.248 | USD | 239.4336 | C | 24 | 24589 |
| TV Tunere | Avermedia | TV Tuner Avermedia + FM, PClex, Hybrid, Telecomanda, Stereo TV, Teletext, TV recording Scheduler, TimeShift, 16-Channel preview, 16:9 Widescreen, PIP, Digital Radio, HDTV (1080i/720) Ready, TV System: PAL/SECAM/NTSC & DVB-T | 95.2 | USD | 384.72 | C | 24 | 24588 |
| TV Tunere | Avermedia | TV Tuner Avermedia (dual) + FM, PClex, Hybrid, Telecomanda, MPEG1/2/4 & H.264, Stereo TV, Teletext, TV recording Scheduler, TimeShift, 16-Channel preview, 16:9 Widescreen, PIP, Digital Radio, HDTV (1080i/720) Ready, TV System: PAL/SECAM/NTSC & DVB-T | 89.936 | USD | 363.4512 | C | 24 | 24587 |
| TV Tunere | Avermedia | TV Tuner Avermedia Hybrid Volar HX, USB 2.0, MAC OS software support, Hybrid, Pen-Drive, Telecomanda, MPEG-2 & MPEG-4 (H.264) HDTV Ready(1080i/720), AV-in Support, Export to Toast & iPod, EPG(Digital TV) & Scheduled Recording, PIP, 16-Channel preview, 16:9 Widescreen, TimeShift, DVB-T, Retail | 97.328 | USD | 393.3216 | C | 24 | 26548 |
| TV Tunere | Avermedia | TV Tuner Avermedia + FM, USB 2.0, Hybrid, Pen-Drive, Telecomanda, MPEG2/4 & H.264, Stereo TV, Teletext, TV recording Scheduler, TimeShift, 16-Channel preview, 16:9 Widescreen, PIP, Digital Radio, HDTV (1080i/720) Ready, TV System: PAL/SECAM/NTSC & DVB-T | 81.424 | USD | 329.0448 | C | 24 | 24590 |
| TV Tunere | Avermedia | TV Tuner Avermedia (dual)+ FM, PClex, Hybrid, Telecomanda, MPEG1/2/4 & H.264, Stereo TV, Teletext, TV recording Scheduler, TimeShift, 16-Channel preview, 16:9 Widescreen, PIP, Digital Radio, HDTV (1080i/720) Ready, TV System: PAL/SECAM/NTSC & DVB-T & DVB-S | 80.416 | USD | 324.9792 | C | 24 | 24585 |
| TV Tunere | Avermedia | TV Tuner Avermedia + FM, PClex, Hybrid, Telecomanda, MPEG2 HW, Stereo TV, Teletext, TV recording Scheduler, TimeShift, 16-Channel preview, 16:9 Widescreen, PIP, Digital Radio, HDTV (1080i/720) Ready, TV System: PAL/SECAM/NTSC & DVB-T | 81.424 | USD | 329.0448 | C | 24 | 24586 |
| TV Tunere | Avermedia | TV Tuner Avermedia AverTV-Hybrid-Speedy, Interfata PCI-E (High Speed), Analog/Digital + FM, Telecomanda, MPEG1/2/4, Stereo TV, Teletext, AVer Media Center 6 software | 54.992 | USD | 222.2304 | C | 24 | 12754 |
| TV Tunere | Avermedia | TV Tuner Avermedia AverTV-Speedy, Interfata PCI-E (High Speed), Analog, Telecomanda, MPEG1/2/4 & H.264, Stereo TV, Teletext, TV recording Scheduler, TimeShift, 16-Channel preview, 16:9 Widescreen, PIP, TV System: PAL/SECAM/NTSC | 44.352 | USD | 179.2336 | C | 24 | 18013 |
| TV Tunere | Avermedia | TV Tuner Avermedia AverTV-Hybrid-Express, ExpressCard (34mm), Analog/Digital, FM, PiP, PoP, Captura MPEG1/2/4, Stereo, Telecomanda, Teletext, High Definition up to 1080i/720p 16-Channel Preview | 68.768 | USD | 277.9056 | C | 24 | 9850 |
| TV Tunere | Avermedia | TV Tuner Avermedia AverTV-BOXW7-Super, Stand Alone, Analog, 1440x 900, Telecomanda, 16:9/16:10 Widescreen, PIP, VGA Input/Output, LCD/CRT/Plasma/Projector, Auto Power Off, Auto Resolution Fit, TV System: PAL/NTSC | 63.392 | USD | 256.1776 | C | 24 | 18014 |
| TV Tunere | Avermedia | TV Tuner Avermedia AverTV Volar HD PRO, USB 2.0, Pen-Drive, Digital, DVB-T, Recording Format: MPEG-2 & H.264, HDTV (1080i/720) Ready, Teletext, EPG (Digital TV), 16:9 Widescreen, 16-Channel Preview, TimeShift, PIP, Snapshot, Schedule Recording, Wake-up Recording from S3/S4, Telecomanda, Retail | 42.224 | USD | 170.632 | C | 24 | 26547 |
| TV Tunere | Asus | TV Tuner Asus EHD2-100 EHD2-100 Dual Hybrid TV tuner card with HW encoder + FM (DVB-T & Analog, PCIE, Can Tuner) | 104.496 | USD | 422.2848 | C | 24 | 20315 |
| TV Tunere | Asus | TV Tuner Asus My Cinema-PE6200 Analog TV Tuner card with HW MPEG2 encoder built-in + FM, Analog, PCIE, Low profile | 21.168 | USD | 85.5456 | C | 24 | 24595 |
| TV Tunere | Asus | TV Tuner Asus My Cinema ES2-750 Hybrid TV Tuner Avermedia card, DVB-T & Analog, PCIE, Low profile, GadgetTV Insert-n-play with AMD VGA card, Intelligent Video Enhancement: 12-bit ADC, 3D comb filter, De-interlace, Noise Reduction | 64.288 | USD | 259.7952 | 0 | 24 | 24594 |
| TV Tunere | Asus | TV Tuner Asus My Cinema-P7131/Analog, Analog TV/FM Tuner, IR Remote, PCI, FM / Analog TV / AV inputs, AV Adapter, Power Cinema bundled (Analog TV Watching/Recording, FM Listening/Recording, DVD/VCD Playback/Burning) | 34.496 | USD | 139.4064 | C | 24 | 17543 |
| TV Tunere | Asus | TV Tuner Asus My Cinema-P7131H, Digital/Analog TV/FM Tuner, DVB-T + PAL (Hybrid), Philips 7131 & TUNER, IR Remote, PCI, Analog TV Watching & Recording/ TV channels previewing, Schedule recording / Time-shifting supporting, Stereo TV / StereoFM receiving / FM Listening & Recording, DVD/VCD Playing / Video & Pictures Sorting, Music Listening / Video Editing / VCD & DVD Burning | 42.672 | USD | 172.4464 | C | 24 | 9710 |

| | | | | | | | | |
|----------------|----------|--|---------|-----|----------|------|----|-------|
| TV Tunere | Asus | TV Tuner Asus My Cinema-PS3-100, PCI, 3 in 1 TV tuner card, (DVB-T/DVB-S & Analog, with remote control), Watching/Recording TV, Listening/Recording FM radio, Listening MP3, Video editing and CD burning | 70.672 | USD | 285.6 | C | 24 | 18020 |
| TV Tunere | Asus | TV Tuner Asus US2-400/PT/FM Express TV Stick USB2.0, 4GB Flash Memory, FM radio, AV in, Remote Control, ASUS Pop-Up TV Technology, | 74.48 | USD | 300.9888 | C | 24 | 20316 |
| TV Tunere | Asus | TV Tuner Asus My Cinema-PE6100 Analog, TV tuner card with HW MPEG2 encoder built-in, (Analog, PCI-E, Low profile) | 25.648 | USD | 103.6448 | C | 24 | 18018 |
| TV Tunere | Asus | TV Tuner Asus My Cinema-PE6300 Hybrid, TV tuner card with HW MPEG2 encoder built-in, (DVB-T & Analog, PCI-E, Low profile) | 60.928 | USD | 246.2208 | C | 24 | 18019 |
| TV Tunere | Asus | TV Tuner Asus My Cinema-U3000Hybrid, Digital/Analog TV - DVB-T Channel Decoder DiBcom - TV-Tuner Microtune - Watch digital TV programs on PC and Notebook, USB 2.0 | 63.616 | USD | 257.0848 | C | 24 | 9769 |
| TV Tunere | Asus | TV Tuner Asus My Cinema-U3100/MINI/RC, Mini Digital TV BOX (DVB-T , no analog TV), Remote control, Watching/Recording TV Desktop, Notebook, & EeePC compatible, USB 2.0 | 37.632 | USD | 152.0736 | C | 24 | 25281 |
| TV Tunere | Asus | TV Tuner Asus My Cinema-US1-100 Analog TV & FM receiver (Analog with remote control), USB 2.0, NTSC | 45.248 | USD | 182.8512 | C | 24 | 24592 |
| TV Tunere | Asus | TV Tuner Asus My Cinema-U3100Mini, TV BOX (DVB-T , no analog TV, remote control) EEEPC Compatible, USB 2.0 | 37.632 | USD | 152.0736 | C | 24 | 24593 |
| TV Tunere | Leadtek | TV Tuner Leadtek DVR3100 H, hibrid, (Analog + DVB-T) PAL BG/DK, 10bit (Conexant CX23418+ Intel CE6353), Telecomanda Media Center, conector Mini DIN 9-pin - Input Component video, Composite, S-Video si stereo audio, StereoTV, Dolby Digital AC3, Compresie Hardware MPEG 2, Captura MPEG 1/2/4/VCD/DVD/WMV pentru video si MP3/WMA pentru audio, FM 87.50-108.00 MHz, Corectie 3D Y/C a imaginii, Picture in Picture, Timeshifting, DirectBurn DVD, Live Broadcasting | 80.64 | USD | 325.8752 | 0 | 36 | 19530 |
| TV Tunere | Leadtek | TV Tuner Leadtek DTV2000 H Plus, hibrid, (Analog + DVB-T) PAL BG/DK, 10bit (CX22883+XC4000), Telecomanda Media Center, conector Mini DIN 9-pin - Input Composite, S-Video si stereo audio, StereoTV, Captura MPEG 1/2/4/VCD/DVD/WMV pentru video si MP3/WMA pentru audio, FM 87.50-108.00 MHz, Picture in Picture, Timeshifting, Teletext, DirectBurn DVD | 58.688 | USD | 237.1712 | C | 36 | 19531 |
| TV Tunere | Leadtek | TV Tuner Leadtek Dongle Hybrid, Extern, USB2.0, Stereo, Nu necesita alimentare suplimentara, Telecomanda, Twinview (PIO,POP,PAP), Timeshifting, Suporta HDTV/AC3 | 58.016 | USD | 234.4496 | CALL | 36 | 14811 |
| TV Tunere | Leadtek | TV Tuner Leadtek PalmTop TV Plus, Extern, USB2.0 + FM, PAL BG/DK, NTSC, SECAM, 10bit - Conexant CX25843 + Empia 2862, Xceive XC4100 (Tuner), Telecomanda, conector Mini DIN 9-pin - Input Composite, S-Video si stereo audio, Stereo TV si FM, Captura MPEG 1/2/4/VCD/DVD/WMV pentru video, MP3/WMA pentru audio, JPEG/TIFF/PNG/BMP pentru foto, Tuner FM (88MHz-108MHz), alimentare din portul USB, WinFast Movie Pack, Picture in Picture, Timeshifting | 59.472 | USD | 240.3408 | S | 36 | 21645 |
| TV Tunere | Leadtek | TV Tuner WinFast TV PRO 1920, extern stand alone, PAL BG/DK, Averlogic AL260c, Telecomanda, StereoTV, -, - Senzor lumina pentru ajustare automata a imaginii, Rezolutie ajustabila de la 800x600 la 1920x1200 Full HD, Format 16:10/16:9/4:3, Autoscanner, Sleep Timer | 75.152 | USD | 303.6992 | S | 36 | 19529 |
| TV Tunere | Gigabyte | TV Tuner Gigabyte GT-P5100, TV Tuner PCI, NTSC/PAL/SECAM, telecomanda cu 47 taste/ cu baterii, adaptor semnal TV, certificat Vista | 21.056 | USD | 85.0864 | C | 24 | 16923 |
| Carcasa | | | | | | | | |
| Carcasa | JNC | Carcasa JNC HJA-255-S, ATX, 450W, 5 25X4, USB frontal, black silver | 28.336 | USD | 114.5088 | 0 | 12 | 19851 |
| Carcasa | KME | Carcasa KME 2167, ATX, 400W, 5 25X4, 412(H)X185(W)X410(D), black | 22.288 | USD | 90.0704 | 0 | 12 | 9589 |
| Carcasa | KME | Carcasa KME CX-1767,BK, ATX, 400W, Middletower Intel TAC certified, black, LGA 775 conector, ATX/P4, conectare 2xS-ATA | 22.288 | USD | 90.0704 | C | 24 | 26566 |
| Carcasa | KME | Carcasa KME CX-2A67-01, ATX, 400W, Middletower Intel TAC certified, black, 20+4pin connector, USB2.0, SATA*2 | 22.288 | USD | 90.0704 | C | 24 | 26567 |
| Carcasa | KME | Carcasa KME CX-5958,BK, ATX, 450W, Middletower Intel TAC certified, black, maner, alimentare S-ATA, port-uri frontale USB + audio, bay-uri: 4x 5.25" / 2x 3.5" ext / 5x 3.5" int, ventilatoare optionale (80 /92 /120 mm intrare, 80/92 mm evacuare, 80 mm lateral), connector LGA775 | 29.12 | USD | 117.6784 | C | 24 | 26569 |
| Carcasa | KME | Carcasa KME CX-8B58-01, ATX, 450W, Middletower Intel TAC certified, black/silver, 20+4pin connector, SATA*2, I/O USB+AUDIO | 25.424 | USD | 102.7376 | C | 24 | 26568 |
| Carcasa | KME | Carcasa KME CX-9287,DESKTOP, mATX, 230W, Desktop, Intel TAC certified, silver+black, alimentare S-ATA, porturi frontale USB+AUDIO, LGA 775 conector, Intel TAC air | 20.16 | USD | 81.4688 | S | 24 | 26571 |
| Carcasa | KME | Carcasa KME CX-Y762 BK/SL, ATX, 450W, Middletower Intel TAC certified, black, panou frontal argintiu, port-uri frontale USB + audio, bay-uri: 4x 5.25" / 2x 3.5" ext / 5x 3.5" int, ventilatoare optionale (80 / 92 / 120 mm intrare, 80 / 92mm evacuare, 80 mm lateral), sasiu mai mare, fara display | 29.12 | USD | 117.6784 | C | 24 | 26570 |
| Carcasa | KME | Carcasa KME 7958, ATX, 450W, 5 25X4, 421(H)X185(W)X410(D), black silver | 25.424 | USD | 102.7376 | C | 12 | 9995 |
| Carcasa | Corsair | Carcasa Corsair CC700D, ATX, fara sursa, structura de otel, fata din aluminiu, EATX, 4 x 3.5" Internal, 5 x 5.25" External, black | 304.528 | USD | 1230.645 | C | 24 | 26093 |
| Carcasa | Corsair | Carcasa Corsair CC800DW, ATX, fara sursa, structura de otel, fata din aluminiu, EATX, panou lateral transparent, 2 x 3.5" Internal, 4 x 3.5" SATA Hot-swappable, 5 x 5.25" External, black | 333.424 | USD | 1347.416 | 0 | 24 | 26094 |
| Carcasa | Delux | Carcasa Delux MT302, ATX, 450W, 5 25X3, 1xFDD, 6xHDD, USB frontal, alimentare S-ATA, 435(H)X180(W)X405(D), black silver | 22.288 | USD | 90.0704 | S | 36 | 7123 |
| Carcasa | Delux | Carcasa Delux M198, mATX, 450W, 5 25X1, 1xFDD, 2xHDD, USB frontal, alimentare S-ATA, 293(H)X132(W)X323(D), black silver | 18.592 | USD | 75.1296 | M | 36 | 21092 |
| Carcasa | Delux | Carcasa Delux MT372, ATX, 450W, 5 25X3, 1xFDD, 3xHDD, USB frontal, alimentare S-ATA, 435(H)X180(W)X405(D), black silver | 22.288 | USD | 90.0704 | S | 36 | 5231 |
| Carcasa | Delux | Carcasa Delux MT375, ATX, 450W, 5 25X3, 1xFDD, 3xHDD, USB frontal, alimentare S-ATA, 435(H)X180(W)X405(D), black silver | 22.288 | USD | 90.0704 | S | 36 | 7124 |
| Carcasa | Delux | Carcasa Delux MT375X, ATX, 500W, 5 25X3, 1xFDD, 3xHDD, USB frontal, alimentare S-ATA, 435(H)X180(W)X405(D), black silver | 26.432 | USD | 106.8144 | S | 36 | 22521 |
| Carcasa | Delux | Carcasa Delux MT376, ATX, 450W, 5 25X3, 1xFDD, 3xHDD, USB frontal, alimentare S-ATA, 435(H)X180(W)X405(D), black silver | 22.736 | USD | 91.8848 | S | 36 | 9369 |
| Carcasa | Delux | Carcasa Delux MT475, ATX, 450W, 5 25X3, 1xFDD, 3xHDD, USB frontal, alimentare S-ATA, 435(H)X180(W)X405(D), black silver | 22.736 | USD | 91.8848 | S | 36 | 9370 |
| Carcasa | Delux | Carcasa Delux MF436, ATX, 450W, 5 25X4, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, 450(H)X192(W)X445(D), black silver | 26.992 | USD | 109.0768 | S | 36 | 7547 |
| Carcasa | Delux | Carcasa Delux MT801, ATX, 450W, 5 25X4, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, 450(H)X192(W)X445(D), black red | 26.992 | USD | 109.0768 | S | 36 | 11721 |
| Carcasa | Delux | Carcasa Delux MF420, ATX, 450W, 5 25X4, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, 450(H)X192(W)X445(D), black silver | 27.552 | USD | 111.3392 | S | 36 | 8752 |
| Carcasa | Delux | Carcasa Delux MF468, ATX, 450W, 5 25X4, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, 450(H)X192(W)X445(D), black silver | 28.112 | USD | 113.6016 | S | 36 | 8754 |
| Carcasa | Delux | Carcasa Delux MK817, ATX, 450W, 5 25X4, alimentare S-ATA, USB, CD cover, black silver | 28.112 | USD | 113.6016 | C | 36 | 16911 |
| Carcasa | Delux | Carcasa Delux MF451, ATX, 450W, 5 25X4, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, 450(H)X192(W)X445(D), Maner, black silver | 30.24 | USD | 122.2032 | S | 36 | 5953 |
| Carcasa | Delux | Carcasa Delux MF488, ATX, 450W, 5 25X3, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, CD Cover, 450(H)X192(W)X445(D), black red | 30.24 | USD | 122.2032 | C | 36 | 14969 |
| Carcasa | Delux | Carcasa Delux SF470, ATX, 450W, 5 25X4, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, 450(H)X192(W)X445(D), black silver | 29.68 | USD | 119.9408 | C | 36 | 9371 |
| Carcasa | Delux | Carcasa Delux MF485, ATX, 450W, 5 25X3, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, 450(H)X192(W)X445(D), black silver | 30.576 | USD | 123.5584 | C | 36 | 9372 |

| | | | | | | | | |
|---------|-----------|--|---------|-----|----------|----|----|-------|
| Carcase | Delux | Carcasa Delux MF483, ATX, 450W, 5 25X4, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, 450(H)x192(W)x445(D), black silver | 31.248 | USD | 126.28 | C | 36 | 9373 |
| Carcase | Delux | Carcasa Delux M298, ATX, 450W, alimentare SATA, 4 bay, 1xCD cover, silver&black, USB | 21.728 | USD | 87.808 | S | 36 | 20654 |
| Carcase | Delux | Carcasa Delux M99, ATX, 450W, 5 25X4, 2xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, 490(H)x192(W)x445(D), black silver | 34.944 | USD | 141.2096 | C | 36 | 4770 |
| Carcase | Delux | Carcasa Delux MF480, ATX, 450W, 5 25X3, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, 450(H)x192(W)x445(D), black silver | 31.248 | USD | 126.28 | S | 36 | 9374 |
| Carcase | Delux | Carcasa Delux MF432, ATX, 450W, 5 25X4, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, 450(H)x192(W)x445(D), black silver | 31.808 | USD | 128.5424 | 0 | 36 | 9375 |
| Carcase | Delux | Carcasa Delux MG439, ATX, 450W, 5 25X4, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, 490(H)x192(W)x445(D), black silver | 31.696 | USD | 128.0832 | C | 36 | 9376 |
| Carcase | Delux | Carcasa Delux MG453, ATX, 450W, 5 25X4, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, 490(H)x192(W)x445(D), black silver | 32.256 | USD | 130.3568 | C | 36 | 5643 |
| Carcase | Delux | Carcasa Delux MG760B, ATX, 500W, 5 25X4, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, maner, PCI-E, 490(H)x192(W)x445(D), black, (BMW), lumini albastre controlabile | 42.336 | USD | 171.0912 | S | 36 | 4775 |
| Carcase | Delux | Carcasa Delux MG760RB, ATX, 500W, 5 25X4, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, maner, PCI-E, 490(H)x192(W)x445(D), red black, (BMW), lumini albastre controlabile | 42.336 | USD | 171.0912 | S | 36 | 4776 |
| Carcase | Delux | Carcasa Delux MG760RB, ATX, 500W, 5 25X4, 1xFDD, 6xHDD, USB+Audio frontal, alimentare S-ATA, TAC, maner, PCI-E, 490(H)x192(W)x445(D), silver black, (BMW), lumini albastre controlabile | 42.336 | USD | 171.0912 | S | 36 | 4777 |
| Carcase | Delux | Carcasa Delux MG466, ATX, 500W, 5 25X4, 1xFDD, 6xHDD, 2xUSB+Audio frontal, alimentare S-ATA, TAC, 2xCD cover, PCI-E, 450(H)x192(W)x445(D), black, (AUDI) | 52.416 | USD | 211.8256 | C | 36 | 7488 |
| Carcase | Delux | Carcasa Delux ML102, miniATX, 450W, 5 25X1, alimentare S-ATA, USB, 1xCD cover, 6cm fan, white black, 138(W)*350(H)*360(L)mm | 38.08 | USD | 153.888 | C | 36 | 16909 |
| Carcase | Delux | Carcasa Delux ML118, ATX, 450W, 5 25X1, alimentare S-ATA, USB, 1xCD cover, 6cm fan, black silver | 31.808 | USD | 128.5424 | C | 36 | 16910 |
| Carcase | Floston | Carcasa Floston TOPSIDER black, fara sursa, masca frontala cu usa, mufe frontale: audio + USB + eSATA, mecanism tool-free, bay-uri externe: 4x 5.25" (2 cu masca unitate optica) + 1x 3.5", bay-uri interne: 5x 3.5", racire: 1x ventilator 120 mm LED albastru (admisie) + 1x ventilator 80/92/120 mm optional (evacuare), panou lateral cu fante de admisie aer VGA si CPU, MidiTower, ATX | 33.936 | USD | 137.144 | 0 | 12 | 26427 |
| Carcase | Floston | Carcasa Floston TOPSIDER silver/black, fara sursa, masca frontala cu usa, mufe frontale: audio + USB + eSATA, mecanism tool-free, bay-uri externe: 4x 5.25" (2 cu masca unitate optica) + 1x 3.5", bay-uri interne: 5x 3.5", racire: 1x ventilator 120 mm LED albastru (admisie) + 1x ventilator 80/92/120 mm optional (evacuare), panou lateral cu fante de admisie aer VGA si CPU, MidiTower, ATX | 33.936 | USD | 137.144 | C | 12 | 26428 |
| Carcase | Antler | Carcasa Super SK-335, Premier, 450W, ATX, 412(H)x185(W)x445(D), negru cu argintiu | 31.696 | USD | 128.0832 | S | 36 | 10606 |
| Carcase | Antler | Carcasa Super SK-371, Premier, 450W, ATX, 412(H)x185(W)x445(D), negru | 31.696 | USD | 128.0832 | S | 36 | 10607 |
| Carcase | Asus | Carcasa Asus TA-881, fara sursa, ATX, 5 25X4, 412(H)x180(W)x400(D), USB + Audio, TAC, fan 80mm, negru cu argintiu | 26.096 | USD | 105.4592 | C | 12 | 9724 |
| Carcase | Asus | Carcasa Asus TA-885, fara sursa, ATX, 5 25X4, 412(H)x180(W)x400(D), USB + Audio, TAC, fan 80mm, alb | 25.536 | USD | 103.1968 | C | 12 | 9725 |
| Carcase | Asus | Carcasa Asus TA-851, fara sursa, ATX, 5 25X4, 412(H)x180(W)x400(D), USB + Audio, TAC tool free, fan 80mm, negru cu argintiu | 26.656 | USD | 107.7216 | C | 12 | 9726 |
| Carcase | Asus | Carcasa Asus TM-951, fara sursa, mATX, Air Duct+ buzzer, 2 USB 2.0 + Audio + Mic, Fan 80mm, negru cu argintiu | 29.008 | USD | 117.2304 | C | 36 | 23588 |
| Carcase | Asus | Carcasa Asus TA-861, fara sursa, ATX, 5 25X4, 412(H)x180(W)x400(D), USB + Audio, TAC tool free, fan 80mm, negru cu argintiu | 26.656 | USD | 107.7216 | C | 12 | 9728 |
| Carcase | Asus | Carcasa Asus TA-863, fara sursa, ATX, 5 25X4, 412(H)x180(W)x400(D), USB + Audio, TAC tool free, fan 80mm, negru cu alb | 26.656 | USD | 107.7216 | C | 12 | 9729 |
| Carcase | Asus | Carcasa Asus TM-982, fara sursa, mATX, 5 25X2, 359(H)x175(W)x397(D), USB + Audio, fan 80mm, negru | 29.008 | USD | 117.2304 | C | 12 | 9789 |
| Carcase | Asus | Carcasa Asus TM-831, fara sursa, mATX, Air Duct+ buzzer, 2 USB 2.0 + Audio + Mic, Fan 80mm, negru cu argintiu | 29.008 | USD | 117.2304 | C | 36 | 23587 |
| Carcase | Asus | Carcasa Asus TA-951, fara sursa, ATX, 5 25X4, 490(H)x190(W)x427(D), USB + Audio, TAC tool free, fan 80mm, negru | 34.832 | USD | 140.7616 | C | 12 | 9788 |
| Carcase | Asus | Carcasa Asus TA-915, fara sursa, ATX, 5 25X4, 490(H)x190(W)x427(D), USB + Audio, TAC tool free, fan 80mm, negru cu argintiu | 34.832 | USD | 140.7616 | C | 12 | 11817 |
| Carcase | Asus | Carcasa Asus TA-77 Vento 7700, fara sursa, ATX, 5 25X4, 630(H)x270(W)x521(D), USB + Audio + 1394, TAC tool free, negru cu argintiu si albastru | 161.952 | USD | 654.472 | 0 | 12 | 9751 |
| Carcase | Linkworld | Carcasa Linkworld 648-01, 400W CE, micro ATX, 5 25X2, 410(H)x360(W)x135(D), USB + Audio in fata, TAC, 2x alimentari SATA, 2 coolere de 6cm in spate, Air Duct inclus + PCIExpress Holes, negru cu argintiu | 48.272 | USD | 195.0704 | 0 | 24 | 22377 |
| Carcase | Linkworld | Carcasa Linkworld C2228 313-52U/A, fara sursa, ATX, 5 25X4, 430(H)x190(W)x460(D), USB + Audio in fata, TAC, Air Duct inclus + PCIExpress Holes, negru cu argintiu | 17.584 | USD | 71.064 | 0 | 24 | 22375 |
| Carcase | Linkworld | Carcasa Linkworld C2228 G313U/A, fara sursa, ATX, 5.25X4, 430(H)x190(W)x460(D), USB + Audio in fata, TAC, Air Duct inclus + PCIExpress Holes, negru cu argintiu | 17.584 | USD | 71.064 | M | 24 | 26010 |
| Carcase | Linkworld | Carcasa Linkworld 920-01B, 150W CE, MINI ITX, 5 25X1 Slim, 284(H)x254(W)x70(D), USB + Audio in fata, cooler de 6cm in spate, negru | 64.736 | USD | 261.6096 | C | 24 | 22379 |
| Carcase | Linkworld | Carcasa Linkworld 820-01B, 65W externa, MINI ITX, 5 25X1 Slim, 284(H)x200(W)x68(D), USB + Audio in fata, cooler de 6cm in spate, negru | 64.736 | USD | 261.6096 | C | 24 | 22378 |
| Carcase | Amacrox | Carcasa Amacrox E4502BS, ATX, fara sursa, 426(H)x192(W)x482(D), 2xUSB2.0+Audio+Mic, negru cu argintiu | 27.44 | EUR | 145.1856 | C | 12 | 19382 |
| Carcase | Xigmatek | Carcasa Xigmatek Asgard, SECC Steel ATX Mid Tower, fara sursa, interior vopsit in negru, 4x5.25", 1x3.5", 5x3.5" (intern), design tool-less, 1x 120mm fan – rear (optional), 1x 120mm fan – front (inclus), 2x 120mm fan – side (optional), 2xUSB 2.0, HD Audio XT-ASGARD | 36.4 | EUR | 192.5952 | 0 | 12 | 20678 |
| Carcase | In Win | Carcasa In Win Android, fara sursa, Mid Tower, SECC Steel body, compatibila cu Micro-ATX/ ATX, 5 drive bay de 5.25", USB 2.0 x 2, Mic x 1, Audio x 1, eSATA, include 3 ventilatoare de 120mm + 1 ventilator 220mm LED lateral, black | 62.384 | EUR | 330.0752 | S | 12 | 23369 |
| Carcase | In Win | Carcasa In Win Fanqua, fara sursa, Mid Tower, SECC Steel body, compatibila cu Micro-ATX/ ATX, 5 drive bay de 5.25", USB 2.0 x 2, Mic x 1, Audio x 1, eSATA, include 3 ventilatoare de 120mm + 1 ventilator 220mm LED lateral, black | 57.792 | EUR | 305.7824 | S | 12 | 23368 |
| Carcase | In Win | Carcasa In Win Griffin, fara sursa, Mid Tower, compatibila cu Micro-ATX/ ATX, 4 drive bay de 5.25", USB2.0 x 2, Mic x 1, Audio x 1, eSATA, include 1 ventilator de 90mm + 1 ventilator 220mm, black | 37.856 | EUR | 200.3008 | SL | 12 | 23367 |
| Carcase | In Win | Carcasa In Win Griffin, fara sursa, Mid Tower, compatibila cu Micro-ATX/ ATX, 4 drive bay de 5.25", USB2.0 x 2, Mic x 1, Audio x 1, eSATA, include 1 ventilator de 90mm + 1 ventilator 220mm, yellow | 32.928 | EUR | 174.2272 | S | 12 | 24396 |
| Carcase | In Win | Carcasa In Win Ironclad, fara sursa, Full tower, SECC body, compatibila cu EATX / ATX / Micro-ATX, 5 drive bay de 5.25", USB 2.0 x 2, Mic x 1, Audio x 1, 1394, eSATA, include 3 ventilatoare de 120mm + 1 ventilator 220mm LED lateral, negru | 94.752 | EUR | 501.3456 | S | 12 | 23337 |
| Carcase | NOX | Carcasa NOX Coolbay Devil Edition, panel frontal din mesh, SECC body, compatibila cu ATX / Micro-ATX, include geam lateral cu ventilator de 230mm cu led rosu, 9 drive bay de 5.25", USB 2.0 x 2, MIC x 1, Audio x 1 (supports HD / AC97 Audio), eSATA x 1, include 4 ventilatoare: unul de 230mm, doua de 140mm si unul de 120mm, culoare neagra cu interior complet vopsit in rosu, dimensiuni: 205mm(W)x485mm(H)x500mm(D) | 61.152 | EUR | 323.5568 | S | 12 | 22731 |

| | | | | | | | | |
|---------|---------|---|---------|-----|----------|------|----|-------|
| Carcase | NOX | Caracasa NOX Coolbay HX, panel frontal din mesh, Japanese SECC body, compatibila cu ATX / Micro-ATX, include gear lateral cu ventilator de 230mm cu led albastru, 9 drive bay de 5.25", USB 2.0 x 2, MIC x 1, Audio x 1 (supports HD / AC97 Audio), eSATA x 1, include 4 ventilatoare: doua de 230mm, unul de 140mm si unul de 120mm, culoare neagra cu interior complet vopsit negru, dimensiuni: 205mm(W)x485mm(H)x500mm(D) | 76.72 | EUR | 405.9328 | SL | 12 | 22732 |
| Carcase | NOX | Caracasa NOX Media II, HTPC cu panel frontal din aluminiu, SECC body, compatibila cu ATX / Micro-ATX , 2 drive bay de 5.25", USB 2.0 x 2, Mic x 1, Audio x 1, culoare neagra, dimensiuni: 370mm(W)x140mm(H)x450mm(D) | 52.08 | EUR | 275.5648 | C | 12 | 22733 |
| Carcase | NOX | Caracasa NOX NX-1, fara sursa, panel frontal din mesh, Mid tower, SECC body, compatibila cu ATX / Micro-ATX , LED rosu, 4 drive bay de 5.25", USB 2.0 x 2, Mic x 1, Audio x 1, include 1 ventilator de 80mm, culoare neagra, dimensiuni: 180mm(W)x413mm(H)x448mm(D) | 32.48 | EUR | 171.8528 | S | 12 | 25149 |
| Carcase | NOX | Caracasa NOX NX-2, fara sursa, panel frontal din mesh, SECC body, compatibila cu ATX / Micro-ATX , 6 drive bay de 5.25", 2x USB 2.0; 1x e-SATA; 1x Mic; 1x Audio HD, include 2 ventilatoare de 120mm, culoare neagra cu interior complet vopsit negru, filtru de praf pentru sursa, compatibila cu placile video high end cu lungime max. 10.5", dimensiuni: 190mm(W)x410mm(H)x457mm(D) | 35.952 | EUR | 190.2208 | S | 12 | 25151 |
| Carcase | Foxconn | Carcasa Foxconn G007-GAMER, fara sursa, 450(H)x210(W)x480(D), Air duct: 80mm, e-SATA Port, 4*USB +1*Mic+1*Audio+1394, TOP and Rear 120mm fan, negru cu rosu, tower, ATX | 74.032 | USD | 299.1744 | C | 36 | 23696 |
| Carcase | Foxconn | Carcasa Foxconn TLA-143, fara sursa, 430(H)x190(W)x490(D), Air Duct w/filter, 4XUSB + Audio + Mic, negru cu argintiu, Fan 80mm TAC | 29.232 | USD | 118.1264 | 0 | 12 | 12425 |
| Carcase | Foxconn | Carcasa Foxconn TLA-475, fara sursa, 420(H)x180(W)x440(D), Air Duct w/filter, 2XUSB + Audio + Mic, negru cu argintiu, TAC | 26.656 | USD | 107.7216 | 0 | 12 | 19845 |
| Carcase | Foxconn | Carcasa Foxconn TLA-483, fara sursa, 430(H)x190(W)x490(D), Air Duct w/filter, 4XUSB + Audio + Mic, negru cu argintiu, Fan 80mm, TAC | 28.336 | USD | 114.5088 | 0 | 12 | 12427 |
| Carcase | Foxconn | Carcasa Foxconn TLA-489, fara sursa, 430(H)x190(W)x490(D), Air Duct w/filter, 4XUSB + Audio + Mic, negru cu argintiu, Fan 80mm, TAC | 28.336 | USD | 114.5088 | 0 | 12 | 12429 |
| Carcase | Foxconn | Carcasa Foxconn TLA-570a, fara sursa 420(H)*180(W)*440(D), Air Duct w/filter, 4 USB 2.0 + Audio + Mic , Fan 80mm/CS, negru cu argintiu, ATX | 29.568 | USD | 119.4928 | S | 36 | 24803 |
| Carcase | Foxconn | Carcasa Foxconn TLA-624, fara sursa, 430(H)x190(W)x490(D), Air Duct w/filter, 4XUSB + Audio + Mic, negru cu argintiu, Fan 80mm, TAC | 29.232 | USD | 118.1264 | 0 | 12 | 12431 |
| Carcase | Foxconn | Carcasa Foxconn TLA-776, fara sursa, 430(H)x190(W)x490(D), Air Duct w/filter, 2XUSB + Audio + Mic, fan 80mm, negru cu argintiu, TAC | 26.656 | USD | 107.7216 | 0 | 36 | 5339 |
| Carcase | Foxconn | Carcasa Foxconn TLM-487, fara sursa, 352(H)x180(W)x406(D), 2 Air Duct w/filter, 4XUSB 2.0 + Audio + Mic, argintiu, Mini Tower | 26.432 | USD | 106.8144 | S | 36 | 10583 |
| Carcase | Foxconn | Carcasa Foxconn TLM-680, fara sursa, 352(H)x180(W)x406(D), 2 Air Duct w/filter, 2XUSB 2.0 + Audio + Mic, negru cu argintiu, Mini Tower | 26.432 | USD | 106.8144 | CALL | 36 | 16104 |
| Carcase | Foxconn | Carcasa Foxconn TSAA-680, fara sursa, 415(H)x185(W)x390(D), Air Duct w/filter, 2XUSB + Audio+Mic, negru cu argintiu, TAC | 28.448 | USD | 114.968 | C | 36 | 16103 |
| Carcase | Foxconn | Carcasa Foxconn DH-839, sursa 250W, 325(H)x100(W)x400(D), 2xUSB+Audio+Mic+1394, negru cu argintiu, Fan 80mm, Tower/Desktop, mATX | 63.392 | USD | 256.1776 | C | 36 | 23532 |
| Carcase | Foxconn | Carcasa Foxconn DH-045, sursa 250W, 325(H)x100(W)x400(D), 2xUSB+Audio+Mic+1394 , with Fortron TFX PS FSP250-60GHT, negru, Fan 80mm, Tower/ Desktop, Flex ATX & mATX | 63.392 | USD | 256.1776 | C | 24 | 23695 |
| Carcase | Foxconn | Carcasa Foxconn R2S-506, sursa 250W, 280(H)x 95(W)x320mm(D), 2xUSB+Audio+Mic, negru, Fan 80mm, Mini ITX tower/desktopo | 48.944 | USD | 197.792 | C | 24 | 23694 |
| Carcase | Foxconn | Carcasa Foxconn TLA-785, sursa 450W, 420(H)x180(W)x440(D), Air Duct w/filter, 2xUSB + Audio + Mic, negru, Fan 92mm/CS, ATX | 58.128 | USD | 234.9088 | C | 24 | 23692 |
| Carcase | Foxconn | Carcasa Foxconn TLA-787, sursa 450W, 420(H)x180(W)x440(D), Air Duct w/filter, 2xUSB + Audio + Mic , negru, Fan 92mm/CS, ATX | 58.128 | USD | 234.9088 | C | 24 | 23693 |
| Carcase | CFI | Carcasa CFI CBI-A6719 Slim, Mini-ITX, 2xUSB2.0, audio, PSU installed Internal 150W, fan: 1 x 40mm, Black titanium case/Black front panel | 40.768 | USD | 164.752 | C | 12 | 26003 |
| Carcase | CFI | Carcasa CFI CFI-A6819 Slim, Mini-ITX, 1 slots, 2xUSB2.0, audio, PSU installed Internal 150W, fan: 1 x 40mm, Black titanium case/Black front panel | 40.768 | USD | 164.752 | C | 12 | 26004 |
| Carcase | Antec | Carcasa Antec NSK4480B II, Mini Tower Carcasa, fara sursa, 5.25"X3, 3.5"X2, 420(H)x200(W)x420(D), Black, Front 2xUSB, 1x120mm cooling fan(in spate) | 50.736 | EUR | 268.4528 | SL | 36 | 19256 |
| Carcase | Antec | Carcasa Antec Three Hundred, Gamer Carcasa(The Versatile Carcasa), fara sursa, 5.25"X3, Black, 458(H)x205(W)x465(D), Front 2xUSB2.0 + Audio, 1x120mm cooling fan(in spate) + 1x140mm cooling fan(deasupra) | 53.984 | EUR | 285.6336 | S | 36 | 14287 |
| Carcase | Antec | Carcasa Antec NSK4482B, Mini Tower, Sursa EA-380W Green, 5.25"X3, 3.5"X2, 420(H)x200(W)x420(D), Black, Front 2xUSB + Audio, 1x120mm cooling fan(in spate) | 86.8 | EUR | 459.2672 | C | 36 | 21853 |
| Carcase | Antec | Carcasa Antec NSK3480, MicroATX Tower Carcasa, sursa EA-380W, 5.25"X2, 3.5"X1, 350(H)x200(W)x360(D), Silver-Black, Front 2xUSB+1x1394+Audio, 1x120mm cooling fan(in spate) | 89.488 | EUR | 473.4912 | 0 | 36 | 9902 |
| Carcase | Antec | Carcasa Antec SOLO, Quiet Mini Tower Carcasa, fara sursa, 5.25"X4, 3.5"X1(din unul de 5.25"), 431.8(H)x205.7(W)x470(D), Silver-Black, Front 2xUSB+1x1394+Audio, 1x120mm cooling fan(in spate) | 88.48 | EUR | 468.16 | 0 | 36 | 6882 |
| Carcase | Antec | Carcasa Antec ISK300-150, Mini-ITX, 150-watt adapter + DC, neagra, 1 x slim optical 5.25" bay, 2 x 2.5", 1 side 80mm TriCool, 2 x USB 2.0, 1 x eSATA | 78.736 | EUR | 416.5952 | 0 | 36 | 26020 |
| Carcase | Antec | Carcasa Antec ISK310-150, Mini-ITX, 150-watt adapter + DC, neagra, 1 x slim optical 5.25" bay, 2 x 2.5", 1 side 80mm TriCool, 2 x USB 2.0, 1 x eSATA, black | 78.176 | EUR | 413.6384 | 0 | 36 | 26021 |
| Carcase | Antec | Carcasa Antec Micro Fusion Remote 350, Media Center Desktop, ecran (LCD) frontal, sursa 350W high-efficiency 80+ , negru + argintiu, 3 ventilatoare (3 x 80 mm Tricool incluse), suport pentru HDD-uri demontabil, telecomanda inclusa | 173.6 | EUR | 918.5344 | 0 | 36 | 26030 |
| Carcase | Antec | Carcasa Antec Minuet 350 - EC, MicroATX, sursa 350W certificata 80+ ,neagra, 1x TriCool 80 | 94.416 | EUR | 499.5648 | 0 | 36 | 26043 |
| Carcase | Antec | Carcasa Antec NSK1380-EC, Desktop-cube mATX, sursa 350W, argintie + negru, structura sandwich aluminiu/plastic | 108.976 | EUR | 576.5984 | 0 | 36 | 26023 |
| Carcase | Antec | Carcasa Antec NSK1480, Desktop case, mATX, sursa 350W, 5.25"X1, 120(H)x390(W)x410(D), Silver-Black, Front 2xUSB+Audio+eSATA, 2x80mm cooling fan(lateral) | 105.728 | EUR | 559.4176 | 0 | 36 | 21163 |
| Carcase | Antec | Carcasa Antec NSK2480, Desktop case, mATX, sursa EA-380W, 5.25"X2, 139.7(H)x445(W)x414(D), Silver-Black, Front 2xUSB+Audio, 2x120mm cooling fan(lateral) | 102.48 | EUR | 542.2256 | 0 | 36 | 9856 |
| Carcase | Antec | Carcasa Antec NSK4482B, Minitower, sursa EA-380W GREEN certificata 80+ ,neagra, 2 ventilatoare (1x 120mm TriCool inclus), fante de admisie aer suplimentare | 88.48 | EUR | 468.16 | 0 | 36 | 26025 |
| Carcase | Antec | Carcasa Antec NSK6582B, Miditower, sursa EA-430D Green, negru, 3 ventilatoare (1x 120mm TriCool inclus), fante de admisie aer suplimentare | 106.736 | EUR | 564.7488 | 0 | 36 | 26027 |
| Carcase | Antec | Carcasa Antec NSK6582, Miditower, sursa EA-430D Green, negru + argintiu, 3 ventilatoare (1x 120mm TriCool inclus), fante de admisie aer suplimentare | 107.856 | EUR | 570.6736 | 0 | 36 | 26026 |
| Carcase | Antec | Carcasa Antec VSK-2450, Miditower, sursa VP450 (450W, ventilator 120 mm) certificata 80+ ,neagra, 3 ventilatoare (1x 120mm TriCool inclus), PFC activ | 77.168 | EUR | 408.3072 | C | 36 | 26029 |

| | | | | | | | | |
|---------|----------|---|---------|-----|----------|----|----|-------|
| Carcasa | Antec | Carcasa Antec 2U22EPS460, ATX, Rack 2U, sursa 460W RP-460 IPC ATX12V 4-pin & EPS12V 8-pin, neagra, 3 x 80mm double ball bearing 4000rpm, PCI riser card included | 264.208 | EUR | 1397.95 | 0 | 36 | 26046 |
| Carcasa | Antec | Carcasa Antec 2U26EPS600, ATX, Rack 2U, sursa 600W RP-600 IPC ATX12V 4-pin & EPS12V 8-pin, neagra, 3 x 80mm double ball bearing 4000rpm, PCI riser card included | 296.576 | EUR | 1569.21 | 0 | 36 | 26047 |
| Carcasa | Antec | Carcasa Antec 3U26EPS600, ATX, Rack 3U, sursa 600W ATX12V 4+4 pin & EPS12V 8 pin, neagra, 6 x 5.25" + 3 x 3.5" HDD, 3 x 92mm double ball bearing fans, 1 x USB 2.0, 1 x eSATA | 296.576 | EUR | 1569.21 | 0 | 36 | 26862 |
| Carcasa | Antec | Carcasa Antec 3U22EPS600, ATX, Rack 3U, sursa 600W ATX12V 4+4 pin & EPS12V 8 pin, neagra, 6 x 5.25" + 3 x 3.5" HDD, 3 x 92mm double ball bearing fans, 1 x USB 2.0, 1 x eSATA | 285.824 | EUR | 1512.314 | 0 | 36 | 26048 |
| Carcasa | Antec | Carcasa Antec 4U22EPS650-EC, ATX, Rack 4U, sursa 650W ATX12V v2.0 & EPS 12V , neagra, 2 ventilatoare (ambele incluse), pentru servere, standard Extended ATX | 250.208 | EUR | 1323.874 | 0 | 36 | 26049 |
| Carcasa | Antec | Carcasa Antec TAKE 3+650 EC, ATX, Quiet Rack 3U, sursa 650W, 12V v2.0 & EPS 12V, neagra, 2 ventilatoare TriCool (1x 92mm + 1x 120mm), saibe de cauciuc pentru HDD-uri, silentioasa, 2 x USB2.0, 1 x Firewire (IEEE1394) | 285.824 | EUR | 1512.314 | 0 | 36 | 26045 |
| Carcasa | Antec | Carcasa Antec Take 4 + 650 -EC, ATX, Quiet Rack 4U, sursa 650W, 12V v2.0 & EPS 12V , neagra, 2 ventilatoare TriCool (1x 92mm + 1x 120mm), saibe de cauciuc pentru HDD-uri, silentioasa, 2 x USB2.0, 1 x Firewire (IEEE1394) | 290.08 | EUR | 1534.837 | 0 | 36 | 26044 |
| Carcasa | Antec | Carcasa Antec ISK 300-65, Mini-ITX, 65-watt adapter + DC, neagra, 1 x slim optical 5.25" bay, 2 x 2.5", 1 side 80mm TriCool, 2 x USB 2.0, 1 x eSATA | 72.8 | EUR | 385.1904 | 0 | 36 | 26019 |
| Carcasa | Antec | Carcasa Antec VSK-2000, Midtower, fara sursa, neagra, 3 ventilatoare (1x 120mm TriCool inclus), 2 x USB 2.0 | 40.992 | EUR | 216.888 | C | 36 | 26028 |
| Carcasa | Antec | Carcasa Antec DF-30, ATX Tower, fara sursa, neagra, panou lateral transparent, bay-uri: interne - 6x 3.5" + 1x 2.5", externe: 3x 5.25" + 1x 2.5" (hot-swap), ventilatoare: 1x 140 mm (sus) + 1x 120 mm blue-LED (spate) + 2x 120 mm blue-LED(fata) + 1x 120 mm (optional, lateral), mufe: 2x USB 2.0 + audio, filtre de praf lavabile, dimensiune maxima VGA: 292 mm | 93.856 | EUR | 496.5968 | 0 | 36 | 26040 |
| Carcasa | Antec | Carcasa Antec DF-35, ATX Tower, fara sursa, neagra, panou lateral transparent, bay-uri: interne - 6x 3.5" (2x hot-swap) + 1x 2.5", externe: 3x 5.25" + 1x 2.5" (hot-swap), ventilatoare: 1x 140 mm (sus) + 1x 120 mm white-LED (spate) + 2x120 mm white-LED (fata) + 1x 120 mm (optional, lateral), mufe: 2x USB 2.0 + audio, filtre de praf lavabile, dimensiune maxima VGA: 292 mm | 101.36 | EUR | 536.3008 | 0 | 36 | 26041 |
| Carcasa | Antec | Carcasa Antec DF-85, ATX Tower, fara sursa, neagra, panou lateral transparent, bay-uri: interne - 9x 3.5" (4x hot-swap) + 1x 2.5", externe: 3x 5.25" + 1x 2.5" (hot-swap), ventilatoare: 2x 140 mm (sus) + 2x 120 mm red-LED (spate) + 3x120mm red-LED (fata) + 1x 120 mm (optional, lateral), mufe: 1x USB 3.0 + 2x USB 2.0 + audio, filtre de praf lavabile, dimensiune maxima VGA: 318 mm, compatibila Antec CPX (CP-850/1000) | 152.096 | EUR | 804.7536 | 0 | 36 | 26042 |
| Carcasa | Antec | Carcasa Antec Fusion Remote Black, Media Center Desktop, ecran (LCD) frontal, fara sursa, negru, 2 ventilatoare (2x 120 mm Tricool incluse), telecomanda inclusa | 145.6 | EUR | 770.3808 | 0 | 36 | 26032 |
| Carcasa | Antec | Carcasa Antec Fusion Remote, Media Center Desktop, ecran (LCD) frontal, fara sursa, negru + argintiu, 2 ventilatoare (2x 120 mm Tricool incluse), telecomanda inclusa | 145.6 | EUR | 770.3808 | C | 36 | 26031 |
| Carcasa | Antec | Carcasa Antec Fusion Remote Max, Media Center Desktop, ecran LCD frontal, fara sursa, negru, 2 ventilatoare (1x 120 mm Tricool incluse, 1 x 140mm Tricool), telecomanda inclusa | 182.224 | EUR | 964.1632 | 0 | 36 | 26033 |
| Carcasa | Antec | Carcasa Antec LanBoy Air Blue, fara sursa, modulara, 6x3.5", 3x5.25", 2x2.5", 5x120mm fan, albastra | 169.344 | EUR | 896.0112 | 0 | 36 | 26859 |
| Carcasa | Antec | Carcasa Antec LanBoy Air Yellow, fara sursa, modulara, 6x3.5", 3x5.25", 2x2.5", 5x120mm fan, galbena | 169.344 | EUR | 896.0112 | 0 | 36 | 26861 |
| Carcasa | Antec | Carcasa Antec Mini P180 White - eU, ATX Tower, fara sursa, alba, structura sandwich aluminiu/plastic, 1 x ventilator TriCool 120 inclus, 1 x ventilator TriCool 200 inclus | 104.608 | EUR | 553.4928 | 0 | 36 | 26037 |
| Carcasa | Antec | Carcasa Antec Mini Skeleton-90, Desktop Mini-ITX, fara sursa, negru + argintiu, conceputa pentru rulare open-stand, 2 ventilatoare (1x TriCool 150mm LED + 1x TriCool 70mm), port-uri USB, Audio | 88.48 | EUR | 468.16 | 0 | 36 | 26022 |
| Carcasa | Antec | Carcasa Antec NSK4480 II, Minitower, fara sursa, black & silver, 3 x 5.25", 2 x 3.5", x 3.5", 2 x USB 2.0 | 51.744 | EUR | 273.784 | 0 | 36 | 26024 |
| Carcasa | Antec | Carcasa Antec Six Hundred, ATX Tower, fara sursa, 1 ventilator 200 mm + 1 ventilatoare TriCool 120(incluse), optional 3 ventilatoare 120mm, masca frontala cu bay-uri perforate, 3 x USB2.0 | 79.856 | EUR | 422.52 | 0 | 36 | 26039 |
| Carcasa | Antec | Carcasa Antec Sonata Elite, ATX Tower, fara sursa, sistem absorbtie vibratii HDD, 1 ventilatoar TriCool 120 inclus, port-uri frontale USB, eSATA, audio | 88.48 | EUR | 468.16 | 0 | 36 | 26036 |
| Carcasa | Antec | Carcasa Antec Sonata Proto, ATX Tower, fara sursa, sistem absorbtie vibratii HDD, fante frontale admisie aer permisiv, 1 ventilatoar TriCool 120 inclus, port-uri frontale USB, eSATA, audio | 57.12 | EUR | 302.232 | 0 | 36 | 26034 |
| Carcasa | Antec | Carcasa Antec Two Hundred, ATX Tower, fara sursa, 1 ventilator 140 mm + 1 ventilatoare TriCool 120, masca frontala cu bay-uri perforate | 49.616 | EUR | 262.5168 | S | 36 | 26038 |
| Carcasa | Antec | Carcasa Antec Nine Hundred, Ultimate Gamer Carcasa, fara sursa, 5.25"X9, Black, 493(H)x206(W)x467(D), Deasupra: 2xUSB2.0 +1x1394+ Audio, 1x200mm cooling fan(deasupra), 3x120mm cooling fan(2 in fata, 1 in spate) | 99.792 | EUR | 528.0128 | SL | 36 | 7302 |
| Carcasa | Antec | Carcasa Antec Ninehundred II, Tower, fara sursa, panou lateral transparent, 1 ventilator 200 mm + 2 ventilatoare TriCool 120 blue-LED + 1 TriCool 120, masca frontala cu bay-uri perforate. | 99.12 | EUR | 524.4512 | S | 36 | 21928 |
| Carcasa | Antec | Carcasa Antec NSK6580, Super Mid Tower Carcasa, sursa EA-430W, 5.25"X4, 3.5"X1(din unul de 5.25"), 465(H)x210(W)x472(D), Silver-Black, Front 2xUSB+1x1394+Audio, 1x120mm cooling fan(in spate) | 95.872 | EUR | 507.2704 | SL | 36 | 9672 |
| Carcasa | Antec | Carcasa Antec SONATA III, Quiet Super Mini Tower, sursa EA-500W, 5.25"X3, 3.5"X2, 425(H)x206(W)x463(D), Glossy Black, Front 2xUSB+1xeSATA+Audio, 1x120mm cooling fan(in spate) | 111.104 | EUR | 587.8656 | S | 36 | 9905 |
| Carcasa | Antec | Carcasa Antec Mini P180, Advanced Super Mini Tower, fara sursa, mATX, 5.25"X3, 3.5"X1, 435(H)x212(W)x436(D), Black, Front 2xUSB+1xeSATA+Audio, 1x120mm cooling fan(in spate), 1x200mm cooling fan(deasupra) | 104.608 | EUR | 553.4928 | 0 | 36 | 14163 |
| Carcasa | Antec | Carcasa Antec Skeleton, fara sursa, 5.25"X2, Silver-Black, 400(H)x460(W)x480(D), 2xUSB2.0 +1x1394+ Audio+1xeSATA, 1x250mm cooling fan(deasupra), 1x92mm cooling fan in fata | 145.6 | EUR | 770.3808 | 0 | 36 | 20849 |
| Carcasa | Antec | Carcasa Antec P183, Advanced Super Mid Tower, fara sursa, 5.25"X4, 3.5"X1, 514(H)x205(W)x507(D), Black, Front 2xUSB+1xe-SATA+Audio, 2x120mm cooling fan(1 deasupra si 1 inaintur in partea de jos) | 134.848 | EUR | 713.496 | 0 | 36 | 18997 |
| Carcasa | Antec | Carcasa Antec P193, Midi Tower, fara sursa, structura sandwich aluminiu/plastic/aluminiu, 1 ventilator TriCool 120 inclus, 2 ventilatoare TriCool 140 incluse, 1 ventilator BigBoy 200 inclus. | 161.84 | EUR | 856.3072 | 0 | 36 | 20640 |
| Carcasa | Antec | Carcasa Antec ATLAS 550, Server Carcasa, sursa EA-550W TruePower Trio, 5.25"X4, 3.5"X1(din unul de 5.25"), 430(H)x205(W)x468(D), Black, Front 2xUSB+1x1394+Audio, 1x120mm cooling fan(in spate) | 141.344 | EUR | 747.8576 | 0 | 36 | 9552 |
| Carcasa | Antec | Carcasa Antec Twelve Hundred, Unbeatable Gaming Carcasa, fara sursa, 5.25"X12, Black, 582(H)x213(W)x513(D), Deasupra: 2xUSB2.0 +1xeSATA+ Audio, 1x200mm cooling fan(deasupra), 5x120mm cooling fan(3 in fata, 2 in spate) | 160.72 | EUR | 850.3824 | C | 36 | 14288 |
| Carcasa | Antec | Carcasa Antec Titan 650, tower server, sursa 650W, EPS12V TruePower Trio, neagra, 1X120mm Tricool, 10 bay-uri 3.5 | 185.472 | EUR | 981.344 | 0 | 36 | 9908 |
| Carcasa | Chieftec | Carcasa CHIEFTEC GX-01B-OPATX, fara Sursa, 590(H)x205(W)x510(D), 5.25 X 4, BLACK, CD Stand, Front USB + 1394 + Audio, Giga Series | 99.232 | USD | 401.016 | S | 36 | 8420 |
| Carcasa | Chieftec | Carcasa Chieftech Aegis Mesh, 442(H)x205(W)x540(D), Fara sursa, ATX ,EATX, Front bays (3x5.25",1x3.5"), 6x3.5" internal HDD bays, 2xUSB+1x1394+Audio, Black, CH-02B-BM-OP | 87.36 | USD | 353.0352 | S | 24 | 18940 |

| | | | | | | | | |
|---------|-------------|--|---------|-----|-----------------|-----------|-----------|-------|
| Carcase | Chieftec | Carcasa Chieftech Aegis Mesh, 442(H)X205(W)X540(D), Fara sursa, ATX ,EATX, Front bays (3x5.25",2x3.5"), 3x3.5" internal HDD bays, 2xUSB+1x1394+Audio, Black, CH-05B-B-OP | 89.6 | USD | 362.0848 | S | 24 | 18941 |
| Carcase | Chieftec | Carcasa Chieftech Aegis Mesh, 442(H)X205(W)X540(D), Fara sursa, ATX ,EATX, Front bays (3x5.25",1x3.5"), 6x3.5" internal HDD bays, 2xUSB+1x1394+Audio, Silver, CH-02SL-SLM-OP | 91.728 | USD | 370.6864 | C | 24 | 18942 |
| Carcase | Chieftec | Carcasa Chieftech Aegis Mesh, 522(H)X205(W)X540(D), Fara sursa, ATX ,EATX, Front bays (4x5.25",1x3.5"), 6x3.5" internal HDD bays, 2xUSB+1x1394+e-SATA+Audio, Black, CX-05B-B-OP | 101.248 | USD | 409.1584 | 0 | 24 | 18943 |
| Carcase | Chieftec | Carcasa Chieftech Dragon, 480(H)X205(W)X540(D), Fara sursa, ATX ,EATX, Front bays (4x5.25",1x3.5"), 6x3.5" internal HDD bays, 2xUSB+e-SATA+Audio, Black, CH-07B-B-OP | 142.464 | USD | 575.7248 | SL | 24 | 22238 |
| Carcase | Chieftec | Carcasa Chieftech Dragon, 480(H)X205(W)X540(D), Fara sursa, ATX ,EATX, Front bays (4x5.25",1x3.5"), 6x3.5" internal HDD bays, 2xUSB+e-SATA+Audio, Black-Red, CH-07B-R-OP | 130.592 | USD | 527.744 | C | 24 | 22237 |
| Carcase | Chieftec | Carcasa Chieftech Giga, 435(H)X205(W)X465(D), Fara sursa, ATX ,Front bays (3x5.25",1x3.5"), 3x3.5" internal HDD bays, 2xUSB+1x1394+Audio, Black, CH-02B-BM-OP | 57.344 | USD | 231.7392 | S | 24 | 21518 |
| Carcase | Thermaltake | Carcasa Thermaltake MAMBO, 430.3(H)X200.2(W)X502.2(D), Fara sursa, ATX ,mATX, Front bays (4x5.25",2x3.25"), 2x120mm Fans, USB 2.0x2, Audio ,speaker ports, Otel(SECC), Middle Tower, Black | 40.768 | EUR | 215.712 | 0 | 24 | 13870 |
| Carcase | Thermaltake | Carcasa Thermaltake SOPRANO VX, 415(H)X190(W)X510(D), Fara sursa, ATX ,mATX, Front bays (4x5.25",2x3.25"), 1x120mm Fan, USB 2.0x2, IEEE1394x1, HD Audio, Otel(SECC)(Japanese steel), Middle Tower, Black | 67.648 | EUR | 357.9296 | 0 | 24 | 13873 |
| Carcase | Thermaltake | Carcasa Thermaltake BACH VX, 497(H)X210(W)X475(D), Fara sursa, ATX ,mATX, Front bays (4x5.25",2x3.5"), 1x140mm, 1x120mm Fans, USB 2.0x2, e-SATA connectorx1, HD audio, Otel(SECC)+Front bezel de Al, Middle Tower, Black | 75.712 | EUR | 400.6016 | C | 24 | 13891 |
| Carcase | Thermaltake | Carcasa Thermaltake ARMOR JUNIOR CASE, 478(H)X210(W)X495(D), Fara sursa, ATX ,mATX, Front bays (5x5.25",2x3.5"), 2x120mm Fans, USB2.0x2, IEEE1394x1, Audio, Speaker ports, Otel(SECC)+Front bezel de Al, Middle Tower, Black | 99.456 | EUR | 526.232 | 0 | 24 | 13892 |
| Carcase | Thermaltake | Carcasa Thermaltake BACH VX, 497(H)X210(W)X475(D), Fara sursa, ATX ,mATX, Front bays (4x5.25",2x3.5"), 1x140mm, 1x120mm Fans, USB 2.0x2, e-SATA connectorx1, HD audio, Otel(SECC)+Front bezel de Al, Middle Tower, Perete transparent, Black | 100.128 | EUR | 529.7824 | 0 | 24 | 13893 |
| Carcase | Thermaltake | Carcasa Thermaltake SOPRANO DX, 478(H)X210(W)X497(D), Fara sursa, ATX ,mATX, Front bays (4x5.25",2x3.25"), 1x140mm, 1x120mm Fans, USB 2.0x2, e-SATA connectorx1, HD audio, Otel(SECC)+Front panel de Al, Middle Tower, Black | 109.312 | EUR | 578.3792 | C | 24 | 13895 |
| Carcase | Thermaltake | Carcasa Thermaltake BACH MEDIA LAB, 170(H)X430(W)X450(D), Fara sursa, ATX ,mATX, Front bays (2x5.25",1x5.25"), 1x80mm, 2x60mm Fans, Otel(SECC), Media PC Carcasa, Black | 105.168 | EUR | 556.4496 | 0 | 24 | 13896 |
| Carcase | Thermaltake | Carcasa Thermaltake SOPRANO DX, 478(H)X210(W)X497(D), Fara sursa, ATX ,mATX, Front bays (4x5.25",2x3.25"), 1x140mm, 1x120mm Fans, USB 2.0x2, e-SATA connectorx1, HD audio, Otel(SECC)+Front panel de Al, Middle Tower, Perete transparent, Bla | 81.312 | EUR | 430.2256 | C | 24 | 13898 |
| Carcase | Thermaltake | Carcasa Thermaltake ARMOR JUNIOR, 478(H)X210(W)X495(D), Fara sursa, ATX ,mATX, Front bays (5x5.25",2x3.5"), 2x120mm Fans, USB2.0x2, IEEE1394x1, Audio, Speaker ports, Otel(SECC)+Front bezel de Al, Middle Tower, Perete transparent, Black | 98.112 | EUR | 519.12 | C | 24 | 13899 |
| Carcase | Thermaltake | Carcasa Thermaltake LANBOX VF, 300(H)X430(W)X280(D), Fara sursa, mATX ,mini ITX, Front bays (2x5.25",1x3.25"), 1x90mm, 2x60mm Fans, USB 2.0x2, IEEE1394 Firewire, HD-Audio, Otel(SECC)+Front panel de Al, Gaming Cube, Perete transparent, Bla | 116.816 | EUR | 618.0832 | 0 | 24 | 13901 |
| Carcase | Thermaltake | Carcasa Thermaltake LANBOX VF, 300(H)X430(W)X230(D), Fara sursa, mATX ,mini ITX, Front bays (2x5.25",1x3.25"), 1x90mm, 2x60mm Fans, USB 2.0x2, IEEE1394 Firewire, HD-Audio, Al, Gaming Cube, Silver | 119.728 | EUR | 633.4944 | 0 | 24 | 13904 |
| Carcase | Thermaltake | Carcasa Thermaltake ARMOR JUNIOR, 478(H)X210(W)X495(D), Fara sursa, ATX ,mATX, Front bays (5x5.25",2x3.5"), 2x120mm Fans, USB2.0x2, IEEE1394x1, Audio, Speaker ports, Al, Middle Tower, Silver | 126.224 | EUR | 667.856 | 0 | 24 | 13908 |
| Carcase | Thermaltake | Carcasa Thermaltake SOPRANO DX, 478(H)X210(W)X497(D), Fara sursa, ATX ,mATX, Front bays (4x5.25",2x3.25"), 1x140mm, 1x120mm Fans, USB 2.0x2, e-SATA connectorx1, HD audio, Al, Middle Tower, Perete transparent, Silver | 132.608 | EUR | 701.6352 | 0 | 24 | 13910 |
| Carcase | Thermaltake | Carcasa Thermaltake ARMOR JUNIOR, 478(H)X210(W)X495(D), Fara sursa, ATX ,mATX, Front bays (5x5.25",2x3.5"), 2x120mm Fans, USB2.0x2, IEEE1394x1, Audio, Speaker ports, Al, Middle Tower, Perete transparent, Silver | 135.856 | EUR | 718.8272 | 0 | 24 | 13911 |
| Carcase | Thermaltake | Carcasa Thermaltake SOPRANO FX, 540(H)X220(W)X580(D), Fara sursa, ATX,mATX,EATX, Front bays 10x5.25", 2x120mm, 2x90mm Fans, USB2.0x2, eSATAx1, HD Audio, Otel(SECC)+Al Front door, Full Tower, Perete transparent, Black | 159.824 | EUR | 845.6448 | C | 24 | 13917 |
| Carcase | Thermaltake | Carcasa Thermaltake LANBOX HT, 300(H)X430(W)X230(D), Fara sursa, mATX ,mini ITX, Front bays(1x5.25",1x3.25"), 1x90mm, 2x60mm Fans,USB 2.0x2,IEEE1394 Firewire,HD-Audio,Otel(SECC)+Front panel de Al,HomeTheater Gaming Cube, Media LAB kit, Bl | 188.048 | EUR | 994.9744 | 0 | 24 | 13919 |
| Carcase | Thermaltake | Carcasa Thermaltake MOZART MEDIA LAB, 170(H)X430(W)X452(D), Fara sursa, ATX ,mATX, Front bays 3x5.25", 1x80mm, 2x60mm Fans, USB 2.0x2, IEEE1394 Firewire, Audio ,Speaker ports, Otel(SECC)+Front panel de Al, Media PC Carcasa, Media LAB kit,S | 192.416 | EUR | 1018.091 | 0 | 24 | 13920 |
| Carcase | Thermaltake | Carcasa Thermaltake DH101, 426.5(H)X435(W)X153.5(D), Fara sursa, ATX, Front bay 1x5.25", 1x120mm, 2x60mm Fans, USB 2.0x2, IEEE1394 Firewire, HD-Audio, Home Theater Media PC, Media LAB Kits, VFD Display, Black | 215.6 | EUR | 1140.754 | 0 | 24 | 13924 |
| Carcase | Thermaltake | Carcasa Thermaltake MOZART TX, 330(H)X360(W)X720(D), Fara sursa, ATX,mATX,BTX,mBTX,nanoBTX,picoBTX,miniITX, Front bays(5x5.25",1x3.25"),5x120mm Fans,USB 2.0x4,IEEE1394 Firewire,eSATAx1,AudioHD,Otel(SECC)+Front panel de Al ,Cube Tower, Bla | 208.88 | EUR | 1105.205 | 0 | 24 | 13925 |
| Carcase | Thermaltake | Carcasa Thermaltake MOZART TX, 330(H)X360(W)X720(D), Fara sursa, ATX,mATX,BTX,mBTX,nanoBTX,picoBTX,miniITX, Front bays(5x5.25",1x3.25"),5x120mm Fans,USB 2.0x4,IEEE1394 Firewire,eSATAx1,AudioHD,Otel(SECC)+Front panel de Al , Silver | 229.936 | EUR | 1216.611 | 0 | 24 | 18870 |
| Carcase | Thermaltake | Carcasa Thermaltake MOZART SX MEDIA LAB, 90(H)X470(W)X440(D), Fara sursa, ATX, mATX, mini ITX, Front bays 1x5.25", 1x3.25", 2x80mm Fans, USB 2.0x2, IEEE1394 Firewire,Audio, Speaker ports,Otel(SECC),Slim ATX Media PC Carcasa, Media LAB kit | 212.128 | EUR | 1122.386 | 0 | 24 | 13927 |
| Carcase | Thermaltake | Carcasa Thermaltake T VK90001NZZ, SECC Steel ATX Mid Tower, fara sursa, 3x5.25", 1x3.5", 6x3.5" (interne), 1x2.5" (intern), design tool-less, front - 2x 140/120mm (optionale) sau 1x 200mm fan (optional), rear - 1x 120mm TurboFan (1400rpm, 17dBA, inclus), top - 1x 200mm fan (800rpm, 14dBA, inclus), side - 1x 230/120mm fan (optional), 2x USB 2.0, HD Audio, ATX / microATX | 76.832 | EUR | 406.5264 | S | 12 | 23357 |
| Carcase | Thermaltake | Carcasa Thermaltake Element V VL20001WZZ, SECC Steel EATX Full Tower, fara sursa, 5x5.25", 6x3.5" (interne), 1x2.5" (intern), design tool-less, front - 1x 120mm Colorshift fan (inclus) si 1x 120mm TurboFan (inclus), rear - 1x 120mm TurboFan (inclus), top - 1x 200mm Colorshift fan (inclus) si 1x 200mm fan (optional), VGA - 2x 50mm fans (optionale), side - 2x 230mm Colorshift fan (inclus), 4x USB 2.0, 1x eSATA, HD Audio, Extended ATX / ATX / microATX | 161.952 | EUR | 856.9008 | 0 | 12 | 22554 |
| Carcase | Thermaltake | Carcasa Thermaltake Level 10 VL30001N1Z, Aluminium ATX Full Tower, fara sursa, interior vopsit in negru, 3x5.25", 6x3.5"/2.5"/SSD (interne), front - 1x 140mm Red LED fan (1000 RPM, 16 dBA, inclus) sau 1x 120mm fan (optional), rear - 1x 120mm Red LED fan (1300 RPM, 17 dBA, inclus), HDD - 2x 60mm Silent fans (2500 RPM, 19 dBA, include), 4x USB 2.0, 1x eSATA, HD Audio, ATX / microATX | 710.528 | EUR | 3759.459 | 0 | 12 | 22553 |
| Carcase | Thermaltake | Carcasa Thermaltake M9 Window V11000BWS, SECC Steel ATX Mid Tower, fara sursa, 9x5.25", 1x3.5", 3x3.5" (interne), 1x 2.5" (intern), design tool-less, front - 1x 120mm Blue LED fan (1300rpm, 17dBA, inclus), rear - 1x 120mm fan (1300rpm, 17dBA, inclus), 2x USB 2.0, HD Audio, ATX / microATX | 78.624 | EUR | 416.0016 | SL | 12 | 23359 |

| | | | | | | | | |
|---------|-------------|---|---------|-----|----------|----|----|-------|
| Carcase | Thermaltake | Carcasa Thermaltake V3 VL80001W2Z, SECC Steel ATX Mid Tower, fara sursa, interior vopsit in negru, 4x5.25", 1x3.5", 4x3.5" (interne), 1x 2.5" (intern), design tool-less, front – 1x 120mm fan (optional), rear – 1x 120mm Blue LED fan (1300 RPM, 17 dBA, inclus), bottom – 1x 120mm fan (optional), top – 1x 120mm fan (optional), 2x USB 2.0, HD Audio, ATX / microATX | 43.904 | EUR | 232.2992 | S | 12 | 23361 |
| Carcase | Thermaltake | Carcasa Thermaltake V5 VL70001W2Z, SECC Steel ATX Mid Tower, fara sursa, interior vopsit in negru, 9x5.25", 1x3.5", 3x3.5" (interne), 1x 2.5" (intern), design tool-less, front – 1x 120mm fan (optional), rear – 1x 120mm Turbo fan (1300 RPM, 17 dBA, inclus), top – 1x 200mm Blue LED fan (800 RPM, 14 dBA, inclus), side – 1x 120mm fan (optional), 1x eSATA, 2x USB 2.0, HD Audio, ATX / microATX | 78.064 | EUR | 413.0448 | SL | 12 | 23360 |
| Carcase | Thermaltake | Carcasa Thermaltake V9 VJ40001N2Z, SECC Steel ATX Mid Tower, fara sursa, 4x5.25", 2x3.5", 5x3.5" (interne), design tool, less, front – 1x 120/140mm fan (optional), rear – 1x 120mm TurboFan (1300 RPM, 17 dBA, inclus), side – 2x 120/140mmfans (optionale), top – 1x 230mm TurboFan (800 RPM, 13 dBA, inclus), motherboard tray – 1x 70mm fan (optional), 2x USB 2.0, HD Audio, ATX / microATX | 83.328 | EUR | 440.8992 | S | 12 | 22556 |
| Carcase | Thermaltake | Carcasa Thermaltake V9 VJ40001W2Z, Window, SECC Steel ATX Mid Tower, fara sursa, 4x5.25", 2x3.5", 5x3.5" (interne), design tool,less, front – 1x 120mm Red LED fan (1300 RPM, 17 dBA, inclus) sau 1x 140mm fan (optional), rear – 1x 120mm TurboFan (1300 RPM, 17 dBA, inclus), top – 1x 230mm TurboFan (800 RPM, 13 dBA, inclus), motherboard tray – 1x 70mm fan (optional), 2x USB 2.0, HD Audio, ATX / microATX | 89.712 | EUR | 474.6784 | SL | 12 | 22555 |
| Carcase | Thermaltake | Carcasa Thermaltake KANDALF, 530(H)x220(W)x560(D), Fara sursa, ATX,mATX, EATX, BTX, Front bays 10x5.25", (2x120mm,2x90mm)Fans, USB 2.0x4, IEEE1394x1, Audio, Speaker ports, Al, Super Tower, Perete transparent, Silver | 182.224 | EUR | 964.1632 | C | 24 | 3943 |
| Carcase | Thermaltake | Carcasa Thermaltake XASER VI, 605(H)x250(W)x660(D), Fara sursa, ATX,mATX,EATX, Front bays 7x5.25",3x140mm, 1x120mm Fans, USB 2.0x4,IEEE1394 Firewire,eSATAx2,AudioHD, Al, Super Tower, Silver-Black | 182.224 | EUR | 964.1632 | C | 24 | 13931 |
| Carcase | Thermaltake | Carcasa Thermaltake KANDALF LCS, 540(H)x220(W)x640(D), Fara sursa, ATX,mATX, EATX, BTX, Front bays 9x5.25", (1x120mm,2x90mm)Fans, USB 2.0x4, IEEE1394x1, Audio, Speaker ports, Al, Super Tower, Perete transparent, Black | 154.224 | EUR | 816.0096 | C | 24 | 13941 |
| Carcase | Thermaltake | Carcasa Thermaltake DH102, 426.5(H)x435(W)x153.5(D), Fara sursa, ATX ,mATX, Front bay 1x5.25", 1x120mm, 2x60mm Fans,USB 2.0x2,IEEE1394 Firewire,HD-Audio,Otel(SECC)+Front panel de Al, HomeTheater Media PC,Media LAB Kits,7" touch screen, Bl | 451.136 | EUR | 2387 | 0 | 24 | 13943 |
| Carcase | Thermaltake | Carcasa Thermaltake SWORD M, 650(H)x240(W)x770(D), Fara sursa, ATX,mATX,EATX, Front bays 6x5.25", 5x120mm Fans, USB 2.0x2, IEEE1394 Firewire, eSATAx1, AudioHD, Al, Super Tower, Black | 308.336 | EUR | 1631.426 | C | 24 | 13944 |
| Carcase | Silverstone | Carcasa Silverstone Raven, ATX full tower, fara sursa, SECC 8.0mm, reinforced plastic, placa de baza rotita cu 90 grade pentru evacuarea in mod natural a aerului cald, 6x 3.5", 5x 5.25", 2 fan-uri 180 mm, 1 fan 120 mm, conectori USB, audio si Firewire, design deosebit, negru mat | 137.984 | EUR | 730.0832 | 0 | 12 | 19017 |
| Carcase | Spire | Carcasa Spire BlackFin V SP-3005B, ATX/MicroATX, fara sursa, 430(H)x180(W)x410(L), Front bays (4x5.5", 1x3.5"), Front (2xUSB, Sound), 1x80mm fan (in spate), Middle tower, Negru cu argintiu | 24.64 | USD | 99.5792 | 0 | 24 | 14970 |
| Carcase | Spire | Carcasa Spire JetBlack SP-7060B, ATX/MicroATX, fara sursa, 445(H)x190(W)x460(L), Front bays (4x5.5", 1x3.5"), Front (2xUSB, Sound), 1x92mm fan (in spate), Middle tower, Negru cu argintiu | 47.152 | USD | 190.5456 | S | 24 | 14975 |
| Carcase | Spire | Carcasa Spire SwordFin SP-9007B, E-ATX/ATX/MicroATX, fara sursa, 520(H)x205(W)x471(L), Front bays (4x5.5", 2x3.5"), Front (2xUSB, 1x1394, Sound), 2x120mm fan (1 in spate si 1 in fata), Full tower, Color - Anthracite | 64.624 | USD | 261.1504 | C | 24 | 14976 |
| Carcase | Ikonik | Carcasa Ikonik EN2, SECC Steel ATX Mid Tower, fara sursa, interior vopsit in negru, 4x5.25", 1x3.5", 5x3.5" (interne), design tool-less, front 1x 120mm fan (optional), rear 1x 120mm fan (inclus), top 1x 120mm fans (optionale), 2x USB 2.0, HD Audio, ATX / microATX | 38.416 | EUR | 203.2576 | S | 12 | 23560 |
| Carcase | Ikonik | Carcasa Ikonik Transform A10, SECC Steel ATX Mid Tower, fara sursa, interior vopsit in negru, fan controller inclus, 4x5.25", 1x3.5", 5x3.5" (interne), design tool-less, front 1x 120mm fan (inclus), rear 1x 120mm fan (inclus), top 1x120mmfan (optional), side 2x 120mm fans (optionale), 2x USB 2.0, HD Audio, ATX / microATX | 47.152 | EUR | 249.48 | S | 12 | 23561 |
| Carcase | Ikonik | Carcasa Ikonik Transform A10 Window, SECC Steel ATX Mid Tower, fara sursa, interior vopsit in negru, fan controller inclus, 4x5.25", 1x3.5", 5x3.5" (interne), design tool-less, front 1x 120mm fan (inclus), rear 1x 120mm fan (inclus), top1x 120mm fan (optional), 2x USB 2.0, HD Audio, ATX / microATX | 51.296 | EUR | 271.4096 | SL | 12 | 23562 |
| Carcase | Zalman | Carcasa Zalman GS1000 SE Black, fara sursa, aluminiu & ABS & SECC, 6 bay-uri 3.5" (hot swap optional), 4 bay-uri 5.25" (2 convertibile la 3.5"), 2x120 mm Fan preinstalate, 3x120 mm Fan optionale, conectori USB, Firewire si audio, flux deer optimizat, ideala pentru sisteme de gaming high-end | 125.328 | EUR | 663.1184 | 0 | 12 | 23949 |
| Carcase | Akasa | Carcasa Akasa Eclipse 62, fara sursa, 460(H)x240(W)x560(D), 5 25X4, black, front USB, 2 x 120mm Cooling Fan, Aluminium | 129.584 | EUR | 685.6416 | 0 | 12 | 7175 |
| Carcase | Lancool | Carcasa Lancool Dragonlord PC-K58, fara sursa, 5x5.25", 4x3.5" (internal), Tool-less Design, 1x 120mm fan 1500rpm rear (included), 1x 140mm fan 1000rpm front (included), 2xUSB 2.0, HD+AC97 Audio, ATX / microATX | 72.24 | EUR | 382.2224 | 0 | 24 | 22455 |
| Carcase | Raidmax | Carcasa Raidmax Aztec, fara sursa, 5 25X4, 450(H)x205(W)x522(D), black, front USB + Audio, transparent side panel, 80mm fan, door | 79.744 | USD | 322.2576 | C | 36 | 12175 |
| Carcase | Raidmax | Carcasa Raidmax Sagittarius (Sagitta2), fara sursa, 5 25X4, 495(H)x205(W)x445(D), black, front USB + Audio, transparent side panel, door | 63.616 | USD | 257.0848 | C | 36 | 12176 |
| Carcase | NZXT | Carcasa NZXT Beta EVO, SECC Steel ATX Mid Tower, fara sursa, interior vopsit in negru, 4x5.25", 5x3.5" (intern), Screwless Rail Design, 1x 120mm fan – rear (optional), 1x 120mm Blue LED fan – front (inclus), 2x 120mm fans – side panel (optional), 2x 120/140mm fans – top (optional), 2x USB 2.0, 1x eSATA, ATX / microATX / Baby-AT | 57.12 | EUR | 302.232 | SL | 24 | 21901 |
| Carcase | NZXT | Carcasa NZXT Beta, SECC Steel ATX Mid Tower, fara sursa, interior vopsit in negru, 4x5.25", 6x3.5" (intern), Screwless Rail Design, 1x 120mm fan – rear (optional), 1x 120mm Blue LED fan – front (inclus), 2x 120mm fans – side panel (optional), 2x USB 2.0, 1x eSATA, ATX / microATX / Baby-AT NZ-BETA | 52.416 | EUR | 277.3344 | S | 24 | 19412 |
| Carcase | NZXT | Carcasa NZXT Gamma, SECC Steel ATX Mid Tower, fara sursa, interior vopsit in negru, 4x5.25", 7x3.5" (intern), 1x 120mm fan (23dB/42CFM) – rear (inclus), 1x 120mm fan – front (optional), 2x 120mm fans – side (optional), 2x 120mm / 140mm fans – top (optional), suport pentru radiator dublu in partea de sus a carcasei, gauri pentru sisteme de racire cu apa, 2x USB 2.0, 1x eSATA, HD Audio, ATX / microATX / Baby AT NZ-GAMMA | 44.128 | EUR | 233.4864 | 0 | 24 | 21543 |
| Carcase | NZXT | Carcasa NZXT Guardian 921, SECC Steel ATX Mid Tower, fara sursa, 3x5.25", 2x3.5", 4x3.5" (internal), Screwless Rail Design, LCD Temperature Display, 1x 120mm fan – rear (included), 1x 120mm Blue LED fan – front (included), 1x 120mm Blue LED fan – side panel (included), 2x USB 2.0, eSATA port, HD Audio, ATX / microATX / Baby-AT NZ-G921 | 99.568 | EUR | 526.8256 | 0 | 24 | 19067 |
| Carcase | NZXT | Carcasa NZXT Hades, SECC Steel ATX Mid Tower, fara sursa, interior vopsit in negru, 9x5.25", 4x3.5" (adaptatoare interne), include 2 fan controlleri si 3 senzori de temperatura, 1x 120mm fan – rear (inclus), 1x 200mm red LED fan (150CFM) – front (inclus), 1x 200mm fan (150CFM) – side (inclus), 2x 140mm / 120mm fans – top (1x 140mm inclus), gauri pentru sisteme de racire cu apa, NZXT solid state bracket permite instalarea a 2 SSD-uri, 2x USB 2.0, 1x eSATA, HD Audio, ATX | 81.536 | EUR | 431.4128 | M | 24 | 22136 |

| | | | | | | | | |
|---------|------------|---|---------|-----|----------|------|----|-------|
| Carcase | NZXT | Carcasa NZXT Lexa S, SECC Steel ATX Mid Tower, fara sursa, interior vopsit in negru, 4x5.25", 7x3.5" (intern), include 2 fan controllere, 1x 120mm fan (23dB/42CFM) – rear (inclus), 1x 120mm fan (23dB/42CFM) – front (inclus), 1x 120mm LED fan@1200RPM(23dB/42CFM) – side (inclus), 2x 140mm / 120mm fans – top (1x 140mm inclus), suport pentru radiator dublu in partea de sus a carcasei, gauri pentru sisteme de racire cu apa, NZXT solid state bracket permite instalarea a 2 SSD-uri, | 81.536 | EUR | 431.4128 | S | 24 | 21902 |
| Carcase | NZXT | Carcasa NZXT M59 Black, SECC Steel ATX Mid Tower, fara sursa, interior vopsit in negru, 4x5.25", 7x3.5" (intern), 1x 120mm fan – rear (inclus), 1x 120mm fan – front (optional), 1x 120mm LED fan@1200RPM (23dB/42CFM) – side (inclus), 2x 120mm / 140mm fans – top (optional), suport pentru radiator dublu in partea de sus a carcasei, gauri pentru sisteme de racire cu apa, NZXT solid state bracket permite instalarea a 2 SSD-uri, Night light: lumina ambientala deasupra bay-urilor | 67.424 | EUR | 356.7424 | S | 24 | 20680 |
| Carcase | NZXT | Carcasa NZXT Zero 2, SECC Steel ATX Full Tower, fara sursa, 5x5.25", 2x3.5", 6x3.5" (internal), Screwless Rail Design, 2x 120mm fans – rear (included), 1x 120mm Blue LED fan – front (included), 4x 120mm fans – side (optional), 1x 80mm fan – top (optional), 2x 80mm fans – bottom (optional), 2x USB 2.0, eSATA port, HD Audio, ATX / microATX / Baby-AT NZ-ZERO2 | 108.976 | EUR | 576.5984 | 0 | 24 | 19070 |
| Carcase | Cooler Mas | Carcasa Cooler Master CM 690 II Advanced Black, fara sursa, pentru placi de baza ATX si mATX, 5 25X4, 511.8(H)x214.5(W)x528.8(D), USB + Audio + 1394, 1x140mm fan in fata, 1x120mm fan in spate, 1x140mm fan sus | 83.328 | EUR | 440.8992 | C | 24 | 22228 |
| Carcase | Cooler Mas | Carcasa Cooler Master CM 690 II Advanced Window Black, fara sursa. carcasa cu panel frontal din aluminiu & mesh, SECC body, panel lateral cu geom. compatibila cu Micro-ATX / ATX / Mini-ITX(supports), external SATA X-dock, 4 drive bay de 5.25", USB 2.0 x 2, eSATA x 1, MIC x 1, Audio x 1 (supports HD / AC97 audio), include 2 ventilatoare de 140mm (unul din ele cu LED albastru) si un ventilator de 120mm, dimensiuni: 214.5mm(W)x511.8mm(H)x528.8mm(D) | 92.96 | EUR | 491.8592 | C | 12 | 25720 |
| Carcase | Cooler Mas | Carcasa Cooler Master Elite 330 RC-330-KKN1-GP carcasa cu panel frontal din mesh, SECC body, compatibila cu ATX / Micro-ATX, 4 drive bay de 5.25", USB 2.0 x 2, Mic x 1, Audio x 1, include 1 ventilator de 120mm, culoare neagra, dimensiuni:189mm(W)x425mm(H)x485mm(D) | 34.272 | EUR | 181.3392 | S | 12 | 22230 |
| Carcase | Cooler Mas | Carcasa Cooler Master Elite 331 RC-331-KKN1-GP carcasa cu panel frontal din mesh, SECC body, compatibila cu ATX / Micro-ATX, 4 drive bay de 5.25", USB 2.0 x 2, Mic x 1, Audio x 1, include 1 ventilator de 120mm, culoare neagra, dimensiuni:203mm(W)x419mm(H)x484mm(D) | 34.272 | EUR | 181.3392 | 0 | 12 | 22231 |
| Carcase | Cooler Mas | Carcasa Cooler Master Elite 332 RC-332-KKN1-GP carcasa cu panel frontal din mesh, SECC body, compatibila cu ATX / Micro-ATX, 4 drive bay de 5.25", USB 2.0 x 2, Mic x 1, Audio x 1, include 1 ventilator de 120mm, culoare neagra, dimensiuni:191mm(W)x421mm(H)x484mm(D) | 34.272 | EUR | 181.3392 | SL | 12 | 22232 |
| Carcase | Cooler Mas | Carcasa Cooler Master Elite 334 RC-334-KKN1-GP carcasa cu panel frontal din mesh, SECC body, compatibila cu ATX / Micro-ATX, 4 drive bay de 5.25", USB 2.0 x 2, Mic x 1, Audio x 1, include 1 ventilator de 120mm, culoare neagra, dimensiuni:187mm(W)x421mm(H)x485mm(D) | 34.272 | EUR | 181.3392 | 0 | 12 | 22233 |
| Carcase | Cooler Mas | Carcasa Cooler Master Gladiator 600 Middle tower, mesa frontala, sasiu SECC, 1x 3.5" expusa, 5x 3.5" ascunse, 5x 5.25" expuse, panou conectori 2x USB 2.0, 1x e-SATA, 1x jack casti, 1x microfon (suport HD Audio), 1x ventilator leduri albae 120(140)x25 mm frontal, 1x ventilator 140(120)x25 mm sus, optional 2x ventilator 140(120)x25 mm lateral, optional 1x ventilator 120x25 mm spate, optional, standard ATX PS2, culoare neagra, 2 ani | 54.208 | EUR | 286.8208 | C | 24 | 19903 |
| Carcase | Cooler Mas | Carcasa Cooler Master HAF 922 (mini) Middle tower, otel, 1x 3.5" expusa (convertita din 5.25"), 5x 5.25", panou conectori 2x USB 2.0, 1x e-SATA, 1x casti, 1x microfon (suport HD Audio), 1x vent 200x30mm led rosu frontal, 1x ventilator 200mm sus, 1x ventilator 120x25mm spate, optional 1x ventilator 120x25mm/140x25mm jos, optional 1x ventilator 200x30mm lateral (suportata 2x ventilator 120x25mm), standard ATX PS2/ EPS 12V, culoare neagra | 94.864 | EUR | 501.928 | C | 24 | 19904 |
| Carcase | Cooler Mas | Carcasa Cooler Master HAF 932 Black, fara sursa, pentru placi de baza EATX, ATX si mATX, 5 25X6, 3 25X1, 560(H)x243(W)x564(D), eSATA + USB + Audio + 1394 deasupra, 3x230mm + 1x140mm fans | 125.888 | EUR | 666.0864 | CALL | 24 | 19246 |
| Carcase | Cooler Mas | Carcasa CM Storm Scout, SECC Steel ATX Mid Tower, fara sursa, interior vopsit in negru, 5x5.25", 5x3.5" (intern), 1x3.5" (convertibil din 5.25"), 1x2.5" (convertibil din 3.5"), Screwless Rail Design, 1x 120mm Red LED fan – rear (inclus), 1x140mm Red LED fan – front (inclus), 1x 140mm Red LED fan (inclus) sau 1x 120mm fan (optional) – top, 2x 120mm (optional) – side, 4xUSB 2.0, 1x eSATA port, ATX / microATX, StormGuard™ - ground-breaking security system for safeguarding your | 95.984 | EUR | 507.864 | 0 | 24 | 21905 |
| Carcase | Cooler Mas | Carcasa Cooler Master Sileo 500 Middle tower, aluminiu, sasiu SECC, 1x 3.5" expusa, 4x 3.5" ascunse, 5x 5.25" expuse, panou conectori 2x USB 2.0, 1x eSATA, 1x jack casti, 1x microfon, 1x ventilator 120x120x25 mm frontal, 1x ventilator 1200x25 mm spate, optional, standard ATX PS2/ EPS 12V, material izolant fonic, sistem de reducere a vibratiilor, culoare neagra, 2 ani | 66.192 | EUR | 350.224 | 0 | 24 | 19902 |
| Carcase | Cooler Mas | CARCASA COOLER MASTER W/O PS CENTURION 534 (BLACK), Middle tower, aluminiu, sasiu SECC, 1x 3.5" expusa, 4x 3.5" ascunse, 5x 5.25" expuse, panou conectori 2x USB 2.0, 1x IEEE 1394 (FireWire), 1x jack casti, 1x microfon (suport HD Audio), 1x ventilator 120x120x25 mm frontal, optional 1x ventilator 120x120x 25mm spate, optional, standard ATX PS2, culoare neagra | 53.088 | EUR | 280.896 | C | 24 | 19680 |
| Carcase | Cooler Mas | CARCASA COOLER MASTER W/O PS CENTURION 590 (BLACK), Middle tower, mesa metal+ABS, sasiu SECC, 1x 3.5" expusa (convertita din 1x 5.25"), 4x 3.5" ascunse (prin dispozitiv 4-in-3 inclus), 9x 5.25" expuse (fara folosirea 1x 3.5"), panou conectori 2x USB 2.0, 1x IEEE 1394 (FireWire), 1x jack casti, 1x microfon (suport HD Audio), 1x ventilator leduri albastre 120x120x25 mm frontal, 1x ventilator 120x120x25 mm spate, optional 2x ventilator 120x120x25mm fata, optional 2x vent. | 66.64 | EUR | 352.5984 | C | 24 | 19681 |
| Carcase | Intel | Carcasa Intel SC5650UP Pilot Point T, up to 3 5 x6 intern, 5 25x2 intern, 452(H)x235(W)x483(D), Carcasa Server, 400W, Black | 308.448 | USD | 1246.493 | 0 | 36 | 22157 |
| | | Surse | | | | | | |
| Surse | KME | Sursa ATX 450W, KME PX450W, cablu inclus, 1x ventilator 8cm, 1x ATX 24p (20p+4p), 1x ATX12V (4p), 2x SATA, 2x PATA, 1x FDD | 12.656 | USD | 51.1504 | 0 | 24 | 26575 |
| Surse | KME | Sursa ATX 500W, KME PK500, ventilator 1 x 12 cm, 1*thermal fan speed control, built-in Emi filter, carcasa aluminiu, retail | 27.44 | USD | 110.8912 | C | 24 | 26577 |
| Surse | KME | Sursa ATX 500W, KME PK500W/PFC, ventilator 1 x 12 cm, PFC Activ, 1*thermal fan speed control, built-in Emi filter, carcasa aluminiu, retail | 41.888 | USD | 169.2768 | C | 24 | 26579 |
| Surse | KME | Sursa ATX 500W, KME PW500EPE, 2FAN (1x8cm, 1x9cm), PFC Activ, 1 x ATX 24 pin, 2 x SATA, 2 x Floppy, 1 x 4 Pin 12V, Retail | 18.928 | USD | 76.496 | C | 24 | 26576 |
| Surse | KME | Sursa ATX 500W, KME PZ500, ventilator 1 x 12 cm, 1*ball bearing fan /15cm, carcasa aluminiu, retail | 42.336 | USD | 171.0912 | C | 24 | 26578 |
| Surse | KME | Sursa ATX 500W, KME PZ500W/PFC, ventilator 1 x 12 cm, PFC Activ, 1*ball bearing fan /15cm, carcasa aluminiu, retail | 48.608 | USD | 196.4368 | C | 24 | 26580 |
| Surse | Premier | Sursa ATX 400W, PIV, Premier, LC-C400-ATX, Putere maxima instantanee 400W | 13.664 | USD | 55.216 | 0 | 12 | 4566 |
| Surse | Premier | Sursa ATX 450W, PIV, Premier, LC-8460-BTX, 20/24 pin, Putere maxima instantanee 450W | 15.344 | USD | 62.0032 | 0 | 12 | 5341 |
| Surse | Premier | Sursa ATX 500W, PIV, Premier, LC-8500-BTX, 20/24 pin, Putere maxima instantanee 500W, cooler 120mm | 17.248 | USD | 69.6976 | S | 12 | 7718 |
| Surse | Premier | Sursa ATX 500W, PIV, Premier, LC-8500-BTX, 20/24 pin, S-ATA Connector, PCI Express Connector, Putere maxima instantanee 500W | 21.056 | USD | 85.0864 | S | 12 | 11555 |
| Surse | Delux | Sursa ATX 450W, PIV, Delux, 20pin, Ventilator 80mm, 2xS-ATA, Putere maxima instantanee 450W | 13.776 | USD | 55.6752 | 0 | 36 | 19206 |
| Surse | Delux | Sursa ATX 450W, PIV, Putere maxima instantanee 450W | 14.784 | USD | 59.7408 | S | 12 | 1636 |
| Surse | Delux | Sursa ATX 500W, P IV, Delux, 20pin, Ventilator 120mm, S-ATA, Putere maxima instantanee 500W | 23.296 | USD | 94.1472 | S | 12 | 16463 |
| Surse | Delux | Sursa ATX 600W, P IV, Delux, dual 12V, 20/24pin, 3 x S-ATA, PCI-E, Retail, Putere maxima instantanee 600W | 31.808 | USD | 128.5424 | S | 12 | 7050 |
| Surse | Delux | Sursa ATX 650W, P IV, Delux, dual 12V, 20/24pin, 3 x S-ATA, PCI-E, Retail, P8, Ventilator 12cm, Putere maxima instantanee 650W | 49.728 | USD | 200.9616 | S | 12 | 17692 |

| | | | | | | | | |
|-------|-----------|---|---------|-----|----------|---|----|-------|
| Surse | Raidmax | Sursa ATX 500W, P IV, Raidmax, 20/24pin, 2 x S-ATA, Retail, Ventilator 12cm, Putere maxima instantanee 500W, RMX-500W12 | 20.944 | USD | 84.6384 | 0 | 36 | 20541 |
| Surse | Linkworld | Sursa ATX 500W, PIV, Linkworld, LPK12-500, ATX P4, 500W, alimentari M/B 20/24+4 pin adapter, 2xSATA, 4xIDE, (+5vSb/2A), CE, ventilator 12cm, termal fan control, low noise, ROHS | 21.056 | USD | 85.0864 | S | 24 | 19057 |
| Surse | Linkworld | Sursa ATX 580W, PIV, Linkworld, LPG19-580, ATX P4, 580W, TC/PFC Pasiv, CE, alimentari M/B 20/24+4 pin adapter, 3xSATA, 1X PCIE, 2xIDE (+3,3/31A,+5V/41A, +12V/23A, -12V/0.8A, +5vSb/2A), ROHS, LOW NOISE, retail. | 30.688 | USD | 124.0176 | S | 24 | 26011 |
| Surse | Allied | Sursa ATX 350W, P IV, TUV, Allied-350W-SE, PFC, 20+4 pin connector, Bulk | 17.36 | USD | 70.1568 | 0 | 12 | 10609 |
| Surse | Allied | Sursa ATX 400W, P IV, TUV, Allied-400W-LE, PFC, 20+4 pin connector, S-ATA connector, PCI-E 6 pin connector | 23.856 | USD | 96.4096 | S | 12 | 10610 |
| Surse | Allied | Sursa ATX 400W, P IV, TUV, Allied-400W-SE, PFC pasiv, 20+4 pin connector, 2 x S-ATA connector, PCI-E 6 pin connector, 120mm silent fan | 25.984 | USD | 105 | C | 12 | 10611 |
| Surse | Spire | Sursa ATX 550W, P IV, TUV, Spire Jewel, SP-ATX-550WTN-PFC, PFC Activ, 120mm Fan, 3 Speed Variable Fan Speed Auto Control, 2x S-ATA - 1xPCI-E connectors, Nickel-Plating Casis | 54.992 | USD | 222.2304 | 0 | 36 | 14977 |
| Surse | Spire | Sursa ATX 650W, P IV, TUV, Spire Jewel, SP-ATX-650WTN-PFC, PFC Activ, 120mm Fan, 3 Speed Variable Fan Speed Auto Control, 2x S-ATA - 1xPCI-E connectors, Nickel-Plating Casis | 73.024 | USD | 295.0976 | C | 36 | 14978 |
| Surse | NOX | Sursa Nox 450W, Urano 450 AT-450P12P, compatibila ATX/BTX Standard, PFC, 4 conectori SATA, conector 20/4 Pin ATX, ventilator silentios 120mm, amperajele: 21A/ 26A/ 16A/17A, protectii: UVP, OVP | 26.432 | EUR | 139.8544 | C | 24 | 22734 |
| Surse | NOX | Sursa Nox 530W, Urano II 530 AT-530P14P, compatibila ATX12V2.2, PFC, conector PCIe 6P, 4 conectori SATA, ventilator silentios 140mm cu control automat al turatiei, amperajele: 23A/ 28A/ 17A/ 18A, protectii: over voltage, under voltage, overload, short circuit | 37.856 | EUR | 200.3008 | C | 24 | 22735 |
| Surse | NOX | Sursa Nox 600W, Urano 600 AT-600P12P, compatibila ATX12V2.2, PFC, 2 conectori PCIe 6+2P, 4 conectori SATA, ventilator silentios 120mm, amperajele: 24A/ 32A/ 21A/ 22A, protectii: over voltage, under voltage, overload, short circuit | 41.664 | EUR | 220.4496 | C | 24 | 22736 |
| Surse | Gigabyte | Sursa ATX2.01 460W, P IV, TUV, Gigabyte Superb, GE-R460-V1, PFC Activ, 120mm Fan | 40.32 | USD | 162.9376 | C | 24 | 16420 |
| Surse | Gigabyte | Sursa ATX2.3 550W, P IV, TUV, Gigabyte Superb, GE-P450P-C2, PFC Pasiv, 120mm Fan, Black, Cablu modular, 2xPCIe, 6xSATA | 57.008 | USD | 230.384 | C | 24 | 16423 |
| Surse | Gigabyte | Sursa ATX2.3 720W, P IV, TUV, Gigabyte Superb, GE-P610A-C2, PFC Activ, 120mm Fan, Black, Cablu modular, 2xPCIe, 7xSATA | 96.32 | USD | 389.2448 | 0 | 24 | 16424 |
| Surse | Seasonic | Sursa ATX 400W, P IV, TUV, Seasonic, X-400 FANLESS (SS-400FL), sursa modulara 400W, Fanless- 0dB, compatibila ATX12V & EPS12V, 80Plus Gold, Active PFC, DC to DC Converter Design, Tight Voltage Regulation, Ultra Ventilation, High Current Gold Plated Terminals, Highly Reliable 105°C Japanese Brand Capacitors, Dual Sided PCB Layout, 5 conectori SATA, 1 conector PCIe 6+2P, eficienta 90%, amperaje: 20A/ 20A/ 33A, protectii: SCP, OVP, OPP, UVP | 123.984 | EUR | 656.0064 | C | 60 | 26906 |
| Surse | Seasonic | Sursa ATX 430W, P IV, TUV, Seasonic, M12II-430, compatibila ATX12V & EPS12V, Active PFC, capacitori solizi de aluminiu, Double Forward Converter Circuit Design, conectori SATA, 2 conectori PCIe, eficienta 85%, 2 railuri de 12V, amperaje: 20A/ 20A/ 17A/ 17A, protectii: SCP, OVP, OPP | 62.608 | EUR | 331.2624 | C | 36 | 20860 |
| Surse | Seasonic | Sursa ATX 430W, P IV, TUV, Seasonic, S12II-430 BRONZE, compatibila ATX12V & EPS12V, 80Plus Bronze, Active PFC, Double Forward Converter Circuit Design, Highly Reliable 105°C Japanese Brand Capacitors, 6 conectori SATA, conector PCIe 6P, conector PCIe 6+2P, eficienta 87%, 2 railuri de 12V, amperaje: 20A/ 20A/ 17A/ 17A, protectii: SCP, OVP, OPP, OCP | 61.04 | EUR | 322.9632 | S | 36 | 20856 |
| Surse | Seasonic | Sursa ATX 460W, P IV, TUV, Seasonic, X-460 FANLESS (SS-460FL), sursa modulara 460W, Fanless- 0dB, compatibila ATX12V & EPS12V, 80Plus Gold, Active PFC, DC to DC Converter Design, Tight Voltage Regulation, Ultra Ventilation, High Current Gold Plated Terminals, Highly Reliable 105°C Japanese Brand Capacitors, Dual Sided PCB Layout, 5 conectori SATA, 2 conectori PCIe 6+2P, eficienta 90%, amperaje: 20A/ 20A/ 38A, protectii: SCP, OVP, OPP, UVP | 139.44 | EUR | 737.7888 | C | 60 | 26907 |
| Surse | Seasonic | Sursa ATX 520W, P IV, TUV, Seasonic, M12II-520 BRONZE (SS-520GM), sursa modulara 520W, compatibila ATX12V & EPS12V, Active PFC, 80Plus Bronze, Double Forward Converter Circuit Design, Highly Reliable 105°C Japanese Brand Capacitors, 6 conectori SATA, conector PCIe 6P, conector PCIe 6+2P, eficienta 87%, 2 railuri de 12V, amperaje: 24A/ 24A/ 40A, protectii: SCP, OVP, OPP | 83.328 | EUR | 440.8992 | C | 36 | 26903 |
| Surse | Seasonic | Sursa ATX 520W, P IV, TUV, Seasonic, S12II-520 BRONZE, compatibila ATX12V & EPS12V, 80Plus Bronze, Active PFC, Double Forward Converter Circuit Design, Highly Reliable 105°C Japanese Brand Capacitors, 6 conectori SATA, conector PCIe 6P, conector PCIe 6+2P, eficienta 87%, 2 railuri de 12V, amperaje: 24A/ 24A/ 40A, protectii: SCP, OVP, OPP, OCP | 73.584 | EUR | 389.3344 | C | 36 | 22476 |
| Surse | Seasonic | Sursa ATX 560W, P IV, TUV, Seasonic, X-560 (SS-560KM), sursa modulara 560W, compatibila ATX12V & EPS12V, 80Plus Gold, Active PFC, DC to DC Converter Design, Tight Voltage Regulation, Hybrid Silent Fan Control, Highly Reliable 105°C JapaneseBrand Capacitors, Dual Sided PCB Layout, ventilator ultra silentios SANYO DENKI, 8 conectori SATA, 2 conectori PCIe 6+2P, eficienta 90%, amperaje: 25A/ 25A/ 46A, protectii: SCP, OVP, OPP, UVP | 120.064 | EUR | 635.264 | S | 60 | 26899 |
| Surse | Seasonic | Sursa ATX 620W, P IV, TUV, Seasonic, M12II-620 BRONZE (SS-620GM), sursa modulara 620W, compatibila ATX12V & EPS12V, Active PFC, 80Plus Bronze, Double Forward Converter Circuit Design, Highly Reliable 105°C Japanese Brand Capacitors, 9 conectori SATA, conector PCIe 6P, conector PCIe 6+2P, eficienta 87%, 2 railuri de 12V, amperaje: 24A/ 24A/ 48A, protectii: SCP, OVP, OPP | 91.056 | EUR | 481.7792 | C | 36 | 26905 |
| Surse | Seasonic | Sursa ATX 620W, P IV, TUV, Seasonic, S12II-620 BRONZE (SS-620GB), sursa 620W, compatibila ATX12V & EPS12V, 80Plus Bronze, Active PFC, Double Forward Converter Circuit Design, Highly Reliable 105°C Japanese Brand Capacitors, 9 conectori SATA, conector PCIe 6P, conector PCIe 6+2P, eficienta 87%, 2 railuri de 12V, amperaje: 24A/ 24A/ 48A, protectii: SCP, OVP, OPP, OCP | 85.232 | EUR | 450.968 | C | 36 | 26904 |
| Surse | Seasonic | Sursa ATX 650W, P IV, TUV, Seasonic, X-650 (SS-650KM), sursa modulara 650W, compatibila ATX12V & EPS12V, 80Plus Gold, Active PFC, DC to DC Converter Design, Tight Voltage Regulation, Hybrid Silent Fan Control, Highly Reliable 105°C JapaneseBrand Capacitors, Dual Sided PCB Layout, ventilator ultra silentios SANYO DENKI, 8 conectori SATA, 4 conectori PCIe 6+2P, eficienta 90%, amperaje: 25A/ 25A/ 54A, protectii: SCP, OVP, OPP, UVP | 135.632 | EUR | 717.64 | C | 60 | 26901 |
| Surse | Seasonic | Sursa ATX 750W, P IV, TUV, Seasonic, S12D-750, compatibila ATX12V & BTX12V & EPS12V, 80Plus Silver, Active PFC, DC to DC Converter Design, Tight Voltage Regulation, Highly Reliable 105°C Japanese Brand Capacitors, Dual Sided PCB Layout, ventilator ultra silentios SANYO DENKI, suport pentru Server Boards 2x 8P, 9 conectori SATA, 2 conectori PCIe 6P, 2 conectori PCIe 6+2P, eficienta 90%, amperaje: 24A/ 30A/ 62A, protectii: SCP, OVP, OPP, OCP | 98.896 | EUR | 523.264 | 0 | 60 | 20858 |
| Surse | Seasonic | Sursa ATX 750W, P IV, TUV, Seasonic, X-750 (SS-750KM), sursa modulara 750W, compatibila ATX12V & EPS12V, 80Plus Gold, Active PFC, DC to DC Converter Design, Tight Voltage Regulation, Hybrid Silent Fan Control, Highly Reliable 105°C JapaneseBrand Capacitors, Dual Sided PCB Layout, ventilator ultra silentios SANYO DENKI, 8 conectori SATA, 4 conectori PCIe 6+2P, eficienta 90%, amperaje: 25A/ 25A/ 62A, protectii: SCP, OVP, OPP, UVP | 160.832 | EUR | 850.976 | C | 60 | 26902 |
| Surse | Seasonic | Sursa ATX 850W, P IV, TUV, Seasonic, M12D-850 (SS-850EM), sursa modulara 850W, compatibila ATX12V2.2 & EPS12V, 80 PLUS Silver (eficienta 90%), Active PFC, DC to DC Converter Design, Practical Dual +12V Rails, solid caps on 12Vs, dual SidedPCB Layout, San Ace Silent Fan (SANYO DENKI), 11 conectori SATA, 4 conectori PCIe 6P/8P, 2 railuri de 12V, amperaje: 24A/ 30A/ 40A/ 40A, protectii: OVP, UVP, OCP, SCP, OVP | 139.328 | EUR | 737.1952 | C | 60 | 26900 |

| | | | | | | | | |
|-------|-------------|---|---------|-----|----------|----|----|-------|
| Surse | Seasonic | Sursa ATX 850W, P IV, TUV, Seasonic, S12D-850, compatibila ATX12V & BTX12V & EPS12V, 80Plus Silver, Active PFC, DC to DC Converter Design, Tight Voltage Regulation, Highly Reliable 105°C Japanese Brand Capacitors, Dual Sided PCB Layout, ventilator ultra silentios SANYO DENKI, suport pentru Server Boards 2x 8P, 9 conectori SATA, 2 conectori PCIe 6P, 2 conectori PCIe 6+2P, eficienta 90%, amperaje: 24A/ 30A/ 70A, protectii: SCP, OVP, OPP, OCP | 117.04 | EUR | 619.2704 | C | 60 | 20859 |
| Surse | Modexcom | Sursa Modexcom Logic 500W PSU, dual-rail (18A/14A), 120mm fan, PFC, 1x PCI-E, 2x SATA, Thermal Fan-speed Control (Automatic fan control - AFC), bulk+cablu de curent LOGIC-500 | 31.472 | USD | 127.1872 | S | 24 | 19136 |
| Surse | Amacrox | Sursa ATX 350W, P IV, TUV, Amacrox AX350-WP, Viking, 350W, PFC Activ, 120mm Fan Silent, 75% efficiency, Conectori PCI-E si S-ATA | 28.56 | EUR | 151.1104 | C | 36 | 21132 |
| Surse | Akasa | Sursa ATX 400W, P IV, TUV, Akasa, AK-P040FG7-BL, Pax Power400, PFC Activ, 120mm Fan Temp. Auto Control, Silent, S-ATA - PCI-E connectors, 80% efficiency | 49.504 | EUR | 261.9344 | 0 | 36 | 7531 |
| Surse | Akasa | Sursa ATX 400W, P IV, TUV, Akasa, AK-P040FG8_BKEUV1, Power80+ 400W, PFC Activ, 120mm Fan Silent, 80% efficiency, Conectori PCI-E si S-ATA | 59.248 | EUR | 313.488 | 0 | 36 | 7700 |
| Surse | Akasa | Sursa ATX 500W, P IV, TUV, Akasa, AK-P050FG7-BKEU, Pax Power500, PFC Activ, 120mm Fan Temp. Auto Control, Silent, SLI Ready, S-ATA - PCIe connectors, 80% efficiency | 68.656 | EUR | 363.2608 | 0 | 36 | 7532 |
| Surse | Vantec | Sursa ATX 460W, P IV, TUV, Vantec, ION2 VAN-460C, PFC Activ, 2 conectori SATA, conector PCIe 6pin, conector 4+4 Pin (EPS12V), ventilator silentios 135mm, amperajele: 25A/ 25A/ 18A/ 17A, protectii: OPP, OVP, OCP, SCP, Made by Andyson | 33.488 | EUR | 177.184 | 0 | 24 | 24935 |
| Surse | Vantec | Sursa ATX 500W, P IV, TUV, Vantec, ION2+ VAN-500N, PFC Activ, Doua rail-uri independente 12V, forward circuit, 135mm Fan Temp. Auto Control, 4 conectori S-ATA, PCI-E conector 6pin + PCI-E conector 8pin, conector 4+4 Pin (EPS12V) | 46.368 | EUR | 245.336 | S | 24 | 15045 |
| Surse | Vantec | Sursa ATX 600W, P IV, TUV, Vantec, ION2+ VAN-600N, PFC Activ, Doua rail-uri independente 12V, forward circuit, 135mm Fan Temp. Auto Control, 4 conectori S-ATA, PCI-E conector 6pin + PCI-E conector 8pin, conector 4+4 Pin (EPS12V) | 54.88 | EUR | 290.3712 | S | 36 | 18883 |
| Surse | Nexus | Sursa Nexus Value 430W Power Supply, 4 linii +12V, fan 120 mm silentios (15dBA in idle), protectii multiple OVP, OPP, SCP, OTP, 2 conectori PCI Express, PFC activ, dimensiuni compacte, eficienta 80+ | 54.096 | EUR | 286.2272 | C | 36 | 20693 |
| Surse | AXP | Sursa AXP Simple Power 500W Power Supply, dual rail (18A/20A), ventilator 120mm (Acoustic Silent Control), 1x PCI-E, 2x SATA, PFC, Over-Voltage / Capacity overload / Short circuit protection AXP-500P12P | 39.648 | EUR | 209.776 | 0 | 24 | 19073 |
| Surse | AXP | Sursa AXP Simple Power 630W Power Supply, dual rail (21A/22A), ventilator 120mm (Acoustic Silent Control), 2x PCI-E, 2x SATA, PFC, Over-Voltage / Capacity overload / Short circuit protection AXP-630P12P | 55.216 | EUR | 292.152 | 0 | 24 | 19074 |
| Surse | AXP | Sursa AXP Simple Power 750W Power Supply, quad rail (18A/18A/20A/22A), Active PFC, ventilator 140mm (Auto Temp. Control), 4x PCI-E (2x 6pin, 2x 6+2pin), 6x SATA, Over 80% efficiency, Over-Voltage / Capacity overload / Short circuit protection AXP-750P14A | 93.856 | EUR | 496.5968 | 0 | 24 | 19080 |
| Surse | Silverstone | Sursa ATX Silverstone Olympia OP1000, sursa 1000W, compatibila ATX12V2.2 & EPS12V, Active PFC, 6 conectori SATA, 4 conectori PCIe 6pin, 2 conectori PCIe 8pin, eficienta 80%, monorail 12V cu 80A, amperaje: 30A/ 40A/ 80A, protectii: OCP, OVP, SCP, OPP, UVP | 219.744 | EUR | 1162.683 | 0 | 36 | 26889 |
| Surse | Silverstone | Sursa ATX Silverstone Nightjar ST30NF, sursa fanless 300W, compatibila ATX12V, Active PFC, conectori SATA, 1 rail de 12V, amperaje: 23A/ 25A/ 18A | 87.36 | EUR | 462.224 | 0 | 36 | 26890 |
| Surse | Silverstone | Sursa ATX Silverstone Olympia SST-OP650, sursa 650W, compatibila ATX12V2.2 & EPS12V, Active PFC, 1 conector PCIe 8P, 1 conector PCIe 6P, 6 conectori SATA, eficienta de peste 80%, monorail 12V cu 54A, amperaje: 24A/ 30A/ 54A, protectii: OCP, OVP, SCP, OPP | 84.56 | EUR | 447.4176 | C | 36 | 26886 |
| Surse | Silverstone | Sursa ATX Silverstone Decathlon SST-DA700, sursa modulara 700W, compatibila ATX12V2.2 & EPS12V, Active PFC, 1 conector PCIe 8P, 2 conectori PCIe 6P, 6 conectori SATA, eficienta de peste 80%, monorail 12V cu 58A, amperaje: 24A/ 30A/ 58A, protectii: OCP, UVP, OVP, SCP, OPP | 98.336 | EUR | 520.3072 | C | 36 | 26883 |
| Surse | Silverstone | Sursa ATX Silverstone Decathlon DA750, sursa modulara 750W, compatibila ATX12V2.2 & EPS12V, Active PFC, conectori SATA, 4 conectori PCIe, eficienta de peste 80%, monorail 12V cu 60A, amperaje: 28A/ 30A/ 60A, protectii: OCP, UVP, OVP, SCP, OPP | 136.192 | EUR | 720.608 | 0 | 36 | 26884 |
| Surse | Silverstone | Sursa ATX Silverstone Element SST-ST75EF, sursa 750W, compatibila ATX12V2.3 & EPS12V, 80 PLUS Bronze, Active PFC, Class-leading Dual +12V rails with 60A, silent running 135mm Fan with 19dBA, 1 conector PCIe 8P, 4 conectori PCIe 6P, 6 conectori SATA, 2 railuri de 12V, amperaje: 25A/ 30A/ 25A/ 35A, protectii: OVP, UVP, OCP, SCP, OVP | 87.024 | EUR | 460.4544 | 0 | 36 | 26881 |
| Surse | Silverstone | Sursa ATX Silverstone Olympia OP750, sursa 750W, compatibila ATX12V2.2 & EPS12V, Active PFC, conectori SATA, 4 conectori PCIe, eficienta de peste 80%, monorail 12V cu 60A, amperaje: 28A/ 30A/ 60A, protectii: OCP, OVP, SCP, OPP | 123.648 | EUR | 654.2368 | 0 | 36 | 26887 |
| Surse | Silverstone | Sursa ATX Silverstone Olympia SST-OP800, sursa 800W, compatibila ATX12V2.2 & EPS12V, Active PFC, 2 conectori PCIe 8P, 2 conectori PCIe 6P, 6 conectori SATA, eficienta de peste 80%, monorail 12V cu 66A, amperaje: 28A/ 30A/ 66A, protectii: OCP, OVP, SCP, OPP | 107.632 | EUR | 569.4864 | C | 36 | 26888 |
| Surse | Silverstone | Sursa ATX Silverstone Decathlon SST-DA850, sursa modulara 850W, compatibila ATX12V2.2 & EPS12V, Active PFC, 2 conectori PCIe 8P, 2 conectori PCIe 6P, 6 conectori SATA, eficienta de peste 80%, monorail 12V cu 70A, amperaje: 28A/ 30A/ 70A, protectii: OCP, UVP, OVP, SCP, OPP | 125.328 | EUR | 663.1184 | C | 36 | 26885 |
| Surse | Silverstone | Sursa ATX Silverstone Element SST-ST85EF, sursa 850W, compatibila ATX12V2.3 & EPS12V, 80 PLUS Bronze, Active PFC, Class-leading Dual +12V rails with 65A, silent running 135mm Fan with 19dBA, 2 conectori PCIe 8P/6P, 2 conectori PCIe 6P, 6 conectori SATA, 2 railuri de 12V, amperaje: 25A/ 30A/ 30A/ 35A, protectii: OVP, UVP, OCP, SCP, OVP | 102.144 | EUR | 540.456 | 0 | 36 | 26882 |
| Surse | Rasurbo | Sursa ATX 450W, P IV, TUV, Rasurbo, Basic&Power BP-XII450, ventilator 120mm, PFC, 2 conectori SATA, conector 20/4 Pin ATX | 19.824 | EUR | 104.888 | SL | 24 | 20825 |
| Surse | Rasurbo | Sursa ATX 450W, P IV, TUV, Rasurbo, Silent&Power DLP-45.1, compatibila ATX12V2.2, PFC, conector PCIe 6P, 2 conectori SATA, ventilator silentios 120mm, amperajele: 30A/ 28A/ 17A/ 17A, protectii: OVP / OCP / SCP | 28.336 | EUR | 149.9232 | SL | 24 | 20854 |
| Surse | Rasurbo | Sursa ATX 550W, P IV, TUV, Rasurbo, Basic&Power BP-XII550, ventilator 120mm, PFC, 2 conectori SATA, conector 20/4 Pin ATX | 24.64 | EUR | 130.368 | S | 24 | 20826 |
| Surse | Rasurbo | Sursa ATX 550W, P IV, TUV, Rasurbo, Silent&Power DLP-55.1, compatibila ATX12V2.2, PFC, conector PCIe 6P, 2 conectori SATA, ventilator silentios 120mm, amperajele: 30A/ 28A/ 19A/ 18A, protectii: OVP / OCP / SCP | 31.248 | EUR | 165.3344 | 0 | 24 | 20855 |
| Surse | Fortron | Sursa ATX 350W, P IV, TUV, Fortron, ATX-350PNF, PFC Pasiv, 120mm Fan Temp. Auto Control, S-ATA connectors, Bulk | 31.808 | USD | 128.5424 | 0 | 24 | 11546 |
| Surse | Fortron | Sursa ATX 400W, P IV, TUV, Fortron, ATX-400PNF, PFC Pasiv, 120mm Fan Temp. Auto Control, S-ATA connectors, Bulk | 39.424 | USD | 159.32 | 0 | 24 | 8564 |
| Surse | Fortron | Sursa ATX 1010W, P IV, TUV, Fortron, Everest1010-80PLUS, compatibila ATX12V2.3 / EPS12V2.92, Active PFC, Full Range, 80PLUS certified, Quad/4 Channel 12V Rails Design, SLI and Crossfire X certified, 120mm variable speed fan with ultra lownoise, 6x PATA, 9x SATA, 4x PCI 6+2pin, 1x MB 20+4pin, 1x CPU 4pin, 1x MB 4+4pin, Accessories: set of modular cables, cable bag, power cord, screws, cable straps, manual, retail color box | 191.52 | USD | 773.9648 | 0 | 36 | 24704 |
| Surse | Fortron | Sursa ATX 500W, P IV, TUV, Fortron, FSP500-60APN+, PFC Active, 120mm Fan, Connectors: 2x PATA, 4x SATA, 1x MB 20+4, 1x CPU 4pin, 1x PCI 6pin, fan with ultra low noise, Fully safety approved, Bulk | 49.728 | USD | 200.9616 | C | 24 | 25961 |
| Surse | Fortron | Sursa ATX 650W, P IV, TUV, Fortron, FSP650-80GHN-85, PFC Active, 120mm Fan, 80PLUS certified, Connectors: 5x PATA, 4x SATA, 1x PCI 6pin, 1x PCI 6+2pin, 1x MB 20+4, 1x MB 4+4pin, variable speed fan with ultra low noise, Fully safety approve | 82.656 | USD | 334.0288 | 0 | 24 | 25962 |

| | | | | | | | | |
|-------|---------|--|---------|-----|----------|------|----|-------|
| Surse | Fortron | Sursa ATX 400W, P IV, TUV, Fortron, SAGAIL-400, PFC Active, 120mm Fan, 20+4PIN MB connector, PCI Express connector, S-ATA connector, Super Quiet & High Efficiency | 45.472 | USD | 183.7584 | C | 24 | 24802 |
| Surse | Fortron | Sursa ATX 400W, P IV, TUV, Fortron, Zen 400, PFC Activ, Fanless, Eficienta ~ 89%, Blue-mesh sleeving, S-ATA connectors | 160.832 | USD | 649.9472 | C | 24 | 9989 |
| Surse | MaxCube | Sursa ATX 550W, P IV, TUV, MaxCube, BLITZ-550W-80PLUS, PFC Activ, 12V, 80 PLUS certified, Connectors: 6x SATA, 4x PATA, 2x PCI-e 6pin, 1x MB 20+4pin, 8pin/4pin+12V, 1x FDD, Efficiency>80%, Ultra silent 120mm Fan with Auto speed control, Fully safety approved, Retail | 63.952 | USD | 258.44 | C | 24 | 26554 |
| Surse | Sirtec | Sursa ATX 1000W, P IV, TUV, Sirtec, HPC-1000-G14C, 4x12V independent rails, Push-pull quiet dual-fan (1x 135mm + 1x 80mm), Modular cables, 8-pin PCIe connectors, 80+ certified (>80% efficiency) | 134.512 | EUR | 711.7152 | 0 | 36 | 10004 |
| Surse | Sirtec | Sursa ATX 1200W, P IV, TUV, Sirtec, HPC-1200-G14C, 4x12V independent rails, Push-pull quiet dual-fan (1x 135mm + 1x 80mm), Modular cables, 8-pin PCIe connectors, 80+ certified (>80% efficiency) | 153.552 | EUR | 812.4592 | 0 | 36 | 10005 |
| Surse | Sirtec | Sursa ATX 650W, P IV, TUV, Sirtec, HPC-650-G12C, PFC Activ, 135mm Fan, ATX2.2, 2 X 12V independent rails, Certificata 80+, Conectori auriti, Cable management | 68.88 | EUR | 364.448 | S | 36 | 15894 |
| Surse | Sirtec | Sursa ATX 850W, P IV, TUV, Sirtec, HP-850-G14C, PFC Activ, 140mm Fan, ATX2.3, 2 X 12V independent rails, Certificata 80+, cabluri modulare (2x PCIe 6+2, 2x PCIe, 4x HDD, 6x SATA, 2x FDD), cabluri native (1x ATX 24p, 1x ATX 12V, 1x EPS12V),compatibila SLI/CrossFire, protectii OVP/UVPI/OPP/OCPI/SCP, Absolute Series | 94.304 | EUR | 498.9712 | C | 36 | 20764 |
| Surse | Sirtec | Sursa ATX 400W, P IV, ATX 2.3, eficienta 75%, ventilator 120 mm, 2 rail-uri 12V, PFC activ, cabluri native (1x ATX 24p, 1x ATX 12V, 1x PCIe, 4x HDD, 3x SATA, 1x FDD), protectii OVP/UVPI/OPP/OCPI/SCP/Sirtec HPC-400-H12S | 26.432 | EUR | 139.8544 | S | 36 | 19745 |
| Surse | Sirtec | Sursa ATX 500W , eficienta 75%, ventilator 120 mm, 2 rail-uri 12V, PFC activ, cabluri native (1x ATX 24p, 1x ATX 12V, 1x PCIe, 4x HDD, 3x SATA, 1x FDD), protectii OVP/UVPI/OPP/OCPI/SCP | 38.64 | EUR | 204.4448 | S | 36 | 21896 |
| Surse | Corsair | Sursa ATX 400W, P IV, TUV, Corsair, CMPSU-400CX, PFC Activ, 12V single rail, Quiet single-fan (1x 120mm), eficienta ~80%, OVP/OCPI/SCP/UVPI/OPP | 50.176 | USD | 202.7648 | C | 36 | 18782 |
| Surse | Corsair | Sursa ATX 450W, P IV, TUV, Corsair, CMPSU-450VX, PFC Activ, 12V single rail, Quiet single-fan (1x 120mm), Eficienta ~85%, OVP/OCPI/SCP/UVPI/OPP | 82.32 | USD | 332.6736 | SL | 36 | 9975 |
| Surse | Corsair | Sursa ATX 550W, P IV, TUV, Corsair, CMPSU-550VX, PFC Activ, 12V single rail, Quiet single-fan (1x 120mm), Eficienta ~85%, OVP/OCPI/SCP/UVPI/OPP | 100.464 | USD | 405.9888 | C | 36 | 11447 |
| Surse | Corsair | Sursa ATX 620W, P IV, TUV, Corsair, CMPSU-620HX, PFC Activ, Modulara, 3x12V independent rails (power sharing), Quiet single-fan (1x 120mm), Eficienta ~80% @ 50C, OVP/OCPI/SCP/UVPI/OPP | 137.872 | USD | 557.1664 | C | 60 | 9976 |
| Surse | Corsair | Sursa ATX 650W, P IV, TUV, Corsair, CMPSU-650HX, PFC Activ, Modulara, 1x12V independent rails (power sharing), Quiet single-fan (1x 120mm), Eficienta ~85% @ 50C, OVP/OCPI/SCP/UVPI/OPP | 144.368 | USD | 583.4192 | CALL | 60 | 20580 |
| Surse | Corsair | Sursa ATX 650W, P IV, TUV, Corsair, CMPSU-650TX, PFC Activ, 2xPCI-E 8pin, 8xSATA, 2xFDD, 8x4pin Peripheral, 1xEPS/ATX12V 8-4pin, 1xATX 24pin, Quiet single-fan(1x120mm) | 102.592 | USD | 414.5904 | C | 60 | 18758 |
| Surse | Corsair | Sursa ATX 750W, P IV, TUV, Corsair, CMPSU-750AX, PFC Activ, ATX2.31, EPS12V, modulara, 1x 12V independent rails (power sharing), Quiet single-fan (1x 120mm), eficienta ~90% , OVP/OCPI/SCP/UVPI/OPP, certificate 80+ Gold | 196.672 | USD | 794.7856 | 0 | 84 | 26195 |
| Surse | Corsair | Sursa ATX 750W, P IV, TUV, Corsair, CMPSU-750TX, PFC Activ, 4xPCI-E 8pin, 8xSATA, 2xFDD, 8x4pin Peripheral, 1xEPS/ATX12V 8-4pin, 1xATX 24pin, Quiet single-fan(1x140mm) | 132.496 | USD | 535.4384 | C | 60 | 13964 |
| Surse | Corsair | Sursa ATX 750W, P IV, TUV, Corsair, CMPSU-750HX, PFC Activ, 4xPCI-E 8pin, 12xSATA, 2xFDD, 8x4pin Peripheral, 1xEPS/ATX12V 8-4pin, 1xATX 24pin, Quiet single-fan(1x140mm), Sinle rail 12V up to 62A, Certificare 80+ Silver | 169.904 | USD | 686.6048 | C | 84 | 22934 |
| Surse | Corsair | Sursa ATX 850W, P IV, TUV, Corsair, CMPSU-850AX, PFC Activ, ATX2.31, EPS12V, modulara, 1x 12V independent rails (power sharing), Quiet single-fan (1x 120mm), eficienta ~90% , OVP/OCPI/SCP/UVPI/OPP, certificate 80+ Gold | 223.328 | USD | 902.5072 | 0 | 84 | 26197 |
| Surse | Corsair | Sursa ATX 850W, P IV, TUV, Corsair, CMPSU-850HX, PFC Activ, ATX2.3, EPS12V, modulara, 1x 12V independent rails (power sharing), Quiet single-fan (1x 140mm), eficienta ~91% , OVP/OCPI/SCP/UVPI/OPP, certificate 80+ Gold | 199.808 | USD | 807.4528 | 0 | 84 | 26196 |
| Surse | Corsair | Sursa ATX 850W, P IV, TUV, Corsair, CMPSU-850TX, PFC Activ, 4xPCI-E 8pin, 8xSATA, 2xFDD, 8x4pin Peripheral, 1xEPS/ATX12V 8-4pin, 1xATX 24pin, Quiet single-fan(1x140mm) | 147.504 | USD | 596.0864 | C | 60 | 18767 |
| Surse | Corsair | Sursa ATX 1000W, P IV, TUV, Corsair, CMPSU-1000HX, PFC Activ, 6xPCI-E 8pin, 10xSATA, 2xFDD, 10x4pin Peripheral, 2xEPS/ATX12V 8-4pin, 1xATX 24pin, Quiet single-fan(1x140mm) | 261.856 | USD | 1058.198 | C | 60 | 17907 |
| Surse | Corsair | Sursa ATX 1200W, P IV, TUV, Corsair, CMPSU-1200AX, PFC Activ, ATX2.31, EPS12V, modulara, 1x 12V independent rails (power sharing), Quiet single-fan (1x 120mm), eficienta ~90% , OVP/OCPI/SCP/UVPI/OPP, certificate 80+ Gold | 330.176 | USD | 1334.29 | 0 | 84 | 26199 |
| Surse | Corsair | Sursa ATX 950W, P IV, TUV, Corsair, CMPSU-950TX, PFC Activ, ATX2.2, ATX12V, 12V single rail, Quiet single-fan (1x 120mm), eficienta ~85%, OVP/OCPI/SCP/UVPI/OPP | 183.792 | USD | 742.728 | 0 | 60 | 26198 |
| Surse | Antec | Sursa ATX 1000W, P IV, TUV, Antec, CP-1000, ATX v2.3, 4 rail-uri independente 12V, eficienta >80% (certificata 80+), ventilator 120mm silentios, Advanced Cable Management, PFC activ, exclusiv compatibila cu Twelve Hundred, P183, P193 | 123.984 | EUR | 656.0064 | 0 | 60 | 26067 |
| Surse | Antec | Sursa ATX 1000W, P IV, TUV, Antec, TruePower Quattro, ATX v2.2, Patru rail-uri independente 12V, Eficienta >85% (certificata 80+), Ventilator 80mm silentios, Advanced Cable Management | 167.216 | EUR | 884.7552 | 0 | 36 | 9925 |
| Surse | Antec | Sursa ATX 1200W, P IV, TUV, Antec, TruePower Quattro, ATX v2.2, patru rail-uri independente 12V, eficienta >85% (certificata 80+), ventilator 80mm silentios, Advanced Cable Management, TPQ-1200 | 214.592 | EUR | 1135.422 | 0 | 60 | 26062 |
| Surse | Antec | Sursa ATX 380W, P IV, TUV, Antec, EarthWatts, EA380-EC, PFC Activ, Doua rail-uri independente 12V, Eficienta >80% (certificata 80+), Ventilator 80mm, ATX v2.2, Conectori SATA si PCIe | 43.12 | EUR | 228.1552 | S | 36 | 7477 |
| Surse | Antec | Sursa ATX 430W, P IV, TUV, Antec, BasiqPower, BP430 EC, doua rail-uri independente 12V, ventilator 80mm, conectori SATA, PCIe, Advanced Cable Management | 42.112 | EUR | 222.8128 | C | 12 | 26056 |
| Surse | Antec | Sursa ATX 430W, P IV, TUV, Antec, EarthWatts, EA430-EC, PFC Activ, Doua rail-uri independente 12V, Eficienta >80% (certificata 80+), Ventilator 80mm, ATX v2.2, Conectori S-ATA si PCI-E | 54.432 | EUR | 288.008 | SL | 36 | 7478 |
| Surse | Antec | Sursa ATX 500W, P IV, TUV, Antec, BasiqPower, BP500UJ, PFC Activ, 80mm Fan Temp. Auto Control, Conectori S-ATA si PCI-E | 50.736 | EUR | 268.4528 | C | 12 | 6877 |
| Surse | Antec | Sursa ATX 500W, P IV, TUV, Antec, EarthWatts, EA500-EC, PFC Activ, Doua rail-uri independente 12V, Eficienta >80% (certificata 80+), Ventilator 80mm, ATX v2.2, Conectori S-ATA si PCI-E | 70.112 | EUR | 370.9664 | S | 36 | 7479 |
| Surse | Antec | Sursa ATX 550W, P IV, TUV, Antec, BasiqPower, BP550 PLUS, PFC Activ, 120mm Fan Temp. Auto Control, doua rail-uri independente 12V, Conectori S-ATA si PCI-E, modulara | 61.936 | EUR | 327.712 | C | 24 | 19257 |
| Surse | Antec | Sursa ATX 550W, P IV, TUV, Antec, TruePower TP-550 EC, Continuous power, ATX v2.3/EPS12V V2.91, patru rail-uri independente 12V, ventilator 120mm PWM, certificare 80+ Bronze , SLI Certified CrossFire Ready, Activ PFC | 86.8 | EUR | 459.2672 | 0 | 60 | 26058 |
| Surse | Antec | Sursa ATX 500W, P IV, TUV, Antec, EarthWatts, EA650-EC, PFC Activ, Trei rail-uri independente 12V, Eficienta >80% (certificata 80+), Ventilator 120mm, ATX v2.2, Conectori S-ATA si PCI-E | 78.176 | EUR | 413.6384 | C | 36 | 18998 |
| Surse | Antec | Sursa ATX 650W, P IV, TUV, Antec, Signature SG-650 EC, ATX v2.2, trei rail-uri independente 12V, eficienta >82% (certificata 80+), ventilator 80mm silentios, Advanced Cable Management, PFC activ | 147.728 | EUR | 781.6368 | C | 60 | 26063 |
| Surse | Antec | Sursa ATX 650W, P IV, TUV, Antec, TruePower TP-650 EC, Continuous power, ATX v2.3/EPS12V V2.91, patru rail-uri independente 12V, ventilator 120mm PWM, certificare 80+ bronze , SLI Certified CrossFire Ready, Activ PFC | 103.6 | EUR | 548.1504 | 0 | 60 | 26059 |

| | | | | | | | | |
|-------|-------------|--|---------|-----|----------|------|----|-------|
| Surse | Antec | Sursa ATX 750W, P IV, TUV, Antec, EarthWatts, EA-750 EC, patru rail-uri independente 12V, eficienta >80% (certificata 80+), ventilator 1135mm, ATX v2.2, conectori SATA, PCIe, compatibila SLI/Crossfire, modulara | 98.112 | EUR | 519.12 | 0 | 36 | 26057 |
| Surse | Antec | Sursa ATX 750W, P IV, TUV, Antec, TruePower TP-750 Blue EC, Continuous power, ATX v2.3/EPS12V V2.91, patru rail-uri independente 12V, ventilator 120mm PWM, certificare 80+ bronz, SLI Certified CrossFire Ready, Activ PFC | 123.984 | EUR | 656.0064 | 0 | 60 | 26061 |
| Surse | Antec | Sursa ATX 750W, P IV, TUV, Antec, TruePower TP-750 EC, Continuous power, ATX v2.3/EPS12V V2.91, patru rail-uri independente 12V, ventilator 120mm PWM, certificare 80+ bronz, SLI Certified CrossFire Ready, Activ PFC | 108.864 | EUR | 576.0048 | 0 | 60 | 26060 |
| Surse | Antec | Sursa ATX 850W, P IV, TUV, Antec, CP-850 EC, 850W, ATX v2.3, 4 rail-uri independente 12V, eficienta >80% (certificata 80+), ventilator 120mm silentios, Advanced Cable Management, PFC activ, exclusiv compatibila cu Twelve Hundred, P183, P193 | 115.36 | EUR | 610.3776 | 0 | 60 | 26066 |
| Surse | Antec | Sursa ATX 850W, P IV, TUV, Antec, Signature SG-850 EC, ATX v2.2, trei rail-uri independente 12V, eficienta >82% (certificata 80+), ventilator 80mm silentios, Advanced Cable Management, PFC activ | 214.592 | EUR | 1135.422 | 0 | 60 | 26065 |
| Surse | Antec | Sursa ATX 850W, P IV, TUV, Antec, TruePower Quattro, ATX v2.2, Patru rail-uri independente 12V, Eficienta >85% (certificata 80+), Ventilator 80mm silentios, Advanced Cable Management | 135.744 | EUR | 718.2336 | 0 | 36 | 9923 |
| Surse | Thermaltake | Sursa Thermaltake W0361RE Litepower 450W PSU, dual rail (17A/17A), ventilator silentios de 120mm cu control termic automat, 1x 6+2pin PCIe, 1x 6pin PCIe, 4x SATA, 5x Molex, 1x Floppy, 1x 4+4pin EPS12V, SCP/OVP/OPP, Active PFC | 48.496 | EUR | 256.592 | S | 24 | 23348 |
| Surse | Thermaltake | Sursa Thermaltake W0146RE TR2 RX 450W Modular PSU, dual rail (17A/16A), ventilator silentios de 140mm cu control termic automat, 1x 6+2pin PCIe, 1x 6pin PCIe, 6x SATA, 5x Molex, 1x Floppy, 1x 4+4pin EPS12V, SCP/OVP/OPP, Active PFC | 60.592 | EUR | 320.6 | S | 36 | 23349 |
| Surse | Thermaltake | Sursa ATX 470W, P IV TUV Thermaltake Purepower TR2 W0089RE PFC Activ 120mm Fan, SATA - PCI-Express connector, cable sleeving | 49.056 | EUR | 259.56 | 0 | 12 | 5613 |
| Surse | Thermaltake | Sursa ATX 500W, P IV TUV Thermaltake Purepower TR2 W0093RE PFC Activ 120mm Fan, SATA - PCI-Express connector, cable sleeving | 58.128 | EUR | 307.5632 | 0 | 12 | 5614 |
| Surse | Thermaltake | Sursa ATX 900W, P IV TUV Thermaltake TR2 W0175RE PFC Activ 120mm Fan, 4 railuri 12V (70A combined), 10xSATA - 4xPCI-Express connector, cable sleeving, cable management | 194.544 | EUR | 1029.347 | 0 | 12 | 20621 |
| Surse | Zaiman | Sursa ATX 460W, P IV, TUV, Zalman ZM-460B-APS, PFC Activ, 120mm Fan Temp. Auto Control, S-ATA - PCI-E connectors, SLI Ready | 55.44 | EUR | 293.3392 | 0 | 36 | 8932 |
| Surse | Enermax | Sursa ATX Enermax Revolution 85+ 1050W, eficienta 85-91% pe un interval de incarcare 20-100% (certificare 80PLUS), topologie AHD2, multiple nivele de protectie, cabluri modulare, ventilator 13.5 cm cu algoritmi inteligenti de autocontrol aturatiei, Server Ready - compatibilitate SSI PSDG 2009, ERV1050EWT | 226.016 | EUR | 1195.869 | 0 | 60 | 20491 |
| Surse | Enermax | Sursa ATX Enermax Revolution 85+ 1250W, eficienta 85-91% pe un interval de incarcare 20-100% (certificare 80PLUS), topologie AHD2, multiple nivele de protectie, cabluri modulare, ventilator 13.5 cm cu algoritmi inteligenti de autocontrol aturatiei, Server Ready - compatibilitate SSI PSDG 2009, ERV1250WVT | 259.616 | EUR | 1373.646 | 0 | 60 | 20492 |
| Surse | Enermax | Sursa ATX Enermax ECS405AGT Cyclops 405W, doua linii +12V, protectie tripla pentru sistem, operare silentioasa (ventilator 120mm), un conector PCI Express, PFC pasiv | 34.048 | EUR | 180.152 | S | 36 | 20605 |
| Surse | Enermax | Sursa ATX Enermax EES500AWT-II ECO 80+ 500W, certificare 80 PLUS (eficienta 80 - 86% @ 20 - 100% load), validata pentru operare 24/7, doua linii +12V, protectie octupla pentru sistem, extrem de silentioasa (ventilator Magma autocontrolat prin intermediul unor algoritmi fuzzy), DXXI ready! (2 conectori 100% 6+2P (8P) PCI Express), tehnologii Enermax: HeatGuard, SpeedGuard, SafeGuard, CordGuard, AirGuard | 72.24 | EUR | 382.2224 | S | 36 | 22518 |
| Surse | Enermax | Sursa ATX Enermax EPR525AWT-II PRO 82+ II 525W, ATX v2.3, certificare 80 PLUS BRONZE (eficienta ridicata 82-88% @ 20 - 100% load), validata pentru operare 24/7, trei linii +12V, protectie octupla pentru sistem, 100% condensatori japonezi, extrem de silentioasa (ventilator 120mm autocontrolat prin intermediul unor algoritmi fuzzy); DXXI ready! (100% conectori 6+2P (8P) PCI Express); tehnologii Enermax: HeatGuard, SpeedGuard, SafeGuard, CordGuard, AirGuard | 82.208 | EUR | 434.9744 | C | 60 | 22366 |
| Surse | Enermax | Sursa ATX Enermax EPR625AWT-II PRO 82+ II 625W, ATX v2.3, certificare 80 PLUS BRONZE (eficienta ridicata 82-88% @ 20 - 100% load), validata pentru operare 24/7, trei linii +12V, protectie octupla pentru sistem, 100% condensatori japonezi, extrem de silentioasa (ventilator 120mm autocontrolat prin intermediul unor algoritmi fuzzy); DXXI ready! (100% conectori 6+2P (8P) PCI Express); tehnologii Enermax: HeatGuard, SpeedGuard, SafeGuard, CordGuard, AirGuard | 98.336 | EUR | 520.3072 | C | 60 | 22367 |
| Surse | Enermax | Sursa ATX Enermax Revolution 85+ 850W, eficienta 85-91% pe un interval de incarcare 20-100% (certificare 80PLUS), topologie AHD2, multiple nivele de protectie, cabluri modulare, ventilator 13.5 cm cu algoritmi inteligenti de autocontrol a turatiei, Server Ready - compatibilitate SSI PSDG 2009, ERV850EWT | 196.784 | EUR | 1041.197 | 0 | 60 | 20490 |
| Surse | Mushkin | Sursa EP-400AP 400W Modular PSU, dual rail (18/18A), cabluri modulare, ventilator 120mm, eficienta 80+, turbo fan button, OVP/OPP/SCP/UVPI/OPP, PFC activ550040 | 44.24 | EUR | 234.08 | SL | 24 | 19618 |
| Surse | Topower | SURSA Topower SilentEz 350W Modular PSU, dual rail (20/20A), cabluri modulare, ventilator 120mm, eficienta 80+, turbo fan button, OVP/OPP/SCP/UVPI/OPP, PFC activTOP-350SE | 36.064 | EUR | 190.8144 | 0 | 36 | 19081 |
| Surse | Topower | SURSA Topower SilentEz 400W Modular PSU, dual rail (20/20A), cabluri modulare, ventilator 120mm, eficienta 80+, turbo fan button, OVP/OPP/SCP/UVPI/OPP, PFC activTOP-400SE | 38.416 | EUR | 203.2576 | 0 | 36 | 19082 |
| Surse | Chieftec | Sursa ATX Chieftec A-120 370W, PFC Pasiv, 120mm Fan Temp.Auto Control, 3xS-ATA, CHP-370P Bulk | 42.112 | USD | 170.184 | SL | 24 | 18947 |
| Surse | Chieftec | Sursa ATX Chieftec A-120 370W, PFC Pasiv, 120mm Fan Temp.Auto Control, 3xS-ATA, CHP-370P Retail | 43.12 | USD | 174.2496 | SL | 24 | 18948 |
| Surse | Chieftec | Sursa ATX Chieftec A-135 400W, PFC Activ, 140mm Fan Temp.Auto Control, 3xS-ATA - 1xPCI-E connectors, Eficenta >80%, APS-400S | 57.232 | USD | 231.28 | S | 24 | 18944 |
| Surse | Chieftec | Sursa ATX Chieftec A-135 450W, PFC Activ, 140mm Fan Temp.Auto Control, 3xS-ATA - 1xPCI-E connector, Eficenta >80%, APS-450S | 61.824 | USD | 249.8384 | S | 24 | 18945 |
| Surse | Chieftec | Sursa ATX Chieftec A-135 500W, PFC Activ, 140mm Fan Temp.Auto Control, 3xS-ATA - 1xPCI-E connectors, Eficenta >80%, APS-500S | 67.984 | USD | 274.736 | CALL | 24 | 18946 |
| Surse | Chieftec | Sursa ATX Chieftec Green Angel 350W, PFC Activ, 120mm Fan Temp.Auto Control, 2xS-ATA, 5 molex, Eficenta >80%, CTP-350-12G Retail | 36.736 | USD | 148.456 | S | 24 | 20586 |
| Surse | Chieftec | Sursa ATX Chieftec Green Angel 450W, PFC Activ, 120mm Fan Temp.Auto Control, 2xS-ATA, 5 molex, 1xPCI-E connector, Eficenta >80%, CTP-450-12G Retail | 60.48 | USD | 244.4064 | SL | 24 | 20587 |
| Surse | Chieftec | Sursa ATX Chieftec Smart 350W, PFC Pasiv, 120mm Fan Temp.Auto Control, 2xS-ATA, 7 molex, GPS-350EB-101A Bulk | 40.768 | USD | 164.752 | C | 24 | 20582 |
| Surse | Chieftec | Sursa ATX Chieftec Smart 350W, PFC Pasiv, 120mm Fan Temp.Auto Control, 2xS-ATA, 7 molex, GPS-350EB-101A Retail | 45.36 | USD | 183.3104 | S | 24 | 20581 |
| Surse | Chieftec | Sursa ATX Chieftec Smart 350W, PFC Pasiv, 80mm Fan Temp.Auto Control, 2xS-ATA, 7 molex, GPS-350FB-101A Bulk | 35.616 | USD | 143.9312 | C | 24 | 24602 |
| Surse | Chieftec | Sursa ATX Chieftec Smart 400W, PFC Pasiv, 120mm Fan Temp.Auto Control, 2xS-ATA, 7 molex, PCI-Express connector, GPS-400AA-101A Bulk | 51.968 | USD | 210.0112 | SL | 24 | 20584 |
| Surse | Chieftec | Sursa ATX Chieftec Smart 400W, PFC Pasiv, 120mm Fan Temp.Auto Control, 2xS-ATA, 7 molex, PCI-Express connector, GPS-400AA-101A Retail | 54.544 | USD | 220.416 | SL | 24 | 20583 |

| | | | | | | | | |
|-------|------------|--|---------|-----|----------|----|----|-------|
| Surse | Chieftec | Sursa ATX Chieftec Smart 450W, PFC Pasiv, 120mm Fan Temp.Auto Control, 2xS-ATA, 7 molex, PCI-Express connector, GPS-450AA-101A Retail | 57.68 | USD | 233.0944 | S | 24 | 20585 |
| Surse | Chieftec | Sursa ATX Chieftec Smart 500W, PFC Activ, 120mm Fan Temp.Auto Control, 3xS-ATA, 2xPCI-Express connector, 8pin EPS12V, Eficenta >80%, GPS-500AB-A | 70.112 | USD | 283.3376 | SL | 24 | 18955 |
| Surse | Chieftec | Sursa ATX Chieftec Smart 650W, PFC Activ, 120mm Fan Temp.Auto Control, 4xS-ATA, 2xPCI-Express connector, 8pin EPS12V, Eficenta >80%, GPS-650AB-A | 103.6 | USD | 418.6672 | S | 24 | 18957 |
| Surse | Chieftec | Sursa ATX Chieftec Super 750W, PFC Activ, 140mm Fan Temp.Auto Control, 4xS-ATA, 2xPCI-Express connector, 8pin EPS12V, Eficenta 75%, Cable management, Cable sleeving, GPS-650AB-A | 107.856 | USD | 435.8592 | C | 24 | 19615 |
| Surse | Cougar | Sursa ATX Cougar A350, sursa 350W, compatibila ATX12V V2.3, 80Plus Bronze, Active PFC, Automatic dynamic load distribution on dual 12V line, Japanese capacitors, extrem de silentioasa, 4 conectori SATA, conector PCIe 6P, eficienta 88%, 2 railuri de 12V, amperaje: 21A/ 15A/ 14A/ 14A, protectii: UVP (Undervoltage protection), OVP (Overvoltage protection), SCP (Short-circuit protection), OPP (Overload protection) si OCP (Overcurrent protection) | 41.664 | EUR | 220.4496 | C | 36 | 26866 |
| Surse | Cougar | Sursa ATX Cougar A400, sursa 400W, compatibila ATX12V V2.3, 80Plus Bronze, Active PFC, Automatic dynamic load distribution on dual 12V line, Japanese capacitors, extrem de silentioasa, 6 conectori SATA, conector PCIe 6P, eficienta 88%, 2 railuri de 12V, amperaje: 24A/ 15A/ 20A/ 20A, protectii: UVP (Undervoltage protection), OVP (Overvoltage protection), SCP (Short-circuit protection), OPP (Overload protection) si OCP (Overcurrent protection) | 64.512 | EUR | 341.3424 | 0 | 36 | 26867 |
| Surse | Cougar | Sursa ATX Cougar Power 400, sursa 400W, compatibila ATX12V V2.3 & EPS12V, 80Plus Bronze, Active PFC, 4 conectori SATA, 2 conectori PCIe 6P, eficienta 88%, 2 railuri de 12V, amperaje: 24A/ 15A/ 20A/ 20A, protectii: OCP, SCP, OVP, UVP, OPP | 50.4 | EUR | 266.672 | C | 36 | 26869 |
| Surse | Cougar | Sursa ATX Cougar A450, sursa 450W, compatibila ATX12V V2.3, 80Plus Bronze, Active PFC, Automatic dynamic load distribution on dual 12V line, Japanese capacitors, extrem de silentioasa, 6 conectori SATA, conector PCIe 6P, conector PCIe 6+2P, eficienta 88%, 2 railuri de 12V, amperaje: 24A/ 15A/ 22A/ 20A, protectii: UVP (Undervoltage protection), OVP (Overvoltage protection), SCP (Short-circuit protection), OPP (Overload protection) si OCP (Overcurrent protection) | 56.224 | EUR | 297.4832 | C | 36 | 26868 |
| Surse | Cougar | Sursa ATX Cougar CM Power 550, sursa modulara 550W, compatibila ATX12V V2.3 & EPS12V, 80Plus Bronze, Active PFC, 4 conectori SATA, conector PCIe 6P, conector PCIe 6+2P, eficienta 89%, 2 railuri de 12V, amperaje: 24A/ 15A/ 28A/ 20A, protectii: OCP, SCP, OVP, UVP, OPP | 86.8 | EUR | 459.2672 | C | 36 | 26872 |
| Surse | Cougar | Sursa ATX Cougar Power 550, sursa 550W, compatibila ATX12V V2.3 & EPS12V, 80Plus Bronze, Active PFC, 4 conectori SATA, conector PCIe 6P, conector PCIe 6+2P, eficienta 88%, 2 railuri de 12V, amperaje: 24A/ 15A/ 28A/ 20A, protectii: OCP, SCP, OVP, UVP, OPP | 76.72 | EUR | 405.9328 | C | 36 | 26870 |
| Surse | Cougar | Sursa ATX Cougar S550, sursa modulara 550W, compatibila ATX12V V2.3 & EPS12V, 80Plus Silver, Active PFC, Highly Reliable 105°C Japanese Brand Capacitors, circuite independente, tehnologia Dynamic Load Distribution pentru railul de 12V, 6 conectori SATA, 3 conectori PCIe 6P, 1 conector PCIe 6+2P, eficienta 90%, ventilator 140mm, 2 railuri de 12V, amperaje: 25A/ 25A/ 20A/ 20A/ 24A/ 24A, protectii: UVP, OVP, SCP, OPP, OCP | 104.944 | EUR | 555.2624 | 0 | 36 | 26875 |
| Surse | Cougar | Sursa ATX Cougar GX 600, sursa modulara 600W, compatibila ATX12V V2.3 & EPS12V, 80Plus Gold, Active PFC, CLC filter design, Highly Reliable 105°C Japanese Brand Capacitors, DC-DC technology, ventilator Advanced HDB (HYDRO-Dynamic Bearing), Automatic dynamic load distribution on multi-12V line, 8 conectori SATA, 2 conectori PCIe 6P, 2 conectori PCIe 6+2P, eficienta 93%, ventilator 140mm, 2 railuri de 12V, amperaje: 25A/ 25A/ 20A/ 20A/ 24A/ 24A, protectii: UVP, OVP, SCP, OPP, OCP | 135.632 | EUR | 717.64 | C | 36 | 26877 |
| Surse | Cougar | Sursa ATX Cougar CM Power 700, sursa modulara 700W, compatibila ATX12V V2.3 & EPS12V, 80Plus Bronze, Active PFC, Highly Reliable 105°C Japanese Brand Capacitors, 5 conectori SATA, 2 conectori PCIe 6P, 2 conectori PCIe 6+2P, eficienta 89%, 2 railuri de 12V, amperaje: 24A/ 20A/ 30A/ 30A, protectii: OCP, SCP, OVP, UVP, OPP | 106.96 | EUR | 565.936 | C | 36 | 26873 |
| Surse | Cougar | Sursa ATX Cougar Power 700, sursa 700W, compatibila ATX12V V2.3 & EPS12V, 80Plus Bronze, Active PFC, Highly Reliable 105°C Japanese Brand Capacitors, 5 conectori SATA, 2 conectori PCIe 6P, conectori PCIe 6+2P, eficienta 88%, 2 railuri de 12V, amperaje: 24A/ 20A/ 30A/ 30A, protectii: OCP, SCP, OVP, UVP, OPP | 90.832 | EUR | 480.6032 | C | 36 | 26871 |
| Surse | Cougar | Sursa ATX Cougar S700, sursa modulara 700W, compatibila ATX12V V2.3 & EPS12V, 80Plus Silver, Active PFC, Highly Reliable 105°C Japanese Brand Capacitors, circuite independente, tehnologia Dynamic Load Distribution pentru railul de 12V, 8 conectori SATA, 2 conectori PCIe 6P, 2 conectori PCIe 6+2P, eficienta 90%, ventilator 140mm, 2 railuri de 12V, amperaje: 25A/ 25A/ 20A/ 20A/ 24A/ 24A, protectii: UVP, OVP, SCP, OPP, OCP | 121.072 | EUR | 640.6064 | 0 | 36 | 26876 |
| Surse | Inter-Tech | Sursa Inter-Tech SL-500 500W PSU, single rail (30A), ventilator silentios de 120mm cu control termic, 3x SATA, 2x Molex, 2x Floppy, SCP/OCP/OVP, Passive PFC | 25.088 | USD | 101.3824 | 0 | 24 | 21302 |
| Surse | Inter-Tech | Sursa Inter-Tech SL-700 700W PSU, dual rail (25A/25A), ventilator silentios de 120mm cu control termic automat, 2x 6+2pin PCIE, 4x SATA, 3x Molex, 1x Floppy, 1x EPS 4+4pin, SCP/OCP/OVP, Active PFC | 54.208 | USD | 219.0608 | S | 24 | 22034 |
| Surse | Inter-Tech | Sursa Inter-Tech CobalKing VP-550 550W PSU, dual rail (23A/20A), ventilator silentios de 120mm cu control termic (auto/manual), 1x 6pin PCIE, 4x SATA, 4x Molex, 1x Floppy, SCP/OCP, Passive PFC | 43.792 | USD | 176.9712 | SL | 24 | 21133 |
| Surse | Inter-Tech | Sursa Inter-Tech Coba Ecostar 80+ ES-400 400W Energy Saving PSU, certificata 80 PLUS, dual rail (17A/14A), ventilator silentios de 120mm cu control termic automat, tehnologie PCR (Power Consumption Reduction) pentru reducea consumul de curent, 1x 6+2pin | 55.44 | USD | 224.0448 | 0 | 24 | 22036 |
| Surse | Inter-Tech | Sursa Inter-Tech Energon 1000W Modular PSU, quad rail (20A/20A/20A/20A), ventilator silentios de 135mm cu control termic automat, 2x 6+2pin PCIE, 9x SATA, 4x Molex, 2x Floppy, 1x 4+4pin EPS12V, SCP/OCP/OVP, Active PFC | 123.424 | USD | 498.7808 | SL | 24 | 26359 |
| Surse | Inter-Tech | Sursa Inter-Tech Energon EPS-550 550W PSU, quad rail (18A/18A/18A/18A), ventilator silentios de 120mm cu control termic automat, 1x 6pin PCIE, 4x SATA, 4x Molex, 1x Floppy, 1x EPS 4+4pin, SCP/OCP/OVP, Passive PFC | 41.664 | USD | 168.3696 | 0 | 24 | 22035 |
| Surse | Inter-Tech | Sursa Inter-Tech Energon EPS-650 650W PSU, quad rail (18A/18A/18A/18A), ventilator silentios de 120mm cu control termic, 1x 6+2pin PCIE, 2x SATA, 4x Molex, 1x Floppy, SCP/OCP/OVP, Active PFC | 50.064 | USD | 202.3168 | S | 24 | 21157 |
| Surse | Inter-Tech | Sursa Inter-Tech Energon 750W PSU, quad rail (20A/20A/20A/20A), ventilator silentios de 135mm cu control termic, 1x 6pin PCIE, 1x 6+2pin PCIE, 6x SATA, 6x Molex, 2x Floppy, SCP/OCP/OVP, Passive PFC | 62.944 | USD | 254.3632 | 0 | 24 | 21134 |
| Surse | Inter-Tech | Sursa Inter-Tech SinanPower VP-430, 430W PSU, dual rail (16A/18A), ventilator silentios de 120mm cu control termic automat, 3x SATA, 3x Molex, 1x Floppy, SCP/OCP, Passive PFC | 33.04 | USD | 133.5152 | 0 | 24 | 22176 |
| Surse | Cooler Mas | Sursa Cooler Master EXTREME POWER PLUS 400W, ATX V2.3, 2x rail 16A/18A, eficienta >70%, PFC pasiv, protectii OVP/OCP/OPP/SCP, M/B 20+4 Pin x1, CPU 4+4 Pin x1, PCI-E 6 Pin x1, 4 Pin Peripheral x5, SATA x4, 4 Pin Floppy x1, 120x120x25, sleeve | 42.784 | EUR | 226.3744 | S | 24 | 19685 |
| Surse | Cooler Mas | Sursa Cooler Master EXTREME POWER PLUS 460W, ATX V2.3, 2x rail 18A/18A, eficienta >70%, PFC pasiv, protectii OVP/OCP/OPP/SCP, M/B 20+4 Pin x1, CPU 4+4 Pin x1, PCI-E 6 Pin x1, 4 Pin Peripheral x5, SATA x4, 4 Pin Floppy x1, 120x120x25, sleeve | 46.032 | EUR | 243.5552 | 0 | 24 | 19686 |
| Surse | Cooler Mas | Sursa Cooler Master GX 550W RS550-ACAAE3-EU ATX12V V2.31, Active PFC, certificare 80 Plus, 6 conectori SATA, 2 conectori PCIe 6+2P, single rail pe 12V, amperaje: 24A/ 24A/ 44A, protectii: OVP / UVP / OPP / OTP / SCP | 60.032 | EUR | 317.632 | S | 60 | 22234 |

| | | | | | | | | |
|------------------|--------------|---|---------|-----|----------|------|----|-------|
| Surse | Cooler Mas | Sursa Cooler Master GX 650W RS650-ACAAE3-EU ATX12V V2.31, Active PFC, certificare 80 Plus, 6 conectori SATA, 2 conectori PCIe 6+2P, single rail pe 12V, amperaje: 25A/ 25A/ 52A, protectii: OVP / UVP / OPP / OTP / SCP | 69.776 | EUR | 369.1856 | S | 60 | 22235 |
| Surse | Cooler Mas | Sursa Cooler Master REAL POWER M1000, ATX V2.3, EPS 12V V2.92, 6x rail 18A/18A/28A/28A/18A/18A, eficienta >85%, PFC activ, protectii OVP/OC/OTP/OLP/Short/Full Protection, M/B 24 Pin x1, CPU 4 Pin x1, CPU 8 Pin x1, PCI-E 8 Pin x2, PCI-E 6 Pin x4, 4 Pin Peripheral x10, SATA x6, 4 Pin Floppy x2, 135x135x25, PWM | 145.264 | EUR | 768.6 | C | 60 | 19693 |
| Tastaturi | | | | | | | | |
| Tastaturi | Prestigio | Tastatura Prestigio PKB03US USB, Multimedia Function, Black | 10.584 | USD | 42.7728 | S | 24 | 23132 |
| Tastaturi | Cirkuit Plan | Tastatura multimedia Cars - Disney -"DSY-KB881" | 14 | EUR | 74.0768 | C | 12 | 19999 |
| Tastaturi | Cirkuit Plan | Tastatura Mickey Color- Disney -"DSY-KB820" | 12.208 | EUR | 64.5904 | C | 12 | 19997 |
| Tastaturi | Cirkuit Plan | Tastatura multimedia Princess - Disney -"DSY-KB811" | 14.448 | EUR | 76.44 | C | 12 | 19998 |
| Tastaturi | Serious | Tastatura Serious SRXX-9400B, 108 taste, Black, PS/2 | 3.3936 | USD | 13.7088 | 0 | 12 | 18831 |
| Tastaturi | Lenovo | Tastatura Lenovo Business Enhanced Performance, USB, Black, 73P2656 | 32.48 | USD | 131.2528 | 0 | 12 | 23959 |
| Tastaturi | A4tech | Tastatura A4Tech PSII KX-6MU, 104 + 13 multimedia/Internet, ultraslim, caracterate romanesi, port USB + porturi pentru microfon si casti, conectare USB, Black cu insertie de imitatie lemn | 20.16 | USD | 81.4688 | 0 | 12 | 21897 |
| Tastaturi | A4tech | Tastatura A4Tech KBS-720, PSII, (Taste asezate ergonomic, slim), Black | 5.32 | USD | 21.504 | CALL | 12 | 10019 |
| Tastaturi | A4tech | Tastatura A4Tech KB-720-USB, USB, Black | 5.6672 | USD | 22.904 | C | 12 | 26582 |
| Tastaturi | A4tech | Tastatura A4Tech KBS-21, PSII, Multimedia, Silver-Black | 7.1568 | USD | 28.9184 | S | 12 | 19958 |
| Tastaturi | A4tech | Tastatura A4Tech KL-7MU, PSII, Silver-Black, (Ultra slim, Headset extension port) | 12.432 | USD | 50.2432 | 0 | 12 | 11206 |
| Tastaturi | A4tech | Tastatura A4Tech KL-23M, PSII, Multimedia, Silver-Black, (104but + 6 multimedia) | 8.3328 | USD | 33.6784 | S | 12 | 16094 |
| Tastaturi | A4tech | Tastatura A4Tech KBS-26, PSII, Office, Silver-Black | 11.2 | USD | 45.2592 | C | 12 | 3548 |
| Tastaturi | A4tech | Tastatura A4Tech X7 G100, USB, Professional game keyboard, 4 taste predefinite, Volum control | 6.4064 | USD | 25.8944 | 0 | 12 | 8762 |
| Tastaturi | A4tech | Tastatura A4Tech KIPS-800, PSII, Multimedia, Silver-Black, (Ultra slim, Headset, USB 2.0 extension port, IP Phone on board) | 9.2064 | USD | 37.2064 | 0 | 12 | 6791 |
| Tastaturi | A4tech | Tastatura A4Tech KIP-800, PSII, Multimedia, Black, (Ultra slim, Headset, USB 2.0 extension port, IP Phone on board) | 9.2064 | USD | 37.2064 | 0 | 12 | 6790 |
| Tastaturi | A4tech | Tastatura Kit A4Tech KX-2810 (KB-28G+X-710F), tastatura MM office + optical mouse 4 DPI Shift 1000dpi, 3xFire Button, tastatura: PS2, mouse: USB/PS2, Black | 15.008 | USD | 60.648 | C | 12 | 16486 |
| Tastaturi | A4tech | Tastatura Kit A4Tech KBS-2348RP, Wireless MM keyboard + wireless mouse, PSII, radio cordless | 18.144 | USD | 73.3264 | C | 12 | 1348 |
| Tastaturi | A4tech | Tastatura Kit A4Tech KBS-2548RP, Wireless MM keyboard + wireless mouse, PSII, radio cordless, 2 hands-work | 18.144 | USD | 73.3264 | C | 12 | 1346 |
| Tastaturi | Cyber Snips | Tastatura Cyber Snipa Game Pad V2, iluminare cu LED, 37 de taste configurabile, USB | 29.12 | EUR | 154.0784 | S | 12 | 23791 |
| Tastaturi | Delux | Kit (Mouse+Tastatura) Delux DLK-8000GO+M315GL, Wireless, Tastatura Office&Multimedia, Blue/Black, Super design, Mouse laser 1200dpi, Mini USB receiver | 28.112 | USD | 113.6016 | C | 24 | 16687 |
| Tastaturi | Delux | Tastatura Delux DLK-8017P, PSII, Multimedia, Black | 6.3504 | USD | 25.6592 | S | 24 | 16685 |
| Tastaturi | Delux | Tastatura Delux DLK-8050P, PSII, Black | 4.0208 | USD | 16.2512 | S | 24 | 11165 |
| Tastaturi | Delux | Tastatura Delux DLK-5108T, PSII+USB, Multimedia, Silver-Black | 7.4032 | USD | 29.9152 | S | 24 | 11162 |
| Tastaturi | Delux | Tastatura Delux DLK-5200U, USB, Multimedia, Slim, Volume control, Telefon MSN, Skype, Silver-Black | 12.208 | USD | 49.336 | S | 24 | 12773 |
| Tastaturi | Delux | Tastatura Delux DLK-8100U, USB, Multimedia, Silver-Black | 7.4032 | USD | 29.9152 | C | 24 | 16686 |
| Tastaturi | RPC | Tastatura RPC-KMV-026BP, Multimedia Keyboard - 19 Multimedia Keys - Black -Super design, PS2 | 6.1152 | USD | 24.7072 | S | 12 | 18132 |
| Tastaturi | RPC | Tastatura RPC-KSV-03B, Standard Keyboard (US) 104 Keys - Black, PS2 | 3.4944 | USD | 14.1232 | 0 | 12 | 18124 |
| Tastaturi | RPC | Tastatura RPC-KSV-ROM-03B, Standard Keyboard (Romanian layout) 104 Keys - Black, PS2 | 3.9872 | USD | 16.1168 | 0 | 12 | 18125 |
| Tastaturi | RPC | Tastatura RPC-KMV-8102BS, Multimedia Keyboard - 20 Multimedia Keys - Black/Silver, PS2 | 6.3168 | USD | 25.5248 | 0 | 12 | 18133 |
| Tastaturi | Gembird | Tastatura Gembird KB-8300M-SB, PS2, Multimedia, Silver-Black | 4.1664 | USD | 16.8336 | C | 12 | 20749 |
| Tastaturi | Genius | Tastatura Genius KB-06XE, Black, PS2, NO Palmrest | 5.9248 | USD | 23.9456 | 0 | 12 | 9219 |
| Tastaturi | Genius | Tastatura Genius KB-120, Black, PS2 | 5.824 | USD | 23.5312 | C | 24 | 16387 |
| Tastaturi | Genius | Tastatura Genius KB-220 Black Slim, PS2, Multimedia | 6.776 | USD | 27.384 | C | 12 | 9121 |
| Tastaturi | Genius | Tastatura Genius KB-220 Black Slim, USB, Multimedia | 8.2544 | USD | 33.3536 | C | 12 | 9122 |
| Tastaturi | Genius | Tastatura Genius 110 Slimstar, Black(White Box), PS2 | 5.4096 | USD | 21.8624 | S | 24 | 16388 |
| Tastaturi | Genius | Tastatura Genius 110 Slimstar, Black(White Box), USB | 5.7232 | USD | 23.128 | M | 24 | 16389 |
| Tastaturi | Genius | Tastatura Genius 220 Slimstar, Black, PS2 | 10.1696 | USD | 41.0928 | S | 24 | 16396 |
| Tastaturi | Genius | Tastatura Genius 220 Slimstar, Black, USB | 10.584 | USD | 42.7728 | S | 24 | 16397 |
| Tastaturi | Genius | Tastatura Genius 320 Slimstar, Black, PS2 | 10.8976 | USD | 44.0384 | S | 24 | 16394 |
| Tastaturi | Genius | Tastatura Genius 320 Slimstar, Black, USB | 12.208 | USD | 49.336 | S | 24 | 16395 |
| Tastaturi | Genius | Tastatura Genius i220 SlimStar, Ultra Slim, Black, USB, MAC Apple-style | 10.584 | USD | 42.7728 | CALL | 24 | 20691 |
| Tastaturi | Genius | Kit (Mouse+Tastatura) Genius KB C210, Black, PS2 | 9.8448 | USD | 39.7824 | C | 24 | 16385 |
| Tastaturi | Genius | Kit (Mouse+Tastatura) Genius C110 Slimstar, Black, PS2 | 9.1056 | USD | 36.792 | 0 | 24 | 16384 |
| Tastaturi | HP | Tastatura HP DT528A, USB Standard, Black-Silver | 11.648 | EUR | 61.6336 | C | 12 | 23903 |
| Tastaturi | Modacom | Tastatura Modacom Desktop MC-5003U USB, super-slim (17mm), 5 taste multimedia | 10.3712 | USD | 41.9104 | S | 12 | 22692 |
| Tastaturi | Modacom | Tastatura Modacom Desktop MC-5004 USB, super-slim (14mm), 5 taste multimedia, USB | 9.3184 | USD | 37.6544 | S | 12 | 24404 |
| Tastaturi | Samsung | Tastatura Samsung Pleomax PKB5000, Pantagraph US Layout | 10.0688 | USD | 40.6896 | C | 12 | 19656 |
| Tastaturi | Samsung | Tastatura Samsung Pleomax PKB5200B, Pantagraph US Layout, Black | 10.0688 | USD | 40.6896 | C | 12 | 19658 |
| Tastaturi | Samsung | Tastatura Samsung Pleomax PKB5400, Pantagraph US Layout | 9.5424 | USD | 38.5616 | C | 12 | 19659 |
| Tastaturi | Samsung | Tastatura Samsung Pleomax PKB5400H, Pantagraph US Layout, 2 porturi USB, Black | 12.992 | USD | 52.5056 | C | 12 | 19660 |
| Tastaturi | Samsung | Tastatura Samsung Pleomax PKB8100B, + Calculator integrat US Layout, Black | PROMO | USD | 67.1888 | S | 12 | 19662 |
| Tastaturi | Asus | Tastatura Kit Asus KM-61, Tastatura PS2, Mouse USB, Black-Silver, US | 13.328 | USD | 53.8608 | SL | 24 | 12974 |
| Tastaturi | Asus | Tastatura Kit Asus KM-61-RO, Tastatura PS2, Mouse USB, Black-Silver, RO | 13.44 | USD | 54.3088 | S | 24 | 12975 |
| Tastaturi | Chicony | Tastatura Chicony 0420KB, PS2, silver/black, 17 hotkeys support to Multimedia/Internet function | 7.3024 | USD | 29.512 | C | 12 | 26088 |
| Tastaturi | Chicony | Tastatura Chicony KB-0833, PS2, piano black, 3 Media keys - My Computer, Mute, Calculator, 3 Management keys - Volume mute/Vol+/Vol- | 8.2096 | USD | 33.1744 | C | 12 | 26089 |
| Tastaturi | Chicony | Tastatura Chicony KU-0512, USB, black/silver Palmrest, 18 hotkeys support to Multimedia/Internet function | 6.888 | USD | 27.832 | C | 12 | 26087 |
| Tastaturi | Chicony | Tastatura Chicony KU-0603, USB, silver/black, Palmrest, Backlight, 2 USB port | 31.248 | USD | 126.28 | C | 12 | 26091 |
| Tastaturi | Chicony | Tastatura Chicony 0609WURT black, 2.4 Ghz slim wireless KB with touchpad, waterproof | 34.384 | USD | 138.9472 | SL | 12 | 22547 |
| Tastaturi | Logitech | Tastatura Logitech Deluxe 250, Eng, PSII, Negru, OEM, 967642 | 10.4832 | EUR | 55.4624 | SL | 36 | 8705 |
| Tastaturi | Logitech | Tastatura Logitech Deluxe 250, Eng, USB, Negru, OEM, 967738 | 10.0576 | EUR | 53.2112 | SL | 36 | 8706 |
| Tastaturi | Logitech | Tastatura Logitech Internet 350, Eng, PSII, Negru, OEM, 967674 | 9.4192 | EUR | 49.84 | 0 | 36 | 12412 |
| Tastaturi | Logitech | Tastatura Logitech UltraX Premium, USB, Argintiu, OEM, 920-000173 | 16.352 | EUR | 86.52 | C | 36 | 18559 |
| Tastaturi | Logitech | Tastatura Logitech Classic 200, USB, Negru, 968019-0100 | 10.0688 | EUR | 53.2784 | 0 | 36 | 18551 |

| | | | | | | | | |
|--------------|-------------|---|---------|-----|----------|----|----|-------|
| Tastaturi | Logitech | Tastatura Logitech G15 Gaming Ver.2 Model nou, 6 taste programabile (G-Keys), Gamepanel LCD display, Multimedia controls, USB, 920-000367 | 78.96 | EUR | 417.7824 | C | 24 | 13183 |
| Tastaturi | Logitech | Tastatura Logitech G19 backlight keyboard, USB, Wired, Tilttable, color GamePanel LCD, Custom-color backlighting, 12 fully-programmable G-keys, Two high-speed USB 2.0 ports, Multi-key input, Intelligent cable management, Instant media access | 151.424 | EUR | 801.192 | C | 24 | 21699 |
| Tastaturi | Logitech | Tastatura Logitech Illuminated, Bright laser-etched backlit keys, Ultra-thin, 9.3 mm profile and transparent frame, Negru, USB, 920-001175 | 67.76 | EUR | 358.5232 | C | 36 | 18556 |
| Tastaturi | Logitech | Tastatura Logitech K300 Compact keyboard, USB, Wired, Backlit media controls, full-size number pad, Flat design, low-profile keys, Black | 21.28 | EUR | 112.5936 | SL | 36 | 21698 |
| Tastaturi | Logitech | Tastatura Logitech K350 Wireless Keyboard, USB, Wireless, USB mini-receiver, Logitech Unifying receiver, Wave-shaped key frame, Advanced 2.4 GHz wireless, Instant media access, Programmable keys, Three-year battery life, Black | 45.584 | EUR | 241.192 | C | 24 | 21697 |
| Tastaturi | Logitech | Tastatura Logitech Media 600, USB, Negru, 920-000046 | 14.784 | EUR | 78.2208 | C | 36 | 18552 |
| Tastaturi | Logitech | Tastatura Logitech Ultra Flat, PSII/USB, Negru, 967653 | 13.216 | EUR | 69.9216 | S | 36 | 6455 |
| Tastaturi | Logitech | Tastatura Logitech Dinovo Edge, Wireless, Bluetooth 2.0, Touchpad, 967685-0924 | 126 | EUR | 666.68 | C | 24 | 17276 |
| Tastaturi | Logitech | Tastatura Logitech Dinovo Mini, Wireless, Bluetooth 2.0, Palm-sized Keyboard With Media Remote and ClickPad, USB, 920-000587 | 101.696 | EUR | 538.0816 | C | 24 | 18558 |
| Tastaturi | Logitech | Tastatura Kit Logitech Cordless Desktop Pro 2400, Mouse laser fara fir LX5, Tastatura fara fir Pro 2400, USB receiver, 967744-0100 | 42.224 | EUR | 223.4064 | 0 | 36 | 18562 |
| Tastaturi | Logitech | Tastatura Kit Logitech Cordless Desktop Pro 2800, Mouse laser fara fir MX620, Tastatura fara fir Pro 2800, USB receiver, 920-001255 | 47.824 | EUR | 253.0416 | 0 | 36 | 18563 |
| Tastaturi | Logitech | Tastatura Kit Logitech Cordless Desktop Comfort, Mouse laser fara fir MX600, Tastatura fara fir Comfort, PSII/USB receiver | 68.88 | EUR | 364.448 | 0 | 24 | 11204 |
| Tastaturi | Logitech | Tastatura Kit Logitech Cordless Desktop diNovo for Notebooks, Mouse optic fara fir, Tastatura fara fir diNovo, USB receiver | 75.824 | EUR | 401.1952 | C | 24 | 9681 |
| Tastaturi | Logitech | Tastatura Kit Logitech Cordless Desktop diNovo Media, Mouse laser fara fir MX1000, Tastatura fara fir diNovo, USB receiver | 142.912 | EUR | 756.1568 | C | 24 | 8862 |
| Tastaturi | Logitech | Tastatura Kit Logitech Cordless Desktop MX5500 Revolution, Mouse laser fara fir MX Revolution, Tastatura fara fir, USB receiver | 130.592 | EUR | 690.9728 | 0 | 36 | 15033 |
| Tastaturi | Logitech | Tastatura Kit Logitech Cordless Desktop S 520, Mouse laser fara fir LX5, Tastatura fara fir S520, USB receiver | 41.216 | EUR | 218.0752 | C | 60 | 18554 |
| Tastaturi | Logitech | Tastatura Kit Logitech Cordless Desktop Wave, Mouse laser fara fir LX8, Tastatura fara fir Wave, USB receiver | 54.432 | EUR | 288.008 | C | 60 | 17260 |
| Tastaturi | Logitech | Tastatura Kit Logitech Cordless Desktop Wave Pro, Mouse laser fara fir MX1100, Tastatura fara fir Wave, USB receiver | 81.536 | EUR | 431.4128 | C | 36 | 17310 |
| Tastaturi | Logitech | Tastatura Kit Logitech Wireless Desktop MK300, USB, Cordless Desktop, Wireless Mouse MK300, 1200 dpi, Low-profile keys, Easy-access controls, Black | 30.352 | EUR | 160.5968 | 0 | 60 | 21700 |
| Tastaturi | Microsoft | Tastatura Microsoft Bluetooth Mobile Keyboard 6000, Ultra Slim, Bluetooth, Neagra, CXD-00018 | 61.376 | EUR | 324.744 | S | 36 | 24775 |
| Tastaturi | Microsoft | Tastatura Microsoft Comfort Curve 2000, Multimedia, Neagra, USB, B2L-00071 | 13.104 | EUR | 69.3392 | S | 36 | 8105 |
| Tastaturi | Microsoft | Tastatura Microsoft Digital Media 3000, USB, Neagra, J93-00022 | 19.488 | EUR | 103.1072 | C | 36 | 18569 |
| Tastaturi | Microsoft | Tastatura Microsoft Natural Ergonomic 4000, USB, Neagra, B2M-00022 | 40.544 | EUR | 214.5248 | S | 36 | 10578 |
| Tastaturi | Microsoft | Tastatura Microsoft Sidewinder X6, USB, Neagra, AGB-00014 | 53.76 | EUR | 284.4464 | C | 36 | 21213 |
| Tastaturi | Microsoft | Kit (Tastatura+Mouse) Microsoft Wired Desktop 600, Black, USB, APB-00013 | 20.272 | EUR | 107.2624 | S | 36 | 24829 |
| Tastaturi | Microsoft | Kit (Tastatura+Mouse) Microsoft Wireless Desktop 2000, Black, USB, 65V-00016 | 33.376 | EUR | 176.5904 | SL | 36 | 9619 |
| Tastaturi | Microsoft | Kit (Tastatura+Mouse) Microsoft Wireless Desktop 700, Black, USB, Cutie in limba engleza, M7A-00017 | 24.08 | EUR | 127.4112 | S | 36 | 10580 |
| Tastaturi | Microsoft | Kit (Tastatura+Mouse) Microsoft Wireless Desktop Blue Track 3000, Black, USB, MFC-00021 | 39.872 | EUR | 210.9632 | S | 36 | 19269 |
| Tastaturi | Microsoft | Kit (Tastatura+Mouse) Microsoft Wireless Desktop Laser 6000, USB, 69C-00028 | 40.432 | EUR | 213.9312 | C | 36 | 18573 |
| Tastaturi | Microsoft | Kit (Tastatura+Mouse) Microsoft Wireless Desktop Laser 6000, USB, XSA-00018 | 66.976 | EUR | 354.3792 | C | 36 | 18574 |
| Tastaturi | Microsoft | Kit (Tastatura+Mouse) Microsoft Wireless Desktop Laser 7000, USB, FHA-00017 | 87.36 | EUR | 462.224 | C | 36 | 18575 |
| Tastaturi | Microsoft | Kit (Tastatura+Mouse) Microsoft Wireless Media Desktop 1000, USB, ZHA-00023 | 30.8 | EUR | 162.96 | S | 36 | 18571 |
| Tastaturi | Microsoft | Kit (Tastatura+Mouse) Microsoft Wireless Desktop 7000, Mouse Laser, USB, WTA-00013 | 64.624 | EUR | 341.936 | S | 36 | 10581 |
| Tastaturi | Chicony | Kit (Tastatura+Mouse) Chicony Wireless WUG0570 silver/black, Up to 10 meters receiving distance can suit for different demand, Slim type design can reduce working space, 17 hotkeys and volume control supported | 25.76 | USD | 104.104 | C | 12 | 26090 |
| Tastaturi | Dell | Kit (Tastatura+Mouse) Dell, Wireless, US Euro (QWERTY), Black | 53.872 | USD | 217.7056 | C | 12 | 24426 |
| Tastaturi | Gigabyte | Kit (Tastatura+Mouse) Gigabyte GK-KM5100, Keyboard PS/2, Mouse USB, slim | 10.1248 | USD | 40.9136 | C | 12 | 26373 |
| Tastaturi | Gigabyte | Kit (Tastatura+Mouse) Gigabyte GK-KM6150, USB, ultra-slim | 12.544 | USD | 50.6912 | C | 12 | 26374 |
| Tastaturi | Gigabyte | Kit (Tastatura+Mouse) Gigabyte Wireless GK-KM7580 | 23.408 | USD | 94.5952 | C | 12 | 26377 |
| Tastaturi | Gigabyte | Kit (Tastatura+Mouse) Gigabyte Wireless GK-KM7600 | 33.152 | USD | 133.9744 | C | 12 | 26378 |
| Tastaturi | Gigabyte | Tastatura Gigabyte GK-K6800, USB, 14 taste multimedia, rotita de volum, inscriptiune cu laser, mecanism special pe tasta "space", tasta "enter" de marime normala | 13.664 | USD | 55.216 | 0 | 12 | 26375 |
| Tastaturi | Gigabyte | Tastatura Gigabyte GK-K7100, USB, 18 taste multimedia, inscriptiune cu laser, taste slim | 12.992 | USD | 52.5056 | C | 12 | 26376 |
| Tastaturi | SteelSeries | Tastatura SteelSeries Steel 7G US, Tastatura conceputa special pentru gaming, Suporta toate tastele apasate simultan, Conectori auriti pentru latenta mica, Mufa de casti si microfo, 2 porturi USB, Mecanism al tastelor No-click | 98.448 | EUR | 520.9008 | 0 | 12 | 16654 |
| Tastaturi | Saitek | Tastatura Saitek Eclipse II, UK | 32.928 | EUR | 174.2272 | 0 | 24 | 7528 |
| Tastaturi | Apple | Tastatura Apple Wireless Romanian | 92.624 | EUR | 490.0784 | C | 12 | 22496 |
| Mausi | | | | | | | | |
| Mausi | HP | Mouse HP RH304AA, USB, Optical Travel Mouse | 6.048 | EUR | 31.9984 | S | 12 | 23765 |
| Mausi | HP | Mouse HP DC172B, USB 2-Button, Optic, Carbonite/Silver | 7.2688 | EUR | 38.4608 | 0 | 12 | 23902 |
| Mausi | Prestigio | Mouse Prestigio PM31, Optical 800dpi, USB, Cable, Black/Silver, Retail | 4.2448 | USD | 17.1584 | S | 24 | 23131 |
| Mausi | Prestigio | Mouse Prestigio PJ-MSL2B, Bluetooth Mouse 3D3B, Wireless, Laser 800/1600dpi, 4btn, USB, Carbon/Red, Retail | 22.176 | USD | 89.6112 | S | 24 | 23136 |
| Mausi | Prestigio | Mouse Prestigio PJ-MSL3W, Wireless, Laser 800/1600dpi, 6 btn, USB, L-size, Carbon/Red, Retail | 26.88 | USD | 108.6288 | S | 24 | 23133 |
| Mausi | Prestigio | Mouse Prestigio PJ-MSL2W, Wireless, Laser 800/1600dpi, 6 btn, USB, M-size, Carbon/Red | 23.968 | USD | 96.8576 | S | 24 | 23135 |
| Mausi | Prestigio | Mouse Prestigio PJ-MSL1W, Wireless, Laser 800/1600dpi, 6 btn, USB, S-size, Carbon/Red | 20.944 | USD | 84.6384 | S | 24 | 23137 |
| Mausi | Canyon | Mouse Canyon CNR-MSOPT3, Optical, PSII+USB, 3 buttons, Silver-Black, 800dpi, Retail | 5.9808 | USD | 24.1696 | S | 24 | 19304 |
| Mausi | Canyon | Mouse Canyon CNR-MSOPT4, Optical, PSII+USB, 4 buttons, Black, Retail | 7.4032 | USD | 29.9152 | S | 24 | 8297 |
| Mausi | Canyon | Mouse Canyon CNR-MSOPT6, Optical, PSII+USB, 3 buttons, White-Orange, 800dpi, Retail | 5.9808 | USD | 24.1696 | C | 24 | 19302 |
| Mausi | Canyon | Mouse Canyon CNR-MSOPT7, Optical, PSII+USB, 3 buttons, Black, Retail | 5.9808 | USD | 24.1696 | 0 | 24 | 13617 |
| Mausi | Canyon | Mouse Canyon CNR-MSOPT7A, Optical, USB, 3 buttons, Black, 800dpi, Retail | 5.9808 | USD | 24.1696 | S | 24 | 19307 |
| Mausi | Canyon | Mouse Canyon CNR-MSL4, Optical, PSII+USB, 4 Buttons, Black, 1000dpi, G-Laser technology, Retail | 8.4672 | USD | 34.216 | S | 24 | 8294 |
| Mausi | Canyon | Mouse Canyon CNR-MSL5A, Optical, USB, 7 Buttons Black, 1000dpi, G-Laser technology, Retail | 9.9008 | USD | 40.0064 | S | 24 | 19308 |
| Mausi | Canyon | Mouse Canyon CNR-MSOPTW5, Optical, USB, Wireless, 3 Buttons, Black, Retail | 11.984 | USD | 48.4288 | 0 | 24 | 19475 |
| Mausi | A4tech | Mouse A4Tech SWW-53 PSII, With Scroll, Black | 1.0528 | USD | 4.256 | S | 12 | 3595 |
| Mausi | A4tech | Mouse A4Tech OP-620D-BK, PSII, With Scroll, Optical, Black, DoubleClick-Button | 3.2592 | USD | 13.1712 | S | 12 | 6904 |
| Mausi | A4tech | Mouse A4Tech OP-620D-WH, PSII, With Scroll, Optical, White, DoubleClick-Button | 3.1472 | USD | 12.7232 | S | 12 | 7149 |

| | | | | | | | | |
|-------|--------------|--|---------|-----|----------|------|----|-------|
| Mausi | A4tech | Mouse A4Tech OP-720-WH, PSII+USB, With Scroll, Optical, White | 3.1472 | USD | 12.7232 | 0 | 12 | 13785 |
| Mausi | A4tech | Mouse A4Tech OP-27D, PSII, With Scroll, Optical, DoubleClick-Button, 800dpi, Silver | 3.9648 | USD | 16.0272 | 0 | 12 | 13787 |
| Mausi | A4tech | Mouse A4Tech OP-35D, PSII, With Scroll, Optical, DoubleClick-Button, 800dpi, Silver | 3.9536 | USD | 15.9824 | C | 12 | 7870 |
| Mausi | A4tech | MOUSE A4TECH WWW-35, PSII, With 2xScroll | 1.7472 | USD | 7.056 | 0 | 12 | 305 |
| Mausi | A4tech | Mouse A4Tech OP-50D-3 White, PSII, With Scroll, Optical, 800dpi, 3 butoane programabile, DoubleClick-Button | 4.4352 | USD | 17.92 | C | 12 | 8725 |
| Mausi | A4tech | Mouse A4Tech OP-50D-4 Black, PSII, With Scroll, Optical, 800dpi, 3 butoane programabile, DoubleClick-Button | 4.2784 | USD | 17.2928 | S | 12 | 8726 |
| Mausi | A4tech | Mouse A4Tech SWOP-25, PSII, With Scroll, Optical, Blue | 3.8416 | USD | 15.5232 | C | 12 | 969 |
| Mausi | A4tech | Mouse A4Tech SWOP-48, PSII, With Scroll, Optical, 800dpi, Silver | 4.0544 | USD | 16.3856 | C | 12 | 1591 |
| Mausi | A4tech | Mouse A4Tech SWOP-50Z, PSII+USB, With Scroll, Optical, 800dpi, 4 butoane, Argintiu | 6.4064 | USD | 25.8944 | 0 | 12 | 13765 |
| Mausi | A4tech | Mouse A4Tech SWOP-53, PSII, With Scroll, Optical, 800dpi, Gray | 4.1888 | USD | 16.9232 | 0 | 12 | 6702 |
| Mausi | A4tech | Mouse A4Tech BW-27, PSII, With Scroll, Optical, Big Wheel, Silver | 3.6064 | USD | 14.5712 | 0 | 12 | 6696 |
| Mausi | A4tech | Mouse A4Tech BW-35, PSII, With Scroll, Optical, Big Wheel, Silver | 3.528 | USD | 14.2576 | C | 12 | 2799 |
| Mausi | A4tech | Mouse A4Tech MOP-59D-4, USB, With Scroll, Optical, Mini-Mouse, 4 butoane, DoubleClick-Button, Black | 7.5712 | USD | 30.5984 | 0 | 12 | 13772 |
| Mausi | A4tech | Mouse A4Tech BW-18K-1, USB, With Scroll, Optical, 800dpi, Cablu retractabil, Red | 5.0064 | USD | 20.2272 | 0 | 12 | 13766 |
| Mausi | A4tech | Mouse A4Tech BW-9-1, PSII+USB, With Scroll, Optical, White | 5.712 | USD | 23.0832 | 0 | 12 | 13779 |
| Mausi | A4tech | Mouse A4Tech BW-9-2, PSII+USB, With Scroll, Optical, Silver | 6.4064 | USD | 25.8944 | C | 12 | 12219 |
| Mausi | A4tech | Mouse A4Tech BW-9-3, PSII+USB, With Scroll, Optical, Black | 6.7424 | USD | 27.2496 | S | 12 | 13780 |
| Mausi | A4tech | Mouse A4Tech X5 22D-1 Black, PSII+USB, Optic, 3but+1U-wheel, 800dpi | 6.0592 | USD | 24.4832 | 0 | 12 | 8768 |
| Mausi | A4tech | Mouse A4Tech X5-005D, PSII+USB, Optic, 5but+2wheel, 800dpi, DoubleClick-Button | 6.9552 | USD | 28.112 | S | 12 | 13806 |
| Mausi | A4tech | Mouse A4Tech X5-3D-2 Blue, PSII+USB, Laser, DoubleClick-Button | 5.1296 | USD | 20.7312 | C | 12 | 13791 |
| Mausi | A4tech | Mouse A4Tech X5-3D-5 Silver, PSII+USB, Laser, DoubleClick-Button | 5.5888 | USD | 22.5904 | 0 | 12 | 13794 |
| Mausi | A4tech | Mouse A4Tech X5-22D-1 Black/Silver, PSII+USB, 3but + 1U-wheel, DoubleClick-Button, 800dpi | 6.0592 | USD | 24.4832 | S | 12 | 9860 |
| Mausi | A4tech | Mouse A4Tech X5-6AK-1 Blue, USB, Optical, DoubleClick-Button, 4 butoane + 1 wheel, Tehnologie dual focus | 6.2272 | USD | 25.1664 | 0 | 12 | 13799 |
| Mausi | A4tech | Mouse A4Tech X5-6AK-2 Black, USB, Optical, DoubleClick-Button, 4 butoane + 1 wheel, Tehnologie dual focus | 6.2272 | USD | 25.1664 | S | 12 | 13800 |
| Mausi | A4tech | Mouse A4Tech X6 10D UP Silver-Green, PSII+USB, Glaser, 3but+1wheel, 1000dpi | 5.0176 | USD | 20.272 | C | 12 | 8738 |
| Mausi | A4tech | Mouse A4Tech X6-30D Silver/Black, PSII+USB, Glaser, DoubleClick-Button, 3but+1wheel, 1000dpi | 5.2304 | USD | 21.1344 | C | 12 | 8739 |
| Mausi | A4tech | Mouse A4Tech X6-6AK Black, USB, Glaser, Mini-Mouse, DoubleClick-Button, 3but+1wheel, 1000dpi | 7.9744 | USD | 32.2224 | S | 12 | 8766 |
| Mausi | A4tech | Mouse A4Tech X6-70MD Silver/Grey, PSII+USB, Glaser, Mini-Mouse, DoubleClick-Button, Buton Office, 7but+1wheel, 1000dpi | 8.5008 | USD | 34.3504 | 0 | 12 | 14628 |
| Mausi | A4tech | Mouse A4Tech AK-5 Silver, USB, Optical, Mini-Mouse Notebook, 2 but+1wheel, 800dpi | 6.104 | USD | 24.6624 | S | 12 | 13755 |
| Mausi | A4tech | Mouse A4Tech AK-7 Silver, USB, Optical, Mouse Notebook, Desktop, 4 but+1wheel, 800dpi | 5.9808 | USD | 24.1696 | C | 12 | 8722 |
| Mausi | A4tech | Mouse A4Tech K4-3D Black, USB, Optical, 2X Full Speed | 5.6672 | USD | 22.904 | C | 12 | 26581 |
| Mausi | A4tech | Mouse A4Tech WOP-35, PSII, 4but + 2 scroll, Optical, 800dpi, Silver | 5.3536 | USD | 21.6384 | 0 | 12 | 724 |
| Mausi | A4tech | Mouse A4Tech Oscar X-718BK, USB, With Scroll, Optical, 6 but+1wheel, Gaming, Viteza reglabil (600-3200dpi), Black | 16.352 | USD | 66.08 | 0 | 12 | 14631 |
| Mausi | A4tech | Mouse A4Tech Oscar X-738K, USB, With Scroll, Optical, 6 but+1wheel, Gaming, Viteza reglabil (600-3200dpi), Black | 15.008 | USD | 60.648 | C | 12 | 14632 |
| Mausi | A4tech | Mouse A4Tech Oscar XL-750MK, USB, With Scroll, Laser, 6 but+1wheel, Gaming, Viteza reglabil (600-3600dpi), Black | 22.96 | USD | 92.7808 | 0 | 12 | 14637 |
| Mausi | A4tech | Mouse A4Tech RBW-5, PSII+USB, Wireless, 7but + 1 scroll, Optical, 4 acumulatori inclusi + receiver cu incarcator, Buton office, Silver/Black | 11.536 | USD | 46.6144 | 0 | 12 | 13826 |
| Mausi | A4tech | Mouse A4Tech RP-648, PSII+USB, Wireless, 2but + 1 scroll, Optical, 4 acumulatori inclusi + receiver cu incarcator, Silver | 13.552 | USD | 54.768 | 0 | 12 | 13824 |
| Mausi | A4tech | Mouse A4Tech RP-649Z, PSII+USB, Wireless, 5but + 2 scroll, Optical, 4 acumulatori inclusi + receiver cu incarcator, Silver/Black | 11.536 | USD | 46.6144 | 0 | 12 | 13825 |
| Mausi | A4tech | Mouse A4Tech RP-650Z, PSII+USB, Wireless, 5but + 1 scroll, Optical, 4 acumulatori inclusi + receiver cu incarcator, Silver/Black | 11.536 | USD | 46.6144 | 0 | 12 | 14638 |
| Mausi | A4tech | Mouse A4Tech NB-50D, USB, Optical, Wireless, Fara baterii (Pad electromagnetic)-inclus, DoubleClick-Button, 800dpi, 4but+1wheel, Silver/Black | 9.1952 | USD | 37.1616 | C | 12 | 13837 |
| Mausi | A4tech | Mouse A4Tech NB-57-1, USB, Optical, Wireless, Fara baterii (Pad electromagnetic)-inclus, 800dpi, 4but+1wheel, Silver | 13.664 | USD | 55.216 | 0 | 12 | 13838 |
| Mausi | A4tech | Mouse A4Tech NB-57D, USB, Optical, Wireless, Fara baterii (Pad electromagnetic)-inclus, DoubleClick-Button, 800dpi, 4but+1wheel, Silver | 10.3712 | USD | 41.9104 | C | 12 | 13840 |
| Mausi | A4tech | Mouse A4Tech NB-70, USB, Optical, Wireless, Fara baterii (Pad electromagnetic)-inclus, 800dpi, 4but+1wheel, Silver | 6.8768 | USD | 27.7872 | 0 | 12 | 6108 |
| Mausi | A4tech | Trackball A4Tech 4D WWT-13, 3but+2wheel, PSII+Serial, White | 8.792 | USD | 35.5264 | 0 | 12 | 13753 |
| Mausi | Cyber Snipa | Mouse Cyber Snipa Intelliscopes Laser Mouse, 2400 DPI, 10800 FPS, 6 butoane programabile, design ambidextru, USB, CSLM01 | 29.12 | EUR | 154.0784 | S | 12 | 23792 |
| Mausi | Cyber Snipa | Mouse Cyber Snipa Stinger Laser Mouse, 3200 DPI, 7080 FPS, 1000Hz polling rate, 9 butoane din care 6 programabile cu macro-uri, 8 Kb memorie on-board, 7 greutate de cate 20g fiecare, USB, CSLMST01 | 39.648 | EUR | 209.776 | CALL | 12 | 23793 |
| Mausi | Cirkuit Plan | Mouse Disney Cirkuit Planet Aluminio Mikey DSY-MM210, USB2.0, MINI | 5.824 | EUR | 30.8112 | C | 12 | 19092 |
| Mausi | Cirkuit Plan | Mouse Cirkuit Planet Hanna Montana "DSY-MO140", USB2.0 - Disney | 5.824 | EUR | 30.8112 | C | 12 | 19990 |
| Mausi | Cirkuit Plan | Mouse Cirkuit Planet High School Musical "DSY-MO173", USB2.0 - Disney | 5.824 | EUR | 30.8112 | S | 12 | 19991 |
| Mausi | Cirkuit Plan | Mouse Cirkuit Planet High School Musical "DSY-MM220" USB2.0, MINI - D | 5.824 | EUR | 30.8112 | C | 12 | 19992 |
| Mausi | Cirkuit Plan | Mouse Cirkuit Planet Mickey black "DSY-MO153", USB2.0 - Disney | 5.824 | EUR | 30.8112 | C | 12 | 19986 |
| Mausi | Cirkuit Plan | Mouse Cirkuit Planet Mickey color "DSY-MO151", USB2.0 - Disney | 5.824 | EUR | 30.8112 | S | 12 | 19987 |
| Mausi | Cirkuit Plan | Mouse Cirkuit Planet Mickey "DSY-MM200" USB2.0 - Disney | 5.824 | EUR | 30.8112 | C | 12 | 19994 |
| Mausi | Cirkuit Plan | Mouse Disney Cirkuit Planet Mikey DSY-MO150, USB2.0 | 5.824 | EUR | 30.8112 | S | 12 | 19093 |
| Mausi | Cirkuit Plan | Mouse Cirkuit Planet Princess "DSY-MM212", USB2.0 - Disney | 5.824 | EUR | 30.8112 | C | 12 | 19993 |
| Mausi | Cirkuit Plan | Mouse Disney Cirkuit Planet Winnie the Pooh DSY-MO121, USB2.0 | 5.824 | EUR | 30.8112 | C | 12 | 19105 |
| Mausi | Cirkuit Plan | Mouse Cirkuit Planet Winnie The Pooh "DSY-MO122", USB2.0 - Disney | 5.824 | EUR | 30.8112 | C | 12 | 19989 |
| Mausi | Cirkuit Plan | Mouse Cirkuit Planet Wireless Mickey "DSY-MW2131" - Disney | 15.12 | EUR | 80.0016 | C | 12 | 19996 |
| Mausi | Cirkuit Plan | Mouse Cirkuit Planet Wireless High School Musical "DSY-MW2150" - Dism | 15.12 | EUR | 80.0016 | C | 12 | 19995 |
| Mausi | Delux | Mouse Delux DLM-325BP, Optic, Scroll, PS2, Silver-Black | 3.7072 | USD | 14.9856 | S | 24 | 17705 |
| Mausi | Delux | Mouse Delux DLM-326BP, Optic, Scroll, PS2, Silver-Black | 3.7072 | USD | 14.9856 | S | 24 | 17706 |
| Mausi | Delux | Mouse Delux DLM-326BT, Optic, Scroll, PS2+USB, Silver-Black | 4.76 | USD | 19.2304 | S | 24 | 17709 |
| Mausi | Delux | Mouse Delux DLM-351BP, Optic, Scroll, PS2, Silver-Black | 4.1328 | USD | 16.6992 | S | 24 | 17707 |
| Mausi | Delux | Mouse Delux DLM-500BT, Optic, Scroll, PS2+USB, 5 butoane, Blue-Black | 7.4032 | USD | 29.9152 | S | 24 | 17713 |
| Mausi | Delux | Mouse Delux DLM-900BU, Optic, Scroll, USB, 9 butoane, Blue-Black | 9.5312 | USD | 38.5168 | S | 24 | 17715 |
| Mausi | Delux | Mouse Delux DLM-318BT, Optic, Mini (notebook), Scroll, PS2+USB, Black | 4.76 | USD | 19.2304 | S | 24 | 17710 |
| Mausi | Delux | Mouse Delux DLM-325BT, Optic, Mini (notebook), Scroll, PS2+USB, Black | 5.824 | USD | 23.5312 | C | 24 | 17712 |
| Mausi | Delux | Mouse Delux DLM-361BT, Optic, Mini (notebook), Scroll, Cablu retractabil, PS2+USB, Black | 5.824 | USD | 23.5312 | M | 24 | 17711 |
| Mausi | RPC | Mouse RPC-MOV-502BS, Optical, PS2, 3 buttons, 800 dpi, Black/silver | 3.4048 | USD | 13.7648 | C | 12 | 18136 |
| Mausi | RPC | Mouse RPC-MOV-503BS, Optical, PS2, 3 buttons, 800 dpi, Black/silver | 3.4048 | USD | 13.7648 | S | 12 | 18135 |

| | | | | | | | | |
|-------|-----------------|--|---------|-----|----------|------|----|-------|
| Mausi | RPC | Mouse RPC-MOV-107SB, Optical, USB2.0, 3 buttons, 800 dpi, Black/silver | 4.5696 | USD | 18.4688 | S | 12 | 18138 |
| Mausi | RPC | Mouse RPC-MOV-200B, Notebook, Optical, USB2.0, 3 buttons, 800 dpi, Black | 4.3688 | USD | 17.6512 | S | 12 | 18137 |
| Mausi | Gigabyte | Mouse Gigabyte GM-M6580, laser, USB, 5+1 butoane, 1600 dpi | 10.0688 | USD | 40.6896 | C | 12 | 26365 |
| Mausi | Gigabyte | Mouse Gigabyte GM-M6880, laser, USB, 5+1 butoane, 1600 dpi | 14.112 | USD | 57.0304 | C | 12 | 26366 |
| Mausi | Gigabyte | Mouse Gigabyte GM-M8000, laser, USB, 6 butoane, 4000 dpi | 44.128 | USD | 178.3264 | 0 | 12 | 26371 |
| Mausi | Gigabyte | Mouse Gigabyte GM-M8000X, laser, USB, 6 butoane, 6000 dpi | 57.68 | USD | 233.0944 | 0 | 12 | 26372 |
| Mausi | Gigabyte | Mouse Gigabyte GM-M5050, optic, USB, 3 butoane, 800dpi | 4.9504 | USD | 20.0032 | C | 12 | 26363 |
| Mausi | Gigabyte | Mouse Gigabyte GM-M5100, optic, USB, 3 butoane, 800dpi | 4.9504 | USD | 20.0032 | C | 12 | 26364 |
| Mausi | Gigabyte | Mouse Gigabyte GM-M7700, laser, wireless nano, USB, 5 butoane, 1600 dpi | 22.512 | USD | 90.9776 | C | 12 | 26369 |
| Mausi | Gigabyte | Mouse Gigabyte GM-M7800, laser, wireless nano, USB, 6 butoane, 1600 dpi | 22.512 | USD | 90.9776 | C | 12 | 26370 |
| Mausi | Gigabyte | Mouse Gigabyte GM-M7580, optic, wireless nano, USB, 3 butoane, 1000 dpi | 11.536 | USD | 46.6144 | C | 12 | 26367 |
| Mausi | Gigabyte | Mouse Gigabyte GM-M7600, optic, wireless nano, USB, 4 butoane, 1600 dpi | 15.456 | USD | 62.4624 | C | 12 | 26368 |
| Mausi | Genius | Mouse Genius Ergo T555, Laser, 1600dpi, Turbo Scroll, scroll in 8 directii, USB | 19.6 | USD | 79.2064 | C | 24 | 26852 |
| Mausi | Genius | Mouse Genius Micro Traveler Black, NoteBook, 1200 DPI, cablu retractabil, 74mm lungime, USB | 5.6112 | USD | 22.68 | C | 24 | 22509 |
| Mausi | Genius | Mouse Genius Micro Traveler Silver, NoteBook, 1200 DPI, cablu retractabil, 74mm lungime, USB | 5.5104 | USD | 22.2656 | C | 24 | 22510 |
| Mausi | Genius | Mouse Genius Mini Traveler, Laser, USB/PS2, Red | 8.904 | USD | 35.9856 | SL | 24 | 22508 |
| Mausi | Genius | Mouse Genius Netscroll+ Mini Traveler, Laser, USB, Black | 9.2176 | USD | 37.2512 | S | 24 | 16373 |
| Mausi | Genius | Mouse Genius Netscroll+ Mini Traveler, Laser, USB, Silver | 9.2176 | USD | 37.2512 | S | 24 | 16372 |
| Mausi | Genius | Mouse Genius Traveler 305, Laser, USB, Silver | 8.0528 | USD | 32.5472 | S | 24 | 16378 |
| Mausi | Genius | Mouse Genius Traveler 515, Laser, USB | 8.568 | USD | 34.6192 | CALL | 24 | 16379 |
| Mausi | Genius | Mouse Genius Notebook Navigator 320, Optical, USB, Blue | 6.3504 | USD | 25.6592 | S | 24 | 16369 |
| Mausi | Genius | Mouse Genius Netscroll 310, Notebook, Optical, USB | 4.2448 | USD | 17.1584 | S | 24 | 16366 |
| Mausi | Genius | Mouse Genius Navigator 220, Optical, USB | 5.9248 | USD | 23.9456 | SL | 24 | 16367 |
| Mausi | Genius | Mouse Genius Netscroll 120, Optical, PS2, Black | 3.4944 | USD | 14.1232 | C | 24 | 16360 |
| Mausi | Genius | Mouse Genius Netscroll 120, Optical, USB, Black | 4.0208 | USD | 16.2512 | C | 24 | 16361 |
| Mausi | Genius | Mouse Genius Xscroll, Optical, PS2, Black | 3.3936 | USD | 13.7088 | S | 24 | 16364 |
| Mausi | Genius | Mouse Genius Xscroll, Optical, USB, Black | 4.0208 | USD | 16.2512 | S | 24 | 16365 |
| Mausi | Genius | Mouse Genius Traveler 305 Mini, Laser, USB, 1600dpi, 3D, Black | 7.7392 | USD | 31.2704 | S | 24 | 23506 |
| Mausi | Genius | Mouse Genius Traveler 915, Wireless, Laser, Black | 23.184 | USD | 93.688 | C | 24 | 16383 |
| Mausi | Genius | Mouse Genius Mini Navigator, Notebook, Wireless, Optic, Silver | 10.8976 | USD | 44.0384 | C | 24 | 16375 |
| Mausi | Genius | Mouse Genius Traveler 600, Wireless, Optic, Silver | 10.0688 | USD | 40.6896 | C | 24 | 16381 |
| Mausi | Modecom | Mouse Modecom Wireless Innovation Laser Mouse MC-905, 1600DPI, lungime cablu receiver 160cm, switch DPI (800-1600-400), acceleratie 20G, frame rate: 6500FPS, USB | 17.36 | USD | 70.1568 | S | 12 | 23332 |
| Mausi | Modecom | Mouse Modecom Innovation G-Laser Mouse MC-610L Art Pink, tehnologie G-Laser (mouse-ul poate fi folosit pe suprafete lucioase), 800DPI, lungimea cablului: 150cm, forma ergonomica, design compact, USB | 15.344 | USD | 62.0032 | SL | 12 | 25974 |
| Mausi | Modecom | Mouse Modecom Innovation G-Laser Mouse MC-610L, G-Laser technology, 800DPI, cable length - 150 cm, ergonomic shape, compact design - perfect for notebook users, USB | 12.096 | USD | 48.8768 | S | 12 | 25975 |
| Mausi | Modecom | Mouse Modecom Optical Mouse M3 Gray/Black, 800DPI, lungime cablu 130cm, USB | 7.224 | USD | 29.1984 | S | 12 | 23335 |
| Mausi | Modecom | Mouse Modecom Optical Mouse M2 Art Blue MC-M2-ABLU, 800DPI, USB | 11.872 | USD | 47.9808 | S | 12 | 23333 |
| Mausi | Modecom | Mouse Modecom Aluminium Optical Mouse MC-901 Silver/Blue, 800DPI, senzor cu doua lentile, scroll vertical si orizontal, USB | 9.9008 | USD | 40.0064 | S | 12 | 23324 |
| Mausi | Modecom | Mouse Modecom Optical Mouse Yupi Gray-Black, 800DPI, forma in Y ce permite realizarea unui scroll dublu fata de un mouse normal, lungime cablu 150cm, USB | 10.7184 | USD | 43.3104 | S | 12 | 23336 |
| Mausi | Modecom | Mouse Modecom Optical Yupi Art Butterfly, 800DPI, forma in Y ce permite realizarea unui scroll dublu fata de un mouse normal, lungime cablu: 150cm, USB | 11.0656 | USD | 44.7216 | SL | 12 | 25976 |
| Mausi | Modecom | Mouse Modecom Optical Yupi Art Pink, 800DPI, forma in Y ce permite realizarea unui scroll dublu fata de un mouse normal, lungime cablu: 150cm, USB | 11.0656 | USD | 44.7216 | SL | 12 | 25977 |
| Mausi | NZXT | Mouse NZXT Avatar Gaming Mouse, 2600DPI, 6469 frames/second, 5.8 mega pixels/second, ambidextrous design, 7 programmable buttons, DPI LED indicatorNZ-AVATAR | 41.888 | EUR | 221.6368 | 0 | 24 | 19068 |
| Mausi | Dell | Mouse Dell Optical, USB, 2 Buttons, Black | 13.44 | USD | 54.3088 | C | 12 | 24427 |
| Mausi | Fujitsu-Siemens | Mouse Fujitsu Siemens, Notebook, Optical, USB, MC100 | 8.232 | EUR | 43.5568 | 0 | 12 | 14981 |
| Mausi | Chicony | Mouse Chicony MS-0726, Laser, USB, Black&Silver, Wired, 1600dpi, 2 Programmable buttons | 11.648 | USD | 47.0736 | C | 12 | 26084 |
| Mausi | Chicony | Mouse Chicony MS-0616W, Optical, USB, Rubber-Black-Silver, Wireless | 11.1216 | USD | 44.9456 | C | 12 | 26082 |
| Mausi | Chicony | Mouse Chicony MS-0718U, Optical, USB, Black, Wired, 1000dpi | 4.1328 | USD | 16.6992 | C | 12 | 26081 |
| Mausi | Chicony | Mouse Chicony MSU0839, Optical, USB, Black, Wired, 1000dpi | 4.2448 | USD | 17.1584 | C | 12 | 26080 |
| Mausi | Chicony | Mouse Chicony MS-0526W, Optical, USB, Silver&Black, Wireless, 1000-dpi | 11.536 | USD | 46.6144 | C | 12 | 26083 |
| Mausi | Lenovo | Mouse Lenovo Travel Wheel Optic, PSII+USB, 31P7410 | 16.352 | USD | 66.08 | C | 12 | 12915 |
| Mausi | Lenovo | Mouse Lenovo Thinkpad Bluetooth Laser, 41U5008 | 41.328 | USD | 167.0144 | C | 12 | 22443 |
| Mausi | Lenovo | Mouse Lenovo Optical Wheel, USB, Black, 06P4069 | 12.544 | USD | 50.6912 | C | 12 | 23957 |
| Mausi | Lenovo | Mouse Lenovo Laser, USB/PS2, Black, 41U3074 | 35.84 | USD | 144.8384 | C | 12 | 23958 |
| Mausi | Targus | Mouse Targus AMU30EUZ, Optical, PSII+USB, 3 button, 800dpi | 9.9456 | EUR | 52.6176 | 0 | 24 | 17398 |
| Mausi | Targus | Mouse Targus AMU3102EU, Notebook, Optical, USB, 3 button, 800dpi | 12.432 | EUR | 65.7776 | 0 | 24 | 17399 |
| Mausi | Targus | Mouse Targus AMW1603EU, Notebook, Wireless, Optical, USB | 20.72 | EUR | 109.6256 | 0 | 24 | 17397 |
| Mausi | Logitech | Mouse Logitech RX250, Optical, Wheel, 3 button, USB/PSII, OEM, Black, 910-000199 | 6.2384 | EUR | 33.0064 | S | 36 | 11180 |
| Mausi | Logitech | Mouse Logitech RX300, Optical, OEM, Black, USB/PSII | 7.9184 | EUR | 41.8992 | SL | 36 | 8362 |
| Mausi | Logitech | Mouse Logitech S96, Optical, Wheel, 3 button, PSII, OEM, Black, 953688 | 5.5664 | EUR | 29.456 | S | 36 | 4540 |
| Mausi | Logitech | Mouse Logitech U96, Optical, Wheel, 3 button, USB, OEM, Black, 931646-0000 | 7.9856 | EUR | 42.2576 | C | 36 | 16258 |
| Mausi | Logitech | Mouse Logitech M115, Optical, Cablu USB, 1000 dpi, Precise Optical Sensor, Scroll wheel, Plug-and-play simplicity, Optical tracking, Black | 9.3072 | EUR | 49.2464 | S | 36 | 21694 |
| Mausi | Logitech | Mouse Logitech M205, Optical, Cordless Mouse for NBs, High-Definition Optical Tracking, Extended Battery Life, Mini Receiver, USB, Black, 910-001074 | 11.648 | EUR | 61.6336 | S | 36 | 25603 |
| Mausi | Logitech | Mouse Logitech M205, Optical, Wireless, 1000dpi, Snap-on mini-receiver, Compact design, Intelligent battery management, High-definition optical tracking, Orange | 10.6848 | EUR | 56.5376 | C | 36 | 21696 |
| Mausi | Logitech | Mouse Logitech M215 Nano Cordless Mouse for NBs Black, High-Definition Optical Tracking, Advanced 2.4 GHz Wireless, Extended Battery Life, USB, 910-001554 | 15.904 | EUR | 84.1456 | M | 36 | 25599 |

| | | | | | | | | |
|-------|-----------|---|---------|-----|----------|------|----|-------|
| Mausi | Logitech | Mouse Logitech M215 Nano Cordless Mouse for NBs Red, High-Definition Optical Tracking, Advanced 2.4 GHz Wireless, Extended Battery Life, USB, 910-001555 | 15.904 | EUR | 84.1456 | S | 36 | 25600 |
| Mausi | Logitech | Mouse Logitech Nano M305, Optical, Wireless, 1000dpi, Compact, ergonomically designed, Plug-and-forget nano-receiver, 2.4 GHz Wireless, Intelligent battery management, High-definition optical tracking, Blue Flourish | 20.608 | EUR | 109.0432 | C | 36 | 21684 |
| Mausi | Logitech | Mouse Logitech Nano M305, Optical, Wireless, 1000dpi, Compact, ergonomically designed, Plug-and-forget nano-receiver, 2.4 GHz Wireless, Intelligent battery management, High-definition optical tracking, Blush Butterfly | 19.264 | EUR | 101.9312 | 0 | 36 | 21683 |
| Mausi | Logitech | Mouse Logitech Nano M305, Cordless (Dark Silver), High-Definition Optical Tracking, Advanced 2.4 GHz Wireless, Soft Rubber Grips, Extended Battery Life, USB, 910-000941 | 20.832 | EUR | 110.2192 | C | 36 | 20415 |
| Mausi | Logitech | Mouse Logitech Nano M305, Optical, Wireless, 1000dpi, Compact, ergonomically designed, Plug-and-forget nano-receiver, 2.4 GHz Wireless, Intelligent battery management, High-definition optical tracking, Light Silver | 20.272 | EUR | 107.2624 | 0 | 36 | 21678 |
| Mausi | Logitech | Mouse Logitech Nano M305, Optical, Wireless, 1000dpi, Compact, ergonomically designed, Plug-and-forget nano-receiver, 2.4 GHz Wireless, Intelligent battery management, High-definition optical tracking, Plum Purple | 20.832 | EUR | 110.2192 | C | 36 | 21681 |
| Mausi | Logitech | Mouse Logitech Nano M305, Optical, Wireless, 1000dpi, Compact, ergonomically designed, Plug-and-forget nano-receiver, 2.4 GHz Wireless, Intelligent battery management, High-definition optical tracking, Rose Pink | 20.608 | EUR | 109.0432 | CALL | 36 | 21680 |
| Mausi | Logitech | Mouse Logitech Nano M305, Optical, Wireless, 1000dpi, Compact, ergonomically designed, Plug-and-forget nano-receiver, 2.4 GHz Wireless, Intelligent battery management, High-definition optical tracking, Sassy Stripe | 20.608 | EUR | 109.0432 | C | 36 | 21682 |
| Mausi | Logitech | Mouse Logitech Nano M305, Optical, Wireless, 1000dpi, Compact, ergonomically designed, Plug-and-forget nano-receiver, 2.4 GHz Wireless, Intelligent battery management, High-definition optical tracking, Scarlet Red | 20.608 | EUR | 109.0432 | C | 36 | 21679 |
| Mausi | Logitech | Mouse Logitech Nano M505, Unifying Cordless Laser Mouse for NBs (Black), Advanced 2.4 GHz Wireless, Soft Rubber Grips, Extended Battery Life, USB, 910-001325 | 29.68 | EUR | 157.0352 | S | 36 | 20462 |
| Mausi | Logitech | Mouse Logitech Nano M505, Unifying Cordless Laser Mouse for NBs (Silver), Advanced 2.4 GHz Wireless, Soft Rubber Grips, Extended Battery Life, USB, 910-001320 | 29.68 | EUR | 157.0352 | C | 36 | 20461 |
| Mausi | Logitech | Mouse Logitech Nano M705, Nano Unifying Cordless Laser Mouse for NBs (Black), Hyper-Fast Scroll, Advanced 2.4 GHz Wireless, Soft Rubber Grips, Extended Battery Life, USB, 910-001230 | 47.712 | EUR | 252.448 | 0 | 36 | 25605 |
| Mausi | Logitech | Mouse Logitech M100, Optical, Wheel, 3 button, USB, Black, 910-001604 | 8.2544 | EUR | 43.68 | S | 36 | 25598 |
| Mausi | Logitech | Mouse Logitech M100, Optical, Wheel, 3 button, USB, White, 910-001605 | 8.2544 | EUR | 43.68 | S | 36 | 25595 |
| Mausi | Logitech | Mouse Logitech, Optical, Wheel, 3 button, USB/PSII, 910-000275 | 7.4032 | EUR | 39.1664 | 0 | 36 | 10333 |
| Mausi | Logitech | Mouse Logitech B110, Optical, Corded Mouse, Full-Size, Ambidextrous Shape, USB, Black, 910-001246 | 4.76 | EUR | 25.1888 | S | 36 | 25602 |
| Mausi | Logitech | Mouse Logitech MX518, Optical, USB, 910-000616 | 34.832 | EUR | 184.296 | C | 36 | 4935 |
| Mausi | Logitech | Mouse Logitech Pilot Optical Mouse, Optical, Wired PS/2 USB, 1000dpi, Contoured design, Side-to-side scrolling plus zoom, Black | 10.7744 | EUR | 57.008 | C | 36 | 21695 |
| Mausi | Logitech | Mouse Logitech Pilot, Optical, Silver, Horizontal Scrolling, USB/PS2, 931781-0914 | 10.7744 | EUR | 57.008 | S | 36 | 17983 |
| Mausi | Logitech | Mouse Logitech Gaming mouse G500, Laser, Cablu USB, 200 - 5700 dpi, Gaming-grade laser, Onboard memory, Weight tuning, Dual-mode scroll wheel, Adjustable sensitivity, 10 programmable buttons, Black | 50.848 | EUR | 269.0464 | C | 36 | 21690 |
| Mausi | Logitech | Mouse Logitech G700, Laser, USB, Nano Unifying Cordless, 200-5700 dpi, 13 programmable controls with macro capability, Onboard memory profiles, Ideal for MMORPGs, Black | 90.048 | EUR | 476.448 | C | 24 | 26978 |
| Mausi | Logitech | Mouse Logitech G9, Laser, USB, 200-3200 dpi, Two custom grips (Wide Load and Precision), Adjustable weight cartridge, 910-000175 | 68.88 | EUR | 364.448 | 0 | 36 | 13328 |
| Mausi | Logitech | Mouse Logitech LS1, Laser, Cablu USB, 1000dpi, Side-to-side scrolling, Soft rubber grips, Aqua-Blue | 14.336 | EUR | 75.8576 | C | 36 | 21685 |
| Mausi | Logitech | Mouse Logitech LS1, Laser, Cablu USB, 1000dpi, Side-to-side scrolling, Soft rubber grips, Berry | 14.672 | EUR | 77.6272 | C | 36 | 21688 |
| Mausi | Logitech | Mouse Logitech LS1, Laser, USB, Cinnamon Red, 910-001032 | 15.232 | EUR | 80.5952 | C | 36 | 17989 |
| Mausi | Logitech | Mouse Logitech LS1, Laser, USB, Coconut, 910-000865 | 14.672 | EUR | 77.6272 | C | 36 | 17992 |
| Mausi | Logitech | Mouse Logitech LS1, Laser, USB, Grape-Acid Flash, 910-000863 | 15.232 | EUR | 80.5952 | C | 36 | 17990 |
| Mausi | Logitech | Mouse Logitech LS1, Laser, USB, Grape-Jaffa Flash, 910-000864 | 14.672 | EUR | 77.6272 | C | 36 | 17991 |
| Mausi | Logitech | Mouse Logitech LS1, Laser, Cablu USB, 1000dpi, Side-to-side scrolling, Soft rubber grips, Green | 14.672 | EUR | 77.6272 | C | 36 | 21686 |
| Mausi | Logitech | Mouse Logitech LS1, Laser, Cablu USB, 1000dpi, Side-to-side scrolling, Soft rubber grips, Pink | 14.672 | EUR | 77.6272 | C | 36 | 21687 |
| Mausi | Logitech | Mouse Logitech M500, Laser, Cablu USB, 1000dpi, Hyper-Fast Scroll, Document Quick-Flip, Soft side grips and contoured design, Backward/Forward buttons, Black | 29.904 | EUR | 158.2224 | C | 36 | 21689 |
| Mausi | Logitech | Mouse Logitech LX6, Optical, Cordless, USB/PSII, 910-000488 | 20.16 | EUR | 106.6688 | C | 36 | 12824 |
| Mausi | Logitech | Mouse Logitech M555b Bluetooth, Laser, Bluetooth wireless technology, 1000dpi, Hyper-fast scrolling, Low-battery indicator, 3 programmable buttons and programmable tilt wheel, Black | 33.04 | EUR | 174.8208 | C | 36 | 21693 |
| Mausi | Logitech | Mouse Logitech MX Anywhere, Laser, Wireless, 1000dpi, Compact, ergonomically designed, Integrated thumb buttons, 2.4 GHz Wireless, Darkfield Laser Tracking, Logitech Unifying receiver, Black | 67.76 | EUR | 358.5232 | C | 36 | 21691 |
| Mausi | Logitech | Mouse Logitech MX Performance, Laser, Wireless, 1000dpi, 2.4 GHz Wireless, Darkfield Laser Tracking, Logitech Unifying receiver, Black | 83.664 | EUR | 442.6688 | C | 36 | 21692 |
| Mausi | Logitech | Mouse Logitech MX620, Laser, Cordless, USB, 910-000241 | 35.952 | EUR | 190.2208 | C | 36 | 17016 |
| Mausi | Logitech | Mouse Logitech V100, Notebook, Optical, USB, 931641-0914 | 10.6848 | EUR | 56.5376 | C | 36 | 17984 |
| Mausi | Logitech | Mouse Logitech V550 Nano, Laser, Cordless, Notebook, USB, Grey, 910-000891 | 35.952 | EUR | 190.2208 | C | 36 | 16108 |
| Mausi | Logitech | Mouse Logitech V470, Laser, Cordless, Notebook, USB, Bluetooth pana la 9 m, Blue, 910-000300 | 29.792 | EUR | 157.6288 | C | 36 | 11157 |
| Mausi | Logitech | Mouse Logitech V470, Laser, Cordless, Notebook, USB, Bluetooth pana la 9 m, White, 910-000301 | 28.784 | EUR | 152.2976 | C | 36 | 17190 |
| Mausi | Logitech | Trackball Logitech Marble, Large Trackball, Multiple Scrolling Options, Customizable Buttons, USB/PSII | 30.688 | EUR | 162.3776 | C | 36 | 16111 |
| Mausi | Microsoft | Mouse Microsoft 200, Optic, 3 butoane, USB, Black, NTD-00002-PR | 5.3648 | EUR | 28.3808 | S | 36 | 22859 |
| Mausi | Microsoft | Mouse Microsoft 200, Optic, 3 butoane, USB, Black, Retail Pack, JUD-00002 | 6.384 | EUR | 33.7792 | C | 36 | 25015 |
| Mausi | Microsoft | Mouse Microsoft Basic, Optic, 3 butoane, PSII/USB, Alb, P58-00031 | 9.3184 | EUR | 49.3024 | C | 36 | 18528 |
| Mausi | Microsoft | Mouse Microsoft Basic, Optic, 3 butoane, USB, Negru, P58-00021 | 9.3184 | EUR | 49.3024 | S | 36 | 8103 |
| Mausi | Microsoft | Mouse Microsoft Comfort 3000, Optic, 4 butoane, PSII/USB, Argintiu, D1T-00004 | 15.232 | EUR | 80.5952 | C | 36 | 8101 |
| Mausi | Microsoft | Mouse Microsoft Compact, Optic, 3 butoane, USB, Alb, U81-00028 | 9.52 | EUR | 50.3664 | S | 36 | 18529 |
| Mausi | Microsoft | Mouse Microsoft IntelliMouse Explorer, Optic, 5 butoane, PSII/USB, Argintiu, B75-00112 | 22.288 | EUR | 117.9248 | S | 36 | 13634 |
| Mausi | Microsoft | Mouse Microsoft IntelliMouse Optical PS2/USB, Negru, OEM, N50-00009 | 18.256 | EUR | 96.5888 | SL | 36 | 21117 |
| Mausi | Microsoft | Mouse Microsoft Wheel 1.1, Optical, 3 butoane, PSII/USB, Negru, D66-00073 | 16.576 | EUR | 87.7072 | C | 36 | 10574 |
| Mausi | Microsoft | Mouse Microsoft Wireless Notebook 5000, Laser, Bluetooth, Scroll, 3 butoane, 69R-00005 | 33.264 | EUR | 176.008 | SL | 36 | 10564 |
| Mausi | Microsoft | Mouse Microsoft SideWinder, Laser, 5 butoane, USB, Negru, HKA-00004 | 40.544 | EUR | 214.5248 | C | 36 | 12776 |
| Mausi | Microsoft | Mouse Microsoft SideWinder X5, Laser, 5 butoane, USB, Negru, ARB-00007 | 33.6 | EUR | 177.7776 | C | 36 | 18542 |
| Mausi | Microsoft | Mouse Microsoft SideWinder x8, Blue Track, 12 butoane din care 7 programabile, 4000dpi, USB, Negru, 3HA-00004 | 60.144 | EUR | 318.2256 | C | 36 | 24778 |
| Mausi | Microsoft | Mouse Microsoft Notebook 3000, Optic, 3 butoane, USB, Gri, B2J-00004 | 13.328 | EUR | 70.5152 | C | 36 | 10566 |

| | | | | | | | | |
|---------|-------------|---|---------|-----|----------|------|----|-------|
| Mausi | Microsoft | Mouse Microsoft Notebook Compact 500, Optic, USB, Negru, U81-00011 | 9.52 | EUR | 50.3664 | S | 36 | 10086 |
| Mausi | Microsoft | Mouse Microsoft Notebook, Optic, 3 butoane, USB, Argintiu, M20-00016 | 13.328 | EUR | 70.5152 | S | 36 | 8088 |
| Mausi | Microsoft | Mouse Microsoft Notebook, Optic, 3 butoane, USB, Negru, M20-00018 | 13.328 | EUR | 70.5152 | C | 36 | 8089 |
| Mausi | Microsoft | Mouse Microsoft Wireless 2000, Optic, 3 butoane, USB, Negru (Black Pearl), 69J-00003 | 16.128 | EUR | 85.3328 | C | 36 | 8104 |
| Mausi | Microsoft | Mouse Microsoft Wireless 3000, Optic, 3 butoane, PSII/USB, Albastru, K80-00069 | 16.128 | EUR | 85.3328 | C | 36 | 8100 |
| Mausi | Microsoft | Mouse Microsoft Mobile 4000, Wireless, Blue Track, USB, Alb, Nano Receiver, D5D-00012 | 26.656 | EUR | 141.0416 | S | 36 | 20771 |
| Mausi | Microsoft | Mouse Microsoft Mobile 4000, Wireless, Blue Track, USB, Albastru, Nano Receiver, D5D-00029 | 26.544 | EUR | 140.448 | S | 36 | 26896 |
| Mausi | Microsoft | Mouse Microsoft Mobile 4000, Wireless, Blue Track, USB, Negru, Nano Receiver, D5D-00006 | 26.544 | EUR | 140.448 | S | 36 | 26894 |
| Mausi | Microsoft | Mouse Microsoft Mobile 4000, Wireless, Blue Track, USB, Roz, Nano Receiver, D5D-00023 | 26.544 | EUR | 140.448 | S | 36 | 26895 |
| Mausi | Microsoft | Mouse Microsoft Mobile 4000, Wireless, Blue Track, USB, Verde, Nano Receiver, D5D-00035 | 26.656 | EUR | 141.0416 | S | 36 | 26897 |
| Mausi | Microsoft | Mouse Microsoft Wireless Laser 5000, 3 butoane, USB, Negru (Metallic Black), 63A-00003 | 22.848 | EUR | 120.8928 | C | 36 | 8096 |
| Mausi | Microsoft | Mouse Microsoft Mobile 6000, Wireless, Blue Track, USB nano transceiver, Black, MHC-00005 | 33.264 | EUR | 176.008 | CALL | 36 | 24772 |
| Mausi | Microsoft | Mouse Microsoft Wireless Laser 6000, 4 butoane, USB, Argintiu, QVA-00005 | 32.704 | EUR | 173.04 | CALL | 36 | 13055 |
| Mausi | Microsoft | Mouse Microsoft Wireless Laser 7000, 5 butoane, USB, Argintiu (Silver Pearl), BNA-00005 | 25.2 | EUR | 133.336 | S | 36 | 10575 |
| Mausi | Microsoft | Mouse Microsoft Wireless Laser 7000, 5 butoane, USB, Negru, KXA-00006 | 40.432 | EUR | 213.9312 | C | 36 | 13056 |
| Mausi | Microsoft | Mouse Microsoft Wireless Laser 8000, 5 butoane, USB, Memorie 1Gb, Argintiu, BSA-00005 | 50.624 | EUR | 267.8592 | C | 36 | 10576 |
| Mausi | Microsoft | Mouse Microsoft Wireless Notebook Mobile 1000, Optic, 3 butoane, USB, Negru, 2CF-00004 | 9.9232 | EUR | 52.5056 | C | 24 | 25828 |
| Mausi | Microsoft | Mouse Microsoft Wireless Notebook Mobile 3000, Optic, USB, Alb, 6BA-00008 | 16.464 | EUR | 87.1136 | C | 36 | 18540 |
| Mausi | Microsoft | Mouse Microsoft Wireless Notebook 3000, Optic, 3 butoane, USB, Albastru (Winter Blue), BX3-00022 | 20.272 | EUR | 107.2624 | S | 36 | 22756 |
| Mausi | Microsoft | Mouse Microsoft Wireless Notebook Mobile 3000, Optic, USB, Negru, 6BA-00009 | 16.464 | EUR | 87.1136 | C | 36 | 18541 |
| Mausi | Microsoft | Mouse Microsoft Wireless Notebook 3000, Optic, 3 butoane, USB, Negru, BX3-00023 | 20.272 | EUR | 107.2624 | 0 | 36 | 18538 |
| Mausi | Microsoft | Mouse Microsoft Wireless Notebook 3000 v2, Optic, 4 butoane, Nano Receiver USB, Negru, 2EF-00004 | 12.992 | EUR | 68.7456 | C | 24 | 25730 |
| Mausi | Microsoft | Mouse Microsoft Wireless Notebook 4000, Optic, 3 butoane, USB, Gri (Dark Gray), B2P-00009 | 21.84 | EUR | 115.5616 | SL | 36 | 10573 |
| Mausi | Microsoft | Mouse Microsoft Wireless Laser Notebook 5000, Bluetooth, 5 butoane, USB, Alb, 69R-00005 | 33.264 | EUR | 176.008 | 0 | 36 | 11808 |
| Mausi | Microsoft | Mouse Microsoft Wireless Laser Notebook 7000, 5 butoane, USB, Argintiu, BNA-00006 | 30.128 | EUR | 159.4096 | SL | 36 | 12088 |
| Mausi | Microsoft | Mouse Microsoft Wireless Laser Notebook Arc, USB, Alb, ZJA-00044 | 33.264 | EUR | 176.008 | C | 36 | 25829 |
| Mausi | Microsoft | Mouse Microsoft Wireless Laser Notebook Arc, USB, Negru, ZJA-00008 | 33.264 | EUR | 176.008 | S | 36 | 18543 |
| Mausi | Microsoft | Mouse Microsoft Wireless Laser Notebook Explorer, USB, Blue Track, Gri cu negru, Reincarabil, 5AA-00006 | 48.72 | EUR | 257.7792 | S | 36 | 18544 |
| Mausi | Microsoft | Mouse Microsoft Wireless Laser Notebook Explorer Mini, USB, Blue Track, Gri cu negru, 5BA-00005 | 35.392 | EUR | 187.264 | S | 36 | 18545 |
| Mausi | Microsoft | Mouse Microsoft Wireless Laser Notebook Presenter 8000, 5 butoane, Bluetooth, Pointer pentru prezentari in Powerpoint, USB, Gri (Metallic Grey), 9DR-00004 | PROMO | EUR | 266.5488 | S | 36 | 8085 |
| Mausi | Sony | Mouse Sony VAIO VGP-BMS10/B, Mini Bluetooth Laser Mouse for Ntbk, Black | 64.064 | EUR | 338.968 | 0 | 24 | 23729 |
| Mausi | Sony | Mouse Sony VAIO VGP-BMS55, Bluetooth Laser Mouse for Ntbk, Black | 51.52 | EUR | 272.5968 | 0 | 24 | 23728 |
| Mausi | Sony | Mouse Sony VAIO VGP-BMS55, Bluetooth Laser Mouse for Ntbk, Pink | 54.544 | EUR | 288.6016 | 0 | 24 | 23726 |
| Mausi | Sony | Mouse Sony VAIO VGP-BMS55, Bluetooth Laser Mouse for Ntbk, Red | 54.544 | EUR | 288.6016 | C | 24 | 23727 |
| Mausi | Sony | Mouse Sony VAIO VGP-BMS55, Bluetooth Laser Mouse for Ntbk, White | 54.544 | EUR | 288.6016 | C | 24 | 23725 |
| Mausi | Sony | Mouse Sony VAIO VGP-JMS30/B, USB/Optical, Black | 20.832 | EUR | 110.2192 | C | 24 | 23730 |
| Mausi | Apple | Mouse Apple Magic Mouse | 92.624 | EUR | 490.0784 | S | 24 | 20737 |
| Mausi | SteelSeries | Mouse ACC SteelSeries Glide, Picioare pentru mouse, Imbunatateste semnificativ alunecarea mouse-ului, Recomandate pentru mousepad dur | 3.7632 | EUR | 19.9136 | C | 36 | 14226 |
| Mausi | SteelSeries | Mouse ACC SteelSeries Grip, Benzi cauciucate autoadezive, Se lipeasc de mouse, Anti-transpiratie | 5.9696 | EUR | 31.584 | C | 36 | 14227 |
| Mausi | Roccat | Mouse Roccat Kova ROC-11-200, 3200 dpi, design ergonomic ambidextru, configurare hardware, permite modificarea dpi si a schemei de iluminare, 7 butoane, posibilitati multiple de iluminare a mouse-ului, conectare USB | 35.056 | EUR | 185.4832 | C | 36 | 21759 |
| Mausi | SteelSeries | Mouse SteelSeries Ikari, Optical, 6500fps(frames per second), Aceleratie 15G, Conector USB aurit, 5 butoane | 37.856 | EUR | 200.3008 | C | 36 | 14224 |
| Mausi | SteelSeries | Mouse SteelSeries Ikari, Laser, 40000sps(samples per seconds), Aceleratie 20G, Conector USB aurit, 5 butoane | PROMO | EUR | 302.3888 | CALL | 12 | 14223 |
| Pad-uri | Oem | Mouse Pad Photo | 0.2912 | USD | 1.176 | C | 1 | 312 |
| Pad-uri | Oem | Mouse Pad Simplu (acoperit cu panza) | 0.3248 | USD | 1.3104 | CALL | 1 | 311 |
| Pad-uri | Oem | Mouse Pad 3D | 3.248 | USD | 13.1264 | S | 1 | 11193 |
| Pad-uri | A4tech | Mouse Pad A4Tech X7-300MP, Dimensiuni: 437x350x3mm, Compatibil cu toate tipurile de mouse (bila, optical si laser), Ideal pentru grafica si gaming, Black | 4.6592 | USD | 18.8272 | S | 1 | 14910 |
| Pad-uri | Zowie Gear | Mouse Pad Zowie G-RF Big Soft Surface, black, suprafata textila impermeabila usor de curatat, baza de cauciuc, dimensiuni: 440 x 380 x 4mm | 22.848 | EUR | 120.8928 | SL | 0 | 23568 |
| Pad-uri | Zowie Gear | Mouse Pad Zowie G-TF Big Soft Surface, SpawN edition, suprafata textila impermeabila usor de curatat, baza de cauciuc, margini cusute pentru un confort superior si pentru reducerea uzurii, dimensiuni: 440 x 380 x 4mm | 23.856 | EUR | 126.224 | SL | 0 | 23570 |
| Pad-uri | Zowie Gear | Mouse Pad Zowie N-RF1 Ultra Thin Soft Surface, black, suprafata textila impermeabila usor de curatat, baza de cauciuc, dimensiuni: 250 x 215 x 1mm | 10.248 | EUR | 54.2192 | S | 0 | 23565 |
| Pad-uri | Zowie Gear | Mouse Pad Zowie N-RF2 Thin Soft Surface, black, suprafata textila impermeabila usor de curatat, baza de cauciuc, dimensiuni: 250 x 215 x 2mm | 11.1776 | EUR | 59.136 | S | 0 | 23566 |
| Pad-uri | Zowie Gear | Mouse Pad Zowie P-RF Medium Soft Surface, black, suprafata textila impermeabila usor de curatat, baza de cauciuc, dimensiuni: 340 x 290 x 4mm | 19.376 | EUR | 102.5248 | S | 0 | 23567 |
| Pad-uri | Zowie Gear | Mouse Pad Zowie P-TF Medium Soft Surface, SpawN edition, suprafata textila impermeabila usor de curatat, baza de cauciuc, margini cusute pentru un confort superior si pentru reducerea uzurii, dimensiuni: 340 x 290 x 4mm | 20.16 | EUR | 106.6688 | S | 0 | 23569 |
| Pad-uri | Zowie Gear | Mouse Pad Zowie SWIFT Hard Surface, Black, materialul special ofera rezistenta si performanta ridicata, textura pentru viteza, precizie si control, baza de cauciuc, margini rotunjite pentru un nivel ridicat de confort, compatibil cu toate tipurile de mouse, dimensiuni: 340 x 290 x 2mm | 28.784 | EUR | 152.2976 | SL | 0 | 23571 |
| Pad-uri | Zowie Gear | Mouse Pad Zowie SWIFT Hard Surface, Blue, materialul special ofera rezistenta si performanta ridicata, textura pentru viteza, precizie si control, baza de cauciuc, margini rotunjite pentru un nivel ridicat de confort, compatibil cu toate tipurile de mouse, dimensiuni: 340 x 290 x 2mm | 28.784 | EUR | 152.2976 | SL | 0 | 23572 |
| Pad-uri | Zowie Gear | Mouse Pad Zowie SWIFT Hard Surface, Red, materialul special ofera rezistenta si performanta ridicata, textura pentru viteza, precizie si control, baza de cauciuc, margini rotunjite pentru un nivel ridicat de confort, compatibil cu toate tipurile de mouse, dimensiuni: 340 x 290 x 2mm | 28.784 | EUR | 152.2976 | SL | 0 | 23573 |
| Pad-uri | Cyber Snips | Mouse Pad Cyber Snipa Tracer Illuminated Mouse Pad, margini iluminate, controlul intensitatii luminoase, construit din sticla acrilica de calitate, dimensiuni 305 x 230 x 5mm, USB | 21.28 | EUR | 112.5936 | SL | 12 | 24849 |

| | | | | | | | | |
|---------|--------------|---|---------|-----|----------|------|----|-------|
| Pad-uri | Cyber Snipa | Mouse Pad Cyber Snipa Mouse Mat – Snipa, suprafata din micro-fibra tratata cu Opti-Fibre Coating pentru a reflecta mai bine raza laser sau optica a mouse-ului, dimensiuni: 380 x 295 x 4mm, CSMM02 | 12.768 | EUR | 67.5584 | S | 1 | 23794 |
| Pad-uri | Cirkuit Plan | Mouse Pad MICKEY RETRO - Disney | 1.904 | EUR | 10.0688 | C | 12 | 20000 |
| Pad-uri | Cirkuit Plan | Mouse Pad HIGH SCHOOL MUSICAL - Disney | 1.904 | EUR | 10.0688 | S | 12 | 20003 |
| Pad-uri | Cirkuit Plan | Mouse Pad Disney MICKEY | 1.904 | EUR | 10.0688 | C | 1 | 19107 |
| Pad-uri | Cirkuit Plan | Mouse Pad Disney NEMO | 1.904 | EUR | 10.0688 | C | 1 | 19096 |
| Pad-uri | Cirkuit Plan | Mouse Pad WINNIE THE POOH - Disney | 1.904 | EUR | 10.0688 | S | 12 | 20006 |
| Pad-uri | Cirkuit Plan | Mouse Pad Disney WINNIE THE POOH | 1.904 | EUR | 10.0688 | S | 1 | 19098 |
| Pad-uri | Gigabyte | Mouse Pad Gigabyte GP-MP8000 Hardcore Gamer | 12.208 | USD | 49.336 | C | 1 | 26361 |
| Pad-uri | Func | Mouse Pad Func Classic LL Black | 8.2656 | EUR | 43.736 | 0 | 1 | 11904 |
| Pad-uri | Func | Mouse Pad Func Classic XL Black | 9.5424 | EUR | 50.4896 | C | 1 | 11905 |
| Pad-uri | Func | Mouse Pad Func Archetype | 15.12 | EUR | 80.0016 | C | 1 | 11912 |
| Pad-uri | Func | Mouse Pad Func Archetype MBA Black | 23.968 | EUR | 126.8176 | 0 | 1 | 11913 |
| Pad-uri | SteelSeries | Mouse Pad SteelSeries QCK, mousepad profesional, textil, compatibil cu toate tipurile de mouse, dimensiune 320mmx285mmx2mm | 8.6912 | EUR | 45.9872 | S | 24 | 15052 |
| Pad-uri | SteelSeries | Mouse Pad SteelSeries QCK +, mousepad profesional, textil, compatibil cu toate tipurile de mouse, dimensiune 450mmx400mmx2 mm | 12.992 | EUR | 68.7456 | C | 24 | 25128 |
| Pad-uri | SteelSeries | Mouse PAD SteelSeries QCK MASS, mousepad profesional, textil, compatibil cu toate tipurile de mouse, dimensiune: 320mmx285mmx6 mm. | 10.9648 | EUR | 58.016 | C | 24 | 21948 |
| Pad-uri | SteelSeries | Mouse PAD SteelSeries QCK Mini, Profesional, textil, compatibil cu toate tipurile de mouse, dimensiune: 250mmx210mmx2 mm | 6.2272 | EUR | 32.9504 | C | 24 | 21947 |
| | | Boxe | | | | | | |
| Boxe | Cirkuit Plan | Boxe Mickey retro "DSY-SP433" - Disney | 14.448 | EUR | 76.44 | S | 12 | 19982 |
| Boxe | Cirkuit Plan | Boxe High School Musical "DSY-SP442" - Disney | 15.568 | EUR | 82.376 | S | 12 | 19984 |
| Boxe | Cirkuit Plan | Boxe Mickey color "DSY-SP430" - Disney | 15.568 | EUR | 82.376 | S | 12 | 19983 |
| Boxe | Konig | Boxe Konig CMP-SPSWSUR11, 5.1, 23W RMS, Black | 36.96 | EUR | 195.5632 | SL | 12 | 21083 |
| Boxe | Modecom | Boxe Modecom MC-XS1, sistem 2.0, putere sateliti: 2x 0.5W, alimentare prin mufa USB, include cablu 3.5mm Mini Jack, Black | 5.824 | USD | 23.5312 | S | 12 | 26464 |
| Boxe | Modecom | Boxe Modecom MC-XS2, sistem 2.0, putere sateliti: 2x 2W, alimentare prin mufa USB, include cablu 3.5mm Mini Jack si mufa pentru casti | 11.76 | USD | 47.5216 | S | 12 | 26465 |
| Boxe | Modecom | Boxe Modecom MC-S1, sistem 2.1, putere sateliti: 2x 2.5W, putere subwoofer: 5W | 17.472 | USD | 70.6048 | S | 12 | 26466 |
| Boxe | A4tech | Boxe A4Tech AS-6, 2.0, 3 W RMS, 80Hz-20KHz, Earphone Jack | 7.9184 | USD | 31.9984 | S | 12 | 313 |
| Boxe | A4tech | Boxe A4Tech AS-6, 2.0, 3 W RMS, 80Hz-20KHz, Earphone Jack, Black | 8.0416 | USD | 32.5024 | CALL | 12 | 11017 |
| Boxe | A4tech | Boxe A4Tech AS-215, 2.0, 4 W RMS, 100Hz-20KHz, Silver | 7.7056 | USD | 31.136 | S | 12 | 7862 |
| Boxe | A4tech | Boxe A4Tech AS-7, 2.0, 5 W RMS, 100Hz-20KHz, Tone Control | 8.736 | USD | 35.3024 | S | 12 | 314 |
| Boxe | A4tech | Boxe A4Tech AS-7, 2.0, 5 W RMS, 100Hz-20KHz, Tone Control, Black | 9.2064 | USD | 37.2064 | S | 12 | 14641 |
| Boxe | A4tech | Boxe A4Tech AS-9, 2.0, 6 W RMS, 30Hz-20KHz, 3D Control | 13.104 | USD | 52.9536 | S | 12 | 315 |
| Boxe | A4tech | Boxe A4Tech AS-9, 2.0, 6 W RMS, 30Hz-20KHz, 3D Control, Black | 15.456 | USD | 62.4624 | S | 12 | 11205 |
| Boxe | A4tech | Boxe A4Tech AS-235, 2.0, 6 W RMS, 100Hz-20KHz, Black | 10.0576 | USD | 40.6448 | C | 12 | 10291 |
| Boxe | A4tech | Boxe A4Tech AS-313, 2.1, 9 W RMS, Subwoofer si 2 sateliti, (5W subwoofer + 2 x 2W sateliti), Black | 25.648 | USD | 103.6448 | S | 12 | 7864 |
| Boxe | Delux | Boxe Delux DLS-128, 2.0, 280W P.M.P.O., Silver-Black | 4.1328 | USD | 16.6992 | 0 | 12 | 15802 |
| Boxe | Delux | Boxe Delux DLS-2109, 2.1, 3000W P.M.P.O., Silver-Black | 25.424 | USD | 102.7376 | S | 12 | 15806 |
| Boxe | Delux | Boxe Delux DLS-2113, 2.1, 1500W P.M.P.O., Black | 16.912 | USD | 68.3424 | S | 12 | 15803 |
| Boxe | Delux | Boxe Delux DLS-2155, 2.1, 1200W P.M.P.O., Silver-Black | 18.032 | USD | 72.8672 | S | 12 | 15805 |
| Boxe | Delux | Boxe Delux DLS-2165, 2.1, 800W P.M.P.O., Black | 16.464 | USD | 66.5392 | S | 12 | 15804 |
| Boxe | Delux | Boxe Delux DLS-5102, 5.1, 5500W P.M.P.O., Silver-Black | 50.288 | USD | 203.224 | C | 12 | 15810 |
| Boxe | Gigabyte | Boxe Gigabyte GP-S4600, 2.0, USB powered, no power adapter required, 3.5mm stereo output for MP3 players | 7.5152 | USD | 30.3744 | C | 12 | 26362 |
| Boxe | Parrot | Boxe Parrot DS1120, Wireless, Bluetooth, 2.0, Raza acoperita de semnal 10m, 30W RMS | 141.456 | EUR | 748.4512 | CALL | 24 | 17183 |
| Boxe | Parrot | Boxe Parrot Party, Wireless, Bluetooth, 2.0, Raza acoperita de semnal 10m, 6W RMS | 64.848 | EUR | 343.112 | C | 24 | 17186 |
| Boxe | Genius | Boxe Genius SP-S105, 2.0, Black, 1W RMS, 115 W PMPO, 230V EU | 4.6592 | USD | 18.8272 | S | 24 | 22511 |
| Boxe | Genius | Boxe Genius SP-S110, 2.0, Black, 1W RMS, 110 W PMPO, 230V EU | 5.1856 | USD | 20.9552 | S | 24 | 16334 |
| Boxe | Genius | Boxe Genius SP-S120, 2.0, Black, 2W RMS, 120W PMPO, 230V EU | 8.3664 | USD | 33.8128 | C | 24 | 16335 |
| Boxe | Genius | Boxe Genius SP-S350, 2.0, Black, 10W RMS Black, 350 W PMPO, 230V EU | 15.232 | USD | 61.5552 | C | 24 | 16336 |
| Boxe | Genius | Boxe Genius SW-HF2.1 1200, 2.1, Wood, 30W(Subwoofer 20W+2 sateliti*5W), 1200W PMPO, 220V-EU | 34.944 | USD | 141.2096 | 0 | 24 | 22505 |
| Boxe | Genius | Boxe Genius SW-S2.1 355, 2.1, Black, 10W(Subwoofer 5W+2 sateliti*2.5W), 355W PMPO, 220V-EU | 17.808 | USD | 71.96 | C | 24 | 16341 |
| Boxe | Genius | Boxe Genius SW-5.1 1800, 5.1, Black, 55W(Subwoofer 20W+5 sateliti*7W), 220V-EU | 42.336 | USD | 171.0912 | C | 24 | 16345 |
| Boxe | Genius | Boxe Genius SW-HF5.1 4000, Wood, 100W(Subwoofer 25W+5 sateliti*15W), Telecomanda, 4000PMPO, 220V-EU | 91.392 | USD | 369.3312 | S | 24 | 16347 |
| Boxe | Genius | Boxe Genius SW-HF5.1 5050, Cherry(wood), LED Display-Volume, 150 W RMS, Subwoofer si 5 sateliti, (75W subwoofer + 5 x 15W sateliti) | 110.096 | USD | 444.92 | S | 24 | 22503 |
| Boxe | Genius | Boxe Genius SW-HF5.1 6000, Wood, 200W(Subwoofer 100W+5 sateliti*20W), Telecomanda, LCD Display, 6000W PMPO, 220V-EU | 153.552 | USD | 620.5248 | S | 24 | 16348 |
| Boxe | Genius | Boxe Genius SW-N5.1 1000, 5.1, 25W(Subwoofer 15W+5 sateliti*2W), 1000W PMPO, 220V-EU | 34.944 | USD | 141.2096 | S | 24 | 16343 |
| Boxe | Dell | Boxe Dell AX510 SoundBar for UltraSharp and other monitors with a power pass through connector | 19.6 | USD | 79.2064 | C | 24 | 24195 |
| Boxe | Hercules | Boxe Hercules XPS 2.010, 5 W RMS, 2 sateliti | 13.216 | EUR | 69.9216 | C | 24 | 12086 |
| Boxe | Hercules | Boxe Hercules XPS 2.112, 6 W RMS, Subwoofer lemn si 2 sateliti, Wired Remote Control | 13.44 | EUR | 71.1088 | C | 24 | 12087 |
| Boxe | Hercules | Boxe Hercules XPS 2.120, 20 W RMS, Subwoofer lemn si 2 sateliti, Wired Remote Control | 22.176 | EUR | 117.3312 | C | 24 | 7258 |
| Boxe | Hercules | Boxe Hercules XPS 5.140 BLACK, 44 W RMS, Subwoofer lemn si 5 sateliti, 30Hz-20KHz, Wired Remote Control | 25.76 | EUR | 136.2928 | S | 24 | 12089 |
| Boxe | Hercules | Boxe Hercules XPS 2.160 BLACK, 60 W RMS, Subwoofer lemn si 2 sateliti, 30Hz-20KHz | 34.72 | EUR | 183.7024 | M | 24 | 5658 |
| Boxe | Hercules | Boxe Hercules XPS 5.170 BLACK, 70 W RMS, Subwoofer lemn si 5 sateliti, 30Hz-20KHz | 43.68 | EUR | 231.112 | C | 24 | 7259 |
| Boxe | Empire | Boxe Empire R19R 2.0, 4W RMS, 2x 2W (sateliti), incinta lemn, telecomanda cu fir | 9.9792 | EUR | 52.7968 | 0 | 24 | 26387 |
| Boxe | Altec Lansir | Boxe Altec Lansing FX2020 2.0, 15W RMS, 2x7.5w/sateliti, 100Hz-20KHz, intrare iPod/MP3 player/CD player, 2 ani | 45.248 | EUR | 239.4112 | S | 24 | 19916 |
| Boxe | Altec Lansir | Boxe Altec Lansing In Motion Soundblade IMT525ACE, Portabile, Compatibil cu orice dispozitiv Bluetooth, 6xAa baterie, Microfon | 90.608 | EUR | 479.416 | 0 | 24 | 13222 |
| Boxe | Creative | Boxe Creative Inspire T3100, 2.1, 29 W RMS, Subwoofer lemn si 2 sateliti | 45.36 | EUR | 240.0048 | 0 | 12 | 8693 |
| Boxe | Creative | Boxe Creative 2.0 "GigaWorks T20 Series II" - black, RMS: 2 ch * 14W | 67.2 | EUR | 355.5552 | 0 | 24 | 19750 |
| Boxe | Creative | Boxe Creative 245, 2.0, 4 W RMS, 2 sateliti, Black | 10.8864 | EUR | 57.6016 | C | 12 | 12926 |
| Boxe | Creative | Boxe Creative 2.0 "Inspire 280" - black, RMS: 2 ch * 2.5W | 20.832 | EUR | 110.2192 | 0 | 24 | 19752 |
| Boxe | Creative | Boxe Creative A200, 2.1, 9 W RMS, Subwoofer lemn si 2 sateliti, Black | 22.288 | EUR | 117.9248 | M | 12 | 12927 |
| Boxe | Creative | Boxe Creative A300, 2.1, 21 W RMS, Subwoofer lemn si 2 sateliti, Black | 31.36 | EUR | 165.928 | C | 12 | 12925 |

| | | | | | | | | |
|-------------------|--------------|---|---------|-----|----------|------|----|-------|
| Boxe | Creative | Boxe Creative A500, 5.1, 47 W RMS, Subwoofer lemn si 5 sateliti, Black | 40.992 | EUR | 216.888 | S | 12 | 10760 |
| Boxe | Creative | Boxe Creative 2.0 "N400" - black, Notebook | 38.304 | EUR | 202.664 | 0 | 24 | 19755 |
| Boxe | Creative | Boxe MP3 Player Creative TravelSound ZEN Stone Black, 2 x 0.2W, frecventa: 200Hz ~20kHz, SNR: 75dB, autonomie 21 ore, 160g, 173.3 x 57 x 32.7mm (LxWxH), compatibile ZEN Stone si | 8.68 | EUR | 45.9312 | 0 | 24 | 19760 |
| Boxe | Creative | Boxe Creative I-Trigue 3220, 2.1, 29 W RMS, Subwoofer lemn si 2 sateliti, Wired Remote Control | 40.432 | EUR | 213.9312 | 0 | 12 | 8692 |
| Boxe | Creative | Boxe Creative Inspire T6100, 5.1, 50 W RMS, Subwoofer lemn si 5 sateliti | 52.752 | EUR | 279.1152 | 0 | 12 | 8130 |
| Boxe | Creative | Boxe Creative I-Trigue 3330, 2.1, 43 W RMS, Subwoofer lemn si 2 sateliti, NeoTitanium, Wired Remote Control | 47.152 | EUR | 249.48 | 0 | 12 | 8691 |
| Boxe | Logitech | Boxe Logitech S150, 2.0, 1.2 W RMS, USB, Negre | 10.1696 | EUR | 53.8048 | 0 | 36 | 18510 |
| Boxe | Logitech | Boxe Logitech X-140, 2.0, 5 W RMS, Negre | 21.056 | EUR | 111.4064 | S | 24 | 18621 |
| Boxe | Logitech | Boxe Logitech Z320, 2.0, 10W RMS, 2x5W, , 70Hz-20KHz, sunet 360 grade, iesire casti, jack 3.5mm, Mac and PC | 28.896 | EUR | 152.8912 | C | 24 | 21674 |
| Boxe | Logitech | Boxe Logitech Z520, 2.0, 26W RMS, 2x13W, , 70Hz - 20KHz, sunet 360 grade, intrare iPod/MP3 player/CD player, iesire casti, jack 3.5mm, Mac and PC | 68.32 | EUR | 361.4912 | C | 24 | 21675 |
| Boxe | Logitech | Boxe Logitech S120, 2.0, 3 W RMS, Negre, OEM | 7.4816 | EUR | 39.5808 | C | 24 | 11663 |
| Boxe | Logitech | Boxe Logitech Z-5, 2.0, USB, Telecomanda, Digitale, Negre | 63.504 | EUR | 336 | 0 | 24 | 18624 |
| Boxe | Logitech | Boxe Logitech S220, 2.1, 17 W RMS, Negre | 19.264 | EUR | 101.9312 | 0 | 36 | 12039 |
| Boxe | Logitech | Boxe Logitech X-210, 2.1, 25 W RMS, Subwoofer lemn si 2 sateliti | 32.256 | EUR | 170.6656 | C | 24 | 8132 |
| Boxe | Logitech | Boxe Logitech AudioHub, 2.1, 15 W RMS, Notebook, Subwoofer si 2 sateliti, Hub USB 3 porturi, Webcam stand | 53.872 | EUR | 285.04 | 0 | 24 | 18625 |
| Boxe | Logitech | Boxe Logitech Z-2300, 2.1, THX, 200 W RMS, Subwoofer lemn si 2 sateliti, Wired Remote Control | 115.472 | EUR | 610.9712 | 0 | 24 | 3305 |
| Boxe | Logitech | Boxe Logitech Z323, 2.1, 30W RMS, 2x6W, 18W, 40Hz - 20KHz, sunet 360 grade, mufe RCA, iesire casti, jack 3.5mm, Mac and PC | 40.208 | EUR | 212.744 | C | 24 | 21676 |
| Boxe | Logitech | Boxe Logitech Z523, 2.1, 40W RMS, 2x9,5W, 21W, 48Hz - 20KHz, sunet 360 grade, mufe RCA, iesire casti, jack 3.5mm, Mac and PC | 69.776 | EUR | 369.1856 | C | 24 | 21677 |
| Boxe | Logitech | Boxe Logitech X-530, 5.1, 71.2 W RMS, Subwoofer lemn si 5 sateliti | 67.648 | EUR | 357.9296 | S | 24 | 3292 |
| Boxe | Logitech | Boxe Logitech X-540, 5.1, 71.2 W RMS, Subwoofer lemn si 5 sateliti, Wired Remote Control | 79.744 | EUR | 421.9264 | C | 24 | 7475 |
| Boxe | Logitech | Boxe Logitech Z506, 5.1, 75W RMS, 2 x 8W front, 16W centre, 2 x 8W rear, 27W, 45Hz - 20KHz, 5.1 Surround sound with 3D Stereo, egalizator bass in timp real, sateliti cu suport prindere pe perete, mufa jack stereo 3.5mm, RCA | 79.52 | EUR | 420.7504 | S | 24 | 26892 |
| Boxe | Logitech | Boxe Logitech Z-5500, 5.1, THX, 505 W RMS, Subwoofer lemn si 5 sateliti, Remote Control, Dolby Digital, DTS Hardware Decoding | 294.336 | EUR | 1557.36 | S | 24 | 2488 |
| Boxe | MicroLab | Boxe MicroLab B-55(08), 2.0, 1.5 W RMS, Black, alimentare USB, iesire casti | 9.0832 | EUR | 48.0592 | S | 24 | 22444 |
| Boxe | MicroLab | Boxe MicroLab B-55, 2.0, 2 W RMS, Black, alimentare USB, iesire casti | 5.88 | EUR | 31.1136 | 0 | 24 | 15055 |
| Boxe | MicroLab | Boxe MicroLab B-18, 2.0, 4.8 W RMS, Black, alimentare USB, iesire casti | 9.0832 | EUR | 48.0592 | 0 | 24 | 15056 |
| Boxe | MicroLab | Boxe MicroLab B-15, 2.0, 8 W RMS, iesire casti | 9.8336 | EUR | 52.0352 | 0 | 24 | 15057 |
| Boxe | MicroLab | Boxe MicroLab MD-129, 2.0, 8 W RMS, Black, alimentare USB & AC, lemn | 32.256 | EUR | 170.6656 | 0 | 24 | 15058 |
| Boxe | MicroLab | Boxe MicroLab SOLO-4C, 2.0, 56 W RMS, Black, lemn, telecomanda | 64.512 | EUR | 341.3424 | C | 24 | 15059 |
| Boxe | MicroLab | Boxe MicroLab PRO-1, 2.0, 60 W RMS, amplificator separat, lemn, telecomanda, LCD | 81.088 | EUR | 429.0384 | 0 | 24 | 16974 |
| Boxe | MicroLab | Boxe MicroLab PRO-2, 2.0, 70 W RMS, amplificator separat, lemn, telecomanda, LCD | 93.184 | EUR | 493.0464 | 0 | 24 | 16975 |
| Boxe | MicroLab | Boxe MicroLab SOLO-3, 2.0, 70 W RMS, Black, lemn | 74.48 | EUR | 394.0832 | 0 | 24 | 15060 |
| Boxe | MicroLab | Boxe MicroLab PRO-3, 2.0, 90 W RMS, amplificator separat, lemn, telecomanda, LCD | 110.32 | EUR | 583.7104 | 0 | 24 | 16983 |
| Boxe | MicroLab | Boxe MicroLab PURE-100, 2.0, 100 W RMS, Hi-End, lemn, finisaj pian, telecomanda fara fir | 325.248 | EUR | 1720.914 | 0 | 24 | 16987 |
| Boxe | MicroLab | Boxe MicroLab SOLO-6, 2.0, 100 W RMS, Black, lemn | 81.424 | EUR | 430.8192 | 0 | 24 | 15061 |
| Boxe | MicroLab | Boxe MicroLab SOLO-6C, 2.0, 100 W RMS, Black, lemn, telecomanda | 87.136 | EUR | 461.048 | 0 | 24 | 15062 |
| Boxe | MicroLab | Boxe MicroLab SOLO-7, 2.0, 110 W RMS, Black, lemn | 117.6 | EUR | 622.2272 | 0 | 24 | 15063 |
| Boxe | MicroLab | Boxe MicroLab SOLO-7C, 2.0, 110 W RMS, Black, lemn, telecomanda | 125.44 | EUR | 663.712 | 0 | 24 | 15064 |
| Boxe | MicroLab | Boxe MicroLab PURE-10, 2.0, 200 W RMS, Hi-End, lemn, finisaj pian, telecomanda | 484.512 | EUR | 2563.59 | 0 | 24 | 16976 |
| Boxe | MicroLab | Boxe MicroLab M-119, 2.1, 13 W RMS, Black, telecomanda pe fir | 22.848 | EUR | 120.8928 | S | 24 | 15065 |
| Boxe | MicroLab | Boxe MicroLab M-500, 2.1, 34 W RMS, White | 31.696 | EUR | 167.7088 | S | 24 | 15068 |
| Boxe | MicroLab | Boxe MicroLab M-280, 2.1, 40 W RMS, Black | 28.224 | EUR | 149.3408 | S | 24 | 15066 |
| Boxe | MicroLab | Boxe MicroLab M-800, 2.1, 40 W RMS, reglaj volum pe subwoofer | 28.896 | EUR | 152.8912 | 0 | 24 | 16979 |
| Boxe | MicroLab | Boxe MicroLab M-820, 2.1, 40 W RMS, Black, telecomanda pe fir | 36.176 | EUR | 191.408 | S | 24 | 15067 |
| Boxe | MicroLab | Boxe MicroLab FC-320, 2.1, 54 W RMS, amplificator separat, subwoofer lemn | 49.28 | EUR | 260.7472 | 0 | 24 | 16977 |
| Boxe | MicroLab | Boxe MicroLab FC-360, 2.1, 54 W RMS, amplificator separat | 40.544 | EUR | 214.5248 | 0 | 24 | 16978 |
| Boxe | MicroLab | Boxe MicroLab FC-530, 2.1, 54 W RMS, amplificator separat, telecomanda fara fir, lemn | 50.288 | EUR | 266.0784 | 0 | 24 | 16990 |
| Boxe | MicroLab | Boxe MicroLab H300, 2.1, 100 W RMS, Hi-End design, telecomanda | 166.656 | EUR | 881.7872 | 0 | 24 | 16984 |
| Boxe | MicroLab | Boxe MicroLab H200(07), 2.1, 110 W RMS (2x30W + 50W subwoofer), Hi-End design | 150.192 | EUR | 794.6736 | S | 24 | 18211 |
| Boxe | MicroLab | Boxe MicroLab H200, 2.1, 144 W RMS, amplificator separat, Hi-End design | 142.016 | EUR | 751.4192 | 0 | 24 | 16973 |
| Boxe | MicroLab | Boxe MicroLab M-800, 5.1, 62 W RMS, Black | 51.744 | EUR | 273.784 | S | 24 | 15070 |
| Boxe | MicroLab | Boxe MicroLab M-860, 5.1, 62 W RMS, Black, telecomanda | 59.584 | EUR | 315.2688 | S | 24 | 15071 |
| Boxe | MicroLab | Boxe MicroLab M-400, 5.1, 63 W RMS, Black, telecomanda pe fir | 41.328 | EUR | 218.6688 | CALL | 24 | 15069 |
| Boxe | MicroLab | Boxe MicroLab M-500/5.1, 70 W RMS, Black, reglaje pe subwoofer | 47.264 | EUR | 250.0736 | 0 | 24 | 16981 |
| Boxe | MicroLab | Boxe MicroLab FC-730, 5.1, 84 W RMS, Telecomanda fara fir, lemn, LCD | 82.768 | EUR | 437.9312 | 0 | 24 | 15501 |
| Boxe | MicroLab | Boxe MicroLab FC-730, 5.1, 84 W RMS, amplificator separat, lemn, telecomanda fara fir, LCD | 82.768 | EUR | 437.9312 | 0 | 24 | 16991 |
| Boxe | MicroLab | Boxe MicroLab FM-6662, 5.1, 94 W RMS, radio AM/FM, amplificator separat, telecomanda, afisaj | 80.976 | EUR | 428.456 | 0 | 24 | 16986 |
| Boxe | MicroLab | Boxe MicroLab FC-365, 5.1, 99 W RMS, amplificator separat, telecomanda fara fir, LCD | 82.768 | EUR | 437.9312 | 0 | 24 | 16988 |
| Boxe | MicroLab | Boxe MicroLab X-23, 5.1, 99 W RMS, amplificator separat, subwoofer lemn, telecomanda fara fir, LCD | 93.632 | EUR | 495.4096 | 0 | 24 | 16982 |
| Boxe | MicroLab | Boxe MicroLab X-4, 5.1, 190 W RMS, Black, telecomanda | 126.112 | EUR | 667.2736 | 0 | 24 | 15072 |
| Boxe | MicroLab | Boxe MicroLab X-5, 5.1, 240 W RMS, Silver, telecomanda | 161.616 | EUR | 855.12 | 0 | 24 | 15073 |
| Boxe | MicroLab | Boxe MicroLab X-10L, 5.1, 260 W RMS, Silver, telecomanda, LCD Display | 173.936 | EUR | 920.304 | 0 | 24 | 15074 |
| Boxe | MicroLab | Boxe MicroLab H600, 5.1, 100 W RMS, Hi-End design, subwoofer Hi-End MDF, telecomanda fara fir, LCD | 292.32 | EUR | 1546.686 | 0 | 24 | 16980 |
| Boxe | MicroLab | Boxe MicroLab X-25, 5.1, 270 W RMS, Silver-Black, telecomanda, 2 standuri, LCD Display | 240.912 | EUR | 1274.683 | S | 24 | 15075 |
| Boxe | MicroLab | Boxe MicroLab X-27, 5.1, 270 W RMS, telecomanda fara fir, LCD, 4 standuri metalice | 335.888 | EUR | 1777.205 | 0 | 24 | 16985 |
| Boxe | MicroLab | Boxe MicroLab X-10D, 5.1, 300 W RMS, subwoofer lemn, telecomanda, 2 standuri, decodor digital | 245.952 | EUR | 1301.35 | 0 | 24 | 16989 |
| Camere Web | | | | | | | | |
| Camere Web | Cirkuit Plan | Camera Web High School Musical "DSY-WC321" - Disney | 13.328 | EUR | 70.5152 | S | 12 | 20012 |
| Camere Web | Cirkuit Plan | Camera Web Mickey color "DSY-WC302" - Disney | 13.328 | EUR | 70.5152 | S | 12 | 20008 |
| Camere Web | Cirkuit Plan | Camera Web Princess "DSY-WC312"- Disney | 13.328 | EUR | 70.5152 | C | 12 | 20011 |
| Camere Web | Oem | PC Camera Toy WFT-050, 300k, USB, Funny Cat | 6.608 | EUR | 34.9664 | S | 12 | 12189 |

| | | | | | | | | |
|------------|-----------|--|---------|-----|----------|------|----|-------|
| Camere Web | Canyon | PC Camera Canyon CN-WCAM43G, 300k, USB, 800x600@15fps Video, Senzor CMOS, USB 1.1, Fast Snap Button, Retail, Black-Green | 10.752 | USD | 43.456 | CALL | 24 | 19199 |
| Camere Web | Canyon | PC Camera Canyon CNR-WCAM513G, 1.3M, USB, 1280x960@15fps Video, Senzor CMOS, USB 2.0, Microfon, Fast Snap Button, Retail, Orange/White. | 14.896 | USD | 60.2 | CALL | 24 | 19200 |
| Camere Web | Canyon | PC Camera Canyon CNR-WCAM613G, 1.3M, USB, 1280x960@15fps Video, Senzor CMOS, USB 2.0, Microfon, Retail, Built-in lamp, Pentru desktop, Black/Orange | 14.896 | USD | 60.2 | S | 24 | 19202 |
| Camere Web | Canyon | PC Camera Canyon CNR-WCAM713G, 1.3M, USB, 1280x960@15fps Video, Senzor CMOS, USB 2.0, Microfon, Retail, Pentru desktop, Se poate monta si pe monitorul LCD, Black/Silver | 14.896 | USD | 60.2 | S | 24 | 19203 |
| Camere Web | Canyon | PC Camera Canyon CNR-WCAM813, 1.3Mpixeli, CMOS, USB 2.0, Foto 1280x1024, Video 30fps (640x480), Face Tracking, Auto brightness, Auto white balance, Orange/Silver, Retail, 100gr.. | 14.896 | USD | 60.2 | SL | 24 | 21898 |
| Camere Web | Canyon | PC Camera Canyon CNR-WCAM820, 2Mpixeli, CMOS, USB 2.0, Foto 1600x1200, Video 30fps (640x480), Microfon, Auto white balance, Blue, Retail, 100gr.. | 20.944 | USD | 84.6384 | 0 | 24 | 21899 |
| Camere Web | Canyon | PC Camera Canyon CN-WCAM413G, 1.3M, USB, 1280x1024@15fps Video, Senzor CMOS, Face Tracking, USB 2.0, Microfon, Fast Snap Button, Retail, Black-Blue | 14.896 | USD | 60.2 | S | 24 | 19198 |
| Camere Web | Canyon | PC Camera Canyon CNP-WCAM313G, 1.3M, USB, 640x480@30fps Video, Senzor CMOS, Retail, Microfon, Black-Silver | 16.352 | USD | 66.08 | SL | 24 | 19204 |
| Camere Web | Chicony | PC Camera Chicony Icam 5138, 1.3M, USB, black/silver, SXGA, 1.3M (1280 x 1024), 30 fps@VGA, 15 fps@SXGA, 5M (2560 x 2048), Microphone, Snapshot | 17.92 | USD | 72.4192 | C | 12 | 26085 |
| Camere Web | Well | PC Camera Well CMP-WEBCAM01W, 300k, USB, 320x240@30fps Video, 640x480 Photo, Buton Snapshot, Silver-Black, Retail | 10.9648 | EUR | 58.016 | S | 12 | 21078 |
| Camere Web | Well | PC Camera Well CMP-WEBCAM01W, 300k, USB, 320x240@30fps Video, 640x480 Photo, Buton Snapshot, Silver-Black, Retail | 17.024 | EUR | 90.0704 | S | 12 | 21080 |
| Camere Web | RPC | PC Camera RPC-WB-123, 1.3MP, USB, Notebook, 30fps@VGA, Senzor CMOS, SMP pentru imagini statice, USB Video Class, detectia miscarilor fetei, buton captura imagini statice | 20.272 | USD | 81.9168 | S | 24 | 18143 |
| Camere Web | A4tech | PC Camera A4Tech PK710MJ, 5Mpixeli (rezolutie video maxima), USB, 320x240@30fps Video, 640x480 Photo, Senzor CMOS, Built-in microphone, PC and notebook, Retail | 20.832 | USD | 84.1904 | S | 12 | 14640 |
| Camere Web | A4tech | PC Camera A4Tech PK35N, 350k, USB, 352x288@30fps Video, 640x480 Photo, Senzor CMOS, Retail, Notebook camera | 11.648 | USD | 47.0736 | C | 12 | 5412 |
| Camere Web | A4tech | PC Camera A4Tech PK130MG, 1.3Mpixeli, USB, View Angle 72 grade, Microfon incorporat, Flicker control, Face tracing technology, Retail | 17.024 | USD | 68.8016 | C | 12 | 16015 |
| Camere Web | A4tech | PC Camera A4Tech PK5, 350k, USB, 352x288@30fps Video, 640x480 Photo, Senzor CMOS, Microphone, 360 degree rotation, Snap Shot Button, Retail | 15.008 | USD | 60.648 | S | 12 | 8732 |
| Camere Web | Fujitsu | PC Camera Fujitsu max. 1280*1024, rez. video 640*480, max. 30fps, Snapshot function, USB | 9.9792 | EUR | 52.7968 | C | 12 | 23762 |
| Camere Web | Modecom | PC Camera Modecom Venus, senzor: 1/4" CMOS, rezolutie nativa: 1600x1200 pixeli, rezolutie captura imagini: 1600x1200 pixeli, rezolutie captura video: 1600x1200 pixeli, frame rate: 30 fps (640x480 pixeli); 15 fps (1600x1200 pixeli), microfon incorporat, luminozitate automata (4 led-uri), distanta focala: 30mm la infinit, USB 2.0 | 20.944 | USD | 84.6384 | S | 12 | 22691 |
| Camere Web | Modecom | PC Camera Modecom YOYO, senzor: 1/4" CMOS, rezolutie nativa: 640x480 pixeli, rezolutie captura imagini: pana la 7.6M pixeli, rezolutie captura video: pana la 2560x1920 pixeli, frame rate: pana la 30 fps (640x480 pixeli), microfon incorporat, luminozitate automata, distanta focala: 30mm la infinit | 20.72 | USD | 83.7312 | S | 12 | 25980 |
| Camere Web | Hercules | PC Camera Hercules Classic Link, Camera web cu microfon incorporat, USB 2.0 (compatibil USB 1.1), senzor VGA CMOS pentru captura foto si video la 800x600 pixeli, pana la 30 fps, focalizare reglabila manual, rotire 360 grade, sistem de prindere universal pentru orice tip de monitor, software inclus: Webcam Station Evolution SE, pentru Windows XP SP2 & Windows Vista 32/64 bits. | 12.32 | EUR | 65.184 | S | 24 | 21920 |
| Camere Web | Hercules | PC Camera Hercules Classic, 1.3Mpixeli, USB, 640x480@30fps Video, 1024x960 Photo, Senzor CMOS, lumina LED pentru conditii de luminozitate scazuta cu pornire automata, Silver, Retail | 16.8 | EUR | 88.8944 | S | 24 | 10497 |
| Camere Web | Hercules | PC Camera Hercules Deluxe, 1.3Mpixeli, USB, 640x480@30fps Video, 1024x960 Photo, Senzor CMOS, microfon, lumina LED pentru conditii de luminozitate scazuta cu potentiometru, Retail | 19.04 | EUR | 100.744 | S | 24 | 7745 |
| Camere Web | Hercules | PC Camera Hercules Dualpix Exchange, max. 2Mpixeli, USB, 640x480@30fps Video - 3x zoom digital, Rotire 360 grade pe orizontala si 60 grade pe verticala, 1024x960 Photo, Senzor VGA CMOS, Microfon, Retail | 16.688 | EUR | 88.3008 | C | 24 | 12078 |
| Camere Web | Hercules | PC Camera Hercules Dualpix HD, 1.3Mpixeli, USB, 640x480@30fps Video - 3x zoom digital, Rotire 360 grade pe orizontala si 60 grade pe verticala, Casca cu microfon inclusa, 1024x960 Photo, Senzor CMOS, Retail | 26.88 | EUR | 142.2288 | C | 24 | 7747 |
| Camere Web | Prestigio | PC Camera Prestigio PWC213, 1.3Mpixel, 1/6", CMOS, USB 2.0, Black/Bronze | 17.92 | USD | 72.4192 | S | 24 | 23145 |
| Camere Web | Prestigio | PC Camera Prestigio PWC320, 2Mpixel, 1/4", CMOS, 2Mpixel, USB 2.0, Black | 23.968 | USD | 96.8576 | S | 24 | 23146 |
| Camere Web | Logitech | PC Camera Logitech Quickcam C100, VGA Sensor, rez. video 640x480, max. 30fps, Universal monitor clip, USB 2.0 | 9.9568 | EUR | 52.6848 | S | 24 | 25594 |
| Camere Web | Logitech | PC Camera Logitech Quickcam C120, VGA Sensor, rez. video 640x480, max. 30fps, Universal monitor clip, USB 2.0 | 11.536 | EUR | 61.04 | S | 24 | 20486 |
| Camere Web | Logitech | PC Camera Logitech Quickcam C200, CMOS sensor, Video capture: 640 x 480 pixels, Up to 30 frames per second video, Hi-Speed USB 2.0 certified, Universal clip fits notebooks, LCD or CRT monitors | 14.784 | EUR | 78.2208 | S | 24 | 21701 |
| Camere Web | Logitech | PC Camera Logitech Quickcam C250, VGA sensor, Video capture: 800 x 600 pixels, Up to 30 frames per second video, Hi-Speed USB 2.0 certified, Built-in microphone, Snapshot button, Universal clip fits notebooks, LCD or CRT monitors | 22.624 | EUR | 119.7056 | C | 24 | 21702 |
| Camere Web | Logitech | PC Camera Logitech Quickcam C300, 1.3-megapixel sensor, Video capture: up to 1280 x 1024 pixels, Up to 30 frames per second video, Logitech RightLight technology, Built-in microphone, Hi-Speed USB 2.0 certified, Universal clip fits notebooks, LCD or CRT monitors | 30.128 | EUR | 159.4096 | S | 24 | 21703 |
| Camere Web | Logitech | PC Camera Logitech Quickcam C500, 1.3MP Sensor, rez. video 1280x1024, max. 30fps, Built-In Mic, RightSound, RightLight, Video Effects Fun Filters, UVC Compliant, Universal monitor clip, USB 2.0 | 37.072 | EUR | 196.1456 | C | 24 | 20465 |
| Camere Web | Logitech | PC Camera Logitech Quickcam C600, 2.0-megapixel sensor, HD video capture (up to 1600 x 1200*), 720p wide-screen mode, Up to 30 frames per second video, Glass Lens, Logitech RightLight technology, Built-in microphone, Hi-Speed USB 2.0 certified, Universal clip fits notebooks, LCD or CRT monitors, fixed focus, Snapshot button | 66.752 | EUR | 353.192 | C | 24 | 21704 |
| Camere Web | Logitech | PC Camera Logitech Quickcam C905, 2MP HD Sensor, rez. video 1600x1200, max. 30fps, Built-In Mic, RightSound, RightLight 2, Video Effects Fun Filters, UVC Compliant, Universal monitor clip, USB 2.0 | 66.752 | EUR | 353.192 | C | 24 | 20464 |
| Camere Web | Logitech | PC Camera Logitech Quickcam Pro 9000, USB, 960x720 Video, 1600x1200 Photo, Lentile Carl Zeiss, Microfon, Up to 30 frames per second, Retail | 85.904 | EUR | 454.5296 | C | 24 | 10500 |
| Camere Web | Logitech | PC Camera Logitech Quickcam Vision Pro, USB, 2MP sensor, Carl Zeiss Lens, Premium Autofocus, RightLight2 technology, Built-In Mic, Universal monitor clip, 960-000301 | 83.664 | EUR | 442.6688 | C | 24 | 18012 |
| Camere Web | Microsoft | PC Camera Microsoft LifeCam Cinema HD, USB, 720p, Microfon, H5D-00004 | 53.76 | EUR | 284.4464 | C | 36 | 24777 |
| Camere Web | Microsoft | PC Camera Microsoft NX-3000, USB, 640x480 Video, 1280x960 Photo, 1.3 Mpixeli, Microfon, Senzor CMOS, WTB-00003 | 26.656 | EUR | 141.0416 | C | 36 | 10549 |
| Camere Web | Microsoft | PC Camera Microsoft VX-1000, USB, 640x480 Video, 640x480 Photo, Senzor CMOS, Microfon, EMEA, 64L-00001 | 37.296 | EUR | 197.3328 | 0 | 36 | 8271 |
| Camere Web | Microsoft | PC Camera Microsoft VX-3000, USB, 640x480 Video, 1280x960 Photo, Senzor CMOS, Microfon, 68A-00004/8 | 22.288 | EUR | 117.9248 | S | 36 | 14610 |
| Camere Web | Microsoft | PC Camera Microsoft VX-5000, USB, 3X zoom digital, 1.3 Mpixeli Photo, Senzor CMOS, Microfon, RKA-00004 | 26.656 | EUR | 141.0416 | S | 36 | 18511 |
| Camere Web | Microsoft | PC Camera Microsoft VX-5500, USB, 3X zoom digital, 1.3 Mpixeli Photo, Senzor CMOS, Microfon (Noise cancelling), E4C-00004 | 29.232 | EUR | 154.672 | C | 36 | 18512 |

| | | | | | | | | |
|------------|--------------|---|---------|-----|----------|------|----|-------|
| Camere Web | Microsoft | PC Camera Microsoft VX-700, USB, Senzor CMOS, Black, AMC-00004 | 15.008 | EUR | 79.408 | 0 | 36 | 17160 |
| Camere Web | Microsoft | PC Camera Microsoft VX-700 v2, USB, Senzor CMOS, Microfon, Black, AMC-00020 | 11.0432 | EUR | 58.4304 | S | 24 | 23856 |
| Camere Web | Microsoft | PC Camera Microsoft VX-7000, USB, 1920x1080 Video, 1600x1200 Photo, 2Mpxeli, Microfon, Senzor CMOS, CEA-00003 | 42.56 | EUR | 225.1872 | 0 | 36 | 10560 |
| Camere Web | Microsoft | PC Camera Microsoft NX-6000 + Wireless Laser Notebook Mouse 6000, USB, Mouse Microsoft Mobility Pack, 4PL-00005 | PROMO | EUR | 313.5888 | S | 36 | 10551 |
| Camere Web | Creative | Camera Web CREATIVE "Live! Cam Chat IM" + Handsfree Headset | 15.344 | EUR | 81.1888 | 0 | 24 | 19762 |
| Camere Web | Creative | PC Camera Creative Live!Cam Optia, 1.3Mpxeli Photo, USB, 640x480 Video, Manual Focus, Senzor (VGA) CMOS, Retail, 73VF027000003 | 33.152 | EUR | 175.4144 | 0 | 24 | 8318 |
| Camere Web | Creative | Camera Video PocketCam VADO Pink - 2GB, 2X digital zoom, USB | 74.704 | EUR | 395.2704 | 0 | 12 | 19761 |
| Camere Web | Asus | PC Camera Asus MIMIC-CX200, Internet camera, Built in Web server, LCD Display shows the IP Address Subnet Mask, and Gateway, support up to 30 remote viewers for each camera, allow 8 user accounts and passwords, extra 1xUSB Port for PC Camera, PoE support, 1 x RJ45 | 31.248 | USD | 126.28 | S | 24 | 18058 |
| | | Microfoane | | | | | | |
| Microfoane | Canyon | Microfon Canyon CNR-MIC1, Baza stabila, 3,5 mm jack, Comutare mod mute, Black/Orange | 5.1184 | USD | 20.6864 | C | 24 | 14681 |
| Microfoane | Canyon | Microfon Canyon CNR-MIC2, Ext. Microphone, Cable, Ret. Black | 5.1184 | USD | 20.6864 | S | 24 | 19313 |
| Microfoane | RPC | Microfon RPC MK-300, Parabolic, Capteaza sunetele din orice unghi | 3.5392 | USD | 14.3024 | 0 | 12 | 18139 |
| Microfoane | RPC | Microfon RPC MK210, Omidirectional | 1.7248 | USD | 6.9664 | CALL | 12 | 18093 |
| Microfoane | Logitech | Microfon Logitech Desktop, Noise-Canceling Boom Mic, Pivoting Design, Mute Switch, Stereo Mini Plug, 2.5m Shielded Cord | 10.3488 | EUR | 54.7568 | C | 24 | 18626 |
| Microfoane | Logitech | Microfon Logitech Dialog 320, Noise-Canceling Mic, Stereo Mini Plug, 2.6m Shielded Cord, 981-000004 | 4.1328 | EUR | 21.8624 | S | 24 | 25590 |
| | | Casti | | | | | | |
| Casti | Canyon | Casti Canyon CNR-EP1, Binaural Earphones, 20Hz-20kHz, 1.5m Cable, Retail | 4.7712 | USD | 19.2864 | 0 | 24 | 8972 |
| Casti | Canyon | Casti Canyon CNR-EP3, Binaural Earphones, 20Hz-20kHz, 1.5m Cable, Retail | 8.736 | USD | 35.3024 | M | 24 | 14327 |
| Casti | Canyon | Casti Canyon CNR-EP4, Binaural Earphones, 20Hz-20kHz, 1.1m Cable, Retail, Pink | 7.7728 | USD | 31.416 | SL | 24 | 19309 |
| Casti | Canyon | Casti Canyon CNR-EP5, Binaural Earphones, 20Hz-20kHz, 1.1m Cable, Retail, Blue | 7.7728 | USD | 31.416 | S | 24 | 19310 |
| Casti | Canyon | Casti Canyon CNR-EP6, Binaural Earphones, 20Hz-20kHz, 1.1m Cable, Retail, Green | 7.7728 | USD | 31.416 | C | 24 | 19311 |
| Casti | Canyon | Casti Canyon CNR-EP7, Binaural Earphones, 20Hz-20kHz, 1m Cable, Retail, White | 5.9808 | USD | 24.1696 | C | 24 | 19312 |
| Casti | Canyon | Casti Canyon CNR-HP2, 20Hz-20Khz, 4m cable, DJ Headphone, Retail | 17.92 | USD | 72.4192 | S | 24 | 19314 |
| Casti | Canyon | Casti Canyon CNR-HS1, Cu microfon, 20Hz-20KHz, 2.5M cable | 5.9808 | USD | 24.1696 | S | 24 | 4209 |
| Casti | Canyon | Casti Canyon CNR-HS11, Cu microfon, Cablu 2.4m, Impachetare Retail, Black-White-Orange | 7.7728 | USD | 31.416 | S | 24 | 23211 |
| Casti | Canyon | Casti Canyon CNR-HS2, Cu microfon, 20Hz-20KHz, 2.5M cable | 7.7728 | USD | 31.416 | S | 24 | 4210 |
| Casti | Canyon | Casti Canyon CNR-HS3, Cu microfon, 20Hz-20Khz, 3m cable | 14.896 | USD | 60.2 | S | 24 | 4211 |
| Casti | Canyon | Casti Canyon CNR-HS4, Cu microfon, Control volum, Black-Orange | 5.9808 | USD | 24.1696 | S | 24 | 14171 |
| Casti | Canyon | Casti Canyon CNR-HS7, Headphones Binaural, Microfon, Control volum, Black-Silver, Retail | 8.96 | USD | 36.2096 | S | 24 | 14172 |
| Casti | Canyon | Casti Canyon CNR-HS8, Binaural Headphones, 20Hz-20KHz, Microfon inclus, Cablu 2.4m, Impachetare Retail, Negre. | 7.7728 | USD | 31.416 | CALL | 24 | 20646 |
| Casti | Canyon | Casti Canyon CNR-BTH1 Bluetooth, Ultra sensitive omni-directional microphone, Unique dual-battery system, Crystal clear premium sound | 17.472 | USD | 70.6048 | S | 24 | 11658 |
| Casti | RPC | Casti RPC-11, Stereo, super bass, cablu cupru calitate superioara - se introduc in ureche | 4.5696 | USD | 18.4688 | C | 12 | 25315 |
| Casti | RPC | Casti RPC-311, Stereo - 15mm - se introduc in ureche | 1.8368 | USD | 7.4256 | S | 12 | 18094 |
| Casti | RPC | Casti RPC-MV602, Stereo - 30mm - reglaj volum si microfon | 2.128 | USD | 8.6016 | C | 12 | 18096 |
| Casti | RPC | Casti RPC-MV603, Stereo multimedia - 40mm - reglaj volum - microfon | 6.0256 | USD | 24.3488 | S | 12 | 18098 |
| Casti | RPC | Casti RPC-MV680, Stereo multimedia - 30mm - reglaj volum - microfon | 4.2784 | USD | 17.2928 | 0 | 12 | 18099 |
| Casti | RPC | Casti RPC-MV722, Stereo multimedia - 40mm - reglaj volum - microfon | 4.4576 | USD | 18.0096 | C | 12 | 18101 |
| Casti | RPC | Casti RPC-MV723, Stereo multimedia - 40mm - reglaj volum - microfon | 4.4576 | USD | 18.0096 | C | 12 | 18102 |
| Casti | RPC | Casti RPC-MV760, Stereo multimedia - 40mm - reglaj volum - microfon | 4.8608 | USD | 19.6448 | C | 12 | 18103 |
| Casti | RPC | Casti RPC-MV850, Stereo multimedia - 50mm - reglaj volum - microfon | 9.6096 | USD | 38.8304 | 0 | 12 | 18106 |
| Casti | RPC | Casti RPC-MV860, Stereo multimedia - 40mm - reglaj volum - microfon | 6.6976 | USD | 27.0704 | C | 12 | 18107 |
| Casti | RPC | Casti RPC-MV890, Stereo multimedia - 50mm - reglaj volum - microfon | 12.096 | USD | 48.8768 | C | 12 | 18108 |
| Casti | RPC | Casti RPC-MV930, Stereo - 30mm - suport pe gat - reglaj volum - microfon | 2.7104 | USD | 10.9536 | S | 12 | 18110 |
| Casti | RPC | Casti RPC-MV1860, Stereo multimedia - 40mm - reglaj volum - microfon, Vibratii bass in casti | 8.6464 | USD | 34.944 | C | 12 | 18112 |
| Casti | Modecom | Casti Modecom MC-710 X-Cellence, include microfon flexibil, controlul volumului pe cablu, forma ergonomica, permite pentru urechi din piele, marime difuzoare: 40mm, conector placat cu aur, castile se pot plia pentru a putea fi transportatemaui usor | 18.256 | USD | 73.7744 | SL | 12 | 25978 |
| Casti | Modecom | Casti Modecom MC-825 Sapphire, include microfon, controlul volumului pe cablu, buton on/off pentru microfon, forma ergonomica, marime difuzoare: 40mm | 9.9008 | USD | 40.0064 | SL | 12 | 25979 |
| Casti | Cirkuit Plan | Casti Hanna Montana "DSY-HP770" - Disney | 6.608 | EUR | 34.9664 | S | 12 | 19985 |
| Casti | Gembird | Casti Gembird MP3A-HS-HB1, headphone headband | 2.7216 | USD | 10.9984 | SL | 12 | 20670 |
| Casti | Cyber Snips | Casti Cyber Snips Sonar 5.1 Headset, lungime cablu 3m, include microfon unidirectional, 8 boxe (4 pentru fiecare ureche) pentru sunet surround, software-ul Cyber Snips 3D permite ajustarea individuala a fiecarui canal si aranjarea virtuala aboxelor, castile se pot plia pentru a putea fi transportate mai usor, placa de sunet USB plug & play | 58.8 | EUR | 311.1136 | SL | 12 | 24850 |
| Casti | Genius | Casti Genius HS-02N, Cu microfon, Control volum, Foldable, Sensitivity 101dB, ROHS | 4.5584 | USD | 18.424 | CALL | 24 | 16352 |
| Casti | Genius | Casti Genius HS-04N, Cu microfon, Control volum, Sensitivity 112dB, 6.3mm jack(+adapter), ROHS | 8.568 | USD | 34.6192 | S | 24 | 16353 |
| Casti | Genius | Casti Genius HS-04SU, Cu microfon, Control volum, Noise-canceling microphone, Headband, ROHS | 9.1056 | USD | 36.792 | S | 24 | 16354 |
| Casti | Genius | Casti Genius HS-04V, Cu microfon, Control volum, Gaming, Bass vibration, Headband, Audio adapter, ROHS | 12.992 | USD | 52.5056 | S | 24 | 16355 |
| Casti | Well | Casti Well CMP-HPIE01W, In ear, Silver-Black | 2.7328 | EUR | 14.4592 | C | 12 | 21072 |
| Casti | Well | Casti Well CMP-HPIE02W, In ear, Black | 3.864 | EUR | 20.44 | C | 12 | 21073 |
| Casti | Well | Casti Well CMP-HPIE03W, In ear, White | 3.3824 | EUR | 17.8976 | S | 12 | 21074 |
| Casti | Well | Casti Well CMP-HPIE04W, In ear, White | 3.472 | EUR | 18.368 | C | 12 | 21075 |
| Casti | Well | Casti Well CMP-HPIE05W, In ear, Black | 3.9088 | EUR | 20.6864 | C | 12 | 21076 |
| Casti | Well | Casti Well CMP-HPIE06W, In ear, White-Black | 3.3712 | EUR | 17.8416 | S | 12 | 21077 |
| Casti | Well | Casti cu microfon Well CMP-HEADSET01W, Over the head, White | 2.7104 | EUR | 14.336 | C | 12 | 21065 |
| Casti | Well | Casti cu microfon Well CMP-HEADSET02W, Over the head, White | 2.7664 | EUR | 14.6384 | C | 12 | 21066 |
| Casti | Well | Casti cu microfon Well CMP-HEADSET03W, Over the head, Silver-Black | 4.0992 | EUR | 21.6944 | C | 12 | 21067 |
| Casti | Well | Casti cu microfon Well CMP-HEADSET04W, Behind the neck, White | 3.024 | EUR | 16.0048 | C | 12 | 21068 |
| Casti | Well | Casti cu microfon Well CMP-HEADSET05W, Behind the neck, Silver-Black | 4.2448 | EUR | 22.456 | C | 12 | 21069 |
| Casti | Well | Casti cu microfon Well CMP-HEADSET06W, Over the head, Silver-Black | 7.2352 | EUR | 38.2816 | C | 12 | 21070 |
| Casti | Well | Casti cu microfon Well CMP-HEADSET07W, Over the head, Silver-Black | 5.8464 | EUR | 30.9344 | S | 12 | 21071 |

| | | | | | | | | |
|-------|---------------|---|---------|-------------|----------|---------|----|-------|
| Casti | Well | Casti cu microfon Well CMP-HEADSET10W, Over the head, White | 1.8032 | EUR | 9.5424 | C | 12 | 22744 |
| Casti | A4tech | Casti A4Tech HS-5P, Cu microfon | 4.0768 | USD | 16.4752 | S | 12 | 7865 |
| Casti | A4tech | Casti A4Tech HS-9D-1, Cu microfon, Volum pe fir, Lungimea cablu: 230cm, Pink | 2.6656 | USD | 10.7744 | C | 12 | 14664 |
| Casti | A4tech | Casti A4Tech HS-9D-1, Cu microfon, Volum pe fir, Lungimea cablu: 230cm, Purple | 3.8416 | USD | 15.5232 | S | 12 | 14665 |
| Casti | A4tech | Casti A4Tech HS-12-1, Cu microfon, Volum reglabil, White | 4.5472 | USD | 18.3792 | S | 12 | 14645 |
| Casti | A4tech | Casti A4Tech HS-12-2, Cu microfon, Volum reglabil, Green | 4.5472 | USD | 18.3792 | S | 12 | 14646 |
| Casti | A4tech | Casti A4Tech HS-12-3, Cu microfon, Volum reglabil, Pink | 4.5472 | USD | 18.3792 | S | 12 | 14647 |
| Casti | A4tech | Casti A4Tech HS-6, Cu microfon | 4.8944 | USD | 19.7792 | 0 | 12 | 10289 |
| Casti | A4tech | Casti A4Tech HS-7P, Cu microfon | 6.104 | USD | 24.6624 | S | 12 | 10290 |
| Casti | A4tech | Casti A4Tech MK-320, Metalice, Lungimea cablului 140 cm, In-Ear | 4.8944 | USD | 19.7792 | 0 | 12 | 14657 |
| Casti | A4tech | Casti A4Tech MK-330, Metalice, Lungimea cablului 101.5 cm, In-Ear | 5.3536 | USD | 21.6384 | S | 12 | 14658 |
| Casti | A4tech | Casti A4Tech HS-26, Lungimea cablului 180 cm, Behind the neck, Microfon si volum pe fir | 5.3536 | USD | 21.6384 | 0 | 12 | 14651 |
| Casti | A4tech | Casti A4Tech HS-50, Cu microfon, Lungimea cablului 198 cm | 8.1536 | USD | 32.9504 | S | 12 | 7867 |
| Casti | A4tech | Casti A4Tech MK-510, Metalice, Lungimea cablului 140 cm, In-Ear, Black | 5.712 | USD | 23.0832 | 0 | 12 | 14659 |
| Casti | A4tech | Casti A4Tech MK-630, Metalice, Lungimea cablului 140 cm, In-Ear, Pink | 6.9888 | USD | 28.2464 | 0 | 12 | 14661 |
| Casti | A4tech | Casti A4Tech HS-105, Lungimea cablului 200 cm, Over the head, Pliabile, Microfon si volum pe fir | 8.0416 | USD | 32.5024 | 0 | 12 | 14644 |
| Casti | A4tech | Casti A4Tech MK-910, Metalice, Lungimea cablului 140 cm, Clip-On, Black-Silver | 6.9888 | USD | 28.2464 | 0 | 12 | 14669 |
| Casti | Ozone | Casti Ozone Attack, casti audio pentru gaming, difuzoare de 40mm (15-25.000 Hz, 32 Ohm, 98 dB), pernele de la difuzoare imbracate in piele, banda de cap ergonomica si ajustabila, microfon ajustabil, controler de volum pe fir | 19.824 | EUR | 104.888 | S | 24 | 25140 |
| Casti | Ozone | Casti Ozone Oxid, casti audio pentru gaming, difuzoare de 40mm (20-20.000 Hz, 32 Ohm, 96 dB), bass puternic, pernele de la difuzoare imbracate in piele, microfon retractabil, controler de volum pe fir | 30.24 | EUR | 160.0032 | S | 24 | 25144 |
| Casti | Ozone | Casti Ozone Spark, casti audio pentru gaming, difuzoare de 50mm (20-20.000 Hz, 32 Ohm, 100 dB), pernele de la difuzoare imbracate in piele si interior rosu, banda de cap ergonomica si ajustabila, microfon ajustabil, controler de volum pe fir | 25.648 | EUR | 135.7104 | S | 24 | 25143 |
| Casti | Ozone | Casti Ozone Strato, casti audio pentru gaming 5.1, 4 difuzoare independente pentru un efect real de surround, bass puternic, pernele de la difuzoare imbracate in piele, microfon retractabil, controler de volum pe fir | 59.136 | EUR | 312.8944 | S | 24 | 25145 |
| Casti | Zowie Gear | Casti Zowie Hammer e-Sports Headset, include 2 seturi de pernite pentru urechi (piele si material textil), microfon ranforsat construit din aluminiu, headband rezistent la indoire | 56.448 | EUR | 298.6704 | SL | 24 | 23563 |
| Casti | Zowie Gear | Casti Zowie Hammer USB e-Sports Headset, include 2 seturi de pernite pentru urechi (piele si material textil), microfon ranforsat construit din aluminiu, headband rezistent la indoire, placa de sunet USB plug & play | 73.92 | EUR | 391.1152 | SL | 24 | 23564 |
| Casti | Altec Lansing | Casti Altec Lansing MHP206, inEar (Earphones), 20Hz - 20kHz, Decorate cu cristale Swarovski in forma de fluturi si floare, Conectori auriti, Diametru casca: 9mm, Lungimea cablului: 1.2m | 14.336 | EUR | 75.8576 | 0 | 24 | 18451 |
| Casti | Creative | CASCA CREATIVE "AURVANA LIVE!" | 76.16 | EUR | 402.9648 | 0 | 24 | 19772 |
| Casti | Creative | CASCA CREATIVE "FATAL1TY GAMING" + microfon | 27.44 | EUR | 145.1856 | C | 24 | 19777 |
| Casti | Creative | CASCA CREATIVE HS-100 "FATAL1TY USB GAMING" + microfon | 47.936 | EUR | 253.6352 | C | 24 | 19784 |
| Casti | Creative | CASCA CREATIVE "HS-450" + microfon | 16.128 | EUR | 85.3328 | 0 | 24 | 19782 |
| Casti | Creative | CASCA CREATIVE "HS-600" + microfon | 17.472 | EUR | 92.4448 | C | 24 | 19783 |
| Casti | Creative | CASCA CREATIVE HS-950 "USB GAMING" + microfon | 35.952 | EUR | 190.2208 | 0 | 24 | 19785 |
| Casti | Creative | CASCA CREATIVE "EP-220" - pentru MP3 player | 8.736 | EUR | 46.2224 | C | 24 | 19774 |
| Casti | Creative | CASCA CREATIVE "EP-510" - pentru MP3 player | 6.8096 | EUR | 36.0304 | 0 | 24 | 19776 |
| Casti | Creative | Casti Creative EP-630, Black | 18.816 | EUR | 99.5568 | C | 12 | 13561 |
| Casti | Creative | CASCA CREATIVE "HQ-1400" | 21.392 | EUR | 113.1872 | 0 | 24 | 19778 |
| Casti | Creative | CASCA CREATIVE "HQ-1900" | 31.92 | EUR | 168.896 | 0 | 24 | 19779 |
| Casti | Creative | CASCA CREATIVE "HS-1200" - Digital Wireless | 61.936 | EUR | 327.712 | 0 | 24 | 19780 |
| Casti | Creative | CASCA CREATIVE "HS-390" + microfon (MSN logo!) | 9.8 | EUR | 51.856 | S | 24 | 19781 |
| Casti | Teac | Casti Teac HP-3, Cu microfon, Control volum, Frequency reponse 20Hz-20KHz, Impedance 32 Ohm, Sensitivity 103dB, Diametru membrana 30mm | 5.376 | EUR | 28.448 | 0 | 12 | 17330 |
| Casti | Microsoft | Casti Microsoft LifeChat ZX-6000, Cu microfon, USB, JUF-00003 | 40.544 | EUR | 214.5248 | 0 | 36 | 18620 |
| Casti | Microsoft | Casti Microsoft LifeChat LX-2000, Cu microfon, Behind-the-ear, USB | 16.8 | EUR | 88.8944 | S | 36 | 16037 |
| Casti | Microsoft | Casti Microsoft LifeChat LX-3000, Cu microfon, USB, JUG-00003 | 24.08 | EUR | 127.4112 | S | 36 | 18619 |
| Casti | SteelSeries | Casti SteelSeries 5H v2, casti audio profesionale pentru gaming, optimizate pentru frecventele in-game, microfon retractabil, fidelitate audio extrema | 68.096 | EUR | 360.304 | C | 24 | 26779 |
| Casti | SteelSeries | Casti SteelSeries Siberia Neckband, casti audio profesionale pentru music si gaming, microfon retractabil, culoare alba, compatibile si cu Xbox360 | 68.656 | EUR | 363.2608 | 0 | 24 | 21517 |
| Casti | SteelSeries | Casti audio profesionale pentru gaming SteelSeries Siberia V2 Black, difuzoare de 50mm (10-28.000 Hz, 32 Ohm, 112 dB), difuzoare imbracate in piele, microfon retractabil (50-16.000 Hz), culoare neagra, include placa de sunet pe USB VirtualSurround 7.1 | 92.736 | EUR | 490.672 | C | 24 | 22142 |
| Casti | Sennheiser | Casti Sennheiser PC 161, casti cu microfon , sistem reglaj volum & mic.MUTE pe cablu, microfon pivotant, ajustabil, conector jack | 80.64 | EUR | 426.6752 | C | 24 | 26840 |
| Casti | Logitech | Casti Logitech Oem Dialog-220, In line control, Bulk | 3.1024 | EUR | 16.4192 | C | 36 | 11152 |
| Casti | Logitech | Casti Logitech Clear Chat Comfort USB, Cu microfon ajustabil, Cablu: 2.4m | 28.336 | EUR | 149.9232 | 0 | 24 | 18629 |
| Casti | Logitech | Casti Logitech Clear Chat PC Wireless, Cu microfon ajustabil, Wireless 2.4GHz, USB wireless transmitter, Wireless transmitter stand, AC charger | 73.024 | EUR | 386.3776 | C - LIM | 24 | 18631 |
| Casti | Logitech | Casti Logitech Clear Chat Pro USB, Cu microfon ajustabil, Cablu: 2.4m | 38.64 | EUR | 204.4448 | C | 24 | 18630 |
| Casti | Logitech | Casti Logitech Clear Chat Stereo, Cu microfon, In line controls, Behind the head style | 13.776 | EUR | 72.8896 | S | 24 | 11147 |
| Casti | Logitech | Casti Logitech Clear Chat Style, Cu microfon ajustabil, Cablu: 2.4m | 18.032 | EUR | 95.4128 | CALL | 24 | 18628 |
| Casti | Logitech | Casti Logitech G35 surround headset, Gaming Headset, 20Hz-20KHz, 7.1 surround sound powered by Dolby technology, Over-the-Head Design, On-Ear Audio Controls, conector USB 2.0, microfon noise-cancelling, 40mm | 109.088 | EUR | 577.192 | C | 24 | 21671 |
| Casti | Logitech | Casti Logitech H165 Notebook headset , In ear, 20HZ-16KHz, 3.5 mm jack, microphone and Mute switch, Silicon ear tips in three sizes, Travel case | 14.112 | EUR | 74.6704 | SL | 24 | 21673 |
| Casti | Logitech | Casti Logitech H330 USB headset , Headset, 50Hz-15KHz, conector USB 2.0, microfon noise-cancelling | 19.6 | EUR | 103.7008 | 0 | 24 | 21672 |
| Casti | Logitech | Casti Logitech PC Headset 120, Cu microfon ajustabil (Noise-Canceling) | 12.768 | EUR | 67.5584 | S | 24 | 18627 |
| Casti | Logitech | Casti Logitech Premium Notebook Headset, Microfon, In line control, Behind the head style | 39.2 | EUR | 207.4128 | C | 24 | 11148 |
| Casti | Logitech | Casti Logitech Premium Stereo Headset, Noise cancelling microphone, In line Control, Analog | 23.968 | EUR | 126.8176 | C | 24 | 6256 |
| Casti | Logitech | Car charger Logitech, For mobile headset, 980372-0914 | 7.4032 | EUR | 39.1664 | C | 24 | 18636 |
| | | | | Gamepad-uri | | | | |

| | | | | | | | | |
|------------------------------|--------------|---|---------|-----|----------|------|----|-------|
| Gamepad-uri | Thrustmaster | Gamepad Thrustmaster Firestorm Digital 3, USB, 8 butoane de actiune, 8 way D-Pad, Nu necesita drivere | 5.6 | EUR | 29.6352 | S | 24 | 1687 |
| Gamepad-uri | Thrustmaster | Gamepad Thrustmaster Firestorm Dual Analog 3, USB, 2 controlere analogice - 4 axe, 12 butoane programabile, 8 way D-Pad | 8.96 | EUR | 47.4096 | CALL | 24 | 1688 |
| Gamepad-uri | Thrustmaster | Gamepad Thrustmaster Firestorm Dual Trigger 3, USB, 2 controlere analogice - 4 axe, 12 butoane programabile, 8 way D-Pad | 16.8 | EUR | 88.8944 | S | 24 | 12073 |
| Gamepad-uri | Thrustmaster | Gamepad Thrustmaster Firestorm Dual Trigger 3 RMBLF, Rumble force, USB, 2 controlere analogice - 4 axe, 12 butoane programabile, 8 way D-Pad | 20.16 | EUR | 106.6688 | M | 24 | 12075 |
| Gamepad-uri | Saitek | Gamepad Saitek Cyborg Command Unit, combina controalele esentiale din jocuri de tip FPS si Strategy, comutare rapida intre 3 moduri de functionare: FPS, RTS si RPG, hat-switch analog 4-way, 21 de butoane inclusiv Space, Shift (3 moduri de functionare, pana la 144 de comenzi programabile), conectare USB | 28.336 | EUR | 149.9232 | 0 | 24 | 15165 |
| Gamepad-uri | Saitek | Gamepad Saitek Cyborg Rumble Pad, gamepad cu vibratii, full programabil, modul reversibil 180 grade cu stick si d-pad, 2 butoane quick-fire, 2 tragaciuni analogice, 8-way d-pad, 6 butoane standard, butoane Start si Back, 2 mini joystick-uri integrate, posibilitati avansate de programare, foloseste tehnologia patentata Immersion pentru vibratii, compatibil PC & XBOX 360 | 24.864 | EUR | 131.5552 | 0 | 24 | 18762 |
| Gamepad-uri | Logitech | Gamepad Logitech Dual Action, USB | 21.616 | EUR | 114.3744 | C | 24 | 3255 |
| Gamepad-uri | Logitech | Drum Controller Logitech Wireless, Music Controller, Fully adjustable, Guitar Hero World Tour controls, Sets up quickly, folds flat, Bass pedal with stainless steel, Extended battery life, PS3 and PS2 compatible, Wireless USB, PS2, PS3 | 122.864 | EUR | 650.0816 | C | 24 | 21707 |
| Gamepad-uri | Logitech | Gamepad Logitech Chillstream Controller, USB | 30.688 | EUR | 162.3776 | C | 24 | 8398 |
| Gamepad-uri | Logitech | Gamepad Logitech Rumblepad II, USB | 28.224 | EUR | 149.3408 | C | 24 | 2966 |
| Gamepad-uri | Logitech | Guitar Controller Logitech Wireless, Music Controller, Virtually silent controls, 2.4 GHz wireless USB receiver, Guitar Hero controls, Up to 10 m range., Wireless USB, PS2, PS3 | 122.864 | EUR | 650.0816 | C | 24 | 21706 |
| Joystick-uri | | | | | | | | |
| Joystick-uri | Thrustmaster | Joystick Thrustmaster, USB, Thumb Throttle, 3 butoane de actiune + tragaci, 8-way hat switch, Ergonomic, Baza stabila | 10.864 | EUR | 57.4784 | C | 24 | 1691 |
| Joystick-uri | Thrustmaster | Joystick Thrustmaster Hotas X, USB, joystick compatibil PS3&PC, maneta extrem de sensibila cu rezistenta ajustabila, suport ergonomic pentru mana si posibilitate de rotire, throttle in marime naturala detasabil, 12 butoane si 5 axe complet programabile. | 29.12 | EUR | 154.0784 | CALL | 24 | 19373 |
| Joystick-uri | Thrustmaster | Joystick Thrustmaster T.Flight Stick X, USB, joystick compatibil PS3&PC, maneta extrem de precisa cu rezistenta ajustabila, suport ergonomic pentru mana si posibilitate de rotire, thumb throttle, 12 butoane si 4 axe | 21.28 | EUR | 112.5936 | S | 24 | 19629 |
| Joystick-uri | Saitek | Joystick Saitek Cyborg Evo Force | 47.936 | EUR | 253.6352 | 0 | 24 | 7529 |
| Joystick-uri | Saitek | Joystick Saitek X52 | 88.928 | EUR | 470.5232 | 0 | 24 | 7530 |
| Joystick-uri | Logitech | Joystick Logitech Attack 3, USB | 20.72 | EUR | 109.6256 | S | 24 | 2041 |
| Volane | | | | | | | | |
| Volane | Thrustmaster | Volan Thrustmaster Clutch FFB, 3 pedale cu force feedback (tehnologie emmersion touchsense), actionare progresiva pe 5 axe - schimbator de viteze manual, D-pad 8 directii, 2 clapete pentru schimbarea treptelor de viteza (montate pe volan) | 88.704 | EUR | 469.336 | C | 24 | 12098 |
| Volane | Thrustmaster | Volan Thrustmaster GT Experience, 2 motoare integrate pentru efecte de vibratie, 8 butoane de actiune, D-pad 8 directii, 2 clapete digitale programabile pentru schimbarea treptelor de viteza (montate pe volan) | 38.08 | EUR | 201.488 | CALL | 24 | 10499 |
| Volane | Logitech | Volan Logitech G27, Wheel, Dual-motor force feedback, 900-degree wheel rotation, 28 cm rubber-overmold rim, Steel gas, brake, and clutch pedals, Six-speed shifter, 16 programmable buttons plus D-pad, Custom tuned for popular games, Optical encoding, PC-compatible software, USB, PC, PLAYSTATION 3 | 312.368 | EUR | 1652.762 | C | 24 | 21705 |
| Volane | Logitech | Volan Logitech Driving Force GT, PS3, 2 pedale, schimbator de viteza | 125.216 | EUR | 662.5248 | C | 24 | 15077 |
| Tablete grafice | | | | | | | | |
| Tablete grafic | Wacom | Accesorii Tableta Grafica Wacom Intuos 3, Art Marker | 79.744 | EUR | 421.9264 | 0 | 12 | 10820 |
| Tablete grafic | Wacom | Accesorii Tableta Grafica Wacom Intuos 3, Classic Pen | 79.744 | EUR | 421.9264 | 0 | 12 | 6577 |
| Tablete grafic | Wacom | Accesorii Tableta Grafica Wacom Intuos 3, Grip Pen | 98.224 | EUR | 519.7136 | 0 | 12 | 6527 |
| Tablete grafic | Wacom | Accesorii Tableta Grafica Wacom Intuos 3, Ink Pen | 98.224 | EUR | 519.7136 | 0 | 12 | 6578 |
| Tablete grafic | Wacom | Accesorii Tableta Grafica Wacom Intuos 3, Lens Cursor | 92.512 | EUR | 489.4848 | 0 | 12 | 10819 |
| Tablete grafic | Wacom | Accesorii Tableta Grafica Wacom Intuos 3, Mouse | 40.432 | EUR | 213.9312 | 0 | 12 | 10817 |
| Tablete grafic | Wacom | Accesorii Tableta Grafica Wacom Intuos 3, Airbrush | 150.192 | EUR | 794.6736 | 0 | 12 | 10818 |
| Tablete grafic | Wacom | Tableta Grafica Wacom Intuos 4 Medium 8.8x5.5 aspect: 16:10, presiune: 2048 nivele, rezolutie 5080 lpi, senzor inclinare: +/- 60 grade, Touch Ring -1, ExpressKeys-8 | 335.44 | EUR | 1774.842 | C | 24 | 19846 |
| Tablete grafic | Wacom | Tableta Grafica Wacom Intuos 4 Large 12.8"x8.0" aspect: 16:10, presiune: 2048 nivele, rezolutie 5080 lpi, senzor inclinare: +/- 60 grade Touch Ring -1, ExpressKeys-8 | 435.68 | EUR | 2305.218 | S | 24 | 22242 |
| Tablete grafic | Genius | Tableta Grafica Genius G-PEN F610, 6" x 10" working area, cordless pen, cordless mouse, USB | 79.408 | USD | 320.9024 | C | 24 | 22243 |
| Tablete grafic | Genius | Tableta Grafica Genius Pensketch 9X12, 12"x 9" working area, cordless pen, cordless mouse, USB | 125.216 | USD | 506.016 | C | 24 | 22244 |
| Tablete grafic | Wacom | Tableta Grafica Wacom Bamboo Bamboo Pen & Touch, A6, Pen Input, Touch Input, Express Keys: 4, Nivele de presiune: 1024, Aspect 16:10, Dimensiune tableta: 248 x 176 x 8.5 mm | 86.24 | EUR | 456.2992 | C | 24 | 25515 |
| Tablete grafic | Kanvus | Tableta Grafica Kanvus Life 106, 6" x 10", 2000 LPI, 1024-level, USB 1.1, 29 Macro keys (Up:13; Left:8; Right:8), 308 x 258 x 10.5 mm | 81.648 | USD | 329.952 | 0 | 24 | 26480 |
| Tablete grafic | Kanvus | Tableta Grafica Kanvus Light 64, 6" x 4.5", 2048 LPI, 1024-level, USB 1.1, 3 Keys, 190.5 x 196 x 7.8 mm | 36.512 | USD | 147.5488 | C | 24 | 26478 |
| Tablete grafic | Kanvus | Tableta Grafica Kanvus Note A4, A4 or Letter Size, Advance 1024 Level, 2000 LPI, Efficient 200 Report Rate / Second, Built-in 32MB NAND Flash, Support JPG, BMP, PDF, NOTES File Formats Output | 162.176 | USD | 655.3792 | 0 | 24 | 26482 |
| Tablete grafic | Kanvus | Tableta Grafica Kanvus Note A5, A5 (150 x 210 mm), Advance 1024 Level, 2000 LPI, Efficient 200 Report Rate / Second, Built-in 32MB NAND Flash, Support JPG, BMP, PDF, NOTES File Formats Output | 125.216 | USD | 506.016 | C | 24 | 26481 |
| Tablete grafic | Kanvus | Tableta Grafica Kanvus Office 53, 3" x 5", 2000 LPI, 1024-level, USB 1.1, 22 Macro keys (Up:10; Left:6; Right:6), 190 x 150 x 8.5 mm | 43.456 | USD | 175.616 | C | 24 | 26479 |
| Calculatoare de birou | | | | | | | | |
| Calculatoare | Canon | Calculator LC-211L, 8 Digit; Battery Power; Hard Cover | 2.2064 | EUR | 11.6704 | 0 | 12 | 5722 |
| Calculatoare | Canon | Calculatro LS-123TC, 12 Digits; Dual Power; LCD display; tax and currency conversion functions | 8.0416 | EUR | 42.5488 | C | 12 | 19390 |
| Calculatoare | Canon | Calculator LC-8E, 8 Digit; Battery Power; Euro converter | 2.2848 | EUR | 12.0848 | C | 12 | 4082 |
| Calculatoare | Canon | Calculator LS-270H, 8 Digit; Dual Power | 2.7776 | EUR | 14.6944 | C | 12 | 3607 |
| Calculatoare | Canon | Calculator LS-39E, 8 Digit; Dual Power.; EUR converter | 2.9008 | EUR | 15.344 | C | 12 | 4083 |
| Calculatoare | Canon | Calculator LS-10E, 10 Digit; Dual Power; EUR, converter | 4.5808 | EUR | 24.2368 | C | 12 | 3612 |
| Calculatoare | Canon | Calculator F-604, 142 Scientific and statistical functions | 6.272 | EUR | 33.1856 | S | 12 | 3608 |
| Calculatoare | Canon | Calculator F-710, 139 Scientific and statistical functions, 10+2 digits | 7.4704 | EUR | 39.5248 | C | 12 | 16464 |
| Calculatoare | Canon | Calculator WS-1210T 12-digit, Dual Power, IT-Touch keyboard | 9.8448 | EUR | 52.0912 | 0 | 12 | 6043 |
| Calculatoare | Canon | Calculator P23-DTS II, 12 Digit; Portable 2 colour; Tax, Business; w/Battery | 19.152 | EUR | 101.3376 | C | 12 | 4081 |
| Calculatoare | Canon | Calculator WS-2226 HB, 16 Digit; Dual Power; double independant memory function | 11.536 | EUR | 61.04 | C | 12 | 3610 |
| Calculatoare | Canon | Calculator MP120-LTS, 12 Digit; Roller; 2 Colour printing, display; Tax/Business calc | 36.176 | EUR | 191.408 | 0 | 12 | 4079 |

| | | | | | | | | |
|----------------------|---------|--|---------|-----|----------|------|----|-------|
| Calculatoare | Canon | Calculator BP36-LTS, 12-digit, AC power, back-light display, Bubble Jet printing | 77.504 | EUR | 410.0768 | 0 | 12 | 4078 |
| Calculatoare | HP | Calculator stiintific HP 10S, 2 linii X 10 caractere, 240 functii incorporate, 24 zecimale precizie de calcul, 10 registri de memorie, lucreaza cu constante din fizica, calcule probabilitice - combinatorice, evaluare expresii cu variabile multiple, rezolva equatii quadratice si lineare, linia de comanda editabila, statistici cu 1 si 2 variabile, lucreaza in diverse sisteme de coordonate, notatii in sistemul fix-point, floating-point, scientific. | 17.36 | EUR | 91.8512 | SL | 12 | 24991 |
| Calculatoare | HP | Calculator stiintific HP 30S, 2 linii X 10 caractere, 250+ functii incorporate, 24 zecimale precizie de calcul, 10 registri de memorie, lucreaza cu constante din fizica, calcule probabilitice - combinatorice, evaluare expresii cu variabile multiple, rezolva equatii quadratice si lineare, linia de comanda editabila, statistici cu 1 si 2 variabile, lucreaza in diverse sisteme de coordonate, notatii in sistemul fix-point, floating-point, scientific. | 17.36 | EUR | 91.8512 | C | 12 | 16484 |
| Monitoare LCD | | | | | | | | |
| Monitoare LC | Horizon | Monitor Horizon 7005L12BS, 17" TFT, 1280x1024, 0.264dp, c/s 500/300cd, 160/140 (H/V), 8ms, TCO99, DVI, Black-Silver | 136.08 | USD | 549.92 | 0 | 36 | 6346 |
| Monitoare LC | Horizon | Monitor Horizon 7005LBS, 17" TFT, 1280x1024, 0.264dp, c/s 500/300cd, 160/140 (H/V), 8ms, TCO99, Black-Silver | 140.448 | USD | 567.5712 | C | 36 | 3893 |
| Monitoare LC | Horizon | Monitor Horizon 7006S, 17" TFT, 1280x1024, 0.264dp, c/s 500/300cd, 160/140 (H/V), 5ms G2G, TCO03, Silver | 137.2 | USD | 554.4448 | 0 | 36 | 9361 |
| Monitoare LC | Horizon | Monitor Horizon 9005L12BS, 19" TFT, 1280x1024, 0.297dp, c/s 600/250cd, 160/160 (H/V), 8ms, TCO99, DVI, Boxe, Black-Silver | 149.184 | USD | 602.8736 | 0 | 36 | 6347 |
| Monitoare LC | Horizon | Monitor Horizon 9005LBS, 19" TFT, 1280x1024, 0.297dp, c/s 600/250cd, 160/160 (H/V), 8ms, TCO99, Boxe, Black-Silver | 136.08 | USD | 549.92 | C | 36 | 3894 |
| Monitoare LC | Horizon | Monitor Horizon 9004LW, 19" TFT, 1440x900, 0.285dp, c/s 700/300cd, 150/135 (H/V), 5ms, TCO03, Black-Silver, posibil pixeli defecti | 117.6 | USD | 475.2384 | C | 36 | 17194 |
| Monitoare LC | Horizon | Monitor Horizon 9006SW Wide, 19" TFT, 1440x900, c/s 600/250cd, 160/160 (H/V), 4ms G2G, TCO99, DVI, Boxe, Silver | 139.328 | USD | 563.0464 | S | 36 | 7423 |
| Monitoare LC | Horizon | Monitor Horizon 2206SW Wide, 22" TFT, 1680x1050, 0.297dp, c/s 800/300cd, 160/160 (H/V), 5ms, TCO03, DVI, Boxe, Black-Silver | 157.808 | USD | 637.728 | C | 36 | 8319 |
| Monitoare LC | Horizon | Monitor Horizon 2408SW Wide, 24" TFT, 1920x1200, 5ms, DVI, pivot, card reader, USB, TCO03, Black-Silver, panel LG grad A+ | 217.728 | USD | 879.872 | S | 36 | 16941 |
| Monitoare LC | RPC | Monitor RPC 938W, 19" TFT, 1440x900, 0.285dp, c/s 1000/300cd, 5ms, TCO99, Silver black/ Black, D-Sub, Boxe, Sistem de montare pe perete (nu include suport) | 95.648 | EUR | 506.0832 | C | 36 | 17787 |
| Monitoare LC | RPC | Monitor RPC 2238W, 22" TFT, 1680x1050, 0.282dp, c/s 1000/300cd, 5ms, TCO99, Silver black/ Black, D-Sub, Boxe, Sistem de montare pe perete (nu include suport) | 122.864 | EUR | 650.0816 | C | 36 | 17788 |
| Monitoare LC | HANNSG | Monitor HannsG HH241HPB, wide 24", 1920x1080, 300cd, 15000:1, 5ms, D-sub + HDMI (with HDCP), Speakers, Glossy Black, TCO06 | 145.6 | EUR | 770.3808 | CALL | 36 | 22346 |
| Monitoare LC | HANNSG | Monitor HannsG HZ281HPB, wide 28", 1920x1200, 400cd, 15000:1, 5ms, D-sub + DVI + HDMI (with HDCP), Speakers, Glossy Black | 257.824 | EUR | 1364.171 | C | 36 | 26622 |
| Monitoare LC | Acer | Monitor Acer B173Dymdh, 17" TFT, 1280 x 1024, 20000:1 (DC), 300cd, 5ms, D-Sub/DVI, Pivot, Boxe, Dark Grey | 115.248 | EUR | 609.784 | 0 | 36 | 23289 |
| Monitoare LC | Acer | Monitor Acer V173DB, 17" TFT, 1280 x 1024, 20000:1 (DC), 300cd, 5ms, VGA, Black, TCO03 | 100.016 | EUR | 529.1888 | 0 | 36 | 23290 |
| Monitoare LC | Acer | Monitor Acer B173AYMDH, 17" TFT, 1280 x 1024, 20000:1 (DC), 300cd, 5ms, D-Sub/DVI-D, TCO03, Boxe, Darkgrey | 153.888 | EUR | 814.2288 | 0 | 36 | 23385 |
| Monitoare LC | Acer | Monitor Acer B193Bymdr, 19" TFT, 1280 x 1024, 10000:1 (DC), 300cd, 5ms, D-Sub/DVI, Pivot, Boxe, Dark Grey, TCO03 | 144.032 | EUR | 762.0816 | 0 | 36 | 23291 |
| Monitoare LC | Acer | Monitor Acer V193HQBD, 18.5" TFT Wide HD, 1366x768, 50000:1 (DC), 250cd, 5ms, VGA, TCO03, Black | 94.528 | EUR | 500.1584 | 0 | 36 | 23389 |
| Monitoare LC | Acer | Monitor Acer V193HQL Wide, 18.5" LED, 1366x768, 0.300dp, c/s 8000000/250cd, 176/160 (H/V), 5ms, D-Sub, TCO03, Negru | 96.656 | EUR | 511.4144 | C | 36 | 22745 |
| Monitoare LC | Acer | Monitor Acer V193WLB, 19" LED Wide, 1440X900, 8000000:1 (DC), 300cd, 5ms, D-Sub, Black, TCO03 | 98.896 | EUR | 523.264 | 0 | 36 | 23293 |
| Monitoare LC | Acer | Monitor Acer V193WDB, 19" TFT Wide, 1440X900, 50000:1 (DC), 300cd, 5ms, D-Sub, Black, TCO03 | 97.776 | EUR | 517.3392 | 0 | 36 | 23292 |
| Monitoare LC | Acer | Monitor Acer V203HCB, 20" TFT Wide, 1600 x 900, 50000:1 (DC), 300cd, 5ms, VGA/DVI, Black, TCO03 | 103.264 | EUR | 546.3808 | C | 36 | 23294 |
| Monitoare LC | Acer | Monitor Acer P225HQLbd, 21.5" LED Wide Full HD, 1920 x 1080, 8000000:1 (DC), 300cd, 5ms, VGA+ DVI w/HDCP, Black, TCO03 | 151.648 | EUR | 802.3792 | 0 | 24 | 23296 |
| Monitoare LC | Acer | Monitor Acer V223HQBD, 21.5" TFT Wide Full HD, 1920 x 1080, 50000:1 (DC), 300cd, 5ms, D-Sub, Black, TCO03 | 123.088 | EUR | 651.2688 | 0 | 36 | 23297 |
| Monitoare LC | Acer | Monitor Acer X223HQBbd, 21.5" TFT Wide Full HD, 1920 x 1080, 50000:1 (DC), 300cd, 5ms, DVI w/HDCP, Black, TCO03 | 123.088 | EUR | 651.2688 | 0 | 24 | 23295 |
| Monitoare LC | Acer | Monitor TFT Acer H223HQABMID 21.5" Wide Full HD LCD, 1920x1080, 300cd/m2, 20.000:1, 170"160" (O/V), 2ms, DVI(HDCP), HDMI, ACM, boxe, TCO03, negru lucios, 2 ani | 152.768 | EUR | 808.304 | C | 24 | 19876 |
| Monitoare LC | Acer | Monitor Acer P222WBmz Wide, 24" TFT, 1680x1050, 0.282dp, c/s 10000/300cd, 160/160 (H/V), 2ms G2G, TCO03, DVI, Black, Hub USB + tastatura si mouse wireless | 174.72 | EUR | 924.4592 | C | 24 | 19610 |
| Monitoare LC | Acer | Monitor Acer V223WEB, 22" TFT Wide, 1680x1050, 50000:1 (DC), 300cd, 5ms, D-Sub, Black, TCO03 | 124.208 | EUR | 657.1936 | 0 | 36 | 23299 |
| Monitoare LC | Acer | Monitor Acer H235HLbmid, 23" LED Wide Full HD, 1920x1080, 8000000:1 (DC), 250cd, 2ms, VGA+ DVI + HDMI w/HDCP, Boxe, no DVI Cable, Black | 207.648 | EUR | 1098.686 | C | 36 | 23397 |
| Monitoare LC | Acer | Monitor Acer H233HABMID Wide, 23" TFT, Full HD LCD, 1920x1080, 300cd/m2, 40.000:1, 160/160 (O/V), 2ms, DVI(HDCP), HDMI, ACM, boxe, TCO03, Negru | 172.928 | EUR | 914.9728 | C | 36 | 19592 |
| Monitoare LC | Acer | Monitor Acer H235Hbmid, 23" TFT Wide Full HD, 1920x1080, 100.000:1 (DC), 300cd, 2ms, VGA+ DVI + HDMI w/HDCP, Boxe, Black, TCO03 | 181.664 | EUR | 961.1952 | C | 24 | 23301 |
| Monitoare LC | Acer | Monitor Acer T230Hbmid, 23" TFT Wide Full HD, TouchScreen, 1920 x 1080, 80000:1 (DC), 300cd, 2ms, VGA+ HDMI + DVI with HDCP, USB for Touch function, Boxe, Black | 287.952 | EUR | 1523.581 | 0 | 24 | 23305 |
| Monitoare LC | Acer | Monitor Acer V233HAb, 23" TFT Wide Full HD, 1920 x 1080, 80000:1 (DC), 300cd, 5ms, VGA+DVI w/HDCP, TCO03, Black | 140.672 | EUR | 744.3072 | 0 | 36 | 23387 |
| Monitoare LC | Acer | Monitor Acer GD245HQbid, 23.6" TFT Wide Full HD 3D, 1920 x 1080, 80000:1 (DC), 300cd, 2ms, DVI w/HDCP+ HDMI, Black, TCO03 | 295.568 | EUR | 1563.878 | C | 24 | 23306 |
| Monitoare LC | Acer | Monitor Acer S243HLbmi, 24" LED Wide Full HD, 1920x1200, 8000000:1, 250cd, 2ms, VGA+ 2xHDMI with HDCP, Boxe, Black, TCO03 | 229.712 | EUR | 1215.424 | C | 24 | 23308 |
| Monitoare LC | Acer | Monitor Acer V243HLbmd, 24" LED Wide Full HD, 1920 X 1080, 8000000:1, 250cd, 5ms, DVI w/HDCP, Boxe, Black, TCO03 | 185.696 | EUR | 982.5312 | C | 36 | 23309 |
| Monitoare LC | Benq | Monitor Benq G922HDAL, Wide 19" LED, 1366x768, 0.3dp, c/s 1000(5000000DC)/250cd, 5ms, 170/160 (H/V), TCO03, Black, D-Sub, Senseye Technology | 91.168 | EUR | 482.3728 | 0 | 36 | 21982 |
| Monitoare LC | Benq | Monitor Benq G922HDL, Wide 18.5" LED, 1366x768, 0.3dp, c/s 1000(5000000DC)/250cd, 5ms, 170/160(H/V), D-Sub/DVI-D, Senseye+Photo, VESA, Glossy Black, TCO03 | 99.232 | EUR | 525.0448 | 0 | 36 | 23799 |
| Monitoare LC | Benq | Monitor Benq GL941M, Wide 18.5" LED, 1366x768, c/s 1000(12000000DC)/250cd, 5ms, 170/160(H/V), D-sub/DVI, Senseye, HDCP, Speaker, VESA, Glossy black | 106.736 | EUR | 564.7488 | 0 | 36 | 26953 |
| Monitoare LC | Benq | Monitor Benq V920, Wide 18.5" LED, 1366x768, 0.3dp, c/s 1000(10000000DC)/250cd, 5ms, 170/160(H/V), D-Sub/DVI-D, Senseye+Photo, Glossy Black, TCO03 | 108.64 | EUR | 574.8176 | 0 | 36 | 23800 |
| Monitoare LC | Benq | Monitor Benq G925HDA, Wide 18.5" TFT, 1366x768, 0.3dp, c/s 4000000:1 (DC)/200cd, 5ms, 90/65 (H/V), D-Sub, Senseye+Photo, VESA, Glossy Black, TCO03 | 92.736 | EUR | 490.672 | 0 | 36 | 23796 |
| Monitoare LC | Benq | Monitor Benq T902HDA, Wide 19" TFT, 1366x768, 0.3dp, c/s 1000(400000DC)/250cd, 5ms, 170/160 (H/V), TCO03, Black, D-Sub, Boxe | 100.688 | EUR | 532.7504 | 0 | 36 | 22927 |
| Monitoare LC | Benq | Monitor Benq T902HDA + TV Tuner Kworld PlusTV TVBox 1680ex (SA220) | 113.232 | EUR | 599.1216 | 0 | 24 | 25270 |
| Monitoare LC | Benq | Monitor Benq BL902M, 19" LED, 1280x1024, c/s 1000(12000000DC)/250cd, 5ms, 160/160(H/V), D-sub/DVI, Senseye, HDCP, Speaker, VESA, Black | 134.848 | EUR | 713.496 | 0 | 36 | 26951 |
| Monitoare LC | Benq | Monitor Benq BL902TM, 19" LED, 1280x1024, c/s 1000(12000000DC)/250cd, 5ms, 160/160(H/V), D-sub/DVI, Senseye, HDCP, Speaker, VESA, Swivel, Height adjustment, Black | 147.728 | EUR | 781.6368 | 0 | 36 | 26952 |

| | | | | | | | | |
|--------------|-----------|---|---------|-----|----------|----|----|-------|
| Monitoare LC | Benq | Monitor Benq G9220WL, Wide 19" LED, 1440x900, 0.283dp, c/s 1000(500000DC)/250cd, 5ms, 170/160 (H/V), TCO03, Black, DVI/D-Sub, Senseye Technology | 103.264 | EUR | 546.3808 | 0 | 36 | 22615 |
| Monitoare LC | Benq | Monitor Benq E910, 19" TFT, 1280x1024, 0.294dp, c/s 1000(2500DC)/250cd, 5ms, 160/170(H/V), D-sub/DVI-D/Headphone Jack, Boxe, Black, TCO03 | 112 | EUR | 592.6032 | 0 | 36 | 24249 |
| Monitoare LC | Benq | Monitor Benq G900WD, Wide 19" TFT, 1400x900, 0.283dp, c/s 800(2000DC)/300cd, 5ms, 160/160(H/V), D-Sub/DVI-D, Senseye+Photo, VESA, Black, TCO03 | 89.376 | EUR | 472.8976 | 0 | 36 | 23798 |
| Monitoare LC | Benq | Monitor Benq G920WA, Wide 19" TFT, 1440x900, 0.283dp, c/s 1000(4000DC)/250cd, 5m, 170/160 (H/V), D-Sub, Senseye+Photo, VESA, Glossy Black, TCO03 | 102.816 | EUR | 544.0064 | 0 | 36 | 23797 |
| Monitoare LC | Benq | Monitor Benq GL2030M, Wide 20" LED, 1600x900, 0.276dp, c/s 1000(1200000DC)/250cd, 5ms, 170/160(H/V), D-sub/DVI-D/Headphone Jack, Glossy black | 120.848 | EUR | 639.4192 | C | 36 | 25271 |
| Monitoare LC | Benq | Monitor Benq GL2040M, Wide 20" LED, 1600x900, 0.276dp, c/s 1000(1200000DC)/250cd, 5ms, 170/160(H/V), D-sub/DVI, Senseye+Photo, HDCP, Speaker, VESA, Glossy Black | 120.848 | EUR | 639.4192 | 0 | 36 | 26950 |
| Monitoare LC | Benq | Monitor Benq G2020HD, Wide 20" TFT, 1600x900, 0.276dp, c/s 1000(4000 DC)/250cd, 5ms, 170/160(H/V), D-Sub/DVI-D, Senseye+Photo, VESA, Glossy Black, TCO03 | 108.976 | EUR | 576.5984 | C | 36 | 23801 |
| Monitoare LC | Benq | Monitor Benq G2025HDA, Wide 20" TFT, 1600x900, 0.276dp, c/s 700(4000 DC)/200cd, 5ms, 90/65(H/V), D-sub, Senseye+Photo, VESA, Glossy Black | 106.736 | EUR | 564.7488 | C | 36 | 26073 |
| Monitoare LC | Benq | Monitor Benq ML2241, Wide 21.5" LED Full HD, 1920x1080, c/s 5000000(DC)/250cd, 5ms, PAL/DVB-T Tuner TV integrat, HDMI, D-sub, DVI, SCART, Spk 3Wx2, Black | 248.08 | EUR | 1312.606 | S | 36 | 23975 |
| Monitoare LC | Benq | Monitor Benq V2200ECO, Wide 21.5" LED, 1920x1080, 0.248dp, c/s 1000(500000DC)/250cd, 5ms, 170/160(H/V), D-Sub/HDMI1.3, Headphone, Senseye, VESA, White, TCO03 | 148.848 | EUR | 787.5616 | C | 36 | 23805 |
| Monitoare LC | Benq | Monitor Benq V2210ECO, Wide 21.5" LED, 1920x1080, 0.248dp, c/s 1000(500000DC)/250cd, 5ms, 170/160(H/V), D-Sub/HDMI1.3, Headphone, Senseye, VESA, Black, TCO03 | 148.848 | EUR | 787.5616 | C | 36 | 23806 |
| Monitoare LC | Benq | Monitor Benq V2220, Wide 21.5" LED, 1920x1080, 0.248dp, c/s 1000(1000000DC)/250cd, 5ms, 170/160(H/V), D-Sub/DVI-D, Senseye+Photo, Glossy Black, TCO04 | 155.344 | EUR | 821.9344 | C | 36 | 23807 |
| Monitoare LC | Benq | Monitor Benq V2220H, Wide 21.5" LED, 1920x1080, 0.248dp, c/s 1000(1000000DC)/250cd, 5ms, TCO04, 170/160(H/V), D-Sub, DVI, HDMI, Senseye+Photo, Slim, VESA, Black | 161.84 | EUR | 856.3072 | C | 36 | 22805 |
| Monitoare LC | Benq | Monitor Benq E2220HD, Wide 21.5" TFT, 1920x1080, 0.248dp, c/s 1000(5000DC)/300cd, 5ms, 170/160(H/V), D-Sub/DVI-D/ HDMI1.3, Headphone, 4xUSB, 2x 1.5 W Speakers, Senseye 3, VESA, Glossy Black, TCO03 | 141.344 | EUR | 747.8576 | 0 | 36 | 23804 |
| Monitoare LC | Benq | Monitor Benq E2220HPD, Wide 21.5" TFT, 1920x1080, 0.248dp, c/s 1000(5000DC)/300cd, 5ms, 170/160(H/V), D-Sub/DVI-D, Headphone, 4xUSB, Senseye 3, VESA, Glossy Black, TCO03 | 134.848 | EUR | 713.496 | C | 36 | 23802 |
| Monitoare LC | Benq | Monitor Benq G2222HDH, Wide 21.5 TFT, 1920x1080, 0.248dp, c/s 1000(4000DC)/250cd, 5ms, 170/160(H/V), D-Sub/HDMI, Senseye 3, VESA, Glossy Black, TCO03 | 141.344 | EUR | 747.8576 | C | 36 | 23803 |
| Monitoare LC | Benq | Monitor Benq SE2241, Wide 21.5" LCD Full HD, 1920x1080, c/s 10000(DC)/300cd, 5ms, PAL/DVB-T Tuner TV integrat, HDMI, D-sub, DVI, SCART, Spk 3Wx2, Black | PROMO | EUR | 967.4448 | SL | 36 | 25064 |
| Monitoare LC | Benq | Monitor Benq T2210HDA, Wide 21.5" TFT, 1920x1080, 0.248dp, c/s 1000(10000DC)/300cd, 5ms, 170/160(H/V), D-sub / DVI-D, Boxe, Senseye Technology, Glossy Black | 126.224 | EUR | 667.856 | 0 | 36 | 24248 |
| Monitoare LC | Benq | Monitor Benq G2222HDL, Wide 22" LED, 1920x1080, 0.248dp, c/s 1000(500000DC)/250cd, 5ms, 170/160(H/V), D-Sub, DVI, Senseye+Photo, VESA, Black, TCO04 | 139.104 | EUR | 736.008 | C | 36 | 22748 |
| Monitoare LC | Benq | Monitor Benq G2200W, Wide 22" TFT, 1680x1050, 0.282dp, c/s 1000/300cd, 5ms, TCO03, Silver-Black/Black, D-Sub, Sistem de montare pe perete (nu include suport) | 132.72 | EUR | 702.2288 | C | 36 | 15854 |
| Monitoare LC | Benq | Monitor Benq G2220HD, Wide 22" TFT, 1920x1080, 0.248dp, c/s 1000(4000DC)/300cd, 5ms, 170/160(H/V), D-Sub, DVI, Senseye+Photo, Sistem de montare pe perete (nu include suport), Black, TCO04 | 128.688 | EUR | 680.904 | 0 | 36 | 20083 |
| Monitoare LC | Benq | Monitor Benq G2420HDBL, Wide 24" LED, 1920x1080, 0.276dp, c/s 1000(500000DC)/250cd, 5ms, 170/160 (H/V), DVI/D-Sub, Senseye, Black, TCO04 | 172.48 | EUR | 912.6096 | 0 | 36 | 22614 |
| Monitoare LC | Benq | Monitor Benq V2400ECO, Wide 24" LED, 1920x1080, 0.276dp, c/s 1000(500000DC)/250cd, 5ms, 170/160(H/V), D-sub/HDMI1.3, Headphone, Senseye+Photo, AMA, White, TCO03 | 186.592 | EUR | 987.2688 | 0 | 36 | 23811 |
| Monitoare LC | Benq | Monitor Benq V2410ECO, Wide 24" LED, 1920x1080, 0.276dp, c/s 1000(500000DC)/250cd, 5ms, 170/160 (H/V), D-sub/HDMI1.3, Headphone, Senseye+Photo, AMA, Black, TCO03 | 186.592 | EUR | 987.2688 | C | 36 | 23812 |
| Monitoare LC | Benq | Monitor Benq V2410T, Wide 24" LED, 1920x1080, 0.276dp, c/s 1000(500000DC)/250cd, 5ms, 170/160 (H/V), D-sub/DVI-D, Senseye+Photo, Glossy Black, TCO04, Pivot | 196.336 | EUR | 1038.834 | 0 | 36 | 23814 |
| Monitoare LC | Benq | Monitor Benq V2420, Wide 24" LED, 1920x1080, 0.276dp, c/s 1000(1000000DC)/250cd, 5ms, 170/160 (H/V), D-sub/DVI-D, Senseye+Photo, Glossy Black, TCO04 | 193.088 | EUR | 1021.642 | C | 36 | 23813 |
| Monitoare LC | Benq | Monitor Benq V2420H, Wide 24" LED Full HD, 1920x1080, 0.276dp, c/s 1000(1000000DC)/250cd, 5ms, 170/160 (H/V), D-sub/DVI-D/HDMI1.3, Headphone, Senseye+Photo, Glossy Black, TCO04 | 199.584 | EUR | 1056.014 | C | 36 | 23815 |
| Monitoare LC | Benq | Monitor Benq G2320HDB, Wide 23" TFT, 1920x1080, 0.248dp, c/s 1000(4000DC)/300cd, 5ms, D-Sub/DVI-D, Senseye+Photo, VESA, Glossy Black | 138.096 | EUR | 730.6768 | C | 36 | 25739 |
| Monitoare LC | Benq | Monitor Benq E2420HD, Wide 24" TFT, 1920x1080, 0.276dp, c/s 1000(5000DC)/300cd, 5ms, 170/160(H/V), D-sub/DVI-D/HDMI1.3, Headphone, 4xUSB, 2x 1.5W Speakers, Senseye 3, AMA, VESA, Glossy Black, TCO04 | 186.592 | EUR | 987.2688 | C | 36 | 23810 |
| Monitoare LC | Benq | Monitor Benq G2420HD, Wide 24" TFT, 1920x1080, 0.2715dp, c/s 1000(4000DC)/300cd, 5ms, 170/160 (H/V), D-sub/DVI-D/HDMI 1.3, Headphone, Senseye+Photo, VESA, Glossy Black, TCO04 | 174.72 | EUR | 924.4592 | 0 | 36 | 23809 |
| Monitoare LC | Benq | Monitor Benq G2420HDB, Wide 24" TFT, 1920x1080, 0.2715dp, c/s 1000(4000DC)/300cd, 5ms, 170/160 (H/V), D-Sub/DVI-D, Senseye+Photo, VESA, Glossy Black, TCO03 | 160.72 | EUR | 850.3824 | C | 36 | 24990 |
| Monitoare LC | Benq | Monitor Benq G2420HDBE, Wide 24" TFT, 1920x1080, 0.2715dp, c/s 1000(4000DC)/300cd, 5ms, 170/160 (H/V), D-Sub/DVI-D, Senseye+Photo, VESA, Glossy Black, TCO03 | 160.72 | EUR | 850.3824 | 0 | 36 | 23808 |
| Monitoare LC | Benq | Monitor Benq M2700HD, Wide 27" TFT Full HD, 1920 x 1080, 0,311dp, c/s 1000(5000DC)/400cd, 5ms(2ms GTG), 170/160(H/V), D-sub/DVI-D/HDMI1.3, Headphone, 4xUSB, Senseye+Photo, AMA, Glossy Black, TCO03 | 321.664 | EUR | 1701.952 | 0 | 36 | 23816 |
| Monitoare LC | Viewsonic | Monitor Viewsonic VG930M, 19" TFT, 1280X1024, 0.294dp, c/s 600/280cd, 160/150 (H/V), TCO03, 8ms, Boxe, Black | 175.168 | EUR | 926.8224 | C | 36 | 7890 |
| Monitoare LC | Asus | Monitor Asus VH192DE, 19" TFT Wide, 1366x768, 250cd, 10000:1, 5ms, Inputs: D-Sub, Black | 93.744 | EUR | 496.0032 | C | 36 | 26959 |
| Monitoare LC | Asus | Monitor Asus VH196S, 19" TFT Wide, 1440x900, 300cd, 5000:1 (DC), 5ms, 1W (RMS) x2 stereo, D-Sub, Black | 103.6 | EUR | 548.1504 | C | 36 | 23770 |
| Monitoare LC | Asus | Monitor Asus VH198D, 19" LED Wide, 1440x900, 250cd, 10000000:1, 5ms, D-sub, Black, TCO06 | 108.976 | EUR | 576.5984 | C | 36 | 22939 |
| Monitoare LC | Asus | Monitor Asus VW193D-B Wide, 19" TFT, 1440x900, 0.285dp, c/s 850/300cd, 5ms, TCO03, Splendid Technology | 92.176 | EUR | 487.7152 | 0 | 36 | 12565 |
| Monitoare LC | Asus | Monitor Asus VW193DR, 19" TFT Wide, 1440x900, 300cd, 50000:1, 5ms, D-sub, Black, TCO06 | 99.792 | EUR | 528.0128 | C | 36 | 22946 |
| Monitoare LC | Asus | Monitor Asus VW196D, 19" TFT Wide, 1440x900, 250cd, 50000:1, 5ms, D-sub, Black, TCO06 | 92.736 | EUR | 490.672 | 0 | 36 | 22944 |

| | | | | | | | | |
|--------------|------|---|---------|-----|----------|----|----|-------|
| Monitoare LC | Asus | Monitor Asus VH198S, 19" TFT Wide, 1440x900, 250cd, 10000000:1, 5ms, 1W (RMS) x2 stereo, Inputs: D-Sub, 160/160 (H/V), Black | 111.104 | EUR | 587.8656 | C | 36 | 26958 |
| Monitoare LC | Asus | Monitor Asus VW195N, 19" TFT Wide, 1440x900, 2000:1, 300cd, 5ms, Inputs: 1*D-Sub, 1*DVI-D, 160/160 (H/V), Black | 128.352 | EUR | 679.1232 | C | 36 | 26957 |
| Monitoare LC | Asus | Monitor Asus MS208N, 20" LED Wide 1600x900, 250cd, 10000000:1, 5ms, D-Sub, Black, TCO06 | 137.984 | EUR | 730.0832 | C | 36 | 22940 |
| Monitoare LC | Asus | Monitor Asus MS202D, 20" TFT Wide, 1600x900, 250cd, 5000:1, 5ms, D-Sub, Black, TCO06 | 131.6 | EUR | 696.304 | 0 | 36 | 22964 |
| Monitoare LC | Asus | Monitor Asus VH203D, 20" TFT Wide, 1600x900, 300cd, 10000:1 (DC), 5ms, D-Sub, Black | 120.848 | EUR | 639.4192 | 0 | 36 | 23711 |
| Monitoare LC | Asus | Monitor Asus MS228H, 21.5" LED Wide, 1920x1080, 250cd, 10000000:1, 2ms (G2G), D-Sub, Black, TCO06 | 167.104 | EUR | 884.1616 | 0 | 36 | 22941 |
| Monitoare LC | Asus | Monitor Asus VH222D, 21.5" TFT Wide, 1920x1080, 300cd, 20000:1, 5ms, D-Sub, Black, TCO06 | 123.984 | EUR | 656.0064 | C | 36 | 22952 |
| Monitoare LC | Asus | Monitor Asus VH222H, 21.5" TFT Wide, 1920x1080, 300cd, 20000:1, 5ms, D-Sub/DVI/HDMI, Black, TCO06 | 153.104 | EUR | 810.0848 | C | 36 | 22956 |
| Monitoare LC | Asus | Monitor Asus VH222S, 21.5" TFT Wide Full HD, 1920x1080, 300cd, 20000:1, 5ms, 2W (RMS)*2 Stereo, Inputs: D-Sub, 170/160 (H/V), Black | 126.224 | EUR | 667.856 | C | 36 | 26956 |
| Monitoare LC | Asus | Monitor Asus VH222T, 21.5" TFT Wide, 1920x1080, 300cd, 20000:1, 5ms, D-Sub, Black, TCO06 | 139.104 | EUR | 736.008 | C | 36 | 22955 |
| Monitoare LC | Asus | Monitor Asus VH226H, 21.5" TFT Wide Full HD, 1920x1080, 300cd, 12000:1 (DC), 2ms (G2G), 2W (RMS)*2 Stereo, D-Sub/DVI-D/HDMI, Black | 163.968 | EUR | 867.5632 | C | 36 | 23773 |
| Monitoare LC | Asus | Monitor Asus MS227N, 22" TFT Wide Screen 1680x1050 - 2ms (G2G) Splendid Technology; Contrast: (ASCR) 50000:1, 0.282mm 250cd/m2, 170/160 (H/V), Inputs: 24-Pin DVI-D, 15-Pin D-Sub, HDMI, TCO06, Black/White | 157.024 | EUR | 830.8272 | C | 36 | 22484 |
| Monitoare LC | Asus | Monitor Asus VK222H, 22" TFT Wide, 300cd, 5000:1, 2ms (G2G), D-Sub/DVI/HDMI, Webcam, Speakers, Black, TCO06 | 154.224 | EUR | 816.0096 | 0 | 36 | 22957 |
| Monitoare LC | Asus | Monitor Asus VW224T, 22" TFT Wide, WSXGA+ 1680x1050, 300cd, 5000:1 (DC), 5ms, 1W (RMS)*2 Stereo, D-Sub/DVI-D, Black | 158.592 | EUR | 839.1264 | C | 36 | 23772 |
| Monitoare LC | Asus | Monitor Asus VW225D, 22" TFT Wide, 1680x1050, 300cd, 8000:1, 5ms, D-Sub, Black, TCO06 | 127.344 | EUR | 673.792 | 0 | 36 | 22953 |
| Monitoare LC | Asus | Monitor Asus VW225N, 22" TFT Wide, 1680x1050, 300cd, 8000:1, 5ms, D-Sub/DVI, Black, TCO06 | 149.968 | EUR | 793.4976 | C | 36 | 22954 |
| Monitoare LC | Asus | Monitor Asus MS238H, 23" LED Wide, 1920x1080, 250cd, 10000000:1, 2ms (G2G), D-Sub/DVI, Black, TCO06 | 218.96 | EUR | 1158.539 | S | 36 | 22942 |
| Monitoare LC | Asus | Monitor Asus MS236H, 23" TFT Wide, 1920x1080, 250cd, 5000:1, 2ms(G2G), D-Sub/DVI/HDMI, Black/White, TCO06 | 196.224 | EUR | 1038.24 | C | 36 | 22965 |
| Monitoare LC | Asus | Monitor Asus VH232T, 23" TFT Wide, 1920x1080, 300cd, 20000:1, 5ms, D-Sub/DVI, Speakers, Black, TCO06 | 153.104 | EUR | 810.0848 | C | 36 | 22958 |
| Monitoare LC | Asus | Monitor Asus MS246H, 23.6" TFT Wide Full HD, 1920x1080, 250cd, 50000:1 (DC), 2ms (G2G), D-Sub/HDMI, Black/White | 229.712 | EUR | 1215.424 | C | 36 | 23774 |
| Monitoare LC | Asus | Monitor Asus VH242H, 24" TFT Wide Full HD 1080p, 1920x1080, 300cd, 20000:1, 5ms, HDCP, Built in Spks: 2W x 2 stereo, Inputs: 1*D-Sub, 1*DVI-D, 1*HDMI, 170/160 (H/V), Black | 180.096 | EUR | 952.9072 | C | 36 | 20222 |
| Monitoare LC | Asus | Monitor Asus VH242HL, 24" TFT Wide, 1920x1080, 300cd, 20000:1, 5ms, D-Sub/DVI/HDMI, Speakers, Black, TCO06, Height Adjustment | 182.336 | EUR | 964.7568 | C | 36 | 22962 |
| Monitoare LC | Asus | Monitor Asus VH242S, 24" TFT Wide, 1920x1080, 300cd, 20000:1, 5ms, D-Sub, Speakers, Black, TCO06 | 149.968 | EUR | 793.4976 | 0 | 36 | 22959 |
| Monitoare LC | Asus | Monitor Asus VH242T, 24" TFT Wide, 1920x1080, 300cd, 20000:1, 5ms, D-Sub/DVI, Speakers, Black, TCO06 | 158.592 | EUR | 839.1264 | C | 36 | 22960 |
| Monitoare LC | Asus | Monitor Asus VH242TL, 24" TFT Wide, 1920x1080, 300cd, 20000:1, 5ms, D-Sub/DVI, Speakers, Black, TCO06, Height Adjustment | 176.96 | EUR | 936.3088 | C | 36 | 22961 |
| Monitoare LC | Asus | Monitor Asus VK246H, 24" TFT Wide Full HD 1080p, 1920x1080, 300cd, 20000:1, 2ms(GTG), 2W (RMS)*2 Stereo, Inputs: 1*D-Sub, 1*DVI-D, 1*HDMI, 170/160 (H/V), Webcam Integrated, Black | 248.08 | EUR | 1312.606 | C | 36 | 26955 |
| Monitoare LC | Asus | Monitor Asus VW246H, 24" TFT Wide, 1920x1080, 300cd, 20000:1, 2ms (G2G), D-Sub/DVI/HDMI, Speakers, Black, TCO06 | 201.712 | EUR | 1067.27 | C | 36 | 22963 |
| Monitoare LC | Asus | Monitor Asus VW266H, 25.5" TFT Wide Full HD, 1920x1200, 300cd, 20000:1 (DC), 2ms (G2G), 3W (RMS)*2 Stereo, D-Sub/DVI-D/HDMI 1.3(with audio), Black | 312.816 | EUR | 1655.136 | 0 | 36 | 23775 |
| Monitoare LC | Asus | Monitor Asus VE276Q, 27" TFT Wide Full HD, 1920x1080, 300cd, 100000:1, 2ms(GTG), 3W (RMS)*2 Stereo, Inputs: 1*D-Sub, 1*DVI-D, 1*HDMI 1.4(with audio), 170/160 (H/V), Black | 350.56 | EUR | 1854.843 | C | 36 | 26954 |
| Monitoare LC | LG | Monitor LG L1730SF-BV, 17" TFT Touchscreen, 1280 x 1024, 300cd, 800:1, 160/170(H/V), 5ms, D-sub, Pivot, Black/Silver | 242.592 | EUR | 1283.576 | C | 36 | 23784 |
| Monitoare LC | LG | Monitor LG L1730SF-SV, 17" TFT Touchscreen, 1280x1024, c/s 800/300cd, 160/170 (H/V), 5ms, D-Sub, Pivot, TCO03, VESA, Silver | 242.592 | EUR | 1283.576 | C | 36 | 22772 |
| Monitoare LC | LG | Monitor LG L1742SE-SF, 17" TFT, 1280x1024, c/s 8000(DC)/250cd, 160/160 (H/V), 5ms, D-Sub, TCO03, VESA, Silver | 105.616 | EUR | 558.824 | 0 | 36 | 22773 |
| Monitoare LC | LG | Monitor LG W1943SE-PF Wide, 18.5" TFT, 1366x768, c/s 30000(DC)/250cd, 170/160(H/V), 5ms, TCO03, D-sub, Glossy Black | 100.352 | EUR | 530.9696 | C | 36 | 23785 |
| Monitoare LC | LG | Monitor LG W1943SS-PF, 18.5" TFT - Wide Screen 1366x768 - 5ms Contrast 30000:1 (DFC) 170/160, semnal intrare: D-Sub, VESA 75x75, Flarton fEngine, negru glossy. | 99.456 | EUR | 526.232 | S | 36 | 21914 |
| Monitoare LC | LG | Monitor LG L1942SE-SF, 19" TFT, 1280x1024, c/s 8000(DC)/300cd, 170/160 (H/V), 5ms, TCO03, D-Sub, Silver | 129.36 | EUR | 684.4544 | C | 36 | 22774 |
| Monitoare LC | LG | Monitor LG W1934S-BN Wide, 19" TFT, 1440x900, c/s 1000/300cd, 170/170 (H/V), 5ms, TCO03, Black | 107.744 | EUR | 570.08 | S | 36 | 17034 |
| Monitoare LC | LG | Monitor LG W2043SE-PF Wide, 20" TFT 1600x900, c/s 30000(dinamic)/250cd, 170/170 (H/V), D-Sub, VESA 100x100, Glossy Black | 115.248 | EUR | 609.784 | C | 36 | 23974 |
| Monitoare LC | LG | Monitor LG W2053TQ-PF Wide 20" TFT, 1600x900, c/s 50000(dinamic)/300cd, 170/160 (H/V), 2ms, TCO03, D-SUB, DVI, Black | 129.36 | EUR | 684.4544 | S | 36 | 22780 |
| Monitoare LC | LG | Monitor LG E2040S-PN Wide, 20" LED, 1600x900, 5ms, c/s 5.000.000 (dinamic)/ 250 cd/m2, 170/170 (H/V), semnal intrare: D-Sub, Flarton fEngine, EPA 5.0, consum 21W, certificat Win 7, Glossy black | 130.48 | EUR | 690.3792 | C | 24 | 26943 |
| Monitoare LC | LG | Monitor LG E2250V-PN Wide, 21.5" LED, 1920x1080, c/s 1000/250cd, 170/160 (H/V), D-SUB, DVI, HDMI, 5ms, TCO03, VESA, Black | 172.48 | EUR | 912.6096 | C | 36 | 22786 |
| Monitoare LC | LG | Monitor LG W2243S-PF Wide, 21.5" TFT, 1920x1080, 0.248dp, c/s 30000(dinamic)/300cd, 170/170 (H/V), D-SUB, 5ms, TCO03 | 154.784 | EUR | 818.9776 | SL | 36 | 20657 |
| Monitoare LC | LG | Monitor LG W2253TQ-PF Wide, 21.5" TFT, 1920x1080, 2 ms, 300 cd/m2, 50000:1, DVI, Flarton f Engine, Photo effect, glossy black, TCO-03 | 147.616 | EUR | 781.0432 | C | 36 | 20792 |
| Monitoare LC | LG | Monitor LG W2261VP-PF Wide, 21.5" TFT, 1920x1080, c/s 50000(dinamic)/300cd, 170/160 (H/V), D-SUB, DVI, HDMI, 2ms G2G, TCO03, VESA, Black | 157.36 | EUR | 832.608 | C | 36 | 22785 |
| Monitoare LC | LG | Monitor LG E2240S-PN Wide, 22" LED, 1920x1080, c/s 1000/250cd, 170/160(H/V), 5ms, D-Sub, Glossy Black | 150.864 | EUR | 798.2352 | C | 36 | 24690 |
| Monitoare LC | LG | Monitor LG W2286L-PF Wide, 22" LED, 1680x1050, c/s 200000(DC)/250cd, 170/160 (H/V), 5ms, D-SUB, DVI-D, HDMI, TCO-03, Glossy Black | 177.856 | EUR | 941.0464 | C | 36 | 22783 |
| Monitoare LC | LG | Monitor LG W2220P-BF Wide, 22" TFT, panel S-IPS, 1680x1050, c/s 1000/300cd, 178/178 (H/V), 6ms G2G, D-Sub, DVI, HDMI, Pivot, TCO03, VESA, Black | 189.728 | EUR | 1003.867 | C | 36 | 22782 |
| Monitoare LC | LG | Monitor LG W2220P-BF Wide, 22" TFT, 1680x1050, c/s 1000/300cd, 178/178 (H/V), 6ms, D-sub, DVI-D, HDMI, Pivot, VESA 100x100 mm, TCO03, Black | 189.728 | EUR | 1003.867 | C | 36 | 24692 |
| Monitoare LC | LG | Monitor LG E2350T-PN Wide, 23" LED, 1920x1080, c/s 1000/250cd, 170/160 (H/V), 5ms, D-SUB, DVI, stand detasabil, montare lapfit, Black | 185.36 | EUR | 980.7504 | C | 36 | 24693 |
| Monitoare LC | LG | Monitor LG E2350V-PN Wide, 23" LED, 1920x1080, c/s 1000/250cd, 170/160 (H/V), D-SUB, DVI, HDMI, 5ms, TCO03, VESA, Black | 199.472 | EUR | 1055.421 | S | 36 | 22787 |
| Monitoare LC | LG | Monitor LG W2361V-PF Wide, 23" TFT, 1920x1080, c/s 50000(DC)/300cd, 170/160 (H/V), D-SUB, DVI, HDMI, 2ms G2G, TCO03, VESA, Black | 171.36 | EUR | 906.6848 | C | 36 | 22788 |
| Monitoare LC | LG | Monitor LG W2363V-WF Wide, 23" TFT, 1920x1080, c/s 70000(DC)/300cd, 170/160 (H/V), D-SUB, DVI, 2xHDMI, Component, RCA, 2ms G2G, TCO03, VESA, White | 183.232 | EUR | 969.4944 | C | 36 | 22789 |
| Monitoare LC | LG | Monitor LG W2420R-BN Wide, 24" TFT, panel S-IPS, 1920x1200, c/s 1000/250cd, 178/178 (H/V), 6ms G2G, 3xHDMI, DVI, adancime culoare 10bit, 4xUSB, Pivot, TCO03, soft calibrare, Black | 1294.27 | EUR | 6848.094 | C | 36 | 22791 |

| | | | | | | | | |
|--------------|---------|---|---------|-----|----------|----|----|-------|
| Monitoare LC | LG | Monitor LG W2443T-PF Wide, 24" TFT, 1920x1080, c/s 30000(dinamic)/300cd, 5ms, DVI, D-Sub, Photo Effect , TCO03, Glossy Black | 172.48 | EUR | 912.6096 | S | 36 | 20836 |
| Monitoare LC | LG | Monitor LG W2453TQ-PF Wide, 24" TFT, 1920x1080, 0.278dp, c/s 50000(dinamic)/300cd, 2ms, 176/170 (H/V), DVI, D-Sub, F Engine, TCO03, Glossy Black | 176.736 | EUR | 935.1216 | C | 36 | 20603 |
| Monitoare LC | LG | Monitor LG W2453V-PF Wide, 24" TFT, 1920x1080, c/s 50000(dinamic)/300cd, 176/170 (H/V), 2ms G2G, HDMI, DVI, D-Sub, Photo Effect , TCO03, Glossy Black | 183.232 | EUR | 969.4944 | S | 36 | 22790 |
| Monitoare LC | LG | Monitor LG W2486L-PF Wide, 24" LED, 1920x1080, c/s 2000000(DC)/250cd, 170/160 (H/V), 5ms, D-SUB, DVI-D, TCO-03, Glossy Black | 247.968 | EUR | 1312.024 | 0 | 36 | 20609 |
| Monitoare LC | LG | Monitor LG M4212C-BA Wide, 42" TFT, 1366x768, c/s 3000/500cd, 178/158 (H/V), 9ms, D-SUB, DVI-D, HDMI, Component, TCO-03, Glossy Black | 701.008 | EUR | 3709.093 | C | 36 | 22793 |
| Monitoare LC | LG | Monitor LG W3000H-BN Wide, 30" TFT, 2560x1600, c/s 3000/370cd, 178/178 (H/V), 5ms, DVI-D, TCO-03, Flatron fEngone, PANEL S-ISP; Wide color gamut 115%, USB | 992.208 | EUR | 5249.854 | C | 36 | 16648 |
| Monitoare LC | Samsung | Monitor Samsung SM E1720NR, 17" TFT, 1280x1024, 50.000:1, 250cd/mp, 170/160(H/V), 5ms, D-sub, Simple Stand w/Tilt, TCO03, Black | 126 | EUR | 666.68 | C | 36 | 25660 |
| Monitoare LC | Samsung | Monitor Samsung SM E1920N Wide, 18.5" TFT, 1360x768, 5ms, 50.000:1, 250cd/mp, 170/160 (H/V), D-sub, Black, Simple Stand w/Tilt | 117.6 | EUR | 622.2272 | S | 36 | 23819 |
| Monitoare LC | Samsung | Monitor Samsung SM 943SN Wide, 18.5" TFT, 1360x768, 300cd/m2, 1000:1 (DCR 15.000:1), 170"/160" (O/V), 5ms, TCO03, negru | 111.216 | EUR | 588.448 | S | 36 | 19368 |
| Monitoare LC | Samsung | Monitor Samsung SM B1930HD Wide, 18.5" TFT, 1360x768, 5ms, 70.000:1, 250cd/mp, 170/160, D-sub/2 x HDMI/Component/Built-in DVB-T/C DTV Tuner/Optical Out/Audio In/Headphone Out/SCART, Speakers 3Wx2Ch - Dolby Digital Plus/Dolby Pulse/dts2.0 +Digital Out/Optical digital sound (SPDIF), Remote Controller, Simple Stand w/Tilt, High Glossy Black | 185.36 | EUR | 980.7504 | 0 | 36 | 26937 |
| Monitoare LC | Samsung | Monitor Samsung SM B1930N Wide, 18.5" TFT, 1360x768, 5ms, 50.000:1, 250cd/mp, 170/160 (H/V), D-sub, High Glossy Black, Tilt | 115.472 | EUR | 610.9712 | S | 36 | 23820 |
| Monitoare LC | Samsung | Monitor Samsung SM LD190G Wide, 18.5" TFT, 1360x768, 5ms, 20.000:1, 250cd/mp, 170/160 (H/V), D-sub/USB, High Glossy Black, Bottom Stand w/ Tilt | 138.768 | EUR | 734.2272 | C | 36 | 23818 |
| Monitoare LC | Samsung | Monitor Samsung SM LD190N Wide, 19" TFT, 1360x768, 5ms, 20.000:1, 250cd/mp, 170/160, D-sub, High Glossy Black, Bottom Stand w/ Tilt | 133.392 | EUR | 705.7904 | C | 36 | 21223 |
| Monitoare LC | Samsung | Monitor Samsung SM B1940M Wide, 18.5" TFT, 1360x768, 5ms, 50.000:1, 250cd/mp, 170/160 (H/V), D-sub/DVI-D, Speakers 1Wx2ch, Black, HAS Stand w/Tilt, Height Adjustable | 140.896 | EUR | 745.4944 | C | 36 | 23822 |
| Monitoare LC | Samsung | Monitor Samsung SM B1940R, 19" TFT, 1280x1024, 5ms, 50.000:1, 250cd/mp, 170/160, D-sub/DVI-D, Black, HAS Stand w/Tilt/Height Adjustable | 147.168 | EUR | 778.68 | C | 36 | 26933 |
| Monitoare LC | Samsung | Monitor Samsung SM E1920NR, 19" TFT, 1280x1024, 5ms, 50.000:1, 250cd/mp, 170/160 (H/V), D-sub, Black, Simple Stand w/Tilt | 140.896 | EUR | 745.4944 | C | 36 | 23825 |
| Monitoare LC | Samsung | Monitor Samsung SM E1920R, 19" TFT, 1280x1024, 5ms, 50.000:1, 250cd/mp, 170/160, D-sub, Black, Simple Stand w/Tilt | 146.16 | EUR | 773.3488 | 0 | 36 | 26934 |
| Monitoare LC | Samsung | Monitor Samsung SM EX1920W Wide, 19" LED, 1440x900, 5ms, 1000:1, 250cd/m2, 170/160, D-Sub/DVI-I, Simple Stand w/Tilt, Black | 128.128 | EUR | 677.936 | C | 36 | 26935 |
| Monitoare LC | Samsung | Monitor Samsung SM 923NW Wide, 19" TFT, 1440x900, c/s 1000/300cd, 170/160 (H/V), 5ms, D-Sub, Silver | 115.472 | EUR | 610.9712 | C | 36 | 17797 |
| Monitoare LC | Samsung | Monitor Samsung SM 943NW Wide, 19" TFT, 1440x900, c/s 1000/300cd, 160/160 (H/V), 5ms, TCO03, Black | 151.424 | EUR | 801.192 | 0 | 36 | 14781 |
| Monitoare LC | Samsung | Monitor Samsung SM B1930NW Wide, 19" TFT, 1440x900, 5ms, 70.000:1, 300cd/mp, 160/160 (H/V), D-sub, High Glossy Black, Simple Stand w/Tilt | 126 | EUR | 666.68 | C | 36 | 23823 |
| Monitoare LC | Samsung | Monitor Samsung SM B1940W Wide, 19" TFT, 1440x900, 5ms, 70.000:1, 300cd/mp, 170/160 (H/V), D-sub/DVI-D, Black, HAS Stand w/Tilt/Height Adjustable | 133.392 | EUR | 705.7904 | 0 | 36 | 23824 |
| Monitoare LC | Samsung | Monitor Samsung SM E1920NW Wide, 19" TFT, 1440x900, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub, Simple Stand w/Tilt, Black | 122.864 | EUR | 650.0816 | C | 36 | 26936 |
| Monitoare LC | Samsung | Monitor Samsung SM B2030HD Wide, 20" TFT, 1600x900, 5ms, 70.000:1, 250cd/mp, 170/160, D-sub/2 x HDMI/Component/Built-in DVB-T/C DTV Tuner/Optical Out/Audio In/Headphone Out/SCART, Speakers 3Wx2Ch - Dolby Digital Plus/Dolby Pulse/dts2.0+Digital Out/Optical digital sound (SPDIF), Remote Controller, Simple Stand w/Tilt, High Glossy Black | 207.536 | EUR | 1098.093 | C | 36 | 26938 |
| Monitoare LC | Samsung | Monitor Samsung SM 2043SN Wide, 20" TFT, 1600x900, c/s 15000(dinamic)/250cd, 170/160 (H/V), 5ms, TCO03, D-Sub, Black | 125.104 | EUR | 661.9312 | 0 | 36 | 18482 |
| Monitoare LC | Samsung | Monitor Samsung SM B2030 Wide, 20" TFT, 1600x900, 5ms, 50.000:1, 250cd/mp, 170/160, D-Sub/DVI-D(w/HDCP), High Glossy Black, Simple Stand w/Tilt | 149.296 | EUR | 789.936 | C | 36 | 23827 |
| Monitoare LC | Samsung | Monitor Samsung SM B2030N Wide, 20" TFT, 1600x900, 5ms, 50.000:1, 250cd/mp, 170/160, D-Sub/DVI-D, High Glossy Black, Simple Stand w/Tilt | 138.768 | EUR | 734.2272 | S | 36 | 23826 |
| Monitoare LC | Samsung | Monitor Samsung SM E2020N Wide, 20" TFT, 1600x900, 5ms, 50.000:1, 250cd/mp, 170/160, D-sub, Black, Simple Stand w/Tilt | 131.264 | EUR | 694.5232 | C | 36 | 25661 |
| Monitoare LC | Samsung | Monitor Samsung SM F2080 Wide, 20" TFT, 1600x900, 8ms GTG, 150.000:1, 250cd/mp, 178/178, D-SUB, 2xDVI-D, BLACK w/ Texture, 130mmHAS Stand w/Tilt, Swivel, Pivot, Height Adjustment | 176.848 | EUR | 935.7152 | C | 36 | 20402 |
| Monitoare LC | Samsung | Monitor Samsung SM F2080M Wide, 20" TFT, 1600x900, 8ms GTG, 150.000:1, 250cd/mp, 178/178, D-SUB/DVI-D/HDMI, Speakers 1.5Wx2ch, BLACK w/ Texture, 130mmHAS Stand w/Tilt, Swivel, Pivot, Height Adjustment | 188.496 | EUR | 997.3488 | 0 | 36 | 23828 |
| Monitoare LC | Samsung | Monitor Samsung SM P2050 Wide, 20" TFT, 1600x900, 2ms, 50.000:1, 300cd/mp, 170/160, D-Sub/DVI(w/HDCP), Rose Black, Simple Stand w/Tilt | 154.56 | EUR | 817.7904 | SL | 36 | 20416 |
| Monitoare LC | Samsung | Monitor Samsung SM P2050N Wide, 20" TFT, 1600x900, 5ms, 50.000:1, 300cd/mp, 170/160, D-Sub, Rose Black, Simple Stand w/Tilt | 136.64 | EUR | 722.9712 | S | 36 | 21226 |
| Monitoare LC | Samsung | Monitor Samsung SM P2070 Wide, 20" TFT, 1600x900, 2ms GTG, 50.000:1, 250cd/mp, 170/160, DVI-I, Charcoal Grey, Simple Stand | 160.944 | EUR | 851.5696 | C | 36 | 21227 |
| Monitoare LC | Samsung | Monitor Samsung SM BX2235 Wide, 21.5" LED, 1920x1080, 2ms GTG, 50.000:1, 250cd/mp, 170/160, D-SUB/DVI-I, Mystic Brown, Simple Stand w/Tilt | 186.368 | EUR | 986.0928 | C | 36 | 25662 |
| Monitoare LC | Samsung | Monitor Samsung SM BX2240 Wide, 21.5" LED, 1920x1080, 5ms, 5M:1, 250cd/mp, 170/160, D-SUB/DVI-D, Black, HAS Stand w/Tilt, Swivel, Pivot, Height Adjustment | 182.112 | EUR | 963.5696 | C | 36 | 23830 |
| Monitoare LC | Samsung | Monitor Samsung SM BX2250 Wide, 21.5" LED, 1920x1080, 2ms GTG, 50.000:1, 250cd/mp, 170/160, D-SUB/DVI-D/2xHDMI, Charcoal Grey, Simple Stand w/Tilt | 211.792 | EUR | 1120.605 | C | 36 | 25663 |
| Monitoare LC | Samsung | Monitor Samsung SM EX2220 Wide, 21.5" LED, 1920x1080, 5ms, 5M:1, 250cd/mp, 170/160, D-SUB/DVI-D, Black, Simple Stand w/Tilt | 171.584 | EUR | 907.8608 | C | 36 | 23829 |
| Monitoare LC | Samsung | Monitor Samsung SM XL2270HD Wide, 21.5" LED, 1920x1080, 5ms, 50.000:1, 250cd/mp, 170/160, D-sub/DVI/HDMI/Component/TV(digital/analog)/CI Slot, Speakers 3Wx2Ch (SRS TruSurround HD,Dolby Digital Plus), 1080p, Remote Controller, Charcoal Gray, Simple Stand w/Tilt | 265.776 | EUR | 1406.238 | C | 36 | 25665 |
| Monitoare LC | Samsung | Monitor Samsung SM 2230H Wide, 21.5" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/DVI-D/HDMI, High Glossy Black, Simple Stand w/Tilt | 168.336 | EUR | 890.68 | C | 36 | 23839 |
| Monitoare LC | Samsung | Monitor Samsung SM B2230HD Wide, 21.5" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/DVI-D(w/HDCP)/Component/2xHDMI/CVBS(component Y)/Digital TV/SCART, Built-in DVB-T/C DTV Tuner, Speakers 3Wx2ch, Dolby Digital+ Remote Controller, Simple Stand w/Tilt, High Glossy Black | 221.312 | EUR | 1170.982 | C | 36 | 26939 |
| Monitoare LC | Samsung | Monitor Samsung SM B2230N Wide, 21.5" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-Sub, High Glossy Black, Simple Stand w/Tilt | 156.464 | EUR | 827.8592 | C | 36 | 23836 |

| | | | | | | | | |
|--------------|---------|---|---------|-----|----------|---|----|-------|
| Monitoare LC | Samsung | Monitor Samsung SM B2240 Wide, 21.5" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-SUB/DVI-D, Black, HAS Stand w/Tilt, Swivel, Pivot, Height Adjustment | 178.976 | EUR | 946.9712 | C | 36 | 23840 |
| Monitoare LC | Samsung | Monitor Samsung SM B2240M Wide, 21.5 TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 177/160, D-sub/DVI-D(w/HDCP), Speakers 1Wx2ch, Black, HAS Stand w/Tilt, Swivel, Pivot, Height Adjustable | 185.36 | EUR | 980.7504 | C | 36 | 23842 |
| Monitoare LC | Samsung | Monitor Samsung SM E2220 Wide, 21.5" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/DVI-D(w/HDCP), Black, Simple Stand w/Tilt | 155.88 | EUR | 823.7152 | C | 36 | 23838 |
| Monitoare LC | Samsung | Monitor Samsung SM E2220N Wide, 21.5" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub, Black, Simple Stand w/Tilt | 152.544 | EUR | 807.128 | C | 36 | 23837 |
| Monitoare LC | Samsung | Monitor Samsung SM LD220Z Wide, 21.5" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/USB/HDMI, USB Hub, Speakers 3Wx2ch, Touch panel, High Glossy Black, Bottom Stand w/Tilt | 294.336 | EUR | 1557.36 | C | 36 | 23831 |
| Monitoare LC | Samsung | Monitor Samsung SM P2270H Wide, 21.5" TFT, 1920x1080, 2ms GTG, 70.000:1, 250cd/mp, 170/160, DVI-I/HDMI, Rose Black, Simple Stand | 189.504 | EUR | 1002.68 | C | 36 | 23841 |
| Monitoare LC | Samsung | Monitor Samsung SM BX2240W Wide, 22" LED, 1680x1050, 5ms, 70.000:1, 250cd/mp, 170/160, D-SUB/DVI-D, Black, Pivot, HAS Stand w/Tilt/Swivel/Height Adjustment | 178.976 | EUR | 946.9712 | C | 36 | 25947 |
| Monitoare LC | Samsung | Monitor Samsung SM 2233RZ Wide, 22" TFT, 1680x1050, 2D:5ms / 3D:3ms GTG, 20.000:1, 300cd/mp, 170/160, DVI-DL, High Glossy Black, Simple Stand (ball hinge) w/Tilt,3D monitor | 250.992 | EUR | 1328.018 | C | 36 | 21238 |
| Monitoare LC | Samsung | Monitor Samsung SM 2243QW Wide, 22" TFT, 1680x1050, 5ms, 20.000:1, 300cd/mp, 170/160, D-sub/DVI-D(w/HDCP)/USB(UbiSync Technology), USB Hub, Black, HASStand w/Tilt, Swivel, Pivot, Height Adjustment | 194.88 | EUR | 1031.128 | C | 36 | 21237 |
| Monitoare LC | Samsung | Monitor Samsung SM 2243SN Wide, 22" TFT, 1920x1080, 5ms, 50.000:1, 300cd/mp, 170/160, D-sub, Black, Simple Stand w/Tilt/Swivel | 157.808 | EUR | 834.9712 | S | 36 | 21229 |
| Monitoare LC | Samsung | Monitor Samsung SM 2243WM Wide, 22" TFT, 1680x1050, 5ms, 50.000:1, 300cd/mp, 170/160, D-sub/DVI-D(w/HDCP), Speakers 1Wx2ch, Black, HAS(80mm) Stand w/Tilt, Swivel, Pivot, Height Adjustment | 184.24 | EUR | 974.8256 | C | 36 | 21236 |
| Monitoare LC | Samsung | Monitor Samsung SM B2230W Wide, 22" TFT, 1680x1050, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/DVI-D(w/HDCP), High Glossy Black, Simple Stand w/Tilt | 171.584 | EUR | 907.8608 | 0 | 36 | 23833 |
| Monitoare LC | Samsung | Monitor Samsung SM B2240EW Wide, 22" TFT, 1680x1050, 5ms, 50.000:1, 250cd/mp, 170/160, D-sub/DVI-D, 130mm HAS Tilt, Black | 174.72 | EUR | 924.4592 | 0 | 36 | 26932 |
| Monitoare LC | Samsung | Monitor Samsung SM B2240MW Wide, 22" TFT, 1680x1050, 5ms, 70.000:1, 300cd/mp, 170/160, D-Sub/DVI-D(w/HDCP), Speakers 1Wx2ch, Black, HAS Stand w/Tilt/Swivel/Pivot/Height Adjustable | 174.72 | EUR | 924.4592 | C | 36 | 26931 |
| Monitoare LC | Samsung | Monitor Samsung SM B2240W Wide, 22" TFT, 1680x1050, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/DVI-D(w/HDCP), Black, HAS Stand w/Tilt, Height Adjustable | 172.592 | EUR | 913.2032 | C | 36 | 23835 |
| Monitoare LC | Samsung | Monitor Samsung SM E2220NW Wide, 22" TFT, 1680x1050, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub, Black, Tilt | 165.2 | EUR | 874.0816 | C | 36 | 23832 |
| Monitoare LC | Samsung | Monitor Samsung SM LD220 Wide, 22" TFT, 1920x1080, 5ms, 30.000:1, 300cd/mp, 170/160, D-sub/USB, USB Hub, High Glossy Black, Bottom Stand w/Tilt | 168.336 | EUR | 890.68 | C | 36 | 21228 |
| Monitoare LC | Samsung | Monitor Samsung SM P2250 Wide, 22" TFT, 1920x1080, 2ms GTG, 50.000:1, 300cd/mp, 170/160, D-sub, DVI-D(w/HDCP), Rose Black, Simple Stand w/Tilt | 174.72 | EUR | 924.4592 | C | 36 | 19740 |
| Monitoare LC | Samsung | Monitor Samsung SM P2250N Wide, 22" TFT, 1920x1080, 5ms, 50.000:1, 300cd/mp, 170/160, D-sub, Rose Black, Simple Stand w/Tilt | 164.192 | EUR | 868.7504 | C | 36 | 21232 |
| Monitoare LC | Samsung | Monitor Samsung SM P2250W Wide, 22" TFT, 1680x1050, 2ms GTG, 70.000:1, 300cd/mp, 170/160, D-sub/DVI-D(w/HDCP), Rose Black, Simple Stand w/Tilt | 176.848 | EUR | 935.7152 | C | 36 | 23834 |
| Monitoare LC | Samsung | Monitor Samsung SM P2270 Wide, 22" TFT, 1920x1080, 2ms GTG, 50.000:1, 250cd/mp, 170/160, DVI-I, Charcoal Grey, Simple Stand | 168.336 | EUR | 890.68 | C | 36 | 21234 |
| Monitoare LC | Samsung | Monitor Samsung SM BX2335 Wide, 23" LED, 1920x1080, 2ms GTG, 5.000.000:1, 250cd/mp, 170/160, DVI-I, Mystic Brown, Simple Stand w/Tilt | 197.008 | EUR | 1042.384 | 0 | 36 | 26929 |
| Monitoare LC | Samsung | Monitor Samsung SM BX2350 Wide, 23" LED, 1920x1080, 2ms GTG, 50.000:1, 250cd/mp, 170/160, D-Sub/DVI-I/2xHDMI, Charcoal Grey, Simple Stand w/Tilt | 222.432 | EUR | 1176.907 | C | 36 | 25664 |
| Monitoare LC | Samsung | Monitor Samsung SM PX2370 Wide, 23" LED, 1920x1080, 2ms GTG, 5M:1, 250cd/mp, 170/160, DVI-I/HDMI, Black, Simple Stand w/Tilt. | 280.672 | EUR | 1485.053 | C | 36 | 22523 |
| Monitoare LC | Samsung | Monitor Samsung SM XL2370, Wide, 23" LED, 1920x1080, 2ms GTG, 5M:1, 250cd/mp, 170/160, Analog/DVI-I/HDMI, Charcoal Grey, Simple Stand w/Tilt | 253.12 | EUR | 1339.274 | C | 36 | 22858 |
| Monitoare LC | Samsung | Monitor Samsung SM XL2370HD Wide, 23" LED, 1920x1080, 5ms, 50.000:1, 250cd/mp, 170/160, D-sub/DVI/HDMI/Component/Scart/TV(digital/analog)/CI Slot, Speakers 3Wx2Ch (SRS TruSurround HD,Dolby Digital Plus), 1080p, Remote Controller, CharcoalGray, Simple Stand w/Tilt | 291.2 | EUR | 1540.762 | C | 36 | 25666 |
| Monitoare LC | Samsung | Monitor Samsung SM BX2450 Wide, 24" LED, 1920x1080, 2ms GTG, 70.000:1, 250cd/mp, 170/160, D-sub/DVI-D(w/HDCP)/HDMI, Charcoal Grey, Simple Stand w/Tilt | 253.12 | EUR | 1339.274 | 0 | 36 | 25949 |
| Monitoare LC | Samsung | Monitor Samsung SM B2340 Wide, 23" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/DVI-D, Black, HAS Stand w/Tilt, Height Adjustable | 189.504 | EUR | 1002.68 | C | 36 | 23845 |
| Monitoare LC | Samsung | Monitor Samsung SM E2320 Wide, 23" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/DVI-D(w/HDCP), Black, Simple Stand w/Tilt | 171.584 | EUR | 907.8608 | C | 36 | 23843 |
| Monitoare LC | Samsung | Monitor Samsung SM F2380 Wide, 23" TFT, 1920x1080, 8ms GTG, 150.000:1, 300cd/mp, 178/178, D-Sub/2xDVI-D(w/HDCP), Black, 130mm HAS Stand w/Tilt/Swivel/Pivot/Height Adjustable | 226.576 | EUR | 1198.837 | C | 36 | 21243 |
| Monitoare LC | Samsung | Monitor Samsung SM F2380M Wide, 23" TFT, 1920x1080, 8ms GTG, 150.000:1, 300cd/mp, 178/178, D-Sub/DVI-D(w/HDCP)/HDMI, Speakers 3Wx2ch, Black w/Texture, 130mm HAS Stand w/Tilt/Swivel/Pivot/Height Adjustable | 232.96 | EUR | 1232.605 | C | 36 | 21952 |
| Monitoare LC | Samsung | Monitor Samsung SM P2350 Wide, 23" TFT, 1920x1080, 2ms GTG, 50.000:1, 300cd/mp, 170/160, D-Sub/DVI-D, Rose Black, Simple Stand w/Tilt | 192.752 | EUR | 1019.861 | C | 36 | 21241 |
| Monitoare LC | Samsung | Monitor Samsung SM P2350N Wide, 23" TFT, 1920x1080, 5ms, 50.000:1, 300cd/mp, 170/160, D-sub, Rose Black, Simple Stand w/Tilt | 187.488 | EUR | 992.0176 | C | 36 | 21240 |
| Monitoare LC | Samsung | Monitor Samsung SM P2370 Wide, 23" TFT, 1920x1080, 2ms GTG, 50.000:1, 250cd/mp, 170/160, DVI-I, Charcoal Grey, Simple Stand w/Tilt | 193.76 | EUR | 1025.203 | C | 36 | 21242 |
| Monitoare LC | Samsung | Monitor Samsung SM P2370H Wide, 23" TFT, 1920x1080, 2ms GTG, 70.000:1, 300cd/mp, 170/160, DVI-I/HDMI, Rose Black, Simple Stand | 193.76 | EUR | 1025.203 | C | 36 | 21951 |
| Monitoare LC | Samsung | Monitor Samsung SM B2430L Wide, 23.6" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/DVI-D(w/HDCP), High Glossy Black, Simple Stand w/Tilt | 208.656 | EUR | 1104.018 | C | 36 | 23848 |
| Monitoare LC | Samsung | Monitor Samsung SM B2440L Wide, 23.6" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/DVI-D(w/HDCP), Black, HAS Stand w/Tilt, Height Adjustable | 207.536 | EUR | 1098.093 | C | 36 | 23849 |

| | | | | | | | | |
|--------------|---------|---|---------|-----|----------|------|----|-------|
| Monitoare LC | Samsung | Monitor Samsung SM BX2440 Wide, 24" LED, 1920x1080, 5ms, 5M:1, 250cd/mp, 170/160, D-sub/DVI-D(w/HDCP), Black, HAS Stand w/Tilt, Height Adjustable | 231.952 | EUR | 1227.274 | C | 36 | 23847 |
| Monitoare LC | Samsung | Monitor Samsung SM FX2490HD Wide, 24" LED, 1920x1080, 5ms, MEGA DCR, 250cd/m2, 170/160, D-Sub/DVI/HDMI1&2/Component/CVBS/TV(AnalogTV, Digital TV)/SCART, Speakers 5Wx2Ch, Sound :SRS TheaterSound, Dolby Digital Plus, Dolby Pulse, dts2.0+Digital Out, Remote Controller,Simple Stand w/ Tilt, High Glossy Black | 312.368 | EUR | 1652.762 | C | 36 | 26942 |
| Monitoare LC | Samsung | Monitor Samsung SM 2433LW Wide, 24" TFT, 1920x1080, 5ms, 50.000:1, 300cd/mp, 170/160, D-sub/DVI(w/HDCP), High Glossy Black, Simple Stand w/Tilt | 195.104 | EUR | 1032.315 | 0 | 36 | 21245 |
| Monitoare LC | Samsung | Monitor Samsung SM 2443BW Wide, 24" TFT, 1920x1200, c/s 20000(dinamic)/300cd, 170/160 (H/V), 5ms, D-Sub/DVI, Black, Tilt/Swivel/Pivot/Height Adjustable | 235.088 | EUR | 1243.872 | C | 36 | 16645 |
| Monitoare LC | Samsung | Monitor Samsung SM 2494HM Wide, 24" TFT, 1920x1080, c/s 50000(dinamic)/300cd, 170/160 (H/V), 5ms, D-Sub, DVI, HDMI, USB, Boxe, High Glossy Black, Tilt/Swivel/Pivot/Height Adjustable | 239.344 | EUR | 1266.384 | C | 36 | 17814 |
| Monitoare LC | Samsung | Monitor Samsung SM 2494HS Wide, 24" TFT, 1920x1080, c/s 50000(dinamic)/300cd, 170/160 (H/V), 5ms, D-Sub, DVI, HDMI, Black, Boxe, Tilt/Swivel | 231.952 | EUR | 1227.274 | C | 36 | 17812 |
| Monitoare LC | Samsung | Monitor Samsung SM 2494LW Wide, 24" TFT, 1920x1080, 5ms, 50.000:1, 300cd/mp, 170/160, D-sub/DVI(w/HDCP), Black, Simple Stand w/Tilt/Swivel | 203.28 | EUR | 1075.57 | C | 36 | 21244 |
| Monitoare LC | Samsung | Monitor Samsung SM 2494SW Wide, 24" TFT, 1920x1080, 5ms, 50.000:1, 300cd/mp, 170/160, D-sub/DVI(w/HDCP), Black, Simple Stand w/Tilt/Swivel | 190.624 | EUR | 1008.605 | C | 36 | 21953 |
| Monitoare LC | Samsung | Monitor Samsung SM B2430H Wide, 24" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/DVI-D(w/HDCP)/HDMI, High Glossy Black, Simple Stand w/Tilt | 221.312 | EUR | 1170.982 | C | 36 | 23852 |
| Monitoare LC | Samsung | Monitor Samsung SM B2430HD Wide, 24" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/DVI-D(w/HDCP)/Component/2xHDMI/CVBS(component Y)/Digital TV/SCART, Built-in DVB-T/C DTV Tuner, Speakers 3Wx2ch, Dolby Digital+ Remote Controller,Simple Stand w/Tilt, High Glossy Black | 263.648 | EUR | 1394.982 | C | 36 | 26941 |
| Monitoare LC | Samsung | Monitor Samsung SM B2440 Wide, 24" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/DVI-D(w/HDCP), Black, HAS Stand w/Tilt, Height Adjustable | 227.696 | EUR | 1204.762 | C | 36 | 23854 |
| Monitoare LC | Samsung | Monitor Samsung SM B2440M Wide, 24" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/DVI-D(w/HDCP), Speakers 1Wx2Ch, Black, HAS Stand w/Tilt, Height Adjustable | 236.096 | EUR | 1249.203 | C | 36 | 23855 |
| Monitoare LC | Samsung | Monitor Samsung SM B2440MH Wide, 24" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-Sub/DVI-D/HDMI, Speakers 1Wx2ch, Black, 130mm HAS w/Tilt | 253.12 | EUR | 1339.274 | C | 36 | 26930 |
| Monitoare LC | Samsung | Monitor Samsung SM P2450H Wide, 24" TFT, 1920x1080, 2ms GTG, 70.000:1, 300cd/mp, 170/160, D-sub/DVI(w/HDCP)/HDMI, Rose Black, Simple Stand w/Tilt | 214.928 | EUR | 1137.203 | C | 36 | 23850 |
| Monitoare LC | Samsung | Monitor Samsung SM P2470H Wide, 24" TFT, 1920x1080, 2ms GTG, 70.000:1, 300cd/mp, 170/160, DVI-(w/HDCP)/HDMI, Rose Black, Simple Stand w/Tilt | 238.224 | EUR | 1260.459 | C | 36 | 23851 |
| Monitoare LC | Samsung | Monitor Samsung SM P2770HD Wide, 27" TFT, 1920x1080, 5ms, 50.000:1, 300cd/mp, 170/160, D-sub/DVI/HDMI/Component/TV(digital/analog)/CI Slot, Speakers 3Wx2Ch (SRS TruSurround XT,Dolby Digital Plus), 1080p, Remote Controller, Rose Black, Simple Stand w/ Tilt | 329.28 | EUR | 1742.25 | C | 36 | 21303 |
| Monitoare LC | Samsung | Monitor Samsung SM P2770H Wide, 27" TFT, 1920x1080, 2ms GTG, 70.000:1, 300cd/mp, 170/160, D-sub/DVI/HDMI, Rose Black, Simple Stand w/ Tilt | 292.32 | EUR | 1546.686 | C | 36 | 23857 |
| Monitoare LC | Philips | Monitor Philips 17S1SB, 17" LCD, 1280x1024, 250cd/m2, 800:1 (DCR 25.000:1), 176/170 (O/V), 5ms, DVI, VGA, SmartImage TCO03, negru | 107.184 | EUR | 567.1232 | 0 | 36 | 26843 |
| Monitoare LC | Philips | Monitor Philips perfect160E1SB, 15.6" Wide LCD, 1366x768, 250cd/m2, 500:1 (DCR 6.000:1), 90/65 (O/V), 8ms, TCO03, negru lucios | 78.4 | EUR | 414.8256 | C | 36 | 22842 |
| Monitoare LC | Philips | Monitor Philips 191EL2SB, 18.5" Wide LED LCD, 1366x768, 250cd/m2, 1000:1 (DCR 20.000.000:1), 176/170 (O/V), 5ms, Slim design, Touch control, SmartImage Lite, VGA (Analog), DVI-D (digital, HDCP), negru lucios | 118.832 | EUR | 628.7456 | S | 36 | 26780 |
| Monitoare LC | Philips | Monitor Philips 191V2AB, 18.5" HD Wide LCD 1366x768, 250cd/m2, 300.000:1, 176/170(O/V), 5ms, VGA (Analogue), DVI-D, boxe: 1.5 W x 2, VESA 100, negru lucios | PROMO | EUR | 457.8448 | S | 36 | 26656 |
| Monitoare LC | Philips | Monitor Philips 192E1SB, 18.5" Wide LCD, 1366x768, 250cd/m2, 1000:1 (DCR 8.000:1), 170/160 (O/V), 5ms, TCO03, negru lucios | 93.072 | EUR | 492.4528 | CALL | 36 | 20742 |
| Monitoare LC | Philips | Monitor Philips 192E2SB, 18.5" Wide LCD, 1366x768, 250cd/m2, 500.000:1, 176/170 (O/V), 5ms, VGA (Analog), DVI-D, VESA (100x100 mm), SmartImage, Comenzi tactile, negru lucios | 95.648 | EUR | 506.0832 | S | 36 | 26781 |
| Monitoare LC | Philips | Monitor Philips 190S9FS, 19" LCD, 1280x1024, 300cd/m2, 800:1 (DCR 8000:1), 176/170 (O/V), 5ms, DVI-D, TCO03, SmartImage, argintiu | 119.168 | EUR | 630.5264 | S | 36 | 19630 |
| Monitoare LC | Philips | Monitor Philips 190C1SB, 19" Wide LCD, 1440x900, 250cd/m2, 1000:1 (DCR 30.000:1), 176/170 (O/V), 2ms G2G, DVI-D, USB 2.0 x 1, Cable Management, TCO03, SmartImage, TrueVision, negru | 108.864 | EUR | 576.0048 | 0 | 36 | 26842 |
| Monitoare LC | Philips | Monitor Philips 201E1SB, 20.1" Wide HD+ LCD, 1600x900, 250cd/m2, 1000:1 (DCR 25.000:1), 176/170 (O/V), 5ms, Auto Picture, negru lucios | 111.552 | EUR | 590.2288 | S | 36 | 26841 |
| Monitoare LC | Philips | Monitor Philips 220E1SB, 21.6" Wide LCD, 1920x1080, 300cd/m2, 1000:1 (DCR 8000:1), 170/160" (O/V), 5ms, Auto Picture, negru lucios | PROMO | EUR | 653.8448 | S | 36 | 19632 |
| Monitoare LC | Philips | Monitor Philips 225BL2CB, 22" Wide LED LCD,1680x1050, 250cd/m2, 20000000:1, 176/170 (O/V), 5ms, VGA (Analog), DVI-D (digital, HDCP), 2*USB 2.0, boxe 1.5Wx2, TCO03, senzor de prezenta, Pivot cu ajustare 70 mm, SmartTouch controls, SmartImage, negru | 212.24 | EUR | 1122.979 | C | 36 | 26850 |
| Monitoare LC | Philips | Monitor Philips 225B2CB, 22" Wide LCD, 1680x1050, 250cd/m2, 50000:1, 176/170 (O/V), 5ms, VGA (Analog), DVI-D (digital, HDCP), 2*USB 2.0, boxe 1.5Wx2, TCO03, senzor de prezenta, Pivot cu ajustare 70 mm, SmartTouch controls, SmartImage, negru | 198.128 | EUR | 1048.309 | C | 36 | 26849 |
| Monitoare LC | Philips | Monitor Philips 220B1CS, 22" Wide LCD, 1680x1050, 250cd/m2, 1000:1 (DCR 25.000:1), 176/170 (O/V), 5ms, DVI-D, VGA, USB 2.0, boxe, TCO03, senzor de prezenta, SmartImage, argintiu | 150.192 | EUR | 794.6736 | S | 36 | 26811 |
| Monitoare LC | Philips | Monitor Philips 220C1SB, 22" Wide LCD, 1680x1050, 250cd/m2, 1000:1 (DCR 30.000:1), 176/170 (O/V), 2ms G2G, DVI-D, USB 2.0, Cable Management, TCO06, SmartImage, TrueVision, Auto Picture, polarizor antireflexie, negru lucios | 140.224 | EUR | 741.9328 | C | 36 | 26846 |
| Monitoare LC | Philips | Monitor Philips 220P1ES, 22" Wide LCD, 1680x1050, 250cd/m2, 1000:1 (DCR 25000:1), 176/170 (O/V), 5ms, ScreenRotate, VGA (Analog), DVI D (digital, HDCP), USB 2.0 x 1, Boxe - 1,5 W x 2, Cable Management, TCO03, SmartImage, TrueVision, silver | 177.744 | EUR | 940.4528 | C | 36 | 26844 |
| Monitoare LC | Philips | Monitor Philips 220X1SW, 22" Wide LCD, 1680x1050, 300cd/m2, 1000:1 (DCR 12.000:1), 160/160 (O/V), 5ms (2ms gtg), DVI-D, USB 2.0, SmartImage, TrueVision, polarizor antireflexie, piano white | 177.856 | EUR | 941.0464 | S | 36 | 19636 |
| Monitoare LC | Philips | Monitor Philips 225B1CS, 22" Wide LCD, 1680x1050, 250cd/m2, 1000:1 (DCR 25.000:1), 176/170 (O/V), 5ms, DVI-D, USB 2.0, boxe, TCO03, senzor de prezenta, SmartImage, TrueVision, argintiu | 156.464 | EUR | 827.8592 | C | 36 | 19635 |
| Monitoare LC | Philips | Monitor Philips 240B1CS, 24" Wide LCD, 1920x1200, 300cd/m2, 1000:1 (DCR 25.000:1), 178/178 (O/V), 5ms, DVI-D, VGA, HDMI, Boxe 2x1,5W USB 2.0 x1, argintiu | 258.048 | EUR | 1365.347 | C | 36 | 26848 |

| | | | | | | | | |
|-------------------------|---------|---|---------|-----|----------|---|----|-------|
| Monitoare LC | Philips | Monitor Philips 240S1SB, 24" Wide LCD, 1920x1200, 300cd/m2, 25000:1, 178/178 (O/V), 5ms, VGA (Analog), DVI-D (digital, HDCP), SmartImage, HDCP ready, negru | 268.912 | EUR | 1422.837 | C | 36 | 26851 |
| Monitoare LC | Philips | Monitor Philips 231E1SB, 23" Wide LCD, 1920x1080, 300cd/m2, 1000:1 (DCR 25.000:1), 176/170 (O/V), 5ms, DVI-D, VGA, SmartImage, negru lucios | 146.16 | EUR | 773.3488 | C | 36 | 21762 |
| Monitoare LC | Philips | Monitor Philips 241E1SB, 23.6" Wide LCD, 1920x1080, 300cd/m2, 1000:1 (DCR 25.000:1), 176/170 (O/V), 5ms, DVI-D, VGA, negru lucios | 163.968 | EUR | 867.5632 | C | 36 | 26847 |
| Monitoare LC | Philips | Monitor Philips 244E1SB, 23.6" Wide LCD, 1920x1080, 250cd/m2, 1000:1 (DCR 25.000:1), 176/170 (O/V), 5ms, DVI-D, VGA, HDMI, Boxe 2x2W, negru lucios | 182.896 | EUR | 967.7136 | C | 36 | 26845 |
| Monitoare LC | Dell | Monitor Dell E1910H, 18.5" TFT 1366x768, 300cd, 1000:1, 5ms, VGA, Black | PROMO | USD | 575.4448 | S | 36 | 20669 |
| Monitoare LC | Dell | Monitor Dell 1909W, 19" WXGA+ 1440 x 900 TFT Wide, 300cd, 1000:1, 5ms, VGA, DVI+HDCP, Pivot, Black, TCO03 | 195.664 | USD | 790.7088 | C | 36 | 24188 |
| Monitoare LC | Dell | Monitor Dell E1910, 19" WXGA+ 1440 x 900 TFT Wide, 300cd, 1000:1, 5ms, VGA, DVI, Black, TCO03 | 177.296 | USD | 716.4864 | C | 36 | 24176 |
| Monitoare LC | Dell | Monitor Dell 2009W, 20" WSXGA+ 1680x1050 TFT Wide, 300cd, 2000:1, 5ms, VGA, DVI+ HDCP, Pivot, 4 porturi USB, Silver, TCO03 | 235.312 | USD | 950.936 | C | 36 | 24189 |
| Monitoare LC | Dell | Monitor Dell E2009W, 20" WSXGA+ 1680x1050 TFT Wide, 300cd, 1000:1, 5ms, VGA, DVI, Black, TCO03 | 191.968 | USD | 775.768 | C | 36 | 24178 |
| Monitoare LC | Dell | Monitor Dell E2010H, 20" WSXGA+ 1600x900 TFT Wide, 250cd, 1000:1, 5ms, VGA, DVI, Black, TCO03 | 193.312 | USD | 781.2 | C | 36 | 24179 |
| Monitoare LC | Dell | Monitor Dell IN2010N, 20" WSXGA+ 1600x900 TFT Wide, 250cd, 1000:1, 5ms, VGA, Black | 172.368 | USD | 696.5616 | C | 36 | 24177 |
| Monitoare LC | Dell | Monitor Dell P2010H, 20" WSXGA+ 1600x900 TFT Wide, 250cd, 1000:1, 5ms, VGA, DVI, Display Port, Pivot, Black, TCO03 | 222.432 | USD | 898.8784 | C | 36 | 24190 |
| Monitoare LC | Dell | Monitor Dell ST2010, 20" WSXGA+ 1600x900 TFT Wide, 250cd, 1000:1, 5ms, VGA, HDMI, Black | 200.368 | USD | 809.7152 | C | 36 | 24180 |
| Monitoare LC | Dell | Monitor Dell E2210H, 21.5" Full HD 1920x1080 TFT Wide, 250cd, 1000:1, 5ms, VGA, DVI+HDCP, Black, TCO03 | 226.016 | USD | 913.3712 | C | 36 | 24181 |
| Monitoare LC | Dell | Monitor Dell SX2210, 21.5" Full HD 1920x1080 TFT Wide, 300cd, 50000:1(DC), 2ms G2G, VGA, DVI, HDMI, 4 USB ports, Dual Tone, 2MP Webcam&Mic, Black, TCO03 | 338.912 | USD | 1369.603 | C | 36 | 24182 |
| Monitoare LC | Dell | Monitor Dell SX2210T, 21.5" Full HD 1920x1080 TFT Wide, 220cd, 50000:1(DC), 2ms G2G, VGA, DVI, HDMI, 4 USB ports, Dual Tone, 2MP Webcam&Mic, Touch Screen, Black , TCO03 | 465.92 | USD | 1882.854 | C | 36 | 24184 |
| Monitoare LC | Dell | Monitor Dell G2210, 22" WSXGA+ 1680x1050 TFT Wide, 250cd, 1000:1, 5ms, VGA, DVI, Black, TCO03 | 251.552 | USD | 1016.557 | C | 36 | 24185 |
| Monitoare LC | Dell | Monitor Dell ST2310, 23" Full HD 1920x1080 TFT Wide, 250cd, 50000:1(DC), 5ms, VGA, DVI+HDCP, HDMI, 4 USB ports, Black& white, TCO03 | 262.08 | USD | 1059.106 | C | 36 | 24186 |
| Monitoare LC | Dell | Monitor Dell G2410H, 24" Full HD 1920x1080 TFT Wide, 250cd, 1000:1, 5ms, VGA, DVI+HDCP, Pivot, Black, TCO03 | 385.504 | USD | 1557.886 | C | 36 | 24187 |
| Monitoare LC | Dell | Monitor Dell U2410, 24" WUXGA 1920x1200 TFT Wide, 400cd, 1000:1, 6ms G2G, VGA, DVI+HDCP, Display Port, HDMI, Pivot, 4 USB ports, Card Reader, VESA, Black, TCO03 | 628.992 | USD | 2541.862 | C | 36 | 24191 |
| Monitoare LC | Dell | Monitor Dell U2711, 27" WQHD 2560x1440 TFT Wide, 350cd, 80000:1(DC), 6ms, VGA, 2xDVI, Display Port, HDMI, Component&Composite Video, Pivot, 4 USB port, Card Reader, Black, TCO03 | 844.48 | USD | 3412.674 | C | 36 | 24192 |
| Monitoare LC | Fujitsu | Monitor Fujitsu L20T-2 LED, 20" Wide LCD, 1600x900, 5000000:1(DC), 250cd, 5ms, 176/170, D-sub, 2x 1W, ECO status LED | 127.568 | EUR | 674.968 | C | 36 | 24992 |
| Monitoare LC | Fujitsu | Monitor Fujitsu A19-5 ECO, 19" TFT, 1280x1024, 1000:1, 250cd, 5ms, 170/170, D-sub, 2x 1W | 124.208 | EUR | 657.1936 | C | 36 | 26948 |
| Monitoare LC | Fujitsu | Monitor Fujitsu SL3220W, 22" Wide TFT, 1680x1050, 10.000:1, 300cd, 5ms, 170/170, 1"DVI, 1"D-sub, 2x 1.5W | 144.256 | EUR | 763.2688 | C | 36 | 26947 |
| Monitoare LC | Lenovo | Monitor Lenovo L1951p T48HNEU, 19" TFT Wide, 1440 x 900, 1000:1, 250cd, 5ms, Analog/DVI-D(HDCP), Black | 188.16 | EUR | 995.568 | 0 | 36 | 23786 |
| Monitoare LC | Lenovo | Monitor Lenovo L2251p T72HNEU, 22" TFT Wide, 1680 x 1050, 1000:1, 250cd, 5ms, Analog/DisplayPort, Pivot | 230.832 | EUR | 1221.349 | C | 36 | 23788 |
| Monitoare LC | HP | Monitor HP Compaq LE1711 EM886AA, 17" TFT, 1280 x 1024, 250cd, 1000:1, 5ms, VGA, Black/Silver | 146.608 | EUR | 775.712 | C | 36 | 23777 |
| Monitoare LC | HP | Monitor HP LE1901w NK570AA, 19" TFT Wide, 1440 x 900, 250cd, 1000:1, 5ms, VGA, Black | 152.768 | EUR | 808.304 | C | 36 | 23779 |
| Monitoare LC | HP | Monitor HP LE2201w NK571AA, 22" TFT Wide, 1680 x 1050, 250cd, 1000:1, 5ms, VGA, Black | 183.232 | EUR | 969.4944 | C | 36 | 23782 |
| Monitoare LC | HP | Monitor HP Compaq LA2405wg NL773AA, 24" TFT Wide, 1920 x 1200, 300cd, 1000:1, 5ms, VGA/DVI-D/USB/DisplayPort, Black/Silver | 281.008 | EUR | 1486.834 | C | 36 | 23783 |
| Monitoare LC | HP | Monitor HP LP2475w KD911A4, 24" TFT Wide, 1920 x 1200, 400cd, 1000:1, 5ms, DVI-I la VGA/DVI-D/DisplayPort/HDMI/USB, Black/Silver | 476.56 | EUR | 2521.512 | C | 36 | 23778 |
| Monitoare LC | Apple | Monitor Apple Cinema Display M9179ZM/A, 30" TFT, 2560x1600, 0.258dp, c/s 700/400cd, 178/178 (H/V), TCO03, Silver | 2259.38 | EUR | 11954.54 | C | 36 | 14501 |
| Monitoare LCD-TV | | | | | | | | |
| Monitoare LC | Horizon | Monitor Horizon 9005L-TD, 19" TFT, 1280x1024, 0.264dp, c/s 700/250cd, 160/160 (H/V), 8ms, TCO03, Boxe, Black-Silver, TV-Tuner, Telecomanda | 152.432 | USD | 616 | 0 | 36 | 9623 |
| Monitoare LC | Horizon | Monitor Horizon 9005SW-TD Wide, 19" TFT, 1440x900, 5ms, Boxe, Silver-Black, Tv Tuner, Telecomanda, Boxe, panel LG grad A+ | 163.296 | USD | 659.904 | C | 36 | 16942 |
| Monitoare LC | Horizon | Monitor Horizon 2205SW-TD Wide, 22" TFT, 1680x1050, c/s 800/300cd, 160/160 (H/V), 5ms, TCO03, Boxe, Black, TV-Tuner, Telecomanda | 190.512 | USD | 769.888 | C | 36 | 8954 |
| Monitoare LC | Benq | Monitor Benq V2320H, Wide 23" LED, 1920x1080, 0.265dp, c/s 1000/250cd, 5ms, 170/160(H/V), D-sub/DVI/HDMI, Senseye+Photo, External Power Adapter, Glossy Black | 174.72 | EUR | 924.4592 | 0 | 36 | 26949 |
| Monitoare LC | Benq | Monitor Benq ML2441, Wide 23.6" LED Full HD, 1920x108, 5000000(DC), 300 cd, 5ms, PAL/DVB-T Tuner TV integrat, HDMI, DVI, SCART, Spk 3Wx2, Black | 278.32 | EUR | 1472.61 | C | 36 | 23976 |
| Monitoare LC | Benq | Monitor Benq MK2442, Wide 23.6" TFT, 1920x1080, c/s 1000(10000DC)/300cd, 5ms, 170/160 (H/V), Digital Tune, D-Sub/DVI-D/HDMI/SCART/S-Video, VESA, Boxe (2 x 5W), Telecomanda, Glossy Black | 203.168 | EUR | 1074.976 | 0 | 36 | 23817 |
| Monitoare LC | Benq | Monitor Benq MK2443, Wide 23.6" TFT, 1920x1080, c/s 1000(60000DC)/300cd, 5ms, 170/160 (H/V), DVB-T, Speaker 5W x 2, D-Sub/HDMI/SCART/S-Video, Support H.264/ MPEG4/Freeview, Telecomanda, Black | 231.84 | EUR | 1226.68 | C | 36 | 26074 |
| Monitoare LC | LG | Monitor LG M197WDP-PC, 18.5" TFT, 1366x768, c/s 1000/250cd, 170/160 (H/V), D-SUB, DVI, HDMI, SCART, Composite, 5ms, TV-Tuner, Telecomanda, Boxe, TCO03, VESA, Black | 177.856 | EUR | 941.0464 | C | 36 | 22798 |
| Monitoare LC | LG | Monitor LG W1946S-BF Wide, 18.5" TFT, 1366x768, c/s 30000(DC)/250cd, 170/160(H/V), 5ms, D-Sub, VESA 75x75, Flatron fEngine, TCO '05, consum 22W, Black | 102.368 | EUR | 541.632 | C | 24 | 26946 |
| Monitoare LC | LG | Monitor LG M2062D-PC, 20" TFT, 1600x900, c/s 1000/300cd, 170/160 (H/V), D-SUB, DVI, HDMI, SCART, Composite, 5ms, TV-Tuner, Telecomanda, Boxe, TCO03, VESA, Black | 184.352 | EUR | 975.4192 | C | 36 | 22799 |
| Monitoare LC | LG | Monitor LG M2262D-PC, 21.5" TFT, 1920x1080, c/s 1000/300cd, 170/160 (H/V), D-SUB, DVI, HDMI, SCART, Composite IN/OUT, 5ms, TV-Tuner, Telecomanda, Boxe, TCO03, VESA, Black | 214.592 | EUR | 1135.422 | C | 36 | 22801 |
| Monitoare LC | LG | Monitor LG M227WDP-PC Wide, 21.5" TFT, 1920x1080, c/s 50000(dinamic)/300cd, 170/160(H/V), D-Sub, DVI, HDMI, Boxe: 2x3W, Tuner DVB, VESA 100x100, Black | 210.336 | EUR | 1112.899 | C | 36 | 23790 |
| Monitoare LC | LG | Monitor LG W2240S-PN Wide, 21.5" TFT, 1920x1080, 5ms, c/s 30000 (dinamic)/ 300 cd/m2, 170/170 (H/V), FLATRON fEngine, semnal intrare: D-Sub, Photo Effect, 4:3 in wide, Glossy black | 134.736 | EUR | 712.9024 | C | 24 | 26944 |
| Monitoare LC | LG | Monitor LG M2362D-PC, 23" TFT, 1920x1080, c/s 1000/300cd, 170/160 (H/V), D-SUB, DVI, HDMI, SCART, Composite IN/OUT, 5ms, TV-Tuner, Telecomanda, Boxe, TCO03, VESA, Black | 226.464 | EUR | 1198.243 | C | 36 | 22802 |
| Monitoare LC | LG | Monitor LG M237WDP-PC, 23" TFT, 1920x1080, c/s 50000(dinamic)/300cd, 5ms, D-Sub, DVI, SCARTx2, HdMlx2, RCA Audio In Boxe: 2x3W, Tuner DVB, Hotel Mode, VESA, Telecomanda | 228.592 | EUR | 1209.499 | C | 36 | 24993 |

| | | | | | | | | |
|--------------------------|-----------|--|---------|-----|----------|----|----|-------|
| Monitoare LC | LG | Monitor LG M2762D-PC, 27" TFT, 1600x900, c/s 1000/300cd, 170/160 (H/V), D-SUB, DVI, HDMI, SCART, Composite IN/OUT, 5ms, TV-Tuner, Telecomanda, Boxe, TCO03, VESA, Black | 329.952 | EUR | 1745.8 | C | 36 | 22803 |
| Monitoare LC | LG | Monitor LG W2753VC-PF Wide, 27" TFT, 1920x1080, c/s 50000(dinamic)/400cd, 170/160 (H/V), 2ms, D-SUB, DVI, HDMI, Glossy Black | 311.696 | EUR | 1649.211 | C | 36 | 24694 |
| Monitoare LC | Samsung | Monitor Samsung SM 933HD Wide, 18.5" TFT, 1360x768, c/s 1000(10000dc)/300cd, 170/160 (H/V), 5ms, D-Sub, DVI, 2xHDMI, Tv Tuner, Boxe, High Glossy Black, Tilt | 168.336 | EUR | 890.68 | 0 | 36 | 17820 |
| Monitoare LC | Samsung | Monitor Samsung SM 2033HD Wide, 20" TFT, 1600x900, 5ms, 10.000:1, 300cd/mp, 170/160, D-sub/DVI-D/2xHDMI/Component/TV(digital/analog)/CI Slot, Speakers 3Wx2Ch (Dolby Digital Plus), Remote Controller, 1080p, High Glossy Black, Simple Stand.w/ Tilt | 189.504 | EUR | 1002.68 | C | 36 | 21247 |
| Monitoare LC | Samsung | Monitor Samsung SM LD220HD Wide, 21.5" TFT, 1920x1080, 5ms, 50.000:1, 300cd/mp, 170/160, D-sub/DVI/HDMI/Component/TV(DVB-T/C)/CI Slot, Speakers 5Wx2Ch (SRS TruSurround HD,Dolby Digital Plus), 1080p, Remote Controller, High Glossy Black, Foldable Simple Stand w/Tilt | 210.784 | EUR | 1115.274 | C | 36 | 23858 |
| Monitoare LC | Samsung | Monitor Samsung SM P2270HD Wide, 22" TFT, 1920x1080, 5ms, 50.000:1, 300cd/mp, 170/160, D-sub/DVI/HDMI/Component/TV(digital/analog)/CI Slot, Speakers 3Wx2Ch (Dolby Digital Plus), Remote Controller, Rose Black, Simple Stand w/Tilt | 221.312 | EUR | 1170.982 | C | 36 | 21248 |
| Monitoare LC | Samsung | Monitor Samsung SM T220HD Wide, 22" TFT, 1680x1050, c/s 1000(10000dc)/300cd, 170/160 (H/V), 5ms, DVI, Tv Tuner, Boxe, Telecomanda, HDTV, Rose-Black, LS22TDVSUV/EN | 221.312 | EUR | 1170.982 | C | 36 | 14988 |
| Monitoare LC | Samsung | Monitor Samsung SM 2333HD Wide, 23" TFT, 1920x1080, c/s 1000(10000dc)/300cd, 160/160 (H/V), 5ms, D-Sub, DVI, 2xHDMI, Tv Tuner, Boxe, High Glossy Black, Tilt | 242.48 | EUR | 1282.982 | C | 36 | 17821 |
| Monitoare LC | Samsung | Monitor Samsung SM B2330H Wide, 23" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160?, D-sub/DVI-D/HDMI, High Glossy Black, Simple Stand w/Tilt | 183.232 | EUR | 969.494 | C | 36 | 23846 |
| Monitoare LC | Samsung | Monitor Samsung SM B2330HD Wide, 23" TFT, 1920x1080, 5ms, 70.000:1, 300cd/mp, 170/160, D-sub/2 x HDMI/Component/Built-in DVB-T/C DTV Tuner/Optical Out/Audio In/Headphone Out/SCART, Speakers 3Wx2Ch - Dolby Digital Plus/Dolby Pulse/dts2.0+ Digital Out/Optical digital sound (SPDIF), Remote Controller, Simple Stand w/Tilt, High Glossy Black | 257.376 | EUR | 1361.797 | 0 | 36 | 26940 |
| Monitoare LC | Samsung | Monitor Samsung SM P2370HD Wide, 23" TFT, 1920x1080, 5ms, 50.000:1, 300cd/mp, 170/160, D-sub/DVI/HDMI/Component/TV(digital/analog)/CI Slot, Speakers 3Wx2Ch (Dolby Digital Plus, SRS trusurround HD), Remote Controller, Rose Black, Simple Stand w/Tilt | 253.12 | EUR | 1339.274 | C | 36 | 21250 |
| Monitoare LC | Samsung | Monitor Samsung SM P2470HD Wide, 24" TFT, 1920x1080, 5ms, 50.000:1, 300cd/mp, 170/160, D-sub/DVI-D/HDMI/Component/Scart/TV(digital/analog)/CI Slot, Speakers 3Wx2Ch (Dolby Digital Plus, SRS trusurround HD), 1080p, Remote Controller, Rose Black, Simple Stand w/ Tilt | 273.168 | EUR | 1445.349 | C | 36 | 21249 |
| Monitoare LC | Philips | Monitor Philips 221T1SB, 21.5" Wide LCD, 1920x1080, 250cd/m2, 1000:1 (SCR 35.000:1), 170/160 (O/V), 5ms, VGA, HDMI, boxe, TV-Tuner, Scanare progresiva, TrueVision, Negru. | 194.656 | EUR | 1029.941 | C | 36 | 20392 |
| Monitoare LC | Philips | Monitor Philips 222EL1SB, 21.5" Wide LED LCD, 1920x1080, 250cd/m2, 1.000.000:1, 176/170 (O/V), 5ms, SmartTouch controls, VGA (Analog), negru lucios | 137.2 | EUR | 725.9392 | M | 36 | 26782 |
| Monitoare LC | Philips | Monitor Philips 231T1SB, 23" Wide LCD, 1920x1080, 300cd/m2, 1000:1 (DCR 50.000:1), 170/160 (O/V), 5ms, VGA, HDMI, boxe, Tuner DVB-T, SCART, TrueVision, Negru. | PROMO | EUR | 1101.845 | S | 36 | 22239 |
| Televizoare LCD | | | | | | | | |
| Televizoare L | LG | Televizor LG 32LH3000 32" LCD, 16:9, 1920x1080, c/s 50000/500cd, 178/178 (H/V), Full HD, 3xHDMI, 2x10W Surround | 371.504 | EUR | 1965.656 | 0 | 24 | 20484 |
| Televizoare L | LG | Televizor LG 37LF2500 37" LCD, 16:9, 1920 x 1080, contrast 50000:1, 500 cd/m2, Full HD, HDMI, difuzoare incorporate | 401.856 | EUR | 2126.253 | SL | 24 | 21787 |
| Televizoare L | LG | Televizor LG 42LH9000 42" LED, 16:9, 1920x1080, c/s 5000000/500cd, 178/178 (H/V), Full HD, TruMotion 200Hz, 4xHDMI, 2x10W Surround, USB (DIVX, jpeg, mp3), Simplink, Swivel 20+, Intelligent sensor, Store demo, 24p Real cinema, THX display, Smooth motion, Picture Wizard, Clear Voice II, AV Mode II, Bluetooth (transfer poze mobil / casti wireless) | 995.344 | EUR | 5266.442 | 0 | 24 | 20481 |
| Televizoare L | LG | Televizor LG 47LH4000 47" LCD, 16:9, 1920 x 1080, contrast 80000:1, 500 cd/m2, Full HD, HDMI, difuzoare incorporate, SmartEnergySaving | 698.88 | EUR | 3697.826 | 0 | 24 | 21796 |
| Televizoare L | LG | Televizor LG 47LH9000 47" LED, 16:9, 1920x1080, c/s 5000000/500cd, 178/178 (H/V), Full HD, TruMotion 200Hz, 4xHDMI, 2x10W Surround, USB (DIVX, jpeg, mp3), Simplink, Swivel 20+, Intelligent sensor, Store demo, 24p Real cinema, THX display, Smooth motion, Picture Wizard, Clear Voice II, AV Mode II, Bluetooth (transfer poze mobil / casti wireless) | 1158.98 | EUR | 6132.235 | 0 | 24 | 20482 |
| Televizoare L | LG | Televizor LG 47SL9000 47" LED, 16:9, 1920x1080, c/s 3000000/500cd, 178/178 (H/V), Full HD, TruMotion 100Hz, 4xHDMI, 2x10W Surround, USB (DIVX, jpeg, mp3), Simplink, Swivel 20+, Intelligent sensor, Store demo, 24p Real cinema, THX display, Smooth motion, Picture Wizard, Clear Voice II, AV Mode II, Bluetooth, Slim 3cm, Bordless | 1047.2 | EUR | 5540.819 | 0 | 24 | 22458 |
| Televizoare L | Panasonic | Televizor Panasonic TX-L32C10P 32" (81cm) LCD WXGA, HD Ready, 16:9 (Wide), 1366x768, 2xHDMI, Viera Link, Contrast 30.000:1, Unghi de vizionare 178 grade, Boxe (2x10W) | 316.736 | EUR | 1675.878 | 0 | 24 | 20716 |
| Televizoare L | Sony | Televizor Sony Bravia EX302, 26", 1366 x 768, 16:9, HD Ready, Dolby Digital+S-Force Front Surround, HDMI, PC(D-sub 15 pini), USB 2.0, SCART(RGB), Minijack, Black | 310.688 | EUR | 1643.88 | 0 | 24 | 25667 |
| Televizoare L | Sony | Televizor Sony Bravia EX302, 32", 1366 x 768, 16:9, HD Ready, Clear Voice, HDMI, PC (D-sub 15 pini), USB 2.0, Minijack, SCART(RGB), BRAVIA Sync, Black | 398.832 | EUR | 2110.248 | 0 | 24 | 25668 |
| Televizoare L | Sony | Televizor Sony Bravia EX402, 32", 1920 x 1080, 16:9, Full HD, HDMI, PC(D-sub 15 pini), USB 2.0 Media Player, Minijack, SCART(RGB), BRAVIA Sync, Light Black | 480.256 | EUR | 2541.078 | 0 | 24 | 25669 |
| Televizoare L | Sony | Televizor Sony Bravia NX500, 32", 1920 x 1080, 16:9, Full HD, HDMI, PC (D-sub 15 pini), USB 2.0, Minijack, SCART(RGB), BRAVIA Sync, Black | 566.832 | EUR | 2999.158 | C | 24 | 25671 |
| Televizoare L | Sony | Televizor Sony Bravia EX600, 32" LED, 1920 x 1080, 16:9, Full HD, HDMI, Dolby Digital+, PC (D-Sub cu 15 pini), USB 2.0, Minijack, Black | 644.336 | EUR | 3409.235 | C | 24 | 25670 |
| Televizoare L | Sony | Televizor Sony Bravia NX500, 40", 1920 x 1080, 16:9, Full HD, Dolby Digital+S-Force Front Surround, HDMI, PC (D-sub 15 pini), USB 2.0, Minijack, SCART(RGB), DLNA BRAVIA Sync, Black | 741.328 | EUR | 3922.43 | 0 | 24 | 25673 |
| Televizoare L | Sony | Televizor Sony Bravia EX600, 40" LED, 1920 x 1080, 16:9, Full HD, Dolby Digital+, HDMI, PC(D-sub 15 pini), USB 2.0 Media Player, SCART(RGB), Minijack, Black | 858.816 | EUR | 4544.064 | C | 24 | 25672 |
| Televizoare L | Sony | Televizor Sony Bravia EX402, 46", 1920 x 1080, 16:9, Full HD, Dolby Digital+, PC (D-Sub cu 15 pini), USB 2.0, Minijack, Black | 871.36 | EUR | 4610.435 | 0 | 24 | 25674 |
| Televizoare L | Sony | Televizor Sony Bravia EX700, 46" LED, 1920 x 1080, 16:9, Full HD, Wi-Fi Ready, DLNA, Presence Sensor, Dolby Digital+, HDMI, PC(D-sub 15 pini), USB 2.0 Media Player, SCART | 1277.36 | EUR | 6758.618 | C | 24 | 25675 |
| Televizoare L | Sony | Televizor Sony Bravia EX700, 60" LED, 1920 x 1080, 16:9, Full HD, Wi-Fi Ready, DLNA, Presence Sensor, Dolby Digital+, PC (D-Sub cu 15 pini), USB 2.0 Media Player, SCART(RGB), Minijack | 2296.78 | EUR | 12152.47 | 0 | 24 | 25676 |
| Suporti de perete | | | | | | | | |
| Suporti de pe | Apple | Apple VESA Display Mount M9649G/A | 38.864 | EUR | 205.632 | S | 1 | 14503 |

| | | | | | | | | |
|-------------------|---------|--|---------|-----|----------|----|----|-------|
| Suport de pe | Apple | Apple VESA Display Mount MC434ZM/A for 24"/27" iMac and 24" LED Cinema Display | 38.864 | EUR | 205.632 | C | 1 | 24574 |
| Suport de pe | Hontech | Suport Hontech LCD- TV, 26"-37", ajustabil 15 grade sus, 15 grade jos, VESA 100, 200mm, distanta pana la perete 4.5cm, HT-A02 | 20.496 | USD | 82.824 | C | 12 | 26475 |
| Suport de pe | Hontech | Suport Hontech LCD- TV, 14"-32", fix, VESA 75, 100mm, distanta pana la perete 3cm, HT-A03 | 16.24 | USD | 65.632 | C | 12 | 26474 |
| Suport de pe | Hontech | Suport Hontech LCD- TV, 26"-37", fix, ajustabil stanga, dreapta-maxim 440mm X 340 mm, distanta pana la perete 5cm, HT-C02 | 25.872 | USD | 104.552 | C | 12 | 26476 |
| Suport de pe | Hontech | Suport Hontech LCD- TV, 37 "- 42", ajustabil 20 grade sus, 20 grade jos, stanga-dreapta maxim 740 mm X 476 mm, distanta pana la perete 7cm, HT-C06 | 48.496 | USD | 195.9776 | C | 12 | 26477 |
| Imprimante | | | | | | | | |
| Imprimante | Canon | Imprimanta Canon PIXMA iP1900, USB 2.0, Inkjet, (A4, 4800x1200dpi, 21ppm negru, 17ppm color, PG37 (220pgs-5%), CL48 (205pgs-5%), Optional PG-40/CL-41 black/color) | 30.912 | EUR | 163.5536 | SL | 12 | 17757 |
| Imprimante | Canon | Imprimanta Canon PIXMA iP2600, USB 2.0, Inkjet, (A4, 4800x1200dpi, 22ppm negru, 17ppm color, PG37 (220pgs-5%), CL48 (205pgs-5%), Optional PG-40/CL-41 black/color) | 32.368 | EUR | 171.2592 | C | 12 | 14053 |
| Imprimante | Canon | Imprimanta Canon PIXMA iP2700, USB 2.0, Inkjet, A4, color, 7ipm A/N, 4.8ipm color, 4800x1200dpi, PG-510, CL-511 (Optional - PG-512, CL-513), imprimare fara margini albe | 34.048 | EUR | 180.152 | C | 12 | 25418 |
| Imprimante | Canon | Imprimanta Canon PIXMA iP3600, USB 2.0, Inkjet, (A4, 9600x2400dpi, 26ppm negru, 17ppm color, PGI520BK, CLI-521BK, CLI521C/M/Y) | 61.824 | EUR | 327.1184 | C | 12 | 17174 |
| Imprimante | Canon | Imprimanta Canon PIXMA iP4700, USB 2.0, Inkjet, 10x15 cm borderless photo in app. 20 sec. 9600x2400 dpi, auto duplex, 2-way paper feeding, DVD/CD printing, PictBridge, ChromaLife100+, PGI-520BK, CLI-521BK, CLI-521C, CLI-521Y | 76.72 | EUR | 405.9328 | 0 | 12 | 21548 |
| Imprimante | Canon | Imprimanta Canon PIXMA Pro9000 MKII, USB 2.0, Inkjet, A3+, Color, tava 150 coli, tava frontala 1 coala, PictBridge, CD-R / DVD tray: 1 printable CD-R or DVD | 407.12 | EUR | 2154.107 | C | 12 | 25419 |
| Imprimante | Canon | Imprimanta Canon PIXMA Pro9500MKII, USB 2.0, Inkjet, A3+, Color, PictBridge, tava 150 coli, tava frontala 1 coala, 10-colour, pigment ink photo printing system | 611.296 | EUR | 3234.414 | C | 12 | 25420 |
| Imprimante | Canon | Imprimanta Canon PIXMA iP100, Portabila, USB 2.0, IrDA IR, Inkjet, (A4, 9600x2400dpi, max. 20ppm negru, max. 14ppm color, Cartuse compatibile: PGI-35 Black, CLI-36 Color), Optionale: Bluetooth Unit BU-30, Rechargeable Battery & attachment LK-62, Automobile Power Unit PU-200U | 219.072 | EUR | 1159.133 | C | 12 | 18688 |
| Imprimante | Canon | Imprimanta Canon PIXMA iP100 cu baterie, Portabila, USB 2.0, IrDA IR, Inkjet, (A4, 9600x2400dpi, max. 20ppm negru, max. 14ppm color, Cartuse compatibile: PGI-35 Black, CLI-36 Color, Include baterie LK-62 Li-ion), Optionale: Bluetooth Unit BU-30, Automobile Power Unit PU-200U | 263.648 | EUR | 1394.982 | C | 12 | 18690 |
| Imprimante | Canon | Imprimanta Canon PIXMA iX4000, USB 2.0, Inkjet, (A3+, 4800x1200dpi, 18ppm negru, 11ppm color, PGI-5BK (380pgs-5%), CLI-8C/M/Y (280pgs-5%)) | 222.992 | EUR | 1179.864 | C | 12 | 6657 |
| Imprimante | Canon | Imprimanta Canon PIXMA iX7000, USB 2.0, Inkjet, A3+, Viteza ISO ESAT de 10,2/8,1 ipm monocrom/color, Photo lab quality: max. 4800* x 1200dpi, tehnologie Single Ink - 6 cartuse separate de cernela (PGI-9PBK, PGI-7BK, PGI-9Y, PGI-9M, PGI-9C, PGI-9 Clear), Ethernet IEEE802.3u (100BASE-TX), IEEE802.3 (10BASE-T), 10/100 Mb/s | 344.4 | EUR | 1822.251 | C | 12 | 22485 |
| Imprimante | Canon | Imprimanta Canon i-SENSYS LBP3010, Laser, USB 2.0, (A4, 2400x600dpi, 14ppm, RAM 2MB, CRG-712 (1500pgs-5%)) | 76.496 | EUR | 404.7456 | 0 | 12 | 17148 |
| Imprimante | Canon | Imprimanta Canon i-SENSYS LBP3100, Laser, USB 2.0, (A4, max. 2400x600dpi, 16ppm, RAM 2MB, max. 5000 pag/luna, Standard cartridge 712 (1500-5%)) | 100.912 | EUR | 533.9376 | 0 | 12 | 18691 |
| Imprimante | Canon | Imprimanta Canon i-SENSYS LBP3250, Laser, USB 2.0, (A4, max. 2400x600dpi, 23ppm, RAM 8MB, max. 8000 pag/luna, Standard cartridge 713 (2000-5%)) | 102.48 | EUR | 542.2256 | C | 12 | 18692 |
| Imprimante | Canon | Imprimanta Canon i-SENSYS LBP3310, Laser, USB 2.0, (A4, Duplex, 2400x600dpi, 26ppm, RAM 8MB, 10000 pag/luna, Standard: Cartus 715 (3000-5%) sau Optional: 715H (7000-5%)) | 181.888 | EUR | 962.3824 | C | 12 | 14055 |
| Imprimante | Canon | Imprimanta Canon i-SENSYS LBP3370, Laser, USB 2.0, Retea (A4, max. 2400x600dpi, 26ppm, RAM 8MB, max. 15000 pag/luna, Standard cartridge 715 (3000-5%), High yield cartridge 715H (7000-5%)) | 292.768 | EUR | 1549.061 | C | 12 | 18693 |
| Imprimante | Canon | Imprimanta Canon i-SENSYS LBP3460, Laser, USB 2.0, (A4, Duplex, 2400x600dpi, 33ppm, 64MB, 10000 pag/luna, CRG708 (2500-5%), duplex, network ready, PCL5e/PCL6) | 360.528 | EUR | 1907.584 | 0 | 12 | 11672 |
| Imprimante | Canon | Imprimanta Canon i-SENSYS LBP6300dn, Laser, A4, 30ppm, Duplex, network ready, caseta 250 pag, tava 50 pag, memory 16MB, Interfata : USB 2.0 High-Speed, 10BASE-T/100BASE-TX, Cartridge CRG 719: 2100 pag sau optional Cartridge 719H: 6400 pag,Duty Cycle Max. 25000 pag/ luna, Optional: PAPER FEEDER PF-44 (500-sheet cassette) | 153.664 | EUR | 813.0528 | C | 12 | 25424 |
| Imprimante | Canon | Imprimanta Canon i-SENSYS LBP6650dn, Laser, A4, 33ppm, Duplex, network ready, caseta 250 pag, tava 50 pag, procesor la 333MHz, memory 64MB, 600 x 600 dpi (2400 x600 dpi with Automatic Image Refinement), Interfata : USB 2.0 High-Speed, 10BASE-T/100BASE-TX, Cartridge CRG 719: 2100 pag sau optional Cartridge 719H: 6400 pag, Duty Cycle Max. 50000 pag/ luna | 192.304 | EUR | 1017.498 | C | 12 | 25427 |
| Imprimante | Canon | Imprimanta Canon i-SENSYS LBP 7200Cdn, Laser color A4, 20ppm mono&color, 9600x600dpi(enhanced), 20 ppm color și alb-negru (A4), caseta 250 coli, tava multifunctionala 50 coli, duplex, USB 2.0, network ready, consumabile 718Bk, C, M, Y | 269.584 | EUR | 1426.387 | C | 12 | 25446 |
| Imprimante | Canon | Imprimanta Canon i-SENSYS LBP 7750Cdn, Laser color A4, 30 ppm mono&color, 9600x600dpi(enhanced), 30 ppm colour and mono (A4), caseta 250 coli, tava multifunctionala 100 coli, duplex, USB 2.0, network ready, optional Wireless, consumabile 723Bk, C, M, Y | 385.392 | EUR | 2039.139 | C | 12 | 25447 |
| Imprimante | Canon | Imprimanta Canon i-SENSYS LBP-5050, Laser, USB 2.0, (A4 Color, max. 9600x600dpi, 12ppm mono, 8ppm color, RAM 16MB, max. 25000 pag/luna, Cartridge 716 black (2300-5%), 716 cyan (1500-5%), 716 magenta (1500-5%), 716 yellow (1500-5%)) | 157.36 | EUR | 832.608 | C | 12 | 18694 |
| Imprimante | Canon | Imprimanta Canon i-SENSYS LB5050n, Laser, USB 2.0, Retea, (A4 Color, max. 9600x600dpi, 12ppm mono, 8ppm color, RAM 16MB, max. 25000 pag/luna, Cartridge 716 black (2300-5%), 716 cyan (1500-5%), 716 magenta (1500-5%), 716 yellow (1500-5%)) | 175.504 | EUR | 928.6032 | C | 12 | 18695 |
| Imprimante | Canon | Imprimanta Canon i-SENSYS LBP5360, Laser color A4, 21 ppm in colour & mono, 9600x600 dpi (enhanced), 128MB memory (384 MB max), PCL5c/ PCL 6/ UFR II, caseta 250 coli, optional caseta 500 coli, Duplex std, USB 2.0 High Speed, IEEE1284 (Parallel), 10Base-T/100Base-TX, optional HDD 20GB HD-93, consumabile CRG-711 Bk, C, M, Y | 501.312 | EUR | 2652.485 | C | 12 | 25448 |
| Imprimante | Canon | Accesorii Imprimanta Canon, placa retea NBC2, compatibili pentru LBP3300/5000/5100 | PROMO | EUR | 649.5888 | SL | 12 | 19054 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF6100, 17" (A2), Rezolutie printare: 2400x1200 dpi, USB 2.0, Retea, Cartuse: (PFI-101 (C, M, Y, PC, PM, R, G, B), PFI-103 (BK, MBK, GY, PGY)), Cap de printare: PF-03, Cartus mentenanta:MC-16 | 1435.06 | EUR | 7592.995 | 0 | 12 | 18679 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF6000S, 24" (A1), Rezolutie printare: 2400x1200 dpi, USB 2.0, Retea, HDD 80GB, Cartuse: (PFI-101 (BK, MBK, C, M, Y, PC, PM, GY)), Cap de printare: PF-03, Cartus mentenanta: MC-16 | 1981.28 | EUR | 10483.11 | 0 | 12 | 18682 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF605, 24" (A1), Rezolutie printare: 2400x1200 dpi, USB 2.0, Retea, Cartuse: (PFI-102 (130 ml) , MBK, BK, C, M, Y)), Cap de printare: PF-03, Cartus mentenanta: MC-16 | 1185.18 | EUR | 6270.902 | 0 | 12 | 18673 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF610, 24" (A1), Rezolutie printare: 2400x1200 dpi, USB 2.0, Retea, Cartuse: (PFI-102 (130ml), MBK, BK, C, M, Y) , Cap de printare: PF-03, Cartus mentenanta: MC-16 | 1775.42 | EUR | 9393.91 | 0 | 12 | 18674 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF6350, 24"(A1) Photo, Proof Pigment LFP, Rezolutie printare: 2400 x 1200dpi, USB 2.0, Retea, 80GB HDD, Cartuse: PFI-105(BK, MBK, C, M, Y, PC, PM, GY, PGY, R, G, B), Cap de printare PF-05, Cartus mentenanta MC-16 | 2441.6 | EUR | 12918.7 | 0 | 12 | 23533 |

| | | | | | | | | |
|------------|-------|--|---------|-----|----------|---|----|-------|
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF650, 24" (A1), Rezolutie printare: 2400x1200 dpi, USB 2.0, Retea, Cartuse: (PFI-102: C, Y, K, MBK), (PFI-104:M), Cap de printare: PF-04, Cartus mentenananta: MC-07, CAD / GIS Dye / Pigment LFP / PosterArtist Lite / without cassette | 1776.54 | EUR | 9399.835 | C | 12 | 25384 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF655, 24" (A1) CAD / GIS Dye / Pigment LFP / PosterArtist Lite / HDD / without cassette, Consumabile: Print Head PF-04, Pigment Ink Tank PFI-102; Matte Black Dye Ink | 1999.42 | EUR | 10579.12 | C | 12 | 20468 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF710, 36" (A0), Rezolutie printare: 2400x1200 dpi, USB 2.0, Retea, Cartuse: (PFI-102 (130ml), MBK, BK, C, M, Y), Cap de printare: PF-03, Cartus mentenananta: MC-07 | 1774.3 | EUR | 9387.986 | C | 12 | 25385 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF750, 36" (A0) CAD / GIS Dye / Pigment Large Format Printer with PosterArtist Lite, Consumabile: Print Head PF-04, Pigment Ink Tank PFI-102; Matte Black Dye Ink Tank | 2403.07 | EUR | 12714.84 | 0 | 12 | 20469 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF755, 36" (A0) CAD / GIS Dye / Pigment Large Format Printer with PosterArtist Lite, Consumabile: Print Head PF-04, Pigment Ink Tank PFI-102; Matte Black Dye Ink Tank | 2599.86 | EUR | 13756.04 | C | 12 | 20470 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF800S, 44" (111.76cm), Rezolutie printare: 2400x1200 dpi, USB 2.0, Retea, HDD 80GB, Cartuse: (PFI-301(330 ml), PFI-701(700 ml); MBK, BK, PC, C, PM, M, Y, R, G, B, GY, PGY), Cap de printare: PF-03, Cartus mentenananta: MC-08, Cutter Blade: CT-06 | 2746.91 | EUR | 14534.13 | 0 | 12 | 18684 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF810, 44" (111.76cm), Rezolutie printare: 2400x1200 dpi, USB 2.0, Retea, HDD 80GB, Memorie: 384Mb, Cartuse: (PFI-303: BK, MBK, C, M, Y (330ml), PFI-703: BK, MBK, C, M, Y (700ml)), Cap de printare: PF-03, Cartus mentenananta: MC-09 | 3142.72 | EUR | 16628.38 | C | 12 | 18677 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF8100, 44" (111.76cm), Rezolutie printare: 2400x1200 dpi, USB 2.0, Retea, HDD 80GB, Cartuse: (PFI-301(330 ml), PFI-701(700 ml); PC, C, PM, M, Y, R, G, B, PFI-302(330 ml), PFI-702(700 ml); MBK, BK, GY, PGY), Cap de printare: PF-03, Cartus mentenananta: MC-08, Cutter Blade: CT-06 | 3934.34 | EUR | 20816.89 | 0 | 12 | 18683 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF820, 44" (111.76cm), Rezolutie printare: 2400x1200 dpi, USB 2.0, Retea, HDD 80GB, Memorie: 384Mb, Cartuse: (PFI-303: BK, MBK, C, M, Y (330ml), PFI-703: BK, MBK, C, M, Y (700ml)), Cap de printare: PF-03, Cartus mentenananta: MC-09 | 3515.9 | EUR | 18602.93 | 0 | 12 | 18678 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF8300, 44" (111.76cm), Rezolutie printare: 2400x1200 dpi, USB 2.0, Retea, HDD 80GB, Cartuse PFI-304 (330 ml): BK, MBK, C, M, Y, PC, PM, GY, PGY, R, G, B, Cap de printare PF-05, Cartus mentenananta MC-08, Cutter Blade CT-06 | 2746.91 | EUR | 14534.13 | 0 | 12 | 23534 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF9000S, 60" (152.4cm), Rezolutie printare: 2400x1200 dpi, USB 2.0, Retea, HDD 80GB, Cartuse: (PFI-301(330 ml), PFI-701(700 ml); MBK, BK, PC, C, PM, M, Y, R, G, B, GY, PGY), Cap de printare: PF-03, Cartus mentenananta: MC-08, Cutter Blade: CT-06 | 11088.2 | EUR | 58668.68 | 0 | 12 | 18686 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF iPF9100, 60" (152.4cm), Rezolutie printare: 2400x1200 dpi, USB 2.0, Retea, HDD 80GB, Cartuse: (PFI-301(330 ml), PFI-701(700 ml); PC, C, PM, M, Y, R, G, B, PFI-302(330 ml), PFI-702(700 ml); MBK, BK, GY, PGY), Cap de printare: PF-03, Cartus mentenananta: MC-08, Cutter Blade: CT-06 | 11088.2 | EUR | 58668.68 | 0 | 12 | 18685 |
| Imprimante | Canon | Imprimanta format mare (Plotter) Canon imagePROGRAF LP17, 17" (A2), Rezolutie printare: 2400x1200 dpi, USB 2.0, Retea, Cartuse: (PFI-102 (130 ml), MBK, BK, C, M, Y), Cap de printare: PF-03, Cartus mentenananta: MC-05 | 1049.44 | EUR | 5552.669 | 0 | 12 | 18671 |
| Imprimante | HP | Imprimanta HP DJ 1660, A4, max 20ppm black, 16ppm color, USB2.0, max 4800x1200dpi, max 750pag duty cycle, cartuse no. 300 | PROMO | EUR | 133.0448 | S | 12 | 22407 |
| Imprimante | HP | Imprimanta HP DJ D2660, A4, max 28ppm black, 21ppm color, max 4800x1200dpi, HP LIDIL, PML, USB2.0, max. 1000pag duty cycle, cartuse no. 300 | 34.384 | EUR | 181.9328 | C | 12 | 22408 |
| Imprimante | HP | Imprimanta HP DJ D5560, A4, max 28ppm black, 21ppm color, max 4800x2400dpi, HP LIDL, PML, 64MB, USB 2.0, wireless 802.11b/g, duty cycle 3000 pag/luna, cartuse no. 300 | 66.416 | EUR | 351.4112 | C | 12 | 22409 |
| Imprimante | HP | Imprimanta HP DJ 7000 Wide Format, USB 2.0, (A3+, 4800x1200dpi, 33ppm negru, 12ppm color, 32MB, Retea, HP PCL3, ciclu lunar 7000 de pagini) | 217.392 | EUR | 1150.24 | C | 12 | 21946 |
| Imprimante | HP | Imprimanta HP DJ H470, A4, color, portabila, max 22ppm black, 18ppm color, max 4800dpi, 32MB RAM, PCL3, sloturi card, USB2.0, PictBridge, C9364EE, C8766EE, max 500 pag/luna | 214.48 | EUR | 1134.829 | C | 12 | 22406 |
| Imprimante | HP | Imprimanta HP DJ H470B, A4, color, portabila, max 22ppm black, 18ppm color, max 4800dpi, 32MB RAM, PCL3, sloturi card, USB2.0, PictBridge, C9364EE, C8766EE, max 500 pag/luna | 257.6 | EUR | 1362.984 | S | 12 | 22405 |
| Imprimante | HP | Imprimanta HP DJ H470WBT, USB 2.0, A4, color, portabila, max 22ppm black, 18ppm color, max 4800dpi, 32MB RAM, PCL3, sloturi card, PictBridge, Bluetooth, baterie, geanta sleeve, C9364EE, C8766EE, max 500 pag/luna | 299.824 | EUR | 1586.39 | C | 12 | 18829 |
| Imprimante | HP | Imprimanta HP DJ Business Inkjet 2800, USB 2.0, (A3+, 4800x1200dpi, 24/13 5ppm black, 21/12ppm color 96MB RAM std - max. 544MB, PCL 5c, PCL 6, PS 3, USB + paralel, ecran LCD, cartuse no. 11) | 480.928 | EUR | 2544.629 | C | 12 | 11540 |
| Imprimante | HP | Imprimanta HP OfficeJet 6000, A4, Color, 32ppm black, 31ppm color, 32MB, 4800x1200dpi, HP PCL3 GUI, tava 250 coli, USB 2.0, Retea, 7.000 pag duty cycle, consumabile CD971AE, CD972AE, CD973AE, CD974AE | 86.128 | EUR | 455.7056 | C | 12 | 25421 |
| Imprimante | HP | Imprimanta HP OfficeJet Pro 8000, A4, Color, viteza 35ppm black, 34ppm color, 32MBRAM, tava 250 coli, duplex, 4 cartuse separate, 2 capete de printare, USB2.0, Ethernet, duty cycle 15000pag, HP PCL3 GUI, HP PCL 3 Enhanced printhead/cartuseno.940, optional tava 250 coli, cartuse 940XL | 107.968 | EUR | 571.2672 | C | 12 | 25422 |
| Imprimante | HP | Imprimanta HP OfficeJet Pro 8000 Wireless, A4, Color, viteza 35ppm black, 34ppm color, 32MB RAM, tava 250 coli, duplex, 4 cartuse separate, 2 capete de printare, USB, Ethernet, duty cycle 15000pag, HP PCL3 GUI, HP PCL 3Enhanced printhead/cartuse no.940, Wireless 802.11 b/g, optional tava 250coli, cartuse 940XL | 143.92 | EUR | 761.488 | C | 12 | 25423 |
| Imprimante | HP | Imprimanta HP OfficeJet Pro K8600, USB 2.0, (A3, 4800x1200dpi, 35ppm black A4, 35ppm color A4, 32MB, HP PCL, duty cycle 6250pag, printhead/cartuse no.88, USB2.0) | 349.888 | EUR | 1851.282 | C | 12 | 14228 |
| Imprimante | HP | Imprimanta HP OfficeJet Pro K8600dn, A3+, 4 cartuse separate, 2 capete de printare, max 35/12.5ppm black, 35ppm color, PCL3, PCL3 GUI, 32MB RAM, duplex, tava 250 coli, USB si Ethernet, duty cycle 6250pag, printhead/cartuse no.88 | 437.808 | EUR | 2316.474 | C | 12 | 20440 |
| Imprimante | HP | Imprimanta HP LJ P2035, USB 2.0 (A4, max 30ppm, max 600x600dpi, 16MB, fpo 8 sec, UPD (PCL 5e), host-based, tavi 50+250 coli, USB 2.0, paralel, toner in-box 1000pag, max 25.000pag/luna, toner CE505A) | 175.168 | EUR | 926.8224 | C | 12 | 19000 |
| Imprimante | HP | Imprimanta HP LJ P2055, A4, 33ppm, 1200x1200dpi, 64MB max 320MB, tavi 50+250 coli, procesor 600Mhz, USB 2.0, duty cycle 50.000pag/luna, toner CE505A | 213.696 | EUR | 1130.685 | C | 12 | 25431 |
| Imprimante | HP | Imprimanta HP LJ P2055d, A4, 1200x1200dpi, 33ppm, 64MB max 320MB, PCL 6, 5c, fpo 8sec, tavi 50+250 coli, duplex automat, USB, max 50.000pag/luna, toner CE505A) | 240.576 | EUR | 1272.902 | C | 12 | 23328 |
| Imprimante | HP | Imprimanta HP LJ P2055dn, A4, 1200x1200dpi, 33ppm, 128MB max 384MB, PCL 6, 5c, tavi 50+250 coli, duplex automat, USB si retea GB, max 50.000pag/luna, toner CE505A) | 318.528 | EUR | 1685.354 | C | 12 | 17305 |
| Imprimante | HP | Imprimanta HP LJ P3015, A4, 40ppm, 1200x1200dpi, 96MB, fpo 7.5 sec, tavi 100+500 coli, duplex, USB, duty cycle 100.000pag/luna, toner CE255A sau CE255X | 427.728 | EUR | 2263.139 | C | 12 | 25432 |

| | | | | | | | | |
|------------|----|---|---------|-----|----------|---|----|-------|
| Imprimante | HP | Imprimanta HP LJ P3015d, A4, 40ppm, 1200x1200dpi, duplex, 96MB, fpo 7.5 sec, procesor 540Mhz, tavi 100+ 500 coli, HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, direct PDF (v 1.4) printing, USB, 1 external host USB, 1EIO slot, duty cycle 100.000pag/luna, toner CE255A, CE255X | 502.32 | EUR | 2657.816 | C | 12 | 25433 |
| Imprimante | HP | Imprimanta HP LJ P3015dn, A4, 40ppm, 1200x1200dpi, duplex, 96MB, fpo 7.5 sec, procesor 540Mhz, tavi 100+ 500 coli, HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, direct PDF (v 1.4) printing, USB, 1 external host USB, 1 EIO slot, retea, duty cycle 100.000pag/luna, toner CE255A, CE255X | 621.152 | EUR | 3286.562 | C | 12 | 25434 |
| Imprimante | HP | Imprimanta HP LJ P3015x, A4, 40ppm, 1200x1200dpi, duplex, 96MB, fpo 7.5 sec, procesor 540Mhz, tavi 100+ 500+500 coli, HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, direct PDF (v 1.4) printing, USB, 1 external host USB, 1 EIO slot, retea, duty cycle 100.000pag/luna, tonerCE255A, CE255X | 709.968 | EUR | 3756.502 | C | 12 | 25435 |
| Imprimante | HP | Imprimanta HP LJ P4014, USB 2.0 (A4, 43ppm, 1200x1200dpi, 96MB, fpo 8.5 sec, tavi 100+500coli, USB, paralel, duty cycle 175.000pag/luna, toner CC364A) | 678.832 | EUR | 3591.75 | C | 12 | 23688 |
| Imprimante | HP | Imprimanta HP LJ P4014dn, USB 2.0 (A4, 43ppm, 1200x1200dpi, 128MB, fpo 8.5 sec, PCL6, tavi 100+500coli, duplex, USB, retea Eth, duty cycle 175.000pag/luna, toner CC364A) | 1061.42 | EUR | 5616.083 | C | 12 | 24450 |
| Imprimante | HP | Imprimanta HP LJ P4014n, USB 2.0 (A4, 43ppm, 1200x1200dpi, 128MB, fpo 8.5 sec, PCL6, tavi 100+500coli, USB, retea Eth, duty cycle 175.000pag/luna, toner CC364A) | 848.4 | EUR | 4488.949 | 0 | 12 | 23528 |
| Imprimante | HP | Imprimanta HP LJ P4015dn, USB 2.0 (A4, 50ppm, 1200x1200dpi, 128MB, fpo 8.5 sec, tavi 100+500coli, duplex, USB, retea Eth., duty cycle 225.000pag/luna, toner CC364A, CC364x) | 1160.77 | EUR | 6141.722 | C | 12 | 23529 |
| Imprimante | HP | Imprimanta HP LJ P4015n, USB 2.0 (A4, 50ppm, 1200x1200dpi, 128MB, fpo 8.5 sec, tavi 100+500coli, USB, retea Eth., duty cycle 225.000pag/luna toner CC364A, CC364x) | 956.704 | EUR | 5061.997 | C | 12 | 23689 |
| Imprimante | HP | Imprimanta HP LJ P4015x, USB 2.0 (A4, 50ppm, 1200x1200dpi, 128MB, fpo 8.5 sec, tavi 100+2* 500coli, duplex, USB, retea Eth., duty cycle 225.000pag/luna, toner CC364A, CC364xCC364A, CC364x) | 1364.83 | EUR | 7221.435 | C | 12 | 24451 |
| Imprimante | HP | Imprimanta HP LJ P4515n, USB 2.0 (A4, 60ppm, 1200x1200dpi, 128MB, fpo 8.5 sec, tavi 100+500coli, USB, retea Eth., duty cycle 275.000pag/luna toner CC364A, CC364X | 1324.06 | EUR | 7005.723 | C | 12 | 23690 |
| Imprimante | HP | Imprimanta HP LJ P4515x, A4, 60ppm, 1200x1200dpi, 128MB, fpo 8.5 sec, tavi 100+2*500coli, duplex, USB, retea Eth., duty cycle 275.000pag/luna tonerCC364A, CC364X | 1732.3 | EUR | 9165.755 | 0 | 12 | 25436 |
| Imprimante | HP | Imprimanta HP LJ P4515xm, A4, 60ppm, 1200x1200dpi, 128MB, fpo 8.5 sec, tavi 100+2*500coli, duplex, 5-bin mailbox USB, retea Eth., duty cycle275.000pag/luna toner CC364A, CC364X | 2139.54 | EUR | 11320.46 | 0 | 12 | 25437 |
| Imprimante | HP | Imprimanta HP LJ Pro P1102, A4, 18ppm, 600x600dpi, 2MB RAM, fpo 8.5 sec, tava 150 coli, USB 2.0, max 5.000pag/luna, toner CE285A | 92.4 | EUR | 488.8912 | C | 12 | 22897 |
| Imprimante | HP | Imprimanta HP LJ Pro P1102w, A4, 18ppm, 600x600dpi, 2MB RAM, fpo 8.5 sec, tava 150 coli, USB 2.0, WiFi 802.11 b/g, max 5.000pag/luna, toner CE285A | 110.768 | EUR | 586.0848 | C | 12 | 25428 |
| Imprimante | HP | Imprimanta HP LJ Pro P1566, A4, 22ppm, 1200X1200dpi, 8MB, fpo 7 sec, tava 250 coli, USB2.0, duty cycle 8000pag/luna, toner CE278A | 136.976 | EUR | 724.752 | C | 12 | 25429 |
| Imprimante | HP | Imprimanta HP LJ Pro P1606dn, A4, 25ppm, 600x600dpi, 32MB RAM, fpo 7 sec, host-based printing driver, HP PCL 5e, 250 coli, duplex, USB 2.0, retea, max 8.000pag/luna, toner CE278A | 196.224 | EUR | 1038.24 | 0 | 12 | 25430 |
| Imprimante | HP | Imprimanta HP LJ 5200, USB 2.0, (A3, 1200x1200dpi, 35/18.5ppm, 48MB max 512MB, PCL6, 5e, paralel, toner Q7516A) | 1640.02 | EUR | 8677.458 | C | 12 | 11559 |
| Imprimante | HP | Imprimanta HP LJ 5200dn, USB 2.0, (A3, 1200x1200dpi, 35/18.5ppm, 48MB max 512MB, PCL6, 5e, paralel, toner Q7516A, duplex, retea) | 2154.88 | EUR | 11401.64 | C | 12 | 11561 |
| Imprimante | HP | Imprimanta HP LJ 5200tn, USB 2.0, (A3, 1200x1200dpi, 35/18.5ppm, 48MB max 512MB, PCL6, 5e, paralel, toner Q7516A, retea, tavi 100+250+500 coli) | 2311.01 | EUR | 12227.72 | C | 12 | 11560 |
| Imprimante | HP | Imprimanta HP LJ 9040dn, USB 2.0, (A3, 1200dpi, 40/26ppm 64MB max 512MB, PCL6, 5e, GL/2, paralel, toner C8543X, duplex, retea, tavi 100+500+500 coli) | 3368.62 | EUR | 17823.66 | C | 12 | 11564 |
| Imprimante | HP | Imprimanta HP LJ 9040n, USB 2.0, (A3, 1200dpi, 40/26ppm 64MB max 512MB, PCL6, 5e, GL/2, paralel, toner C8543X, retea, tavi 100+500+500 coli) | 2900.35 | EUR | 15345.99 | C | 12 | 11563 |
| Imprimante | HP | Imprimanta HP LJ 9050dn, USB 2.0, (A3, 1200dpi, 50/28ppm, 64MB max 512MB, PCL6, 5e, GL/2, paralel, toner C8543X, tavi 100+500+500 coli, duplex, retea) | 4122.27 | EUR | 21811.27 | C | 12 | 11567 |
| Imprimante | HP | Imprimanta HP LJ 9050n, USB 2.0, (A3, 1200dpi, 50/28ppm, 64MB max 512MB, PCL6, 5e, GL/2, paralel, toner C8543X, tavi 100+500+500 coli, retea) | 3700.59 | EUR | 19580.13 | C | 12 | 11566 |
| Imprimante | HP | Imprimanta HP LJ Color CP1215, USB 2.0, A4, 12ppm negru, 8ppm color, USB, 16MB, 600dpi, 25000 pagini / luna, cartus CB540A, CB541A, CB542A, CB543A) | 173.264 | EUR | 916.7536 | C | 12 | 13849 |
| Imprimante | HP | Imprimanta HP LJ Color CP1515N, USB 2.0, A4, 12ppm negru, 8ppm color, USB ,Retea, 96MB, 600dpi, 30000 pagini / luna, cartus CB540A, CB541A, CB542A, CB543A) | 217.504 | EUR | 1150.834 | C | 12 | 13850 |
| Imprimante | HP | Imprimanta HP LJ Color CP2025, A4, 20ppm, 128MB+4MB internal flash memory, 600x600dpi, HP ImageReT 3600, fpo 18 sec, tava multifunctionala 50 coli, tava 250coli, USB, duty cycle 40.000 pag/luna, tonere CC530A, CC531A, CC532A, CC533A | 324.464 | EUR | 1716.77 | C | 12 | 25449 |
| Imprimante | HP | Imprimanta HP LJ Color CP2025DN, A4, 20ppm negru, 20ppm color, USB ,Retea, Duplex, 128MB, 600dpi, 40000 pagini / luna, cartus CC530A, CC531A, CC532A, CC533A) | 508.144 | EUR | 2688.627 | C | 12 | 18743 |
| Imprimante | HP | Imprimanta HP LJ Color CP2025N, A4, 20ppm negru, 20ppm color, USB ,Retea, 128MB, 600dpi, 40000 pagini / luna, cartus CC530A, CC531A, CC532A, CC533A) | 381.136 | EUR | 2016.616 | C | 12 | 18742 |
| Imprimante | HP | Imprimanta HP LJ Color CP3525dn, A4, 30ppm, 384MB memory, 1200x600dpi, HP ImageReT3600, fpo 16.5 sec, tava multifunctionala 100 coli, tava 250 coli, Duplex, USB 2.0, retea Eth, optional Wireless, tonere CE250A, CE251A, CE252A, CE253A | 729.456 | EUR | 3859.61 | C | 12 | 25451 |
| Imprimante | HP | Imprimanta HP LJ Color CP3525n, A4, 30ppm, 256MB memory, 1200x600dpi, HP ImageReT3600, fpo 16.5 sec, tava multifunctionala 100 coli, tava 250 coli, USB 2.0, retea Eth, optional Wireless, tonere CE250A, CE251A, CE252A, CE253A | 598.08 | EUR | 3164.493 | C | 12 | 25450 |
| Imprimante | HP | Imprimanta HP LJ Color CP3525x, A4, 30ppm, 512MB memory, 1200x600dpi, HP ImageReT3600, fpo 16.5 sec, tava multifunctionala 100 coli, 2 tavi *250 coli, Duplex, USB 2.0, retea Eth, optional Wireless, tonere CE250A, CE251A, CE252A, CE253A | 938.896 | EUR | 4967.771 | 0 | 12 | 25454 |
| Imprimante | HP | Imprimanta HP LJ Color CP4025dn, A4, 35ppm a/n si color, 512MB max 1GB, 1200x1200dpi, HP ImageRet 3600, tavi 100+500 coli, HP PCL5c, HP PCL 6, HP PostScript 3 emulare, Duplex, USB 2.0, retea GB, duty cycle max 100.000 pag/luna, tonere CE260A, CE261A, CE262A, CE263A | 1069.38 | EUR | 5658.15 | C | 12 | 25457 |
| Imprimante | HP | Imprimanta HP LJ Color CP4025n, A4, 35ppm a/n si color, 512MB max1GB, 1200x1200dpi, HP ImageRet 3600, tavi 100+500 coli, HP PCL5c, HP PCL 6, HP PostScript 3 emulare, USB 2.0, retea GB, duty cycle max 100.000pag/luna, tonere CE260A, CE261A,CE262A, CE263A | 812 | EUR | 4296.354 | 0 | 12 | 25453 |
| Imprimante | HP | Imprimanta HP LJ Color CP4525dn, A4, 40ppm a/n si color, 512MB, 1200x1200dpi, fpo 9.5 sec, duplex, tavi 100+500 coli, USB 2.0, retea, duty cycle 120.000 pag/luna, tonere CE260A, CE261A, CE262A, CE263A | 1278.82 | EUR | 6766.323 | C | 12 | 25461 |
| Imprimante | HP | Imprimanta HP LJ Color CP4525n, A4, 40ppm a/n si color, 512MB, 1200x1200dpi, fpo 9.5 sec, tavi 100+500 coli, USB 2.0, Retea, duty cycle 120.000 pag/luna, tonere CE260A, CE261A, CE262A, CE263A | 1022.34 | EUR | 5409.264 | C | 12 | 25456 |

| | | | | | | | | |
|------------|----|--|---------|-----|----------|---|----|-------|
| Imprimante | HP | Imprimanta HP LJ Color CP4525xh, A4, 40ppm a/n si color, 1GB, 1200x1200dpi, fpo 9.5 sec, duplex, tavi 1100+4*500 coli, HDD, USB 2.0, retea, duty cycle 120.000 pag/luna, tonere CE260A, CE261A, CE262A, CE263A | 2471.5 | EUR | 13076.93 | 0 | 12 | 25462 |
| Imprimante | HP | Imprimanta HP LJ Color 5550, (A3, ImageRET 3600, 28/14 ppm, 160MB max 544MB, PCL 5c, PCL 6, USB 1.1, paralel, tavi 100+500 coli, tonere C9730A, C9731A, C9732A, C9733A) | 3050.66 | EUR | 16141.26 | C | 12 | 11602 |
| Imprimante | HP | Imprimanta HP LJ Color 5550dn, (A3, ImageRET 3600, 28/14 ppm, 160MB max 544MB, PCL 5c, PCL 6, USB 1.1, paralel, tavi 100+500 coli, tonere C9730A, C9731A, C9732A, C9733A, retea duplex) | 3546.82 | EUR | 18766.48 | C | 12 | 11606 |
| Imprimante | HP | Imprimanta HP LJ Color 5550dtn, (A3, ImageRET 3600, 28/14 ppm, 288MB max 544MB, PCL 5c, PCL 6, USB 1.1, paralel, tavi 100+500+500 coli, tonere C9730A, C9731A, C9732A, C9733A, retea duplex) | 4695.26 | EUR | 24843.02 | C | 12 | 11608 |
| Imprimante | HP | Imprimanta HP LJ Color 5550hdn, (A3, ImageRET 3600, 28/14 ppm, 288MB max 544MB, PCL 5c, PCL 6, USB 1.1, 20GB HDD, paralel, tavi 100+500+500+500, coli, tonere C9730A, C9731A, C9732A, C9733A, retea duplex) | 5573.57 | EUR | 29490.19 | C | 12 | 11609 |
| Imprimante | HP | Imprimanta HP LJ Color 5550n, (A3, ImageRET 3600, 28/14 ppm, 160MB max 544MB, PCL 5c, PCL 6, USB 1.1, paralel, tavi 100+500 coli, tonere C9730A, C9731A, C9732A, C9733A, retea) | 3327.86 | EUR | 17607.96 | C | 12 | 11604 |
| Imprimante | HP | Imprimanta HP LJ Color CP5225, A3, 20 ppm A4 a/n si color, ImageREI 3600, 192MB max 448MB, HP PCL 5c, HP PCL 6, HP PostScript 3 Emulation, USB 2.0, tavi 100+250 coli, tonere CE740A, CE741A, CE742A, CE743A, duty cycle 75.000 pag/luna, optional retea Eth., wireless, tava 500 coli | 1007.22 | EUR | 5329.262 | 0 | 12 | 25455 |
| Imprimante | HP | Imprimanta HP LJ Color CP5225dn, A3, 20 ppm A4 a/n si color, ImageREI 3600, 192MB max 448MB, duplex, HP PCL 5c, HP PCL 6, HP PostScript 3 Emulation, USB 2.0, retea, tavi 100+250 coli, tonere CE740A, CE741A, CE742A, CE743A, duty cycle 75000pag/luna optional wireless, tava 500 coli | 1223.71 | EUR | 6474.754 | 0 | 12 | 25460 |
| Imprimante | HP | Imprimanta HP LJ Color CP5225n, A3, 20 ppm A4 a/n si color, ImageREI 3600, 192MB max 448MB, HP PCL 5c, HP PCL 6, HP PostScript 3 Emulation, USB 2.0, Retea, tavi 100+250 coli, tonere CE740A, CE741A, CE742A, CE743A, duty cycle 75.000pag/luna, optional Wireless, tava 500 coli | 1079.12 | EUR | 5709.715 | C | 12 | 25458 |
| Imprimante | HP | Imprimanta HP LJ Color CP6015dn, A3, 41ppm A4, ImageRET 4800, 512MB, fpo 11 sec, PCL 5, PCL 6, PostScript 3 Emulation, USB 2.0, retea GB, tavi 100+500coli, duplex, tonere CB380A, CB381A, CB382A, CB383A, Image drum CB384A, CB385A, CB386A, CB387A, ciclu lunar 175000 pagini, optional: wireless, tavi 1x500, 3x500 coli, stapler/stacker, finisher, 40GB HDD | 4110.62 | EUR | 21749.64 | 0 | 12 | 25463 |
| Imprimante | HP | Imprimanta HP LJ Color CP6015n, (A3, 41ppm A4, ImageRET 4800, 512MB, PCL 5, PCL 6, PostScript 3 Emulation, USB 2.0, retea, tavi 100+500 coli, tonere CB380A, CB381A, CB382A, CB383A, ciclu lunar 175.000 pag, optional wireless, tavi 1x500, 3x500, stapler/stacker, finisher, 40GB HDD) | 3728.03 | EUR | 19725.32 | C | 12 | 24452 |
| Imprimante | HP | Imprimanta HP LJ Color CP6015xh, A3, 41ppm A4, ImageRET 4800, 512MB, fpo 11 sec, PCL 5, PCL 6, PostScript 3 Emulation, USB 2.0, retea GB, 40GB HDD, tavi 100+4x500 coli, duplex, tonere CB380A, CB381A, CB382A, CB383A, Image drum CB384A, CB385A, CB386A, CB387A, ciclu lunar 175.000 pagini, optional: wireless, tavi 1x500, 3x500 coli, stapler/stacker, finisher | 5735.41 | EUR | 30346.5 | 0 | 12 | 25464 |
| Imprimante | HP | Imprimanta HP Designjet 110+, A1+, max 1200x600dpi, 64MB, PCL 3-GUI, dimensiune max media 1625mm lungime coala, 45 7m rola, 615mm latime, lungime max print 615x1608mm, printhead/cartuse no.10/11, USB, Paralel) | 593.152 | EUR | 3138.419 | C | 12 | 9689 |
| Imprimante | HP | Imprimanta HP Designjet 111 Roll, A1+, 11ppm A4 sau 90sec/pag A1, roll-feed, 64MB RAM, rezolutie 1200x600dpi, tava 150 coli, PCL 3-GUI, dimensiune max media: 1625mm lungime, 45,7m rola (cu roll-feed), 610mm latime coala, 609mm latime rola, 210g/m2, printhead no. 11, cartuse 82(black)/11(color), USB, paralel, optional retea Eth., spindle, stand&bin | 679.952 | EUR | 3597.675 | C | 12 | 23599 |
| Imprimante | HP | Imprimanta HP Designjet 111 Tray, A1+, 11ppm A4 sau 90sec/pag A1, 64MB RAM, rezolutie 1200x600dpi, tava 150 coli, PCL 3-GUI, dimensiune max media: 1625mm lungime coala, 45,7m rola (cu roll-feed), 610mm latime coala, 609mm latime rola, 210g/m2, printhead no. 11, cartuse 82(black)/11(color), USB, paralel, optional retea Eth., roll-feed, spindle, stand&bin | 687.568 | EUR | 3637.973 | C | 12 | 23600 |
| Imprimante | HP | Imprimanta HP Designjet 130, A1+, 4 min/pag A3, 12min/pag A1 color (glossy paper), 2400x1200dpi, 64MB RAM, PCL 3-GUI, dimensiune max media : 1625mmlungime coala, 15, 24m rola (cu roll-feed), 625mm latime, max 300g/m2, 0, 4mm (alim. manuala), printhead/cartuse no. 84/85, USB, paralel, optional retea Eth., roll-feed, spindle, stand&bin, software RIP(PostScript 3) | 834.848 | EUR | 4417.246 | 0 | 12 | 25389 |
| Imprimante | HP | Imprimanta HP Designjet 130r, A1+, 12min/pag A1 color (glossypaper), 2400x1200dpi, 64MB RAM, PCL 3-GUI, dimensiune max media :1625mm lungime coala, 15, 24m rola (cu roll-feed), 625mm latime, max300g/m2, 0, 4mm (alim. manuala), printhead/cartuse no. 84/85, USB, paralel, roll-feed, optional Retea, spindle, stand&bin, softwareRIP (PostScript 3) | 972.384 | EUR | 5144.966 | 0 | 12 | 25390 |
| Imprimante | HP | Imprimanta HP Designjet 4020, A0, max 93 m2/h, 25sec/A1, 2400x1200dpi, 608MB max 1120MB, 160GB HDD, HP-GL/2, HP-RTL, TIFF, JPEG, CALS-G4, dimensiune max media : 90m rola, 1067mm latime, lungime max print : 90m, printhead/cartuse no.90, stand& bin, 2 porturi FireWire , reteaEth., optional retea GB, USB card, spindle | 8040.14 | EUR | 42541.05 | 0 | 24 | 25398 |
| Imprimante | HP | Imprimanta HP Designjet 4020PS, A0, max 93 m2/h, max 25sec/A1, max 2400x1200dpi, 608MB max 1120MB, 160GB HDD, Adobe PostScript 3, Adobe PDF 1.5, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, dimensiune max media : 90m rola, 1067mm latime, lungime max print : 90m, printhead/cartuse no. 90, stand&bin, 2 porturi FireWire , retea Eth., optional retea GB, USBcard, spindle | 10098.9 | EUR | 53434.24 | 0 | 24 | 25403 |
| Imprimante | HP | Imprimanta HP Designjet 4520, A0, 25 sec / A1, 93m2/h, 2400x1200dpi, 608MBmax 1120MB, 160GB HDD, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, dimensiune max media: 175m rola, 1067mm latime, printhead/cartuse no. 90, 2 rolfeed, stand&bin, 2 porturi FireWire, retea Eth, 1 slot EIO, optional Retea GB, USB card, spindle, stacker | 8896.5 | EUR | 47072.08 | 0 | 24 | 25401 |
| Imprimante | HP | Imprimanta HP Designjet 4520PS, A0, 25 sec / A1, 93m2/h, 2400x1200dpi, 608MBmax 1120MB, 160GB HDD, Adobe PostScript 3, Adobe PDF 1.5, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, dimensiune max media: 175m rola, 1067mm latime, printhead/cartuse no90, 2 roll feed, stand&bin, 2 porturiFireWire, retea Eth, 1 slot EIO, optional retea GB, USB card, spindle, stacker | 10852.4 | EUR | 57420.66 | 0 | 24 | 25404 |
| Imprimante | HP | Imprimanta HP Designjet 510, A1, 3.5 min/A1 coated, rezolutie 2400x1200dpi, 160MB max160MB, integrated GL/2 card, PCL 3-GUI, dimensiune max media: 1897mmlungime coala, 45, 7m rola, 610mm latime, printhead no.11, cartuse no.82, USB, paralel,optional retea Eth., spindle, stand&bin, memorie de 256MB | 855.904 | EUR | 4528.653 | C | 12 | 25391 |
| Imprimante | HP | Imprimanta HP Designjet 510, A0, 3.5 min/A1 coated, rezolutie 2400x1200dpi, 160MB RAM, integrated GL/2 card, PCL 3-GUI, dimensiune max media: 1897mm lungime coala, 45, 7m rola, 1067mm latime, printhead no.11, cartuse no.82, USB, paralel, stand si media bin, optional retea Eth., spindle, memorie de 256MB | 1375.02 | EUR | 7275.363 | 0 | 12 | 25392 |
| Imprimante | HP | Imprimanta HP Designjet T1120 SD, A0, 41m2 / ora, 2400x1200dpi, printer 384MB, scanner 1GB, 80GB HDD printer, 40GB HDD scanner, HP-GL/2, HP-RTL, TIFF, JPEG, CALS-G4, dimensiune media 91.4m lungime, 1118m latime, printhead/cartuse no.72, rezolutie scanner 9600dpi, stand&bin, printer:Gigabit Ethernet (1000Base-T) port, Hi-Speed USB 2.0 port, EIO Jetdirect accessory slot, scanner:Fast Ethernet (10/100Base-T) port, Hi-Speed USB 2.0 port | 14642.5 | EUR | 77474.87 | 0 | 24 | 25406 |
| Imprimante | HP | Imprimanta HP Designjet T1200, A0, max 103 A1/h line drawing, 2400x1200dpi, 384MB, 32GB procesare fisiere, 160GB HDD, HP-GL/2, HP RTL, CALS/G4, PCL3GUI, dimensiune max media: 91m rola, 1110mm latime, printhead/cartuse no.72, USB, GB Ethernet, stand, optional spindle, HDD extern | 5324.59 | EUR | 28172.84 | 0 | 24 | 25396 |
| Imprimante | HP | Imprimanta HP Designjet T1200PS, A0, max 103 A1/h line drawing, max 2400x1200dpi, 384MB, 32GB procesare fisiere, 160GB HDD, HP-GL/2, HP RTL, CALS/G4, PCL3GUI, Adobe# PostScript# 3, Adobe PDF 1.7, imensiune max media: 91m rola, 1110mm latime, printhead/cartuse no.72, USB, GB Eth., stand, optional spindle, HDD extern | 6890.91 | EUR | 36460.37 | 0 | 24 | 25397 |

| | | | | | | | | |
|------------|---------|---|---------|-----|----------|---|----|-------|
| Imprimante | HP | Imprimanta HP Designjet T620, A1, 72 A1 prints/h line drawing, 2400x1200dpi, 384MB + 2GB file processing, HP-GL/2/RTL, PCL 3-GUI, CALS G4, dimensiune max media: 91.4m rola, printhead/cartuse no. 72, USB, retea Eth, optional stand, spindle | 1586.59 | EUR | 8394.781 | C | 12 | 25393 |
| Imprimante | HP | Imprimanta HP Designjet T770, A1, 28sec/pag, 103 printuri A1/ora line drawing, rezolutie 2400x1200dpi, 2GB memorie dedicata, HP-GL/2, HP-RTL, PCL 3-GUI, dimensiune hartie : 610mm latime, max 328g/m2, 0.8mm grosime, printhead/cartuse no. 72,USB, Ethernet; optional 6GB memory upgrade, stand, spindle, PostScript | 1424.64 | EUR | 7537.88 | 0 | 12 | 23601 |
| Imprimante | HP | Imprimanta HP Designjet T770, A0, 103 A1 prints/h line drawing, 2400x1200dpi, 384MB + 2GB file processing, HP-GL/2/RTL, PCL 3-GUI, dimensiune max media : 91m rola, printhead/cartuse no. 72, USB, stand, retea Eth, optional spindle | 2363.65 | EUR | 12506.26 | C | 12 | 25394 |
| Imprimante | HP | Imprimanta HP Designjet T770 Hard Disk Printer, A1, 28sec/pag, 103 printuri A1/ora line drawing,rezolutie 2400x1200dpi, 8GB memorie dedicata, HP-GL/2, HP-RTL, PCL 3-GUI, 160GB HDD,dimensiune hartie : 610mm latime, max 328g/m2, 0.8mm grosime, printhead/cartuse no. 72, USB, Ethernet, optional 6GB memory upgrade,stand, spindle, PostScript | 1586.59 | EUR | 8394.781 | 0 | 12 | 23602 |
| Imprimante | HP | Imprimanta HP Designjet T770 HDD, A0, 103 A1 prints/h line drawing, 2400x1200dpi, 384MB + 8GB file processing, HDD 160GB, HP-GL/2/RTL, PCL 3-GUI, dimensiune max media: 91m rola, printhead/cartuse no. 72, USB, stand, retea Eth, optional spindle | 2744.45 | EUR | 14521.09 | 0 | 12 | 25395 |
| Imprimante | HP | Imprimanta HP Designjet Z2100, A0 44" Photo Printer, 8 culori, min 2min/pag A1 (coated), 2400x1200dpi, 128MB, 40GB HDD, dimensiune max media : 91m rola, latime max : 1117mm, greutate max : 500g/m2, printhead/cartuse no. 70, stand, USB, retea, 2 spindle | 4281.87 | EUR | 22655.73 | 0 | 12 | 23536 |
| Imprimante | HP | Imprimanta HP Designjet Z2100, A1 24" Photo Printer, 8 culori, min 2min/pag A1 (coated), 2400x1200dpi, 128MB, 40GB HDD, dimensiune max media : 91m rola, latime max : 609mm, greutate max : 500g/m2, printhead/cartuse no. 70, stand, USB, retea, spindle | 2396.02 | EUR | 12677.52 | 0 | 12 | 23535 |
| Imprimante | HP | Imprimanta HP Designjet Z5200ps Printer 44", 41m2/ora, 2400x1200dpi, 48GB memorie dedicata, 160GB HDD, HP PCL3GUI, Adobe PS3, Adobe PDF, TIFF, JPEG, PCL3 GUI, HP GL/2, dimensiune hartie : 1118mm latime, greutate:500g/m2, printhead no. 70,artuse no. 70/772, stand, USB, retea GB, optional spindle | 5218.08 | EUR | 27609.28 | 0 | 12 | 23603 |
| Imprimante | HP | Imprimanta HP Designjet Z6100, 42", 66.9 m2/h (coated), max 105.4 m2/h (plain), 2400x1200dpi, 256MB max 512MB, 40GB HDD, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, dimensiune max media : 175m rola, printhead C9460A, C9461A, C9462A,C9463A, C9518, cartuse:C9464A, C9465A, C9466A, C9467A, C9468A, C9469A, C9470A, C9471A, stand&basket, USB 2.0, retea Eth | 9761.7 | EUR | 51649.92 | 0 | 12 | 25400 |
| Imprimante | HP | Imprimanta HP Designjet Z6100, 60", 66.9 m2/h (coated), max 105.4 m2/h (plain), 2400x1200dpi, 512MB, 40GB HDD, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, dimensiune max media:175mrola, printhead C9460A, C9461A, C9462A, C9463A, C9518A, cartuse:C9464A, C9465A, C9566A, C9467A, C9468A, C9469A, C9470A, C9471A, standtake-up reel, USB 2.0, retea Eth | 16417.4 | EUR | 86865.82 | 0 | 12 | 25405 |
| Imprimante | HP | Imprimanta HP Designjet Z6100PS, 42", 66.9 m2/h (coated), max 105.4 m2/h (plain), 2400x1200dpi, 256MB max 512MB, 40GB HDD, Adobe PostScript Level 3, AdobePDF 1.6, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, dimensiune max media : 175m rola, printhead C9460A, C9461A, C9462A,C9463A, C9518A, cartuse: C9464A, C9465A, C9566A, C9467A, C9468A, C9469A, C9470A, C9471A, stand&basket, USB 2.0, retea Eth | 11625.3 | EUR | 61510.2 | 0 | 12 | 25402 |
| Imprimante | HP | Imprimanta HP Designjet Z6100PS, 60", 66.9 m2/h (coated), max 105.4 m2/h (plain), 2400x1200dpi, 512MB, 40GB HDD, Adobe PostScript Level 3, Adobe PDF1.6, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, dimensiune max media:175mrola, printhead C9460A,C9461A, C9462A, C9463A, C9518A, cartuse: C9464A, C9465A, C9566A, C9467A, C9468A, C9469A, C9470A, C9471A, standtake-up reel, USB 2.0, retea Eth | 19612.2 | EUR | 103769.8 | 0 | 12 | 25408 |
| Imprimante | HP | HP 128MB pentru DesignJet 500/800 Series | 250.208 | EUR | 1323.874 | 0 | 12 | 25416 |
| Imprimante | HP | HP 128MB Memory Kit pentru DesignJet 5000/5500 | 250.208 | EUR | 1323.874 | 0 | 12 | 25415 |
| Imprimante | HP | Spindle 42" 1.07 pentru HP DesignJet | 56.784 | EUR | 300.4512 | 0 | 12 | 25411 |
| Imprimante | HP | HP 42 " Take-up Reel for DesignJet 5000/5500 | 817.376 | EUR | 4324.802 | 0 | 12 | 25417 |
| Imprimante | HP | HP 256MB Memory Upgrade HP Designjet | 242.256 | EUR | 1281.795 | 0 | 12 | 25414 |
| Imprimante | HP | Card USB 2.0 pentru HP Designjet (Q5680A) | 116.256 | EUR | 615.1152 | 0 | 12 | 25412 |
| Imprimante | HP | Spindle 44" pentru HP Designjet (Q6709A) | 55.888 | EUR | 295.7024 | 0 | 12 | 25410 |
| Imprimante | HP | Spindle 24" pentru HP Designjet Z/T1xxx/T6xx (Q6700A) | 55.888 | EUR | 295.7024 | 0 | 12 | 25409 |
| Imprimante | HP | Stand de 24" pentru HP Designjet T/Z (Q6663A) | 196.112 | EUR | 1037.646 | 0 | 12 | 25413 |
| Imprimante | HP | Stand-Bin for HP Designjet 100/500/800 24-in | 311.472 | EUR | 1648.024 | 0 | 12 | 14231 |
| Imprimante | Okidata | Imprimanta OKI B410d, Laser monocrom, A4, tehnologie LED, 28ppm, 2400x600 dpi, 32 MB standard, maxim 288 MB, tava 250 coli + alimentator manual, duplex automat, Emulari: PCL5e, PCL6, Epson FX, IBM ProPrinter - ideal printare coduri de bare | 160.72 | EUR | 850.3824 | C | 12 | 25438 |
| Imprimante | Okidata | Imprimanta OKI B410dn, Laser monocrom, A4, tehnologie LED, 28ppm, 2400x600 dpi, 32 MB standard, maxim 288 MB, tava 250 coli + alimentator manual, duplex automat, retea, Emulari: PCL5e, PCL6, Epson FX, IBM ProPrinter-ideal printare coduri debare | 177.072 | EUR | 936.9024 | C | 12 | 25439 |
| Imprimante | Okidata | Imprimanta OKI B430d, Laser monocrom, A4, tehnologie LED, 28ppm, 1200x1200 dpi, 64 MB standard, maxim 320 MB, tava 250 coli + alimentator universal 50 coli, Tiparire fata-verso: duplex automat inclus, Emulari: PCL5e, PCL6, PostScript 3, Epson FX, IBM ProPrinter- ideal printare coduri de bare | 197.904 | EUR | 1047.122 | C | 12 | 25440 |
| Imprimante | Okidata | Imprimanta OKI B430dn, Laser monocrom, A4, tehnologie LED, 28ppm, 1200x1200 dpi, 64 MB standard, maxim 320 MB, tava 250 coli + alimentator universal 50 coli, Tiparire fata-verso: duplex automat inclus, Emulari: PCL5e, PCL6, PostScript 3, Epson FX, IBM ProPrinter, Ethernet 10/100 BaseTx - ideal printare coduri de bare | 242.256 | EUR | 1281.795 | C | 12 | 25441 |
| Imprimante | Okidata | Imprimanta OKI B6250n, Laser monocrom, A4, 30ppm, 1200x1200 dpi, 128 MB standard, maxim 640 MB, tava 250 coli + tava 150 coli, Interfete: paralela, USB 2.0, Ethernet 10/100 BaseTx, Seriala | 340.144 | EUR | 1799.728 | 0 | 12 | 25442 |
| Imprimante | Okidata | Imprimanta OKI B930dn, Laser monocrom, A3, 50ppm format A4, 28ppm format A3, primul print in 3 sec, procesor 600Mhz, rezolutie 1200 x 1200dpi, memorie 256MB , 99 scaleable PCL and 136 PS fonts, 47 bitmap symbol sets, alimentare 1000 coli /80 grame, duplex in standard, ciclu maxim de printare 300000 pagini pe luna | 2212 | EUR | 11703.87 | C | 12 | 25445 |
| Imprimante | Okidata | Imprimanta OKI B930n, Laser monocrom, A3, 50ppm format A4, 28ppm format A3, primul print in 3 sec, procesor 600Mhz, rezolutie 1200 x 1200dpi, memorie 256MB , 99 scaleable PCL and 136 PS fonts, 47 bitmap symbol sets, alimentare 1000 coli /80grame, duplex optional, ciclu maxim de printare 300000 pagini pe luna | 1900.98 | EUR | 10058.22 | C | 12 | 25444 |
| Imprimante | Okidata | Imprimanta OKI C110, Laser color A4, 5ppm color, 19ppm monocrom, rezolutie 600 x600 dpi, USB, GDI, memorie 16 mb, toner de start 500pagini, capacitate maxima hartie: 200 coli | 115.36 | EUR | 610.3776 | C | 12 | 25466 |
| Imprimante | Okidata | Imprimanta OKI C130n, Laser color A4, 5ppm color, 20ppm monocrom, procesor 400Mhz, rezolutie 600 x 600 dpi, USB, Retea, duplex optional, toner de inceput 750 pagini, capacitate maxima hartie: 200 coli | 226.016 | EUR | 1195.869 | C | 12 | 25467 |
| Imprimante | Okidata | Imprimanta OKI C310dn, Laser color, A4, tehnologie LED, 24ppm monocrom / 22ppm color, ProQ2400 Multi-level Technology, 1200x600dpi, 600x600dpi, 64MB, tava 250 coli, Duplex, USB 2.0 High Speed, Retea | 275.072 | EUR | 1455.429 | 0 | 12 | 25855 |
| Imprimante | Okidata | Imprimanta OKI C330dn, Laser color, A4, tehnologie LED, 24ppm monocrom / 22ppm color, ProQ2400 Multi-level Technology, 1200x600dpi, 600x600dpi, 128MB, tava 250 coli, Duplex, USB 2.0 High Speed, Retea | 315.952 | EUR | 1671.723 | 0 | 12 | 25856 |
| Imprimante | Okidata | Imprimanta OKI C3450n, Laser color, A4, tehnologie LED, 20ppm monocrom / 16ppm color, ProQ2400, 32 MB, extensibila pana la 288 MB, GDI, tava 250 coli, Full-Speed USB, placa retea Ethernet 10/100 TX | 267.904 | EUR | 1417.506 | C | 12 | 25468 |

| | | | | | | | | |
|------------|-----|--|---------|-----|----------|---|----|-------|
| Imprimante | Oki | Imprimanta OKI C5650dn, Laser color, A4, tehnologie LED, 32ppm monocrom / 22ppm color, ProQ2400, 64 MB standard, maxim 320 MB, GDI, tava 300 coli, Duplex standard, USB, Retea, Lungime maxima hartie (banner): 1200 mm | 419.328 | EUR | 2218.698 | C | 12 | 25470 |
| Imprimante | Oki | Imprimanta OKI C5650n, Laser color, A4, tehnologie LED, 32ppm monocrom / 22ppm color, ProQ2400, 64 MB standard, maxim 320 MB, GDI, tava 300 coli, Duplex optional, USB, Retea, Lungime maxima hartie (banner): 1200 mm | 320.768 | EUR | 1697.214 | C | 12 | 25469 |
| Imprimante | Oki | Imprimanta OKI C5750dn, Laser color, A4, tehnologie LED, 32ppm monocrom / 22ppm color, ProQ2400, 1200 x 600dpi, 256 MB standard, maxim 768 MB, procesor 500 MHz, tava 300 coli, Duplex standard, Lungime maxima hartie (banner): 1200 mm, interfata: USB, Retea, Paralela, Volum maxim de tiparire: 60.000 pagini/luna | 444.64 | EUR | 2352.627 | C | 12 | 25472 |
| Imprimante | Oki | Imprimanta OKI C5850dn, Laser color, A4, tehnologie LED, 32ppm monocrom / 26ppm color, ProQ2400, 64 MB standard, maxim 320 MB, GDI, tava 300 coli, Duplex standard, USB, Retea, Lungime maxima hartie (banner): 1200 mm | 494.368 | EUR | 2615.738 | C | 12 | 25474 |
| Imprimante | Oki | Imprimanta OKI C5850n, Laser color, A4, tehnologie LED, 32ppm monocrom / 26ppm color, ProQ2400, 64 MB standard, maxim 320 MB, GDI, tava 300 coli, Duplex optional, USB, Retea, Lungime maxima hartie (banner): 1200 mm | 418.208 | EUR | 2212.773 | C | 12 | 25473 |
| Imprimante | Oki | Imprimanta OKI C5950dn, Laser color, A4, tehnologie LED, 32ppm monocrom / 26ppm color, Emulari: PostScript 3, PCL5c, PCL6, Epson FX, IBM Proprinter, tava 300 coli, Duplex, interfata: USB, Retea, Paralela, Lungime maxima hartie (banner): 1200 mm | 543.648 | EUR | 2876.485 | C | 12 | 25477 |
| Imprimante | Oki | Imprimanta OKI C5950n, Laser color, A4, tehnologie LED, 32ppm monocrom / 26ppm color, Emulari: PostScript 3, PCL5c, PCL6, Epson FX, IBM Proprinter, tava 300 coli, Duplex optional, interfata: USB, Retea, Paralela, Lungime maxima hartie (banner): 1200 mm | 231.84 | EUR | 1226.68 | 0 | 12 | 25476 |
| Imprimante | Oki | Imprimanta OKI C610dn, Laser color, A4, tehnologie LED, 36ppm monocrom / 34ppm color, 1200 x 600dpi, 256MB, Emulari: PostScript 3, PCL5c, PCL6, Epson FX, IBM Proprinter, tava 300 coli, Duplex standard, Lungime maxima hartie (banner): 1200mm, Retea, USB, Duty cycle: 75.000 pag/luna | 566.608 | EUR | 2997.971 | C | 12 | 24454 |
| Imprimante | Oki | Imprimanta OKI C610dn, Laser color, A4, tehnologie LED, 36ppm monocrom / 34ppm color, 1200 x 600dpi, 256MB, Emulari: PostScript 3, PCL5c, PCL6, Epson FX, IBM Proprinter, tava 300 coli, Duplex standard, Lungime maxima hartie (banner): 1200mm, Retea, USB, Tava suplimentara 530coli standard, Duty cycle: 75.000 pag/luna | 720.608 | EUR | 3812.794 | 0 | 12 | 24455 |
| Imprimante | Oki | Imprimanta OKI C610n, Laser color, A4, tehnologie LED, 36ppm monocrom / 34ppm color, 1200 x 600dpi, 256MB, Emulari: PostScript 3, PCL5c, PCL6, Epson FX, IBM Proprinter, tava 300 coli, Duplex optional, Lungime maxima hartie (banner): 1200mm, Retea, USB, Duty cycle: 75.000 pag/luna | 463.568 | EUR | 2452.778 | 0 | 12 | 24453 |
| Imprimante | Oki | Imprimanta OKI C810cdtn, Laser color, A3, tehnologie LED, Viteza de tiparire (A4): 32ppm monocrom / 30ppm color, Viteza de tiparire (A3): 17ppm monocrom / 16ppm color, ProQ2400, PCL6, PS3, IBM Proprinter, Epson FX, PDF 1.5, tava 300 coli, USB, Retea, procesor 200Mhz, Duplex standard, Lungime maxima hartie (banner): 1320 mm, a doua tava in standard, cabinet in standard | 1394.06 | EUR | 7376.107 | C | 12 | 25480 |
| Imprimante | Oki | Imprimanta OKI C810dn, Laser color, A3, tehnologie LED, Viteza de tiparire (A4): 32ppm monocrom / 30ppm color, Viteza de tiparire (A3): 17ppm monocrom / 16ppm color, ProQ2400, PCL6, PS3, IBM Proprinter, Epson FX, PDF 1.5, tava 300 coli, USB, Retea, procesor 200Mhz, Duplex standard, Lungime maxima hartie (banner): 1320 mm | 1194.7 | EUR | 6321.28 | C | 12 | 25479 |
| Imprimante | Oki | Imprimanta OKI C810n, Laser color, A3, tehnologie LED, Viteza de tiparire (A4): 32ppm monocrom / 30ppm color, Viteza de tiparire (A3): 17ppm monocrom / 16ppm color, ProQ2400, PCL6, PS3, IBM Proprinter, Epson FX, PDF 1.5, tava 300 coli, USB, Retea, procesor 200Mhz, Duplex optional, Lungime maxima hartie (banner): 1320 mm | 984.256 | EUR | 5207.776 | C | 12 | 25478 |
| Imprimante | Oki | Imprimanta OKI C830cdtn, Laser color, A3, tehnologie LED, Viteza de tiparire (A4): 32ppm monocrom / 30ppm color, Viteza de tiparire (A3): 17ppm monocrom / 16ppm color, ProQ2400, PCL6, PS3, IBM Proprinter, Epson FX, PDF 1.5, tava 300 coli, USB, Retea, Duplex, procesor 700 Mhz, Lungime maxima hartie (banner): 1320 mm, a doua tava in standard, cabinet in standard | 1842.51 | EUR | 9748.883 | C | 12 | 25483 |
| Imprimante | Oki | Imprimanta OKI C830dn, Laser color, A3, tehnologie LED, Viteza de tiparire (A4): 32ppm monocrom / 30ppm color, Viteza de tiparire (A3): 17ppm monocrom / 16ppm color, ProQ2400, PCL6, PS3, IBM Proprinter, Epson FX, PDF 1.5, tava 300 coli, USB, Retea, Duplex, procesor 700 Mhz, Lungime maxima hartie (banner): 1320 mm | 1629.6 | EUR | 8622.342 | C | 12 | 25482 |
| Imprimante | Oki | Imprimanta OKI C830n, Laser color, A3, tehnologie LED, Viteza de tiparire (A4): 32ppm monocrom / 30ppm color, Viteza de tiparire (A3): 17ppm monocrom / 16ppm color, ProQ2400, PCL6, PS3, IBM Proprinter, Epson FX, PDF 1.5, tava 300 coli, Duplex optional, USB, Retea, procesor 700 Mhz, Lungime maxima hartie (banner): 1320 mm | 1443.9 | EUR | 7639.811 | C | 12 | 25481 |
| Imprimante | Oki | Imprimanta OKI C910dn, Laser color, A3+, Viteza de tiparire (A4): 36ppm mono / 31ppm color, Viteza de tiparire (A3): 20ppm mono / 16ppm color, Prima pagina: 9 sec monocrom, 10,5 sec color, procesor: 800 MHz, Rezolutie: ProQ2400, 1200x600 dpi, Memorie: 512MB std, max 1024 MB, HDD 40GB, PCL5c, PCL XL (Colour), PostScript 3, Printing (v1.6), SIDM, tava 530 coli + alimentator manual 230 coli, Duplex std, Interfete: paralela, USB 2.0, retea, Volum tiparire: 150.000 pag/luna | 3755.02 | EUR | 19868.13 | C | 12 | 26322 |
| Imprimante | Oki | Imprimanta OKI C910n, Laser color, A3+, Viteza de tiparire (A4): 36ppm mono / 31ppm color, Viteza de tiparire (A3): 20ppm mono / 16ppm color, Prima pagina: 9 sec mono, 10,5 sec color, procesor: 800 MHz, Rezolutie: ProQ2400, 1200x600 dpi, Memorie: 512MB std, max 1024 MB, HDD 40GB, PCL5c, PCL XL (Colour), PostScript 3, Printing (v1.6), SIDM, tava 530 coli + alimentator manual 230 coli, Duplex optional, Interfete: paralela, USB 2.0, retea, Vol tiparire: 150.000pag/luna | 3476.26 | EUR | 18393.14 | C | 12 | 26321 |
| Imprimante | Oki | Imprimanta OKI C9650dn, Laser color, A3+, Viteza de tiparire (A4): 40ppm mono / 36ppm color, Viteza de tiparire (A3): 21ppm mono / 19ppm color, Prima pagina: 9 sec mono / 10, 5 sec color, procesor: 800 MHz, Rezolutie: ProQ2400, 1200x600dpi, Memorie: 512 MB std, max1024 MB, Emulari: PostScript 3, PCL5c, Epson FX, IBM Proprinter, tava 530 coli + alimentator manual 230 coli, duplex std, , Interfete: paralela, USB 2.0, Retea, Volum maxim de tiparire: 150.000 pagini/luna | 2667.39 | EUR | 14113.39 | C | 12 | 25485 |
| Imprimante | Oki | Imprimanta OKI C9650hdn, Laser color, A3+, Viteza de tiparire (A4): 40ppm mono / 36ppm color, Viteza de tiparire (A3): 21ppm mono / 19ppm color, Prima pagina: 9 sec mono / 10, 5 sec color, procesor: 800 MHz, Rezolutie: ProQ2400, 1200x600dpi, Memorie: 512 MB std, max 1024 MB, Emulari: PostScript 3, PCL5c, Epson FX, IBM Proprinter, tava 530 coli + alimentator manual 230 coli, duplex std, , Interfete: paralela, USB 2.0, Retea, Volum max tiparire: 150.000 pag/luna, hard disc 40GB | 2888.93 | EUR | 15285.55 | C | 12 | 25486 |
| Imprimante | Oki | Imprimanta OKI C9650hdt, Laser color, A3+, Viteza de tiparire (A4): 40ppm mono / 36ppm color, Viteza de tiparire (A3): 21ppm mono / 19ppm color, Prima pag 9 sec mono / 10, 5 sec color, procesor: 800 MHz, Rez: ProQ2400, 1200x600 dpi, Memorie: 512 MB std, max1024 MB, PostScript 3, PCL5c, Epson FX, IBM Proprinter, tava 530 coli + alimentator manual 230 coli, duplex, Interfete: paralela, USB 2.0, Retea, Volum max: 150.000 pag/luna, HDD 40GB, high capacity feeder (1590buc) | 3586.8 | EUR | 18978.04 | C | 12 | 25487 |
| Imprimante | Oki | Imprimanta OKI C9650n, Laser color, A3+, Viteza de tiparire (A4): 40ppm monocrom / 36ppm color, Viteza de tiparire (A3): 21ppm mono / 19ppm color, Prima pagina: 9 sec mono / 10, 5 sec color, procesor: 800 MHz, Rezolutie: ProQ2400, 1200x600dpi, Memorie: 512 MB std, max1024 MB, Emulari: PostScript 3, PCL5c, Epson FX, IBM Proprinter, tava 530 coli + alimentator manual 230 coli, duplex optional, Interfete: paralela, USB 2.0, Retea, Volum maxim de tiparire: 150.000 pagini/luna | 2490.32 | EUR | 13176.49 | C | 12 | 25484 |
| Imprimante | Oki | Imprimanta OKI C9850hdn, Laser color, A3+, Viteza de tiparire (A4): 40ppm mono / 36ppm color, Viteza de tiparire (A3): 21ppm mono / 19ppm color, Prima pagina: 9 sec mono / 10, 5 sec color, procesor: 800 MHz, Rezolutie: ProQ4800, 1200x1200 dpi, Memorie: 512 MB, max 1024 MB, PostScript 3, PCL5c, Epson FX, IBM Proprinter, tava 530 coli + alimentator manual 230 coli, duplex std, , Interfete: paralela, USB 2.0, Retea, Volum max: 150.000 pag/luna, HDD 40GB | 4847.36 | EUR | 25647.76 | C | 12 | 25488 |

| | | | | | | | | |
|------------|-------|--|---------|-----|----------|---|----|-------|
| Imprimante | Ok | Imprimanta OKI C9850hdt, Laser color, A3+, Viteza de tiparire (A4): 40ppm mono / 36ppm color, Viteza de tiparire (A3): 21ppm mono / 19ppm color, Prima pag: 9 sec mono / 10, 5 sec color, procesor: 800 MHz, Rezolutie: ProQ4800, 1200x1200 dpi, Mem: 512 MB, max1024 MB, Emulari: PostScript 3, PCL5c, Epson FX, IBM Proprinter, tava 530 coli+alimentator manual 230 coli, duplex Interfete: paralela, USB 2.0, Retea, Volum max: 150.000 pag/luna, HDD 40 GB, high capacity feeder 1590 buc | 5453.28 | EUR | 28853.74 | C | 12 | 25489 |
| Imprimante | Dell | Imprimanta Dell 1720DN, Laser mono, A4, print 28 ppm, rezolutie printare 1200 x 1200 dpi, cpu 366 MHz ARM9, memorie 16 MB RAM standard (144 MB max), volum max printare 25000 pag/luna, intrare hartie 250 coli, interfata: USB, Retea, Duplex | 225.008 | EUR | 1190.538 | C | 36 | 17120 |
| Imprimante | Dell | Imprimanta Dell 2230D, Laser mono, A4, print 33 ppm, rezolutie printare 1200 x 1200 dpi, cpu 400 MHz, memorie 32 MB RAM standard, volum max printare 35000 pag/luna, intrare hartie 250 coli+ tava multifunctionala 1 coala, interfata: USB, Paralela, Duplex automat | 232.4 | USD | 939.1648 | C | 36 | 24263 |
| Imprimante | Dell | Imprimanta Dell 2330D, Laser mono, A4, print 33 ppm, rezolutie printare 1200 x 1200 dpi, cpu 400 MHz, memorie 32 MB RAM standard, volum max printare 50000 pag/luna, intrare hartie 250 coli+ tava multifunctionala 50 coli, interfata: USB, Paralela, Duplex automat | 287.392 | USD | 1161.395 | C | 36 | 24264 |
| Imprimante | Dell | Imprimanta Dell 2330DN, Laser mono, A4, print 33 ppm, rezolutie printare 1200 x 1200 dpi, cpu 400 MHz, memorie 32 MB RAM standard, volum max printare 50000 pag/luna, intrare hartie 250 coli+ tava multifunctionala 50 coli, interfata: USB, Paralela, Retea, Duplex automat | 330.176 | USD | 1334.29 | C | 36 | 24265 |
| Imprimante | Dell | Imprimanta Dell 3330DN, Laser mono, A4, print 38 ppm, rezolutie printare 1200 x 1200 dpi, cpu 466 MHz, memorie 64 MB RAM standard, volum max printare 80000 pag/luna, intrare hartie 250 coli+ tava multifunctionala 50 coli, interfata: USB, Paralela, Retea, Duplex automat | 624.96 | USD | 2525.566 | C | 36 | 24266 |
| Imprimante | Dell | Imprimanta Dell 5330DN, Laser mono, A4, print 48 ppm, rezolutie printare 1200 x 1200 dpi, cpu 500 MHz, memorie 256MB RAM standard (768 MB max), volum max printare 250000 pag/luna, intrare hartie 500 coli+ tava multifunctionala 100 coli, interfata: USB, Paralela, Retea, Duplex | 1336.83 | USD | 5402.354 | C | 36 | 24267 |
| Imprimante | Dell | Imprimanta Dell 1320C, Laser color, A4, print 16 ppm (mono)/ 12 ppm (colour), rezolutie printare 600x600dpi, memorie 64 MB, fpo colour 21sec, intrare hartie 250 coli, manual duplex, interfata USB 2.0, Retea, volum max printare 35000pag/luna | 270.256 | EUR | 1429.949 | C | 12 | 17121 |
| Imprimante | Dell | Imprimanta Dell 1235CN, Multifunctional laser color, A4, Fax/Print/Copy/Scan, print 16 ppm (mono)/ 4 ppm (colour), copy 17 ppm (mono)/4 ppm (colour), rezolutie printare 600 x 600 dpi, rezolutie scanare 1200 x1200 dpi, memorie 128MB, cpu 360 MHz, ADF, volum max recomandat 20000 pag/luna, intrare hartie 150 coli/15 coli ADF, porturi: USB, RJ45 | 510.048 | USD | 2061.181 | C | 36 | 24257 |
| Imprimante | Dell | Imprimanta Dell 2135CN, Multifunctional laser color, A4, Fax/Print/Copy/Scan, print 16 ppm (mono)/ 12 ppm (colour), copy 16 ppm (mono)/12 ppm (colour), rezolutie printare 600 x 600 dpi, rezolutie scanare 1200 x1200 dpi, memorie 128MB, cpu400 MHz, ADF, volum max recomandat 40000 pag/luna, intrare hartie 250 coli/35 coli ADF, porturi: USB, RJ45 | 733.824 | USD | 2965.502 | C | 36 | 24259 |
| Imprimante | Dell | Imprimanta Dell P513W, Multifunctional inkjet color, A4, Print/Copy/Scan, print 33 ppm (mono)/ 30 ppm (colour), copy 25 ppm (mono)/21 ppm (colour), rezolutie printare 4800 x 1200 dpi, rezolutie scanare 1200 x 2400 dpi, memorie 64 MB SD-RAM, Duplex, volum max recomandat 3000 pag/luna, intrare hartie 100 coli/25 coli, porturi: PictBridge, Memory Card Slots, USB, embedded 802.11b/g wireless card, No ADF | 150.304 | USD | 607.3984 | 0 | 36 | 24253 |
| Imprimante | Dell | Imprimanta Dell P713W, Multifunctional inkjet color, A4, Print/Copy/Scan, print 33 ppm (mono)/ 30 ppm (colour), copy 25 ppm (mono)/21 ppm (colour), rezolutie printare 4800 x 1200 dpi, rezolutie scanare 1200 x 4800 dpi, memorie 64 MB SD-RAM, Duplex, volum max recomandat 10000 pag/luna, intrare hartie 100 coli/50 coli, porturi: PictBridge, Memory Card Slots, USB, embedded 802.11b/g wireless card& RJ45 Ethernet, No ADF | 229.488 | USD | 927.3936 | C | 36 | 24255 |
| Imprimante | Dell | Imprimanta Dell V313, Multifunctional inkjet color, A4, Print/Copy/Scan, print 33 ppm (mono)/ 30 ppm (colour), copy 25 ppm (mono)/21 ppm (colour), rezolutie printare 4800 x 1200 dpi, rezolutie scanare 1200 x 2400 dpi, memorie 64 MB SD-RAM,,volum max recomandat 3000 pag/luna, intrare hartie 100 coli/25 coli, porturi: PictBridge, Memory Card Slots, USB, No ADF | 107.184 | USD | 433.1488 | 0 | 36 | 24250 |
| Imprimante | Dell | Imprimanta Dell V313W, Multifunctional inkjet color, A4, Print/Copy/Scan, print 33 ppm (mono)/ 30 ppm (colour), copy 25 ppm (mono)/21 ppm (colour), rezolutie printare 4800 x 1200 dpi, rezolutie scanare 1200 x 2400 dpi, memorie 64 MB SD-RAM, volum max recomandat 3000 pag/luna, intrare hartie 100 coli/25 coli, porturi: PictBridge, Memory Card Slots, USB, embedded 802.11b/g wireless card, No ADF | 127.008 | USD | 513.2624 | 0 | 36 | 24251 |
| Imprimante | Dell | Imprimanta Dell V505, Multifunctional inkjet color, A4, Fax/Print/Copy/Scan, print 31 ppm (mono)/ 27 ppm (colour), copy 25 ppm (mono)/23 ppm (colour), rezolutie printare 4800 x 2400 dpi, rezolutie scanare 1200 x1200 dpi, memorie 32 MB SDRAM, ADF, volum max recomandat 3000 pag/luna, intrare hartie 100 coli/25 coli ADF, porturi: PictBridge, Memory card slots, USB | 166.32 | USD | 672.1232 | 0 | 24 | 24252 |
| Imprimante | Dell | Imprimanta Dell V515W, Multifunctional inkjet color, A4, Print/Copy/Scan/Fax, print 33 ppm (mono)/ 30 ppm (colour), copy 25 ppm (mono)/21 ppm (colour), rezolutie printare 4800 x 1200 dpi, rezolutie scanare 1200 x 2400 dpi, memorie 64 MB SD-RAM, ADF, volum max recomandat 3000 pag/luna, intrare hartie 100 coli/25 coli/ 35 coli ADF, porturi: PictBridge, Memory Card Slots, USB, embedded 802.11b/g wireless card | 153.776 | USD | 621.432 | 0 | 36 | 24254 |
| Imprimante | Dell | Dell LAN Cable | 4.0432 | USD | 16.3408 | C | 1 | 24260 |
| Imprimante | Dell | Dell Memory 128MB pentru 1700, M5200.W5300 | 24.192 | USD | 97.7648 | C | 3 | 24568 |
| Imprimante | Dell | Dell Sertar 500 coli pentru 5x00 (M5200/W5300) | 67.312 | USD | 272.0144 | C | 3 | 24566 |
| Imprimante | Dell | Dell Sertar 550 coli pentru 1700/1700n | 47.152 | USD | 190.5456 | C | 3 | 24569 |
| Imprimante | Dell | Dell Sertar Plicuri pentru 5x00 (M5200&W5300) | 53.872 | USD | 217.7056 | C | 3 | 24567 |
| Imprimante | Epson | Imprimanta Epson Stylus Photo P50, Inkjet, USB 2.0, 37/38 ppm, 5760X1440DPI, 6 cartuse individuale, Printeaza pe DVD si CD printabil, cerneala DuraBrite Ultra (rezistenta la apa) | 72.128 | EUR | 381.64 | S | 12 | 22499 |
| Imprimante | Epson | Imprimanta Epson LX-2190, (A3, 2x9 ace bidirectional, 680 cps, Paralel + USB) | 555.632 | EUR | 2939.888 | C | 12 | 8667 |
| Imprimante | Epson | Imprimanta Epson LQ-300+II, (A4, 24 ace bidirectional, 337 cps, Serial+Paralel+USB 1.1) | 220.416 | EUR | 1166.234 | C | 12 | 6773 |
| Imprimante | Epson | Imprimanta Epson LQ-590, (A4, 24 ace bidirectional, 529 cps, Paralel+USB 1.1) | 483.84 | EUR | 2560.04 | C | 12 | 23581 |
| Imprimante | Epson | Imprimanta Epson LX-1170+, (A3, 9 ace bidirectional, 337 cps) | 376.208 | EUR | 1990.542 | C | 12 | 497 |
| Imprimante | Epson | Imprimanta Epson LX-300+II, (A4, 9 ace bidirectional, 337 cps, Serial+Paralel+USB 1.1) | 161.952 | EUR | 856.9008 | C | 12 | 496 |
| Imprimante | Ok | Imprimanta OKI ML1120, matriciala, A4 continua sau coli, Viteza de tiparire: 333 cps (HSD), Numar de ace: 9, Numar maxim de exemplare: 5 (original + 4 copii), Memorie: 64Kb, Emulari: Epson FX, IBM Graphics, Ok ML, Alimentare hartie: hartiecontinua - din spate și de jos. Coli - de sus, Interfete: paralela, Centronics Paralel, USB 2.0, Serial RS232, Viata capului de tiparire: 200 milioane caractere | 181.664 | EUR | 961.1952 | C | 12 | 25491 |
| Imprimante | Ok | Imprimanta OKI ML3320, matriciala, A4 continua sau coli, Viteza de tiparire: 435 cps (HSD), Numar de ace: 9, Numar maxim de exemplare: 5 (original + 4 copii), Memorie: 64Kb, Emulari: Epson FX, IBM ProPrinter, Ok ML, Alimentare hartie: Hartie continua - din spate și de jos. Coli - de sus, Interfete: paralela, USB 2.0, optional Ethernet 10/100 BaseTx, Viata capului de tiparire: 200 milioane caractere | 347.088 | EUR | 1836.475 | C | 12 | 25492 |

| | | | | | | | | |
|------------|---------|--|---------|-----|----------|---|----|-------|
| Imprimante | Oki | Imprimanta OKI ML3321, matriciala, A3 continua sau coli, Viteza de tiparire: 435 cps (HSD), Numar de ace: 9, Numar maxim de exemplare: 5 (original + 4 copii), Memorie: 64Kb, Emulari: Epson FX, IBM ProPrinter, Oki ML, Alimentare hartie: Hartie continua - din spate și de jos. Coli - de sus, Interfete: paralela, USB 2.0, optional Ethernet 10/100 BaseTx, Viata capului de tiparire: 200 milioane caractere | 405.328 | EUR | 2144.621 | C | 12 | 25493 |
| Imprimante | Oki | Imprimanta OKI ML3391, matriciala A3, continua sau coli, Viteza de imprimare 390 cps, Numar de ace: 24, Numar maxim de exemplare: 4 (original + 3 copii), Memorie: 64Kb, Emulari: Epson LQ, Esc/P2, IBM ProPrinter X24/XL24, Alimentare hartie: Hartie continua -din spate și de jos, Coli -de sus, Interfete: paralela, USB 2.0, optional Ethernet 10/100 BaseTx, Viata capului de tiparire: 200 milioane caractere | 477.568 | EUR | 2526.854 | C | 12 | 25494 |
| Imprimante | Oki | Imprimanta OKI ML3410, matriciala, A3 continua sau coli, Viteza de tiparire: 550 cps (HSD), Numar de ace: 9, Numar maxim de exemplare: 8 (original + 7 copii), Memorie: 28Kb, Emulari: Epson FX, IBM ProPrinter, Oki ML, Alimentare hartie: Hartie continua - din spate și de jos. Coli - de sus, Interfete: paralela, seriala RS232, Viata capului de tiparire: 200 milioane caractere | 1085.62 | EUR | 5744.077 | C | 12 | 25495 |
| Imprimante | Oki | Imprimanta OKI ML280, matriciala, A4 continua sau coli, Viteza de tiparire: 375 cps, Numar de ace: 9, Numar maxim de exemplare: 4 (original + 3 copii), Memorie:128Kb, Emulari: Epson LX, IBM Graphics, Oki ML, Alimentare hartie: Rear feed, Top feed, Interfete: Centronics parallel, USB, Viata capului de tiparire: 200 milioane caractere | 257.152 | EUR | 1360.61 | 0 | 12 | 26323 |
| Imprimante | Samsung | Imprimanta Samsung ML1665, Laser, USB 2.0, A4, max 16 ppm, max 1200x600 dpi, fpo 8.5 sec, 8 MB RAM, SPL, 150 coli, se livreaza cu toner de 700 pag, max 5.000pag/luna; 49 db, optional toner MLT-D1042S | 63.616 | EUR | 336.5936 | S | 24 | 26431 |
| Imprimante | Samsung | Imprimanta Samsung ML1630 Laser, USB 2.0, 16ppm 8MB, 1200x600dpi, SPL | 91.728 | EUR | 485.3408 | C | 12 | 10513 |
| Imprimante | Samsung | Imprimanta Samsung ML-2851NDR Laser,A4, max 28 ppm, max 1200x1200 dpi, fpo 8.5 sec, 32 MB RAM, max 160MB, emulare PS3, PCL6, IBM Proprinter, Epson, 250 coli, duplex, USB2.0, Ethernet, toner 2.000 pag, max 50.000pag/luna | 152.096 | EUR | 804.7536 | C | 12 | 19415 |
| Imprimante | Samsung | Imprimanta Samsung ML3470D Laser, 33ppm, 32MB, 1200x1200dpi, PCL6, PS3, USB2.0 + Duplex + Paralel | 253.456 | EUR | 1341.054 | C | 12 | 12327 |
| Imprimante | Samsung | Imprimanta Samsung ML3471ND Laser, 33ppm, 32MB, 1200x1200dpi, Retea, PCL6, PS3, USB2.0 + Duplex | 279.328 | EUR | 1477.952 | C | 12 | 12328 |
| Imprimante | Samsung | Imprimanta Samsung CLP310, Laser, color, 16/4 ppm negru/col, 32MB, 2400x600dpi, USB2.0, Gri | 127.232 | EUR | 673.1984 | C | 24 | 14999 |
| Imprimante | Samsung | Imprimanta Samsung CLP315, Laser, color, 16/4 ppm negru/col, 32MB, 2400x600dpi, USB2.0, Black | 127.232 | EUR | 673.1984 | C | 24 | 15001 |
| Imprimante | Samsung | Imprimanta Samsung CLP310N, Laser, color, 16/4 ppm negru/col, 32MB, 2400x600dpi, Retea, USB2.0, Gri | 155.344 | EUR | 821.9344 | C | 24 | 15000 |
| Imprimante | Brother | Imprimanta Brother HL2035, laser monocrom A4, 18ppm, 600dpi, 8MB, GDI, tava 250 coli, USB, volum recomandat 5000pag/luna, toner de start 1500pag, consumabile: TN2005, DR2005 | 75.264 | EUR | 398.2272 | C | 24 | 24948 |
| Imprimante | Brother | Imprimanta Brother HL2140, laser monocrom A4, 22 ppm, 2400x600 dpi, 8MB, USB, 250 coli, volum recomandat 2000 pag/luna, consumabil TN2110 (1500 pag.), optional TN2120 (2600 pag.) | 85.12 | EUR | 450.3744 | C | 24 | 24949 |
| Imprimante | Brother | Imprimanta Brother HL2150N, laser monocrom A4, 22 ppm, 2400x600 dpi, 16 MB, PCL6, standard 250 coli, iesire 100 coli, Retea, USB, volum recomandat 2000 pag/luna, consumabil TN2110 (1500 pag.), optional TN2120 (2600 pag.) | 100.688 | EUR | 532.7504 | C | 24 | 24950 |
| Imprimante | Brother | Imprimanta Brother HL2170W, laser monocrom A4, 22 ppm, 2400x600 dpi, 16MB, USB, 250 coli, PCL6, Wireless, consumabil TN2110 (1500 pag.), optional TN2120 (2600 pag.) | 144.48 | EUR | 764.456 | C | 24 | 24951 |
| Imprimante | Brother | Imprimanta Brother HL5240L, laser monocrom A4, 24 ppm, 1200x1200 dpi, 16 MB, PCL6, BR Script 3 IBM Proprinter XL EpsonFX 850, standard 250 coli, 500 coli (optional), tava multifunctionala pentru 50 coli, retea: optional, USB, consumabil TN3130 (3500 pag), TN3170 (7000 pag) | 139.328 | EUR | 737.1952 | C | 24 | 24952 |
| Imprimante | Brother | Imprimanta Brother HL5340D, laser monocrom A4, 30 ppm, 1200x1200, 16 MB, PCL6 BR Script 3 IBM Proprinter XL Epson FX850, standard 250 coli, tava multifunctionala 50 coli, optional 2 tavi*250 coli, Duplex, USB, Paralel, consumabil TN-3230 (3000 pag), TN-3280 (8000 pag) | 180.768 | EUR | 956.4576 | C | 24 | 24953 |
| Imprimante | Brother | Imprimanta Brother HL5350DN, laser monocrom A4, 30 ppm, 1200x1200, 32 MB, PCL6 BR Script 3 IBM Propr. XL Epson FX850, standard 250 coli, tava multifunctionala 50 coli, optional 2 tavi*250 coli, Duplex, Retea, USB, Paralel, consumabil TN-3230 (3000 pag), TN-3280 (8000 pag) | 220.752 | EUR | 1168.014 | C | 24 | 24954 |
| Imprimante | Brother | Imprimanta Brother HL5350DNLT, laser monocrom A4, 30 ppm, 1200x1200, 32 MB, PCL6 BR Script 3 IBM Propr. XL Epson FX850, standard 2*250 coli, tava multifunctionala 50 coli, optional tava 250 coli, Duplex, Retea, USB, Paralel, consumabil TN-3230(3000 pag), TN-3280 (8000 pag) | 282.576 | EUR | 1495.133 | C | 24 | 24955 |
| Imprimante | Brother | Imprimanta Brother HL5380DN, laser monocrom A4, 30 ppm, 1200x1200, 32 MB, PCL6 BR Script 3 IBM Propr. XL Epson FX850, standard 250 coli, tava multifunctionala 50 coli, optional 2 tavi*250 coli, Duplex, Retea, USB, Paralel, consumabil TN-3230(3000 pag), TN-3280 (8000 pag) | 261.856 | EUR | 1385.496 | C | 24 | 24956 |
| Imprimante | Brother | Imprimanta Brother HL7050N, laser monocrom A4, 30ppm, 1200x1200dpi, 64MB, tava 500 coli+tava 100 coli, USB, Paralel, RS-232C, Retea, volum recomandat 150.000pag/luna, consumabile: TN-5500, DR-5500 | 765.408 | EUR | 4049.83 | C | 24 | 24957 |
| Imprimante | Brother | Imprimanta Brother HL3040CN, laser color A4, tehnologie LED, 16 ppm, 2400x600, 32 MB, GDI, standard 250 coli, Retea, USB, consumabile: TN-230BK, TN-230C/M/Y | 205.296 | EUR | 1086.232 | C | 24 | 24958 |
| Imprimante | Brother | Imprimanta Brother HL3070CW, laser color A4 , tehnologie LED, 16 ppm, 2400x600, 64 MB, PCL6, standard 250 coli, Wireless, USB, Retea, PictBridge, consumabile: TN-230BK, TN-230C/M/Y | 244.384 | EUR | 1293.051 | C | 24 | 24959 |
| Imprimante | Brother | Imprimanta Brother HL4040CN, laser color A4, 20ppm mono, 20ppm color, 600x2400dpi, 64MB, standard 250 coli, tava multifunctionala 50 coli, USB, Paralel, Retea, consumabile TN130/TN135 Bk/C/M/Y | 293.552 | EUR | 1553.205 | C | 24 | 24960 |
| Imprimante | Brother | Imprimanta Brother HL4050CDN, laser color A4, 20ppm mono, 20ppm color, 600x2400dpi, 64MB, standard 250 coli, optional tava 500 coli, tava multifunctionala 50 coli, USB, Paralel, Retea, Duplex, consumabile TN130/TN135 Bk/C/M/Y | 334.768 | EUR | 1771.28 | C | 24 | 24961 |
| Imprimante | Brother | Imprimanta Brother QL1050, imprimanta etichete direct termica, DK tape and DK lable up to 102 mm width, 110 mm/s print speed, Automatic Cutter, RS232/Serial &USB port, ESC/P programming, 1DK11241 (40 labels), 1DK22205 (8m), USB andble | 161.952 | EUR | 856.9008 | C | 24 | 24456 |
| Imprimante | Brother | Imprimanta Brother QL1060, imprimanta etichete direct termica, DK tape and DK lable up to 102 mm width, 110 mm/s print speed, Automatic Cutter, RS232/Serial &USB port, ESC/P programming, 1DK11241 (40 labels), 1DK22205 (8m), USB andble | 198.8 | EUR | 1051.87 | C | 24 | 24966 |
| Imprimante | Brother | Imprimanta Brother QL560, imprimanta etichete direct termica, DK tape and DK lable up to 62 mm width, 90 mm/s print speed, Automatic Cutter, USB Port | 54.768 | EUR | 289.7776 | 0 | 24 | 24962 |
| Imprimante | Brother | Imprimanta Brother QL570, imprimanta etichete direct termica, DK tape and DK lable up to 62 mm width, 110 mm/s print speed, Fine resolution, Automatic Cutter, USB Port, 1DK11201 (100 lables), 1DK22205 (8m), USB and mains cable | 79.744 | EUR | 421.9264 | C | 24 | 24963 |
| Imprimante | Brother | Imprimanta Brother QL580N, imprimanta etichete direct termica, DK tape and DK lable up to 62 mm width, 110 mm/s print speed, Fine resolution, Automatic Cutter, USB, Retea, Serial Port. 1DK11201 (100 lables), 1DK22205 (8m), USB andble | 110.88 | EUR | 586.6784 | C | 24 | 24964 |
| Imprimante | Brother | Imprimanta Brother QL650TD, imprimanta etichete direct termica, DK tape and DK lable up to 62 mm width, 90 mm/s print speed, Automatic Cutter, Time and date function, RS232/Serial &USB port, ESC/P programming. 1DK11218 (100 labels)05 (8m), USB and mains cable | 137.088 | EUR | 725.3456 | C | 24 | 24965 |
| Imprimante | Brother | Imprimanta Brother PT9700PC, P-touch imprimanta etichete, Desktop, Heavy Duty, TZ tapes 3,5 to 36 mm, HG Tapes 6 to 36 mm, USB and serial interface, Automatic full and half Cutter, PC Connectivity | 223.328 | EUR | 1181.645 | C | 24 | 25734 |

| | | | | | | | | |
|------------------|------------|---|---------|-----|----------|------|----|-------|
| Imprimante | Brother | Imprimanta Brother PT1090, P-touch imprimanta etichete monocolor, Handheld, ABCD keyboard, tape width 3.5mm, 6mm, 9mm, 12mm, Manual Cutter, Previsualizare, variatii font | 25.536 | EUR | 135.1168 | 0 | 24 | 24969 |
| Imprimante | Brother | Imprimanta Brother PT1290, P-touch imprimanta etichete monocolor, Desktop, Qwerty keyboard, tape width 3.5mm, 6mm, 9mm, 12mm, Manual Cutter, Starter tape | 29.344 | EUR | 155.2656 | C | 24 | 24968 |
| Imprimante | Brother | Imprimanta Brother PT1830, P-touch imprimanta etichete, Desktop, Qwerty keyboard, TZ tapes 3.5 to 18 mm, Manual Cutter, Battery and adapter operation | 49.84 | EUR | 263.704 | C | 24 | 24457 |
| Imprimante | Brother | Imprimanta Brother PT2100, P-touch imprimanta etichete, Desktop, Qwerty keyboard, TZ tapes 3.5 to 18 mm, Automatic Cutter, Battery and adapter operation, PC Connectivity, 1 TZ241, Adapter, Carry Case, USB Cable | 68.544 | EUR | 362.6672 | C | 24 | 24970 |
| Imprimante | Brother | Imprimanta Brother PT2700, P-touch imprimanta etichete, Desktop, Qwerty keyboard, 180 dpi, imprimare cod de bare, imprimare verticala, cutter automat | 95.312 | EUR | 504.3024 | C | 24 | 24971 |
| Imprimante | Brother | Imprimanta Brother PT7100, P-touch imprimanta etichete, Handheld, ABCD keyboard, TZ tapes 3.5 to 12 mm, Manual Cutter, AV and electrican special symbols | 36.176 | EUR | 191.408 | C | 24 | 24458 |
| Imprimante | Brother | Imprimanta Brother PT7500VP, P-touch imprimanta etichete, Handheld, ABCD keyboard, TZ tapes 6 to 24 mm, Manual Cutter, Backlit display, AV and electrical special symbols, Carry Case, New CEE Localisation | 73.472 | EUR | 388.7408 | C | 24 | 24972 |
| Imprimante | Brother | Imprimanta Brother PT7600VP, P-touch imprimanta etichete, Handheld, ABCD keyboard, TZ tapes 6 to 24 mm, Manual Cutter, Backlit display, AV and electrical special symbols, plus USB interface for template transfer, Carry Case, New CEE Localisation | 110.88 | EUR | 586.6784 | C | 24 | 24973 |
| Imprimante | Brother | Masina de scris Brother AX410, electronica, capacitate copiere original+4, viteza imprimare (CPS) 12, spatii intre linii 1.1, 5.2 | 87.696 | EUR | 464.0048 | C | 24 | 24974 |
| Imprimante | Printronix | Imprimanta Printronix T4M Thermal Transfer 203dpi RFID Ready printer w/ 8MB Flash, Internal PrintNet 10/100 Base-T and Cutter (PRODUS IN LICHIDARE - EXPUS IN CADRUL UNUI EVENIMENT) | 631.792 | EUR | 3342.864 | 0 | 12 | 25490 |
| Imprimante | Printronix | Imprimanta Printronix P7000HD, matriciala, High Definition Pedestal Model | 5857.04 | EUR | 30990.06 | 0 | 12 | 25510 |
| Imprimante | Printronix | Imprimanta Printronix P7000HDZT, matriciala, High Definition Zero Tear Pedestal Model | 6295.41 | EUR | 33309.51 | 0 | 12 | 25512 |
| Imprimante | Printronix | Imprimanta Printronix P7005, matriciala, 500 LPM with Open Pedestal and Paper Tray | 3982.83 | EUR | 21073.48 | 0 | 12 | 25496 |
| Imprimante | Printronix | Imprimanta Printronix P7005-12, matriciala, 500 LPM with Open Pedestal and Paper Tray, 12 miltip | 3982.83 | EUR | 21073.48 | 0 | 12 | 25497 |
| Imprimante | Printronix | Imprimanta Printronix P7005-12, matriciala, 500 LPM with Open | 6261.47 | EUR | 33129.95 | 0 | 12 | 25511 |
| Imprimante | Printronix | Imprimanta Printronix P7005ZT, matriciala, 500 LPM Zero Tear Pedestal | 4421.2 | EUR | 23392.92 | 0 | 12 | 25498 |
| Imprimante | Printronix | Imprimanta Printronix P7010, matriciala, 1000 LPM Open Pedestal and Paper Tray | 5857.04 | EUR | 30990.06 | 0 | 12 | 25499 |
| Imprimante | Printronix | Imprimanta Printronix P7010ZT, matriciala, 1000 LPM Zero Tear Pedestal | 6295.41 | EUR | 33309.51 | 0 | 12 | 25500 |
| Imprimante | Printronix | Imprimanta Printronix P7015, matriciala, 1500 LPM with Open Pedestal and Paper Tray (6dbda) | 8043.73 | EUR | 42560.01 | 0 | 12 | 25501 |
| Imprimante | Printronix | Imprimanta Printronix P7015ZT, matriciala, 1500 LPM Zero Tear Pedestal | 8482.1 | EUR | 44879.45 | 0 | 12 | 25502 |
| Imprimante | Printronix | Imprimanta Printronix P7205, matriciala, 12, matriciala, 500 LPM Floor Cabinet Model, 12 mil tip | 4567.81 | EUR | 24168.64 | 0 | 12 | 25503 |
| Imprimante | Printronix | Imprimanta Printronix P7210, matriciala, 1000 LPM Floor Cabinet Model | 6261.47 | EUR | 33129.95 | 0 | 12 | 25504 |
| Imprimante | Printronix | Imprimanta Printronix P7210 with SureStak, matriciala, 1000 LPM Floor Cabinet Model and PowerStacker | 9220.96 | EUR | 48788.84 | 0 | 12 | 25505 |
| Imprimante | Printronix | Imprimanta Printronix P7215, matriciala, 1500 LPM Floor Cabinet Model | 8043.73 | EUR | 42560.01 | 0 | 12 | 25506 |
| Imprimante | Printronix | Imprimanta Printronix P7215 with SureStak, matriciala, 1500 LPM Floor Cabinet Model and PowerStacker | 11003.9 | EUR | 58222.45 | 0 | 12 | 25507 |
| Imprimante | Printronix | Imprimanta Printronix P7220, matriciala, 2000 LPM Floor Cabinet Model | 11415.7 | EUR | 60401.44 | 0 | 12 | 25508 |
| Imprimante | Printronix | Imprimanta Printronix P7220 with SureStak, matriciala, 2000 LPM Floor Cabinet Model and PowerStacker | 14377.4 | EUR | 76072.18 | 0 | 12 | 25509 |
| Imprimante | Ricoh | Ricoh Multi-Bypass Tray 405655, 100 Sheets, compatibila GX7000 Printer, BY1010 | 143.248 | EUR | 757.9376 | C | 1 | 26708 |
| Imprimante | Ricoh | Imprimanta Ricoh GX7000, A3, color, tehnologie pe gel, 29 ppm a/n si color, RPCS, 3600 x 1200 dpi, 16 MB, USB 2.0, 250 coli, duplex standard, 10/100BaseTX (Optional), Volum maxim lunar 2500pag, starter kit inclus | 710.528 | EUR | 3759.459 | C | 12 | 26707 |
| Imprimante | Xerox | Imprimanta Xerox Phaser 3140 Laser, A4, 18 ppm, 8MB, 600x600 dpi, cpu 150Mhz, tava de 250, USB 2.0, 5000 pag./luna, duty cycle 10.000pag, cartus 106R00908, se livreaza cu toner de 700 pag | 81.76 | USD | 330.4 | CALL | 12 | 21862 |
| Imprimante | Xerox | Imprimanta Xerox Phaser 3250D Laser, A4, 30ppm, 1200x1200dpi, 32MB, PS3, tava 250pag, USB2.0, duty cycle 30.000pag, duplex, filigran, imprimare tip brosură sau poster, imprimare N-up, toner start 1000pag, consumabil 106R01373 (3.5K), optional 106R01374 (5K) | 214.368 | USD | 866.2976 | C | 12 | 21570 |
| Imprimante | Xerox | Imprimanta Xerox Phaser 3250DN Laser, A4, 28ppm, 1200x1200dpi, 32MB, PS3, tava 250pag, USB2.0, 10/100 Base-TX Ethernet, duty cycle 30.000pag, duplex, filigran, imprimare tip brosură sau poster, imprimare N-up, toner start 1000pag, consumabil 106R01373 (3.5K), optional 106R01374 (5K) | 195.44 | USD | 789.8016 | C | 12 | 21571 |
| Imprimante | Xerox | Imprimanta Xerox Phaser 3435DN Laser, A4, 33ppm, 1200x1200dpi, 64MB, PS3, tava 300/500 pag, paralel, USB2.0, 10/100 Base-TX Ethernet, duty cycle 80.000pag, duplex, consumabil 106R01414 (4k), optional 106R01415 (10k) | 359.968 | USD | 1454.69 | C | 12 | 21572 |
| Imprimante | Xerox | Imprimanta Xerox Phaser 3600 Laser, A4, 38ppm, 1200x1200dpi, 64MB, PS3, tava 600/1100 pag, paralel, USB2.0, duty cycle 200.000pag, filigran, imprimare tip brosură sau poster, imprimare N-up, suprapunere elemente, microrare/marire, consumabil 106R01371 (14k), 106R01372 (20k) | 578.48 | USD | 2337.731 | C | 12 | 21573 |
| Imprimante | Xerox | Imprimanta Xerox Phaser 3600DN Laser, A4, 38ppm, 1200x1200dpi, 64MB, PS3, tava 600/1100 pag, paralel, USB2.0, 10/100 Base-TX Ethernet, duplex, duty cycle 200.000pag, filigran, imprimare tip brosură sau poster, imprimare N-up, suprapunere elemente, microrare/marire, consumabil 106R01370 (7k), optional 106R01371 (14k), 106R01372 (20k) | 710.528 | USD | 2871.355 | C | 12 | 21575 |
| Imprimante | Xerox | Imprimanta Xerox Phaser 3600N Laser, A4, 38ppm, 1200x1200dpi, 64MB, PS3, tava 600/1100 pag, paralel, USB2.0, 10/100 Base-TX Ethernet, duty cycle 200.000pag, filigran, imprimare tip brosură sau poster, imprimare N-up, suprapunere elemente, microrare/marire, consumabil 106R01370 (7k), optional 106R01371 (14k), 106R01372 (20k) | 629.888 | USD | 2545.48 | C | 12 | 21574 |
| Imprimante | Xerox | Imprimanta Xerox Phaser 5335 Laser, A3, 35ppm, 1200x1200dpi, 64MB, PS3, 3 dispozitive de alimentare (3 x 550 coli), paralel, USB2.0, 10/100Base-TX Ethernet, duty cycle 100.000pag, duplex, HDD, consumabil 113R00737 (10K) | 1265.54 | USD | 5195.053 | C | 12 | 21581 |
| Imprimante | Xerox | Imprimanta Xerox Phaser 6125 Laser Color, 16 ppm negru, 12ppm color, 64MB, 600x600 dpi, cpu 333Mhz, GDI, tava de 250, USB 2.0, Retea, 40000 pag./luna | 347.088 | USD | 1402.643 | C | 12 | 14146 |
| Imprimante | Xerox | Imprimanta Xerox Phaser 6140N Laser Color, 21 ppm negru, 19ppm color, 256MB, 600x600 dpi, cpu 400Mhz, tava de 250/500, USB 2.0, 10/100 Base-TX Ethernet, 40000 pag./luna, consumabile 106R01481(2000pg), 106R01482 (2000 pg), 106R01483 (2000pg), 106R01484 (2600pg) | 437.136 | USD | 1766.531 | C | 12 | 21587 |
| Imprimante | Xerox | Imprimanta Xerox Phaser 6280DN Laser Color, 30 ppm negru, 25ppm color, 256MB, 600x600 dpi, cpu 400Mhz, tava de 400/950, USB 2.0, 10/100 Base-TX Ethernet, duplex, 70.000 pag./luna, consumabile 106R01388 (2.2k), 106R01389 (2.2k), 106R01390 (2.2k), 106R01391 (3k), optional 106R01400 (5.9k), 106R01401 (5.9k), 106R01402 (5.9k), 106R01403 (7k) | 771.344 | USD | 3117.128 | C | 12 | 21589 |
| Imprimante | Xerox | Imprimanta Xerox Phaser 6280N Laser Color, 30 ppm negru, 25ppm color, 256MB, 600x600 dpi, cpu 400Mhz, tava de 400/950, USB 2.0, 10/100 Base-TX Ethernet, 70.000 pag./luna, consumabile 106R01388 (2.2k), 106R01389 (2.2k), 106R01390 (2.2k), 106R01391 (3k), optional 106R01400 (5.9k), 106R01401 (5.9k), 106R01402 (5.9k), 106R01403 (7k) | 629.888 | USD | 2545.48 | C | 12 | 21588 |
| Multifunctionale | | | | | | | | |

| | | | | | | | | |
|-----------------|-------|---|---------|-----|----------|----|----|-------|
| Multifunctional | Canon | Imprimanta Canon PIXMA MP250, USB2.0, multifunctional injet color A4 (Print, Copy, Scan), photo lab quality 2 pl, 4800dpi, FINEcartridges PG-510, CL-511, 10x15cm borderless photo in 60 sec, 600dpi CIS scanner | 37.072 | EUR | 196.1456 | S | 12 | 21542 |
| Multifunctional | Canon | Imprimanta Canon PIXMA MP270, USB2.0, multifunctional injet color A4 (Print, Copy, Scan), photo lab quality 2 pl, 4800dpi, FINEcartridges PG-510, CL-511, 10x15cm borderless photo in 60 sec, 600dpi CIS scanner | 42.112 | EUR | 222.8128 | C | 12 | 20786 |
| Multifunctional | Canon | Imprimanta Canon PIXMA MP490, Inkjet, color A4, Print/Scan/Copy, photo lab quality 2 pl, 4800dpi, LCD 1.8", USB 2.0, FINEcartridges, 10x15cm borderless photo in 60 sec, 600dpi CIS scanner | 53.76 | EUR | 284.4464 | C | 12 | 25513 |
| Multifunctional | Canon | Imprimanta Canon PIXMA MP550, USB2.0, multifunctional injet color A4 (Print, Scan Copy), 600x2400 dpi, 10x15 cm borderless photo in app. 41 secs, 2 paper trays, scan to memory card and USB stick, 1 pl, 5 single inks, ChromaLife100+, CL-5521BK, CL-521C, CL-521M, CL-521Y, PGI-520BK) | 69.44 | EUR | 367.416 | S | 12 | 20736 |
| Multifunctional | Canon | Imprimanta Canon PIXMA MP560, Inkjet, color A4, Print/Scan/Copy, 9600x2400 dpi, 10x15cm borderless photo in app. 41 secs, 1 pl, 5 single inks, dual paper trays, USB, Wi-Fi/Ethernet, scan to memory card and USB stick, CromLife100+ | 100.352 | EUR | 530.9696 | C | 12 | 25514 |
| Multifunctional | Canon | Imprimanta Canon PIXMA MP640, Inkjet, color A4 Print/ Scan/Copy, 9600x2400 dpi, 10x 15 cm borderless photo in app. 20 secs, 1 pl, 5 single inks, auto duplex, dual paper trays, DVD/CD printing, scan to memory card and USB stick, CromLife 100+ | 116.256 | EUR | 615.1152 | C | 12 | 25517 |
| Multifunctional | Canon | Imprimanta Canon PIXMA MP980, USB 2.0, Retea, Wifi 802.11b, PictBridge, 8.8cm color TFT (print/copy/scan, 9600x2400dpi, 26ppm negru, 21ppm color, rezolutie scanare: 4800x9600 dpi, Direct printing, PGI-520BK, CLI-521C, CLI-521M, CLI-521Y, CL-521BK, CLI-521GY | PROMO | EUR | 1068.245 | SL | 12 | 18700 |
| Multifunctional | Canon | Imprimanta Canon PIXMA MP990, linkjet color A4 Print/Scan/Copy, 9600x2400 dpi, 10x15cm borderless photo in app. 20 secs, 1 pl, 6 single inks (including grey for exceptional monochrome printing), auto duplex, dual paper trays, DVD/CD printing, FAU, Wi-Fi, scan to memory card and USB stick, CromLife 100+ | 239.792 | EUR | 1268.758 | C | 12 | 25519 |
| Multifunctional | Canon | Imprimanta Canon Pixma MX340, Inkjet, color A4 ,Print/Scan/Copy/Fax, Wi-Fi connectivity , Super G3 fax with save to USB, ADF, 4800x1200dpi, Mono Print Speed ESAT: 8.4 ipm, Colour Print Speed ESAT: 4.8 ipm, 1200x2400 scanner, copiator 25 - 400%, copiere multipla 1-99%, consumabile Cartridge - PG-510, CL-511 (Optional - PG-512, CL-513), interfata USB HiSpeed, Wi-Fi: IEEE802.11g/IEEE802.11b , Optional Bluetooth Unit BU-30 | 77.952 | EUR | 412.4512 | C | 12 | 25520 |
| Multifunctional | Canon | Imprimanta Canon Pixma MX350, Inkjet, color A4, Print/Scan/Copy/Fax, Wi-Fi connectivity , Super G3 fax with save to USB, ADF, 4800x1200dpi, Mono Print Speed ESAT: 8.4 ipm, Colour Print Speed ESAT: 4.8 ipm, 1200x2400 scanner, copiator 25 - 400%, copiere multipla 1-99%, consumabile Cartridge - PG-510, CL-511 (Optional - PG-512, CL-513), interfata USB HiSpeed, Wi-Fi: IEEE802.11g/IEEE802.11b , Optional Bluetooth Unit BU-30 | 101.36 | EUR | 536.3008 | 0 | 12 | 25521 |
| Multifunctional | Canon | Imprimanta Canon Pixma MX870, Inkjet, color A4, Print/Scan/Copy/Fax, Super G3 fax, DADF, Memory card slots and 6.2cm TFT display, up to 9600x2400dpi, 9.4 ipm alb negru 6.1 ipm color, scanare 2400x4800 dpi platen, 600x600dpi adf, Sheet Feeder: Max. 150 sheets, Cassette: Max. 150 sheets, consumabile PGI-520BK, CLI-521BK, CLI-521C, CLI-521M, CLI-521Y Interfata: USB, Retea, Wireless, optional: Bluetooth Unit BU-30 | 159.488 | EUR | 843.864 | C | 12 | 25523 |
| Multifunctional | Canon | Imprimanta Canon PIXMA MX320, USB 2.0, (Print, Scan, Copy, Fax, 30-sheet ADF), 4800x1200dpi",Photo Lab Quality Speed Borderless 10 x 15cm: Approx. 45 seconds; Mono Print Speed ESAT: 7.5 ipm, Colour Print Speed ESAT: 4.5 ipm, 1200x2400 scanner & Scan to USB; Fax standalone 33.6kpbs; consumabile Cartridge - PG-510, CL-511 (Optional - PG-512, CL-513); Full dot LCD display; interfata USB HiSpeed , Optional Bluetooth Unit BU-30 | 63.84 | EUR | 337.7808 | C | 12 | 19240 |
| Multifunctional | Canon | Imprimanta Canon PIXMA MX7600, USB 2.0, Retea, PictBridge, (print/copy/scan/fax, 4800x1200dpi, 28ppm negru, 23ppm color, Scanner: 4800x9600 dpi CIS, TFT 4.5cm, PGI-9PBK, PGI-7 BK, PGI-9 Y, PGI-9 M, PGI-9 C, PGI-9 Clear) | 294 | EUR | 1555.579 | C | 12 | 18702 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF4010, USB 2.0, (print/copy/scan, 600x600dpi optical, 20 ppm, 32MB (shared), Scanner: CIS 600x600dpi, All-in-One FX-10 (2000 pagini la 5% acoperire)) | 163.856 | EUR | 866.9808 | 0 | 12 | 14049 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF4320d, USB 2.0, (print/copy/scan, 1200x600dpi optical, 22ppm, 32MB (shared), Scanner: CIS 600x1200dpi, All-in-One FX-10 (2000 pagini la 5% acoperire)) | 169.12 | EUR | 894.824 | C | 12 | 18707 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF4330d, USB 2.0, (print/copy/scan, 1200x600dpi optical, 22ppm, 32MB (shared), Scanner: CIS 600x1200dpi, All-in-One FX-10 (2000 pagini la 5% acoperire)) | 200.032 | EUR | 1058.389 | 0 | 12 | 18708 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF4340d, USB 2.0, (print/copy/scan/fax, 1200x600dpi optical, 22ppm, 32MB (shared), Scanner: CIS 600x1200dpi, All-in-One FX-10 (2000 pagini la 5% acoperire)) | 200.032 | EUR | 1058.389 | C | 12 | 18709 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF4350d, USB 2.0, (print/copy/scan/fax, 1200x600dpi optical, 22ppm, 32MB (shared), Scanner: CIS 600x1200dpi, All-in-One FX-10 (2000 pagini la 5% acoperire)) | 207.76 | EUR | 1099.28 | C | 12 | 18710 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF4370dn, USB 2.0, Retea, (print/copy/scan/fax, 1200x600dpi optical, 22ppm, 32MB (shared), Scanner: CIS 600x1200dpi, All-in-One FX-10 (2000 pagini la 5% acoperire)) | 277.312 | EUR | 1467.278 | C | 12 | 18711 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF4380dn, USB 2.0, Retea, (print/copy/scan/fax, 1200x600dpi optical, 22ppm, 32MB (shared), Scanner: CIS 600x1200dpi, All-in-One FX-10 (2000 pagini la 5% acoperire)) | 308.224 | EUR | 1630.843 | C | 12 | 18712 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF4660PL, USB 2.0, (Print/Copy/Scan, Network ready, ADF, PCL5e/6, 600x600 dpi, 20ppm, 32MB, Cartridge FX-10) | 276.304 | EUR | 1461.947 | C | 12 | 11680 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF4690PL, USB 2.0,(Print/Copy/Scan/Fax, Network ready, ADF, PCL5e/6, 600 x 600 dpi, 20ppm, Duplex, 32MB, Cartridge FX-10, restrictionarea accesului la echipament) | 349.44 | EUR | 1848.918 | 0 | 12 | 11681 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF5840dn, Laser mono A4, Print/Copy/Scan, 30 ppm, fast automatic double-sided printing, copying and scanning, SEND functionality, scan to email, network folder & USB memory key, Network ready with Remote User interface, PCL5e/6 support,50-sheet Duplex ADF, 250-sheet cassette, 50-sheet multi-purpose tray & optional, 500-sheet cassette (max. A4), All-in-One cartridge Cartridge 719 (2, 100 pages), Optional Cartridge 719 H (6, 400 pages) | 475.328 | EUR | 2514.994 | C | 12 | 25537 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF5880dn, Laser mono A4, Print/Copy/Scan/Fax, 30 ppm, DADF, copying, scanning and faxing, SEND functionality, scan to email, network folder & USB memory key, Network ready with Remote User interface, PCL5e/6 support, 50-sheet DADF, 250-sheet cassette, 50-sheet multi-purpose tray & optional 500-sheet cassette (max. A4), Cartridge 719 (2, 100 pages), Optional :Cartridge 719 H (6, 400 pages), PAPER FEEDER PF-44 (500-sheet cassette), TEL 6 KIT | 553.616 | EUR | 2929.226 | C | 12 | 25538 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF6680dn, Laser mono A4, Print/Copy/Scan/Fax, Duplex, ADF, 30 ppm, 1200 x 600 dpi, USB, Retea, caseta 500 coli, tava universală 50 coli, DADF 50 coli, volum lunar max 20.000 pag/luna, cartus no 720 (5.000 de pag) | 634.032 | EUR | 3354.714 | C | 12 | 25539 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF8030Cn, multifunctional laser color A4, Scanner/Copy/Print, 12ppm mono, 8ppm color, ADF, USB 2.0, Retea, caseta 150 coli, ADF 50 coli | 296.128 | EUR | 1566.835 | C | 12 | 25561 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF8050Cn, multifunctional laser color A4, Scanner/Copy/Print/Fax, 12ppm mono, 8ppm color, ADF, USB 2.0, Retea, caseta 150 coli, ADF 50 coli | 334.992 | EUR | 1772.467 | 0 | 12 | 25562 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF8330Cdn, multifunctional laser color A4, Scanner/Copy/Print, 20ppm mono, 20ppm color, Duplex, ADF, Network ready, caseta 250 coli, ADF 50 coli, tava universală 50 coli | 438.144 | EUR | 2318.254 | C | 12 | 25563 |
| Multifunctional | Canon | Imprimanta Canon i-SENSYS MF8350Cdn, multifunctional laser color A4, Scanner/Copy/Print/ Fax, 20 ppm mono, 20 ppm color, USB 2.0, Network ready, Duplex, ADF, caseta 250 coli, ADF 50 coli, tava universală 50 coli | 515.76 | EUR | 2728.925 | C | 12 | 25564 |

| | | | | | | | | |
|-----------------|-------|---|---------|-----|----------|---|----|-------|
| Multifunctional | Canon | Imprimanta Canon MF8450, USB 2.0, Retea, 2xUSB 2.0, (print/copy/scan/fax, 2400x600dpi, 17ppm mono, 17ppm color, 384MB (shared), scanner: 600x600dpi, Toner Cartridge(711 Black, 717 Cyan, 717 Magenta, 717 Yellow)) | 839.776 | EUR | 4443.32 | C | 12 | 18704 |
| Multifunctional | Canon | Imprimanta Canon MF9130, USB 2.0, Retea, 2xUSB 2.0, (print/copy/scan, 2400x600dpi, 21ppm mono, 21ppm color, 512MB (shared), scanner: 600x600dpi, Toner Cartridge(711 Black, 711 Cyan, 711 Magenta, 711 Yellow)) | 1171.97 | EUR | 6200.981 | 0 | 12 | 18705 |
| Multifunctional | Canon | Imprimanta Canon MF9170, USB 2.0, Retea, 2xUSB 2.0, Memory media slots, (print/copy/scan/fax, 2400x600dpi, 21ppm mono, 21ppm color, 512MB (shared), scanner: 600x600dpi, Toner Cartridge(711 Black, 711 Cyan, 711 Magenta, 711 Yellow)) | 1288.45 | EUR | 6817.283 | 0 | 12 | 18706 |
| Multifunctional | HP | Imprimanta HP MF Photosmart B110A, Color A4, 4800x1200dpi, 32ppm black, 30ppm color, borderless printing, scan- flatbed, 1200dpi optic, 1200x2400dpi, copy-32cpm black, 30cpm color, ciclu lunar 2500 pagini, USB 2.0, PictBridge, wireless 802.11b/g/n, cartuse no. 364) | 89.152 | EUR | 471.7104 | C | 12 | 23998 |
| Multifunctional | HP | Imprimanta HP MF Officejet 4500, G510G All-in-One, Printer/Fax/Scanner/Copier, A4, print: 28ppm a/n, 22ppm color, rezolutie 1200x1200dpi, 64MB RAM, tava 100 coli, HP PCL 3 GUI, HP PCL 3 enhanced, scanner: flatbed, CIS, 1200dpi optic, copy:28cpm a/n, 22cpm color, 90 copii multiple, scalare 25-400%, fax:color, 33.6 kbps, 3sec/pag, ADF 20 coli, USB 2.0, Ethernet, cartuse no.901, duty cycle 3000pag/luna | 78.736 | EUR | 416.5952 | C | 12 | 25526 |
| Multifunctional | HP | Imprimanta HP MF Officejet 4500, G510N All-in-One, Printer/Fax/Scanner/Copier, A4, print:28ppm a/n, 22ppm color, rezolutie 1200x1200dpi, 64MB RAM, tava 100 coli, HP PCL 3 GUI, HP PCL 3 enhanced, scanner: flatbed, CIS, 1200dpi optic, copy: 28cpm a/n, 22cpm color, 90 copii multiple, scalare 25-400%, fax: color, 33.6 kbps, 3sec/pag, ADF 20 coli, USB 2.0, Ethernet, wireless 802.11 b/g, cartuse no.901, duty cycle 3000pag/luna | 116.032 | EUR | 613.9392 | C | 12 | 25529 |
| Multifunctional | HP | Imprimanta HP MF Officejet 6500, E709A All-in-One, Color, Printer/Fax/Scanner/Copier, A4, 32ppm a/n, 31ppm color, rezolutie 4800x1200dpi, memorie 32MB, HP PCL 3 GUI, scanner:flatbed, 2400x4800dpi optic, copy 32cpm a/n, 31cpm color, 100 copii multiple, fax color, 33.6kbps, memorie max 100pag, apelare rapida 100numere, ADF 35 coli, USB 2.0, Ethernet, slot carduri de memorie, cartuse no. 920, duty cycle 7.000pag/luna | 95.984 | EUR | 507.864 | C | 12 | 25530 |
| Multifunctional | HP | Imprimanta HP MF Officejet 6500, E709N All-in-One, Printer/Fax/Scanner/Copier, A4, 32ppm a/n, 31ppm color, rezolutie 4800x1200dpi, memorie 64MB, HP PCL 3GUI, scanner flatbed, 2400x4800dpi optic, copy 32cpm a/n, 31cpm color, 100 copii multiple, fax color, 33.6kbps, memorie max 100pag, apelare rapida 100 numere, ADF 35 coli, duplex, USB 2.0, Ethernet, Wireless, slot carduri de memorie, cartuse no. 920, duty cycle 7.000pag/luna | 131.936 | EUR | 698.0848 | C | 12 | 25532 |
| Multifunctional | HP | Imprimanta HP MF Officejet Pro 8500 A909A All-in-One, A4, Print/ Fax/ Scan/ Copy, print:35ppm a/n, 34ppm color, 4800x1200dpi, HP PCL 3 GUI, borderless printing, ADF 35pag, duty cycle 15000 pagini, memorie 64MB si 4 slots, duplex, scan:flatbed, 2400dpi optic, 48 bit adincime de culoare, copy: 35cpm/a/n, 34cpm color, fax: 33, 6kbps, apelare rapida 125 numere, USB 2.0, Ethernet, PictBridge, RJ-11 fax | 137.872 | EUR | 729.4896 | 0 | 12 | 25534 |
| Multifunctional | HP | Imprimanta HP MF Officejet Pro 8500 A909G All-in-One, A4, Print/ Fax/ Scan/ Copy, print:35ppm a/n, 34ppm color, 4800x1200dpi, HP PCL 3 GUI, borderlessprinting, ADF 50 pag, duty cycle 15000 pagini, memorie 64MB si 4slots, duplex, scan:flatbed, 2400dpi optic, 48 bit adincime de culoare, copy: 35cpm/a/n, 34cpm color, fax: 33, 6kbps, apelare rapida 125 num, USB2.0, Ethernet, PictBridge, RJ-11 fax, Wireless 802.11 b/g, display color cu touch screen | 203.84 | EUR | 1078.538 | 0 | 12 | 25536 |
| Multifunctional | HP | Imprimanta HP MF Photosmart B109A, All-in-One, Printer/Scanner/Copier, A4, print:30ppm a/n, 28ppm color, rezolutie 4800x1200dpi, HP PCL3GUI, 64MB, scanner:flatbed, rezolutie 1200x2400dpi optic, 48 bit adincimedeculoare, 256 tonuri de gri,copy: 30cpm a/n, 28cpm color, max 30copii multiple, scalare 50-400%, cititor de carduri, LCD 3.68cm, USB2.0, duty cycle 2.500pag/luna | 59.92 | EUR | 317.0384 | C | 12 | 25527 |
| Multifunctional | HP | Imprimanta HP MF Photosmart B109N, Wireless All-in-One, Printer/Scanner/Copier, A4, print:30ppm a/n, 28ppm color, rezolutie 4800x1200dpi, HP PCL3GUI, 64MB, scanner:flatbed, rezolutie 1200x2400dpi optic, 48 bit adincime de culoare, 256 tonuri de gri, copy: 30cpm a/n, 28cpm color, max 30copii multiple, scalare 50-400%, cititor de carduri, LCD 3.68cm, USB2.0, wireless 802.11g, duty cycle 2.500pag/luna | 73.136 | EUR | 386.9712 | S | 12 | 25528 |
| Multifunctional | HP | Imprimanta HP MF Photosmart Plus B209A All-in-One, A4, Print/ Scan/ Copy, print: 30ppm a/n, 28ppm color, 4800x1200dpi, borderless printing, scan: flatbed, 1200dpioptic, 1200x2400dpi hardware, 48 bit adincime de culoare, copy: 30cpm a/n, 28cpm color, ciclu lunar 2500 pagini, USB 2.0, PictBridge, wireless 802.11g/b | 96.432 | EUR | 510.2272 | C | 12 | 25531 |
| Multifunctional | HP | Imprimanta HP MF Photosmart Premium C309G All-in-one, Printer/Scanner/Copier, A4, print: 33ppm a/n, 32ppm color, 16sec/ foto 10x15cm, 9600x2400dpi, HP PCL3, scanner: flatbed, 4800x4800dpi optic, copy: 33ppm a/n, 32ppm color, display LCD color 8.9cm, cititoare carduri de memorie, PictBridge, USB 2.0, retea Eth., Wireless 802.11g/b, Bluetooth, max 2.500pag/luna | 154.336 | EUR | 816.6032 | C | 12 | 25533 |
| Multifunctional | HP | Imprimanta HP MF Photosmart Premium C309A All-in-One, Printer/Fax/Scanner/Copier, A4, print: max 33ppm a/n, 32ppm color, min. 17sec/ foto 10x15cm, 9600x2400dpi, 64MB, duplex, scanner: flatbed, 4800x4800dpi optic, copy:max 33cpm a/n, 32cpm color, max 50 copii multiple, fax:color, 33.6kbps, memorie max 90pag, apelare rapida 90 numere, ADF 50coli, USB 2.0, Ethernet, wireless, PictBridge, Bluetooth, slot carduride memorie, cartuse no. 178, max 500pag/luna | 217.616 | EUR | 1151.427 | C | 12 | 25535 |
| Multifunctional | HP | Imprimanta HP MF Deskjet F4580 All-in-One, Printer/Scanner/Copier, A4, print: max 28ppm a/n, 22ppm color, min. 26sec/ foto 10x15cm, max 4800x1200dpi, scanner: flatbed, max 1200dpi optic, 48 bit adincime de culoare, 65536 tonuri de gri, copy: max 28cpm a/n, 22cpm color, scalare 25-200%, USB 2.0, wireless 802.11b/g, cartuse HP 300, max 3.000pag/luna, optional cartuse HP 300XL | 47.936 | EUR | 253.6352 | C | 12 | 25524 |
| Multifunctional | HP | Imprimanta HP MF LJ M1132, USB 2.0 (print/copy/scan, A4, 600dpi, 18ppm, 8MB, fpo 8.5s, scanner 1200dpi, max 8000 pag/luna, tavi 10+150coli, cartus CE285A) | 126.112 | EUR | 667.2736 | C | 12 | 23515 |
| Multifunctional | HP | Imprimanta HP MF LJ M1319F (A4, max 18ppm, max 1200x1200dpi, 32MB, fpo 8.5sec, host-based drivers, tava 250 coli, LCD 2 linii, scanner: sheetfed, color, max 600dpi optic, 24 bit, 256 niveluri de gri, copy : max 18cpm (14cpm ADF), 99 copii, scalare 25-400%, fax 33.6kbps, receptor, ADF 30 coli, USB2.0, toner 1000 pag, max 8.000pag/luna, optional Q2612A | 256.032 | EUR | 1354.685 | C | 12 | 15169 |
| Multifunctional | HP | Imprimanta HP MF LJ M1522NF, USB 2.0, Retea (print/copy/scan/fax, A4, 600dpi printare, max. 600dpi optic - scanare, 23ppm, PCL6, PS3, 5e 64MB, ADF, Retea, max. 8000 pag/luna, cartus CB436A-optional) | 327.264 | EUR | 1731.576 | S | 12 | 14991 |
| Multifunctional | HP | Imprimanta HP MF LJ M2727NF + Fax:(A4, max 26ppm, max 1200x1200dpi, 64MB, max 320MB, fpo 10sec, scanner: flatbed, color, max 1200dpi optic, 24 bit, 256 niveluri de gri, duplex (print/scan/copy), ADF 50 coli, USB2.0, retea Eth., toner Q7553 | 517.776 | EUR | 2739.598 | C | 12 | 10582 |
| Multifunctional | HP | Imprimanta HP MF LJ M2727nfs (A4, 1200x1200dpi, 26ppm, 64MB, max 320MB, PCL 6, PCL 5e, duplex, LCD 2 linii, USB2.0, retea, toner Q7553A, stapler) | 668.864 | EUR | 3539.01 | C | 12 | 11633 |
| Multifunctional | HP | Imprimanta HP MF LJ M3027 (A4, 1200x1200dpi, 25ppm, 256MB max 512MB, 40GB HDD, PCL6, PCL5, USB, retea, toner Q7551A) | 1199.74 | EUR | 6347.936 | C | 12 | 11636 |
| Multifunctional | HP | Imprimanta HP MF LJ M3027x (A4, 1200x1200dpi, 25ppm, 256MB max 512MB, 40GB HDD, PCL6, PCL5, USB, retea, toner Q7551A, fax analog) | 1662.19 | EUR | 8794.789 | C | 12 | 11637 |
| Multifunctional | HP | Imprimanta HP MF LJ M3035 (A4, 1200x1200dpi, 33ppm, 256MB max 512MB, 40GB HDD, PCL6, PCL5e, duplex, USB, retea, toner Q7551A) | 1846.21 | EUR | 9768.438 | C | 12 | 11634 |
| Multifunctional | HP | Imprimanta HP MF LJ M3035xs (A4, 1200x1200dpi, 33ppm, 256MB max 512MB, 40GB HDD, PCL6, PCL5e, duplex, USB, retea, toner Q7551A, faxanalog, stapler) | 2307.42 | EUR | 12208.76 | C | 12 | 11635 |

| | | | | | | | | |
|-----------------|-----|---|---------|-----|----------|---|----|-------|
| Multifunctional | HP | Imprimanta HP MF LJ M4345 (A4, 1200x1200dpi, 43ppm, 256MB max 512MB, PCL6, PCL5e, duplex, USB, retea, 40GB HDD, toner Q5945A) | 2447.2 | EUR | 12948.33 | C | 12 | 11638 |
| Multifunctional | HP | Imprimanta HP MF LJ M4345x (A4, 1200x1200dpi, 43ppm, 256MB max 512MB, PCL6, PCL5e, duplex, USB, retea, 40GB HDD, toner Q5945A, faxanalog) | 3215.18 | EUR | 17011.79 | 0 | 12 | 11639 |
| Multifunctional | HP | Imprimanta HP MF LJ M4345xs (A4, 1200x1200dpi, 43ppm, 256MB max 512MB, PCL6, PCL5e, duplex, USB, retea, 40GB HDD, toner Q5945A, fax analog, stapler/stacker) | 4146.91 | EUR | 21941.64 | 0 | 12 | 11640 |
| Multifunctional | HP | Imprimanta HP MF LJ M9040, A3, 40/25ppm, 1200dpi, 256MB, 40GB, tavi 100+500+500+2000 coli, duplex, scanner: flatbed, 600dpi optic, 256 niveluri de gri, ADF, copy: 40cpm, copii multiple 999, USB2.0, retea Eth., volum recomandat 15.000 - 50.000 pagini/luna, toner C8543X | 8293.49 | EUR | 43881.51 | 0 | 12 | 25541 |
| Multifunctional | HP | Imprimanta HP MF LJ M9050, A3, 50/28ppm, 1200x1200dpi, 256MB, 40GB, tavi 100+500+500+2000 coli, duplex, scanner: flatbed, 600dpi optic, 256 niveluri de gri, ADF, copy: 40cpm, copii multiple 999, USB2.0, retea Eth, volum lunar recomandat 15.000 - 50.000 pagini/luna, toner C8543X | 11179.8 | EUR | 59153.43 | 0 | 12 | 25542 |
| Multifunctional | HP | Imprimanta HP MF LJ Pro M1212nf , Print/Copys/Scan/Fax, A4, 18ppm, 600x600dpi, 8MB, tava de 150 coli, scan:flatbed, color, 1200dpi optic, 24 bit adincime de culoare, 256 niveluri de gri, fax 33.6 kbps, rezolutie 300x300dpi, ADF 35 pagini, 64MB, USB 2.0, retea, duty cycle 8.000pag/luna, toner CE285A | 170.912 | EUR | 904.3104 | 0 | 12 | 25540 |
| Multifunctional | HP | Imprimanta HP MF LJ M5025 (A3, 1200x1200dpi, 13ppm, 256MB max 512MB, PCL6, PCL5, 40GB HDD, USB, retea, toner Q7570A) | 2723.28 | EUR | 14409.09 | C | 12 | 11642 |
| Multifunctional | HP | Imprimanta HP MF LJ M5035 (A3, 1200x1200dpi, 18ppm, 256MB max 512MB, PCL6, PCL5e, 40GB HDD, USB, retea, toner Q7570A) | 3139.14 | EUR | 16609.42 | C | 12 | 11643 |
| Multifunctional | HP | Imprimanta HP MF LJ M5035x (A3, 1200x1200dpi, 18ppm, 256MB max 512MB, PCL6, PCL5e, 40GB HDD, USB, retea, toner Q7570A, duplex, faxanalog) | 3739.01 | EUR | 19783.39 | C | 12 | 11644 |
| Multifunctional | HP | Imprimanta HP MF LJ M5035xs (A3, 1200x1200dpi, 18ppm, 256MB max 512MB, PCL6, PCL5e, 40GB HDD, USB, retea, toner Q7570A, duplex, fax analog, stapler/stacker) | 4569.49 | EUR | 24177.53 | C | 12 | 11645 |
| Multifunctional | HP | Imprimanta HP MF Color LJ CM2320fxi MFP, (A4, 20ppm mono si color, 600x600dpi,160MB, 2" tava 250 coli, scanner: flatbed, color, 1200x1200dpi optic, 42bit adincime de culoare, 256 niveluri de gri, ADF 50coli, duplex, cititoare card-uri copy:20cpm; fax:33.6kbps, 3 sec perpagina, USB2.0, retea Eth., duty cycle 40.000pag/luna, tonere CC530A,CC531A,CC532A,CC533A | 685.776 | EUR | 3628.498 | C | 12 | 24459 |
| Multifunctional | HP | Imprimanta HP MF Color LJ CM3530 MFP,(A4, 30ppm mono si color, 1200x600dpi, memorie 512MB, tava 100+250coli, PCL6,PCL5, PostScript 3 emulation, direct PDF printing v1.4, control paneltouchscreen LCD color 20.6cm, scanner color flatbed, 600dpi optic, 256 niveluri de gri, copy: 30ppm mono si color, copii multiple 999, scalare 25-400, ADF 50 coli, Digital sending,USB2.0 si Ethernet, tonere CE250A, CE251A, CE252A, CE253A, ciclu lunar75.000pag) | 2041.09 | EUR | 10799.56 | C | 12 | 24461 |
| Multifunctional | HP | Imprimanta HP MF Color LJ CM1312 MFP, (A4, max 12ppm black, 8ppm color, max 600x600dpi, HP ImageREt 3600, 128MB, fpo 25.5sec black, 31.5sec color, HP PCL6, PCL5c, PostScript 3 emulation, tava 250coli, control panel LCD 2 linii, scanner:color flatbed, max 1200dpi optic, 24 bit adincime de culoare, 256 niveluri de gri, copy: max 12ppm black, 8ppm color, copii multiple 99, scalare 25-400%, USB2.0, tonere 750pag, max. 30.000pag/luna | 296.464 | EUR | 1568.616 | C | 12 | 18472 |
| Multifunctional | HP | Imprimanta HP MF Color LJ CM1312NFI MFP,(A4, max 12ppm black, 8ppm color, max 600x600dpi, HP ImageREt 3600, 128MB, fpo 25.5sec black, 31.5sec color, HP PCL6, PCL5c, PostScript 3 emulation, tava 250coli, control panel LCD 2 linii, scanner:color flatbed, max 1200dpi optic, 24 bit adincime de culoare, 256 niveluri de gri, copy: max 12ppm black, 8ppm color, copii multiple 999, fax: 33.6kbps, ADF 50 coli, Digital sending, USB2.0, fax, network, tonere 750pag, max. 30.000pag/luna | 381.136 | EUR | 2016.616 | C | 12 | 19088 |
| Multifunctional | HP | Imprimanta HP MF Color LJ CM2320nf mfp, A4, 20ppm mono si color, 600x600dpi, 160MB, tava 250 coli, scanner: flatbed, color, 1200x1200dpi optic, 42 bit adincime de culoare, 256 niveluri de gri, ADF 50 coli, copy: 20cpm, fax:33.6kbps, 3 sec per pagina, USB2.0, retea Eth., duty cycle 40.000pag/luna, tonere CC530A, CC531A, CC532A, CC533A | 558.544 | EUR | 2955.299 | C | 12 | 25565 |
| Multifunctional | HP | Imprimanta HP MF Color LJ CM3530fs, A4, 30ppm mono si color, rezolutie 600x600dpi, memorie 512MB, tava 100+250coli, limbaje imprimare HP PCL6, PCL5, PostScript 3 emulation, direct PDF printing v1.4, control panel touchscreen LCD color 20.6cm, scanner: color flatbed, rezolutie 600dpi optic, 256 niveluri de gri, copy: 30ppm mono si color, copii multiple 999, fax: 33.6kbps, ADF 50 coli, Digital sending, USB2.0, Retea, tonere CE250A, CE251A, CE252A, CE253A, ciclu lunar 75.000pag | 2586.86 | EUR | 13687.31 | C | 12 | 25566 |
| Multifunctional | HP | Imprimanta HP MF Color LJ CM4730 MFP, (A4, max 600x600dpi, ImageREt 3600, 30ppm, 448MB max 576MB, PCL6, PCL5c, duplex, touch-screen control panel, USB2.0, retea Eth., 40GB HDD, 3 sloturi flash memory, tonere Q6460A, Q6461A, Q6462A, Q6463A) | 4220.05 | EUR | 22328.61 | C | 12 | 11651 |
| Multifunctional | HP | Imprimanta HP MF Color LJ CM4730f MFP, (A4, max 600x600dpi, ImageREt 3600, 30ppm, 448MB max 576MB, PCL6, PCL5c, duplex, touch-screen, USB2.0, retea Eth., 40GB HDD, 3 sloturi flash memory, tonere Q6460A, Q6461A, Q6462A, Q6463A, fax) | 4396 | EUR | 23259.59 | C | 12 | 11652 |
| Multifunctional | HP | Imprimanta HP MF Color LJ CM4730fsk MFP, (A4, max 600x600dpi, ImageREt 3600, 30ppm, 448MB max 576MB, PCL6, PCL5c, duplex, touch-screen, USB2.0, retea Eth., 40GB HDD, 3 sloturi flash memory, tonere Q6460A, Q6461A, Q6462A, Q6463A, fax) | 5186.83 | EUR | 27443.94 | C | 12 | 11653 |
| Multifunctional | HP | Imprimanta HP MF Color LJ CM6030, A3, max 31ppm, max 1200x600dpi, ImageREt 4800, 512MB max 1GB, fpo 15.5 sec, PCL6, PCL5c, PostScript 2, 3, tavi 100+500+500+500coli, duplex, touch-screen control panel, scanner: flatbed, max 600dpi optic, 256 niveluri de gri, ADF (duplex) 50coli, digital sending, copy: max 31cpm, copii multiple 999, scalare 25-400%, USB2.0, EIO slot, retea Eth., 80GB HDD, 1 DDR SODIMM slot, optional accesoriu fax analog, stapler/stacker, bookletmaker | 5401.98 | EUR | 28582.33 | 0 | 12 | 25567 |
| Multifunctional | HP | Imprimanta HP MF Color LJ CM6030f, A3, max 31ppm, max 1200x600dpi, ImageREt4800, 512MB max 1GB, fpo 15.5 sec, PCL6, PCL5c, PostScript 2, 3, tavi 100+500+500+500coli, duplex, touch-screen control panel, scanner: flatbed, max 600dpi optic, 256 niveluri de gri, ADF (duplex) 50coli, digital sending, copy: max 31cpm, copii multiple 999, scalare 25-400%, fax: 13 pag/sec, 33.6kbps, USB2.0, EIO slot, retea Eth., 80GB HDD, 1DDR SODIMM slot, optional:stapler/stacker, bookletmaker | 6129.42 | EUR | 32431.27 | C | 12 | 25568 |
| Multifunctional | HP | Imprimanta HP MF Color LJ CM6040, A3, 40/20ppm a/n si color, 1200x600dpi, 512MB, tavi 100+500+500, duplex, 80GB HDD, scan: flatbed, ADF 50coli, 600 dpi optic, 256 niveluri de gri, copy: 999 copii multiple, retea Eth, USB 2.0, volum lunar recomandat 8000 - 15000 pagini, tonere CB390A, CB381A, CB382A, CB383A | 6614.27 | EUR | 34996.64 | 0 | 12 | 25569 |
| Multifunctional | HP | Imprimanta HP MF Color LJ CM6040f, A3, 40/20ppm a/n si color, 1200x600dpi, 512MB, tavi 100+500+500, duplex, 80GB HDD, scan: flatbed, ADF 50coli, 600 dpi optic, 256 niveluri de gri, copy: 999 copii multiple, fax:13ppm / sec, 100 x 100dpi, retea Eth, USB 2.0, volum lunar recomandat 8000 - 15000 pagini, tonere CB390A, CB381A, CB382A, CB383A | 7548.8 | EUR | 39941.31 | 0 | 12 | 25570 |
| Multifunctional | HP | Extindere garantie 3 ani HP LJ M1120/M1319, Return to Depot, HW Support, 3 year (Consumer), UH764E | 55.44 | EUR | 293.3392 | C | 36 | 18848 |
| Multifunctional | Oki | Imprimanta OKI MF B2500, Laser monocrom, A4, tehnologie LED, Viteza de tiparire: 16 ppm, Viteza de copiere: 16 cpm, 32 MB , 600x600 dpi, tava 250 coli , GDI, Interfete: USB 2.0 + USB suplimentar pentru tiparire/scanare memory stick, Scan to: PC, e-mail, Volum mediu de tiparire: 2.000 pagini/luna | 172.368 | EUR | 912.016 | C | 12 | 25543 |
| Multifunctional | Oki | Imprimanta OKI MF MB260, Laser monocrom, A4, tehnologie LED, Viteze de tiparire : 20 ppm, viteza de copiere 20 cpm, duplex manual, rezolutie de printare 600 x 600 dpi, tava 250 coli, 32MB, USB 2.0 + USB suplimentar, Scan to: PC, USB | 152.432 | EUR | 806.5344 | C | 12 | 25544 |
| Multifunctional | Oki | Imprimanta OKI MF MB280, Laser monocrom, A4, tehnologie LED, Viteze de tiparire : 20 ppm, viteza de copiere 20 cpm, duplex manual, rezolutie de printare 600 x 600 dpi, tava 250 coli, ADF, 32MB, Functie de fax/SMS, USB 2.0 + USB suplimentar,Scan to: PC, USB, duty cycle 4000 pagini/luna | 196.448 | EUR | 1039.427 | C | 12 | 25545 |

| | | | | | | | | |
|-----------------|---------|---|---------|-----|----------|------|----|-------|
| Multifunctional | Okidata | Imprimanta OKI MF MB290, Laser monocrom, A4, tehnologie LED, Viteza de tiparire : 20 ppm, viteza de copiere 20 cpm, duplex manual, rezolutie de printare 600 x 600 dpi, tava 250 coli, ADF, 64MB, Functie de fax/SMS, limbai de printare PCL6, Postscript level 3, Scan to: PC, USB, e-mail, FTP, Retea, duty cycle 6000 pagini/luna | 241.472 | EUR | 1277.651 | C | 12 | 25546 |
| Multifunctional | Okidata | Imprimanta OKI MF MB460, Laser monocrom, A4, Viteza de tiparire: 28 ppm, Viteza de copiere: 28 cpm, Duplex standard, Rezolutie de printare: 2400x600 dpi, Tava: 250 coli, ADF, 64MB, Limbai de printare: PCL5e, PCL6, SIDM, Scan to: FTP, E-mail, TWAIN, CIFS, Conectivitati: paralel, USB 2.0, retea 10/100BaseTX Ethernet, Duty cycle: 50.000 pagini/luna | 323.008 | EUR | 1709.064 | C | 12 | 25733 |
| Multifunctional | Okidata | Imprimanta OKI MF MB470, Laser monocrom, A4, Viteza de tiparire: 28 ppm, Viteza de Copiere: 28 cpm, Functie de Fax, Duplex standard, Rezolutie de printare: 1200x1200 dpi, Tava: 250 coli, ADF, 64MB, Limbai de printare: PCL5e, PCL6, SIDM, PostScript3, Scan to: FTP, E-mail, TWAIN, CIFS, Conectivitati: paralel, USB 2.0, retea 10/100BaseTX Ethernet, Duty cycle: 70.000 pagini/luna | 376.992 | EUR | 1994.698 | C | 12 | 25732 |
| Multifunctional | Okidata | Imprimanta OKI MF MB480, Laser monocrom, A4, Viteza de tiparire: 28 ppm, Viteza de Copiere: 28 cpm, Functie de Fax, Duplex standard, Rezolutie de printare: 1200x1200 dpi, Tava: 530 coli, ADF, 64MB, Limbai de printare: PCL5e, PCL6, SIDM, PostScript3, Scan to: FTP, E-mail, TWAIN, CIFS, Conectivitati: paralel, USB 2.0, retea 10/100BaseTX Ethernet, Duty cycle: 70.000 pagini/luna | 484.96 | EUR | 2565.965 | C | 12 | 25731 |
| Multifunctional | Okidata | Imprimanta OKI MF MC160n, Laser color A4, tehnologie LED, Viteza tiparire color 5ppm, viteza de tiparire monocrom 20ppm, limbai de tiparire Host-based printing system, scan to: usb, e-mail, Rezolutie la Copiere 600x600dpi, Fax, memorie RAM128MB, Capacitate hartie: 200 coli std, tava 500 coli optional, ADF, retea 10/100Base-TX Ethernet | 336.672 | EUR | 1781.36 | C | 12 | 25547 |
| Multifunctional | Okidata | Imprimanta OKI MF MC350, Laser color A4, tehnologie LED, Viteza tiparire color 12ppm, viteza de tiparire monocrom 16 ppm, limbai de tiparire GDI, scan to usb, retea | 453.152 | EUR | 2397.662 | C | 12 | 25548 |
| Multifunctional | Okidata | Imprimanta OKI MF MC360, Laser color A4, tehnologie LED, viteza de tiparire color 16 ppm, viteza de tiparire monocrom 20ppm, retea, fax, printare banere, scanare usb | 547.232 | EUR | 2895.446 | C | 12 | 25549 |
| Multifunctional | Okidata | Imprimanta OKI MF MC860, Laser color, A3, tehnologie LED, viteza de tiparire A4 -34ppm mono/17ppm color, viteza de tiparire A3 - 26ppm mono/15ppm color, primul print -10sec color, 9.5 sec mono, timp de incalzire 90 sec, PCL 5c, duplex, PCL6, PostScript (Windows/Mac), procesor 500MHz, Fax modem (Super G3), Scan resolution 600 x 600dpi, Scan speedUp to 26spm colour, 34 spm mono, Copy speed26cpm colour, 34cpm mono, Copy resolution 600dpi, ciclu maxim de printare 75000pag/luna | 2910.88 | EUR | 15401.7 | 0 | 12 | 25550 |
| Multifunctional | Okidata | Imprimanta OKI MF MC860cdn, Laser color, A3, tehnologie LED, viteza de tiparire A4 -34ppm mono/17ppm color, viteza de tiparire A3: 26ppm mono/15ppm color, primul print -10sec color, 9.5 sec mono, timp de incalzire 90sec, PCL 5c, duplex, PCL 6, PostScript, Fax modem(Super G3), Scan res 600 x 600dpi, Scan speedUp to 26spm colour, 34 spm mono, Copy speed 26cpm colour, 34cpm mono, capacitate hartie 930 pag, a doua tava in std si tall cabinet, ciclu max de printare 75000pag/luna | 3225.38 | EUR | 17065.72 | C | 12 | 25551 |
| Multifunctional | Okidata | Imprimanta OKI MF MC860cdxn, Laser color, A3, tehnologie LED, viteza de tiparire A4 -34ppm mono/17ppm color, viteza de tiparire A3 - 26ppm mono/15ppm color, primul print -10sec color, 9.5 sec mono, PCL 5c, duplex, PCL 6, PostScript, Fax modem(Super G3), Scan resolution600 x 600dpi, Scan speedUp to 26spm colour, 34 spm mono, Copy speed26cpm colour, 34cpm mono, capacitate hartie 1460 pag, a doua si a treia tava plus short cabinet in std, ciclu max de printare 75000 pagini/luna | 3376.8 | EUR | 17866.92 | C | 12 | 25552 |
| Multifunctional | Lexmark | Imprimanta Lexmark X5650, Multifunctionala inkjet, A4, 25/18 ppm, 1200x1200 dpi (monocrom), 4800x1200 dpi (color), Scanare optica 600x1200 dpi (CIS) 48bit, Copiator 17/11 cpm, Fax 33.6 kbps, USB2.0, Memory card reader, Se livreaza cu cartuse nr.36 si color nr.37 | 52.416 | EUR | 277.3344 | C | 12 | 18585 |
| Multifunctional | Lexmark | Imprimanta Lexmark X204N, Multifunctionala laser mono A4, 23ppm, Print/Copy/Scan/Fax, TTFP 9s, 1200x1200dpi, 266Mhz, 64MB, ADF, PCL6, PS3, volum lunar 10,000pag, network si USB, se livreaza cu toner de 1.5k, foloseste ulterior toner de 2.5k | 136.304 | EUR | 721.1904 | C | 12 | 23979 |
| Multifunctional | Lexmark | Imprimanta Lexmark X264dn, Multifunctionala laser mono A4, 28ppm, Print/Copy/Scan/Fax, 1200x1200dpi, memorie 64 MB, volum lunar 50000 pag/luna, PCL6, PS3, duplex standard. Copiator: 28 com, Scanner: 600x600dpi color, scanare in retea, fx, Retea, USB, foloseste ulterior X264H11G, X264A11G, E26X22G | 181.664 | EUR | 961.1952 | C | 12 | 25069 |
| Multifunctional | Lexmark | Imprimanta Lexmark X363DN, Multifunctional laser mono, A4, 33ppm, Print/Copy/Scan, TTFP 7s, 1200x1200dpi, 266Mhz, 128MB, duplex, ADF, PCL6, PS3, volum lunar 80,000pag, network, USB si USB frontal, se livreaza cu toner de 3k, foloseste ulterior toner de 9k | 162.176 | EUR | 858.088 | S | 12 | 23064 |
| Multifunctional | Lexmark | Imprimanta Lexmark X543DN, Multifunctionala laser color A4, 20 ppm mono si 20 ppm color, 1200 X 1200 dpi, procesor 500 MHz, memorie 128MB, tavi de intrare 250 de coli si de iesire de cate 150 de coli, 20 ppm viteza de copiere, zoom 25-400%, Duplex, PCL 6 si PostScript 3, Fast Ethernet si USB, ADF, volum lunar 35000pag, foloseste ulterior toner black 0C540A1KG, cyan 0C540A1CG, magenta 0C540A1MG, yellow 0C540A1YG | 308.672 | EUR | 1633.206 | C | 12 | 25383 |
| Multifunctional | Epson | Imprimanta MF Epson SX110, A4, USB2.0, Inkjet, 30 ppm, 5760x1440DPI, 600x1200DPI color, A4 flatbed, 600x1200DPI, Epson Easy Photo Print | 36.4 | EUR | 192.5952 | CALL | 12 | 22497 |
| Multifunctional | Samsung | Imprimanta Samsung CLX-3170FN, multifunctional laser color, 16/4 ppm Color Laser Printer, 2400X600DPI, SPL, Scan Color 4800dpi, Copier 16/4ppm, FAX, USB 2.0, Direct USB, RETEA, Grey, 20.000 pages monthly duty cycle | 277.312 | EUR | 1467.278 | 0 | 12 | 20143 |
| Multifunctional | Samsung | Imprimanta Samsung CLX-3175FN, multifunctional laser color, 16/4 ppm Color Laser Printer, 2400X600DPI, SPL, Scan Color 4800dpi, Copier 16/4ppm, FAX, USB 2.0, Direct USB, RETEA, Blak, 20.000 pages monthly duty cycle | 236.208 | EUR | 1249.797 | C | 12 | 20144 |
| Multifunctional | Samsung | Imprimanta Samsung CLX-3175N, multifunctional laser color, 16/4 ppm Color Laser Printer, 2400X600DPI, SPL, Scan Color 4800dpi, Copier 16/4ppm, USB 2.0, Direct USB, RETEA, Black, 20.000 pages monthly duty cycle | 232.96 | EUR | 1232.605 | C | 12 | 20696 |
| Multifunctional | Samsung | Imprimanta Samsung SCX4300, multifunctional laser, imprimanta&copiator 18 ppm, Scan color 4800dpi, Copier 18cpm, USB 2.0 , Black | 97.104 | EUR | 513.7888 | M | 24 | 15031 |
| Multifunctional | Samsung | Imprimanta Samsung SCX4824FN, multifunctional laser, fax, imprim.&copiator, 24 ppm Digital Mono LaserJet Printe, 1200x1200dpi, PCL6, 128MB, Scan color 4800dpi, Copier 24cpm, FAX, USB 2.0 , Retea, Grey, 50.000 pages monthly duty cycle | 193.088 | EUR | 1021.642 | C | 12 | 17030 |
| Multifunctional | Samsung | Imprimanta Samsung SCX4500, Multifunctional laser, Imprimanta, copiator 16ppm, scan 4800dpi, USB 2.0 | 126.224 | EUR | 667.856 | C | 12 | 10514 |
| Multifunctional | Brother | Imprimanta Brother DCP-195C, multifunctional inkjet color A4, Copy/ Print/ Scan, 33ppm monocolor, 27ppm color, 6000x1200 dpi, tava 100 coli, memorie 32 MB, scanare catre E-mail, imagine, OCR, fisier, Stick USB si Card media, volum lunar 2500 pag | 61.936 | EUR | 327.712 | 0 | 24 | 24975 |
| Multifunctional | Brother | Imprimanta Brother DCP-365CN, multifunctional inkjet color A4, Copy/ Print/ Scan, 33ppm monocolor, 27ppm color, 6000x1200 dpi, tava 100 coli, PictBridge, Media Card Centre, Retea, USB, scanare catre E-mail, imagine, OCR, fisier sau Stick USB | 65.968 | EUR | 349.0368 | C | 24 | 24976 |
| Multifunctional | Brother | Imprimanta Brother DCP-375CW, multifunctional inkjet color A4, Copy/ Print/ Scan, 33ppm monocolor, 27ppm color, 6000x1200 dpi, tava 100 coli, Retea, Wireless, USB, scanare catre E-mail, imagine, OCR, fisier, Stick USB sau card de memorie | 73.808 | EUR | 390.5216 | C | 24 | 24977 |
| Multifunctional | Brother | Imprimanta Brother DCP-385C, multifunctional inkjet color A4, Copy/ Print/ Scan, 30ppm, 25ppm color, 1200x6000dpi, 32MB, GDI, tava 100 coli, USB, Media Card Drive PictBridge, consumabile: LC1100Bk/C/M/Y | 73.36 | EUR | 388.1584 | C | 24 | 24978 |
| Multifunctional | Brother | Imprimanta Brother DCP-585CW, multifunctional inkjet color A4, Copy/ Print/ Scan, 33ppm monocolor, 27ppm color, 6000x1200dpi, tava 100 coli, USB, Retea, Wireless, scanare catre e-mail, imagine, OCR, fisier sau Stick USB, consumabile: LC1100Bk/C/M/Y | 99.008 | EUR | 523.8576 | C | 24 | 25023 |
| Multifunctional | Brother | Imprimanta Brother DCP-7030, multifunctional laser mono A4, Copy/ Print/ Scan, 22ppm, print 2400 x 600 dpi, tava 250 coli, Copiere independenta de PC, USB, scanare catre E-mail, imagine, fisier sau OCR | 107.408 | EUR | 568.2992 | C | 24 | 17360 |

| | | | | | | | | |
|-----------------|---------|--|---------|-----|----------|---|----|-------|
| Multifunctional | Brother | Imprimanta Brother MFC-7040, multifunctional laser mono A4, Copy/ Print/ Scan, 22 ppm HQ 1200, 2400 x 600 dpi, 16 MB, ADF, GDI, tava 250 coli, USB 2.0, Copier 22 ppm 600x600, Scanner 2400x600, volum recomandat 10.000pag/luna, toner start 1000pg, consumabile: TN2110/TN2120, DR2100 | 148.064 | EUR | 783.4176 | C | 24 | 25826 |
| Multifunctional | Brother | Imprimanta Brother DCP-7045N, multifunctional laser mono A4, Copy/ Print/ Scan, 22ppm, print 2400 x 600 dpi, tava 250 coli, ADF 35 coli, memorie 32Mb, scanare catre e-mail, imagine, fisier sau OCR, volum lunar max 10000pag, consumabile TN2110 (1500 pag), TN2120 (1500 pagini) | 197.792 | EUR | 1046.528 | C | 24 | 25031 |
| Multifunctional | Brother | Imprimanta Brother DCP-8070D, multifunctional laser mono A4, Copy/ Print/ Scan 28 ppm, PCL6 BR-Script 3, memorie 64 MB (max 576 MB), ADF, PIN, Duplex print, USB | 296.128 | EUR | 1566.835 | C | 24 | 24703 |
| Multifunctional | Brother | Imprimanta Brother DCP-8085DN, multifunctional laser mono A4, Copy/ Print/ Scan, 30ppm, print 1200 x 1200 dpi, tava 250 coli, tava multifunctionala 50 coli, USB, Retea, ADF 50 coli, Duplex, volum lunar max 30000pag, consumabile TN-3230 sau TN-3280 | 394.912 | EUR | 2089.506 | C | 24 | 25032 |
| Multifunctional | Brother | Imprimanta Brother MFC-250C, multifunctional injket color A4, Copy/ Print/ Scan/Fax, 27ppm monocolor, 22ppm color, 6000x1200 dpi, tava 100 coli, USB, modem 14400 bps, apelare rapida 40 numere, memorie fax 170 pagini, volum lunar 2500 pag, consumabile: LC980 Bk/C/M/Y | 72.576 | EUR | 384.0032 | C | 24 | 25025 |
| Multifunctional | Brother | Imprimanta Brother MFC-290C, multifunctional injket color A4, Copy/ Print/ Scan/Fax, 30pm monocolor, 25ppm color, 6000x1200dpi, ADF 50coli, Fax 14400 bps, memorie: 40MB, Apelare rapida: 40 numere, Memorie transmisie/receptie pana la 170 pag, standard 100 coli, iesire 50 coli, marire/reducere 25-400%, Scanare catre e-mail, imagine, OCR, fisier sau Stick USB, PictBridge, consumabile: LC980BK/C/M/Y | 79.184 | EUR | 418.9696 | 0 | 24 | 24979 |
| Multifunctional | Brother | Imprimanta Brother MFC-295CN, multifunctional injket color A4, Copy/ Print/ Scan/Fax, 33pm monocolor, 27ppm color, 6000x1200dpi, tava 100 coli, ADF 15 coli, USB, Retea, apelare rapida 40 numere, Transmisie 90 localiti, Memorie transmisie/receptie pana la 170 pag, scanare catre e-mail, imagine, OCR, fisier sau Stick USB, volum lunar 2500 pagini, consumabile LC980BK/C/M/Y | 81.872 | EUR | 433.1936 | C | 24 | 25026 |
| Multifunctional | Brother | Imprimanta Brother MFC-490CW, multifunctional injket color A4, Copy/ Print/ Scan/Fax, 33pm monocolor, 27ppm color, 6000x1200dpi, tava 100 coli, ADF 15 coli, USB, Retea, Wireless, modem 33600 bps, Apelare rapida 100 numere, memorie transmisie/ receptie 400 numere, redirectionare(doar alb-negru), consumabile LC1100Bk/C/M/Y | 122.192 | EUR | 646.5312 | C | 24 | 25027 |
| Multifunctional | Brother | Imprimanta Brother MFC-5490CN, multifunctional injket color A4, Copy/ Print/ Scan/Fax, 35pm monocolor, 28ppm color, 6000x1200dpi, tava 150 coli, ADF 50 coli, USB, Retea, Apelare one-touch 6 numere, volum lunar 4000 pag, consumabile LC1100Bk/C/M/Y | 106.4 | EUR | 562.968 | C | 24 | 25028 |
| Multifunctional | Brother | Imprimanta Brother MFC-7320, multifunctional laser mono A4, Copy/ Print/ Scan/Fax, 18ppm, print 2400 x 600 dpi, tava 250 coli, tava multifunctionala 1 coala, ADF 35 coli, scanare catre e-mail, imagine, OCR si fisier, volum lunar max 10000 pag, consumabile: TN2110 sau TN2120 | 164.192 | EUR | 868.7504 | 0 | 24 | 25033 |
| Multifunctional | Brother | Imprimanta Brother MFC-7440N, multifunctional laser mono A4, Copy/ Print/ Scan/Fax, 22ppm, print 2400 x 600 dpi, tava 250 coli, tava multifunctionala 1 coala, ADF 35 coli, memorie 32Mb, scanare catre e-mail, imagine, fisier, OCR, FTP, apelare rapida 200 numere, USB, Retea, volum lunar max 10000pag, consumabile TN2110 sau TN2120 | 218.4 | EUR | 1155.571 | C | 24 | 25034 |
| Multifunctional | Brother | Imprimanta Brother MFC-7840W, multifunctional laser mono A4, Copy/ Print/ Scan/Fax, 22ppm, print 2400 x 600 dpi, tava 250 coli, tava multifunctionala 1 coala, ADF 35 coli, memorie 32Mb, scanare catre e-mail, imagine, fisier, OCR, FTP, apelare rapida 200 numere, USB, Retea, Wireless, volum lunar max 10000pag, consumabile TN2110 sau TN2120 | 264.88 | EUR | 1401.501 | C | 24 | 25035 |
| Multifunctional | Brother | Imprimanta Brother MFC-8370DN, multifunctional laser mono A4, Copy/ Print/ Scan/Fax, 28ppm, print 2400 x 600 dpi, tava 250 coli, tava multifunctionala 50 coli, ADF 20 coli, memorie 64Mb(max 576MB), scanare catre e-mail, imagine, fisier, OCR, FTP sau USB, USB, Retea, Duplex, volum lunar max 30000pag, consumabile: TN-3230 sau TN-3280 | 345.52 | EUR | 1828.176 | C | 24 | 25036 |
| Multifunctional | Brother | Imprimanta Brother MFC-8380DN, multifunctional laser mono A4, Copy/ Print/ Scan/Fax, 30ppm, print 1200 x1200 dpi, tava 250 coli, tava multifunctionala 50 coli, ADF 20 coli, memorie 64Mb(max 576MB), Duplex, scanare catre e-mail, imagine, OCR, fisier, FTP sau USB, USB, Retea, volum lunar max 30000pag, consumabile: TN-3230 sau TN-3280 | 394.912 | EUR | 2089.506 | C | 24 | 25037 |
| Multifunctional | Brother | Imprimanta Brother MFC-8880DN, multifunctional laser mono A4, Copy/ Print/ Scan/Fax, 30ppm, print 1200 x1200 dpi, tava 250 coli, tava multifunctionala 50 coli, ADF 20 coli, tava optionala 250 coli, memorie 64Mb(max 576MB), Duplex, scanare catre e-mail, e-mail server, imagine, OCR, fisier, FTP, USB si retea, interfata USB, Rtea, Paralela, Memorie transmisie/receptie fax 500 pag, volum lunar max 30000pag, consumabile: TN-3230 sau TN-3280 | 444.528 | EUR | 2352.034 | C | 24 | 25038 |
| Multifunctional | Brother | Imprimanta Brother DCP-6690CW, multifunctional injket color A3, Copy/ Print/ Scan, 35ppm, 28ppm color, 6000x1200dpi, tava 150+250 coli, ADF 50coli, USB, Retea, Wireless, scanare catre e-mail, imagine, OCR, fisier sau Stick USB, LCD tactil,consumabile: LC1100HY Bk/C/M/Y | 258.048 | EUR | 1365.347 | C | 24 | 25024 |
| Multifunctional | Brother | Imprimanta Brother MF DCP-9010CN, Laser color A4, 16 ppm single pass 2400x600 , Copier 16 ppm 600x600, ADF , CIS Scanner 1200x2400 , 64 MB , PCL6 BRScript3 , Network, USB | 369.264 | EUR | 1953.806 | C | 24 | 25553 |
| Multifunctional | Brother | Imprimanta Brother MF DCP-9042CN, Laser color A4, 20ppm, rezolutie imprimare 2400 x 600 dpi, USB 2.0, Retea Base-TX, Tava multifunctionala 50 coli, Capacitate hartie std 250 coli, rezolutie copiere 1200 x 600 dpi, Rata marire/reducere25-400%, Scanare catre e-mail/FTP, imagine, OCR sau fi?ier, Rezolutie optica pana la 1200 x 2400 dpi interpolata pana la 19200 x 19200 dpi, Duplex | 456.176 | EUR | 2413.667 | C | 24 | 25554 |
| Multifunctional | Brother | Imprimanta Brother MF DCP-9045CDN, Laser color A4, 20ppm, USB 2.0, retea 10/100, 2400 x 600 dpi, Tava multifunctionala 50 coli, Capacitate hartie std 250 coli, optional 500 coli, Rezolutie copiere 1200 x 600 dpi, Rata marire/reducere 25-400%, Scanare directa catre e-mail/FTP sau stick USB, Rezolutie optica 1200 x 2400 dpi interpolata 19200 x 19200 dpi | 557.536 | EUR | 2949.968 | C | 24 | 25555 |
| Multifunctional | Brother | Imprimanta Brother MF MFC-9120CN, Laser color A4, tehnologie LED, printer 16 ppm single pass, 2400x600, Copier 16 ppm, 600x600, ADF, CIS Scanner 1200x2400, Fax 33600, 64 MB , PCL6 BRScript3, USB, Network | 410.592 | EUR | 2172.475 | C | 24 | 25556 |
| Multifunctional | Brother | Imprimanta Brother MF MFC-9320CW, Laser color A4, tehnologie LED, printer 16 ppm single pass, 2400x600dpi, Copier 16 ppm, 600x600 ADF, CIS Scanner 1200x2400, Fax 33600, 64 MB, PCL6 BRScript3, USB, Retea, Wireless, PictBridge | 450.912 | EUR | 2385.813 | C | 24 | 25557 |
| Multifunctional | Brother | Imprimanta Brother MF MFC-9440CN, Laser color A4, 20 ppm mono, 20ppm color, USB 2.0, retea, rezolutie imprimare 2400 x 600 dpi, Tava multifunctionala 50 coli, Capacitate hartie std 250 coli, optional 500 coli, Rezolutie copiere 1200 x 600dpi, Rata marire/reducere 25-400%, Scanare directa catre e-mail/FTP sau stick USB, Rezolutie optica 1200 x 2400 dpi interpolata 19200 x 19200 dpi | 478.352 | EUR | 2530.998 | C | 24 | 25558 |
| Multifunctional | Brother | Imprimanta Brother MF MFC-9450CDN, Laser color A4, 20 ppm mono, 20ppm color, USB 2.0, retea, rezolutie imprimare 2400 x 600 dpi, duplex, Tava multifunctionala 50 coli, Capacitate hartie std 250 coli, optional 500 coli, Rezolutie copiere 1200 x 600dpi, Rata marire/reducere 25-400%, Scanare directa catre e-mail/FTP sau stick USB, Rezolutie optica 1200 x 2400dpi interpolata 19200 x 19200dpi | 554.512 | EUR | 2933.963 | C | 24 | 25559 |
| Multifunctional | Brother | Imprimanta Brother MF MFC-9840CDW, Laser color A4, 20 ppm mono, 20 ppm color, Duplex color, copiere si scanare duplex, ppm2400 x 600 dpi, capacitate hartie 250 coli, optional tava 500 coli, Interfata USB 2.0, retea, Wireless, apelare one-touch 20 numere, Apelare rapida 300 numere, Copiere independenta de PC, Rezolutie copiere 1200 x 600 dpi, Scanare directa catre E-mail/FTP sau stick USB, Rezolutie optica 1200 x 2400 dpi interpolata pana la 19200 x 19200 dpi | 659.008 | EUR | 3486.862 | C | 24 | 25560 |

| | | | | | | | | |
|-------------------|---------|---|---------|-----|----------|---|----|-------|
| Multifunctionale | Brother | Imprimanta Brother MFC-6490CW, multifunctional inkjet color A3, Copy/ Print/ Scan/Fax, 35ppm, 28ppm color, 6000x1200dpi, tava 150+250 coli, ADF 50coli, USB, Retea, Wireless, scanare catre e-mail/FTP, imagine, OCR, fisier, card sau stick USB, volum lunar 5000 pag, consumabile: LC1100HY Bk/C/M/Y | 232.288 | EUR | 1229.054 | C | 24 | 25029 |
| Multifunctionale | Brother | Imprimanta Brother MFC-6890CDW, multifunctional inkjet color A3, Copy/ Print/ Scan/Fax, 35ppm, 28ppm color, 6000x1200dpi, tava 150+250 coli, ADF 50coli, USB, Retea, Wireless, scanare catre e-mail/FTP, imagine, OCR, fisier sau Stick USB, LCDtactil, volum lunar 5000pag, consumabile: LC1100HY Bk/C/M/Y | 300.608 | EUR | 1590.546 | 0 | 24 | 25030 |
| Multifunctionale | Xerox | Imprimanta Xerox Phaser 3100MFP/S Laser, copiator, scanner, 20 ppm negru, 32MB, 600x600dpi, USB 2.0, 10.000 pag./luna, consumabil 106R01378 (2.2k), optional 106R01379 (4k) | 161.952 | USD | 654.472 | C | 12 | 21621 |
| Multifunctionale | Xerox | Imprimanta Xerox Phaser 3100MFP/X Laser, copiator, scanner, fax, 20 ppm negru, 32MB, 600x600dpi, USB 2.0, ADF, 10.000 pag./luna, consumabil 106R01378 (2.2k), optional 106R01379 (4k) | 185.248 | USD | 748.6192 | C | 12 | 21622 |
| Multifunctionale | Xerox | Imprimanta Xerox Phaser 3300MFP Laser, copiator, scanner, fax, 28 ppm negru, 96MB, 1200x1200dpi, USB 2.0, 10/100 Base-TX Ethernet, ADF, 25.000 pag./luna, consumabil 106R01411 (4K), optional 106R01412 (8K) | 488.544 | USD | 1974.28 | C | 12 | 21619 |
| Multifunctionale | Xerox | Imprimanta Xerox Phaser 6180DN MFP Laser Color, copiator, scanner, fax, 30 ppm negru, 20ppm color, 384MB, 600x600dpi, Paralel, USB 2.0, 10/100 Base-TX Ethernet, duplex, 60.000 pag./luna, consumabile 113R00719 (2K), 113R00720 (2K), 113R00721(2K), 113R00720 (3K), optional 113R00723 (6K), 113R00724 (6K), 113R00725 (6K), 113R00726 (6K) | 1375.58 | USD | 5558.952 | C | 12 | 21612 |
| Multifunctionale | Xerox | Imprimanta Xerox Phaser 6180N MFP Laser Color, copiator, scanner, fax, 30 ppm negru, 20ppm color, 384MB, 600x600dpi, Paralel, USB 2.0, 10/100 Base-TX Ethernet, 60.000 pag./luna, consumabile 113R00719 (2K), 113R00720 (2K), 113R00721 (2K), 113R00720 (3K), optional 113R00723 (6K), 113R00724 (6K), 113R00725 (6K), 113R00726 (6K) | 1234.13 | USD | 4987.304 | C | 12 | 21611 |
| Multifunctionale | Xerox | Imprimanta Xerox WorkCentre 3210 Laser Printer/ Copier/ Scanner/Fax, 24ppm, PCL6/5e, 128MB, ADF, tava 250 coli + 1 manual, 1200x1200dpi print, USB, Ethernet, 33.6kbps fax, OCR, 600x600 dpi copy, consumabili: 106R1485(2100pg cu acoperire 5%) | 225.456 | USD | 911.1088 | C | 12 | 19855 |
| Multifunctionale | Xerox | Imprimanta Xerox WorkCentre 3220 Laser Printer/ Copier/ Scanner/Fax, 28ppm, PS3,PCL6/5e, 128MB, ADF, tava 250 coli + 1 manual, 1200x1200dpi print, USB, Ethernet, 33.6kbps fax, OCR, 600x600 dpi copy, consumabili: 106R1485(2100pg cu acoperire | 268.464 | USD | 1084.91 | C | 12 | 21620 |
| Multifunctionale | Xerox | Imprimanta Xerox WorkCentre 4118P Laser, copiator, scanner, 17 ppm negru, 64MB, 1200x1200dpi, paralel, USB 2.0, duplex, 20.000 pag./luna, consumabil 006R01278 (8K) | 527.968 | USD | 2133.6 | C | 12 | 21617 |
| Multifunctionale | Xerox | Imprimanta Xerox WorkCentre 4118X Laser, copiator, scanner, fax, 18 ppm negru, 64MB, 1200x1200dpi, paralel, USB 2.0, duplex, ADF, 20.000 pag./luna, consumabil 006R01278 (8K) | 591.36 | USD | 2389.778 | C | 12 | 21618 |
| Copiatoare | | | | | | | | |
| Copiatoare | Canon | Copiator Canon FC100, (Copiator Analogic A4 - Family Copier, 4cpm, single sheet bypass, No warm-up time & automatic switch-off, cartus standard E16) | 188.608 | EUR | 997.9424 | C | 12 | 2635 |
| Copiatoare | Canon | Copiator Canon FC120, (Copiator Analogic A4 - Family Copier, 4cpm, 50 sheet bypass, No warm-up time & automatic switch-off, cartus standard E16) | 262.304 | EUR | 1387.87 | C | 12 | 2338 |
| Copiatoare | Canon | Copiator Canon PC-D440, A4, copiator/imprimanta/scanner color , 22 cpm, rezolutie printare 600x600dpi, tava intrare 250 coli, 35 coli ADF, USB 2.0, consumabil FX10 (2000 pag) | 292.768 | EUR | 1549.061 | 0 | 12 | 25359 |
| Copiatoare | Canon | Copiator Canon PC-D450, A4, copiator/imprimanta/scanner color, duplex, DADF, viteza de copiere alb/negru 22cpm, viteza printare 22ppm, rezolutie copiere 600 x 600dpi, rezolutie scanare 600 x1200dpi, rezolutie printare 600 x 600dpi, consumabil FX-10 (2000 pag) | 385.392 | EUR | 2039.139 | C | 12 | 25360 |
| Copiatoare | Canon | Copiator Canon iR 1020, Interfata: USB 2.0, (MF Digital Laser A4(Imprimanta locala+ Copiator+ Platen cover+ scanner local color, optional: imprimanta de retea), viteza de copiere / imprimare : 24 cpm (UFRII LT), Duplex, memorie128MB, copiere 600x 600dpi, printare 1200x600dpi, standard 1tava* 500coli, bypass 100coli, toner C-EXV18, tonerul se comanda separat | 443.296 | EUR | 2345.515 | C | 12 | 25361 |
| Copiatoare | Canon | Copiator Canon iR1020J, Interfata: USB 2.0, Retea (MF Digital Laser A4 (Imprimanta locala + Copiator+Scanner color, imprimare-copiere 20 cpm, duplex, 64MB, copiere 600x600dpi, printare 1200x600dpi)) | 431.536 | EUR | 2283.288 | C | 12 | 18653 |
| Copiatoare | Canon | Copiator Canon iR1024A, Interfata: USB 2.0, Retea (MF Digital Laser A4 (Imprimanta locala + Copiator+Scanner color, imprimare-copiere 24 cpm, duplex, 128MB, copiere 600x600dpi, printare 1200x600dpi)) | 563.696 | EUR | 2982.56 | C | 12 | 18654 |
| Copiatoare | Canon | Copiator Canon iR1024F, Interfata: USB 2.0, Retea (MF Digital Laser A4 (Imprimanta locala + Copiator+Scanner color+Fax, imprimare-copiere 24 cpm, duplex, 128MB, copiere 1200x600dpi, printare 1200x600dpi)) | 779.184 | EUR | 4122.72 | C | 12 | 18655 |
| Copiatoare | Canon | Copiator Canon iR1024i, Interfata: USB 2.0, Retea (MF Digital Laser A4 (Imprimanta locala + Copiator+Scanner color, imprimare-copiere 24 cpm, duplex, 256MB, copiere 1200x600dpi, printare 1200x600dpi)) | 755.216 | EUR | 3995.914 | C | 12 | 18656 |
| Copiatoare | Canon | Copiator Canon iR1024iF, Interfata: USB 2.0, Retea (MF Digital Laser A4 (Imprimanta locala+Copiator+scanner color+fax, vit. copiere ,imprimare 24 cpm, duplex, 256MB, copiere 1200x600dpi, print 1200x600dpi)) | 1018.98 | EUR | 5391.478 | 0 | 12 | 18657 |
| Copiatoare | Canon | Copiator Canon iR2520, Interfata: USB 2.0, Retea (MF Digital Laser A3(Imprimanta de retea UFRII LT+ Copiator+scanner color de retea + Duplex + Plate Cover J), 20 cpm A4; 15 cpm A3, rezolutia 600x600dpi, 1200x1200 dpi print, zoom 50-200%,alimentarea cu hartie: 250 sheets x 1 cassettes, Bypass: 100 sheets, memorie de imagine 256MB | 671.664 | EUR | 3553.827 | C | 12 | 22368 |
| Copiatoare | Canon | Copiator Canon iR 2520i, Interfata: USB 2.0, Retea (MF Digital Laser A3 (Imprimanta de retea UFRII LT & PCL5e/6 + Copiator+ scanner color de retea & send to e-mail + Duplex + DADF), 20 cpm A4, 15 cpm A3, rezolutia 600x600dpi, 1200x1200dpi, printare, caseta 250 coli, bypass 100coli, memorie 512MB, toner C-EXV 33 (se comanda separat) | 1627.36 | EUR | 8610.493 | C | 12 | 25365 |
| Copiatoare | Canon | Copiator Canon iR2525, Interfata: USB 2.0, Retea(MF Digital Laser A3 (Imprimanta de retea UFRII LT+ Copiator+ scanner color de retea + Duplex), 25 cpm A4, 15 cpm A3, rezolutia 600x600dpi , 1200x1200 dpi print, 2 casete*500coli, bypass 100coli, memorie 256MB, toner C-EXV 33(se comanda separat) | 1276.8 | EUR | 6755.65 | C | 12 | 25366 |
| Copiatoare | Canon | Copiator Canon iR 2525i, Interfata: USB 2.0, Retea (MF Digital Laser A3(Imprimanta de retea UFRII LT & PCL5e/6 +Copiator+ scanner color de retea & send to e-mail + Duplex + DADF), 25 cpm A4, 15 cpm A3, rezolutia 600x600dpi, 1200x1200 dpi print, 2 casete*500coli, bypass 100coli, memorie 512MB, toner C-EXV 33(se comanda separat) | 2029.89 | EUR | 10740.3 | C | 12 | 25367 |
| Copiatoare | Canon | Copiator Canon iR 2530, Interfata: USB 2.0, Retea (MF Digital Laser A3 (Imprimanta de retea UFRII LT + Copiator+ scanner color de retea + Duplex), 30 cpm A4, 15 cpm A3, rezolutia 600x600dpi, 1200x1200 dpi print, casete 2*500coli, bypass 100coli, memorie 256MB, toner C-EXV 33(se comanda separat) | 1966.61 | EUR | 10405.48 | 0 | 12 | 25368 |
| Copiatoare | Canon | Copiator Canon iR2530i, Interfata: USB 2.0, Retea (MF Digital Laser A3 (Imprimanta de retea UFRII LT & PCL5e/6 + Copiator+ scanner color de retea & send to e-mail + Duplex + DADF), 30 cpm A4, 15 cpm A3, rezolutia 600x600dpi, 1200x1200 dpi, 2 casete*500coli, bypas 100coli, memorie 512MB, toner C-EXV 33 (se comanda separat) | 2927.79 | EUR | 15491.18 | C | 12 | 25369 |
| Copiatoare | Canon | Copiator Canon iR 2535, Interfata: USB 2.0, Retea (MF Digital Laser A3 (Imprimanta de retea UFRII LT + Copiator+ scanner color de retea + Duplex), 35 cpm A4, 22 cpm A3, rezolutia 600x600dpi, 1200x1200 dpi print, 2 casete*500coli, bypass 100coli, memorie 256MB, toner C-EXV 32 (se comanda separat) | 2712.98 | EUR | 14354.57 | 0 | 12 | 25370 |
| Copiatoare | Canon | Copiator Canon iR2535i, Interfata: USB 2.0, Retea (MF Digital Laser A3 (Imprimanta de retea UFRII LT & PCL5e/6 + Copiator+ scanner color de retea & send to e-mail + Duplex + DADF), 35 cpm A4, 22 cpm A3, rezolutia 600x600dpi, 1200x1200dpi, 2casete*500coli, bypass 100coli, memorie 512MB, toner C-EXV 32 (se comanda separat) | 3436.72 | EUR | 18183.96 | 0 | 12 | 25371 |

| | | | | | | | | |
|-----------------|----------|---|---------|-----|----------|---|----|-------|
| Copitoare | Canon | Copiator Canon iR2545i, Interfata: USB 2.0, Retea (MF Digital Laser A3 (Imprimanta de retea UFR II LT & PCL5e/6 + Copiator+ scanner color de retea & send to e-mail + Duplex + DADF), 45 cpm A4, 22 cpm A3, rezolutia 600x600dpi, 1200x1200 dpi, 2 casete*500coli, bypass 100coli, memorie 512MB, toner C-EXV 32 (se comanda separat) | 4160.46 | EUR | 22013.34 | 0 | 12 | 25373 |
| Copitoare | Canon | Copiator Canon iR 3225, Interfata: USB 2.0, Retea (MF Digital Laser A3 (Imprimanta locala+Copiator+scanner), 60GB HDD, memorie 512MB+256MB, copy/print 25ppm A4, 14ppm A3, Meap, 3 way unit, Toner C-EXV 11 (se comanda separat) | 1905.57 | EUR | 10082.51 | 0 | 12 | 25374 |
| Copitoare | Canon | Copiator Canon iR3225N, Interfata: USB 2.0, Retea (MF Digital Laser A3 (Imprimanta locala+Copiator+scanner color, 25 cpm(A4), 14 cpm(A3), 1GB+256MB, 60GB HDD, Duplex, Network Printer Kit, Copiere 1200x600 dpi, Print: 1200x1200 dpi)) | 2380.78 | EUR | 12596.92 | C | 12 | 18660 |
| Copitoare | Canon | Copiator Canon iR3235, Interfata: USB 2.0, Retea (MF Digital Laser A3 (Imprimanta locala+Copiator+scanner), 60GB HDD, memorie 512MB+256MB, copy/print 35ppm A4, 22ppm A3, Meap, 3 way unit, Toner C-EXV 12 (se comanda separat) | 3278.35 | EUR | 17346.02 | 0 | 12 | 25375 |
| Copitoare | Canon | Copiator Canon iR 3245N, Interfata: USB 2.0, Retea (MF Digital Laser A3 (Imprimanta locala+Copiator+scanner+ DADF), 60GB HDD, memorie 1GB+256MB, copy/print 45ppm A4, 22ppm A3, UFR II/PCL Standard, Meap, 3 way unit, Toner C-EXV 12 (se comandaseparat) | 5280.02 | EUR | 27936.99 | 0 | 12 | 25378 |
| Copitoare | Canon | Copiator Canon iR1021i, Interfata: USB 2.0, Retea (MF Digital Laser Color A4 (Imprimanta+Copiator+Scanner, 21 cpm(black-white), 21 cpm(color), 768MB RAM, Duplex, Copiere 600x600 dpi, Print: 2400x600 dpi)) | 1084.5 | EUR | 5738.152 | C | 12 | 18670 |
| Copitoare | Canon | Copiator Canon iR2380i, Interfata: USB 2.0, Retea (MF Digital Laser Color A3 (Imprimanta locala+Copiator+scanner color, 23 ppm(A4), 15 ppm(A3), 1.5GB RAM, 80GB HDD, Duplex, Copiere 600x600 dpi, Print: 1200x1200 dpi)) | 2278.75 | EUR | 12057.06 | C | 12 | 14068 |
| Copitoare | Canon | Copiator Canon iR2320, Interfata: USB 2.0, (MF Digital Laser A3 (copiator + imprimanta locala UFR II LT+ Plate Cover J), 20 cpm A4, 10 cpm A3, rezolutia 600x600dpi, standard 1 tava*250coli, bypass 80coli, memorie 64MB, toner C-EXV14 (se comanda separat), optional: Duplex, Finisher, casete, Ethernet | 719.264 | EUR | 3805.682 | 0 | 12 | 25362 |
| Copitoare | Canon | Copiator Canon iR2318, Interfata: USB 2.0, Retea (MF Digital Laser A3 (Imprimanta locala UFR II LT+ Copiator+ Plate Cover J), 18 cpm (A4), 10 cpm (A3), rezolutia 600x600dpi, copiere continua 1-99 copii, zoom 50-400%, 250 sheets x 1 cassette, Bypass: 80 sheets, memorie de imagine 64MB, toner C-EXV14 (se comanda separat) | 539.392 | EUR | 2853.962 | C | 12 | 24466 |
| Copitoare | Canon | Copiator Canon iR2545, Interfata: USB 2.0, Retea(MF Digital Laser Color A3(Imprimanta de retea UFR II LT + Copiator+scanner color de retea + Duplex), 45 cpm A4, 22 cpm A3, rezolutia 600x600dpi, 1200x1200dpi print, 2casete*500coli, bypass 100coli, memorie 256MB, toner C-EXV 32(se comanda separat) | 3549.84 | EUR | 18782.49 | 0 | 12 | 25372 |
| Copitoare | Canon | Copiator Canon iR3235N, Interfata: USB 2.0, Retea (MF Digital Laser A3 (Imprimanta locala+Copiator+scanner+ DADF), 60GB HDD, memorie 1GB+256MB, copy/print 35ppm A4, 22ppm A3, UFR II/PCL Standard, Meap, 3 way unit, USB Toner C-EXV 12 (se comanda separat) | 4239.65 | EUR | 22432.31 | 0 | 12 | 25376 |
| Copitoare | Canon | Copiator Canon iR3245, Interfata: USB 2.0, Retea (MF Digital Laser A3 (Imprimanta locala+Copiator+scanner), 60GB HDD, memorie 512MB+256MB, Meap, copy/print 45ppm A4, 22ppm A3, way unit, Toner C-EXV 12 (se comanda separat) | 4217.02 | EUR | 22312.61 | 0 | 12 | 25377 |
| Copitoare | Canon | Accesorii Copiator Canon, Cassette Feeding Module P1 pt 2018 only | 239.792 | EUR | 1268.758 | 0 | 12 | 17023 |
| Copitoare | Canon | Accesorii Copiator Canon, Cassette Feeding Unit-Y3 (2 Cassettes), Excludes Plain pedestal. compatibil cu iR22/3530, 22/28/35/4570, iR25/3170C/Ci, iRC3/2880I | 733.6 | EUR | 3881.539 | C | 12 | 23741 |
| Copitoare | Canon | Accesorii Copiator Canon, Color SEND KIT-P1, CF2739B003AA | 367.472 | EUR | 1944.32 | 0 | 12 | 23740 |
| Copitoare | Canon | Accesorii Copiator Canon, Duplex unit A1 pt 2016/2020 series | 182.336 | EUR | 964.7568 | C | 12 | 10362 |
| Copitoare | Canon | Accesorii Copiator Canon, Duplex unit B1 pt 2018 series | 122.304 | EUR | 647.1248 | C | 12 | 13845 |
| Copitoare | Canon | Accesorii Copiator Canon, Pedestal Low pt 2016/2018 series | 123.312 | EUR | 652.456 | C | 12 | 17024 |
| Copitoare | Canon | Accesorii Copiator Canon, Platen Cover pt 2016/2020 series | 18.368 | EUR | 97.1824 | C | 12 | 7999 |
| Copitoare | Canon | Accesorii Copiator Canon, Platen Cover type-H | 58.576 | EUR | 309.9264 | C | 12 | 16110 |
| Copitoare | Canon | Accesorii Copiator Canon, Power supply Q1 pt 2016/2020 series | 25.536 | EUR | 135.1168 | C | 12 | 10363 |
| Copitoare | Canon | Accesorii Copiator Canon, Wireless Network Interface Adapter NB-W1, compatibil cu Canon iR50xx | 355.488 | EUR | 1880.917 | C | 12 | 25960 |
| Copitoare | Xerox | Copiator Xerox WorkCentre 5016, A3, Copier/ Printer /Scanner with Platen, 64Mb, 16ppm, USB 2.0, GDI, 15.000 pag./luna, consumabil 106R01277 (6300pg) | 732.144 | USD | 2958.715 | C | 12 | 21623 |
| Copitoare | Xerox | Copiator Xerox WorkCentre 5020, A3, Copier/ Printer /Scanner with Platen, 64Mb, 20ppm, USB 2.0, GDI, 20.000 pag./luna, consumabil 106R01277 (6300pg) | 861.28 | USD | 3480.568 | C | 12 | 21624 |
| Copitoare | Xerox | Copiator Xerox WorkCentre 5020ADF, Copier/ Printer /Scanner, 64Mb, 20ppm, USB 2.0, GDI, ADF, 20.000 pag./luna, consumabil 106R01277 (6300pg) | 1119.66 | USD | 4524.744 | C | 12 | 21625 |
| Copitoare | Xerox | Copiator Xerox WorkCentre 5020DADF, A3, Copier/ Printer /Scanner, 128Mb, 20ppm, USB 2.0, 10/100 BaseT Ethernet, DADF, full duplex, 25.000 pag./luna, consumabil 106R01277 (6300pg) | 1378.05 | USD | 5568.909 | C | 12 | 21626 |
| Copitoare | Xerox | Copiator Xerox WorkCentre 5222, A3, 22ppm, copier only, include 5222KD2 (Nationalization Kit - Eng/Ru/Bu/Ro/Ua/Tk) si platen cover cod 497K02820, consumabil: 106R01413 (20k) | 1732.64 | USD | 7001.87 | C | 12 | 21627 |
| Copitoare | Xerox | Copiator Xerox WorkCentre 5222D, A3, 22 ppm, DADF/Duplex/512MB/40GB, copier-printer, include 5222KD2 (Nationalization Kit - Eng/Ru/Bu/Ro/Ua/Tk), consumabil: 106R01413 (20k) | 2462.99 | USD | 9953.339 | C | 12 | 21628 |
| Scannere | | | | | | | | |
| Scannere | Canon | Accesorii Scanner Canon, Floor Stand for SmartLF Cx 40 scanners | 316.288 | EUR | 1673.504 | 0 | 1 | 24463 |
| Scannere | Microtek | Scanner Microtek S480, A4, PC/MAC, 9600X4800dpi (opt),48 Bit, Hi-speed USB 2.0, include adaptor transparente 5"x10" si 4 suporturi pt scanare filme de 35 mm si diapositive de 35mm, film, format mediu pana la 6x17 cm, 4"x5" 7 Butoane, ABFineReader Sprint, Ulead Photo Explorer, Simple StarPhoto Deluxe, ScanWizard | 142.128 | EUR | 752.0128 | 0 | 24 | 19019 |
| Scannere | Epson | Scanner Epson Perfection V30 ITD, Flatbed color image, CCD, 4800 dpi, 3.2 Dmax, Epson Event Manager 2.0, Epson Scan (Twain), ArcSoft MediaImpression 6, ABBYY FineReader 6, Sprint Plus (PC), ABBYY FineReader 5, Sprint Plus (Mac), USB 2.0 | 69.888 | EUR | 369.7792 | C | 12 | 22498 |
| Scannere | Epson | Scanner Epson Perfection V500, A4, Flatbed color image, 6400 dpi optic, 48 bit, USB 2.0, adaptor de transparenta integrat | 205.072 | EUR | 1085.056 | C | 12 | 20424 |
| Scannere | Plustek | Scanner Plustek D28, CIS technology 600dpi 48bit USB2.0, A8, Scan, Simplex & Duplex color scan, A8, A6, A4, Card size, 28ppm, scanare in imagine PDF, software, cablu USB 150cm | 274.288 | EUR | 1451.285 | 0 | 24 | 18033 |
| Scannere | Plustek | Scanner Plustek D600, CISx2 technology 600dpi 48bit USB2.0, A6, Scan, Simplex & Duplex color scan,A6, A4, Card size, 3 sec speed (simplex), 6.5 sec speed (duplex), scan to searchable PDF, software, cablu USB 150cm | 259.392 | EUR | 1372.459 | 0 | 24 | 18034 |
| Scannere | Plustek | Scanner Plustek M12 OpticSlim, Mobile Office, CIS technology, 600dpi, Max. 1200dpi, 48bit, USB1.1, Mobile, Notebook scanner, Slim, Sheetfed, 3ppm, A8, A6, A4 size, Photo Organizer software | 67.2 | EUR | 355.5552 | C | 24 | 11438 |
| Scannere | Plustek | Scanner Plustek M12 OpticSlim Plus, Mobile Office, CIS technology, 600dpi, Max. 1200dpi, 48bit, USB1.1, Mobile, Notebook scanner Plus, Slim, Sheetfed, 3ppm, A8, A6, A4 size, 2 buttons, Software | 105.952 | EUR | 560.6048 | C | 24 | 11439 |
| Scannere | Plustek | Scanner Plustek OpticA300, CCD technology 600dpi w/max. 24000 dpi resolution 48bit USB2.0, flatbed, A3 book scan, 5 buttons for papers and book, 2.48 sec.speed (up to 5000 scan/day), 2 mm book-edge design, secure PDF conversion, software,cablu USB 150cm | 1482.43 | EUR | 7843.662 | 0 | 24 | 18027 |

| | | | | | | | | |
|----------|---------|--|---------|-----|----------|---|----|-------|
| Scannere | Plustek | Scanner Plustek 3600 OpticBook, Knowledge Office, CCD technology, 1200dpi, max. 24000 dpi, 48bit, USB2.0, Flatbed, Book Scan, 5 buttons for papers and book, 7 sec speed, OCR function, Software | 177.856 | EUR | 941.0464 | C | 24 | 11435 |
| Scannere | Plustek | Scanner Plustek 3600 OpticBook Plus, Knowledge Office, CCD technology, 1200dpi, Max. 24000 dpi, 48bit, USB2.0, Flatbed, Plus book scan, 5 buttons for papers and book, 7sec.speed, Scan to PDF, PDF Image (max 50pag) Software | 222.432 | EUR | 1176.907 | C | 24 | 11436 |
| Scannere | Plustek | Scanner Plustek Optic7500i AI, CCD technology 7200x7200dpi 48bit USB2.0, scanare film, 2 butoane, 2 film holders, geanta inclusa, 35mm IT8 Target, software, SILVERFAST MultiExposure on negative, Multi Sampling, SilverFast AI STUDIO, cablu USB 150cm | 244.496 | EUR | 1293.645 | C | 24 | 18025 |
| Scannere | Plustek | Scanner Plustek 610 OptiCard, Mobile Office (Business Card), CIS technology, 600dpi, 16bit, USB1.1, A8 size, Palm size, Bag included, Readiris Pro 10 Corporate Edition software | 66.976 | EUR | 354.3792 | C | 24 | 11429 |
| Scannere | Plustek | Scanner Plustek 820 OptiCard, Mobile Office (Business Card/Photo), CIS technology, 600dpi, 48bit, USB2.0, A6 size color, 2 buttons(Scan, Custom), Readiris Pro 10 Corporate Edition software | 98.448 | EUR | 520.9008 | C | 24 | 11430 |
| Scannere | Plustek | Scanner Plustek OpticBook4600, CCD technology 1200dpi w/max. 24000 dpi resolution 48bit USB2.0, flatbed, scanare carti, 5 buttons for papers and book, viteza scanare 3.2sec, scan to searchable PDF, Shadow Elimination Element Technology, software, logical design, cablu USB 150cm | 459.536 | EUR | 2431.442 | 0 | 24 | 18026 |
| Scannere | Plustek | Scanner Plustek A320 OpticPro, Optic Pro A3, CCD technology, 1600x1600dpi, 48bit, USB2.0, A3 size, High Speed (11.2 sec), Large Format, 7 buttons | 443.744 | EUR | 2347.89 | C | 24 | 11433 |
| Scannere | Plustek | Scanner Plustek OpticPro-A360, CCD technology 600x1200dpi 48bit USB2.0, format A3, FastSpeed (2.4 sec), Large Format, 7 buttons, document management software, cablu USB 150cm | 624.736 | EUR | 3305.523 | C | 24 | 18022 |
| Scannere | Plustek | Scanner Plustek OpticSlim 2600, CIS technology 1200dpi w/max. 24000 dpi resolution 48bit USB1.1, Searchable PDF, format A4, slim, mobile, 5 butoane, pachet software, cablu USB 150cm, power cord free | 47.712 | EUR | 252.448 | S | 24 | 25827 |
| Scannere | Plustek | Scanner Plustek OpticSlim550, CIS technology 600dpi 48bit USB2.0, format A5, slim, Mobile&Notebook scanner, 5 butoane, viteza scanare 3.4 sec/pag A5,pachet software, cablu USB 150cm | 163.072 | EUR | 862.8256 | 0 | 24 | 18030 |
| Scannere | Plustek | Scanner Plustek PL1500, CCD technology 1200dpi 48bit USB2.0, SmartOffice, 15ppm, 50 sheet ADF capacity, scan to searchable PDF, I.R.I.S software | 259.392 | EUR | 1372.459 | C | 24 | 18037 |
| Scannere | Plustek | Scanner Plustek PL2546, CIS technology 1200dpi 48bit USB2.0, Smart Office, Duplex Color Flatbed Scanner, 25ppm, 50 sheet ADF capacity, OCR/BCR, high speed, high resolution photo scan, software, USB cable | 415.072 | EUR | 2196.174 | C | 24 | 18036 |
| Scannere | Plustek | Scanner Plustek PL3000 SmartOffice, Smart Office, CCD technology, 1200dpi, 48bit, USB2.0, SmartOffice, 30ppm, 80 sheet ADF capacity, Scan to searchable PDF, Readiris Pro 10 Corporate Edition software | 593.04 | EUR | 3137.826 | 0 | 24 | 11446 |
| Scannere | Plustek | Scanner Plustek PL7000, CCD technology 1200dpi 48bit USB2.0, SmartOffice, 70ppm, 80 sheet ADF capacity, scan to searchable PDF, I.R.I.S software | 889.504 | EUR | 4706.442 | 0 | 24 | 18038 |
| Scannere | Plustek | Scanner Plustek PL7500, CCD technology 600dpi 48bit USB2.0, SmartOffice, 75ppm, 80 sheet ADF capacity, scan to searchable PDF, I.R.I.S software | 1113.95 | EUR | 5894.011 | 0 | 24 | 18039 |
| Scannere | Plustek | Scanner Plustek PL806 SmartOffice, Smart Office, CCD technology, 600dpi, 24bit, USB2.0, SmartOffice, 8ppm 50 sheet ADF capacity, Scan to searchable PDF, Software | 192.752 | EUR | 1019.861 | C | 24 | 11443 |
| Scannere | Plustek | Scanner Plustek PS281, CIS technology 600dpi 48bit USB2.0, SmartOffice, Simplex scan, format A4, B5, A5, B6, A6, carti vizita, viteza scanare 20ppm, ADF 50 pagini, functii OCR/BCR,scan to searchable PDF, software, cablu USB | 222.432 | EUR | 1176.907 | C | 24 | 18035 |
| Scannere | Plustek | Scanner Plustek PS286 SmartOffice, Smart Office, CISx2 technology, 600dpi, 24bit, USB2.0, SmartOffice, 25ppm, 50 sheet ADF capacity, OCR/BCR, Small Footprint, Bag included | 315.616 | EUR | 1669.954 | C | 24 | 11441 |
| Scannere | Mustek | Scanner Mustek Scanexpress 1200 Pro, 1200x1200dpi, A3, 48 bit, USB | 172.48 | USD | 697.0208 | 0 | 24 | 21314 |
| Scannere | Mustek | Scanner Mustek Scanexpress 600 Pro, 600x1200dpi, A3, 48 bit, USB | 154.896 | USD | 625.9568 | 0 | 24 | 15013 |
| Scannere | Canon | Scanner Canon CanoScan LIDE 200, A4, 4800x4800dpi, 48bit, USB 2.0, 4 EZ buttons to Copy, Scan, Email and create PDF, Dust and scratch reduction, Auto Scan Mode | 71.12 | EUR | 376.2976 | C | 12 | 17301 |
| Scannere | Canon | Scanner Canon CanoScan LIDE 100, A4, 2400x4800dpi, 48bit, USB 2.0, 4 EZ buttons for Copy, Scan, Email and PDF, Dust and scratch reduction, Auto Scan Mode | 54.544 | EUR | 288.6016 | 0 | 12 | 17302 |
| Scannere | Canon | Scanner Canon CanoScan 5600F, A4, 4800x9600dpi, 48bit, Fara timp de incalzire, CCD, USB 2.0, Mod de scanare automata, Scanning Speed: 2 (ms/line) | 119.504 | EUR | 632.3072 | C | 12 | 18576 |
| Scannere | Canon | Scanner Canon CanoScan 9000F, A4, 9600x9600dpi, 48 bit, Fara timp de incalzire, CCD, USB, Scanare rapida a documentelor, fotografiilor, filmelor și diapositivelor, Auto Photo Fix II and Auto Document Fix, 7 butoane EZ | 186.816 | EUR | 988.456 | C | 12 | 24000 |
| Scannere | Canon | Scanner Canon High Speed DR-2080C, Optical: 600 dpi, Desktop sheet fed+Flatbed, Flatbed Scanner: White Xenon Lamp, USB2.0, 25 ppm-simplex black-white, Exchange Roller Kit (Roller Unit, Retard Roller) | 609.84 | EUR | 3226.709 | C | 12 | 14094 |
| Scannere | Canon | Scanner Canon High Speed DR-2580C, Optical: 600 dpi, Desktop sheet fed+Flatbed, Flatbed Scanner: White Xenon Lamp, USB2.0, 25 ppm-simplex black-white, Exchange Roller Kit (Roller Unit, Retard Roller) | 609.84 | EUR | 3226.709 | C | 12 | 18715 |
| Scannere | Canon | Scanner Canon High Speed DR-5010C, Optical: 600 dpi, Desktop type sheet fed, CMOS CIS 3 Line Sensor, 50ppm (Simplex), 100ipm (Duplex) Black, White, Ink Tank 50 (black/red/purple) | 3900.4 | EUR | 20637.33 | 0 | 12 | 14097 |
| Scannere | HP | Scanner HP ScanJet N6010, rezolutie optica 600dpi, rezolutie hardware 600x600dpi, 48 bit adancime de culoare, 256 niveluri de gri, 6 butoane pe panoul frontal, USB 2.0, viteza scanare ADF (A4): 18ppm/36ipm, capacitate ADF 50 coli, volum delucru (zilnic) pana la 500 pagini, | 400.176 | EUR | 2117.36 | 0 | 12 | 23537 |
| Scannere | HP | Scanner HP ScanJet G2410, rezolutie optica max 1200dpi, rezolutie hardware max 1200x1200dpi, 48 bit adancime de culoare, 256 niveluri de gri, scalare 10-2400% (increment 1%), viteza scanare: preview 10sec, 10x15cm foto (34 sec), OCR A4 (47s) butoane Scan, Copy, USB2.0 (test intern HP) | 62.16 | EUR | 328.888 | C | 12 | 15004 |
| Scannere | HP | Scanner HP ScanJet G4010, Photo Scanner, rezolutie optica 4800dpi, rezolutie hardware 4800x9600dpi, 96 bit adancime de culoare, 256 niveluri de gri, scalare 10-2400% (increment 1%), viteza scanare: preview 8.5 sec, 10x15cm foto 13sec/multiple image, 29sec/single image, OCR A4 25 sec, adaptor transparenta 35mm (4 slide-uri sau 6 negative), butoane Scan, Scan Film, Copy, Scan to PDF, USB2.0 (test intern HP) | 129.472 | EUR | 685.048 | C | 12 | 15007 |
| Scannere | HP | Scanner HP ScanJet 5590P, 2400x2400dpi, 48bit, CCD, USB 2.0, Smart-Touch Buttons, Transparency adapter 35mm, 256 niv. de gri | 167.328 | EUR | 885.3488 | C | 12 | 6661 |
| Scannere | HP | Scanner HP DesignJet HD, scanare 1067mm latime, 15 mm grosime, 1GB RAM, 160GB HDD, rezolutie 9600x9600dpi, LCD color 38cm touchscreen 76cm/sec color, 254cm/sec mono (200dpi), Eth, USB, Firewire | 18050.3 | EUR | 95505.35 | 0 | 12 | 25407 |
| Scannere | HP | Scanner HP Digital Sender 9250C, scan 51 imagini mono, 29imagini colour, 600dpi, 256MB RAM, 40GB HDD, touch-screen control panel, 50 pag ADF w/automatic 2-sided scanning, JetDirect FastEth integrat, port USB, formate : PDF, JPEG, TIFF, MTIFF, send to e-mail, send to workflow(printer, FTP, OCR), send to network folder, 60.000imagini/luna | 3356.3 | EUR | 17758.47 | 0 | 12 | 25010 |
| Scannere | HP | Scanner HP ScanJet G4050 Photo Scanner, 4800x9600dpi, 96bit, USB 2.0 Transparency adapter 35mm, 256 niv.de gri | 173.488 | EUR | 917.9408 | C | 12 | 8982 |

Echipamente Barcode

| | | | | | | | | |
|-------------------|---------|--|---------|-----|----------|----|----|-------|
| Echipamente | Symbol | Cititor coduri de bare laser Unitech MS835, USB, este probabil cel mai bun cititor de coduri de bara din clasa lui. Decodeaza simbolii: EAN13, EAN8, UPC-A/E, Code 39, Code 93, Code 128, Codabar, Interleaved & Industrial 2 of 5, etc., Distanța maxima de scanare: 55 cm, Viteza scanare: 100 scanari/secunda, Sursa:Dioda laser 650nm, Detalii 1.8 m cablu, carcasa ABS. Dimensiuni: 100 x 70 x 180 mm, Accesorii incluse:cablu de comunicare, manual programare si suport de masa. MS835- | 118.72 | EUR | 628.152 | 0 | 12 | 22440 |
| Echipamente | Symbol | Barcode reader Symbol LS2208, Laser, distanta de scanare up to 430mm, conexiune PSII | 90.832 | EUR | 480.6032 | C | 12 | 6443 |
| Echipamente | Symbol | Barcode reader Symbol LS2208, Laser, distanta de scanare up to 430mm, conexiune USB | 90.832 | EUR | 480.6032 | C | 12 | 23274 |
| Echipamente | Tekx | Cititor coduri de bare CCD marca TEKX model CX100, USB, Senzor CCD, CX100U | 39.2 | EUR | 207.4128 | C | 12 | 22438 |
| Echipamente | Tekx | Barcode reader CCD Tekx SX100, distanta de scanare 30mm, latime de scanare 82mm, conexiune PSII | 45.136 | EUR | 238.8176 | S | 12 | 19144 |
| Echipamente | Tekx | Barcode reader CCD Tekx SX100, distanta de scanare 30mm, latime de scanare 82mm, conexiune RS232 | 45.136 | EUR | 238.8176 | C | 12 | 22393 |
| Echipamente | Tekx | Barcode reader CCD Tekx SX100, distanta de scanare 30mm, latime de scanare 82mm, conexiune USB | 45.136 | EUR | 238.8176 | C | 12 | 22394 |
| Echipamente | Tekx | Barcode reader Laser Tekx LX300, distanta de scanare 50cm, mod scan linear, 44 scan./sec., unghi de scanare 40 grade, suport incl., conexiune PSII | 93.744 | EUR | 496.0032 | 0 | 12 | 2877 |
| Echipamente | Tekx | Barcode reader Laser Tekx LX300, distanta de scanare 50cm, mod scan linear, 44 scan./sec., unghi de scanare 40 grade, suport incl., conexiune USB | 93.744 | EUR | 496.0032 | C | 12 | 10825 |
| Echipamente | Tekx | Barcode reader Laser Tekx LX200, distanta de scanare 50cm, mod scan linear, 90 scan./sec., conexiune PSII | 74.816 | EUR | 395.8528 | S | 12 | 22390 |
| Echipamente | Tekx | Barcode reader Laser Tekx LX200, distanta de scanare 50cm, mod scan linear, 90 scan./sec., conexiune RS232 | 74.816 | EUR | 395.8528 | C | 12 | 22392 |
| Echipamente | Tekx | Barcode reader Laser Tekx LX200, distanta de scanare 50cm, mod scan linear, 90 scan./sec., conexiune USB | 74.816 | EUR | 395.8528 | C | 12 | 22391 |
| Echipamente | Tekx | Adaptor alimentare suplimentara de la USB la Jack pentru adaptoarele seriale RS-232 - a se utiliza la alimentarea suplimentara a readerelor pe conexiune SERIAL RS-232. | 3.36 | EUR | 17.7744 | S | 24 | 18881 |
| Echipamente | Oem | Cablu BarCode Reader Tekx LX150/LX300 PSII 1.5m | 7.1232 | EUR | 37.688 | 0 | 12 | 9030 |
| Echipamente | Oem | Cablu BarCode Reader Tekx LX150/LX300 USB 1.5m | 11.872 | EUR | 62.8208 | C | 12 | 4989 |
| Echipamente | TSC | Imprimanta termica TSC TDP 225, 203dpi, Viteza 127mm/sec., Latime tiparire 58mm, Lungime maxima 1106mm., 4MB DRAM, 8MB Flash, Garantie 2 ani. comunicare prin USB sau RS232, compatibil cu ZEBRA si INTERMEC. | 212.464 | EUR | 1124.166 | C | 24 | 22439 |
| Echipamente | TSC | Imprimanta barcode TSC TTP-243RS232, paralel, tiparire termica, viteza 7.6 cm/sec., rezolutie 203dpi, latime tiparire 104mm, suport ext. role mari | 332.416 | EUR | 1758.837 | C | 12 | 2893 |
| Echipamente | TSC | Imprimanta barcode TSC TTP-246M RS232, paralel, USB, tiparire termica, viteza 15 cm/sec., rezolutie 203dpi, latime tiparire 104mm | 736.064 | EUR | 3894.576 | 0 | 12 | 2895 |
| Echipamente | Tekx | Terminal Portabil CPT8001, cpu Toshiba 16bit, mem.1MB+Flash 1MB, prog. C, Basic, iluminat, ABS, gear sec., IrDA, RS232, IR, Accu. | 433.328 | EUR | 2292.774 | C | 12 | 2879 |
| MP3 Player | | | | | | | | |
| MP3 Playere | Serious | MP3 Player Serious Clip-n-Play C7, USB, 2GB, red&white | 20.048 | USD | 81.0208 | S | 24 | 26436 |
| MP3 Playere | Serious | MP3 Player Serious Particle P3, USB, no internal memory, slot microSD, FM radio, purple | 13.664 | USD | 55.216 | C | 24 | 26435 |
| MP3 Playere | Serious | MP3 Player Serious S51 SRX-S51MP2G-BK, 2GB, 1.5" TFT, FM radio, microfon, Li-Ion battery, black | 27.216 | USD | 109.984 | M | 24 | 21165 |
| MP3 Playere | Serious | MP3 Player Serious S51 SRX-S51MP2G-PK, 2GB, 1.5" TFT, FM radio, microfon, Li-Ion battery, pink | 27.216 | USD | 109.984 | S | 24 | 21166 |
| MP3 Playere | Serious | MP3 Player Serious S51 SRX-S51MP4G-BK, 4GB, 1.5" TFT, FM radio, microfon, Li-Ion battery, black | 29.568 | USD | 119.4928 | 0 | 24 | 21850 |
| MP3 Playere | Serious | MP3 Player Serious S51 SRX-S51MP4G-PK, 4GB, 1.5" TFT, FM radio, microfon, Li-Ion battery, pink | 29.568 | USD | 119.4928 | 0 | 24 | 21167 |
| MP3 Playere | Sony | MP3 Player Sony NWZA845B.CEW, 16GB Portable WM, 2.8" OLED screen, FM Tunner, AAC, MP3, WMA, JPG, WMV, AVC, MP4, USB, Black | 166.88 | EUR | 882.9744 | C | 24 | 25687 |
| MP3 Playere | Sony | MP3 Player Sony NWZE445B.CEW, 16GB PORTABLE WM, 2" colour LCD screen, FM Tunner, AAC, MP3, WMA, JPG, WMV, AVC, MP4, USB, Black | 113.68 | EUR | 601.4848 | C | 24 | 25685 |
| MP3 Playere | Sony | MP3 Player Sony NWZE445R.CEW, 16GB PORTABLE WM, 2" colour LCD screen, FM Tunner, AAC, MP3, WMA, JPG, WMV, AVC, MP4, USB, Red | 117.488 | EUR | 621.6336 | C | 24 | 25686 |
| MP3 Playere | Sony | MP3 Player Sony NWZE443B.CEW, 4GB PORTABLE WM, 2" colour LCD screen, FM Tunner, AAC, MP3, WMA, JPG, WMV, AVC, MP4, USB, Black | 69.552 | EUR | 368.0096 | 0 | 24 | 25680 |
| MP3 Playere | Sony | MP3 Player Sony NWZE443R.CEW, 4GB PORTABLE WM, 2" colour LCD screen, FM Tunner, AAC, MP3, WMA, JPG, WMV, AVC, MP4, USB, Red | 69.552 | EUR | 368.0096 | C | 24 | 25681 |
| MP3 Playere | Sony | MP3 Player Sony NWZE444B.CEW, 8GB PORTABLE WM, 2" colour LCD screen, FM Tunner, AAC, MP3, WMA, JPG, WMV, AVC, MP4, USB, Black | 86.8 | EUR | 459.2672 | C | 24 | 25682 |
| MP3 Playere | Sony | MP3 Player Sony NWZE444R.CEW, 8GB PORTABLE WM, 2" colour LCD screen, FM Tunner, AAC, MP3, WMA, JPG, WMV, AVC, MP4, USB, Red | 86.8 | EUR | 459.2672 | C | 24 | 25683 |
| MP3 Playere | Sony | MP3 Player Sony NWZS544R.CEW, 8GB PORTABLE WM, 2.4" colour LCD screen, Built-in Stereo Speakers, FM Tunner, AAC, MP3, WMA, JPG, WMV, AVC, MP4, USB, Red | 108.752 | EUR | 575.4112 | C | 24 | 25684 |
| MP3 Playere | Apple | MP3 Player iPod Shuffle, 2GB, USB support for AAC, utilizabil ca USB stick, Li-Polymer battery, 6th generation, Black | 53.984 | EUR | 285.6336 | C | 12 | 20796 |
| MP3 Playere | Apple | MP3 Player iPod Shuffle, 2GB, USB support for AAC, utilizabil ca USB stick, Li-Polymer battery, 6th generation, Silver | 69.664 | EUR | 368.6032 | C | 12 | 20800 |
| MP3 Playere | Apple | MP3 Player iPod Shuffle, 4GB, USB support for AAC, utilizabil ca USB stick, Li-Polymer battery, 6th generation, Black | 95.088 | EUR | 503.1152 | C | 12 | 20801 |
| MP3 Playere | Apple | MP3 Player iPod Shuffle, 4GB, USB support for AAC, utilizabil ca USB stick, Li-Polymer battery, 6th generation, Blue | 73.024 | EUR | 386.3776 | SL | 12 | 20802 |
| MP3 Playere | Apple | MP3 Player iPod Shuffle, 4GB, USB support for AAC, utilizabil ca USB stick, Li-Polymer battery, 6th generation, Green | 95.088 | EUR | 503.1152 | C | 12 | 20803 |
| MP3 Playere | Apple | MP3 Player iPod Shuffle, 4GB, USB support for AAC, utilizabil ca USB stick, Li-Polymer battery, 6th generation, Pink | 95.088 | EUR | 503.1152 | S | 12 | 20804 |
| MP3 Playere | Apple | MP3 Player iPod Shuffle, 4GB, USB support for AAC, utilizabil ca USB stick, Li-Polymer battery, 6th generation, Silver | 95.088 | EUR | 503.1152 | S | 12 | 20805 |
| MP3 Playere | Apple | MP3 Player iPod Shuffle, 4GB, USB support for AAC, utilizabil ca USB stick, Li-Polymer battery, Silver | 74.256 | EUR | 392.896 | SL | 12 | 19423 |
| MP3 Playere | Apple | MP3 Player iPod Nano, 16GB, 2.2 LCD Color (240x376), USB support for AAC, utilizabil ca USB stick, Li-Ion battery, captura video 640x480/30fps, 5th generation, Blue | 213.92 | EUR | 1131.872 | C | 12 | 20814 |
| MP3 Playere | Apple | MP3 Player iPod Nano, 16GB, 2.2 LCD Color (240x376), USB support for AAC, utilizabil ca USB stick, Li-Ion battery, captura video 640x480/30fps, 5th generation, Green | 213.92 | EUR | 1131.872 | C | 12 | 20815 |
| MP3 Playere | Apple | MP3 Player iPod Nano, 16GB, 2.2 LCD Color (240x376), USB support for AAC, utilizabil ca USB stick, Li-Ion battery, captura video 640x480/30fps, 5th generation, Orange | 213.92 | EUR | 1131.872 | C | 12 | 20816 |
| MP3 Playere | Apple | MP3 Player iPod Nano, 16GB, 2.2 LCD Color (240x376), USB support for AAC, utilizabil ca USB stick, Li-Ion battery, captura video 640x480/30fps, 5th generation, Pink | 213.92 | EUR | 1131.872 | C | 12 | 20817 |
| MP3 Playere | Apple | MP3 Player iPod Nano, 16GB, 2.2 LCD Color (240x376), USB support for AAC, utilizabil ca USB stick, Li-Ion battery, captura video 640x480/30fps, 5th generation, Purple | 213.92 | EUR | 1131.872 | C | 12 | 20818 |
| MP3 Playere | Apple | MP3 Player iPod Nano, 16GB, 2.2 LCD Color (240x376), USB support for AAC, utilizabil ca USB stick, Li-Ion battery, captura video 640x480/30fps, 5th generation, Silver | 213.92 | EUR | 1131.872 | C | 12 | 20819 |
| MP3 Playere | Apple | MP3 Player iPod Nano, 8GB, 2.2 LCD Color (240x376), USB support for AAC, utilizabil ca USB stick, Li-Ion battery, captura video 640x480/30fps, 5th generation, Black | 176.064 | EUR | 931.5712 | C | 12 | 20806 |

| | | | | | | | | |
|------------|-------|---|---------|-----|----------|----|----|-------|
| MP3 Player | Apple | MP3 Player iPod Nano, 8GB, 2.2 LCD Color (240x376), USB support for AAC, utilizabil ca USB stick, Li-ion battery, captura video 640x480/30fps 5th generation, Blue | 176.064 | EUR | 931.5712 | C | 12 | 20807 |
| MP3 Player | Apple | MP3 Player iPod Nano, 8GB, 2.2 LCD Color (240x376), USB support for AAC, utilizabil ca USB stick, Li-ion battery, captura video 640x480/30fps 5th generation, Green | 176.064 | EUR | 931.5712 | C | 12 | 20808 |
| MP3 Player | Apple | MP3 Player iPod Nano, 8GB, 2.2 LCD Color (240x376), USB support for AAC, utilizabil ca USB stick, Li-ion battery, captura video 640x480/30fps 5th generation, Orange | 176.064 | EUR | 931.5712 | C | 12 | 20809 |
| MP3 Player | Apple | MP3 Player iPod Nano, 8GB, 2.2 LCD Color (240x376), USB support for AAC, utilizabil ca USB stick, Li-ion battery, captura video 640x480/30fps 5th generation, Pink | 176.064 | EUR | 931.5712 | C | 12 | 20810 |
| MP3 Player | Apple | MP3 Player iPod Nano, 8GB, 2.2 LCD Color (240x376), USB support for AAC, utilizabil ca USB stick, Li-ion battery, captura video 640x480/30fps 5th generation, Purple | 176.064 | EUR | 931.5712 | C | 12 | 20811 |
| MP3 Player | Apple | MP3 Player iPod Nano, 8GB, 2.2 LCD Color (240x376), USB support for AAC, utilizabil ca USB stick, Li-ion battery, captura video 640x480/30fps 5th generation, Silver | 176.064 | EUR | 931.5712 | C | 12 | 20812 |
| MP3 Player | Apple | MP3 Player iPod Classic, 160GB, 2.5 LCD Color 320x240, USB, support for AAC, video 640x480 at 30fps, utilizabil ca USB stick, Li-ion battery, 8th generation, Black | 289.744 | EUR | 1533.056 | C | 12 | 20823 |
| MP3 Player | Apple | MP3 Player iPod Classic, 160GB, 2.5 LCD Color 320x240, USB, support for AAC, video 640x480 at 30fps, utilizabil ca USB stick, Li-ion battery, 8th generation, Silver | 289.744 | EUR | 1533.056 | C | 12 | 20824 |
| MP3 Player | Apple | MP3 Player iPod Touch, 8GB, 3.5 LCD Color 480x320, USB, support for AAC, video 640x480 at 30fps, utilizabil ca USB stick, Li-ion battery, Wi-Fi 802.11b/g, Bluetooth, 3rd generation, Black | 239.232 | EUR | 1265.79 | C | 12 | 20820 |
| MP3 Player | Apple | MP3 Player iPod Touch, 32GB, 3.5 LCD Color 480x320, USB, support for AAC, video 640x480 at 30fps, utilizabil ca USB stick, Li-ion battery, Wi-Fi 802.11b/g, Bluetooth, 3rd generation, Black | 353.248 | EUR | 1869.067 | C | 12 | 20821 |
| MP3 Player | Apple | MP3 Player iPod Touch, 64GB, 3.5 LCD Color 480x320, USB, support for AAC, video 640x480 at 30fps, utilizabil ca USB stick, Li-ion battery, Wi-Fi 802.11b/g, Bluetooth, 3rd generation, Black | 467.152 | EUR | 2471.739 | C | 12 | 20822 |
| MP3 Player | Cowon | MP3 Player audio, Cowon iAUDIO E2, 2 GB, Black, control asistat audio (fara ecran), acumulator Li-Pol max 11 h, USB 2.0, include casti 2x 12 mW, formate suportate: MP3, WMA, FLAC, OGG, WAV, butoane: power, menu, vol +/-, FW, REW, SNR: 95 dB, algoritmi BBE | 28 | EUR | 148.1536 | 0 | 12 | 26257 |
| MP3 Player | Cowon | MP3 Player audio, Cowon iAUDIO E2, 2 GB, White, control asistat audio (fara ecran), acumulator Li-Pol max 11 h, USB 2.0, include casti 2x 12 mW, formate suportate: MP3, WMA, FLAC, OGG, WAV, butoane: power, menu, vol +/-, FW, REW, SNR: 95 dB, algoritmi BBE | 28 | EUR | 148.1536 | 0 | 12 | 26258 |
| MP3 Player | Cowon | MP3 Player audio, Cowon D2+, 4 GB, Silver & Black, 2.5" QVGA Touch Screen TFT LCD, radio FM, acumulator Li-Pol max 52 h, USB 2.0, include casti 2x 37 mW, slot SD, MMC, functie inregistrare: radio, Line-In, Mic, functie egalizator 5 benzi, functie alarma, ceas, update firmware, formate suportate: MP3, WMA, WAV, OGG, APE, FLAC, MPEG4, JPEG, TXT, nu include incarcator | 89.04 | EUR | 471.1168 | 0 | 12 | 26272 |
| MP3 Player | Cowon | MP3 Player audio, Cowon iAUDIO 9, 4 GB, Black, 2" TFT LCD, radio FM, acumulator Li-Pol max 29 h, USB 2.0, include casti 2x 30 mW, functie inregistrare: radio, Line-In, Mic, functie egalizator 5 benzi, functie TV-out, ceas, update firmware, formate suportate: MP3, WMA, FLAC, OGG, APE, WAV, difuzor 0.3 W, touch-pad capacitiv | 75.376 | EUR | 398.8208 | 0 | 12 | 26265 |
| MP3 Player | Cowon | MP3 Player audio, Cowon iAUDIO 9, 4 GB, Silver, 2" TFT LCD, radio FM, acumulator Li-Pol max 29 h, USB 2.0, include casti 2x 30 mW, functie inregistrare: radio, Line-In, Mic, functie egalizator 5 benzi, functie TV-out, ceas, update firmware, formate suportate: MP3, WMA, FLAC, OGG, APE, WAV, difuzor 0.3 W, touch-pad capacitiv | 75.376 | EUR | 398.8208 | 0 | 12 | 26264 |
| MP3 Player | Cowon | MP3 Player audio, Cowon iAUDIO 9, 4 GB, White, 2" TFT LCD, radio FM, acumulator Li-Pol max 29 h, USB 2.0, include casti 2x 30 mW, functie inregistrare: radio, Line-In, Mic, functie egalizator 5 benzi, functie TV-out, ceas, update firmware, formate suportate: MP3, WMA, FLAC, OGG, APE, WAV, difuzor 0.3 W, touch-pad capacitiv | 75.376 | EUR | 398.8208 | 0 | 12 | 26261 |
| MP3 Player | Cowon | MP3 Player audio, Cowon iAUDIO E2, 4 GB, Black, control asistat audio (fara ecran), acumulator Li-Pol max 11 h, USB 2.0, include casti 2x 12 mW, formate suportate: MP3, WMA, FLAC, OGG, WAV, butoane: power, menu, vol +/-, FW, REW, SNR: 95 dB, algoritmi BBE | 32.256 | EUR | 170.6656 | SL | 12 | 26259 |
| MP3 Player | Cowon | MP3 Player audio, Cowon iAUDIO E2, 4 GB, White, control asistat audio (fara ecran), acumulator Li-Pol max 11 h, USB 2.0, include casti 2x 12 mW, formate suportate: MP3, WMA, FLAC, OGG, WAV, butoane: power, menu, vol +/-, FW, REW, SNR: 95 dB, algoritmi BBE | 32.256 | EUR | 170.6656 | 0 | 12 | 26260 |
| MP3 Player | Cowon | MP3 Player audio, Cowon J3, 4 GB, Black, 3.3" 16:9 WideB AMOLED - Touchscreen, radio FM, acumulator Li-Pol max 64 h, USB 2.0, formate suportate: MP3, WMA, WAV, OGG, APE, FLAC, AVI, WMV, ASF, SMI, JPEG, TXT | 143.472 | EUR | 759.1248 | 0 | 12 | 26275 |
| MP3 Player | Cowon | MP3 Player audio, Cowon S9, 4 GB, Black, 3.3" 16:9 WideB AMOLED - touchscreen, radio FM, acumulator Li-Pol max 55 h, USB 2.0, include casti 2x 37 mW, functie egalizator 5 benzi, formate suportate: MP3, WMA, WAV, OGG, APE, FLAC, AVI, WMV, JPEG, TXT | 136.976 | EUR | 724.752 | 0 | 12 | 26279 |
| MP3 Player | Cowon | MP3 Player audio, Cowon D2+, 8 GB, Silver & Black, 2.5" QVGA Touch Screen TFT LCD, radio FM, acumulator Li-Pol max 52 h, USB 2.0, include casti 2x 37 mW, slot SD, MMC, functie inregistrare: radio, Line-In, Mic, functie egalizator 5 benzi, functie alarma, ceas, update firmware, formate suportate: MP3, WMA, WAV, OGG, APE, FLAC, MPEG4, JPEG, TXT, nu include incarcator | 102.48 | EUR | 542.2256 | 0 | 12 | 26273 |
| MP3 Player | Cowon | MP3 Player audio, Cowon iAUDIO 9, 8 GB, Black, 2" TFT LCD, radio FM, acumulator Li-Pol max 29 h, USB 2.0, include casti 2x 30 mW, functie inregistrare: radio, Line-In, Mic, functie egalizator 5 benzi, functie TV-out, ceas, update firmware, formate suportate: MP3, WMA, FLAC, OGG, APE, WAV, difuzor 0.3 W, touch-pad capacitiv | 87.92 | EUR | 465.192 | 0 | 12 | 26267 |
| MP3 Player | Cowon | MP3 Player audio, Cowon iAUDIO 9, 8 GB, Silver, 2" TFT LCD, radio FM, acumulator Li-Pol max 29 h, USB 2.0, include casti 2x 30 mW, functie inregistrare: radio, Line-In, Mic, functie egalizator 5 benzi, functie TV-out, ceas, update firmware, formate suportate: MP3, WMA, FLAC, OGG, APE, WAV, difuzor 0.3 W, touch-pad capacitiv | 87.92 | EUR | 465.192 | 0 | 12 | 26268 |
| MP3 Player | Cowon | MP3 Player audio, Cowon iAUDIO 9, 8 GB, White, 2" TFT LCD, radio FM, acumulator Li-Pol max 29 h, USB 2.0, include casti 2x 30 mW, functie inregistrare: radio, Line-In, Mic, functie egalizator 5 benzi, functie TV-out, ceas, update firmware, formate suportate: MP3, WMA, FLAC, OGG, APE, WAV, difuzor 0.3 W, touch-pad capacitiv | 87.92 | EUR | 465.192 | 0 | 12 | 26266 |
| MP3 Player | Cowon | MP3 Player audio, Cowon J3, 8 GB, Black, 3.3" 16:9 WideB AMOLED - Touchscreen, radio FM, acumulator Li-Pol max 64 h, USB 2.0, formate suportate: MP3, WMA, WAV, OGG, APE, FLAC, AVI, WMV, ASF, SMI, JPEG, TXT | 156.352 | EUR | 827.2656 | 0 | 12 | 26276 |
| MP3 Player | Cowon | MP3 Player audio, Cowon S9, 8 GB, Black, 3.3" 16:9 WideB AMOLED - touchscreen, radio FM, acumulator Li-Pol max 55 h, USB 2.0, include casti 2x 37 mW, functie egalizator 5 benzi, formate suportate: MP3, WMA, WAV, OGG, APE, FLAC, AVI, WMV, JPEG, TXT | 152.096 | EUR | 804.7536 | 0 | 12 | 26280 |
| MP3 Player | Cowon | MP3 Player audio, Cowon V5, 16 GB, Black, 4.8" 800x480 - touchscreen, radio FM, acumulator Li-Pol max 45 h, include casti 2x 30 mW, slot microSDHC (max 32 GB), functie HDMI out (decodare max 1280x720), codec-uri suportate: video - DivX 3/4/5, XviD, H.264 (MPEG4-AVC), WMV 7/8/9; audio - MP3, AC3, WMA, OGG, PCM, FLAC, TTA, APE, MPC, WV, Flash Viewer, Functie Notepad | 212.464 | EUR | 1124.166 | 0 | 12 | 26349 |
| MP3 Player | Cowon | MP3 Player audio, Cowon V5, 16 GB, White, 4.8" 800x480 - touchscreen, radio FM, acumulator Li-Pol max 45 h, include casti 2x 30 mW, slot microSDHC (max 32 GB), functie HDMI out (decodare max 1280x720), codec-uri suportate: video - DivX 3/4/5, XviD, H.264 (MPEG4-AVC), WMV 7/8/9; audio - MP3, AC3, WMA, OGG, PCM, FLAC, TTA, APE, MPC, WV, Flash Viewer, Functie Notepad | 212.464 | EUR | 1124.166 | 0 | 12 | 26350 |

| | | | | | | | | |
|----------------------|----------|--|---------|-----|----------|----|----|-------|
| MP3 Playere | Cowon | MP3 Player audio, Cowon V5, 8 GB, Black, 4.8" 800x480 - touchscreen, radio FM, acumulator Li-Pol max 45 h, include casti 2x 30 mW, slot microSDHC (max 32 GB), functie HDMI out (decodare max 1280x720), codec-uri suportate: video - DivX 3/4/5, XviD, H.264 (MPEG4-AVC), WMV 7/8/9; audio - MP3, AC3, WMA, OGG, PCM, FLAC, TTA, APE, MPC, WV, Flash Viewer, Functie Notepad | 188.72 | EUR | 998.536 | 0 | 12 | 26348 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon V5, 8 GB, White, 4.8" 800x480 - touchscreen, radio FM, acumulator Li-Pol max 45 h, include casti 2x 30 mW, slot microSDHC (max 32 GB), functie HDMI out (decodare max 1280x720), codec-uri suportate: video - DivX 3/4/5, XviD, H.264 (MPEG4-AVC), WMV 7/8/9; audio - MP3, AC3, WMA, OGG, PCM, FLAC, TTA, APE, MPC, WV, Flash Viewer, Functie Notepad | 188.72 | EUR | 998.536 | 0 | 12 | 26347 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon D2+, 16 GB, Silver & Black, 2.5" QVGA Touch Screen TFT LCD, radio FM, acumulator Li-Pol max 52 h, USB 2.0, include casti 2x 37 mW, slot SD, MMC, functie inregistrare: radio, Line-In, Mic, functie egalizator 5 benzi, functie alarma, ceas, update firmware, formate suportate: MP3, WMA, WAV, OGG, APE, FLAC, MPEG4, JPEG, TXT, nu include incarcator | 135.744 | EUR | 718.2336 | 0 | 12 | 26274 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon iAUDIO 9, 16 GB, Black, 2" TFT LCD, radio FM, acumulator Li-Pol max 29 h, USB 2.0, include casti 2x 30 mW, functie inregistrare: radio, Line-In, Mic, functie egalizator 5 benzi, functie TV-out, ceas, update firmware, formate suportate: MP3, WMA, FLAC, OGG, APE, WAV, difuzor 0.3 W, touch-pad capacitiv | 113.232 | EUR | 599.1216 | 0 | 12 | 26269 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon iAUDIO 9, 16 GB, Silver, 2" TFT LCD, radio FM, acumulator Li-Pol max 29 h, USB 2.0, include casti 2x 30 mW, functie inregistrare: radio, Line-In, Mic, functie egalizator 5 benzi, functie TV-out, ceas, update firmware, formate suportate: MP3, WMA, FLAC, OGG, APE, WAV, difuzor 0.3 W, touch-pad capacitiv | 113.232 | EUR | 599.1216 | 0 | 12 | 26271 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon iAUDIO 9, 16 GB, White, 2" TFT LCD, radio FM, acumulator Li-Pol max 29 h, USB 2.0, include casti 2x 30 mW, functie inregistrare: radio, Line-In, Mic, functie egalizator 5 benzi, functie TV-out, ceas, update firmware, formate suportate: MP3, WMA, FLAC, OGG, APE, WAV, difuzor 0.3 W, touch-pad capacitiv | 113.232 | EUR | 599.1216 | 0 | 12 | 26270 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon J3, 16B, Black, 3.3" 16:9 WideB AMOLED - Touchscreen, radio FM, acumulator Li-Pol max 64 h, USB 2.0, formate suportate: MP3, WMA, WAV, OGG, APE, FLAC, AVI, WMV, ASF, SMI, JPEG, TXT | 182.224 | EUR | 964.1632 | 0 | 12 | 26277 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon J3, 32 GB, Black, 3.3" 16:9 WideB AMOLED - Touchscreen, radio FM, acumulator Li-Pol max 64 h, USB 2.0, formate suportate: MP3, WMA, WAV, OGG, APE, FLAC, AVI, WMV, ASF, SMI, JPEG, TXT | 225.456 | EUR | 1192.901 | 0 | 12 | 26278 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon O2, 16 GB, Black, 4.3" touch screen, movie, music, picture, text, recording, SD card slot, USB 2.0, TV-OUT, speaker | 203.84 | EUR | 1078.538 | 0 | 12 | 26287 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon O2, 16 GB, White, 4.3" touch screen, movie, music, picture, text, recording, SD card slot, USB 2.0, TV-OUT, speaker | 190.96 | EUR | 1010.386 | 0 | 12 | 26286 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon S9, 16 GB, Black, 3.3" 16:9 WideB AMOLED - touchscreen, radio FM, acumulator Li-Pol max 55 h, USB 2.0, include casti 2x 37 mW, functie egalizator 5 benzi, formate suportate: MP3, WMA, WAV, OGG, APE, FLAC, AVI, WMV, JPEG, TXT | 166.096 | EUR | 878.8304 | 0 | 12 | 26281 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon S9, 16 GB, Chrome, 3.3" 16:9 WideB AMOLED - touchscreen, radio FM, acumulator Li-Pol max 55 h, USB 2.0, include casti 2x 37 mW, functie egalizator 5 benzi, formate suportate: MP3, WMA, WAV, OGG, APE, FLAC, AVI, WMV, JPEG, TXT | 166.096 | EUR | 878.8304 | 0 | 12 | 26282 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon S9, 32 GB, Black, 3.3" 16:9 WideB AMOLED - touchscreen, radio FM, acumulator Li-Pol max 55 h, USB 2.0, include casti 2x 37 mW, functie egalizator 5 benzi, formate suportate: MP3, WMA, WAV, OGG, APE, FLAC, AVI, WMV, JPEG, TXT | 210.336 | EUR | 1112.899 | 0 | 12 | 26283 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon S9, 32 GB, Ceramic White, 3.3" 16:9 WideB AMOLED - touchscreen, radio FM, acumulator Li-Pol max 55 h, USB 2.0, include casti 2x 37 mW, functie egalizator 5 benzi, formate suportate: MP3, WMA, WAV, OGG, APE, FLAC, AVI, WMV, JPEG, TXT | 210.336 | EUR | 1112.899 | 0 | 12 | 26284 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon V5, 32 GB, Black, 4.8" 800x480 - touchscreen, radio FM, acumulator Li-Pol max 45 h, include casti 2x 30 mW, slot microSDHC (max 32 GB), functie HDMI out (decodare max 1280x720), codec-uri suportate: video - DivX 3/4/5, XviD, H.264 (MPEG4-AVC), WMV 7/8/9; audio - MP3, AC3, WMA, OGG, PCM, FLAC, TTA, APE, MPC, WV, Flash Viewer, Functie Notepad | 257.824 | EUR | 1364.171 | 0 | 12 | 26351 |
| MP3 Playere | Cowon | MP3 Player audio, Cowon V5, 32 GB, White, 4.8" 800x480 - touchscreen, radio FM, acumulator Li-Pol max 45 h, include casti 2x 30 mW, slot microSDHC (max 32 GB), functie HDMI out (decodare max 1280x720), codec-uri suportate: video - DivX 3/4/5, XviD, H.264 (MPEG4-AVC), WMV 7/8/9; audio - MP3, AC3, WMA, OGG, PCM, FLAC, TTA, APE, MPC, WV, Flash Viewer, Functie Notepad | 257.824 | EUR | 1364.171 | 0 | 12 | 26352 |
| MP3 Playere | LG | MP3 Player Auto LG LAC2900RN, FM, fata detasabila, front aux IN, MP3/WMA Playback, CD-DA/R/RW, MP3 ID3 Tag/ WMA Tag | 54.32 | EUR | 287.4144 | C | 24 | 22757 |
| MP3 Playere | LG | MP3 Player Auto LG LAC3900RN, FM, fata detasabila, front aux IN, MP3/WMA Playback, CD-DA/R/RW, MP3 ID3 Tag/ WMA Tag, telecomanda | 66.528 | EUR | 352.0048 | C | 24 | 22758 |
| Accesorii MP3 | | | | | | | | |
| Accesorii MP | Creative | Husa Mp3 Player Creative ZEN Stone Plus Keychain - tip breloc | 4.368 | EUR | 23.1168 | SL | 12 | 19787 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon AC Adaptor compatibil cu T2/F2/D2/i7/i9 | 8.6352 | EUR | 45.6848 | 0 | 1 | 26244 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon Bundle earphone | 2.968 | EUR | 15.7024 | 0 | 1 | 26251 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon D2 Line-in Converter | 2.1504 | EUR | 11.3792 | 0 | 1 | 26250 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon D2 Protection Film | 2.1504 | EUR | 11.3792 | 0 | 1 | 26249 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon D2 Shield Case | 4.8608 | EUR | 25.7152 | 0 | 1 | 26248 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon D2 TV-OUT Cable | 1.0864 | EUR | 5.7456 | 0 | 1 | 26234 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon D2+ Leather Case | 15.12 | EUR | 80.0016 | 0 | 1 | 26247 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon D2+ Shield Case | 4.312 | EUR | 22.8144 | 0 | 1 | 26240 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon D2 Leather Case | 15.12 | EUR | 80.0016 | 0 | 1 | 26246 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon i7 Leather Case | 1.0864 | EUR | 5.7456 | C | 1 | 26233 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon Line-In Cable | 1.624 | EUR | 8.5904 | 0 | 1 | 26243 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon Necklace | 2.1504 | EUR | 11.3792 | 0 | 1 | 26245 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon Necklace Type Earphone, Black | 4.312 | EUR | 22.8144 | 0 | 1 | 26252 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon O2 Leather Case, White | 22.624 | EUR | 119.7056 | 0 | 1 | 26255 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon S9 Leather Case, Black | 19.376 | EUR | 102.5248 | 0 | 1 | 26253 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon S9 Line-in Cable | 2.1504 | EUR | 11.3792 | 0 | 1 | 26238 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon S9 Protective Film | 4.312 | EUR | 22.8144 | 0 | 1 | 26239 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon S9 Shiled Case (Trans) | 2.688 | EUR | 14.2224 | 0 | 1 | 26236 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon S9 TV-Out Cable | 5.656 | EUR | 29.9264 | 0 | 1 | 26237 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon S9 USB Adaptor | 7.5488 | EUR | 39.9392 | 0 | 1 | 26254 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon S9 USB Cable | 2.688 | EUR | 14.2224 | 0 | 1 | 26235 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon U5 Shield Case | 1.0864 | EUR | 5.7456 | C | 1 | 26232 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon U5 USB Mini Jack | 1.624 | EUR | 8.5904 | 0 | 1 | 26241 |
| Accesorii MP | Cowon | Accesorii MP3 Player Cowon USB Cable ALL | 1.0864 | EUR | 5.7456 | 0 | 1 | 26242 |

| | | | | | | | | | |
|--------------------------|-------------|---|---------|-------|----------|----------|------|-------|-------|
| Accesorii MP3 | Apple | Accesorii MP3 Player iPod Dock Connector to FireWire Cable M9127GB | 14.56 | EUR | 77.0336 | SL | 12 | 17724 | |
| Accesorii MP3 | Apple | Accesorii MP3 Player iPod Nano Armband Gray | 36.512 | EUR | 193.1888 | CALL | 12 | 17722 | |
| Accesorii MP3 | Apple | Accesorii MP3 Player iPod Nano Dock | 24.64 | EUR | 130.368 | SL | 12 | 17725 | |
| Accesorii MP3 | Apple | Accesorii MP3 Player iPod Radio Remote | 48.496 | EUR | 256.592 | SL | 12 | 17721 | |
| Accesorii MP3 | Apple | Accesorii MP3 Player iPod Remote and Earphones Kit | 32.48 | EUR | 171.8528 | SL | 12 | 17723 | |
| Accesorii MP3 | Creative | Alimentator auto universal pt. USB Mp3 Player, Creative | 11.984 | EUR | 63.4032 | C | 24 | 19749 | |
| Accesorii MP3 | Creative | Alimentator AC universal pt. 6 deviceuri (USB, TravelSound, TravelDock etc) CREATIVE ZEN | 21.84 | EUR | 115.5616 | 0 | 24 | 19748 | |
| HD Media Playere | | | | | | | | | |
| HD Media Player | Ac Ryan | Adaptor Wireless Lan pentru playerele Media AcRyan PlayOn, Wireless-N 300mbps, Mufa USB. | | PROMO | EUR | 160.1488 | S | 12 | 22255 |
| HD Media Player | Ac Ryan | Full HD Media Player ACRyan PlayonHD, HDMI up to 1080p (Full HD), Storage supported: HDD, External USB HDD, Media Cards, USB drives, Network drive, 3.5" SATA2 support up to 1.5TB, SD, SDHC, MMC, MS, MSPro, USB 2.0, Lan 10/100 with DHCP, WLAN optional max. 300Mbps, Video Formats: AVI / MKV / TS / TP / TRP / M2TS / MPG / MP4 / MOV / M4V / VOB / ISO / IFO / DAT / WMV / ASF / RM / RMVB / FLV resolution up to 1080p, MPEG-1/MPEG-2/MPEG-4 SP/ASP/AVC. | | PROMO | EUR | 732.2448 | CALL | 24 | 21118 |
| HD Media Player | Ac Ryan | Full HD Media Player ACRyan PlayonHD MINI, HDMI up to 1080p (Full HD), Storage supported: External USB HDD, USB drives, Connection: USB 2.0, Lan 10/100 with DHCP, WLAN optional max. 300Mbps, Video Formats: AVI / MKV / TS / TP / TRP / M2TS / MPG / MP4 / MOV / M4V / VOB / ISO / IFO / DAT / WMV / ASF / RM / RMVB / FLV resolution up to 1080p, MPEG-MPEG-2/MPEG-4 SP/ASP/AVC. | | PROMO | EUR | 485.8448 | S | 24 | 21925 |
| HD Media Player | Verbatim | Media player Verbatim Multimedia Mediastation 1TB HD DVR (1080p), tuner analogic digital, inregistrare digitala, redare filme, muzica, fotografii, HDMI, 2 USB, 1 Mini USB, card reader, telecomanda+ baterii, software NERO, cod 47540 | 195.776 | EUR | 1035.866 | C | 24 | 23898 | |
| HD Media Player | Verbatim | Media player Verbatim Multimedia Mediastation 1TB HD DVR (1080p), WIRELESS, tuner analogic digital, inregistrare digitala, redare filme, muzica, fotografii, HDMI, 2 USB, 1 Mini USB, card reader, stick USB wireless, telecomanda+ baterii, software NERO, cod 47541 | 222.32 | EUR | 1176.314 | C | 24 | 23899 | |
| HD Media Player | Grandtec | Media player Grandtec EyeZone B402, suporta multiple formate audio/video, accepta HDD in format de 2.5", interfata USB 2.0, iesiri video: SVIDO / HDTV (semnal component) max 640 x 480 (progresiv), OSD | 69.776 | USD | 281.9712 | 0 | 12 | 26470 | |
| HD Media Player | Grandtec | Media player Grandtec Eyezone P102-1, Display 10.2" TFT LCD (16:9), Rezolutie : 800 X 480 (Digital) Suport CF /I/I, MD, SD, MMC, MS/MS pro, telecomanda inclusa | 137.872 | USD | 557.1664 | 0 | 12 | 26471 | |
| HD Media Player | Grandtec | Media player Grandtec Eyezone P102-5, Display 10.2" TFT LCD (16:9), Rezolutie : 800 X 480 (Digital) Suport CF /I/I, MD, SD, MMC, MS/MS pro, telecomanda inclusa, touchscreen | 180.656 | USD | 730.0608 | 0 | 12 | 26473 | |
| HD Media Player | Avermedia | Media player Avermedia AverCinema Life, USB 2.0 interface, HDMI Output up to 720, Composite Video, Audio L/R, YPbPr, FAT/ NTFS | 83.664 | USD | 338.0944 | C | 24 | 26541 | |
| HD Media Player | Avermedia | Media player Avermedia AverLife ExtremeVision, Full HD 1080P, HDMI, eSATA & USB Support, Web Surfing with Wireless Support, Full Internet and Web Function, USB keyboard & mouse Support, Wirelessly Streaming of Digital Media Content, DLNA, Input: USB 2.0, e-SATA, LAN, Output: HDMI, Composite Video, Component Video | 232.848 | USD | 940.9792 | C | 24 | 23897 | |
| HD Media Player | Asus | O!Play HDP-R1 Media Player, Full HD 1080p Support; Output: HDMI, Composite Audio/Video, Optical Digital Audio; Input: USB 2.0 *1, eSATA/USB2.0 combo port *1, RJ-45 LAN port *1, DC power in; Video formats: MPEG1/2/4, DivX (up to 1080p), H.264, VC-1, RM/RMVB, AVI, VOB, MOV, MKV, ASF, Xvid, WMV; Audio formats: MP3, WAV, PCM/LPCM, AAC, Dolby Digital, FLAC, DTS, AIFF, OGG | 109.984 | USD | 444.4608 | C | 24 | 20189 | |
| HD Media Player | Asus | O!Play Air HDP-R3 Media Player, Full HD 1080p Support, WIFI 802.11n support, Card Reader (SD/MS/CF), Output: HDMI, Composite Audio/Video, Optical Digital Audio, Input: USB 2.0 *1, eSATA/USB2.0 combo port *1, RJ-45 LAN port *1, DC power in; Video formats: MPEG1/2/4, DivX (up to 1080p), H.264, VC-1, RM/RMVB, AVI, VOB, MOV, MKV, ASF, Xvid, WMV; Audio formats: MP3, WAV, PCM/LPCM, AAC, Dolby Digital, FLAC, DTS, AIFF, OGG | 159.712 | USD | 645.4224 | C | 24 | 21991 | |
| HD Media Player | Edimax | Media player Edimax MA-2000, Interfata HDMI, USB 2.0, Formate acceptate: Music - MP3, WMA, OGG, WAV/PCM/LPCM, AAC, FLAC, Dolby Digital, AIF/AIFF, MKA; Photo - JPEG, GIF, TIF/TIFF, BMP, PNG; Video -MPEG1/2/4, WMV9, AVI (MPEG4, Xvid,AVC), H.264, MKV, MOV (MPEG4, H.264), MTS, TP, TS | 131.264 | USD | 530.4544 | C | 24 | 24657 | |
| HD Media Player | LaCie | LaCie LaCinema Black MAX, 500GB, HDMI, DVB-T, Wi-Fi, iso, mkv, USB 2.0 (301446EK) | 329.056 | EUR | 1741.062 | C | 24 | 19193 | |
| HD Media Player | LaCie | LaCie LaCinema Classic, 1TB, HDMI, USB 2.0, Full HD 1080p, Multimedia Hard Drive (301397EK) | | PROMO | EUR | 642.6448 | S | 24 | 19188 |
| HD Media Player | LG | TV HD Media Player LG XF2, Memorie interna 500GB, telecomanda, FULL HD, HDMI, Composit, USB 2.0, Formate video suportate: MKV, WMV, ASF, XVID, AVI, RM, RMVB, DAT, MPG, MPEG; VOB, ISO, LTO, TS, M2TS, MTS, TP, TRP, MP4, MOV, FLV. | 215.264 | USD | 869.9152 | 0 | 24 | 22797 | |
| HD Media Player | Western Dig | WD TV HD Media Player, Interfata HDMI, Composite A/V, USB 2.0, Formate acceptate: Music - MP3, WMA, OGG, WAV/PCM/LPCM, AAC, FLAC, Dolby Digital, AIF/AIFF, MKA; Photo - JPEG, GIF, TIF/TIFF, BMP, PNG; Video -MPEG1/2/4, WMV9, AVI (MPEG4, Xvid,AVC), H.264, MKV, MOV (MPEG4, H.264), MTS, TP, TS | 104.608 | USD | 422.7328 | 0 | 24 | 18969 | |
| HD Media Player | Western Dig | WD TV Live HD Media Player, Interfata Ethernet, HDMI, Composite A/V, USB 2.0, Formate acceptate: Video - AVI (Xvid, AVC, MPEG1/2/4), MPG/MPEG, VOB, MKV (h.264, x.264, AVC, MPEG1/2/4, VC-1), TS/TP/M2T (MPEG1/2/4, AVC, VC-1), MP4/MOV (MPEG4,h.264), M2TS, WMV9; Foto: JPEG, GIF, TIF/TIFF, BMP, PNG; Audio: MP3, WAV/PCM/LPCM, WMA, AAC, FLAC, MKA, AIF/AIFF, OGG, Dolby Digital, DTS | 122.976 | USD | 496.9664 | C | 24 | 21209 | |
| HD Media Player | Eminent | Eminent hdMEDIA RT HD Media Player, Interfata HDMI, Composite A/V, 2 x USB 2.0, Suporta hdd intern 3.5" max. 1.5TB, Formate acceptate: Music - MP3, WMA, OGG, WAV/PCM/LPCM, AAC, FLAC, Dolby Digital, AIF/AIFF, MKA; Photo - JPEG, GIF, TIF/TIFF, BMP, PNG; Video - MPEG1/2/4, WMV9, AVI (MPEG4, Xvid, AVC), H.264, MKV, MOV (MPEG4, H.264), MTS, TP, TS), Blu Ray ISO | | PROMO | EUR | 609.0448 | SL | 60 | 26014 |
| HD Media Player | Eminent | Eminent hdMEDIA STREAM Media Player, Interfata HDMI, Composite A/V, USB 2.0, Formate acceptate: Music - MP3, WMA, OGG, WAV/PCM/LPCM, AAC, FLAC, Dolby Digital, AIF/AIFF, MKA; Photo - JPEG, GIF, TIF/TIFF, BMP, PNG; Video -MPEG1/2/4, WMV9, AVI (MPEG4, Xvid, AVC), H.264, MKV, MOV (MPEG4, H.264), MTS, TP, TS) | | PROMO | EUR | 452.2448 | SL | 60 | 26013 |
| Telecomenzi | | | | | | | | | |
| Telecomenzi | Antec | Telecomanda Antec Multimedia Station Basic, include telecomanda, receiver si soft pentru controlul diferitelor aplicatii de pe PC | 17.808 | EUR | 94.2256 | 0 | 36 | 26131 | |
| Telecomenzi | Antec | Telecomanda Antec Multimedia Station E-Z, include telecomanda, receiver si soft pentru controlul diferitelor aplicatii de pe PC | 11.312 | EUR | 59.8528 | C | 36 | 26130 | |
| Telecomenzi | Antec | Telecomanda Antec Multimedia Station Premier, include telecomanda, receiver si soft pentru controlul diferitelor aplicatii de pe PC | 53.984 | EUR | 285.6336 | 0 | 36 | 26132 | |
| Telecomenzi | Logitech | Telecomanda Universala Logitech Harmony 300i, 915-000153 | 33.6 | EUR | 177.7776 | SL | 12 | 26893 | |
| Telecomenzi | Logitech | Harmony RF Wireless Extender, 4 x dual IR emitters, Raza acoperita (30 m) | 61.376 | EUR | 324.744 | C | 24 | 18086 | |
| Telecomenzi | Well | Telecomanda Well RC UNIVERS 10W, universala, pentru LCD-TV | 4.1776 | EUR | 22.1088 | S | 12 | 20995 | |
| Video proiectoare | | | | | | | | | |
| Video proiect | 3m | Video Projector 3M X20, Brightness 2000 ANSI, 4:3 nativ, XGA (1024 x 768), Contrast 500:1, 1.8kg, Focus manual, Zomm Manual/Digital , 3000 ore (Eco mode) | 685.44 | EUR | 3626.717 | C | 36 | 21103 | |
| Video proiect | Benq | Video Projector Benq MP615P, DLP, SVGA (800x600), 2700 ANSI, 2600:1, 4:3 native/16:9 selectable, manual zoom 1:1,10, D-Sub/RCA/S-Video/Serial/USB, 4000 hours lamp life, Presentation timer, Wall color mode, 2x1W speakers, White, Romanian OSD | 334.32 | EUR | 1768.917 | C | 36 | 23644 | |

| | | | | | | | | |
|-----------------|----------|---|---------|-----|----------|---|----|-------|
| Video projector | Benq | Video Projector Benq GP1, Mini, DLP, SVGA (858x600), 100 ANSI, 2000:1, 4:3 native/16:9 selectable, fixed zoom, HDTV (480i, 480p, 576i, 576p, 720p, 1080i), D-Sub/RCA/USB, 0.64Kg - <28dB - 20.000 hours lamp life (typical), 1x2W speaker, white | 361.312 | EUR | 1911.728 | C | 36 | 20685 |
| Video projector | Benq | Video Projector Benq MP515, Brightness 2600 ANSI, 4:3 nativ, SVGA (800 x 600), Contrast 2500:1, 2.2kg, DLP, Noise levelsub 26db, sursa luminoasa: 220W, 3000 ore (Eco mode) | 307.44 | EUR | 1626.688 | S | 36 | 22253 |
| Video projector | Benq | Video Projector Benq MP515ST, DLP, Brightness 2600 ANSI, SVGA (800x600), 2600:1 - 4:3 native/16:9 selectable, manual zoom 1:1,20, D-Sub/HDMI1.2/RCA/S-Video/Serial , 4000 hours lamp life, Presentation timer, Wall color mode, White, RomanianOSD, Short Throw | 404.432 | EUR | 2139.883 | 0 | 36 | 23919 |
| Video projector | Benq | Video Projector Benq MP525P, DLP, XGA (1024x768), 2500 ANSI, 2600:1, 4:3 native/16:9 selectable, manual zoom 1:1,10, D-Sub/RCA/S-Video, 4000 hours lamp life, 1x2W speaker, Black, Romanian OSD | 404.432 | EUR | 2139.883 | C | 36 | 23643 |
| Video projector | Benq | Video Projector Benq MP525ST, DLP, XGA (1024x768), 2500 ANSI, 2600:1, 4:3 native/16:9 selectable, manual zoom 1:1,20, D-Sub/HDMI1.2/RCA/S-Video, 4000 hours lamp life, 2x5W speaker, Black, Romanian OSD, Short Throw | 533.904 | EUR | 2824.931 | C | 36 | 23923 |
| Video projector | Benq | Video Projector Benq MP575, DLP, XGA (1024x768), 3000 ANSI, 2600:1, 4:3 native/16:9 selectable , manual zoom 1:1,10, D-Sub/RCA/S-Video/Serial,4000 hours lamp life, 1x2W speaker, Black, Romanian OSD | 528.528 | EUR | 2796.483 | C | 36 | 23921 |
| Video projector | Benq | Video Projector Benq MP625P, DLP, XGA (1024x768), 2700 ANSI, 2600:1, 4:3 native/16:9 selectable, manual zoom 1:1,10, D-Sub/RCA/S-Video/Serial, 4000 hours lamp life, 1x2W speaker, Black, Romanian OSD | 484.288 | EUR | 2562.403 | C | 36 | 23920 |
| Video projector | Benq | Video Projector Benq MP626, DLP, XGA (1024x768), 2700 ANSI, 3000:1, 4:3 native/16:9 selectable, manual zoom 1:1,10, D-Sub/HDMI1.3/RCA/S-Video/Serial/RJ45/USB, 4000 hours lamp life, 1x10W speaker, Black, Romanian OSD | 522.032 | EUR | 2762.11 | C | 36 | 23922 |
| Video projector | Benq | Video Projector Benq MP670, XGA (1024x768), 3200 ANSI, 3000:1, 4:3 native/16:9 selectable, manual zoom 1:1,10, D-Sub/HDMI1.3/RCA/S-Video/Serial/RJ45/USB, 4000 hours lamp life, 1x10W speaker, Black, Romanian OSD, 3D Ready | 597.52 | EUR | 3161.525 | C | 36 | 23924 |
| Video projector | Benq | Video Projector Benq MP772ST, DLP, XGA (1024x768), 2500 ANSI, 2400:1, 4:3 native/16:9 selectable, fixed zoom, D-Sub/RCA/S-Video/Serial/RJ45/USB, 4000 hours lamp life, 2x5W speakers, Black, Romanian OSD, Short Throw | 1077.44 | EUR | 5700.822 | 0 | 36 | 23928 |
| Video projector | Benq | Video Projector Benq MP776, DLP, XGA (1024x768), 3500 ANSI, 2600:1, 4:3 native/16:9 selectable, manual zoom 1:1,30, D-Sub/HDMI1.3/RCA/S-Video/Serial/RJ45, 4000 hours lamp life, 2x5W speaker, Black, Romanian OSD, 3D Ready | 754.992 | EUR | 3994.726 | C | 36 | 23925 |
| Video projector | Benq | Video Projector Benq MP776ST, DLP, XGA (1024x768), 3500 ANSI, 2400:1, 4:3 native/16:9 selectable, fixed zoom, D-Sub/HDMI1.3/RCA/S-Video/Serial/RJ45/USB, 4000 hours lamp life, 2x5W speakers, Black, Romanian OSD, Short Throw | 1239.28 | EUR | 6557.13 | C | 36 | 23930 |
| Video projector | Benq | Video Projector Benq MP777, DLP, XGA (1024x768), 4000 ANSI, 2600:1, 4:3 native/16:9 selectable, manual zoom 1:1,30, D-Sub/HDMI1.3/RCA/S-Video/Serial/RJ45, 4000 hours lamp life, 2x5W speaker, Black, Romanian OSD, 3D Ready | 889.84 | EUR | 4708.211 | C | 36 | 23927 |
| Video projector | Benq | Video Projector Benq MP780ST, DLP, WXGA (1280 x 800), 2500 ANSI, 3000:1, 4:3 native/16:9 selectable, lampa 4000 ore, D-sub/LAN/ HDMI/S-video, 3D Ready, USB Reader, 2x 10W speakers, geanta inclusa, Wireless Dongle, Microphone in, Ultra Short-throw (95"- 1m), Interactive (PointDraw), Romanian OSD | 1401.01 | EUR | 7412.843 | 0 | 36 | 26078 |
| Video projector | Benq | Video Projector Benq MP782ST, DLP, WXGA (1280x800), 2500 ANSI, 2400:1, 16:10 native/4:3 selectable, fixed zoom, HDTV (480i, 480p, 576i, 576p, 720p, 1080i), D-Sub/RCA/S-Video/Serial, 4000 hours lamp life, 2x5W speakers, Black, Romanian OSD,Short Throw | 1202.54 | EUR | 6362.754 | C | 36 | 23929 |
| Video projector | Benq | Video Projector Benq MS510, DLP, SVGA (800x600), 2700 ANSI, 4000:1, 4 :3 native/16:9 selectable, manual zoom 1.10:1, HDMI/ D-sub/ S-video, lampa 6000 ore, 2 Watt Speaker, 3D Ready, Black, Romanian OSD | 339.696 | EUR | 1797.354 | C | 36 | 26075 |
| Video projector | Benq | Video Projector Benq MX511, DLP, SVGA (800 x 600), 2700 ANSI, 4000:1, 4:3 native/16:9 selectable, manual zoom 1.10:1,D-Sub/RCA/S-Video/ HDMI, lampa 6000 ore, 2 Watt Speaker, 3D Ready, Black, Romanian OSD | 442.176 | EUR | 2339.59 | 0 | 36 | 26076 |
| Video projector | Benq | Video Projector Benq MX750, DLP, XGA (1024 x 768), 3000 ANSI, 3000:1, 4:3 native/16:9 selectable, manual zoom 1.6:1, D-sub/LAN/HDMI, 3D Ready, USB Reader, lampa 4000 ore, 2x10W speaker, 1.6x Zoom, Geanta inclusa, Wireless Dongle, Romanian OSD | 668.64 | EUR | 3537.822 | C | 36 | 26077 |
| Video projector | Benq | Video Projector Benq SP830, Brightness 3500 ANSI, WXGA, 4.5kg, DLP, Noise levelsub 32db, DVI, PIP, 4000 ore (Eco mode), HDTV, HQV, Micro dust filter | 969.584 | EUR | 5130.149 | C | 36 | 11288 |
| Video projector | Benq | Video Projector Benq SP831, Brightness 4000 ANSI, WXGA, 4.5kg, DLP, Noise levelsub 32db, DVI, PIP, 4000 ore (Eco mode), HDTV, HQV, Micro dust filter | 1508.86 | EUR | 7983.517 | C | 36 | 11289 |
| Video projector | Benq | Video Projector Benq SP840, DLP, XGA (1920 x 1080), Nativ 1080p, 4000 ANSI, 3000:1, manual zoom 1.20:1, lampa 2000 ore, Speaker 3Wx1, D-Sub/HDMI1.3/RCA/S-Video/LAN, Black | 2587.42 | EUR | 13690.26 | 0 | 36 | 25275 |
| Video projector | Benq | Video Projector Benq SP870, Brightness 5000 ANSI, 4:3 nativ, XGA (1024 x 768), Contrast 2000:1, 4.9kg, DLP, Noise levelsub 36db, sursa luminoasa: 360W, 3000 ore (Eco mode) | 2479.57 | EUR | 13119.59 | 0 | 36 | 17858 |
| Video projector | Benq | Video Projector Benq SP890, DLP, XGA (1920 x 1080), Nativ 1080p, 4000 ANSI, 50000:1, manual zoom 1.15:1, lampa 3000 ore, 5 Watt Speaker x 2, D-Sub/HDMI1.3/RCA/S-Video, LAN, Black | 5391.57 | EUR | 28527.22 | C | 36 | 23932 |
| Video projector | Benq | Video Projector Benq SP920P, DLP, XGA (1024 x 768), 6000 ANSI, 2000:1, manual zoom 1.15:1, lampa 3000 ore, D-Sub/HDMI1.3/RCA/S-Video/USB, DUAL LAMP, 5 Watt Speaker x 2, Black | 3989.44 | EUR | 21108.45 | 0 | 36 | 23931 |
| Video projector | Benq | Video Projector Benq W1000, DLP, 1080p (1920x1080), 2000 ANSI, 3000:1, 16:9 native, manual zoom 1:1,2, HDTV (480i, 480p, 576i, 576p, 720p, 1080i, 1080p), S-Video/2xHDMI1.3/3xRCA/Serial/USB, 4000 hours lamp life, 1x3W speaker, White | 1023.57 | EUR | 5415.782 | C | 36 | 23934 |
| Video projector | Benq | Video Projector Benq W600, DLP, 720P (1280x720)- 3D, 2600 ANSI, 3000:1, 16:9 native, manual zoom 1:1,15, HDTV (480i, 480p, 576i, 576p, 720p, 1080i, 1080p), D-Sub/2xHDMI1.3/DVI/3xRCA/S-Video/Serial/USB, 4000 hours lamp life, 1x2W speaker, White, Romanian OSD | 624.512 | EUR | 3304.347 | C | 36 | 23933 |
| Video projector | Benq | Video Projector Benq W600+, DLP, 720P (1280 x 720) -3D, 2600 ANSI, 4000:1, 16:9 native/ 4 Aspect Ratio selectable, D-sub/S-video/HDMI x 2, lampa 4000 ore, 2W speakers, 3D Ready, Romanian OSD | 641.76 | EUR | 3395.605 | C | 36 | 26079 |
| Video projector | Benq | Video Projector Benq W6000, DLP, 1080p (1920x1080), 2500 ANSI, 50.000:1, 16:9 native, manual zoom 1:1,5, HDTV (480i, 480p, 576i, 576p, 720p, 1080i, 1080p), 2xHDMI1.3/3xRCA/S-Video/Serial/USB, 4000 hours lamp life, Black | 2479.57 | EUR | 13119.59 | C | 36 | 23935 |
| Video projector | Sapphire | Video Projector Sapphire SPH-PRJ101, Mini portabil, VGA(640X800), 4:3, contrast 200:1, viata lampa 20000 ore, luminozitate 14 lumeni, D-SUB/RCA/USB, Boxe Stereo 0.5W, On Screen Display, Baterie reincarcabila | 304.976 | USD | 1232.459 | C | 24 | 23936 |
| Video projector | Dell | Video Projector Dell 1210S, SVGA (800 x 600), 2500 ANSI, 2200:1, 3000hours, 2W Speaker, composite video RCA, S-video, 2 VGA, HDTV, D-sub, AC power, USB Input for remote, Audio in/out, Telecomanda, Black | 520.688 | USD | 2104.189 | C | 24 | 24240 |
| Video projector | Dell | Video Projector Dell 1610HD, WXGA (1280 x 800), 3000ANSI, 2100:1, 3000hours, 8W Speaker, composite video RCA, S-video, 2 VGA, HDTV, D-sub, AC power, USB Input for remote, Audio in/out, DVI-D, Rj45, Ready 3D, Telecomanda, Geanta, Black | 866.656 | USD | 3502.296 | C | 24 | 24241 |
| Video projector | Dell | Video Projector Dell 4310WX, WXGA (1280 x 800), 3500ANSI, 2000:1, 2000hours, 2 Speakers x5W, composite video RCA, S-video, 2 VGA, HDTV, D-sub, AC power, USB Input for remote, Audio in/out, RJ45, Display port, HDMI, RS232, Telecomanda, Geant, Black | 1062.32 | USD | 4293.005 | C | 24 | 24242 |

| | | | | | | | | |
|-----------------|-----------|--|---------|-----|----------|---|----|-------|
| Video projector | Dell | Video Projector Dell 4610X WIRELESS PLUS, XGA (1024 x 768), 3500 ANSI, 2000:1, 2000hours, 2 Speakers x 5W, composite video RCA, S-video, 2 VGA, HDTV, D-sub, AC power, USB Input for remote, Audio in/out, RJ45, HDMI, RS232, DC JACK 12V, Telecomanda, Geanta, Wireless Standard: IEEE802.11b/g, 4-to-1 split-screen projection, Multi-PC Sessions: up to 20 pc, Conference Control | 1202.1 | USD | 4857.866 | 0 | 24 | 24243 |
| Video projector | Dell | Video Projector Dell M210X, Portabil, XGA (1024 x 768), 2100 ANSI, 1800:1, 3000hours, 1W Speaker Mono, composite video RCA, S-video, 1 VGA, HDTV, AC power, USB Input for remote, Audio in/out, HDMI, Ready 3D, Telecomanda, Geanta, Black | 815.36 | USD | 3294.995 | C | 24 | 24224 |
| Video projector | Dell | Video Projector Dell M410HD, Portabil, WXGA (1280 x 800), 2000 ANSI, 2100:1, 3000hours, 1W Speaker Mono, composite video RCA, S-video, 1 VGA, HDTV, AC power, USB Input for remote, Audio in/out, HDMI, Ready 3D, Telecomanda, Geanta, Black | 941.136 | USD | 3803.285 | C | 24 | 24225 |
| Video projector | Samsung | Video Projector Samsung SPL305WEX/EN, Data Series, XGA (max 1600x1200), 3000ANSI, Office Viewer, 500:1, 3000hours, Speakers 2x3W, HDMI, Vsync 56Hz-75Hz, Hsync 30KHz - 80KHz, White High Glossy | 505.792 | EUR | 2676.184 | 0 | 24 | 25956 |
| Video projector | Samsung | Video Projector Samsung SP2203WXX/EN, Data Series, XGA (max 1600x1200), 2200ANSI, Office Viewer, 500:1, 3000hours, Speakers 1x7W, HDMI, Vsync 56Hz-75Hz, Hsync 30KHz - 80KHz, White | 451.92 | EUR | 2391.144 | C | 24 | 25954 |
| Video projector | Samsung | Video Projector Samsung SPL335WEX/EN, Data Series, UXGA (max 1600x1200), 3LCD Technology, 3300ANSI, Office Viewer, 500:1, 3000hours, Speakers 2x3W stereo, Vsync 56Hz-75Hz, Hsync 30KHz - 80KHz, Remote Control, White | 527.408 | EUR | 2790.558 | C | 24 | 25957 |
| Video projector | Samsung | Video Projector Samsung SPL255WEX/EN, UXGA (max 1600x1200), 3LCD Technology, 2500ANSI, Office Viewer, 500:1, 3000hours, Speakers 2x3W stereo, Vsync 56Hz-75Hz, Hsync 30KHz - 80KHz, Remote Control, White | 473.424 | EUR | 2504.925 | C | 24 | 25955 |
| Video projector | Samsung | Video Projector Samsung SP2503SWX/EN, Data Series, SXGA (max 1280 x 1024), 2500ANSI, 2000:1, 3000hours, Speakers 1x7W, Vsync 56Hz-75Hz, Hsync 30KHz-80KHz, White | 387.184 | EUR | 2048.626 | C | 24 | 25952 |
| Video projector | Samsung | Video Projector Samsung SPL251WEX/EN, Data Series, XGA (max 1068 x 768), 2500ANSI, 500:1, 2500hours, Speakers 2x3W stereo, Vsync 56Hz-75Hz, Hsync 30KHz - 80KHz, Remote Control, White | 419.552 | EUR | 2219.885 | C | 24 | 25953 |
| Video projector | Samsung | Video Projector Samsung SP0351VBX/EN, Pico Series, WVGA (854 x 480), LED, 30ANSI, 400:1, 30.000hours, Speakers 1W mono, Vsync 41.25Hz-49.70Hz, Hsync 50KHz-60KHz, White | 246.96 | EUR | 1306.682 | C | 24 | 25950 |
| Video projector | Samsung | Video Projector Samsung SPP410MEX/EN, Ultra Portability Series, 800x600 (max 1280x1024), 170ANSI, 1000:1, 3000hours, Speakers 2x1W, Touch Pad, Vsync 56Hz-85Hz, Hsync 30KHz-70KHz, 148x147x66 (mm), Black High Glossy | 311.696 | EUR | 1649.211 | C | 24 | 23937 |
| Video projector | Samsung | Video Projector Samsung SPU300MX/EN, Pocket Series, SVGA (max 1280x1024), 300ANSI, 1000:1, 2000hours, Speakers 2x1W stereo, Vsync 56Hz-85Hz, Hsync 30KHz - 70KHz, Remote Control, White | 451.92 | EUR | 2391.144 | C | 24 | 25951 |
| Video projector | Samsung | Video Projector Samsung SPA400BCX/EDC, Video Series, 1280x768 (max 1280x1024), 2000ANSI, 2500:1, 3000hours, Touch Pad, Vsync 50Hz-85Hz, Hsync 29KHz - 80KHz, Black High Glossy | 646.016 | EUR | 3418.117 | 0 | 24 | 17864 |
| Video projector | Samsung | Video Projector Samsung SPA800BX/EDC, Video Series, 1920x1080 (Full HD 1080p), 1000ANSI, 10.000:1, 2000hours, Touch Pad, Vsync 48Hz, 100Hz, Hsync 15KHz - 80KHz, Black High Glossy | 2587.42 | EUR | 13690.26 | 0 | 24 | 17865 |
| Video projector | Samsung | Video Projector Samsung SP2003XWX/EN, Data Series, XGA (max 1600x1200), 2000ANSI, 500:1, 5000hours, Speakers 1x7W, HDMI, Vsync 56Hz-75Hz, Hsync 30KHz - 80KHz, White | 408.8 | EUR | 2162.989 | 0 | 24 | 23939 |
| Video projector | Samsung | Video Projector Samsung SP2503XWX/EN, Data Series, XGA (max 1600x1200), 2500ANSI, 500:1, 3000hours, Speakers 1x7W, HDMI, Vsync 56Hz-75Hz, Hsync 30KHz - 80KHz, White High Glossy | 430.304 | EUR | 2276.77 | C | 24 | 23940 |
| Video projector | Samsung | Video Projector Samsung SPA600BX/EN, Video Series, 1920x1080 (Full HD 1080p), 1000ANSI, 3000:1, 4000hours, 2xHDMI, Touch Pad, Vsync 56Hz-75Hz, Hsync 30KHz - 81KHz, Black High Glossy | 937.216 | EUR | 4958.89 | 0 | 24 | 23943 |
| Video projector | Samsung | Video Projector Samsung SPD400SFX/EN, Data Series, XGA (max 1280x1024), 4000ANSI, 3000:1, 2500hours, HDMI, Vsync 56Hz-85Hz, Hsync 30KHz, 70KHz, Silver | 786.24 | EUR | 4160.061 | 0 | 24 | 23941 |
| Video projector | Samsung | Video Projector Samsung SPL201WEX/EN, Data Series, XGA (max 1600x1200), 2000ANSI, 500:1, 3000hours, Speakers 2x3W, Vsync 56Hz-75Hz, Hsync 30KHz - 80KHz, White | 354.816 | EUR | 1877.355 | C | 24 | 23938 |
| Video projector | Samsung | Video Projector Samsung SPL301WEX/EN, Data Series, XGA (max 1600x1200), 3000ANSI, 500:1, 2500hours, Speakers 2x3W, HDMI, Vsync 56Hz-75Hz, Hsync 30KHz-80KHz, White High Glossy | 538.16 | EUR | 2847.443 | C | 24 | 21956 |
| Video projector | Samsung | Video Projector Samsung SPL331WEX/EN, Data Series, XGA (max 1600x1200), 3300ANSI, 400:1, 2500hours, Speakers 2x3W, HDMI, Vsync 56Hz-75Hz, Hsync 30KHz - 80KHz, White High Glossy | 592.144 | EUR | 3133.077 | C | 24 | 21957 |
| Video projector | Canon | Video Projector Canon LV-7280, Brightness 2200 lumens, Format 4:3, Rezolutie nativa 1024 x 768 (XGA), LCD 21", Built-in 7W speaker, Porturi: DVI- in, analogue in&out, S-video, Composite (RCA), Audio in&out, Service Port, Network Port RJ-45 | 601.44 | EUR | 3182.267 | 0 | 12 | 23944 |
| Video projector | Canon | Video Projector Canon LV-7285, Brightness 2600 lumens, Format 4:3, Rezolutie nativa 1024 x 768 (XGA), LCD 21", Built-in 7W speaker, Porturi: DVI- in, analogue in&out, S-video, Composite (RCA), Audio in&out, Service Port, Network Port RJ-45 | 662.144 | EUR | 3503.461 | C | 12 | 23945 |
| Video projector | Canon | Video Projector Canon LV-7375, Brightness 3500 lumens, Format 4:3, Rezolutie nativa 1024 x 768 (XGA), LCD 21", 1.2x wide-angle zoom lens, Built-in 7W speaker, Porturi: DVI- in, Mini D-Sub (component Video via optional Cable), Analogue RGBOutput, S-Video Input, RCA, Audio in&out, Network Port RJ-45 | 1008 | EUR | 5333.406 | 0 | 12 | 23947 |
| Video projector | Canon | Video Projector Canon LV-7585, Brightness 6500 lumens, Format 4:3, Rezolutie nativa 1024x768 (XGA), Lampa: 330W NSH, LCD 1.3", Contrast 1600:1, Panel: (Transmissive LCD Display, TFT Active Matrix with microlens) | 5565.28 | EUR | 29446.35 | 0 | 12 | 18651 |
| Video projector | Canon | Video Projector Canon XEED X700, Brightness 4000 lumens, Format 4:3, Rezolutie nativa 1024x768 (XGA), Lampa: 275W NSH, LCD 0.7", Contrast 1000:1, Panel: (LCOS reflective display, TFT Active Matrix) | 2210.88 | EUR | 11697.94 | 0 | 12 | 18652 |
| Video projector | Canon | Video Projector Canon LV-7370, Brightness 3000 lumens, Format 4:3, Rezolutie nativa 1024 x 768 (XGA), LCD 21", 1.2x wide-angle zoom lens, Built-in 7W speaker, Porturi: DVI- in, Mini D-Sub (component Video via optional Cable), Analogue RGBOutput, S-Video Input, RCA, Audio in&out, Network Port RJ-45 | 901.6 | EUR | 4770.438 | 0 | 12 | 23946 |
| Video projector | Panasonic | Video Projector PANASONIC PT-AX200E 1280X720; 3 LCD, HDTV Ready ; 2000 ANSI lumeni; 6000:1; zoom optic 2x; S-VIDEO IN, RCA VIDEO IN, RGB IN, RCA COMPONENT IN, 2xHDMI IN, SERIAL; 4.9 Kg. | 1038.24 | EUR | 5493.41 | C | 24 | 15244 |
| Video projector | Panasonic | Video Projector PANASONIC PT-D10000E SXGA; DLP; 10000 ANSI lumeni; 5000:1; lampa 3000 de ore in ECOMode; zoom optic 2x;VIDEO BNC IN, VIDEO BNC OUT, S-VIDEO IN, RGB1 BNC IN, RGB2 IN, RS-232C/422 IN, RS-422 OUT. | 26093.3 | EUR | 138061.8 | C | 24 | 15242 |
| Video projector | Panasonic | Video Projector PANASONIC PT-D7700E/E-K SXGA; DLP; 7000 ANSI lumeni; 4000:1; lampa 4000 de ore in ECOMode; zoom optic 2x;VIDEO BNC IN, VIDEO BNC OUT, S-VIDEO IN, RGB1 BNC IN, RGB2 IN, RS-232C/422 IN, RS-232C/422 OUT. | 19800.4 | EUR | 104765.3 | C | 24 | 15241 |
| Video projector | Panasonic | Video Projector PANASONIC PT-DW10000E UXGA, Full HD; DLP; 10000 ANSI lumeni; 5000:1; lampa 3000 de ore in ECOMode; zoom optic 2x;VIDEO BNC IN, VIDEO BNC OUT, S-VIDEO IN, RGB1 BNC IN, RGB2 IN, RS-232C/422 IN, RS-422 OUT. | 42970.5 | EUR | 227360.2 | C | 24 | 15243 |
| Video projector | Panasonic | Video Projector PANASONIC PT-DW7000E/E-K WXGA; DLP; 6000 ANSI lumeni; 4000:1; lampa 4000 de ore in ECOMode; zoom optic 2x;VIDEO BNC IN, VIDEO BNC OUT, S-VIDEO IN, RGB1 BNC IN, RGB2 IN, RS-232C/422 IN, RS-232C/422 OUT. | 14064.7 | EUR | 74417.64 | C | 24 | 15240 |
| Video projector | Panasonic | Video Projector PANASONIC PT-F200NTE XGA; LCD; 3200 ANSI lumeni; 400:1; lampa 3000 de ore in ECOMode; zoom optic 2x; PC1 IN,PC2 IN/OUT, VIDEO RCA IN, COMPONENT IN, S-VIDEO IN, AUDIO RCA IN, SERIAL, PC AUDIO IN/OUT (Jack), SERIAL, REMOTE. | 2308.32 | EUR | 12213.51 | C | 24 | 15233 |
| Video projector | Panasonic | Video Projector PANASONIC PT-LB80E XGA; LCD; 3200 ANSI lumeni; 500:1; lampa 3000 de ore in ECOMode; zoom manual; PC1 IN,PC2 IN/OUT, VIDEO RCA IN, S-VIDEO IN, AUDIO RCA IN, SERIAL, PC AUDIO IN/OUT (Jack); 2.96 Kg. | 1068.26 | EUR | 5652.226 | C | 24 | 15231 |
| Video projector | Optoma | Video Projector OPTOMA DV11, SVGA 800x600; 0.54" DLP DarkChip2DMD by Texas Instruments; 1600 ANSI lumeni; 2200:1; lampa 4000 de ore in ECOMode; zoom manual; video compatibility: 480i/p, 576i/p, 720p, 1080i/p; 1.5m - 10m; (Projection distance); 3.5kg. | 573.328 | EUR | 3033.52 | C | 36 | 15227 |

| | | | | | | | | |
|------------------------------|------------|---|---------|-----|----------|----|----|-------|
| Video projector | Optoma | Video Projector OPTIOMA ES522, SVGA (800 x 600), 2800 lumens, 3000:1, 2.5 kg, VGA, S-Video, Composite, 2 x Stereo RCA-Audio, USB, RS232, Audio out. | 348.32 | EUR | 1842.994 | C | 24 | 21129 |
| Video projector | Mitsubishi | Video Projector MITSUBISHI HC3800, 1080p, LCD, 1300 ANSI lumens, 3500:1, lampa 4000 ore in ECOmode, 5.6kg | 1052.13 | EUR | 5566.893 | C | 36 | 22326 |
| Video projector | Mitsubishi | Video Projector MITSUBISHI XD3200U, XGA, DLP, 4500 ANSI lumens, 2000:1, lampa 5000 ore in ECOmode, 8.5kg | 2284.13 | EUR | 12085.51 | C | 36 | 22325 |
| Video projector | Mitsubishi | Video Projector MITSUBISHI XL6600U, XGA, LCD, 6000 ANSI lumens, 1000:1, lampa 4000 ore in ECOmode, 9.8kg | 3218.54 | EUR | 17029.58 | C | 36 | 20421 |
| Video projector | Epson | Video Projector EPSON EB-S7, SVGA (800x600), 3LCD, 2500 ANSI lumens, 1960 lumens ECO mode, 2000:1, lampa 5000 ore in ECOmode, geanta de transport, telecomanda, 2.3kg | 344.288 | EUR | 1821.658 | C | 24 | 22500 |
| Video projector | Epson | Video Projector EPSON EB-X7, XGA (1024x768), 3LCD, 2200 ANSI lumens, 2000:1, lampa 4000 ore in ECOmode, geanta de transport, 2.3kg | 458.976 | EUR | 2428.474 | C | 24 | 21776 |
| Video projector | Epson | Video Projector EPSON EH-TW450, 720p (1280x720), 3LCD, 2500 ANSI lumens, 3000:1, lampa 4000 ore in ECOmode, HDMI, geanta de transport, telecomanda, 2.3kg | 594.496 | EUR | 3145.531 | C | 24 | 22935 |
| Accesorii proiectoare | | | | | | | | |
| Accesorii proiectoare | Konig | Cordless Presenter, Konig CMP-PRESENT20, Built in laser pointer, USB receiver | 12.432 | EUR | 65.7776 | C | 12 | 20787 |
| Accesorii proiectoare | Toshiba | Cordless Presenter 2.4GHz, Built in laser pointer, USB receiver, Includes 1 x AAA Battery | 27.776 | EUR | 146.9664 | C | 12 | 20064 |
| Accesorii proiectoare | Targus | Wireless 2.4GHz Presenter Targus AMP02EU, Built-in laser pointer, Raza de actiune: 15m, Black-Silver | 38.864 | EUR | 205.632 | 0 | 24 | 17005 |
| Accesorii proiectoare | Acer | Geanta video projector Acer X1160/X1260 | 31.584 | EUR | 167.1152 | 0 | 12 | 15416 |
| Accesorii proiectoare | Benq | Suport de perete video projector Benq | 68.992 | EUR | 365.0416 | C | 6 | 6561 |
| Accesorii proiectoare | Benq | Geanta video projector Benq MP523/ MP615P/ MP625P | 37.744 | EUR | 199.7072 | C | 1 | 24280 |
| Accesorii proiectoare | Benq | Geanta video projector Benq seriile MP5xx/ MP6xx | 37.744 | EUR | 199.7072 | C | 1 | 24281 |
| Accesorii proiectoare | Benq | Geanta video projector Benq MP776 / MP777 | 37.744 | EUR | 199.7072 | C | 1 | 23731 |
| Accesorii proiectoare | Benq | Lampa video projector Benq MP510 | 161.84 | EUR | 856.3072 | C | 6 | 25677 |
| Accesorii proiectoare | Benq | Lampa video projector Benq MP515/ MP515ST/ MP525/ MP525ST | 161.84 | EUR | 856.3072 | C | 6 | 24278 |
| Accesorii proiectoare | Benq | Ochelari 3D Benq compatibil cu tehnologia DLPLink 3D | 106.736 | EUR | 564.7488 | C | 1 | 24695 |
| Accesorii proiectoare | Benq | Stand demo showroom pentru video projector Benq GP1 | 10.7856 | EUR | 57.064 | C | 1 | 24279 |
| Accesorii proiectoare | Dell | Remote-Control, FPR, laserpn Kit for Dell Projectors, W3239 | 35.728 | USD | 144.3792 | C | 12 | 24247 |
| Accesorii proiectoare | Dell | Lampa video projector Dell K7218, 1100MP kit, bulb, FPR, 200W | 86.912 | USD | 351.2208 | C | 3 | 24244 |
| Accesorii proiectoare | Dell | Lampa video projector Dell WF137, 1200MP kit, bulb, 200W | 151.088 | USD | 610.568 | C | 3 | 24245 |
| Accesorii proiectoare | Dell | Lampa video projector Dell W3106, 3300MP kit, bulb, FPR, OSRM, 180W | 205.744 | USD | 831.4432 | C | 3 | 24246 |
| Accesorii proiectoare | Logitech | Logitech R400 Presenter USB, Cordless 2.4Ghz, Built-in Slideshow Controls, Forward/Back Buttons, Laser Pointer, 910-001357 | 36.512 | EUR | 193.1888 | S | 36 | 24284 |
| Accesorii proiectoare | Logitech | Logitech R800 Presenter USB, Cordless 2.4Ghz, Built-in Slideshow Controls, LCD timer, Forward/Back Buttons, Laser Pointer, Vibrating Alert, 910-001353 | 61.376 | EUR | 324.744 | C | 36 | 24285 |
| Accesorii proiectoare | Edimax | Wireless 802.11b/g presentation server Edimax WP-S1000, Wireless: up to 300Mbps, Lan:10/100Mbps with auto MDI/MDIX, 2dBi external dipole antenna | 158.816 | USD | 641.8048 | C | 24 | 18079 |
| Accesorii proiectoare | Edimax | Wireless 802.11b/g presentation server Edimax WP-S1100, Wireless: up to 300Mbps, Lan:10/100Mbps with auto MDI/MDIX, 2dBi external dipole antenna, VGA/HDMI | 211.792 | USD | 855.8816 | C | 24 | 24630 |
| Accesorii proiectoare | Chief | Suport Tavan Videoprojector, Chief, ICPRIA02, Suport universal pentru videoprojector, fara brat, suporta pana la 22kg | 48.608 | EUR | 257.1856 | C | 12 | 20422 |
| Ecrane de proiectie | | | | | | | | |
| Ecrane de proiectie | Oem | Ecran de proiectie OEM RollScreen Spring, mecanism cu arc, 1:1, dimensiuni: 180x180cm, vizibilitate: 174x174cm, Diagonala: 246cm/97", Greutate: 7kg, EAN: 184831. | PROMO | EUR | 207.1888 | SL | 12 | 22132 |
| Ecrane de proiectie | Benq | Ecran de proiectie Benq, diagonala 213 cm (84"), format 4:3, montare pe perete | 80.864 | EUR | 427.8624 | 0 | 1 | 25268 |
| Ecrane de proiectie | Benq | Ecran de proiectie Roll Screen Benq diagonala 203cm (80"), format 16:9, montare pe perete, actionare manuala, 5J.BQE14.003. | 70.112 | EUR | 370.9664 | C | 1 | 14283 |
| Ecrane de proiectie | Benq | Ecran de proiectie Roll Screen Benq diagonala 213cm (84"), format 16:9, montare pe perete, actionare manuala, 5J.BQE14.005 | 80.864 | EUR | 427.8624 | SL | 1 | 14282 |
| Ecrane de proiectie | Epson | Ecran de proiectie Epson Silk Screen Multi-Aspect, 65"/74"/80" (ELPSC26) | 142.128 | EUR | 752.0128 | S | 1 | 22943 |
| Ecrane de proiectie | Projecta | Ecran manual Projecta, format: 1:1, Dimensiuni: 200x200cm, Panza Matte White S, proiectie din fata | 126.896 | EUR | 671.4176 | C | 12 | 15305 |
| Ecrane de proiectie | Projecta | PANZA ECRAN PROJECTA Da-Tex 183x244 cm proiectie spate | 454.496 | EUR | 2404.774 | C | 12 | 15352 |
| Camere foto digitale | | | | | | | | |
| Camere foto digitale | Benq | Digital Camera Benq E1220, 12 MP, CCD sensor, 3x optical zoom, 3" LCD, card support SD (4GB)/ SDHC (16GB), 9MB built in memory, Li-Ion battery, Romanian OSD, Black | 70.672 | EUR | 373.9344 | 0 | 12 | 25065 |
| Camere foto digitale | Benq | Digital Camera Benq E1240, 12 MP, CCD sensor, 3x optical zoom, 2,7" LCD, card support SD (4GB)/ SDHC (32GB), 8MB built in memory, Li-Ion battery, Romanian OSD, Blue | 80.864 | EUR | 427.8624 | 0 | 24 | 24273 |
| Camere foto digitale | Benq | Digital Camera Benq T1260, 12 MP, CCD sensor, 4x optical zoom, 3" LCD Touchscreen, card support SD (4GB)/ SDHC (32GB), 12MB built in memory, G-sensor (auto rotation), ecran 3.0", HDR(High Dynamic Range), filmare HD, ISO 3200, 28mm wide lens, Li-Ion battery, Romanian OSD, Metallic Red | 88.48 | EUR | 468.16 | C | 24 | 26072 |
| Camere foto digitale | Benq | Digital Camera Benq W1220, 12 MP, CCD sensor, 5x optical zoom, 2,7" LCD, card support SD (4GB)/ SDHC (32GB), 20MB built in memory, Li-Ion battery, Romanian OSD, Black | 100.352 | EUR | 530.9696 | C | 24 | 24275 |
| Camere foto digitale | Benq | Digital Camera Benq C1230, 12.1 MP, CCD sensor, 3x optical zoom, 2,7" LCD, card support SD/SDHC, 15MB built in memory, 2xAA battery, Romanian OSD | 70.672 | EUR | 373.9344 | 0 | 24 | 22686 |
| Camere foto digitale | Benq | Digital Camera Benq C1250, 12 MP, CCD sensor, 3x optical zoom, 2,7" LCD, card support SD (4GB)/ SDHC (32GB), 15MB built in memory, 2xAA battery, USB, Romanian OSD, Black | 52.864 | EUR | 279.7088 | 0 | 24 | 23505 |
| Camere foto digitale | Benq | Digital Camera Benq C1420, 14 MP, CCD sensor, 3x optical zoom, 2,7" LCD, card support SD/SDHC, 23MB built in memory, filmare HD (720P), 2xAA battery, Romanian OSD | 60.368 | EUR | 319.4128 | C | 24 | 26071 |
| Camere foto digitale | Panasonic | Digital Camera Panasonic Lumix DMC-FZ38EP-K, 12.1 Mpixel CCD, 2.7" TFT LCD, Powe OIS, zoom optic 18x, zoom digital max. 72x (combinat cu zoom extra optic), 40MB memorie interna (SD/SDHC), extrem de subtire, HD Movie recorder, Lentila LEICA DC VARIO-ELMARIT, Li-Ion Battery | 264.208 | EUR | 1397.95 | C | 24 | 21976 |
| Camere foto digitale | Panasonic | Digital Camera Panasonic FZ38, 12.1 MP, CCD, 2.7" TFT LCD, 18x optical zoom; Filmare HD, Obiectiv Leica DC Vario-Elmarit (F2.8-4.4), Blit incorporat, 40 MB memorie interna, compatibil card SD/SDHC, HDMI+ cablu HDMI, Card SD 4GB | 305.312 | EUR | 1615.432 | 0 | 24 | 23527 |
| Camere foto digitale | Sony | Digital Camera Sony HX1 Black, 9.1MP, CMOS EXMOR, 20x optical zoom, 3.0" TFT hibrid LCD, SteadyShot, HD Output, ISO 3200, Smile Shutter, memorie interna 11 MB, compatibil Memory Stick Duo/PRO Duo PRO-HG Duo,Lithium H battery | 340.144 | EUR | 1799.728 | C | 24 | 23022 |
| Camere foto digitale | Sony | Digital Camera Sony HX5V Black, 10.2MP, CMOS Exmor R, 10x optical zoom, 3.0" TFT hibrid LCD, GPS tracking, SteadyShot, HD/HDMI Output, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo sicaard SD/SDHC, Lithium G battery, Sony Premium G Lens | 280 | EUR | 1481.502 | C | 24 | 23020 |
| Camere foto digitale | Sony | Digital Camera Sony HX5V Black + Acumulator NP-FG1, 10.2MP, CMOS Exmor R, 10x optical zoom, 3.0" TFT hibrid LCD, GPS tracking, SteadyShot, HD/HDMI Output, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, Lithium G battery, Sony Premium G Lens | 280 | EUR | 1481.502 | C | 24 | 25287 |

| | | | | | | | | |
|-------------|------|---|---------|-----|----------|----|----|-------|
| Camere foto | Sony | Digital Camera Sony HX5V Gold, 10.2MP, CMOS Exmor R, 10x optical zoom, 3.0" TFT hibrid LCD, GPS tracking, SteadyShot, HD/HDMI Output, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, Lithium G battery, Sony Premium G Lens | 280 | EUR | 1481.502 | C | 24 | 23021 |
| Camere foto | Sony | Digital Camera Sony S2000 Black, 10.1MP, CCD senzor, 3x optical zoom, 2.5" TFT hibrid LCD, ISO3200, memorie interna 6 MB, compatibil Memory Stick Duo/ PRO Duo/ PRO-HG Duo si card SD/SDHC, 2xAA battery | 65.968 | EUR | 349.0368 | C | 24 | 22993 |
| Camere foto | Sony | Digital Camera Sony S2000 Silver, 10.1MP, CCD senzor, 3x optical zoom, 2.5" TFT hibrid LCD, ISO3200, memorie interna 6 MB, compatibil Memory Stick Duo/ PRO Duo/ PRO-HG Duo si card SD/SDHC, 2xAA battery | 65.968 | EUR | 349.0368 | C | 24 | 22994 |
| Camere foto | Sony | Digital Camera Sony TX1 Grey, 10.2MP, CMOS Exmor R, 4x optical zoom, 3.0" TFT hibrid LCD, TouchScreen, SteadyShot, HD Output, ISO3200, Smile Shutter, D-Range Optimizer, memorie interna 11 MB,compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo, Lithium D battery | 236.208 | EUR | 1249.797 | C | 24 | 23013 |
| Camere foto | Sony | Digital Camera Sony TX1 Silver, 10.2MP, CMOS Exmor R, 4x optical zoom, 3.0" TFT hibrid LCD, TouchScreen, SteadyShot, HD Output, ISO3200, Smile Shutter, D-Range Optimizer, memorie interna 11 MB, | 236.208 | EUR | 1249.797 | C | 24 | 23014 |
| Camere foto | Sony | Digital Camera Sony TX5 Black, 10.2MP, CMOS Exmor R, 4x optical zoom, 3.0" TFT hibrid LCD, TouchScreen, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/ PRO Duo/ PRO-HG Duo si card SD/SDHC, Lithium N battery, Carl Zeiss Vario Tessar Lens, HD Output | 252.112 | EUR | 1333.942 | 0 | 24 | 23525 |
| Camere foto | Sony | Digital Camera Sony TX5 Red, 10.2MP, CMOS Exmor R, 4x optical zoom, 3.0" TFT hibrid LCD, TouchScreen, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/ PRO Duo/ PRO-HG Duo si card SD/SDHC, Lithium N battery, Carl Zeiss Vario Tessar Lens, HD Output | 252.112 | EUR | 1333.942 | C | 24 | 23526 |
| Camere foto | Sony | Digital Camera Sony TX7 Blue, 10.2MP, CMOS Exmor R, 4x optical zoom, 3.5" TFT hibrid LCD, TouchScreen, SteadyShot, HD Output, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/ PRO Duo/PRO-HG Duo si card SD/SDHC,Lithium N battery, Carl ZeissVario-Tessar Len | 310.688 | EUR | 1643.88 | C | 24 | 23017 |
| Camere foto | Sony | Digital Camera Sony TX7 Red, 10.2MP, CMOS Exmor R, 4x optical zoom, 3.5" TFT hibrid LCD, TouchScreen, SteadyShot, HD Output, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC,Lithium N battery, Carl ZeissVario-Tessar Len | 310.688 | EUR | 1643.88 | 0 | 24 | 23015 |
| Camere foto | Sony | Digital Camera Sony TX7 Silver, 10.2MP, CMOS Exmor R, 4x optical zoom, 3.5" TFT hibrid LCD, TouchScreen, SteadyShot, HD Output, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC,Lithium N battery, Carl ZeissVario-Tessar Len | 310.688 | EUR | 1643.88 | C | 24 | 23016 |
| Camere foto | Sony | Digital Camera Sony WX1 Black, 10.2MP, CMOS Exmor R, 5x optical zoom, 2.7" TFT hibrid LCD, SteadyShot, HD Output, ISO3200, Smile Shutter, memorie interna 11 MB, compatibil Memory Stick Duo/ PRO Duo/ PRO-HG Duo,Lithium G battery | 212.8 | EUR | 1125.947 | C | 24 | 23012 |
| Camere foto | Sony | Digital Camera Sony S2100 Black+ Charger + 2GB/Bonus, 12.1MP, CCD senzor, 3x optical zoom, 3.0" TFT hibrid LCD, ISO3200, memorie interna 6 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, 2xAA battery | 88.256 | EUR | 466.9728 | S | 24 | 24696 |
| Camere foto | Sony | Digital Camera Sony S2100 Silver, 12.1MP, CCD senzor, 3x optical zoom, 3.0" TFT hibrid LCD, ISO3200, memorie interna 6 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, 2xAA battery | 88.256 | EUR | 466.9728 | 0 | 24 | 22996 |
| Camere foto | Sony | Digital Camera Sony W310 Black, 12.1MP, CCD senzor, 4x optical zoom, 2.7" TFT hibrid LCD, ISO3200, memorie interna 6 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, Lithium N battery, Sony Lens | 101.248 | EUR | 535.7072 | 0 | 24 | 22999 |
| Camere foto | Sony | Digital Camera Sony W310 Black+ card 2GB, 12.1MP, CCD senzor, 4x optical zoom, 2.7" TFT hibrid LCD, ISO3200, memorie interna 6 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, Lithium N battery, Sony Lens | 101.248 | EUR | 535.7072 | M | 24 | 24276 |
| Camere foto | Sony | Digital Camera Sony W310 Pink, 12.1MP, CCD senzor, 4x optical zoom, 2.7" TFT hibrid LCD, ISO3200, memorie interna 6 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, Lithium N battery, Sony Lens | 101.248 | EUR | 535.7072 | SL | 24 | 23001 |
| Camere foto | Sony | Digital Camera Sony W310 Silver, 12.1MP, CCD senzor, 4x optical zoom, 2.7" TFT hibrid LCD, ISO3200, memorie interna 6 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, Lithium N battery, Sony Lens | 101.248 | EUR | 535.7072 | 0 | 24 | 23000 |
| Camere foto | Sony | Digital Camera Sony W310 Silver+ card 2GB, 12.1MP, CCD senzor, 4x optical zoom, 2.7" TFT hibrid LCD, ISO3200, memorie interna 6 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, Lithium N battery, Sony Lens | 101.248 | EUR | 535.7072 | S | 24 | 24277 |
| Camere foto | Sony | Digital Camera Sony H55 Black, 14.1MP, CCD senzor, 10x optical zoom, 3.0" TFT hibrid LCD, SteadyShot, HD Output, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, Lithium G battery, Sony PremiumG Lens | 187.488 | EUR | 992.0176 | 0 | 24 | 23018 |
| Camere foto | Sony | Digital Camera Sony H55 Black+ SD Card 4GB Bonus, 14.1MP, CCD senzor, 10x optical zoom, 3.0" TFT hibrid LCD, SteadyShot, HD Output, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, Lithium G battery, Sony Premium G Lens | 187.488 | EUR | 992.0176 | C | 24 | 25286 |
| Camere foto | Sony | Digital Camera Sony H55 Silver, 14.1MP, CCD senzor, 10x optical zoom, 3.0" TFT hibrid LCD, SteadyShot, HD Output, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, Lithium G battery, Sony Premium G Lens | 187.488 | EUR | 992.0176 | C | 24 | 23019 |
| Camere foto | Sony | Digital Camera Sony W320 Black, 14.1MP, CCD senzor, 4x optical zoom, 2.7" TFT hibrid LCD, ISO3200, memorie interna 28 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, Lithium N battery ,Carl ZeissVario-Tessar Lens | 116.928 | EUR | 618.6768 | C | 24 | 23003 |
| Camere foto | Sony | Digital Camera Sony W320 Pink, 14.1MP, CCD senzor, 4x optical zoom, 2.7" TFT hibrid LCD, ISO3200, memorie interna 28 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, Lithium N battery,Carl ZeissVario-Tessar Lens | 116.928 | EUR | 618.6768 | C | 24 | 23005 |
| Camere foto | Sony | Digital Camera Sony W320 Silver, 14.1MP, CCD senzor, 4x optical zoom, 2.7" TFT hibrid LCD, ISO3200, memorie interna 28 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC, Lithium N battery,Carl ZeissVario-Tessar Lens | 116.928 | EUR | 618.6768 | C | 24 | 23004 |
| Camere foto | Sony | Digital Camera Sony W350 Black, 14.1MP, CCD senzor, 4x optical zoom, 2.7" TFT hibrid LCD, SteadyShot, HD Output ,ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC/SDXC,Lithium N battery, Carl ZeissVario-Tessar Lens | 140.56 | EUR | 743.7136 | 0 | 24 | 23006 |
| Camere foto | Sony | Digital Camera Sony W350 Black+ Acumulator NPNB1.CE/Bonus, 14.1MP, CCD senzor, 4x optical zoom, 2.7" TFT hibrid LCD, SteadyShot, HD Output ,ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC/SDXC, Lithium N battery, Carl ZeissVario-Tessar Lens | 140.56 | EUR | 743.7136 | C | 24 | 25679 |
| Camere foto | Sony | Digital Camera Sony W350 Gold, 14.1MP, CCD senzor, 4x optical zoom, 2.7" TFT hibrid LCD, SteadyShot, HD Output ,ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC/SDXC,Lithium N battery, Carl ZeissVario-Tessar Lens | 140.56 | EUR | 743.7136 | C | 24 | 23007 |
| Camere foto | Sony | Digital Camera Sony W350 Gold+ Acumulator NPNB1.CE/Bonus, 14.1MP, CCD senzor, 4x optical zoom, 2.7" TFT hibrid LCD, SteadyShot, HD Output , ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC/SDXC, Lithium N battery, Carl ZeissVario-Tessar Lens | 140.56 | EUR | 743.7136 | C | 24 | 25678 |
| Camere foto | Sony | Digital Camera Sony W350 Pink, 14.1MP, CCD senzor, 4x optical zoom, 2.7" TFT hibrid LCD, SteadyShot, HD Output ,ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC/SDXC,Lithium N battery, Carl ZeissVario-Tessar Lens | 140.56 | EUR | 743.7136 | C | 24 | 23008 |

| | | | | | | | | |
|-------------|-------|--|---------|-----|----------|---|----|-------|
| Camere foto | Sony | Digital Camera Sony W380 Black, 14.1MP, CCD senzor, 5x optical zoom, 2.7" TFT hibrid LCD, SteadyShot, HD Output, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC/SDXC,Lithium N battery, Sony Premium G Lens | 171.472 | EUR | 907.2672 | C | 24 | 23009 |
| Camere foto | Sony | Digital Camera Sony W380 Red, 14.1MP, CCD senzor, 5x optical zoom, 2.7" TFT hibrid LCD, SteadyShot, HD Output, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC/SDXC,Lithium N battery, Sony Premium G Lens | 171.472 | EUR | 907.2672 | C | 24 | 23011 |
| Camere foto | Sony | Digital Camera Sony W380 Silver, 14.1MP, CCD senzor, 5x optical zoom, 2.7" TFT hibrid LCD, SteadyShot, HD Output, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/PRO Duo/PRO-HG Duo si card SD/SDHC/SDXC,Lithium N battery, Sony Premium G Lens | 171.472 | EUR | 907.2672 | C | 24 | 23010 |
| Camere foto | Sony | Digital Camera Sony W390 Black, 14.1MP, CCD senzor, 5x optical zoom, 3.0" TFT hibrid LCD, SteadyShot, HD Output, ISO3200, memorie interna 45 MB, compatibil Memory Stick Duo/ PRO Duo/ PRO-HG Duo si card SD/SDHC, Lithium N battery, Sony Premium G Lens | 180.88 | EUR | 957.0512 | C | 24 | 25285 |
| Camere foto | Sony | Digital Camera Sony A230L, 10.2MP, CCD in cruce (9 puncte), obiectiv SAL1855, 2.7" TFT hibrid LCD, Super SteadyShot integrat in camera + AntiBlur ISO 3200, Procesor de imagine BIONZ, D-Range Optimiser, Sistem Dublu Antipraf, iesire HD/HDMI, compatibil Memory Stick Pro Duo / PRO-HG Duo / PRO-HG Duo HX / SD card / SDHC card, Lithium N battery | 377.664 | EUR | 1998.248 | C | 24 | 24378 |
| Camere foto | Sony | Digital Camera Sony A230Y, 10.2MP, CCD in cruce (9 puncte), obiectiv SAL1855 + SAL55200, 2.7" TFT hibrid LCD, Super SteadyShot integrat in camera + AntiBlur ISO 3200, Procesor de imagine BIONZ, D-Range Optimiser, Sistem Dublu Antipraf, iesire HD/HDMI, compatibil Memory Stick Pro Duo / PRO-HG Duo / PRO-HG Duo HX / SD card / SDHC card, Lithium N battery | 481.712 | EUR | 2548.773 | C | 24 | 24379 |
| Camere foto | Sony | Digital Camera Sony A300X, 10.2MP, CCD in linie (9 puncte), obiectiv SAL1870 + SAL55200, 2.7" TFT hibrid LCD, Super SteadyShot integrat in camera + AntiBlur ISO 3200, Procesor de imagine BIONZ, D-Range Optimiser, Sistem Dublu Antipraf, compatibil Compact Flash (tip I/II) / Microdrive, Lithium N battery | 583.184 | EUR | 3085.678 | C | 24 | 24380 |
| Camere foto | Sony | Digital Camera Sony A330L, 10.2MP, CCD in cruce (9 puncte), obiectiv SAL1855, 2.7" TFT hibrid LCD Pivotant, Quick AF Live View, Super SteadyShot integrat in camera + AntiBlur ISO 3200, Procesor de imagine BIONZ, D-Range Optimiser, Sistem Dublu Antipraf, iesire HD/HDMI, compatibil Memory Stick Pro Duo / PRO-HG Duo / PRO-HG Duo HX / SD card / SDHC card, Lithium N battery | 428.4 | EUR | 2266.701 | C | 24 | 24381 |
| Camere foto | Sony | Digital Camera Sony A330Y, 10.2MP, CCD in cruce (9 puncte), obiectiv SAL1855 + SAL55200, 2.7" TFT hibrid LCD Pivotant, Quick AF Live View, Super SteadyShot integrat in camera + AntiBlur ISO 3200, Procesor de imagine BIONZ, D-Range Optimiser, Sistem Dublu Antipraf, iesire HD/HDMI, compatibil Stick Pro Duo/ PRO-HG Duo/ PRO-HG Duo HX/ SD card/ SDHC card, Lithium N battery | 585.648 | EUR | 3098.715 | C | 12 | 21554 |
| Camere foto | Sony | Digital Camera Sony A500L, 12.3MP, CMOS, obiectiv SAL 18-55, 3.0" Clear Photo LCD , ISO 3200, Quick AF Live View, Super SteadyShot, AntiBlur, BIONZ, D-Range Optimiser, Sistem Dublu Antipraf , Memory Stick PRO Duo/ PRO-HG Duo/ SD/ SDHC, iesire HD/HDMI , USB 2.0 , Acumulator NP-FM500H, Black | 548.912 | EUR | 2904.339 | C | 24 | 25737 |
| Camere foto | Sony | Digital Camera Sony A700K, 12.2MP, CMOS EXMOR in linie (11 puncte), obiectiv SAL1870, 3.0" TFT hibrid LCD, Super SteadyShot integrat in camera + AntiBlur ISO 6400, Procesor de imagine BIONZ, D-Range Optimiser, Sistem Dublu Antipraf, compatibil Compact Flash (tip I/II) / Microdrive, Lithium N battery | 808.864 | EUR | 4279.766 | 0 | 24 | 24384 |
| Camere foto | Sony | Digital Camera Sony A380L, 14.2MP, CCD in cruce (9 puncte), obiectiv SAL1855, 2.7" TFT hibrid LCD Pivotant, Quick AF Live View, Super SteadyShot integrat in camera + AntiBlur ISO 3200, Procesor de imagine BIONZ, D-Range Optimiser, Sistem Dublu Antipraf, iesire HD/HDMI, compatibil Memory Stick Pro Duo / PRO-HG Duo / PRO-HG Duo HX / SD card / SDHC card, Lithium N battery | 507.024 | EUR | 2682.702 | C | 24 | 24382 |
| Camere foto | Sony | Digital Camera Sony A380Y, 14.2MP, CCD in cruce (9 puncte), obiectiv SAL1855 + SAL55200, 2.7" TFT hibrid LCD Pivotant, Quick AF Live View, Super SteadyShot integrat in camera + AntiBlur ISO 3200, Procesor de imagine BIONZ, D-Range Optimiser, Sistem Dublu Antipraf, iesire HD/HDMI, compatibil Memory Stick Pro Duo / PRO-HG Duo / PRO-HG Duo HX / SD card / SDHC card, Lithium N battery | 697.312 | EUR | 3689.538 | C | 24 | 24383 |
| Camere foto | Sony | Digital Camera Sony A550L, 14.2MP, CMOS, obiectiv SAL 18-55, 3.0" LCD Xtra Fine, ISO 3200, Quick AF Live View, Super SteadyShot, AntiBlur, BIONZ, D-Range Optimiser, Sistem Dublu Antipraf, Memory Stick PRO Duo/ PRO-HG Duo/ SD/ SDHC, iesireHD/HDMI, USB 2.0, Acumulator NP-FM500H, Black | 632.352 | EUR | 3345.821 | 0 | 24 | 25736 |
| Camere foto | Sony | Digital Camera Sony A900, 24.6MP, CMOS EXMOR Full Frame, Body, 3.0" TFT hibrid LCD, Super SteadyShot integrat in camera + AntiBlur ISO 6400, Procesor de imagine Dual BIONZ, D-Range Optimiser, Sistem Dublu Antipraf, compatibil Memory StickDuo/ PRO Duo / Compact Flash (tip I/II) / Microdrive, Lithium N battery | 2356.37 | EUR | 12467.73 | 0 | 24 | 24387 |
| Camere foto | Sony | Digital Camera Sony NEX-3, 14.2 MP, CMOS Exmor APS HD, 3" TruBlack LCD, HD movie, 7.5cm LCD, Sweep Panorama, ISO200-12800, NP-FW50 battery, obiectiv 18-55mm, Black | 455.504 | EUR | 2410.106 | C | 24 | 25745 |
| Camere foto | Sony | Digital Camera Sony NEX-5, 14.2 MP, CMOS Exmor APS HD, 3" TruBlack LCD, HD 1080i movie, 7.5cm LCD, Sweep Panorama, ISO20-12800, NP-FW50 battery, obiectiv 18-55mm, Black | 539.056 | EUR | 2852.192 | 0 | 24 | 25746 |
| Camere foto | Sony | Digital Camera Sony NEX-5, 14.2 MP, CMOS Exmor APS HD, 3" TruBlack LCD, HD 1080i movie, 7.5cm LCD, Sweep Panorama, ISO20-12800, NP-FW50 battery, obiectiv 18-55mm, Silver | 539.056 | EUR | 2852.192 | 0 | 24 | 25747 |
| Camere foto | Nikon | Digital Camera Nikon Coolpix L110 Black, 12.1 Mpixeli CCD, SD/SDHC Card, 7.7cm LCD display, USB, 15x Optical - 4x Digital Zoom, filmare 640x480@30fps, ISO 80-6400, stabilizator optic de imagine VR, 4xAA, | 204.96 | EUR | 1084.462 | C | 24 | 22948 |
| Camere foto | Nikon | Digital Camera Nikon Coolpix L21 Brown, 8.0 MP, 3.6x zoom optic, 4x zoom digital, 6.2cm TFT, 230.000 pixeli, ISO 80-1600, 2xAA, Filmare 640x480@30fps, Slot SD,procesor Expeed | 71.568 | EUR | 378.672 | C | 24 | 23023 |
| Camere foto | Nikon | Digital Camera Nikon Coolpix L21 Silver, 8.0 MP, 3.6x zoom optic, 4x zoom digital, 6.2cm TFT, 230.000 pixeli, ISO 80-1600, 2xAA, Filmare 640x480@30fps, Slot SD,procesor Expeed | 71.568 | EUR | 378.672 | S | 24 | 23024 |
| Camere foto | Nikon | Digital Camera Nikon Coolpix L22 Black, 12.0 MP, 3.6x zoom optic, 4x zoom digital, 7.5cm TFT, 230.000 pixeli, ISO 80-1600,2x AA alcaline(LR6/L40), Filmare 640x480@30fps, Slot SD/SDHC | 92.064 | EUR | 487.1216 | S | 24 | 23025 |
| Camere foto | Nikon | Digital Camera Nikon Coolpix S1000pj Black, 12.1 MP, 5x cu unghi larg zoom optic, 4x zoom digital, 6.85 cm TFT, 230.000 pixeli, VR (Stabilizator de imagine optic si electronic), ISO 80-6400, acumulator reincarcabil Li-ion EN-E12, filmare 640x480@30fps, Slot SD/SDHC, proiector incorporat, pana la 10 lumeni, format imagine 12.7-101.6cm, dist. proiectare 26cm-2m, cu telecomanda | 204.96 | EUR | 1084.462 | 0 | 24 | 23039 |
| Camere foto | Nikon | Digital Camera Nikon Coolpix S3000 Black, 12.0 MP, 4x cu unghi larg zoom optic, 4x zoom digital, 6.7 cm TFT, VR (Stabilizator de imagine electronic si in senzor), ISO 80-3200, Filmare 640x480@30fps, Slot SD/SDHC | 112.672 | EUR | 596.1536 | S | 24 | 23027 |
| Camere foto | Nikon | Digital Camera Nikon Coolpix S3000 Blue, 12.0 MP, 4x cu unghi larg zoom optic, 4x zoom digital, 6.7 cm TFT, VR (Stabilizator de imagine electronic si in senzor), ISO 80-3200, Filmare 640x480@30fps, Slot SD/SDHC | 112.672 | EUR | 596.1536 | C | 24 | 23029 |
| Camere foto | Nikon | Digital Camera Nikon Coolpix S3000 Green, 12.0 MP, 4x cu unghi larg zoom optic, 4x zoom digital, 6.7 cm TFT, VR (Stabilizator de imagine electronic si in senzor), ISO 80-3200, Filmare 640x480@30fps, Slot SD/SDHC | 112.672 | EUR | 596.1536 | C | 24 | 23030 |
| Camere foto | Nikon | Digital Camera Nikon Coolpix S3000 Magenta, 12.0 MP, 4x cu unghi larg zoom optic, 4x zoom digital, 6.7 cm TFT, VR (Stabilizator de imagine electronic si in senzor), ISO 80-3200, Filmare 640x480@30fps, Slot SD/SDHC | 112.672 | EUR | 596.1536 | C | 24 | 23031 |
| Camere foto | Nikon | Digital Camera Nikon Coolpix S3000 Orange, 12.0 MP, 4x cu unghi larg zoom optic, 4x zoom digital, 6.7 cm TFT, VR (Stabilizator de imagine electronic si in senzor), ISO 80-3200, Filmare 640x480@30fps, Slot SD/SDHC | 112.672 | EUR | 596.1536 | C | 24 | 23032 |

| | | | | | | | | |
|-------------|-------|--|---------|-----|----------|---|----|-------|
| Camere foto | Nikon | Digital Camera Nikon Coolpix S3000 Red, 12.0 MP, 4x cu unghi larg zoom optic, 4x zoom digital, 6.7 cm TFT, VR (Stabilizator de imagine electronic si in senzor), ISO 80-3200, Filmare 640x480@30fps, Slot SD/SDHC | 112.672 | EUR | 596.1536 | C | 24 | 23033 |
| Camere foto | Nikon | Digital Camera Nikon Coolpix S3000 Silver, 12.0 MP, 4x cu unghi larg zoom optic, 4x zoom digital, 6.7 cm TFT, VR (Stabilizator de imagine electronic si in senzor), ISO 80-3200, Filmare 640x480@30fps, Slot SD/SDHC | 112.672 | EUR | 596.1536 | C | 24 | 23028 |
| Camere foto | Nikon | Digital Camera Nikon Coolpix S8000 Black, 14.2 MP, 10x zoom optic, 2x zoom digital, 7.5 cm TFT, VR (Stabilizator de imagine in senzor), ISO 100-3200, Filmare 640x480@30fps, Slot SD/SDHC | 225.456 | EUR | 1192.901 | C | 24 | 23038 |
| Camere foto | Nikon | Digital Camera Nikon Coolpix S8000 Brown, 14.2 MP, 10x zoom optic, 2x zoom digital, 7.5 cm TFT, VR (Stabilizator de imagine in senzor), ISO 100-3200, Filmare 640x480@30fps, Slot SD/SDHC | 225.456 | EUR | 1192.901 | C | 24 | 23037 |
| Camere foto | Nikon | Digital Camera Nikon D3000 KIT 18-55 VR, 10.2 MP, 3D Color Matrix Metering II, 11 puncte AF, ISO 100-1600 (extins 3200), 1/4000s - 30s + Bulb, Mod burst - 3fps, Blit i-TTL, sincronizare max. 1/200s, LCD 3 inch, SD, suport SDHC, Li-ion EN-EL9a, Nikkor 18-55mm f/3.5-5.6G AF-S DX VR | 389.536 | EUR | 2061.069 | C | 24 | 23040 |
| Camere foto | Nikon | Digital Camera Nikon D5000 KIT 18-55 AF-S DX VR, 12.3 MP, Filmare HD 1280 x 720/24 fps, 3D Color Matrix Metering II, 11 puncte AF, ISO 200-3200 extins (100-6400), 1/4000s - 30s + Bulb, Mod burst - 4fps, Blit i-TTL, sincronizare max. 1/200s, LCD 2.7 inch cu unghi variabil, SD, suport SDHC, Li-ion EN-EL9a, Nikkor 18-55mm f/3.5-5.6G AF-S DX VR | 533.12 | EUR | 2820.776 | C | 24 | 23041 |
| Camere foto | Nikon | Digital Camera Nikon D90 KIT 18-105 VR, 12.3 MP Filmare 1280 x 720 @ 24fps, 3D Color Matrix Metering II, 11-area AF, ISO 200-3200 (extins 100-6400), 1/4000s - 30s + Bulb, Mod burst: 4.5fps, i-TTL, sincronizare blit max 1/200s, 7.6 LCD,SD, suport SDHC, acumulator EN-EL3e, 7.4V/1500mAh, stamina 850 poze, Nikkor 18-105mm f/3.5-5.6G ED VR AF-S DX | 820.4 | EUR | 4340.806 | C | 24 | 23042 |
| Camere foto | Canon | Digital Camera Canon PowerShot A3000 IS 10 MP and 4 optical zoom, Stabilizator optic de imagine, Meniu in limba romana, DIGIC III , FaceSelf-Timer, Smart Auto & Easy modes with Scene Detection Technology, AiAF, 2.7" LCD Screen, Movie Up to4GB or 1 hour, Hi-Speed USB (MTP, PTP) dedicated connector (Mini-B compatible), A/V output, card memorie tip SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 3 cm, acumulator Lilon NB-8L + incarcator CB-2LAE | 92.288 | EUR | 488.2976 | C | 12 | 24287 |
| Camere foto | Canon | Digital Camera Canon PowerShot A490 Silver 10.0 MP and 3.3 optical zoom, DIGIC III, Smart Auto mode, Face Detection & Auto Red-Eye Correction, Motion Detection Technology, AiAF (Face Detection / 5-point), 1-point AF (fixed centre), 14 shooting modes, 2.5" LCD Screen, Movie Length Up to 4GB or 1 hour, memory card SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash Range 30cm, ISO 1600, macro 1cm, 2 baterii alcaline tip AA | 60.032 | EUR | 317.632 | S | 12 | 22611 |
| Camere foto | Canon | Digital Camera Canon PowerShot A495 Blue 10.0 MP and 3.3 optical zoom, Meniu in limba romana, FaceSelf-Timer, DIGIC III, Smart Auto mode, Face Detection & Auto Red-Eye Correction , Motion Detection Technology, AiAF, 2.5" LCD Screen, Movie Length Up to 4GB or 1 hour, USB & A/V output (PAL/NTSC) , memory card type SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600 , macro 1cm, 2 baterii alcaline tip AA | 90.384 | EUR | 478.2288 | 0 | 12 | 25239 |
| Camere foto | Canon | Digital Camera Canon PowerShot A495 Red 10.0 MP and 3.3 optical zoom, Meniu in limba romana, FaceSelf-Timer, DIGIC III, Smart Auto mode, Face Detection & Auto Red-Eye Correction , Motion Detection Technology, AiAF, 2.5" LCD Screen, Movie Length Up to 4GB or 1 hour, USB & A/V output (PAL/NTSC) , memory card type SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600 , macro 1cm, 2 baterii alcaline tip AA | 90.384 | EUR | 478.2288 | 0 | 12 | 25241 |
| Camere foto | Canon | Digital Camera Canon PowerShot A495 Silver 10.0 MP and 3.3 optical zoom, Meniu in limba romana, FaceSelf-Timer, DIGIC III, Smart Auto mode, Face Detection & Auto Red-Eye Correction , Motion Detection Technology, AiAF, 2.5" LCD Screen, MovieLength Up to 4GB or 1 hour, USB & A/V output (PAL/NTSC) , memory card type SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600 , macro 1cm, 2 baterii alcaline tip AA | 87.136 | EUR | 461.048 | C | 12 | 24286 |
| Camere foto | Canon | Digital Camera Canon PowerShot G11 10.0 MP and 5x optical zoom , Stabilizator de imagine, Dual Anti-Noise System DIGIC 4with iSAPS technology, AiAF , Full Manual control & RAW, Smart Auto mode and Servo AF/AE, Face Detection, 2.8" vari-angle LCD, inregistrare film Up to 4GB, USB, A/V output, HDMI, SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 3200, macro de la min. 1 cm, sta, acumulator+ incarcator | 468.72 | EUR | 2480.038 | 0 | 12 | 24296 |
| Camere foto | Canon | Digital Camera Canon PowerShot S90 10.0 MP and 3.8 optical zoom, VGA movies (30fps) & HDMI, Stabilizator optic de imagine, DIGIC IV and iSAPS , AF System/ Points: AiAF, Dual Anti-Noise System with DIGIC 4, Full Manual control & RAW, SmartAuto mode & Servo AF/AE, Face Detection, 3.0" PureColor LCD, Movie Up to 4GB, USB, A/V output, HDMI, Card SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 5 cm, acumulator+ incarcator | 368.48 | EUR | 1949.662 | C | 12 | 24295 |
| Camere foto | Canon | Digital Camera Canon PowerShot SX120 IS 10.0 MP and 10 optical zoom. VGA movies with sound, Stabilizator optic de imagine, Meniu in limba romana, DIGIC IV and iSAPS, Scene Detection, Face Detection, Motion Detection, i-Contrast, Shooting momodels including Full Manual control, Large 3.0" LCD , Movie Up to Up to 4GB, Hi-Speed USB, Mini-B compatible, A/V output, Card SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 1 cm, 2 baterii alcaline AA | 131.04 | EUR | 693.3472 | S | 12 | 24292 |
| Camere foto | Canon | Digital Camera Canon PowerShot A3100 IS Black 12.1 MP and 4 optical zoom, Stabilizator optic de imagine, Meniu in limba romana, DIGIC III , FaceSelf-Timer, Smart Auto & Easy modes with Scene Detection Technology, AiAF, 2.7" LCD Screen, Movie Up to 4GB or 1 hour, Hi-Speed USB (MTP, PTP), dedicated connector (Mini-B compatible), A/V output, card memorie tip SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 3 cm, Standard: acumulator Lilon NB-8L + incarcator | 113.456 | EUR | 600.3088 | 0 | 12 | 24289 |
| Camere foto | Canon | Digital Camera Canon PowerShot A3100 IS Blue 12.1 MP and 4 optical zoom, Stabilizator optic de imagine, Meniu in limba romana, DIGIC III , FaceSelf-Timer, Smart Auto & Easy modes with Scene Detection Technology, AiAF, 2.7" LCD Screen, MovieUp to 4GB or 1 hour, Hi-Speed USB (MTP, PTP), dedicated connector (Mini-B compatible), A/V output, card memorie tip SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 3 cm, Standard: acumulator Lilon NB-8L + incarcator | 117.6 | EUR | 622.2272 | 0 | 12 | 25233 |
| Camere foto | Canon | Digital Camera Canon PowerShot A3100 IS Red 12.1 MP and 4 optical zoom, Stabilizator optic de imagine, Meniu in limba romana, DIGIC III , FaceSelf-Timer, Smart Auto & Easy modes with Scene Detection Technology, AiAF, 2.7" LCD Screen, MovieUp to 4GB or 1 hour, Hi-Speed USB (MTP, PTP), dedicated connector (Mini-B compatible), A/V output, card memorie tip SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 3 cm, Standard: acumulator Lilon NB-8L + incarcator | 117.6 | EUR | 622.2272 | 0 | 12 | 25234 |
| Camere foto | Canon | Digital Camera Canon PowerShot A3100 IS Silver 12.1 MP and 4 optical zoom, Stabilizator optic de imagine, Meniu in limba romana, DIGIC III , FaceSelf-Timer, Smart Auto & Easy modes with Scene Detection Technology, AiAF, 2.7" LCD Screen, Movie Up to 4GB or 1 hour, Hi-Speed USB (MTP, PTP), dedicated connector (Mini-B compatible), A/V output, card memorie tip SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 3 cm, Standard: acumulator Lilon NB-8L + incarcator | 113.456 | EUR | 600.3088 | 0 | 12 | 24288 |
| Camere foto | Canon | Digital Camera Canon PowerShot D10 12.1 MP and 3 optical zoom, Resistant to water, shock, dust & cold , Stabilizator optic de imagine, Meniu in limba romana, DIGIC IV and iSAPS , AiAF, Scene, Motion & Face Detection Technology, 2.5" PureColor LCD Screen, Movie Up to 4GB or 1 hour, Hi-Speed USB (MTP, PTP), dedicated connector (Mini-B compatible), A/V output, SD, SDHC, MMC, MMCplus, HC MMCplus, Built In Flash, ISO 1600, macro 3 cm, Standard Li-ion Battery NB-6L + incarcator | 237.44 | EUR | 1256.315 | C | 12 | 24291 |
| Camere foto | Canon | Digital Camera Canon PowerShot SX20 IS 12.1 MP and 20 optical zoom (wide-angle lens 28mm) , HD movies (720p), Stabilizator optic de imagine, DIGIC IV and iSAPS , Hot shoe for external flash, 2.5" vari-angle PureColor VA LCD, Movie Up 4GB,Hi-Speed USB (MTP, PTP), dedicated connector (Mini-B compatible), A/V output , HDMI Mini Connector, CardSD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 0 cm, 4 baterii alcaline AA | 291.648 | EUR | 1543.136 | C | 12 | 24294 |

| | | | | | | | | |
|-------------|-------|---|---------|-----|----------|---|----|-------|
| Camere foto | Canon | Digital Camera Canon PowerShot SX210IS Black 14.1 MP, 14x optical zoom, 28mm wide-angle HD movies and HDMI connection, Smart Auto, Face Detection, Smart Flash Exposure, i-Contrast, DIGIC 4 & Servo AF/AE, Manual Control, Stabilizator optic de imagine, 7.6 cm (3.0") PureColor II G (TFT), Movie Up to 4GB (HD), Interfata: Hi-Speed USB, HDMI Mini Connector, A/V output, Card: SD, SDHC, SDXC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 5 cm, battery + incarcator | 280.896 | EUR | 1486.24 | C | 12 | 24293 |
| Camere foto | Canon | Digital Camera Canon PowerShot SX210IS Gold 14.1 MP, 14x optical zoom, 28mm wide-angle HD movies and HDMI connection, Smart Auto, Face Detection, Smart Flash Exposure, i-Contrast, DIGIC 4 & Servo AF/AE, Manual Control, Stabilizator optic de imagine, 7.6 cm (3.0") PureColor II G (TFT), Movie Up to 4GB (HD), Interfata: Hi-Speed USB, HDMI Mini Connector, A/V output, Card: SD, SDHC, SDXC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 5 cm, battery + incarcator | 251.776 | EUR | 1332.162 | 0 | 12 | 25236 |
| Camere foto | Canon | Digital Camera Canon PowerShot SX210IS Purple 14.1 MP, 14x optical zoom, 28mm wide-angle HD movies and HDMI connection, Smart Auto, Face Detection, Smart Flash Exposure, i-Contrast, DIGIC 4 & Servo AF/AE, Manual Control, Stabilizator optic de imagine, 7.6 cm (3.0") PureColor II G (TFT), Movie Up to 4GB (HD), Interfata: Hi-Speed USB, HDMI Mini Connector, A/V output, Card: SD, SDHC, SDXC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 5 cm, battery + incarcator | 251.776 | EUR | 1332.162 | 0 | 12 | 25237 |
| Camere foto | Canon | Digital Camera Canon Digital Ixus 100 Black, 12.1 MP, 3x optical zoom, HD Movies (1280x720, 30fps), HDMI connection, Stabilizator optic de imagine, DIGIC IV and iSAPS, AiAF (Face Detection / 9-point), 1-point AF fixed centre, Face Select & Track, 17 shooting modes, Scene Detect, Anti-Blur, 2.5" LCD PureColor II, SD, SDHC, MMC, MMCplus, HC MMCplus, Movie Up to 4GB or 1 hour, ISO1600, macro 3cm. | 208.208 | EUR | 1101.643 | C | 12 | 21865 |
| Camere foto | Canon | Digital Camera Canon Digital Ixus 105 IS Silver, 12.1 MP, 28mm wide 4x optical zoom, Stabilizator optic de imagine, Smart Auto, Smart Flash Exposure, Face Detection, FaceSelf-Timer, Auto Red-Eye Correction, Motion Detection Technology, 2.7" PureColor LCD II, Movie Length Up to 4GB, Interfata: Hi-Speed USB, A/V output, Card: SD, SDHC, SDXC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 3 cm, standard Li-ion Battery NB-6L+incarcator | 156.688 | EUR | 829.0464 | 0 | 12 | 24298 |
| Camere foto | Canon | Digital Camera Canon Digital Ixus 110 IS Silver, 12.1 MP and 4x optical zoom, Widescreen HD movies (720p) and HDMI connection, Stabilizator optic de imagine, Scene Detection Technology, Anti-Blur, Face Detection Technology, 2.8" wide LCD PureColor LCD II, Movie Length Up to 4GB, Hi-Speed USB, A/V output (PAL/NTSC), SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600 & High ISO Auto, macro 2 cm, standard Li-ion Battery NB-4L+ incarcator | 231.84 | EUR | 1226.68 | C | 12 | 24299 |
| Camere foto | Canon | Digital Camera Canon Digital Ixus 120 IS Black, 12.1 MP and 4x optical zoom, 720p HD movies with sound, Stabilizator optic de imagine, DIGIC 4 and iSAPS, Face Detection, FaceSelf-Timer & Auto Red-Eye Correction, ISO Auto, Motion Detection & IS, i-Contrast, 2.7" PureColor LCD II, Movie Length Up to 4GB, USB, HDMI, SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 3 cm, standard Li-ion Battery NB-4L+incarcator | 134.4 | EUR | 711.1216 | C | 12 | 24300 |
| Camere foto | Canon | Digital Camera Canon Digital Ixus 120 IS Silver, 12.1 MP and 4x optical zoom, 720p HD movies with sound, Stabilizator optic de imagine, DIGIC 4 and iSAPS, Face Detection, FaceSelf-Timer & Auto Red-Eye Correction, ISO Auto, Motion Detection & IS, i-Contrast, 2.7" PureColor LCD II, Movie Length Up to 4GB, USB, HDMI, SD, SDHC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 3 cm, standard Li-ion Battery NB-4L+incarcator | 134.4 | EUR | 711.1216 | C | 12 | 24301 |
| Camere foto | Canon | Digital Camera Canon Digital Ixus 960 IS, 12.1 MP and 3.7x optical zoom, Titanium body with Touch Control Dial, Stabilizator de imagine, menu in limba romana, DIGIC III, 2.5" PureColor LCD, Movie Length Up to 4GB, USB & A/V output, cardSD, SDHC, MMC, MMCplus, HC MMCplus (32MB memory card supplied), Built-in Flash, ISO 1600, macro de la min. 5 cm, standard Li-ion Battery+ incarcator | 302.4 | EUR | 1600.021 | 0 | 12 | 10386 |
| Camere foto | Canon | Digital Camera Canon Digital Ixus 130 IS Black, 14.1 MP, 28mm wide 4x optical zoom, Stabilizator optic de imagine, DIGIC IV & Servo AF/AE, Smart Auto, Face Detection. Hints & Tips, HD movies, Smart Flash Exposure, 2.7" PureColor II G LCD, Movie Length (HD) Up to 4GB, USB, HDMI, A/V output, Card: SD, SDHC, SDXC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 3 cm, standard Li-ion Battery NB-4L+incarcator | 178.64 | EUR | 945.2016 | 0 | 12 | 24303 |
| Camere foto | Canon | Digital Camera Canon Digital Ixus 130 IS Silver, 14.1 MP, 28mm wide 4x optical zoom, Stabilizator optic de imagine, DIGIC IV & Servo AF/AE, Smart Auto, Face Detection. Hints & Tips, HD movies, Smart Flash Exposure, 2.7" PureColor II G LCD, Movie Length (HD) Up to 4GB, USB, HDMI, A/V output, Card: SD, SDHC, SDXC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 3 cm, standard Li-ion Battery NB-4L+incarcator | 169.568 | EUR | 897.1984 | C | 12 | 24302 |
| Camere foto | Canon | Digital Camera Canon Digital Ixus 210 IS Black, 14.1 MP, 28mm wide 5x optical zoom, Stabilizator optic de imagine, DIGIC IV & Servo AF/AE, Smart Auto, Face Detection. Hints & Tips, HD movies. HDMI, Smart Shutter, Smart Flash Exposure, 2.7" PureColor II G LCD, Movie Length (HD) Up to 4GB, USB, HDM, A/V output, card: SD, SDHC, SDXC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 5 cm, standard Li-ion Battery NB-6L+ incarcator | 270.144 | EUR | 1429.355 | 0 | 12 | 24306 |
| Camere foto | Canon | Digital Camera Canon Digital Ixus 210 IS Silver, 14.1 MP, 28mm wide 5x optical zoom, Stabilizator optic de imagine, DIGIC IV & Servo AF/AE, Smart Auto, Face Detection. Hints & Tips, HD movies. HDMI, Smart Shutter, Smart Flash Exposure, 2.7" PureColor II G LCD, Movie Length (HD) Up to 4GB, USB, HDM, A/V output, card: SD, SDHC, SDXC, MMC, MMCplus, HC MMCplus, Built-in Flash, ISO 1600, macro 5 cm, standard Li-ion Battery NB-6L+ incarcator | 270.144 | EUR | 1429.355 | 0 | 12 | 24305 |
| Camere foto | Canon | Digital Camera Canon EOS 1000D BODY 10.1MP CMOS sensor, Built-in/Fixed with Self Cleaning Sensor Unit, 2.5" LCD with Live View mode, carcasa Stainless Steel/Plastic, 7-point AF, DIGIC III, Shutter Speed 30-1/4000 sec, Continuous ShootingMax. JPEG Approx. 3fps, slot SD, SDHC, standard : Li-ion Battery LP-E5 + incarcator | 326.144 | EUR | 1725.651 | C | 12 | 15956 |
| Camere foto | Canon | Digital Camera Canon EOS 1000D 18-55 IS KIT EOS 1000D Body + obiectiv Canon EF 18-55 IS mm | 357.616 | EUR | 1892.173 | C | 12 | 15957 |
| Camere foto | Canon | Digital Camera Canon EOS 1Ds Mark III Profesional SLR, Approx. 21.1M, procesor 2 x DIGIC III, carcasa Magnesium Alloy, Built-in/Fixed with Self Cleaning Sensor Unit; TTL-AREA-SIR with a CMOS sensor; 19 cross-type AFF points); SHUTTER Electronically-controlled focal-plane shutter; 30 - 1/8000 sec. (1/3 stop increments), Soft touch electromagnetic shutter release; MEMORY CARD: CompactFlash Type I/ II (Microdrive compatible, UDMA compatible)?, SDHC ?, SD | 6073.65 | EUR | 32136.16 | 0 | 12 | 15967 |
| Camere foto | Canon | Digital Camera Canon EOS 450D 1855 IS KIT EOS 450D Body + obiectiv Canon EF 18-55 IS mm | 640.64 | EUR | 3389.68 | 0 | 12 | 15959 |
| Camere foto | Canon | Digital Camera Canon EOS 500D BODY, 15 Megapixel CMOS sensor, Full HD (1080p) movies, EOS Integrated Cleaning System, 3.0inch LCD with Live View mode, carcasa Stainless Steel/Plastic; 9 AF points (f/5.6 cross type at centre, extra sensitivity at f/2.8), DIGIC IV, Continuous Shooting Max. Approx. 3.4fps. (speed maintained for up to 170 images (JPEG), 9 images (RAW)); 13 Custom Functions with 39 settings; SD card, SDHC card; standard : Li-ion Battery LP-E5 + incarcator LC-E5 | 559.104 | EUR | 2958.267 | 0 | 12 | 21168 |
| Camere foto | Canon | Digital Camera Canon EOS 500D 18-55 IS KIT EOS 500D Body + obiectiv Canon EF-S 18-55 IS mm | 642.32 | EUR | 3398.562 | 0 | 12 | 21169 |
| Camere foto | Canon | Digital Camera Canon EOS 50D Body 15.1 Megapixel APS-C CMOS sensor, EOS integrated cleaning system with fluorine coating, 3" LCD, Magnesium Alloy body covers, 9 cross-type AF points (f/2.8 at centre) DIGIC 4 : 6.3mage burst,ISO range up to 12800; CompactFlash Type I/ II (Microdrive compatible, UDMA compatible), external storage with WFT-E3, Accesorii standard: Battery Charger CB 5L; Interface Cable IFC-200U; Battery Pack BP-511A; | 796.32 | EUR | 4213.395 | 0 | 12 | 15962 |
| Camere foto | Canon | Digital Camera Canon EOS 50D EFS 1755 IS kit format din EOS 50D Body + EFS 17-55IS | 1637.44 | EUR | 8663.827 | 0 | 12 | 15966 |
| Camere foto | Canon | Digital Camera Canon EOS 50D EFS 1785IS kit format din EOS 50D Body + EFS 17-85IS | 1061.76 | EUR | 5617.853 | 0 | 12 | 15963 |
| Camere foto | Canon | Digital Camera Canon EOS 50D EFS1785IS -EF70300ISUSM kit format din EOS 50D Body + EFS 17-85IS + EFS 70-300 IS USM | 1460.48 | EUR | 7727.518 | 0 | 12 | 15965 |

| | | | | | | | | |
|------------------------------|-----------|---|---------|-----|----------|---|----|-------|
| Camere foto | Canon | Digital Camera Canon EOS 50D EFS 18200IS kit format din EOS 50D Body + EFS 18-200 IS | 1150.24 | EUR | 6086.013 | 0 | 12 | 15964 |
| Camere foto | Canon | Digital Camera Canon EOS 550D BODY, 18 Megapixel AOS-C CMOS sensor, 18 Megapixel AOS-C CMOS sensor, Full HD movies, 7cm (3.0") 3:2 Clear View LCD with 1,040k dots, carcasa Stainless Steel and polycarbonate resin with glass fiber, AF points/f/5.6 cross type at centre, extra sensitivity at f/2.8), DIGIC IV, Continuous Shooting Max. 3.7fps., 6 images (RAW), 12 Custom Functions with 36 settings, SD card, SDHC card or SDXC card, Li-ion Battery LP-E8 + incarcator | 645.68 | EUR | 3416.347 | C | 12 | 22337 |
| Camere foto | Canon | Digital Camera Canon EOS 550D 18-135 IS KIT EOS 550D Body + obiectiv Canon EF-S 18-135 IS mm | 911.12 | EUR | 4820.805 | C | 12 | 22339 |
| Camere foto | Canon | Digital Camera Canon EOS 550D 18-55 IS KIT EOS 550D Body + obiectiv Canon EF-S 18-55 IS mm + obiectiv Canon EF-S 55-250 IS mm | 955.36 | EUR | 5054.885 | 0 | 12 | 22340 |
| Camere foto | Canon | Digital Camera Canon EOS 550D 18-55 IS KIT EOS 550D Body + obiectiv Canon EF-S 18-55 IS mm | 726.656 | EUR | 3844.792 | C | 12 | 22338 |
| Camere foto | Canon | Digital Camera Canon EOS 7D Body, 18 Megapixel, APS-C CMOS sensor, Full HD movies, 8fps shooting, Dual "DIGIC 4", 3" Clear View II LCD, carcasa alaj Magneziu, 19 cross-type AF points (f/2.8 at centre), ISO 12800, Tip card : CompactFlash Type II, Porturi: USB, HDMI, Video output, Extension system terminal (for WFT-E5), External microphone (Stereo mini jack), acc standard : Li-ion Battery LP-E6 + incarcator LC-E6 | 1372 | EUR | 7259.358 | 0 | 12 | 24374 |
| Camere foto | Canon | Digital Camera Canon EOS 7D EFS15-85 IS, kit format din EOS 7D Body+ obiectiv EFS15-85mm IS | 1947.68 | EUR | 10305.33 | 0 | 12 | 24377 |
| Camere foto | Canon | Digital Camera Canon EOS 7D EFS18-135 IS, kit format din EOS 7D Body+ obiectiv EFS18-135mm IS | 1637.44 | EUR | 8663.827 | 0 | 12 | 24375 |
| Accesorii camere foto | | | | | | | | |
| Accesorii cam | Sony | Geanta Sony LCS-AMLC2, D-SLR (A700 Series), Piele Naturala | 88.144 | EUR | 466.3792 | C | 1 | 24392 |
| Accesorii cam | Sony | Geanta Sony LCS-AMLC3, D-SLR (A200/A350 Series), Piele Naturala | 74.704 | EUR | 395.2704 | C | 1 | 24393 |
| Accesorii cam | Sony | Geanta Sony LCS-AMSC30, D-SLR Series, Textil, W430xH260xD180 | 84.672 | EUR | 448.0112 | C | 1 | 24391 |
| Accesorii cam | Sony | Geanta Sony LCS-BDE, Foto (W, N, T Series), Textil, W70xH120xD50 (for bundle) | 7.728 | EUR | 40.8912 | C | 1 | 24312 |
| Accesorii cam | Sony | Geanta Sony LCS-H, Foto (H Series), Textil, W170xH140xD190 | 33.376 | EUR | 176.5904 | C | 1 | 24311 |
| Accesorii cam | Sony | Geanta Sony LCS-SC20, D-SLR Series, Textil, W400xH300xD210 | 74.704 | EUR | 395.2704 | C | 1 | 24389 |
| Accesorii cam | Sony | Geanta Sony LCS-SC5, D-SLR Series, Textil, W320xH270xD180 | 46.816 | EUR | 247.7104 | C | 1 | 24388 |
| Accesorii cam | Sony | Husa Sony LCS-CSK, Foto (W, N, T Series), 2 fete (Negru / Rosu / Maro), W90xH140xD8 | 13.44 | EUR | 71.1088 | C | 1 | 24314 |
| Accesorii cam | Sony | Husa Sony LCS-CSK, Foto (W, N, T Series), 2 fete (Blue / Gri / Roz / Bej), W90xH140xD8 | 13.44 | EUR | 71.1088 | C | 1 | 24315 |
| Accesorii cam | Sony | Husa Sony LCS-TWB Black, Foto (T,W Series), Piele Naturala | 34.608 | EUR | 183.1088 | C | 1 | 24316 |
| Accesorii cam | Sony | Husa Sony LCS-TWB Gray, Foto (T,W Series), Piele Naturala | 34.608 | EUR | 183.1088 | C | 1 | 24317 |
| Accesorii cam | Sony | Husa Sony LCS-TWB Green, Foto (T,W Series), Piele Naturala | 34.608 | EUR | 183.1088 | 0 | 1 | 24318 |
| Accesorii cam | Sony | Baterie rezerva Sony NP-FG1, Lithium-ion 960mAh (W,N Series) | 51.296 | EUR | 271.4096 | C | 6 | 15832 |
| Accesorii cam | Sony | Incarcator Sony BC-TRG, (W,N,T,H sries - Cybershot) | 39.648 | EUR | 209.776 | C | 1 | 17151 |
| Accesorii cam | Sony | Acumulator NP-BN1, Foto, Lithium-ion 630 mAh (W,T series) | 43.344 | EUR | 229.3312 | C | 1 | 25289 |
| Accesorii cam | Sony | Acumulator Sony NP-FD1, Foto, Lithium-ion 680mAh (T series - 2009 Cybershot Range) | 51.296 | EUR | 271.4096 | C | 1 | 24308 |
| Accesorii cam | Sony | Incarcator Sony BC-TRN pentru Cyber-shot (InfoLi N, G, T, D & R Series) | 55.328 | EUR | 292.7456 | C | 1 | 24307 |
| Accesorii cam | Sony | Trepied Sony VCT-R100, Foto/Video, sarcina maxima 1.2 Kg, inaltime maxima 1000 mm, inaltime minima 355 mm | 26.88 | EUR | 142.2288 | C | 1 | 24309 |
| Accesorii cam | Sony | Trepied Sony VCT-R640, Foto/Video, sarcina maxima 3 Kg, inaltime maxima 1441 mm, inaltime minima 548 mm | 51.296 | EUR | 271.4096 | C | 1 | 24310 |
| Accesorii cam | Sony | Sony Obiectiv General AF, 55mm, f/1.4, Autofocus | 336.672 | EUR | 1781.36 | 0 | 24 | 24402 |
| Accesorii cam | Sony | Sony Obiectiv Macro AF, 100mm, f/2.8, Autofocus | 746.928 | EUR | 3952.054 | 0 | 24 | 24397 |
| Accesorii cam | Sony | Sony Obiectiv Wide-Angle DT, 11-18mm, f/4.5-5.6 | 606.704 | EUR | 3210.122 | 0 | 24 | 24403 |
| Accesorii cam | Sony | Sony Obiectiv Wide-Angle AF, 28mm, f/2.8, Autofocus | 261.52 | EUR | 1383.726 | C | 24 | 24400 |
| Accesorii cam | Sony | Sony Tele Obiectiv DT, 55-200mm, f/4-5.6 | 233.632 | EUR | 1236.166 | 0 | 24 | 24395 |
| Accesorii cam | Sony | Sony Blitz HVL-F20AM, Alpha Series, numar director 20m la 55mm, mod TTL, suporta acumulatori tip AA | 116.032 | EUR | 613.9392 | 0 | 24 | 24405 |
| Accesorii cam | Sony | Sony Blitz HVL-F42AM, Alpha Series, numar director 42m la 105mm, mod TTL, suporta acumulatori tip AA | 244.272 | EUR | 1292.458 | C | 24 | 24406 |
| Accesorii cam | Sony | Sony Blitz HVL-F58AM, Alpha Series, numar director 58m la 105mm, mod TTL, suporta acumulatori tip AA | 489.664 | EUR | 2590.851 | C | 24 | 24408 |
| Accesorii cam | Nikon | Geanta Nikon CS-L01, pentru aparatele Nikon seria L | PROMO | EUR | 40.3088 | S | 12 | 15414 |
| Accesorii cam | Nikon | Kit Nikon COOLKIT II, contine incarcator, acumulatori si husa foto | 20.832 | EUR | 110.2192 | S | 12 | 18838 |
| Accesorii cam | PORT Desi | Husa aparat foto, PORT Designs IBIZA SLR L, 1 compartiment pentru aparate foto SLR + 2 compartimente accesorii, suport pentru curea, (400311) | 18.816 | EUR | 99.5568 | C | 60 | 26686 |
| Accesorii cam | PORT Desi | Husa aparat foto, PORT Designs IBIZA Compact L, 1 compartiment pentru aparate foto compacte + 1 compartiment accesorii, suport pentru curea, (400312) | 6.6528 | EUR | 35.2016 | C | 60 | 26685 |
| Accesorii cam | Lowepro | Rucsac Lowepro Flipside 400 AW, Capacitate: 1 DSLR cu obiectiv atasat + 1 Body + 4-6 obiective + Blit. Negru | 102.816 | EUR | 544.0064 | C | 24 | 25973 |
| Accesorii cam | PORT Desi | Rucsac PORT Designs IBIZA Casablanca, 1 compartiment pentru aparate foto/camera video, (400300) | 26.656 | EUR | 141.0416 | 0 | 60 | 26687 |
| Accesorii cam | Canon | Acumulator Canon NB4-300, Set 4 acumulatori, Capacitate 2500 mAh, compatibilitate S5 IS, S3 IS, S2 IS, S1 IS si PowerShot A Series | 21.728 | EUR | 114.968 | 0 | 12 | 24320 |
| Accesorii cam | Canon | Acumulator Canon BP-511A, AD9200A001AA | 75.264 | EUR | 398.2272 | C | 6 | 19317 |
| Accesorii cam | Canon | Acumulator Canon NB-1LH | 46.816 | EUR | 247.7104 | 0 | 12 | 24323 |
| Accesorii cam | Canon | Acumulator Canon NB-2LH | 63.28 | EUR | 334.824 | 0 | 12 | 24325 |
| Accesorii cam | Canon | Acumulator Canon NB-3L | 42.112 | EUR | 222.8128 | 0 | 12 | 24324 |
| Accesorii cam | Canon | Acumulator Canon NB-4L | 38.192 | EUR | 202.0816 | C | 12 | 24326 |
| Accesorii cam | Canon | Acumulator Canon NB-5L pentru Ixus 800IS | 38.192 | EUR | 202.0816 | 0 | 12 | 24319 |
| Accesorii cam | Canon | Acumulator Canon NB-6L | 38.192 | EUR | 202.0816 | 0 | 12 | 24321 |
| Accesorii cam | Canon | Acumulator Canon NB-7L pentru Canon G10/G11 | 58.016 | EUR | 306.9696 | 0 | 12 | 24322 |
| Accesorii cam | Canon | Canon Cablu de date DIF-200, USB | 18.48 | EUR | 97.776 | 0 | 1 | 24346 |
| Accesorii cam | Canon | Canon Cablu de date IFC-200U | 18.48 | EUR | 97.776 | 0 | 1 | 24343 |
| Accesorii cam | Canon | Canon Cablu de date IFC-400PCU | 18.48 | EUR | 97.776 | 0 | 1 | 24344 |
| Accesorii cam | Canon | Canon Cablu Audio/Video AVC-DC200, composite video/audio, digital camera connector (M), RCA (M), 5 ft, black | 18.48 | EUR | 97.776 | 0 | 1 | 24347 |
| Accesorii cam | Canon | Canon Cablu Audio/Video AVC-DC300 | 13.216 | EUR | 69.9216 | 0 | 1 | 24348 |
| Accesorii cam | Canon | Canon Cablu Audio/Video AVC-DC400 | 13.216 | EUR | 69.9216 | 0 | 1 | 24349 |
| Accesorii cam | Canon | Canon Cablu Audio/Video AVC-DC400ST, Stereo (EOS 7D) | 17.136 | EUR | 90.664 | 0 | 1 | 24350 |
| Accesorii cam | Canon | Canon Cablu video VC-200 | 18.48 | EUR | 97.776 | 0 | 1 | 24345 |
| Accesorii cam | Canon | Canon AC Adapter Kit ACK-800 (PSA720/A650IS) | 59.248 | EUR | 313.488 | 0 | 12 | 24327 |
| Accesorii cam | Canon | Canon AC Adapter Kit ACK-800 (SX100/A720/A590) | 46.592 | EUR | 246.5232 | 0 | 12 | 24328 |
| Accesorii cam | Canon | Canon AC Adapter Kit ACK-DC10 | 68.544 | EUR | 362.6672 | 0 | 12 | 24329 |
| Accesorii cam | Canon | Canon AC Adapter Kit ACK-DC20 | 68.544 | EUR | 362.6672 | 0 | 12 | 24330 |
| Accesorii cam | Canon | Canon Compact Power Adapter Kit ACK-DC30 | 68.544 | EUR | 362.6672 | 0 | 12 | 24331 |

| | | | | | | | | |
|---------------------|---------|--|---------|-----|----------|----|----|-------|
| Accesorii cam | Canon | Canon Compact Power Adapter Kit ACK-DC40 | 68.544 | EUR | 362.6672 | 0 | 12 | 24332 |
| Accesorii cam | Canon | Canon Compact Power Adapter Kit ACK-DC50 (G10, G11) | 68.544 | EUR | 362.6672 | 0 | 12 | 24333 |
| Accesorii cam | Canon | Canon Compact Power Adapter CA-PS700 | 50.064 | EUR | 264.8912 | 0 | 12 | 24335 |
| Accesorii cam | Canon | Canon Tele Obiectiv 100 - 300 USM | 316.176 | EUR | 1672.91 | 0 | 12 | 15508 |
| Accesorii cam | Canon | Canon Conversion Lens Adapter LA-DC10 (PSS80/70/60) | 30.912 | EUR | 163.5536 | 0 | 12 | 24351 |
| Accesorii cam | Canon | Canon Conversion Lens Adapter LA-DC20 (PSS80) | 35.616 | EUR | 188.4512 | 0 | 12 | 24352 |
| Accesorii cam | Canon | Canon Conversion Lens Adapter LA-DC52D (PSA95/A80) | 24.416 | EUR | 129.192 | 0 | 12 | 24353 |
| Accesorii cam | Canon | Canon Conversion Lens Adapter LA-DC52F (A590IS/A570IS) | 24.416 | EUR | 129.192 | 0 | 12 | 24355 |
| Accesorii cam | Canon | Canon Conversion Lens Adapter LA-DC52E (G1, G2 & EOS) | 25.648 | EUR | 135.7104 | 0 | 12 | 24356 |
| Accesorii cam | Canon | Canon Conversion Lens Adapter LA-DC58D (PowerShot G3, G5, G6) | 42.784 | EUR | 226.3744 | 0 | 12 | 24357 |
| Accesorii cam | Canon | Canon Conversion Lens Adapter LA-DC58F (PSA640/A630...) | 24.416 | EUR | 129.192 | 0 | 12 | 6415 |
| Accesorii cam | Canon | Canon Conversion Lens Adapter LA-DC58G (PowerShot A700 and A710IS) | 23.184 | EUR | 122.6736 | 0 | 12 | 24358 |
| Accesorii cam | Canon | Canon Conversion Lens Adapter LA-DC58H (PowerShot G7, G9) | 24.416 | EUR | 129.192 | 0 | 12 | 24359 |
| Accesorii cam | Canon | Canon Conversion Lens Adapter LA-DC58J (PowerShot A650IS) | 24.416 | EUR | 129.192 | 0 | 12 | 24360 |
| Accesorii cam | Canon | Canon Conversion Lens Adapter LA-DC58K (G10, G11) | 37.52 | EUR | 198.52 | 0 | 12 | 24361 |
| Accesorii cam | Canon | Canon Conversion Lens Adapter LA-DC52F (PSA510/520) | 23.184 | EUR | 122.6736 | 0 | 12 | 24354 |
| Accesorii cam | Canon | Canon Conversion Lens Adapter LAH-DC20 (PSS5/3/2) | 35.616 | EUR | 188.4512 | 0 | 1 | 13410 |
| Accesorii cam | Canon | Canon Tele Obiectiv TC-DC52 (PSA85/ A75) | 148.848 | EUR | 787.5616 | 0 | 12 | 24362 |
| Accesorii cam | Canon | Canon Tele Obiectiv TC-DC52A (PSA590/ 570) | 108.976 | EUR | 576.5984 | 0 | 12 | 24363 |
| Accesorii cam | Canon | Canon Tele Obiectiv TC-DC52B | 108.864 | EUR | 576.0048 | 0 | 12 | 24364 |
| Accesorii cam | Canon | Canon Tele Obiectiv TC-DC58A (PSA590IS/ A570IS) | 310.912 | EUR | 1645.056 | 0 | 12 | 24365 |
| Accesorii cam | Canon | Canon Tele Obiectiv TC-DC58B (PSS5/S3/S2) | 122.528 | EUR | 648.3008 | 0 | 12 | 24366 |
| Accesorii cam | Canon | Canon Tele Obiectiv TC-DC58C (PSG9/G7) | 118.608 | EUR | 627.5696 | 0 | 12 | 24367 |
| Accesorii cam | Canon | Canon Tele Obiectiv TC-DC58D (G10,G11) | 112.672 | EUR | 596.1536 | 0 | 12 | 24368 |
| Accesorii cam | Canon | Canon Tele Obiectiv TC-DC58N | 148.848 | EUR | 787.5616 | 0 | 12 | 6416 |
| Accesorii cam | Canon | Canon Obiectiv Wide WC-DC52 | 108.976 | EUR | 576.5984 | 0 | 12 | 24369 |
| Accesorii cam | Canon | Canon Obiectiv Wide WC-DC52A (PSS1/S2) | 148.848 | EUR | 787.5616 | 0 | 12 | 24370 |
| Accesorii cam | Canon | Canon Obiectiv Wide WC-DC58A (PSS5/PSS3) | 122.528 | EUR | 648.3008 | 0 | 12 | 24371 |
| Accesorii cam | Canon | Canon Obiectiv Wide WC-DC58B (PSA650IS, G7, G9) | 118.608 | EUR | 627.5696 | 0 | 12 | 24372 |
| Accesorii cam | Canon | Canon Obiectiv Wide WC-DC58N | 179.2 | EUR | 948.1584 | 0 | 12 | 24373 |
| Accesorii cam | Canon | Canon Battery Charger CB-2LSE (IXUS500/430/400) | 52.08 | EUR | 275.5648 | 0 | 12 | 24337 |
| Accesorii cam | Canon | Canon Battery Charger CB-2LWE (PSS80 and S-serie) | 52.08 | EUR | 275.5648 | 0 | 12 | 24339 |
| Accesorii cam | Canon | Canon Battery Charger CB-2LXE (IXUS90IS) | 46.816 | EUR | 247.7104 | 0 | 12 | 24340 |
| Accesorii cam | Canon | Canon Battery Charger CB-2LYE (IXUS85IS) | 52.08 | EUR | 275.5648 | 0 | 12 | 24341 |
| Accesorii cam | Canon | Canon Battery Charger CB-2LZE (PSG10) | 52.08 | EUR | 275.5648 | 0 | 12 | 24342 |
| Accesorii cam | Canon | Canon Battery Charger CB2LVE (IXUS80/75/70,...) | 52.08 | EUR | 275.5648 | 0 | 12 | 24338 |
| Accesorii cam | Canon | Canon Battery & Charger Kit CBK4-300 | 55.776 | EUR | 295.12 | 0 | 12 | 24336 |
| Accesorii cam | Tamrac | Geanta Digital Camera Tamrac 5693R | 14.112 | EUR | 74.6704 | S | 1 | 21766 |
| Accesorii cam | Konig | Trepied Foto Konig KN-TRIPOD40, picare aluminiu, picioare extensibile pe 2 nivele, inaltime 65-161cm, echipat cu maner si carlig, husa | 18.032 | EUR | 95.4128 | C | 12 | 21058 |
| Camere video | | | | | | | | |
| Camere video | Toshiba | Video Camera Camileo H30, FHD resolution (1920x1080p), 5X Optical Zoom, 10MP CMOS Sensor, 3" TFT LCD, 128MB built in Memory, SD/SDHC, HDMI, Video Stabilization, HDMI, Mini USB, TV Out, Remote Controller, Touch screen | 149.744 | EUR | 792.3104 | 0 | 24 | 24444 |
| Camere video | Toshiba | Video Camera Camileo P10, HD resolution (1440X1080p),4X Digital Zoom, 5MP CMOS Sensor, 2.5" TFT LCD, 128MB built in Memory, HDMI, AV and USB interface, Video Stabilization, HDMI, AV & USB cable | 92.064 | EUR | 487.1216 | C | 24 | 20066 |
| Camere video | Toshiba | Video Camera Camileo P30, HD resolution (1440X1080p), 5X Optical Zoom, 4X Digital Zoom, 5MP CMOS Sensor, 2,5" TFT LCD, 128MB built in Memory, HDMI, AV and USB interface, Video Stabilization, HDMI, AV & USB cable | 120.96 | EUR | 640.0128 | C | 24 | 20068 |
| Camere video | Toshiba | Video Camera Toshiba Camileo S10, HD resolution ,4X Digital Zoom, 5MP CMOS Sensor, 2,5" TFT LCD, 128MB built in Memory, HDMI, AV and USB interface, Video Stabilization, HDMI, AV & USB cable, ultra slim | 94.304 | EUR | 498.9712 | C | 24 | 19607 |
| Camere video | Toshiba | Video Camera Camileo S20, FHD resolution (1920 x 1080p) ,4X Digital Zoom, 5MP CMOS Sensor, 3,0" TFT LCD, 128MB built in Memory, HDMI, AV and USB interface, Video Stabilization, HDMI, HDMI &USB cable, ultra slim | 99.792 | EUR | 528.0128 | C | 24 | 25292 |
| Camere video | Toshiba | Video Camera Camileo SX900, FHD resolution (1920 x 1080p / 30fps), 9X Optical Zoom, 12X Digital Zoom, 14MP CMOS Sensor, 2,7" TFT LCD, HDMI, Video Stabilization, HDMI, Mini USB, TV Out, Remote Controller | 176.4 | EUR | 933.352 | C | 24 | 26544 |
| Camere video | Aiptek | Camera video Aiptek DVC-8900+SC-AIPTEK, Senzor CMOS 5 MP, Zoom 4X, LCD 2.4", memorie interna 32MB, slot SD card (max 2GB) | 110.992 | EUR | 587.272 | SL | 12 | 21054 |
| Camere video | Canon | Video Camera Canon Legria FS 306, senzor CCD 1/6", 800kP, zoom optic 37x, zoom digital 2000x/1800x, 2.7" widescreen LCD, Focal length: 2.6 - 96.2mm, Built-in Video light white LED , Electronic Image Stabilizer, compatibil SD/SDHC, Min focus distance 10mm, Luminozitate min 1.1 lux (Night Mode), Self timer 10sec, Built-in Video Light white LED, Port: USB, Direct Print, AV, Standard: acumulator Lilon BP-808 + incarcator | 223.328 | EUR | 1181.645 | 0 | 12 | 24140 |
| Camere video | Canon | Video Camera Canon DM-XL2, Profesionala, 3CCD cu Tehnologie Progressive Scan, Optic 20x, 2.0" LCD, Stabilizator Optic Profesional, Obiectiv standard 5.4-108 mm, Luminozitate min 0.8 Lux, Sunet 16 bit (48khz, 2channel) stereo | 4811.18 | EUR | 25456.36 | 0 | 12 | 10413 |
| Camere video | Canon | Video Camera Canon DM-XM2, 3CCD, Semiprofesionala, Optic 20x - Digital 100x Obiectiv Profesional, Ecran LCD, (Cu elemente din Florita de Calciu), Stabilizator optic de imagine, Filtru ND, Focus Manual si automat, Luminozitate minima 0.37 | 2204.27 | EUR | 11662.97 | 0 | 12 | 10412 |
| Camere video | Canon | Video Camera Canon Legria FS 36, senzor CCD 1/6", 800kP, zoom optic 37x, zoom digital 2000x/1800x, 2.7" widescreen LCD, Focal length: 2.6 - 96.2mm, Built-in Video light white LED , Electronic Image Stabilizer, compatibil SD/SDHC, Min focusing distance 10mm, Luminozitate min 1.1 lux (Night Mode), Self timer 10sec, Built-in Video Light white LED, Port: USB, Direct Print, AV, Standard: acumulator Lilon BP-808 + incarcator | 247.968 | EUR | 1312.024 | 0 | 12 | 24141 |
| Camere video | Canon | Video Camera Canon Legria FS 37, senzor CCD 1/6", 800kP, zoom optic 37x, zoom digital 2000x/1800x, 2.7" widescreen LCD, Focal length: 2.6 - 96.2mm, Built-in Video light white LED , Electronic Image Stabilizer, compatibil SD/SDHC, Min focusing distance 10mm, Luminozitate min 1.1 lux (Night Mode), Self timer 10sec, Built-in Video Light white LED, Port: USB, Direct Print, AV, Standard: acumulator Lilon BP-808 + incarcator | 289.968 | EUR | 1534.243 | 0 | 12 | 24142 |
| Camere video | Sony | Video Camera Sony AX2000E, 3x CMOS senzor, 3.3 MP, 20x optical zoom G Lens, 3.2" TFT TACTIL Xtra Fine, Full HD 1920 x 1080 AVCHD, BIONZ, ViewFinder, i.LINK(in/out DV), Dolby Digital AC,3 2ch cu microfon incorporat, Super SteadyShot optical, ClearVid, Cinema-tone Gamma si Cinema-tone Colour, HDMI Output, XLR input, USB 2.0 Hi-Speed, BRAVIA Sync, telecomanda | 3404.02 | EUR | 18010.92 | 0 | 24 | 25797 |

| | | | | | | | | |
|-------------------------------|------|---|---------|-----|----------|---|----|-------|
| Camere video | Sony | Video Camera Sony CM5 Purple, CMOS senzor, 5MP, 5x optical zoom, 2.5" TFT hibrid LCD, 270-degree Swivel Lens, SteadyShot, Face Detection, compatibil Memory Stick Duo/ PRO Duo/ PRO-HG Duo si card SD/SDHC, HDMI output, USB 2.0 Hi-Speed | 157.248 | EUR | 832.0144 | 0 | 24 | 24122 |
| Camere video | Sony | Video Camera Sony CX116E Black, CMOS senzor, 1.6MP, 25x optical zoom, 2.7" TFT TACTIL Clear Photo LCD, 8GB, SteadyShot, D-Range Optimiser, Dolby Digital AC-3 2ch cu microfon incorporat, compatibil Memory Stick PRO Duo/ PRO-HG Duo si card SD/SDHC, USB2.0 Hi-Speed, iesire HDMI, format film AVCHD | 413.168 | EUR | 2186.106 | C | 24 | 24128 |
| Camere video | Sony | Video Camera Sony CX305E Black, CMOS senzor, 3.5MP, 12x optical zoom, 2.7" TFT TACTIL Clear Photo LCD, 16GB, SteadyShot Optical, D-Range Optimiser, Dolby Digital AC-3 2ch cu microfon incorporat, Talpa pentru Accesorii, compatibil Memory Stick PRO Duo/ PRO-HG Duo si card SD/SDHC, USB 2.0 Hi-Speed, iesire HDMI, format AVCHD | 639.408 | EUR | 3383.162 | C | 24 | 24129 |
| Camere video | Sony | Video Camera Sony CX350VE Brown, CMOS senzor, 3.5MP, 12x optical zoom, 2.7" TFT TACTIL Clear Photo LCD, 32GB, SteadyShot Optical, D-Range Optimiser, Dolby Digital AC-3 2ch cu microfon incorporat, Talpa pentru Accesorii, GPS Tracking, compatibil Memory Stick PRO Duo/ PRO-HG Duo si card SD/SDHC, USB 2.0 Hi-Speed, iesire HDMI, format AVCHD | 800.016 | EUR | 4232.95 | C | 24 | 24130 |
| Camere video | Sony | Video Camera Sony CX550VE Black, CMOS senzor, 6MP, 10x optical zoom, 3.5" TFT TACTIL Xtra Fine LCD, 64GB, SteadyShot Optical, D-Range Optimiser, Dolby Digital 5.1ch cu microfon incorporat, inregistrare Surround, Talpa pentru Accesorii, GPSTracking, compatibil Memory Stick PRO Duo/ PRO-HG Duo si card SD/SDHC, USB 2.0 Hi-Speed, iesire HDMI, Telecomanda, format AVCHD | 1118.88 | EUR | 5920.085 | C | 24 | 24132 |
| Camere video | Sony | Video Camera Sony FX1000E, 3x CMOS senzor, 3.4MP, 20x optical zoom, 3.2" TFT TACTIL Xtra Fine, ViewFinder, i.LINK (in/out DV), Super SteadyShot Optical, Super NightShot, HDV Audio system cu microfon incorporat, compatibil miniDV, iesire HDMI, USB 2.0 Hi-Speed, telecomanda, format HDV/DV | 3271.86 | EUR | 17311.65 | C | 24 | 24134 |
| Camere video | Sony | Video Camera Sony CX155E Black, CMOS senzor 1.6MP, 25x optical zoom, 2.7" TFT TACTIL Clear Photo LCD, 16GB, SteadyShot, D-Range Optimiser, Dolby Sunet Dolby Digital AC-3 2 ch. cu microfon incorporat, USB2.0 Hi-Speed, iesire HDMI, format AVCHD | 442.624 | EUR | 2341.954 | C | 24 | 22434 |
| Camere video | Sony | Video Camera Sony PM5 Pink, CMOS senzor, 5MP, 4x digital zoom, 2.4" TFT hibrid LCD, 270-degree Swivel Lens, SteadyShot, Face Detection, compatibil Memory Stick Duo/ PRO Duo/ PRO-HG Duo si card SD/SDHC, TV output, USB | 134.736 | EUR | 712.9024 | C | 24 | 24118 |
| Camere video | Sony | Video Camera Sony PM5 Purple, CMOS senzor, 5MP, 4x digital zoom, 2.4" TFT hibrid LCD, 270-degree Swivel Lens, SteadyShot, Face Detection, compatibil Memory Stick Duo/ PRO Duo/ PRO-HG Duo si card SD/SDHC, TV output, USB | 134.736 | EUR | 712.9024 | C | 24 | 24116 |
| Camere video | Sony | Video Camera Sony PM5 White, CMOS senzor, 5MP, 4x digital zoom, 2.4" TFT hibrid LCD, 270-degree Swivel Lens, SteadyShot, Face Detection, compatibil Memory Stick Duo/ PRO Duo/ PRO-HG Duo si card SD/SDHC, TV output, USB | 134.736 | EUR | 712.9024 | C | 24 | 24117 |
| Camere video | Sony | Video Camera Sony PM5K Pink, CMOS senzor, 5MP, 4x digital zoom, 2.4" TFT hibrid LC, 4GB, Panorama Lens, 270-degree Swivel Lens, SteadyShot, Face Detection, compatibil Memory Stick Duo/ PRO Duo/ PRO-HG Duo si card SD/SDHC, TV output, USB 20 Hi-Speed | 149.632 | EUR | 791.7168 | C | 24 | 24121 |
| Camere video | Sony | Video Camera Sony PM5K Purple, CMOS senzor, 5MP, 4x digital zoom, 2.4" TFT hibrid LC, 4GB, Panorama Lens, 270-degree Swivel Lens, SteadyShot, Face Detection, compatibil Memory Stick Duo/ PRO Duo/ PRO-HG Duo si card SD/SDHC, TV output, USB2.0 Hi-Speed | 149.632 | EUR | 791.7168 | C | 24 | 24119 |
| Camere video | Sony | Video Camera Sony PM5K White, CMOS senzor, 5MP, 4x digital zoom, 2.4" TFT hibrid LC, 4GB, Panorama Lens, 270-degree Swivel Lens, SteadyShot, Face Detection, compatibil Memory Stick Duo/ PRO Duo/ PRO-HG Duo si card SD/SDHC, TV output, USB2.0 Hi-Speed | 149.632 | EUR | 791.7168 | C | 24 | 24120 |
| Camere video | Sony | Video Camera Sony SR58E Silver, CCD senzor, 800kP, 60x optical zoom, 2.7" TFT TACTIL Clear Photo LCD, HDD 80GB, SteadyShot, Dolby Digital AC-3 2ch cu microfon incorporat, compatibil HDD/Memory Stick PRO Duo/ PRO-HG Duo si card SD/SDHC, USB2.0 Hi-Speed | 300.608 | EUR | 1590.546 | C | 24 | 23744 |
| Camere video | Sony | Video Camera Sony SR78E Silver, CCD senzor, 800kP, 60x optical zoom, 2.7" TFT TACTIL Clear Photo LCD, HDD 120GB, SteadyShot, Dolby Digital AC-3 2ch cu microfon incorporat, compatibil HDD/ Memory Stick PRO Duo/ PRO-HG Duo si card SD/SDHC, USB 2.0 Hi-Speed | 344.176 | EUR | 1821.064 | C | 24 | 24136 |
| Camere video | Sony | Video Camera Sony SX30 Blue, CCD senzor, 800kP, 60x optical zoom, 2.7" TFT TACTIL hibrid LCD, 4GB, Super SteadyShot, Dolby Digital AC-3 2ch cu microfon incorporat, compatibil Memory Stick Duo/ PRO Duo, USB 2.0 Hi-Speed | 177.296 | EUR | 938.0896 | 0 | 24 | 24123 |
| Camere video | Sony | Video Camera Sony SX33 Red, CCD senzor, 800kP, 60x optical zoom, 2.7" TFT TACTIL Clear Photo LCD, SteadyShot, Dolby Digital AC-3 2ch cu microfon incorporat, compatibil Memory Stick PRO Duo/ PRO-HG Duo si card SD/SDHC, USB2.0 Hi-Speed | 196.336 | EUR | 1038.834 | C | 24 | 24125 |
| Camere video | Sony | Video Camera Sony SX33 Silver, CCD senzor, 800kP, 60x optical zoom, 2.7" TFT TACTIL Clear Photo LCD, SteadyShot, Dolby Digital AC-3 2ch cu microfon incorporat, compatibil Memory Stick PRO Duo/ PRO-HG Duo si card SD/SDHC, USB2.0 Hi-Speed | 196.336 | EUR | 1038.834 | C | 24 | 24124 |
| Camere video | Sony | Video Camera Sony SX33 Silver+ Husa Bonus, CCD senzor, 800kP, 60x optical zoom, 2.7" TFT TACTIL Clear Photo LCD, SteadyShot, Dolby Digital AC-3 2ch cu microfon incorporat, compatibil Memory Stick PRO Duo/ PRO-HG Duo si card SD/SDHC, USB2.0 | 196.336 | EUR | 1038.834 | C | 24 | 25290 |
| Camere video | Sony | Video Camera Sony SX53 Silver, CCD senzor, 800kP, 60x optical zoom, 2.7" TFT TACTIL Clear Photo LCD, 16GB, compatibil Memory Stick PRO Duo/ PRO-HG Duo si card SD/SDHC, SteadyShot, Dolby Digital AC-3 2ch cu microfon incorporat, USB2.0 Hi-Speed | 242.032 | EUR | 1280.608 | C | 24 | 24126 |
| Camere video | Sony | Video Camera Sony SX73 Silver, CMOS senzor, 1.6MP, 25x optical zoom, 2.7" TFT TACTIL Clear Photo LCD, 16GB, SteadyShot, D-Range Optimiser, Dolby Digital AC-3 2ch cu microfon incorporat, compatibil Memory Stick PRO Duo/ PRO-HG Duo si card SD/SDHC, USB2.0 Hi-Speed | 320.768 | EUR | 1697.214 | C | 24 | 24127 |
| Camere video | Sony | Video Camera Sony TG7VE, CMOS senzor, 2.3MP, 10x optical zoom, 2.7" TFT TACTIL Clear Photo LCD, 16GB, Super SteadyShot, Dolby Digital AC-3 2ch cu microfon incorporat, Inregistrare Surround, compatibil Memory Stick PRO Duo, iesire HDMI, USB2.0 Hi-Speed, format AVCHD, Handycam Station | 649.04 | EUR | 3434.122 | C | 24 | 24133 |
| Camere video | Sony | Video Camera Sony XR155E Black, CMOS senzor, 1.6MP, 25x optical zoom, 2.7" TFT TACTIL Clear Photo LCD, HDD 120GB, SteadyShot, D-Range Optimiser, Dolby Digital AC-3 2ch cu microfon incorporat, compatibil HDD/ Memory Stick PRO Duo/ PRO-HG Duo si card SD/SDHC, USB2.0 Hi-Speed, iesire HDMI, format AVCHD | 537.488 | EUR | 2843.893 | C | 24 | 24137 |
| Camere video | Sony | Video Camera Sony XR350VE Black, CMOS senzor, 3.5MP, 12x optical zoom, 2.7" TFT TACTIL Clear Photo LCD, HDD 160GB, SteadyShot Optical, D-Range Optimiser, Dolby Digital AC-3 2ch cu microfon incorporat, Talpa pentru Accesorii, GPS Tracking, compatibil HDD/ Memory Stick PRO Duo/ PRO-HG Duo si card SD/SDHC, USB 2.0 Hi-Speed, iesire HDMI, format AVCHD | 864.64 | EUR | 4574.875 | C | 24 | 24138 |
| Camere video | Sony | Video Camera Sony XR550VE Black, CMOS senzor, 6MP, 10x optical zoom, 3.5" TFT TACTIL Xtra Fine LCD, HDD 240GB, SteadyShot Optical, NightShot, D-Range Optimiser, Dolby Digital 5.1ch cu microfon incorporat, inregistrare Surround, Talpa pentru Accesorii, GPS Tracking, compatibil HDD/ Memory Stick PRO Duo/ PRO-HG Duo si card SD/SDHC, USB 2.0 Hi-Speed (in/out), iesire HDMI, Telecomanda, format AVCHD | 1166.59 | EUR | 6172.533 | C | 24 | 24139 |
| Accesorii camere video | | | | | | | | |
| Accesorii cam | JVC | Geanta camera video, Serille Everio HD, G, S, culoare neagra | 25.648 | EUR | 135.7104 | C | 1 | 19550 |
| Accesorii cam | JVC | Husa camera video, serille MG600/800, HD300, HM200, MS120/130, culoare albastra | 27.664 | EUR | 146.3728 | 0 | 1 | 19551 |
| Accesorii cam | JVC | Husa camera video, serille MG600/800, HD300, HM200, MS120/130, culoare neagra | 27.664 | EUR | 146.3728 | 0 | 1 | 19552 |
| Accesorii cam | JVC | Baterie (Data Battery), Seria Everio HD, G, S, 7.2 V, 1460mAh | 75.04 | EUR | 397.04 | C | 12 | 19548 |

| | | | | | | | | |
|---------------------------|-------------|---|---------|-----|----------|------|----|-------|
| Accesorii cam | JVC | Baterie (Data Battery), Seria Everio HD, G, S, 7.2 V, 2190mAh | 92.064 | EUR | 487.1216 | 0 | 12 | 19549 |
| Accesorii cam | JVC | Baterie (Data Battery), Seria Everio HD, G, S, 7.2 V, 730mAh | 64.624 | EUR | 341.936 | C | 12 | 19547 |
| Accesorii cam | Canon | Incarcator Canon CA-DC20 E | 23.072 | EUR | 122.08 | 0 | 12 | 24334 |
| Accesorii cam | Sony | Sony BC-TRP incarcator pentru Handycam (InfoLi P Series) | 61.264 | EUR | 324.1504 | C | 1 | 24409 |
| Accesorii cam | Sony | Sony BC-TRV incarcator pentru Handycam (InfoLi V,H,P Series) | 62.048 | EUR | 328.3056 | C | 1 | 24410 |
| Accesorii cam | Sony | Sony Acumulator NP-FH100, Video, InfoLITHIUM 3980mAh, 2009 Handycam Range | 124.32 | EUR | 657.7872 | 0 | 1 | 24413 |
| Accesorii cam | Sony | Sony Acumulator NP-FH50, Video, InfoLITHIUM 900mAh, 2009 Handycam Range | 52.08 | EUR | 275.5648 | C | 1 | 24412 |
| Accesorii cam | Sony | Sony Acumulator NP-FV100, Video, InfoLITHIUM 3900mAh, 2010 Handycam Range | 141.904 | EUR | 750.8256 | C | 1 | 24417 |
| Accesorii cam | Sony | Sony Acumulator NP-FV50, Video, InfoLITHIUM 1030mAh, 2010 Handycam Range | 62.048 | EUR | 328.3056 | C | 1 | 24414 |
| Accesorii cam | Sony | Sony Acumulator NP-FV70, Video, InfoLITHIUM 2060mAh, 2010 Handycam Range | 91.168 | EUR | 482.3728 | C | 1 | 24416 |
| Accesorii cam | Sony | Baterie video camera Sony 1800mAh, NP-FH70 | 76.944 | EUR | 407.12 | C | 1 | 14162 |
| Accesorii cam | Sony | Sony Blitz HVL-HIRL, Video, 3-Watt, IR LIGH, NIGHTSHOT, Handycam Series | 107.072 | EUR | 566.5296 | 0 | 1 | 24418 |
| Accesorii cam | Sony | Geanta Sony LCS-MX50, Video (Handycam Series), Textil, W105 xH180 xD110 | 23.408 | EUR | 123.8496 | C | 1 | 24422 |
| Accesorii cam | Sony | Geanta Sony LCS-X10, Video (Handycam Series), Textil, W175xH120xD110 | 16.24 | EUR | 85.9264 | C | 1 | 24419 |
| Accesorii cam | Sony | Geanta Sony LCS-X20, Video (Handycam Series), Textil, W205 xH180 xD140 | 24.416 | EUR | 129.192 | C | 1 | 24420 |
| Accesorii cam | Sony | Geanta Sony LCS-X30, Video (Handycam Series), Textil, W290 xH180 xD165 | 33.376 | EUR | 176.5904 | C | 1 | 24421 |
| Accesorii cam | PORT Design | Husa PORT Designs Casablanca Camcorder, 1 compartiment pentru camera video, buzunare pentru accesorii, (400303) | 13.328 | EUR | 70.5152 | 0 | 60 | 26688 |
| Rame foto digitale | | | | | | | | |
| Rame foto dig | Canyon | Rama Foto Digitala Canyon CNR-DPF11A, 1.1" TFT, 96x64, 4:3, 1Mb internal memory, mini USB, Calendar, clock and alarm functions, Built-in Li-Ion battery with USB charging, Red | 9.3408 | USD | 37.744 | 0 | 12 | 19360 |
| Rame foto dig | Canyon | Rama Foto Digitala Canyon CNR-DPFEGGBL, 1.5" TFT, 128x128, 2Mb internal memory, mini USB, clock and alarm functions, Built-in Li-Ion battery with USB charging, Blue | 12.32 | USD | 49.784 | S | 12 | 22894 |
| Rame foto dig | Canyon | Rama Foto Digitala Canyon CNR-DPFEGGG, 1.5" TFT, 128x128, 2Mb internal memory, mini USB, clock and alarm functions, Built-in Li-Ion battery with USB charging, Green | 10.4832 | USD | 42.3696 | C | 12 | 22893 |
| Rame foto dig | Canyon | Rama Foto Digitala Canyon CNR-DPFEGGO, 1.5" TFT, 128x128, 2Mb internal memory, mini USB, clock and alarm functions, Built-in Li-Ion battery with USB charging, Orange | 12.32 | USD | 49.784 | 0 | 12 | 22895 |
| Rame foto dig | Canyon | Rama Foto Digitala Canyon CNR-DPFEGGP, 1.5" TFT, 128x128, 2Mb internal memory, mini USB, clock and alarm functions, Built-in Li-Ion battery with USB charging, Pink | 12.32 | USD | 49.784 | 0 | 12 | 22896 |
| Rame foto dig | Konig | Rama Foto Digitala Konig CMPS-MM007, 7" TFT, 480x234, 16.9, SD/MMC, Ms Duo, Ms Pro Duo, USB, telecomanda, White | 39.76 | EUR | 210.3696 | C | 12 | 21052 |
| Rame foto dig | Konig | Rama Foto Digitala Konig CMPS-MM008, 7" TFT, 480x234, 16.9, SD/MMC, USB, functie calendar, ceas, Black | 38.08 | EUR | 201.488 | C | 12 | 21053 |
| Rame foto dig | Samsung | Rama Foto Digitala Samsung SPF-1000P, 10" TFT, 1024X600, 500:1, 2GB intern, Bluetooth 2.0 + EDR (OPP, FTP, A2DP, AVRCP), USB+Mini monitor function, Speakers 0.7Wx2ch, SD/SDHC/USB, Plays : Photo/Music/Movie, Rose Black | 157.808 | EUR | 834.9712 | C | 24 | 24483 |
| Rame foto dig | Samsung | Rama Foto Digitala Samsung SPF-105P, 10" TFT, 1024x600, 500:1, 1Gb memorie interna, USB+Mini monitor function - SD/MMC/MS, Baterie reincarcabila, Black | 78.4 | EUR | 414.8256 | C | 24 | 17923 |
| Rame foto dig | Samsung | Rama Foto Digitala Samsung SPF-105V, 10" TFT, 1024X600, 500:1, 64Mb intern, WiFi 802.11b/g 2.4GHz 54Mbps, USB + Mini monitor function, SD/MS/CF, Photo/Music/Video player, Rechargeable Battery, Black | 165.2 | EUR | 874.0816 | C | 24 | 21293 |
| Rame foto dig | Samsung | Rama Foto Digitala Samsung SPF-107H, 10" TFT, 1024X600, 500:1, 1GB intern, USB + Mini monitor function, SD, Negru | 85.792 | EUR | 453.936 | C | 24 | 21954 |
| Rame foto dig | Samsung | Rama Foto Digitala Samsung SPF-107H, 10" TFT, 1024X600, 500:1, 1GB intern, USB + Mini monitor function, SD, Negru | 85.792 | EUR | 453.936 | C | 24 | 21292 |
| Rame foto dig | Samsung | Rama Foto Digitala Samsung SPF-71ES, 7" TFT, 480X234, 500:1, 1GB intern, USB+Mini monitor function, SD, Alb | 50.624 | EUR | 267.8592 | CALL | 24 | 21288 |
| Rame foto dig | Samsung | Rama Foto Digitala Samsung SPF-800P, 8" TFT, 800X480 - 300:1, 2GB intern, Bluetooth 2.0 + EDR (OPP, FTP, A2DP, AVRCP), USB+Mini monitor function, Speakers 0.7Wx2ch, SD/SDHC/USB, Plays Photo/Music/Movie, Rose Black | 126 | EUR | 666.68 | C | 24 | 21955 |
| Rame foto dig | Samsung | Rama Foto Digitala Samsung SPF-800W, 8" TFT, 800X600, 500:1, 1GB inter, USB+Mini monitor function, Speakers 0.7Wx2ch, SD/SDHC/USB, Plays : Photo/Music/Movie, Black | 107.968 | EUR | 571.2672 | C | 24 | 24482 |
| Rame foto dig | Samsung | Rama Foto Digitala Samsung SPF-87H V2, 8" TFT, 800X480, 500:1, 1GB intern, USB+Mini monitor function, SD, Negru | 72.016 | EUR | 381.0464 | C | 24 | 21373 |
| Rame foto dig | Samsung | Rama Foto Digitala Samsung SPF-87H, 8" TFT, 800X480, 500:1, 1GB intern, USB+Mini monitor function, SD, Negru-Rosu | 72.016 | EUR | 381.0464 | C | 24 | 21290 |
| Rame foto dig | Parrot | Rama Foto Digitala Parrot DF7220, 7" TFT, Bluetooth, 410x234, Cardreader 10in1, Suporta JPEG si GIF, Se pot stoca peste 300 de poze, Raza acoperita de semnal 10m | 100.016 | EUR | 529.1888 | SL | 24 | 17184 |
| Memorii Flash | | | | | | | | |
| Memorii Flash | PQI | Micro-SD/Trans-Flash Card, 2GB, PQI | 6.3056 | USD | 25.48 | 0 | 60 | 12934 |
| Memorii Flash | Sony | Secure Digital, SD Card, 16GB, Sony, SDHC Clasa 4, Merge doar cu camere Foto/Video cu specificatia SDHC | 51.744 | EUR | 273.784 | C | 60 | 24934 |
| Memorii Flash | Sony | Secure Digital, SD Card, 32GB, Sony, SDHC Clasa 4, Merge doar cu camere Foto/Video cu specificatia SDHC | 106.624 | EUR | 564.1552 | C | 60 | 24936 |
| Memorii Flash | Sony | Secure Digital, SD Card, 4GB, Sony, SDHC Clasa 4, Merge doar cu camere Foto/Video cu specificatia SDHC | 15.904 | EUR | 84.1456 | C | 60 | 24932 |
| Memorii Flash | Sony | Secure Digital, SD Card, 8GB, Sony, SDHC Clasa 4, Merge doar cu camere Foto/Video cu specificatia SDHC | 27.104 | EUR | 143.4048 | C | 60 | 24933 |
| Memorii Flash | Kingmax | Secure Digital, SD Card, 16GB, KingMax, SDHC Clasa 10, Merge doar cu camere Foto/Video cu specificatia SDHC, Waterproof | 30.464 | USD | 123.1104 | 0 | 60 | 24806 |
| Memorii Flash | Kingmax | Secure Digital, SD Card, 16GB, KingMax, SDHC Clasa 6, Merge doar cu camere Foto/Video cu specificatia SDHC | 29.68 | USD | 119.9408 | C | 60 | 15870 |
| Memorii Flash | Kingmax | Secure Digital, SD Card, 2GB, KingMax | 5.824 | USD | 23.5312 | S | 60 | 6029 |
| Memorii Flash | Kingmax | Secure Digital, SD Card, 32GB, KingMax, SDHC Clasa 6, Merge doar cu camere Foto/Video cu specificatia SDHC | 65.632 | USD | 265.2272 | C | 60 | 24805 |
| Memorii Flash | Kingmax | Secure Digital, SD Card, 4GB, KingMax, SDHC Clasa 4, Merge doar cu camere Foto/Video cu specificatia SDHC | 8.2544 | USD | 33.3536 | S | 36 | 10950 |
| Memorii Flash | Kingmax | Secure Digital, SD Card, 4GB, KingMax, SDHC Clasa 6, Merge doar cu camere Foto/Video cu specificatia SDHC | 8.2544 | USD | 33.3536 | C | 60 | 11883 |
| Memorii Flash | Kingmax | Secure Digital, SD Card, 8GB, KingMax, SDHC Clasa 6, Merge doar cu camere Foto/Video cu specificatia SDHC, Waterproof | 16.24 | USD | 65.632 | 0 | 60 | 24698 |
| Memorii Flash | Kingmax | Secure Digital, SD Card, 8GB, KingMax, SDHC Clasa 6, Merge doar cu camere Foto/Video cu specificatia SDHC | 15.904 | USD | 64.2656 | C | 60 | 12753 |
| Memorii Flash | Kingmax | Mini-SD Card, 4GB, KingMax, SDHC Clasa 6 | 16.352 | USD | 66.08 | SL | 60 | 18280 |
| Memorii Flash | Kingmax | Micro-SD/Trans-Flash Card, 16GB, KingMax, SDHC Clasa 2 | 32.032 | USD | 129.4496 | C | 60 | 22814 |
| Memorii Flash | Kingmax | Micro-SD/Trans-Flash Card, 2GB, KingMax | 5.6112 | USD | 22.68 | SL | 60 | 8313 |
| Memorii Flash | Kingmax | Micro-SD/Trans-Flash Card, 2GB, KingMax, + MicroSD Reader | 6.888 | USD | 27.832 | 0 | 60 | 18284 |
| Memorii Flash | Kingmax | Micro-SD/Trans-Flash Card, 4GB, KingMax, SDHC Clasa 2 | 7.9408 | USD | 32.088 | S | 60 | 24808 |
| Memorii Flash | Kingmax | Micro-SD/Trans-Flash Card, 4GB, KingMax, SDHC Clasa 4 | 8.4672 | USD | 34.216 | 0 | 60 | 24809 |
| Memorii Flash | Kingmax | Micro-SD/Trans-Flash Card, 4GB, KingMax, SDHC Clasa 6 | 8.4672 | USD | 34.216 | M | 60 | 18282 |
| Memorii Flash | Kingmax | Micro-SD/Trans-Flash Card, 4GB, KingMax, SDHC Clasa4 + MicroSD Reader | 9.632 | USD | 38.92 | C | 60 | 24812 |
| Memorii Flash | Kingmax | Micro-SD/Trans-Flash Card, 4GB, KingMax, SDHC Clasa 6 + MicroSD Reader | 9.8448 | USD | 39.7824 | S | 60 | 18285 |
| Memorii Flash | Kingmax | Micro-SD/Trans-Flash Card, 8GB, KingMax, SDHC Clasa 2 | 15.344 | USD | 62.0032 | C | 60 | 24810 |
| Memorii Flash | Kingmax | Micro-SD/Trans-Flash Card, 8GB, KingMax, SDHC Clasa 4 | 15.792 | USD | 63.8176 | S | 60 | 18283 |
| Memorii Flash | Kingmax | Micro-SD/Trans-Flash Card, 8GB, KingMax, SDHC Clasa 6 | 16.576 | USD | 66.9872 | S | 60 | 24811 |
| Memorii Flash | Kingmax | Micro-SD/Trans-Flash Card, 8GB, KingMax, SDHC Clasa 4 + MicroSD Reader | 17.696 | USD | 71.512 | 0 | 60 | 24813 |

| | | | | | | | | |
|---------------|----------|--|---------|-----|----------|------|----|-------|
| Memorii Flash | Kingmax | Micro-SD/Trans-Flash Card, 8GB, KingMax, SDHC Clasa 6 + MicroSD Reader | 17.808 | USD | 71.96 | S | 60 | 18286 |
| Memorii Flash | Ridata | Micro-SD/Trans-Flash Card, 2GB, Ridata, adaptoare SD, miniSD incluse | 6.4736 | USD | 26.1632 | 0 | 60 | 26701 |
| Memorii Flash | Ridata | Micro-SD/Trans-Flash Card, 2GB, Ridata, adaptor SD inclus | 6.4736 | USD | 26.1632 | 0 | 60 | 26700 |
| Memorii Flash | Ridata | Micro-SD/Trans-Flash Card, 2GB, Ridata, adaptor SD inclus, BULK | 6.1936 | USD | 25.032 | 0 | 60 | 26699 |
| Memorii Flash | Ridata | Micro-SDHC Card, 16GB, Class 2, Ridata, adaptor SD inclus | 33.712 | USD | 136.2368 | 0 | 60 | 26704 |
| Memorii Flash | Ridata | Micro-SDHC Card, 4GB, Class 6, Ridata, adaptor SD inclus | 9.1616 | USD | 37.0272 | 0 | 60 | 26702 |
| Memorii Flash | Ridata | Micro-SDHC Card, 8GB, Class 6, Ridata, adaptor SD inclus | 17.36 | USD | 70.1568 | 0 | 60 | 26703 |
| Memorii Flash | Ridata | SDHC Card, 16GB, Class 6, Ridata | 36.176 | USD | 146.1936 | 0 | 60 | 26710 |
| Memorii Flash | Ridata | SDHC Card, 32GB, Class 6, Ridata | 71.232 | USD | 287.8624 | 0 | 60 | 26711 |
| Memorii Flash | Ridata | SDHC Card, 4GB, Class 6, Ridata | 9.9232 | USD | 40.096 | 0 | 60 | 26705 |
| Memorii Flash | Ridata | SDHC Card, 8GB, Class 6, Ridata | 18.032 | USD | 72.8672 | 0 | 60 | 26706 |
| Memorii Flash | Kingmax | Multimedia Mobile Card 2GB (ReducedSize/DualVoltage), KingMax | 8.4672 | USD | 34.216 | C | 60 | 20785 |
| Memorii Flash | A-Data | Micro-SDHC/Trans-Flash Card, 4GB, A-Data, Clasa6, Merge doar in aparate cu specificatia SDHC | 10.808 | USD | 43.68 | 0 | 60 | 17149 |
| Memorii Flash | A-Data | Micro SD A-Data MyFlash MicroSDHC Cls 6 4GB MicroSDHC, 4GB, 4MB/s citire minim garantat, pentru telefoane mobile si playere mp3/mp4, protectie copyright, adaptor SD | 11.0096 | USD | 44.4864 | C | 60 | 19611 |
| Memorii Flash | Lexar | Secure Digital, SD Card, 2GB, Lexar | 6.1264 | EUR | 32.4128 | C | 60 | 17729 |
| Memorii Flash | Lexar | Secure Digital, SD Card, 4GB, Lexar, SDHC, Clasa 2, Merge doar cu camere Foto/Video cu specificatia SDHC | 9.2176 | EUR | 48.776 | CALL | 60 | 19853 |
| Memorii Flash | Lexar | Secure Digital, SD Card, 8GB, Lexar, SDHC, Clasa 10, Merge doar cu camere Foto/Video cu specificatia SDHC | 40.88 | EUR | 216.2944 | C | 60 | 13319 |
| Memorii Flash | Lexar | SD Card Lexar Secure Digital 8GB SDHC Secure Digital, 8GB, SDHC Class 2, 5 ani | 18.48 | EUR | 97.776 | C | 60 | 19895 |
| Memorii Flash | Lexar | Compact Flash, CF Card, 8GB, Lexar, 300x | 71.568 | EUR | 378.672 | C | 60 | 11479 |
| Memorii Flash | Lexar | Compact Flash Lexar Compact Flash 233x 8GB Compact Flash 233X, 8GB, viteza scriere 35MB/s, Image Rescue 3, 99 ani | 30.576 | EUR | 161.784 | 0 | 60 | 19891 |
| Memorii Flash | Lexar | Compact Flash Lexar Compact Flash 300X 16GB Compact Flash 300X, 16GB, viteza scriere 45MB/s, Image Rescue 3, 99 ani | 102.368 | EUR | 541.632 | C | 60 | 19892 |
| Memorii Flash | Lexar | Micro SD Lexar MicroSDHC 8GB MicroSDHC, 8GB, adaptor SD, pentru telefoane mobile, ideal pentru muzica, 5 ani | 17.472 | EUR | 92.4448 | C | 60 | 19894 |
| Memorii Flash | Lexar | Memory stick Lexar Memory Stick Micro M2 8GB Memory Stick Micro, 8GB, compatibil telefoane mobile Sony Ericsson, 5 ani | 24.64 | EUR | 130.368 | SL | 60 | 19900 |
| Memorii Flash | Lexar | Memory stick Lexar Memory Stick PRO Duo 16GB Memory Stick Pro Duo, 16GB, certificat Mark2, Image Rescue 3, MagicGate, 99 ani | 46.256 | EUR | 244.7424 | C | 60 | 19899 |
| Memorii Flash | Lexar | Memory Stick Micro M2, 4GB, Lexar, LMSM4GBACNA | 17.92 | EUR | 94.8192 | SL | 60 | 17314 |
| Memorii Flash | Kingston | Secure Digital, SD Card, 2GB, Kingston | 6.4624 | USD | 26.1184 | C | 60 | 7071 |
| Memorii Flash | Kingston | Secure Digital, SD Card, 4GB, Kingston, SDHC Clasa 4, Merge doar cu camere Foto/Video cu specificatia SDHC | 9.2624 | USD | 37.4304 | S | 60 | 8707 |
| Memorii Flash | Kingston | Secure Digital, SD Card, 8GB, Kingston, SDHC Clasa 4, Merge doar cu camere Foto/Video cu specificatia SDHC | 17.248 | USD | 69.6976 | S | 60 | 11829 |
| Memorii Flash | Kingston | Secure Digital, SD Card, 8GB, Kingston, SDHC Clasa 6, Ultimate Flash Card, Merge doar cu camere Foto/Video cu specificatia SDHC | 33.152 | USD | 133.9744 | C | 60 | 24851 |
| Memorii Flash | Kingston | Secure Digital, SD Card, 8GB, Kingston, SDHC Clasa 10, Merge doar cu camere Foto/Video cu specificatia SDHC | 41.552 | USD | 167.9216 | S | 60 | 23746 |
| Memorii Flash | Kingston | Secure Digital, SD Card, 8GB, Kingston, SDHC Video card EMEA Channel packaging 120 min Class 4 | 15.904 | USD | 64.2656 | C | 60 | 24869 |
| Memorii Flash | Kingston | Secure Digital, SD Card, 16GB, Kingston, SDHC Clasa 10, Merge doar cu camere Foto/Video cu specificatia SDHC | 65.184 | USD | 263.424 | C | 60 | 24854 |
| Memorii Flash | Kingston | Secure Digital, SD Card, 16GB, Kingston, SDHC Clasa 6, Ultimate Flash Card, Merge doar cu camere Foto/Video cu specificatia SDHC | 52.192 | USD | 210.9184 | C | 60 | 24852 |
| Memorii Flash | Kingston | Secure Digital, SD Card, 16GB, Kingston, SDHC Clasa 4, Merge doar cu camere Foto/Video cu specificatia SDHC | 35.504 | USD | 143.472 | S | 60 | 18310 |
| Memorii Flash | Kingston | Secure Digital, SD Card, 32GB, Kingston, SDHC Clasa 10, Merge doar cu camere Foto/Video cu specificatia SDHC | 129.248 | USD | 522.312 | 0 | 60 | 24855 |
| Memorii Flash | Kingston | Secure Digital, SD Card, 32GB, Kingston, SDHC Clasa 4, Merge doar cu camere Foto/Video cu specificatia SDHC | 77.504 | USD | 313.208 | C | 60 | 15840 |
| Memorii Flash | Kingston | Secure Digital, SD Card, 32GB, Kingston, SDHC Clasa 6, Ultimate Flash Card, Merge doar cu camere Foto/Video cu specificatia SDHC | 103.264 | USD | 417.3008 | C | 60 | 24853 |
| Memorii Flash | Kingston | Micro-SDHC Card, 16GB, Class 10, Kingston SDC10/16GB, Merge doar in aparate cu specificatia SDH | 94.08 | USD | 380.1952 | S | 60 | 22816 |
| Memorii Flash | Kingston | Micro-SDHC Card, 16GB, Class 2, Kingston SDC2/16GB, Merge doar in aparate cu specificatia SDH | 36.96 | USD | 149.3632 | 0 | 60 | 22815 |
| Memorii Flash | Kingston | Micro-SDHC Card, 16GB, Class 10, Kingston SDC10/16GB-2ADP, Merge doar in aparate cu specificatia SDH, Adaptor Mini-SD si SD | 94.752 | USD | 382.9056 | C | 60 | 22817 |
| Memorii Flash | Kingston | Micro-SDHC Card, 16GB, Kingston + 2*Adapters (miniSD and full-size SD)+ MicroSD Reader | 44.464 | USD | 179.6816 | C | 60 | 24864 |
| Memorii Flash | Kingston | Micro-SD/Trans-Flash Card, 2GB, Kingston + 2*Adapters (miniSD and full-size SD)+ MicroSD Reader | 9.5312 | USD | 38.5168 | C | 60 | 24861 |
| Memorii Flash | Kingston | Micro-SD/Trans-Flash Card, 2GB, Kingston + MicroSD Reader | 8.792 | USD | 35.5264 | C | 60 | 24857 |
| Memorii Flash | Kingston | Micro-SD/Trans-Flash Card, 2GB, Kingston | 6.3504 | USD | 25.6592 | C | 60 | 8240 |
| Memorii Flash | Kingston | Micro-SD/Trans-Flash Card, 2GB, Kingston, Adaptor Mini-SD si SD | 7.2016 | USD | 29.0976 | SL | 60 | 18312 |
| Memorii Flash | Kingston | Micro-SD/Trans-Flash Card, 2GB, Kingston, Fara adaptor | 6.3504 | USD | 25.6592 | C | 60 | 16483 |
| Memorii Flash | Kingston | Micro-SDHC Card, 4GB, Class 4, Kingston, Merge doar in aparate cu specificatia SDHC + MicroSD Reader | 11.424 | USD | 46.1664 | C | 60 | 24858 |
| Memorii Flash | Kingston | Micro-SDHC Card, 4GB, Class 4, Kingston, Merge doar in aparate cu specificatia SDHC | 9.7328 | USD | 39.3344 | S | 60 | 10336 |
| Memorii Flash | Kingston | Micro-SDHC Card, 4GB, Class 4, Kingston, Merge doar in aparate cu specificatia SDHC, Adaptor Mini-SD si SD | 10.3824 | USD | 41.9552 | S | 60 | 13745 |
| Memorii Flash | Kingston | Micro-SDHC Card, 4GB, Class 4, Kingston, Merge doar in aparate cu specificatia SDHC, Fara adaptor | 9.5312 | USD | 38.5168 | C | 60 | 18311 |
| Memorii Flash | Kingston | Micro-SDHC Card, 4GB, Kingston + 2*Adapters (miniSD and full-size SD)+ MicroSD Reader | 11.648 | USD | 47.0736 | C | 60 | 24862 |
| Memorii Flash | Kingston | Micro-SDHC Card, 8GB, Class 4, Kingston, Merge doar in aparate cu specificatia SDHC + MicroSD Reader | 19.824 | USD | 80.1136 | 0 | 60 | 24859 |
| Memorii Flash | Kingston | Micro-SDHC Card, 8GB, Class 4, Kingston, Merge doar in aparate cu specificatia SDHC | 17.472 | USD | 70.6048 | S | 60 | 17501 |
| Memorii Flash | Kingston | Micro-SDHC Card, 8GB, Class 4, Kingston, Merge doar in aparate cu specificatia SDHC, Adaptor Mini-SD si SD | 18.032 | USD | 72.8672 | 0 | 60 | 16524 |
| Memorii Flash | Kingston | Micro-SDHC Card, 8GB, Class 4, Kingston, Merge doar in aparate cu specificatia SDHC, Fara adaptor | 17.248 | USD | 69.6976 | C | 60 | 24856 |
| Memorii Flash | Kingston | Micro-SDHC Card, 8GB, Kingston + 2*Adapters (miniSD and full-size SD)+ MicroSD Reader | 20.16 | USD | 81.4688 | C | 60 | 24863 |
| Memorii Flash | Kingston | Compact Flash, CF Card, 16GB, Kingston, Elite Pro 133X | 42.336 | USD | 171.0912 | C | 60 | 12362 |
| Memorii Flash | Kingston | Compact Flash, CF Card, 16GB, Kingston, Ultimate 266X, with MediaRECOVER | 91.28 | USD | 368.872 | C | 60 | 24866 |
| Memorii Flash | Kingston | Compact Flash, CF Card, 32GB, Kingston, Elite Pro 133X | 80.528 | USD | 325.4272 | C | 60 | 24865 |
| Memorii Flash | Kingston | Compact Flash, CF Card, 32GB, Kingston, Ultimate 266X, with MediaRECOVER | 134.96 | USD | 545.3952 | C | 60 | 24867 |
| Memorii Flash | Kingston | Compact Flash, CF Card, 4GB, Kingston, CF/4GB | 11.872 | USD | 47.9808 | S | 60 | 11707 |
| Memorii Flash | Kingston | Compact Flash, CF Card, 8GB, Kingston, CF/8GB | 18.032 | USD | 72.8672 | C | 60 | 21528 |
| Memorii Flash | Kingston | Compact Flash, CF Card, 8GB, Kingston, Elite Pro 133X | 28.672 | USD | 115.864 | 0 | 60 | 11706 |
| Memorii Flash | Sony | Memory Stick Pro Duo 16GB, SONY MSMT16GN | 64.512 | EUR | 341.3424 | 0 | 60 | 24938 |
| Memorii Flash | Sony | Memory Stick Pro Duo 2GB, SONY MSMT2GN | 12.208 | EUR | 64.5904 | S | 12 | 20831 |
| Memorii Flash | Sony | Memory Stick Pro Duo 32GB, SONY MSMT32GN | 136.752 | EUR | 723.5648 | C | 60 | 24939 |
| Memorii Flash | Sony | Memory Stick Pro Duo 4GB, SONY MSMT4GN | 17.136 | EUR | 90.664 | S | 12 | 24701 |
| Memorii Flash | Sony | Memory Stick Pro Duo 8GB, SONY MSMT8GN | 32.144 | EUR | 170.072 | 0 | 60 | 24937 |
| Memorii Flash | Sony | Memory Stick Micro M2 2GB, SONY MSA2GU2 | 12.992 | EUR | 68.7456 | 0 | 60 | 24940 |

| | | | | | | | | |
|---------------|-----------|---|---------|-----|----------|----|----|-------|
| Memorii Flash | Sony | Memory Stick Micro M2 4GB, SONY MSA4GU2 | 19.488 | EUR | 103.1072 | C | 60 | 24941 |
| Memorii Flash | Sony | Memory Stick Micro M2 8GB, SONY MSA8GU2 | 35.616 | EUR | 188.4512 | C | 60 | 24942 |
| Memorii Flash | Sony | Memory Stick Pro-HG Duo HX 8GB, SONY MSHX8G3 | 37.632 | USD | 152.0736 | 0 | 60 | 25308 |
| Memorii Flash | Sony | Memory Stick Pro-HG Duo HX 16GB, SONY MSHX16G3 | 72.24 | USD | 291.928 | C | 60 | 25309 |
| Memorii Flash | Sony | Memory Stick Pro-HG Duo HX 32GB, SONY MSHX32G3 | 149.184 | USD | 602.8736 | 0 | 60 | 25310 |
| Memorii Flash | TeamGroup | SDHC Card, 16GB, Class 10, Team T16GBHC10, Merge doar in aparate cu specificatia SDHC | 38.528 | USD | 155.7024 | 0 | 48 | 22672 |
| Memorii Flash | TeamGroup | SDHC Card, 16GB, Class 6, Team TG016G0SD26A, Merge doar in aparate cu specificatia SDHC | 44.464 | USD | 179.6816 | 0 | 48 | 22671 |
| Memorii Flash | TeamGroup | SDHC Card, 4GB, Class 6, Team TG004G0SD26A, Merge doar in aparate cu specificatia SDHC | 11.872 | USD | 47.9808 | 0 | 48 | 22669 |
| Memorii Flash | TeamGroup | SDHC Card Team 4GB T4GBHC10 Class 10 E5 | 14.672 | USD | 59.2928 | 0 | 48 | 22180 |
| Memorii Flash | TeamGroup | SDHC Card, 8GB, Class 6, Team TG008G0SD26A, Merge doar in aparate cu specificatia SDHC | 21.616 | USD | 87.3488 | 0 | 48 | 22670 |
| Memorii Flash | TeamGroup | SDHC Card Team 8GB T8GBHC10 Class 10 E5 | 19.6 | USD | 79.2064 | C | 48 | 22181 |
| Memorii Flash | TeamGroup | Micro-SD Card, 2GB, Team TG002G0MC1XA | 6.1712 | USD | 24.9424 | S | 60 | 25809 |
| Memorii Flash | TeamGroup | Micro-SD Card, 2GB, Team TG002G0MC1XB, include 2 adaptoare | 6.4064 | USD | 25.8944 | S | 60 | 25812 |
| Memorii Flash | TeamGroup | Micro-SDHC Card, 4GB, Class 2, Team TG004G0MC22A, Merge doar in aparate cu specificatia SDHC | 8.624 | USD | 34.8544 | C | 60 | 25810 |
| Memorii Flash | TeamGroup | Micro-SDHC Card, 4GB, Class 6, Team TG004G1MC26AE5, Merge doar in aparate cu specificatia SDHC | 12.768 | USD | 51.5984 | 0 | 48 | 22666 |
| Memorii Flash | TeamGroup | Micro-SDHC Card, 4GB, Class 6, Team TG004G1MC26AE, Merge doar in aparate cu specificatia SDHC, cu 2 adaptoare | 9.9008 | USD | 40.0064 | C | 48 | 22665 |
| Memorii Flash | TeamGroup | Micro-SDHC Card, 16GB, Class 6, Team TG016G1MC26A, Merge doar in aparate cu specificatia SDHC | 75.824 | USD | 306.4208 | 0 | 48 | 22668 |
| Memorii Flash | TeamGroup | Micro-SDHC Card, 8GB, Class 2, Team TG008G0MC22A, Merge doar in aparate cu specificatia SDHC | 15.68 | USD | 63.3696 | C | 60 | 25811 |
| Memorii Flash | TeamGroup | Micro-SDHC Card, 8GB, Class 6, Team TG008G1MC26AE5, Merge doar in aparate cu specificatia SDHC | 23.856 | USD | 96.4096 | 0 | 48 | 22667 |
| Memorii Flash | TeamGroup | Micro-SDHC Card, 8GB, Class 6, Team TG008G1MC26AE6, Merge doar in aparate cu specificatia SDHC, cu 2 adaptoare | 25.536 | USD | 103.1968 | 0 | 48 | 22664 |
| Memorii Flash | TeamGroup | Compact Flash, CF Card, 4GB, Team Group 133X, TG004G2NCFFA | 15.12 | USD | 61.1072 | 0 | 48 | 22656 |
| Memorii Flash | TeamGroup | Compact Flash, CF Card, 4GB, Team Group 233X, TG004G2NCFJA | 19.488 | USD | 78.7584 | 0 | 48 | 22657 |
| Memorii Flash | TeamGroup | Compact Flash, CF Card, 4GB, Team Group 300X E6, TG004G2NCFIA | 56.336 | USD | 227.6624 | 0 | 48 | 21218 |
| Memorii Flash | TeamGroup | Compact Flash, CF Card, 16GB, Team Group 133X E6, TG00AG2NCFFA | 43.344 | USD | 175.1568 | 0 | 48 | 22658 |
| Memorii Flash | TeamGroup | Compact Flash, CF Card, 16GB, Team Group 233X E6, TG00AG2NCFJA | 51.968 | USD | 210.0112 | 0 | 48 | 22182 |
| Memorii Flash | TeamGroup | Compact Flash, CF Card, 16GB, Team Group 400X, TCF16G-400X | 130.032 | USD | 525.4816 | 0 | 48 | 22661 |
| Memorii Flash | TeamGroup | Compact Flash, CF Card, 16GB, Team Group 600X, TCF16G-600X | 113.792 | USD | 459.8496 | 0 | 48 | 22662 |
| Memorii Flash | TeamGroup | Compact Flash, CF Card, 32GB, Team Group 233X E6, TG00BG2NCFJA | 102.928 | USD | 415.9456 | 0 | 48 | 22659 |
| Memorii Flash | TeamGroup | Compact Flash, CF Card, 32GB, Team Group 600X, TCF32G-600X | 325.024 | USD | 1313.469 | 0 | 48 | 22663 |
| Memorii Flash | TeamGroup | Compact Flash, CF Card, 8GB, Team Group 133X E6, TG008G2NCFFA | 24.976 | USD | 100.9344 | C | 48 | 21219 |
| Memorii Flash | TeamGroup | Compact Flash, CF Card, 8GB, Team Group 233X E6, TG008G2NCFJA | 32.48 | USD | 131.2528 | 0 | 48 | 21221 |
| Memorii Flash | TeamGroup | Compact Flash, CF Card, 8GB, Team Group 300X E6, TG008G2NCFIA | 96.432 | USD | 389.6928 | SL | 48 | 21220 |
| Memorii Flash | TeamGroup | Compact Flash, CF Card, 8GB, Team Group 400X, TCF8G-400X | 64.96 | USD | 262.5168 | C | 48 | 22660 |
| Memorii Flash | SanDisk | Secure Digital, SD Card, 1GB, Sandisk Ultra II SDSDH-1024 | 4.256 | EUR | 22.5232 | C | 60 | 14470 |
| Memorii Flash | SanDisk | Secure Digital, SD Card, 2GB, Sandisk SDSDB-2048 | 6.8096 | EUR | 36.0304 | S | 60 | 14465 |
| Memorii Flash | SanDisk | Secure Digital, SD Card, 4GB, Sandisk, SDHC, Merge doar cu camere Foto/Video cu specificatia SDHC SDSDB-4096 | 10.2144 | EUR | 54.04 | S | 60 | 14466 |
| Memorii Flash | SanDisk | Secure Digital, SD Card, 8GB, Sandisk, SDHC, Merge doar cu camere Foto/Video cu specificatia SDHC SDSDB-8192 | 17.36 | EUR | 91.8512 | S | 60 | 19140 |
| Memorii Flash | SanDisk | Secure Digital, SD Card, 2GB, Sandisk Ultra II SDSDH-2048 | 7.952 | EUR | 42.0784 | C | 60 | 14471 |
| Memorii Flash | SanDisk | Secure Digital, SD Card, 16GB, Sandisk Extreme III SDSDX3-016G-E31 | 73.024 | EUR | 386.3776 | S | 60 | 17437 |
| Memorii Flash | SanDisk | Secure Digital, SD Card, 4GB, Sandisk Extreme III SDSDX3-004G-E31 | 25.984 | EUR | 137.48 | C | 60 | 23982 |
| Memorii Flash | SanDisk | Secure Digital, SD Card, 8GB, Sandisk Extreme III SDSDX3-008G-E31 | 38.64 | EUR | 204.4448 | S | 60 | 17280 |
| Memorii Flash | SanDisk | Micro-SD Card, 2GB, Sandisk SDSDQ-2048 | 6.496 | EUR | 34.3728 | C | 60 | 14483 |
| Memorii Flash | SanDisk | Micro-SD Card, 4GB, Sandisk SDSDQ-4096 | 10.2144 | EUR | 54.04 | S | 60 | 14484 |
| Memorii Flash | SanDisk | Mini-SD Card, 1GB, Sandisk SDSDM-1024 | 7.8736 | EUR | 41.664 | S | 60 | 14472 |
| Memorii Flash | SanDisk | Mini-SD Card, 2GB, Sandisk SDSDM-2048 | 13.216 | EUR | 69.9216 | C | 60 | 14473 |
| Memorii Flash | SanDisk | Memory Stick Pro Duo, 2GB, Sandisk, SDMSPD-2048 | 11.0208 | EUR | 58.3072 | S | 60 | 14475 |
| Memorii Flash | SanDisk | Memory Stick Pro Duo, 4GB, Sandisk, SDMSPD-4096 | 16.24 | EUR | 85.9264 | S | 60 | 14476 |
| Memorii Flash | SanDisk | Memory Stick Pro Duo, 8GB, Sandisk, SDMSPD-8192 | 28.448 | EUR | 150.5168 | S | 60 | 19364 |
| Memorii Flash | SanDisk | Memory Stick Micro M2, 4GB, Sandisk, SDMSM2-4096 | 12.544 | EUR | 66.3712 | S | 60 | 14481 |
| Memorii Flash | SanDisk | Compact Flash, CF Card, 16GB, Sandisk Extreme, 60 MB/s, SDCFX-016G | 81.984 | EUR | 433.7872 | C | 60 | 22898 |
| | | Card reader | | | | | | |
| Card reader | IP-Time | Card Reader All in 1 IP-Time ZC-UR0904, Intern, 3.5" | 5.4096 | USD | 21.8624 | C | 12 | 14954 |
| Card reader | Sycron | Card Reader/Writer Sycron SY-MCRIAB, 52 in 1 (pentru toate tipurile de memorii), 1xUSB2.0 port, Intern, Negru | 6.1376 | USD | 24.808 | S | 12 | 18367 |
| Card reader | Sycron | Card Reader/Writer Sycron SY-MCREAB, 59 in 1 (pentru toate tipurile de memorii incluzand si Memory Stick Micro M2), USB2.0, Extern, 6 sloturi, Negru | 10.4832 | USD | 42.3696 | 0 | 12 | 18365 |
| Card reader | Sycron | Card Reader/Writer Sycron SY-MCREMSDB, Pentru Micro SD, USB2.0, Extern, Negru, Single slot, Tip pendrive | 3.08 | USD | 12.4432 | S | 12 | 18364 |
| Card reader | Canyon | Card Reader 22 in 1 Canyon CNR-CARD5 for CF/XD/SD/SDHC/MMC/MS USB 2.0 | 7.7728 | USD | 31.416 | SL | 12 | 18747 |
| Card reader | A-Data | Card Reader 52 in 1 Adata for CF/SM/SD/MMC/MS USB 2.0 | 7.672 | USD | 31.0016 | C | 12 | 7768 |
| Card reader | Scythe | Card Reader 45n 1 Scythe SCKMRD-2000-BK (Black), CF(Type 1, 2, 2-HDD)/SM/SD&SDHC (CLASS 2, 4, 6)/MMC/RSMC/MS (MS ROM, PRO.Duo, PRO Duo, Micro M2)/miniSD&miniSDHC/Microdrive/XD picture card type M&typeH, Intern si Extern USB | 8.568 | EUR | 45.3376 | C | 12 | 17224 |
| Card reader | Kingmax | Card Reader Kingmax CR 01, Multi-function 42-in-1, USB2.0 and 1.1 ports | 8.3664 | USD | 33.8128 | 0 | 12 | 25059 |
| Card reader | Kingmax | Card Reader Kingmax CR 02, MicroSD+M2 card reader | 2.968 | USD | 11.9952 | 0 | 12 | 25060 |
| Card reader | Kingmax | Card Reader Kingmax CR 03, MicroSD only | 2.2288 | USD | 9.0048 | 0 | 12 | 25061 |
| Card reader | Kingston | Card Reader Kingston Mobile Elite 19 in 1 USB 2.0 | 13.776 | USD | 55.6752 | C | 12 | 18274 |
| Card reader | Kingston | Card Reader Kingston FCR-MLG2 MobileLite G2, USB 2.0 | 6.776 | USD | 27.384 | C | 60 | 22039 |
| Card reader | Kingston | Card Reader Kingston FCR-MRG2, MicroSD Reader Gen 2 | 2.744 | USD | 11.088 | 0 | 12 | 25062 |
| Card reader | Lexar | Flash memory reader Lexar UDMA CompactFlash Reader USB Card reader extern, Compact Flash I, II, SD, SDHC, USB 2.0 480Mbps, cablu USB, 2 ani | 26.432 | EUR | 139.8544 | C | 24 | 19901 |
| Card reader | Delock | Card Reader Delock 91403, PCMCIA, CardReader 33 in 1 | 21.616 | EUR | 114.3744 | C | 12 | 21855 |
| Card reader | Delock | Card Reader Delock 91051, PCMCIA, Card Reader for Compact Flash cards | 5.9248 | EUR | 31.3488 | S | 12 | 21854 |
| Card reader | Delock | Card Reader Delock 91052, PCMCIA, Card Reader for Compact Flash I/II - IBM Microdrive Typ II PC Card | 8.6576 | EUR | 45.808 | S | 12 | 24584 |

| | | | | | | | | |
|--------------------------|------------|--|---------|-----|----------|------|----|-------|
| Card reader | Modecom | Flash memory reader Modecom CR-COMBO, Card Reader and USB Hub CR-COMBO, include un hub USB pasiv cu 3 port-uri, 3 memory card slots, posibilitatea de hot swap a cardurilor, nu necesita sursa de curent externa, formate de carduri suportate: Compact Flash (CF Card Type I & II), Micro Drive Card, IBM Micro Drive Card, SONY Micro Drive Card, xD-Picture Card, Secure Digital Card, SDHC, Mini SD (necesita adaptor), MMC, Multimedia PRO/Plus Card, RsMMC, Memory Stick Pro Duo, Micro-SD | 12.88 | USD | 52.0464 | S | 12 | 23323 |
| Card reader | Modecom | Flash memory reader Modecom CR-LEVEL, posibilitatea transferului intre cardurile din sloturi diferite (excepte: SD si microSD nu pot functiona simultan), 6 memory card slots, formate de carduri suportate: Compact Flash (CF Card Type I & II), Micro Drive Card, IBM Micro Drive Card, SONY Micro Drive Card, xD-Picture Card, Secure Digital Card, SDHC, Mini SD (necesita adaptor), MMC, Multimedia PRO/Plus Card, Reduced sized MMC, M2, Memory Stick, Memory Stick Duo, Micro SD | 8.736 | USD | 35.3024 | S | 12 | 22690 |
| Card reader | Modecom | Flash memory reader Modecom CR-WAVE, Card Reader and USB Hub CR-WAVE, include un hub USB pasiv cu 3 port-uri, 4 memory card slots, posibilitatea de hot swap a cardurilor, nu necesita sursa de curent externa, dimensiuni: 68x37x23mm, formate de carduri suportate: M2, Smart Media Card, xD-Picture Card, Secure Digital Card, SDHC, Mini SD, MMC, Multimedia PRO/Plus Card, Reduced sized MMC, Memory Stick, Memory Stick Duo, Micro SD, Trans flash, Micro SDHC | 7.5712 | USD | 30.5984 | S | 12 | 22689 |
| Card reader | Modecom | Flash memory reader Modecom CR-MICRO, culoare neagra glossy, include lantisor, plug & play (nu necesita drivere), posibilitate de hot plug, nu necesita sursa de curent externa, formate de carduri suportate: M2, Micro SD, Trans flash | 3.3824 | USD | 13.664 | S | 12 | 24848 |
| Card reader | Modecom | Flash memory reader Modecom CR-MINI, posibilitate de hot swap, nu necesita sursa de curent externa, formate de carduri suportate: Secure Digital Card, SDHC, Mini SD (necesita adaptor), Micro SD (necesita adaptor), Trans flash (necesita adaptor), MMC, Reduced sized MMC | 3.6624 | USD | 14.7952 | S | 12 | 24847 |
| Card reader | Modecom | Flash memory reader Modecom MC-CR107, posibilitatea transferului intre cardurile din sloturi diferite (excepte: SD si microSD nu pot functiona simultan), 5 memory card slots, posibilitatea de hot swap a cardurilor, nu necesita sursa de curent externa, dimensiuni: 68x37x23mm, formate de carduri suportate: CFI, CFII, Extreme CF, Extreme III CF, xD, Microdrive, SD, SDHC, Mini-SD, Micro SD/T-Flash, MMC, RS-MMC, MS, MS Pro, MS Duo, MS Pro Duo, Magic Gate, Black | 9.3184 | USD | 37.6544 | S | 12 | 24846 |
| Card reader | Modecom | Flash memory reader Modecom MC-CR201 Dark Grey, Extern, posibilitatea transferului intre cardurile din sloturi diferite, 4 memory card slots, posibilitatea de hot swap a cardurilor, nu necesita sursa de curent externa | 14 | USD | 56.5712 | S | 12 | 26460 |
| Card reader | Modecom | Flash memory reader Modecom MC-CR201 Red, Extern, posibilitatea transferului intre cardurile din sloturi diferite, 4 memory card slots, posibilitatea de hot swap a cardurilor, nu necesita sursa de curent externa | 14 | USD | 56.5712 | S | 12 | 26459 |
| Card reader | Inter-Tech | Flash memory reader Inter-Tech SinanPower CB-01, constructie din aluminiu, include un hub USB cu 3 porturi, include cablu USB, compatibilitate: SD, SDHC, MMC, MS, MSPRO, MS DUO, MSPRO DUO, XD, T-Flash, Micro SD, M2 | 11.648 | USD | 47.0736 | S | 12 | 26610 |
| Memorii Flash USB | | | | | | | | |
| Memorii Flash | A-Data | Flash Drive USB 2.0 2GB, A-Data, C802, Negru | 6.6416 | USD | 26.8352 | S | 24 | 15969 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 4GB, A-Data, C802, Negru | 7.5824 | USD | 30.6432 | S | 24 | 15970 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 4GB, A-Data, C906, Negru | 10.2368 | USD | 41.3728 | S | 24 | 22807 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 4GB, A-Data, N702, Argintiu | 14.56 | USD | 58.8448 | SL | 24 | 13310 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 4GB, A-Data, RB19, culoare negru+verde, carcasa cauciuc, rezistent la apa si la socuri, indicator cu LED | 9.3296 | USD | 37.6992 | C | 60 | 25778 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 4GB, A-Data, S805, Grey, cadru din alaij zinc, sistem de prindere carabiniere, suporta Windows ReadyBoost | 12.208 | USD | 49.336 | S | 24 | 19562 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 4GB, A-Data, T809, Flash drive standard cu invelitoare Santa Claus, Limited Edition. | 16.8 | USD | 67.8944 | SL | 24 | 21530 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 8GB, A-Data, RB19, culoare negru+verde, carcasa cauciuc, rezistent la apa si la socuri, indicator cu LED | 21.616 | USD | 87.3488 | C | 60 | 25779 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 8GB, A-Data, C702, Negru | 16.464 | USD | 66.5392 | S | 24 | 26463 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 8GB, A-Data, C802, Negru | 15.344 | USD | 62.0032 | S | 24 | 15971 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 8GB, A-Data, C906, Negru | 19.488 | USD | 78.7584 | S | 24 | 22808 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 8GB, A-Data, Xupreme 200X, Black, certificat Windows Vista ReadyBoost, carcasa din aluminiu | 25.76 | USD | 104.104 | 0 | 24 | 19563 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 16GB, A-Data, C802, Negru | 28.224 | USD | 114.0608 | C | 24 | 19553 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 16GB, A-Data, C803, Negru | 28.336 | USD | 114.5088 | S | 60 | 25782 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 16GB, A-Data, C906, Negru | 34.72 | USD | 140.3136 | C | 24 | 22809 |
| Memorii Flash | A-Data | Flash Drive USB 3.0 16GB, A-Data, N005, scriere pana la 85MB/s, citire pana la 55MB/s, interfata SuperSpeed USB 3.0, compatibil USB 2.0 si USB 1.1, carcasa din aluminiu, culoare gri | 43.904 | USD | 177.4192 | C | 60 | 25781 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 16GB, A-Data, RB19, culoare negru+verde, carcasa cauciuc, rezistent la apa si la socuri, indicator cu LED | 32.144 | USD | 129.8976 | C | 60 | 25780 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 32GB, A-Data, C803, Negru | 56.56 | USD | 228.5696 | C | 60 | 25783 |
| Memorii Flash | A-Data | Flash Drive USB 2.0 32GB, A-Data, C903, Metallic, Blue | 59.92 | USD | 242.144 | C | 24 | 21878 |
| Memorii Flash | Agfa | Flash Drive USB Agfa 2GB Silver 10321 | 8.064 | EUR | 42.672 | SL | 12 | 21454 |
| Memorii Flash | Lexar | Flash Drive Lexar JumpDrive Twist Turn 16GB Twist Turn, 16GB, carcasa metalizata, design rotativ, led indicator, culoare gri, 2 ani | 24.976 | EUR | 132.1488 | C | 60 | 19888 |
| Memorii Flash | Lexar | Flash Drive Lexar JumpDrive Twist Turn 2GB Twist Turn, 2GB, carcasa metalizata, design rotativ, led indicator, culoare alb, 2 ani | 6.104 | EUR | 32.3008 | SL | 60 | 19885 |
| Memorii Flash | Lexar | Flash Drive Lexar JumpDrive Twist Turn 32GB Twist Turn, 32GB, carcasa metalizata, design rotativ, led indicator, culoare negru, 2 ani | 51.52 | EUR | 272.5968 | C | 60 | 19889 |
| Memorii Flash | Lexar | Flash Drive Lexar JumpDrive Twist Turn 4GB Twist Turn, 4GB, carcasa metalizata, design rotativ, led indicator, culoare rosu, 2 ani | 8.7024 | EUR | 46.0432 | C | 60 | 19886 |
| Memorii Flash | Ridata | Flash Drive USB 2.0 16GB, Ridata, SD3, dimensiuni reduce, Red | 32.368 | USD | 130.8048 | 0 | 60 | 26717 |
| Memorii Flash | Ridata | Flash Drive USB 2.0 2GB, Ridata, OD3, Silver | 8.1984 | USD | 33.1296 | 0 | 60 | 26712 |
| Memorii Flash | Ridata | Flash Drive USB 2.0 4GB, Ridata, OD3, Silver | 9.5984 | USD | 38.7856 | 0 | 60 | 26713 |
| Memorii Flash | Ridata | Flash Drive USB 2.0 4GB, Ridata, SD3, dimensiuni reduce, Black | 9.1616 | USD | 37.0272 | 0 | 60 | 26715 |
| Memorii Flash | Ridata | Flash Drive USB 2.0 8GB, Ridata, OD3, Silver | 17.808 | USD | 71.96 | 0 | 60 | 26714 |
| Memorii Flash | Ridata | Flash Drive USB 2.0 8GB, Ridata, SD3, dimensiuni reduce, Blue | 17.136 | USD | 69.2496 | 0 | 60 | 26716 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 2GB, Kingmax, KD-01, Albastru | 6.9888 | USD | 28.2464 | C | 60 | 24826 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 2GB, Kingmax, PD-02, Black | 6.9888 | USD | 28.2464 | S | 60 | 23671 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 2GB, Kingmax, U-Drive PD07, Alb | 6.776 | USD | 27.384 | C | 60 | 15849 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 2GB, Kingmax, U-Drive PD07, Negru | 6.9888 | USD | 28.2464 | S | 60 | 24824 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 2GB, Kingmax, Super Stick | 7.0896 | USD | 28.6496 | C | 60 | 9171 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 2GB, Kingmax, U-Drive, Alb | 7.5152 | USD | 30.3744 | CALL | 60 | 11800 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 2GB, Kingmax, U-Drive UD-01, Negru | 7.2016 | USD | 29.0976 | 0 | 60 | 18578 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 2GB, Kingmax, U-Drive UD-01, Rosu | 7.2016 | USD | 29.0976 | C | 60 | 24818 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 4GB, Kingmax, KD-01, Gri | 8.1536 | USD | 32.9504 | C | 60 | 24827 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 4GB, Kingmax, PD-02 | 8.4672 | USD | 34.216 | C | 60 | 23672 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 4GB, Kingmax, U-Drive PD07, Alb | 8.4672 | USD | 34.216 | S | 60 | 18194 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 4GB, Kingmax, U-Drive PD07, Black | 9.1728 | USD | 37.072 | M | 60 | 24795 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 4GB, Kingmax, SuperStar Stick, Read:35MB/s, Write:13MB/s, Leather card case | 17.584 | USD | 71.064 | 0 | 60 | 24841 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 4GB, Kingmax, Super Stick, Negru | 9.1056 | USD | 36.792 | 0 | 60 | 24844 |

| | | | | | | | | |
|---------------|----------|--|---------|-----|----------|------|----|-------|
| Memorii Flash | Kingmax | Flash Drive USB 2.0 4GB, Kingmax, SuperStick Mask | 8.4672 | USD | 34.216 | 0 | 60 | 24830 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 4GB, Kingmax, Super Stick, Alb | 8.4672 | USD | 34.216 | CALL | 60 | 24447 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 4GB, Kingmax, U-Drive, Negru | 9.0048 | USD | 36.3888 | S | 60 | 11801 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 4GB, Kingmax, U-Drive UD-01, Negru | 8.568 | USD | 34.6192 | 0 | 60 | 18579 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 4GB, Kingmax, U-Drive UD-01, Rosu | 8.568 | USD | 34.6192 | S | 60 | 24819 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 4GB, Kingmax, U-Drive UD-02, Negru | 10.584 | USD | 42.7728 | C | 60 | 24832 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 4GB, Kingmax, U-Drive UD-02, Roz | 10.584 | USD | 42.7728 | 0 | 60 | 24835 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 4GB, Kingmax, U-Drive UD-02, Auriu | 10.584 | USD | 42.7728 | C | 60 | 24838 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 8GB, Kingmax, KD-01, Mov | 14.336 | USD | 57.9376 | 0 | 60 | 24828 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 8GB, Kingmax, PD-02 | 14.784 | USD | 59.7408 | 0 | 60 | 23673 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 8GB, Kingmax, U-Drive PD07, White | 15.792 | USD | 63.8176 | CALL | 60 | 19666 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 8GB, Kingmax, SuperStar Stick, Read:35MB/s, Write:13MB/s, Leather card case | 27.552 | USD | 111.3392 | 0 | 60 | 24842 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 8GB, Kingmax, Super Stick | 14.784 | USD | 59.7408 | S | 60 | 17038 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 8GB, Kingmax, Super Stick, Negru | 14.896 | USD | 60.2 | S | 60 | 24816 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 8GB, Kingmax, SuperStick Mask | 15.344 | USD | 62.0032 | S | 60 | 24831 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 8GB, Kingmax, U-Drive, Albastru | 15.232 | USD | 61.5552 | CALL | 60 | 11802 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 8GB, Kingmax, U-Drive UD01, Red | 15.456 | USD | 62.4624 | C | 60 | 23555 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 8GB, Kingmax, U-Drive UD-01, Negru | 15.12 | USD | 61.1072 | C | 60 | 24820 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 8GB, Kingmax, U-Drive UD-02, Negru | 17.584 | USD | 71.064 | C | 60 | 24833 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 8GB, Kingmax, U-Drive UD-02, Auriu | 17.248 | USD | 69.6976 | C | 60 | 24839 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 16GB, Kingmax, U-Drive PD07, Albastru | 29.68 | USD | 119.9408 | M | 60 | 15852 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 16GB, Kingmax, Pop BJ-01, Blue | 29.68 | USD | 119.9408 | SL | 60 | 22332 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 16GB, Kingmax, SuperStar Stick, Read:35MB/s, Write:13MB/s, Leather card case | 45.36 | USD | 183.3104 | C | 60 | 24843 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 16GB, Kingmax, Super Stick, Alb | 29.68 | USD | 119.9408 | C | 60 | 24814 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 16GB, Kingmax, Super Stick, Negru | 28.784 | USD | 116.3232 | 0 | 60 | 24817 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 16GB, Kingmax, U-Drive, Albastru, KM-UD16G | 29.12 | USD | 117.6784 | S | 60 | 16992 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 16GB, Kingmax, U-Drive UD-01, Negru | 29.68 | USD | 119.9408 | C | 60 | 24821 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 16GB, Kingmax, U-Drive UD-02, Negru | 30.352 | USD | 122.6624 | C | 60 | 24834 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 16GB, Kingmax, U-Drive UD-02, Auriu | 30.688 | USD | 124.0176 | C | 60 | 24840 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 32GB, Kingmax, U-Drive PD07, Alb | 65.184 | USD | 263.424 | C | 60 | 24825 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 32GB, Kingmax, U-Drive, Argintiu | 65.632 | USD | 265.2272 | C | 60 | 24823 |
| Memorii Flash | Kingmax | Flash Drive USB 2.0 32GB, Kingmax, U-Drive UD-01, Rosu | 64.624 | USD | 261.1504 | C | 60 | 24822 |
| Memorii Flash | PQI | Flash Drive USB 2.0 4GB, PQI, Pen Drive I820, Black/cofee | 9.408 | USD | 38.024 | M | 60 | 20767 |
| Memorii Flash | PQI | Flash Drive USB 2.0 8GB, PQI, Pen Drive U273, Black | 15.568 | USD | 62.9104 | C | 60 | 20697 |
| Memorii Flash | LaCie | LaCie CurrenKey, 4GB, USB Flash Drive (130825) | 17.696 | EUR | 93.632 | S | 24 | 20573 |
| Memorii Flash | LaCie | LaCie CurrenKey, 8GB, USB Flash Drive (130826) | 26.208 | EUR | 138.6672 | S | 24 | 20574 |
| Memorii Flash | LaCie | LaCie iamaKey, 4GB, USB Flash Drive (130869) | 17.584 | EUR | 93.0384 | SL | 24 | 20570 |
| Memorii Flash | LaCie | LaCie iamaKey, 8GB, USB Flash Drive (130870) | 27.44 | EUR | 145.1856 | 0 | 24 | 19195 |
| Memorii Flash | LaCie | LaCie itsaKey, 4GB, USB Flash Drive (130872) | 16.128 | EUR | 85.3328 | SL | 24 | 20571 |
| Memorii Flash | LaCie | LaCie itsaKey, 8GB, USB Flash Drive (130873) | 24.752 | EUR | 130.9616 | SL | 24 | 20572 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 2GB, Kingston, Data Traveler 101 Gen 2, Capac culisant, Lime Green | 6.888 | USD | 27.832 | 0 | 60 | 24897 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 2GB, Kingston, Data Traveler 5000, 256bit Hardware Encryption FIPS 140-2 | 76.832 | USD | 310.4864 | C | 60 | 24928 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 2GB, Kingston, Data Traveler I Gen 3, White & Orange | 6.776 | USD | 27.384 | S | 60 | 25750 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 2GB, Kingston, Data Traveler Vault DTPV w/256bit Encryption +100% Privacy | 54.32 | USD | 219.52 | C | 60 | 24923 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 4GB, Kingston, Data Traveler 100 Geometric White/Black | 7.9408 | USD | 32.088 | SL | 60 | 24922 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 4GB, Kingston, Data Traveler 100 | 8.0192 | USD | 32.4016 | 0 | 60 | 9433 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 4GB, Kingston, Data Traveler 101 Gen 2, Capac culisant, Cyan | 8.0528 | USD | 32.5472 | S | 60 | 24898 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 4GB, Kingston, Data Traveler 102, Neon Yellow | 8.0528 | USD | 32.5472 | C | 60 | 24902 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 4GB, Kingston, Data Traveler 410, Black | 11.648 | USD | 47.0736 | C | 60 | 24917 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 4GB, Kingston, Data Traveler 5000, 256bit Hardware Encryption FIPS 140-2 | 95.2 | USD | 384.72 | C | 60 | 24929 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 4GB, Kingston, Data Traveler C10, Green | 7.9408 | USD | 32.088 | S | 60 | 24906 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 4GB, Kingston, Data Traveler I Gen 2, Galben | 9.5536 | USD | 38.6064 | 0 | 60 | 20645 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 4GB, Kingston, Data Traveler I Gen 3, White & Gray | 7.9408 | USD | 32.088 | S | 60 | 25751 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 4GB, Kingston, Data Traveler Locker w/Encryption | 18.032 | USD | 72.8672 | C | 60 | 24919 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 4GB, Kingston, Data Traveler Mini 10, Red | 7.4032 | USD | 29.9152 | CALL | 60 | 24911 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 4GB, Kingston, Data Traveler Secure, 100% Privacy+Complex Password | 42.336 | USD | 171.0912 | 0 | 60 | 11772 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 4GB, Kingston, Data Traveler Vault DTPV w/256bit Encryption +100% Privacy | 65.184 | USD | 263.424 | C | 60 | 24924 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 4GB, Kingston, XMASS Edition, Blue&Black | 6.888 | USD | 27.832 | C | 60 | 24915 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 8GB, Kingston, Data Traveler 100 | 15.12 | USD | 61.1072 | M | 60 | 9434 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 8GB, Kingston, Data Traveler 101 Gen 2, Capac culisant, Red | 14.784 | USD | 59.7408 | SL | 60 | 24899 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 8GB, Kingston, Data Traveler 102, Blue | 14.784 | USD | 59.7408 | C | 60 | 24903 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 8GB, Kingston, Data Traveler 410, Readyboost, 20 MB/sec read 10 MB/sec write | 20.608 | USD | 83.2832 | C | 60 | 22371 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 8GB, Kingston, Data Traveler 5000, 256bit Hardware Encryption FIPS 140-2 | 116.704 | USD | 471.6208 | C | 60 | 24930 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 8GB, Kingston, Data Traveler, I Gen 2, Albastru | 17.472 | USD | 70.6048 | 0 | 60 | 20689 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 8GB, Kingston, Data Traveler I Gen 3, White & Yellow | 14.784 | USD | 59.7408 | C | 60 | 25752 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 8GB, Kingston, Data Traveler Locker w/Encryption | 25.648 | USD | 103.6448 | 0 | 60 | 24920 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 8GB, Kingston, Mini Slim, Albastru | 20.944 | USD | 84.6384 | SL | 60 | 18257 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 8GB, Kingston, Mini Slim, Roz | 14.336 | USD | 57.9376 | 0 | 60 | 18261 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 8GB, Kingston, Data Traveler Vault DTPV w/256bit Encryption +100% Privacy | 96.32 | USD | 389.2448 | 0 | 60 | 24925 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 16GB, Kingston, Data Traveler 100 | 29.008 | USD | 117.2304 | 0 | 60 | 18049 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 16GB, Kingston, Data Traveler 101 Gen 2, Capac culisant, Black | 29.68 | USD | 119.9408 | C | 60 | 24900 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 16GB, Kingston, DataTraveler 101, Capac culisant, Pink | 25.424 | USD | 102.7376 | C | 60 | 24888 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 16GB, Kingston, Data Traveler 101, Capac culisant, Yellow | 27.552 | USD | 111.3392 | C | 60 | 24891 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 16GB, Kingston, Data Traveler 102, White | 27.888 | USD | 112.6944 | C | 60 | 24904 |

| | | | | | | | | |
|---------------|-----------|---|---------|-----|----------|------|----|-------|
| Memorii Flash | Kingston | Flash Drive USB 2.0 16GB, Kingston, Data Traveler 410, Readyboost, 20 MB/sec read 10 MB/sec write | 38.64 | USD | 156.1504 | C | 60 | 22138 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 16GB, Kingston, Data Traveler 5000, 256bit Hardware Encryption FIPS 140-2 | 198.352 | USD | 801.5728 | C | 60 | 24931 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 16GB, Kingston, Data Traveler C10, Yellow | 29.792 | USD | 120.3888 | C | 60 | 24908 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 16GB, Kingston, DataTraveler I Gen 2, Red | 27.552 | USD | 111.3392 | 0 | 60 | 24884 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 16GB, Kingston, Data Traveler I Gen 3, White & Blue, 10 MB/sec. read, 5 MB/sec. write | 27.552 | USD | 111.3392 | C | 60 | 25753 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 16GB, Kingston, Data Traveler Locker w/Encryption | 63.504 | USD | 256.6256 | C | 60 | 24921 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 16GB, Kingston, Data Traveler Mini 10, Green | 25.424 | USD | 102.7376 | C | 60 | 24913 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 16GB, Kingston, Data Traveler Vault DTPV w/256bit Encryption +100% Privacy | 171.584 | USD | 693.4032 | C | 60 | 24926 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 16GB, Kingston, XMASS Edition, Yellow&Black | 21.168 | USD | 85.5456 | C | 60 | 24916 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 32GB, Kingston, Data Traveler 100 | 59.36 | USD | 239.8816 | C | 60 | 18050 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 32GB, Kingston, Data Traveler 101 Gen 2, Capac culisant, Purple | 59.36 | USD | 239.8816 | C | 60 | 24901 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 32GB, Kingston, Data Traveler 102, Black | 59.36 | USD | 239.8816 | C | 60 | 24905 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 32GB, Kingston, Data Traveler 200 | 74.032 | USD | 299.1744 | C | 60 | 21537 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 32GB, Kingston, Data Traveler 410 | 78.4 | USD | 316.8256 | C | 60 | 24918 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 32GB, Kingston, Data Traveler C10, Red | 62.608 | USD | 253.008 | C | 60 | 24909 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 32GB, Kingston, DataTraveler I Gen 2, Black | 58.24 | USD | 235.3568 | 0 | 60 | 24885 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 32GB, Kingston, Data Traveler I Gen 3, White & Red, 10 MB/sec. read, 5 MB/sec. write | 59.36 | USD | 239.8816 | 0 | 60 | 25754 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 32GB, Kingston, Data Traveler Mini 10, Gray | 65.632 | USD | 265.2272 | C | 60 | 24914 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 32GB, Kingston, Data Traveler Vault DTPV w/256bit Encryption +100% Privacy | 501.984 | USD | 2028.6 | C | 60 | 24927 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 64GB, Kingston, Data Traveler 200 | 151.984 | USD | 614.1968 | 0 | 60 | 21883 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 128GB, Kingston, Data Traveler 200 | 363.664 | USD | 1469.619 | C | 60 | 21884 |
| Memorii Flash | Kingston | Flash Drive USB 2.0 256GB, Kingston, Data Traveler 310 | 723.856 | USD | 2925.216 | C | 60 | 24910 |
| Memorii Flash | Corsair | Corsair Solutie de backup pentru memorii flash voyager | 11.76 | USD | 47.5216 | C | 60 | 26099 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 128GB, Corsair, Voyager GT, read: 34MB/s, write: 28MB/s | 340.928 | USD | 1377.746 | C | 60 | 26103 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 16GB GT, Corsair, GT | 47.04 | USD | 190.0976 | M | 60 | 16093 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 16GB, Corsair, Rubber | 37.408 | USD | 151.1664 | S | 60 | 7968 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 16GB, Corsair, Survivor, Dual-channel SLC NAND, Constructie aluminiu, Rezistent la soc, 200 m apa, ReadyBoost, Rate de transfer ridicata | 52.416 | USD | 211.8256 | S | 60 | 13734 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 16GB, Corsair, Voyager Mini, Ultra Compact, Water Resistant, Retractable Connector | 40.656 | USD | 164.2928 | M | 60 | 19331 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 32GB, Corsair, Voyager GT | 90.384 | USD | 365.2544 | C | 60 | 20694 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 32GB, Corsair, Survivor, Dual-channel SLC NAND, Constructie aluminiu, Rezistent la soc, 200 m apa, ReadyBoost, Rate de transfer ridicata | 101.584 | USD | 410.5136 | C | 60 | 18333 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 32GB, Corsair, Survivor GTR, Constructie aluminiu, Rezistent la soc, 200 m apa, ReadyBoost, Rate de transfer: read 34MB/second, write 28MB/second | 105.84 | USD | 427.7168 | 0 | 60 | 22929 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 32GB, Corsair, Voyager GTR, read: 34MB/sec, write: 28MB/sec | 91.392 | USD | 369.3312 | C | 60 | 26101 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 32GB, Corsair, Voyager Mini, Ultra Compact, Water Resistant, Retractable Connector | 83.328 | USD | 336.7392 | 0 | 60 | 26100 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 4GB, Corsair, Rubber | 12.32 | USD | 49.784 | S | 60 | 5197 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 4GB, Corsair, Voyager Mini, Ultra Compact, Water Resistant, Retractable Connector | 12.32 | USD | 49.784 | S | 60 | 17849 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 64GB, Corsair, Voyager GT | 191.408 | USD | 773.5056 | C | 60 | 20695 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 64GB, Corsair, Rubber | 137.872 | USD | 557.1664 | C | 60 | 17007 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 64GB, Corsair, Survivor GTR, read: up to 34MB/sec, write: up to 28MB/sec | 201.936 | USD | 816.0544 | C | 60 | 26105 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 64GB, Corsair, Voyager GTR, read: 34MB/sec, write: 28MB/sec | 197.68 | USD | 798.8512 | C | 60 | 26102 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 8GB, Corsair, Rubber | 19.264 | USD | 77.8512 | SL | 60 | 7420 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 8GB, Corsair, Survivor, Dual-channel SLC NAND, Constructie aluminiu, Rezistent la soc, 200 m apa, ReadyBoost, Rate de transfer ridicata | 29.344 | USD | 118.5856 | C | 60 | 9900 |
| Memorii Flash | Corsair | Flash Drive USB 2.0 8GB, Corsair, Voyager Mini, Ultra Compact, Water Resistant, Retractable Connector | 20.272 | USD | 81.9168 | CALL | 60 | 17850 |
| Memorii Flash | TeamGroup | Flash Drive Team C091 8GB Blue | 21.616 | USD | 87.3488 | 0 | 48 | 22652 |
| Memorii Flash | TeamGroup | Flash Drive Team C092 4GB Green | 9.0832 | USD | 36.7024 | 0 | 48 | 22651 |
| Memorii Flash | TeamGroup | Flash Drive Team C092 8GB Red | 21.616 | USD | 87.3488 | SL | 48 | 23322 |
| Memorii Flash | TeamGroup | Flash Drive Team Candy 4GB Green, SC901 | 10.8304 | USD | 43.7696 | 0 | 48 | 22649 |
| Memorii Flash | TeamGroup | Flash Drive Team Candy 8GB Blue, SC901 | 20.608 | USD | 83.2832 | 0 | 48 | 22650 |
| Memorii Flash | TeamGroup | Flash Drive Team Color Turn 16GB Green, E902 | 43.344 | USD | 175.1568 | 0 | 48 | 22644 |
| Memorii Flash | TeamGroup | Flash Drive Team Color Turn 4GB Purple, E902 | 11.424 | USD | 46.1664 | 0 | 48 | 22642 |
| Memorii Flash | TeamGroup | Flash Drive Team Color Turn 8GB Brown, E902 | 20.608 | USD | 83.2832 | 0 | 48 | 22643 |
| Memorii Flash | TeamGroup | Flash Drive USB Team Diamond, Gold, 4GB, Carcasa de aluminiu, decorat cu cristale Swarovski, USB 2.0, Citire: 10-15 MB/Sec., Scriere: 3-8 MB/Sec., 28.6x13.2x.3.2mm, Hot plug, Slide-Out. | 11.872 | USD | 47.9808 | C | 48 | 21903 |
| Memorii Flash | TeamGroup | Flash Drive USB Team Diamond, Iron, 8GB, Carcasa de aluminiu, decorat cu cristale Swarovski, USB 2.0, Citire: 10-15 MB/Sec., Scriere: 3-8 MB/Sec., 28.6x13.2x.3.2mm, Hot plug, Slide-Out. | 22.176 | USD | 89.6112 | C | 48 | 21904 |
| Memorii Flash | TeamGroup | Flash Drive Team Fusion 4GB Gray | 12.432 | USD | 50.2432 | 0 | 48 | 22620 |
| Memorii Flash | TeamGroup | Flash Drive Team Fusion 8GB Golden | 22.736 | USD | 91.8848 | 0 | 48 | 22621 |
| Memorii Flash | TeamGroup | Flash Drive Team Fusion II 4GB Blue, F105 | 10.2928 | USD | 41.5968 | SL | 48 | 21405 |
| Memorii Flash | TeamGroup | Flash Drive Team Fusion II 4GB Brown, F105 | 11.424 | USD | 46.1664 | 0 | 48 | 22618 |
| Memorii Flash | TeamGroup | Flash Drive Team Fusion II 4GB Green, F105 | 10.2928 | USD | 41.5968 | SL | 48 | 22617 |
| Memorii Flash | TeamGroup | Flash Drive Team Fusion II 4GB Pink, F105 | 11.424 | USD | 46.1664 | 0 | 48 | 22616 |
| Memorii Flash | TeamGroup | Flash Drive Team Fusion II 8GB Gray, F105 | 21.168 | USD | 85.5456 | C | 48 | 22619 |
| Memorii Flash | TeamGroup | Flash Drive Team Fusion Plus 16GB Red, F102+ | 35.728 | USD | 144.3792 | 0 | 48 | 22624 |
| Memorii Flash | TeamGroup | Flash Drive Team Fusion Plus 4GB Gray, F102+ | 12.432 | USD | 50.2432 | 0 | 48 | 22622 |
| Memorii Flash | TeamGroup | Flash Drive Team Fusion Plus 8GB Golden, F102+ | 20.608 | USD | 83.2832 | 0 | 48 | 22623 |
| Memorii Flash | TeamGroup | Flash Drive Team Fusion Plus II 16GB Black, F105+ | 42.224 | USD | 170.632 | 0 | 48 | 22641 |
| Memorii Flash | TeamGroup | Flash Drive Team Fusion Plus II 4GB Blue, F105+ | 10.8304 | USD | 43.7696 | 0 | 48 | 22638 |
| Memorii Flash | TeamGroup | Flash Drive Team Fusion Plus II 4GB Red, F105+ | 11.424 | USD | 46.1664 | 0 | 48 | 22639 |
| Memorii Flash | TeamGroup | Flash Drive Team Fusion Plus II 8GB Black, F105+ | 20.608 | USD | 83.2832 | 0 | 48 | 22640 |
| Memorii Flash | TeamGroup | Flash Drive Team Jelly Drive 8GB Purple, J100 | 22.736 | USD | 91.8848 | 0 | 48 | 22645 |
| Memorii Flash | TeamGroup | Flash Drive Team Supreme 16GB Gold, U100 | 46.592 | USD | 188.2832 | 0 | 48 | 22647 |

| | | | | | | | | |
|-----------------|-----------|---|---------|-----|----------|----|----|-------|
| Memorii Flash | TeamGroup | Flash Drive Team Supreme 32GB Silver, U100 | 92.064 | USD | 372.0416 | 0 | 48 | 22648 |
| Memorii Flash | TeamGroup | Flash Drive Team Supreme 8GB Purple, U100 | 23.856 | USD | 96.4096 | 0 | 48 | 22648 |
| Memorii Flash | TeamGroup | Flash Drive Team T-Bot 4GB Black R501 | 10.8304 | USD | 43.7696 | 0 | 48 | 22653 |
| Memorii Flash | TeamGroup | Flash Drive Team X091 16GB Silver, 220X (4 Channel), citire: 33MB/s, scriere: 20MB/s, carcasa de aluminiu | 50.96 | USD | 205.9344 | SL | 48 | 22542 |
| Memorii Flash | TeamGroup | Flash Drive Team X091 32GB Silver, 220X (4 Channel), citire: 33MB/s, scriere: 20MB/s, carcasa de aluminiu | 111.552 | USD | 450.8 | 0 | 48 | 22654 |
| Memorii Flash | TeamGroup | Flash Drive Team X092 16GB Red, e-SATA/USB 2.0, 733X (4 Channel), USB citire: 35MB/s, scriere: 25MB/s, e-SATA citire : 110MB/s, scriere : 40MB/s, timp mediu de pastrare a datelor > 10ani | 59.584 | USD | 240.7888 | 0 | 48 | 22655 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PFD1SI04, 4GB, USB 2.0, Carcasa de metal, Argintiu | 24.416 | USD | 98.672 | SL | 24 | 23124 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PFD1GD08, 8GB, USB 2.0, Auriu | 34.944 | USD | 141.2096 | SL | 24 | 23130 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PLDF16GBCRRED, Prestigio, Piele, 16GB, USB 2.0, Red | 52.416 | USD | 211.8256 | S | 24 | 23151 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PLDF16GBCRREDT3, Piele, 16GB, USB 2.0, Red | 52.416 | USD | 211.8256 | S | 24 | 23150 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PLDF16GBMAPBLACKT3, Piele, 16GB, USB 2.0, Map Style(Black leather with white line) | 59.36 | USD | 239.8816 | SL | 24 | 23148 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PLDF16GBCRBLUET3, Pile, 16GB, USB 2.0, Blue | 59.36 | USD | 239.8816 | SL | 24 | 23153 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PLDF16GBSIGOLD, Piele, 16Gb, USB 2.0, Gold | 59.36 | USD | 239.8816 | SL | 24 | 23149 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PLDF16GBMAPWHITET3, Piele, 16GB, USB 2.0, Map Style(White leather with brown line) | 59.36 | USD | 239.8816 | SL | 24 | 23155 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PLDF4096SIBLACK, Piele, 4GB, USB 2.0, Black | 25.424 | USD | 102.7376 | SL | 24 | 23147 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PLDF8192CRBLUE, Piele, 8GB, USB 2.0, Blue | 37.072 | USD | 149.8112 | SL | 24 | 23154 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PLDF8192MAPBLACKT3, Piele, 8GB, USB 2.0, Black | 37.072 | USD | 149.8112 | SL | 24 | 23156 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PLDF8192MAPBROWNT3, Piele, 8GB, USB 2.0, Brown | 37.072 | USD | 149.8112 | SL | 24 | 23158 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PLDF8192MAPWHITET3, Piele, 8GB, USB 2.0, White | 37.072 | USD | 149.8112 | SL | 24 | 23157 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PLDF8192SIGOLD, Piele, 8GB, USB 2.0, Gold | 32.592 | USD | 131.712 | S | 24 | 23159 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PLDF8192CRRED, Piele, 8GB, USB 2.0, Red | 37.072 | USD | 149.8112 | SL | 24 | 23152 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PFD3SI04, 4GB, USB 2.0, Elegant desgin, Carbon Fiber/Silver | 26.432 | USD | 106.8144 | SL | 24 | 23127 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PFD3SI08, 8GB, USB 2.0, Elegant desgin, Carbon Fiber/Silver | 38.08 | USD | 153.888 | SL | 24 | 23125 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PMDF4096RFGD, Piele, 4GB, USB 2.0, Gold-Plated | 27.552 | USD | 111.3392 | SL | 24 | 23143 |
| Memorii Flash | Prestigio | Flash Drive Prestigio PMDF8192RFGD, Rose Flower, 8GB, USB 2.0, Gold-Plated | 38.08 | USD | 153.888 | 0 | 24 | 23144 |
| Memorii Flash | SanDisk | Flash Drive USB 2.0 8GB, Sandisk, Cruiser Contour, ReadyBoost, Rate de transfer ridicata, AES hardware encryption, U3 Smart | 32.592 | EUR | 172.4464 | C | 60 | 15053 |
| Wireless | | | | | | | | |
| Wireless | Canyon | Wireless Lan PCI Adapter Canyon CN-WF511, 54 Mbit, IEEE 802.11g, Antena detasabila | 11.984 | USD | 48.4288 | S | 24 | 19379 |
| Wireless | Modacom | Wireless Lan PCI Adapter Modacom MC-WL01, 54 Mbit, IEEE 802.11b/g, doua antene | 15.12 | USD | 61.1072 | 0 | 12 | 23362 |
| Wireless | TP-Link | Wireless Lan PCI Adapter TP-Link TL-WN353G, 54 Mbps, IEEE 802.11 b/g, antena fixa | 10.3488 | USD | 41.8208 | 0 | 24 | 26785 |
| Wireless | TP-Link | Wireless Lan PCI Adapter TP-Link TL-WN353GD, 54 Mbps, IEEE 802.11 b/g, antena detasabila | 10.8664 | USD | 43.9936 | 0 | 24 | 26786 |
| Wireless | TP-Link | Wireless Lan PCI Adapter TP-Link TL-WN851N, 300 Mbps, IEEE 802.11 b/g/n, 2 antene 2dBi | 24.528 | USD | 99.12 | 0 | 24 | 26787 |
| Wireless | TP-Link | Wireless Lan PCI Adapter TP-Link TL-WN951N, 300 Mbps, IEEE 802.11 b/g/n, 3 antene 2dBi | 32.592 | USD | 131.712 | C | 24 | 26788 |
| Wireless | RPC | Wireless Lan PCI Adapter RPC-WP5122, 2T2R, 300Mbps, 802.11b/g/n, 2x detachable dipole Antenna | 26.208 | USD | 105.9072 | C | 24 | 24676 |
| Wireless | LevelOne | Wireless Lan PCI Adapter Level One WNC-0301, 54Mbps, IEEE 802.11g | 9.408 | EUR | 49.784 | 0 | 24 | 17637 |
| Wireless | LevelOne | Wireless Lan PCI Adapter Level One WNC-0601, 300Mbps, IEEE 802.11b/g/n, 2 x Reverse SMA, 2 antene, cu tehnologie LevelOne N_Max | 20.048 | EUR | 106.0752 | 0 | 24 | 17639 |
| Wireless | Trendnet | Wireless Lan PCI Adapter Trendnet TEW-643PI, 300Mbps, IEEE 802.11n, 2x detachable dipole Antenna | 21.28 | USD | 85.9936 | 0 | 36 | 18985 |
| Wireless | Edimax | Wireless Lan PCI Adapter Edimax EW-7128G, 54 Mbit, IEEE 802.11g, External Antenna | 16.688 | USD | 67.4352 | S | 24 | 10138 |
| Wireless | Edimax | Wireless Lan PCI Adapter Edimax EW-7727IN MIMO, Up to 300Mbps Mbit, IEEE 802.11n, Draft 2.0, advanced 1Tx2R MIMO, technology with data rate up to 300Mbps (only in combination with BR-6504N), supports WPS configuration | 28.112 | USD | 113.6016 | C | 24 | 15846 |
| Wireless | Edimax | Wireless Lan PCI Adapter Edimax EW-7728IN MIMO, Up to 300Mbps Mbit, IEEE 802.11n, Draft 2.0, advanced 2T3, MIMO | 36.512 | USD | 147.5488 | C | 24 | 10139 |
| Wireless | Asus | Wireless Lan PCI Adapter Asus PCE-N13, IEEE 802.11b/g/n, 300Mbps | 41.44 | USD | 167.4624 | C | 24 | 25294 |
| Wireless | Asus | Wireless Lan PCI Adapter Asus PCI-G31, 54Mbps, IEEE 802.11b/g | 19.376 | USD | 78.2992 | C | 24 | 24620 |
| Wireless | D-Link | Wireless Lan PCI Adapter DLink DWL-G510, 54 Mbit, IEEE 802.11g, External Antenna, RP-SMA plug | 16.24 | EUR | 85.9264 | S | 24 | 3172 |
| Wireless | D-Link | Wireless Lan PCI Adapter DLink DWL-G520, 108 Mbit, IEEE 802.11b/g, External Antenna, RP-SMA plug | 20.16 | EUR | 106.6688 | C | 24 | 3171 |
| Wireless | D-Link | Wireless Lan PCI Adapter DLink DWL-AG530, 54Mbit, IEEE 802.11a/b/g, DualBand | 33.936 | EUR | 179.5584 | C | 24 | 10748 |
| Wireless | Linksys | Wireless Lan PCI Adapter Linksys WMP54G-EU, 54Mbit, IEEE 802.11a/b/g | 30.464 | USD | 123.1104 | 0 | 12 | 7689 |
| Wireless | Linksys | Wireless Lan PCI Adapter Linksys WMP600N-EU, 300Mbit, IEEE 802.11a/b/g/Draft-N, 2x R-SMA Antenna, DualBand | 48.384 | USD | 195.5296 | C | 12 | 19266 |
| Wireless | Canyon | Wireless Lan USB Adapter Canyon CNP-WF518N1, 150 Mbit, IEEE 802.11n, Internal Antenna | 17.92 | USD | 72.4192 | S | 24 | 18748 |
| Wireless | Canyon | Wireless Lan USB Adapter Canyon CNP-WF518, 54 Mbit, IEEE 802.11g, Internal Antenna | 11.984 | USD | 48.4288 | S | 24 | 3603 |
| Wireless | RPC | Wireless Lan USB Adapter RPC WUJ1420, 54Mbit, IEEE 802.11b/g | 9.9568 | USD | 40.2416 | C | 24 | 10380 |
| Wireless | RPC | Wireless Lan USB Adapter RPC WU5111, 1T1R, 300Mbit, IEEE 802.11b/g/n, Software AP support | 19.376 | USD | 78.2992 | C | 24 | 24674 |
| Wireless | RPC | Wireless Lan USB Adapter RPC WU5204, 300Mbit, IEEE 802.11b/g/n, MIMO (Multiple Input Multiple Output), detachable 5dBi antenna | 25.312 | USD | 102.2896 | C | 24 | 24675 |
| Wireless | Edimax | Wireless Lan USB Adapter Edimax EW-7318USG, 54 Mbit, IEEE 802.11g, External Antenna, RS-SMA plug | 20.608 | USD | 83.2832 | SL | 24 | 10141 |
| Wireless | Edimax | Wireless Lan USB Adapter Edimax EW-7711UAN, 150 Mbit, IEEE 802.11b/g, Wireless n compatible, Supports Turbo Mode to increase transmission rates, Wireless nLITE 3dBi High Gain USB Adapter | 20.16 | USD | 81.4688 | S | 24 | 18065 |
| Wireless | Edimax | Wireless Lan USB Adapter Edimax EW-7711UMN, 150 Mbit, IEEE 802.11b/g/n, Supports WPS-compatible (Wi-Fi Protected Setup), Supports 64/128-bit WEP, WPA, WPA2 encryption and WPS-compatible | PROMO | USD | 53.7488 | S | 24 | 18064 |
| Wireless | Edimax | Wireless Lan USB Adapter Edimax EW-7711USN, nLITE 150M 1T1R Wireless USB Adapter with detachable antenna | PROMO | USD | 69.4288 | S | 24 | 19952 |
| Wireless | Edimax | Wireless Lan USB Adapter Edimax EW-7711UTN, 150 Mbit, IEEE 802.11b/g/n Lite, Compact size | 15.792 | USD | 63.8176 | S | 24 | 24650 |
| Wireless | Edimax | Wireless Lan USB Adapter Edimax EW-7717UN MIMO, Up to 300Mbps, Mbit IEEE 802.11n, with data rate up to 300Mbps (only in combination with BR-6504N), less power consumption and radiation | 27.104 | USD | 109.536 | C | 24 | 15835 |
| Wireless | Edimax | Wireless Lan USB Adapter Edimax EW-7718UN MIMO, Up to 300Mbps, Mbit IEEE 802.11n, Draft 2.0, Advanced 2T3R, MIMO | 34.72 | USD | 140.3136 | S | 24 | 10142 |
| Wireless | Edimax | Wireless Lan USB Adapter Edimax EW-7811UN, 150Mbps, IEEE 802.11b/g/n supports Green Wlan, Wifi Protected Setup, wireless coverage 3 times further, 64/128bit WEP, WPA, WPA2 encryption and WPS compatible | 21.84 | USD | 88.256 | S | 24 | 23747 |
| Wireless | Hercules | Wireless Lan USB Transmitter Hercules, IEEE 802.11g, 54Mbps, Compatibil cu 802.11b/g, Cheie USB 2.0 router wireless pentru PC - permite conectarea a pana la cinci echipamente WiFi la retea de internet. | 22.4 | EUR | 118.5184 | C | 24 | 12084 |
| Wireless | Asus | Wireless Lan USB Adapter Asus USB-N11, 802.11b/g/n draft 2.0, Compact pen type, 150Mbps | 20.496 | USD | 82.824 | S | 24 | 18042 |
| Wireless | Asus | Wireless Lan USB Adapter Asus USB-N13, 802.11b/g/n, 300 Mbps, WPS HW button, USB 2.0 | 34.944 | USD | 141.2096 | C | 24 | 24621 |
| Wireless | Asus | Wireless Lan USB Adapter Asus WL-160N, 802.11b/g/n draft 2.0, SuperSpeed N 300Mbps | 42.112 | USD | 170.184 | S | 24 | 18044 |
| Wireless | Asus | Wireless Lan USB Adapter, Asus WL-167G 54 Mbit, IEEE 802.11g, Internal Antenna | 16.24 | USD | 65.632 | C | 24 | 5625 |

| | | | | | | | | |
|----------|----------|--|---------|-----|----------|------|----|-------|
| Wireless | Asus | Wireless Lan USB Adapter Asus WL-169G/ENCORE, 802.11g, 54Mbit, BroadRange 125 x High Speed - only in combination with WL-550G/ENCORE/WL-500G-Premium | 24.864 | USD | 100.4752 | C | 24 | 9714 |
| Wireless | LevelOne | Wireless Lan USB Adapter Level One WNC-0600USB, 300Mbps, IEEE 802.11b/g/n, Tehnologie LevelOne N_One, USB 2.0 Stick | 26.768 | EUR | 141.6352 | 0 | 24 | 17642 |
| Wireless | Trendnet | Wireless Lan USB Adapter Trendnet TEW-624UB, 300Mbps, IEEE 802.11b/g/n, USB 2.0 Stick | 22.4 | USD | 90.5184 | SL | 36 | 20597 |
| Wireless | D-Link | Wireless Lan USB Adapter DLink DWL-G122, 54 Mbit, IEEE 802.11g, Internal Antenna | 14.448 | EUR | 76.44 | S | 24 | 824 |
| Wireless | D-Link | Wireless Lan USB Adapter DLink DWL-G132, 108 Mbit, IEEE 802.11g, Internal Antenna | 27.552 | EUR | 145.7792 | C | 24 | 2466 |
| Wireless | D-Link | Wireless Lan USB Adapter DLink DWA-131, IEEE 802.11g/n, USB 2.0, NANO | 18.368 | EUR | 97.1824 | S | 24 | 25697 |
| Wireless | D-Link | Wireless Lan USB Adapter DLink DWA-140, 300Mbit, IEEE 802.11b/g/n | 28.224 | EUR | 149.3408 | S | 24 | 15826 |
| Wireless | D-Link | Wireless Lan USB Adapter DLink DWL-AG132, IEEE 802.11a/b/g, Integrated Antenna | 31.808 | EUR | 168.3024 | S | 24 | 10749 |
| Wireless | Linksys | Wireless Lan USB Adapter Linksys WUSB100, Wireless entry-N Network USB Adapter | 30.688 | USD | 124.0176 | C | 24 | 24615 |
| Wireless | Linksys | Wireless Lan USB Adapter Linksys WUSB54GC, Compact Wireless-G USB Adapter | 23.744 | USD | 95.9504 | S | 24 | 24614 |
| Wireless | Linksys | Wireless Lan USB Adapter Linksys WUSB600N, Wireless-N USB Network Adapter with Dual-Band | 43.456 | USD | 175.616 | C | 24 | 24616 |
| Wireless | TP-Link | Wireless Lan USB Adapter TP-Link TL-WN321G, 54 Mbps, IEEE 802.11 b/g, functie soft-AP | 10.3488 | USD | 41.8208 | C | 24 | 26790 |
| Wireless | TP-Link | Wireless Lan USB Adapter TP-Link TL-WN727N, 150 Mbps, IEEE 802.11 b/g/n, functie soft-AP | 10.7744 | USD | 43.5456 | C | 24 | 26791 |
| Wireless | TP-Link | Wireless Lan USB Adapter TP-Link TL-WN821N, 300 Mbps, IEEE 802.11 b/g/n, 2 antene interne (tehnologie MIMO) | 24.528 | USD | 99.12 | C | 24 | 26792 |
| Wireless | TP-Link | Wireless Lan PCMCIA Adapter TP-Link TL-WN811N, 300Mbps, 802.11n Draft 2.0, Atheros, 2T2R MIMO technology, 2.4 GHz | 22.512 | USD | 90.9776 | 0 | 24 | 26789 |
| Wireless | Edimax | Wireless Lan PCMCIA Adapter Edimax EW-7708PN MIMO, Up to 300Mbps, Mbit IEEE 802.11n, Draft 2.0, Advanced 2T3R MIMO | 30.576 | USD | 123.5584 | C | 24 | 10137 |
| Wireless | Hercules | Wireless Lan PCMCIA Adapter Hercules, IEEE 802.11g, 54Mbps, Compatibil 802.11b, Functie Scan | 16.8 | EUR | 88.8944 | C | 24 | 12081 |
| Wireless | D-Link | Wireless Lan PCMCIA Adapter Dlink DWA-645, 802.11n, Connect to Secure Wireless Networks Using WEP, WPA, and WPA2 | 20.16 | EUR | 106.6688 | C | 24 | 10744 |
| Wireless | D-Link | Wireless Lan PCMCIA Adapter Dlink DWL-AG660, 108Mbit, 802.11a/b/g, 2.4/5GHz, Tri-Mode Dualband | 25.088 | EUR | 132.7424 | C | 24 | 10747 |
| Wireless | Linksys | Wireless Lan PCMCIA Adapter Linksys WPC54G | 30.464 | USD | 123.1104 | 0 | 24 | 13720 |
| Wireless | ZyXel | Wireless Lan ZyXel, PLA-450, access point 802.11b/g, functioneaza pe retea de curent alternativ 220V, Aria de acoperire max. 300 m, rata de transfer pana la 200Mbps, 108Mbps rata de transfer pe wireless | 162.4 | USD | 656.2864 | C | 12 | 14512 |
| Wireless | RPC | Wireless Internet Router RPC-WR1440, 802.11b/g 4-P w/4 10/100Mbps LAN, 1xWAN port 10/100Mbps - WEP, WPA Encryption, NAT/NAPT, VPN Pass-through | 25.984 | USD | 105 | C | 24 | 18157 |
| Wireless | RPC | Wireless Internet Router RPC-WR5422, 802.11b/g/n, 2T2R, w/4 10/100Mbps LAN, 1xWAN port 10/100Mbps, WEP, WPA Encryption, NAT/NAPT, VPN Pass-through | 44.464 | USD | 179.6816 | C | 24 | 24677 |
| Wireless | Canyon | Wireless Internet Router Canyon CNP-WF514, 54 Mbit, IEEE 802.11g with 4 port Switch, Firewall, VPN Pass-through, External Antenna, RP-SMA plug | 22.176 | USD | 89.6112 | S | 24 | 3687 |
| Wireless | Canyon | Wireless Internet Router Canyon CNP-WF514N1, 150 Mbit, IEEE 802.11n with 4 port Switch, Firewall, VPN Pass-through, External Antenna, RP-SMA plug | 36.288 | USD | 146.6416 | C | 24 | 18749 |
| Wireless | LevelOne | Wireless Internet Router Level One WBR-6000, 300 Mbit, IEEE 802.11b/g/n wireless AP with 4 port Switch 10/100Mbps, 1 x WAN RJ-45, Tehnologie LevelOne N_One | 53.648 | EUR | 283.8528 | 0 | 24 | 17653 |
| Wireless | Edimax | Wireless Internet Router Edimax BR-6226n, nLITE 150M 1T1R, Fixed antena | 35.84 | USD | 144.8384 | S | 24 | 19953 |
| Wireless | Edimax | Wireless Internet Router Edimax BR-6304WG, 54 Mbit, IEEE 802.11g, With 4 port 10/100 Switch, AP Client, Firewall, VPN Pass-Through | 51.296 | USD | 207.3008 | C | 24 | 10147 |
| Wireless | Edimax | Wireless Internet Router Edimax BR-6224n, nLITE 150M 1T1R, 4-Port Switch (Fixed antena) 1 antenas | PROMO | USD | 116.2 | S | 24 | 23992 |
| Wireless | Edimax | Wireless Internet Router Edimax BR-6324NL, IEEE 802.11n 150Mbps 1T2R, nLite, EZview and Remote Management | 44.464 | USD | 179.6816 | SL | 24 | 18069 |
| Wireless | Edimax | Wireless Internet Router Edimax BR-6424N, IEEE 802.11n draft 2.0, With 4 port 10/100 Switch, advanced nMAX 2T3R MIMO technology with data rate up to 300Mbps, 2 x Antena 3dBi | 52.416 | USD | 211.8256 | C | 24 | 24634 |
| Wireless | Edimax | Wireless Internet Router Edimax BR-6524N, IEEE 802.11n draft 2.0, With 4 port 10/100 Switch, advanced 2T3R MIMO technology with data rate up to 300Mbps (only in combination with EW-7708Pn, EW-7728In, EW-7718Un), 3 x Antena 3dBi detasabila | 61.376 | USD | 248.0352 | S | 24 | 18070 |
| Wireless | Edimax | Wireless Internet Router Edimax BR-6574N, wireless gigabit broadband AP/Router, 802.11n Draft 2.0, Wi-Fi certified, advanced 2T3R MIMO technology with data rate up to 300Mbps. | 85.792 | USD | 346.696 | C | 24 | 15506 |
| Wireless | Trendnet | Wireless Internet Router Trendnet TEW-652BRP, 300 Mbit, IEEE 802.11n, With 4 port 10/100 Switch, AP Client | 36.848 | USD | 148.904 | S | 36 | 18991 |
| Wireless | Hercules | Wireless Internet Router Hercules, 54Mbps, 4 porturi, IEEE 802.11g, Nivel securitate WPA, Protectie SPI firewall | 38.08 | EUR | 201.488 | C | 24 | 12083 |
| Wireless | Asus | Wireless Internet Router Asus RT-G32 Wireless 4-Port Standard size Router IEEE802.11g 54Mbps | 33.712 | USD | 136.2368 | M | 24 | 20319 |
| Wireless | Asus | Wireless Internet Router Asus RT-N10, EZ Wireless N Router with VIP Zones 2 networks in 1 (Multiple SSID x 2) Open Linux platform, DD-WRT support EZ UI, manual-free / CD-free setup | 42.784 | USD | 172.8944 | C | 24 | 24622 |
| Wireless | Asus | Wireless Internet Router Asus RT-N12, LAN N Router 300Mbps, Management 4-Network-in-1, Hardware EZ Switch for router, repeater and AP mode | 71.232 | USD | 287.8624 | C | 24 | 24623 |
| Wireless | Asus | Wireless Internet Router Asus RT-N13, 802.11n 300Mbps WLAN Router with Green Network | 71.232 | USD | 287.8624 | C | 24 | 20320 |
| Wireless | Asus | Wireless Internet Router Asus RT-N13U, N Router with All-in-One Printer Server / FTP Server | 88.032 | USD | 355.7568 | C | 24 | 24624 |
| Wireless | Asus | Wireless Internet Router Asus RT-N15, WAN x 1, LAN x 4 RJ45 for 10/100 BaseT, 802.11b/g/n, 3 x PCB antenna, SuperSpeed N Gigabit WLAN Router, With Green Network | 109.984 | USD | 444.4608 | C | 24 | 18046 |
| Wireless | Asus | Wireless Internet Router Asus RT-N16, WAN x 1, LAN x 4 GigaBit, Wireless N, USB x 1, 3 antene | 135.856 | USD | 549.0128 | C | 24 | 20783 |
| Wireless | Asus | Wireless Internet Router Asus WL-500G Premium V2, 4-Port Switch, 802.11g, BroadRange, plug and share USB2.0 | 86.688 | USD | 350.3248 | C | 24 | 7109 |
| Wireless | Asus | Wireless Internet Router Asus WL-520GC, 4 PORT, 802.11g, Router BroadRange, 125 High Speed mode | 38.864 | USD | 157.0576 | M | 24 | 9697 |
| Wireless | Asus | Wireless Internet Router Asus WL-520GU, 4-Port Switch, 802.11g, BroadRange 125 | 62.16 | USD | 251.1936 | C | 24 | 8986 |
| Wireless | Asus | Wireless Internet Router Asus WL-700GENC/250GB, Wireless 4P 802.11g 54 Mbit Router Broadcom, BroadRange 125*High Speed, Wireless 3.5" Hard Disk Box (250G HD built-in) | 183.344 | USD | 740.9248 | C | 24 | 24629 |
| Wireless | D-Link | Wireless Internet Router DLink DI-524, 54 Mbit, IEEE 802.11g, With 4 port 10/100 Switch, VPN Pass-through | 26.656 | EUR | 141.0416 | 0 | 24 | 5750 |
| Wireless | D-Link | Wireless Internet Router DLink DIR-300, 54 Mbit, IEEE 802.11g, With 4 port 10/100 Switch, VPN Pass-through, Detachable antenna (reverse SMA connector, female) | PROMO | EUR | 113.96 | S | 24 | 21890 |
| Wireless | D-Link | Wireless Internet Router DLink DIR-600, 150 Mbit, IEEE 802.11n Light, With 4 port 10/100 Switch, VPN Pass-through, single antenna design | 23.744 | EUR | 125.6304 | S | 24 | 22141 |
| Wireless | D-Link | Wireless Internet Router DLink DI-524UP, 54 Mbit, IEEE 802.11g, With 4 port 10/100 Switch, USB Print Server, VPN Pass-through | 42.56 | EUR | 225.1872 | CALL | 24 | 22443 |
| Wireless | D-Link | Wireless Internet Router DLink DIR-615, 300 Mbit, IEEE 802.11n, With 4 port 10/100 Switch, VPN Pass-through, 2 External Reverse SMA Antennas | 34.832 | EUR | 184.296 | M | 24 | 13972 |
| Wireless | D-Link | Wireless Internet Router DLink DIR-635, 300 Mbit, IEEE 802.11n, With 4 port 10/100 Switch, VPN Pass-through, RangeBooster | 62.496 | EUR | 330.6688 | S | 24 | 8489 |
| Wireless | D-Link | Wireless Internet Router DLink DIR-655, 300 Mbit, IEEE 802.11n, With 4 port 10/100/1000 Switch, VPN Pass-through, RangeBooster | 91.728 | EUR | 485.3408 | C | 24 | 10331 |
| Wireless | D-Link | Wireless Internet Router DLink DIR-685, 300 Mbit, IEEE 802.11n, With 4 port 10/100/1000 Switch, 2 USB port, 3.2" LCD display, VPN Pass-through, RangeBooster, Built-in NAS, Digital Photo Frame | 206.976 | EUR | 1095.125 | C | 24 | 20441 |

| | | | | | | | | |
|----------|----------|--|---------|-----|----------|------|----|-------|
| Wireless | D-Link | Wireless Internet Router DLink DIR-825 Wireless N Quadband Home Router with 4 Port Gigabit Switch, 802.11a/g/n, 802.3, 802.3u, 4 x GigaBit Lan, 1 x GigaBit WAN, 1 x USB, 2 External Reverse SMA Antena, WPA, WPA2, NAT, SPI, PPTP, L2TP, IPSec, Through, 117x193x30.5mm | 104.832 | EUR | 554.68 | 0 | 24 | 21933 |
| Wireless | D-Link | Wireless Internet Router DLink DIR-855, 300 Mbit, IEEE 802.11n, With 4 port 10/100/1000 Switch, VPN Pass-Through, RangeBooster | 200.144 | EUR | 1058.982 | C | 24 | 24476 |
| Wireless | D-Link | Wireless Internet Router DLink Kit DKT-110/E, With 4 port Switch, 54 Mbit, 802.11b/g, Router wireless (DIR-301) + Placa retea wireless (DWA-111) | 39.76 | EUR | 210.3696 | C | 24 | 10753 |
| Wireless | Belkin | Wireless Internet Router Belkin N1 VISION F5D8232YY4, 300 Mbit, IEEE 802.11n, With 4 port 10/100/1000 Switch, 3x External Antena, Interactive Status Display shows your network broadband speed, computer bandwidth usage | 121.744 | EUR | 644.1568 | 0 | 24 | 20197 |
| Wireless | TP-Link | Wireless Internet Router TP-Link TL-WR1043ND, 4 Porturi 300Mbps Gigabit 3T3R TP-LINK "TL-WR1043ND", Atheros, 2.4GHz, antena detasabile | 69.44 | USD | 280.616 | C | 24 | 26798 |
| Wireless | TP-Link | Wireless Internet Router TP-Link TL-WR340G, 4 Porturi 54Mbps, Atheros, 2.4GHz, 802.11g/b, Built-in 4-port Switch, supports PPPoE, Dynamic IP, Static IP, L2TP, BigPond Cable Internet Access, 802.1X, Parental control, with fixed Antenna | 20.608 | USD | 83.2832 | 0 | 24 | 26793 |
| Wireless | TP-Link | Wireless Internet Router TP-Link TL-WR740N, 4 Porturi 150Mbps Lite-N, Athreos chipset, 1T1R, 2.4GHz, SPI firewall, autorun utility, fixed antenna | 24.976 | USD | 100.9344 | 0 | 24 | 26794 |
| Wireless | TP-Link | Wireless Internet Router TP-Link TL-WR741ND, 4 Porturi 150Mbps Lite-N, Athreos chipset, 1T1R, 2.4GHz, 3dBi detachable Omni antenna, integrated SPI firewall and access control | 27.104 | USD | 109.536 | 0 | 24 | 26795 |
| Wireless | TP-Link | Wireless Internet Router TP-Link TL-WR841ND, 4 Porturi 300Mbps, Atheros, 2T2R, 2.4GHz, 802.11n Draft 2.0, 802.11g/b, Built-in 4-port Switch | 41.328 | USD | 167.0144 | 0 | 24 | 26796 |
| Wireless | TP-Link | Wireless Internet Router TP-Link TL-WR941ND, 4 Porturi 300Mbps, Atheros, 3T3R, 2.4GHz, 802.11n Draft 2.0, 802.11g/b, Built-in 4-port Switch | 56.56 | USD | 228.5696 | C | 24 | 26797 |
| Wireless | Linksys | Wireless Internet Bridge Linksys WET610N, Wireless-N Ethernet Bridge with Dual-Band | 89.824 | USD | 362.992 | C | 24 | 24612 |
| Wireless | Linksys | Wireless Internet Router Linksys WRT54GC-EU, All-in-one Internet Sharing Router w. SpeedBurst, Antena interna PIFA, 1 x WAN, 4 x Ethernet, Securitate WEP (64 and 128), WPA-Personal, WPA2-Personal, Standarde IEEE 802.3, IEEE 802.3u, IEEE 802.11b, 200g., 110x32x110mm. | 33.488 | USD | 135.3296 | C | 24 | 21893 |
| Wireless | Linksys | Wireless Internet Router Linksys WRT54GL, Wireless Router, Access Point With 4-Port Switch, 802.11g, Linux | 63.28 | USD | 255.7296 | S | 24 | 5413 |
| Wireless | Linksys | Wireless Internet Router Linksys WRV210, Wireless Router VPN, Multiple BSSIDs and VLANs provide separate secure networks, SPI Firewall, Encryption and VPN support makes your network secure, Range Booster | 94.304 | USD | 381.1024 | C | 24 | 20505 |
| Wireless | Linksys | Wireless Internet Router Linksys WKUSB120N, Wireless-N Starter Kit -Home Router with USB Adapter | 60.368 | USD | 243.9584 | C | 24 | 24611 |
| Wireless | Linksys | Wireless Internet Router Linksys WKUSB160N, Wireless-N Starter Kit -Broadband Router with USB Adapter | 85.232 | USD | 344.4336 | C | 24 | 24610 |
| Wireless | Linksys | Wireless Internet Router Linksys WRT120N, Wireless Router, Access Point With 4-Port Switch, 802.11n | 49.056 | USD | 198.24 | S | 24 | 19815 |
| Wireless | Linksys | Wireless Internet Router Linksys WRT160N, Wireless Router, Access Point With 4-Port 10/100 Switch, 802.11n, Linux | 74.928 | USD | 302.792 | C | 24 | 20501 |
| Wireless | Linksys | Wireless Internet Router Linksys WRT160NL, Wireless Router, Access Point With 4-Port 10/100 Switch, 802.11n, Linux, Storage Link | 96.768 | USD | 391.0592 | C | 24 | 20502 |
| Wireless | Linksys | Wireless Internet Router Linksys WRT320N, Dual Band Wireless-N Gigabit Router (5 GHz sau 2.4 GHz), With 4-Port Gigabit Switch, 802.11n | 96.768 | USD | 391.0592 | 0 | 24 | 19419 |
| Wireless | Linksys | Wireless Internet Router Linksys WRT610N, Simultaneous Dual Band Wireless-N Gigabit Router (5 GHz sau 2.4 GHz), With 4-Port Gigabit Switch, 802.11n, Storage Link | 170.576 | USD | 689.3264 | C | 24 | 20504 |
| Wireless | Surecom | Wireless Internet Router ADSL2+ Pro-Nets WAR25TC, With 4 port 10/100 Switch, 54 Mbit, IEEE 802.11g, ADSL2+ modem | 47.04 | USD | 190.0976 | CALL | 12 | 7132 |
| Wireless | Edimax | Wireless Internet Router Edimax AR-7084GA, 54Mbit, IEEE 802.11g, With 4 port 10/100 Switch, ADSL2+ | 45.024 | USD | 181.944 | S | 24 | 10151 |
| Wireless | Edimax | Wireless Internet Router ADSL2+ Edimax AR-7266WNA, nMAX 2T3R wireless 802.11n Draft 2.0 300Mbit ADSL2+ Modem router with 4P Switch Annex A | 59.36 | USD | 239.8816 | C | 24 | 24632 |
| Wireless | Edimax | Wireless Internet Router ADSL2+ Edimax AR-7284WNA, nLITE 1T1R wireless 802.11n Lite 150Mbit ADSL2+ Modem router with 4P Switch Annex A | 42.672 | USD | 172.4464 | C | 24 | 24633 |
| Wireless | Asus | Wireless Internet Router ADSL2+ Asus DSL-G31, 11g Wireless ADSL 2/2+ Modem Router with ASUS EZ UI, super EZ manual-free / CD-free setup | 51.744 | USD | 209.104 | S | 24 | 24625 |
| Wireless | Asus | Wireless Internet Router ADSL2+ Asus DSL-N11, Wireless ADSL 2/2+ Modem N Router 802.11n, 300 Mbps 4 Ethernet Ports | 84.112 | USD | 339.9088 | C | 24 | 24626 |
| Wireless | Asus | Wireless Internet Router ADSL2+ Asus DSL-N13, Wireless ADSL Home Gateway, 802.11b/g/n, 3 external dipole antennas | 122.976 | USD | 496.9664 | C | 24 | 18052 |
| Wireless | Asus | Wireless Internet Router ADSL2+ Asus WL-600G, All-in-one, Wireless ADSL Home Gateway, 802.11g, 54Mbps, Annex A, USB applications (Plug n Play Print server ,FTP server) | 74.48 | USD | 300.9888 | C | 24 | 9693 |
| Wireless | Asus | Wireless Internet Router ADSL2+ Asus WL-AM604G, All-in-one, Wireless ADSL Home Gateway, 802.11b/g, 4 x Ethernet 10/100Mbps Base-T, 1 x RJ-11 port for ADSL connection | 48.384 | USD | 195.5296 | C | 24 | 18048 |
| Wireless | Linksys | Wireless Internet Router ADSL2+ Linksys WAG120N-E1, With 4 port 10/100 Switch, ADSL2+, Wireless 802.11n, Internal Antena, Annex B | 72.352 | USD | 292.3872 | C | 24 | 22380 |
| Wireless | Linksys | Wireless Internet Router ADSL2+ Linksys WAG120N-EZ, With 4 port 10/100 Switch, ADSL2+, Wireless 802.11n, Internal Antena | 72.24 | USD | 291.928 | 0 | 24 | 22381 |
| Wireless | Linksys | Wireless Internet Router ADSL2+ Linksys WAG160N-E1, With 4 port 10/100 Switch, ADSL2+, Wireless 802.11n, 3x Internal Antena, Annex B | 105.392 | USD | 425.9024 | C | 24 | 22382 |
| Wireless | Linksys | Wireless Internet Router ADSL2+ Linksys WAG160N-EZ, With 4 port 10/100 Switch, ADSL2+, Wireless 802.11n, 3x Internal Antena | 105.168 | USD | 424.9952 | 0 | 24 | 22383 |
| Wireless | Linksys | Wireless Internet Router ADSL2+ Linksys WAG320N-EU, With 4 port 10/100/1000 Switch, ADSL2+, Dual-Band Wireless 802.11n, 3x Internal Antena | 136.08 | USD | 549.92 | C | 24 | 22384 |
| Wireless | Edimax | Wireless Internet Router 3G Edimax 3G-6200N, 150M 3/3.5G broadband router with 4P 10/100M Switch | PROMO | USD | 189 | S | 24 | 19668 |
| Wireless | Edimax | Wireless Internet Router 3G Edimax 3G-6210N, Wireless 802.11n 3000M 3/3.5G broadband router with 1P 10/100M Switch, Baterie 1880mAh, Pocket Size | 77.28 | USD | 312.3008 | C | 24 | 24631 |
| Wireless | Linksys | Wireless Internet Router 3G Linksys WRT54G3GV2-VF, 150M 3/3.5G broadband router with 4P 10/100M Switch, USB Port, PCMCIA Slot, nu include modemul 3G USB | 136.304 | USD | 550.8272 | SL | 24 | 20503 |
| Wireless | IP-Time | Wireless Access Point IP-Time ZC-AP0103M, 802.11g, Multimode | 34.832 | USD | 140.7616 | 0 | 12 | 14947 |
| Wireless | LevelOne | Wireless Access Point Level One WAP-3000, 54 Mbps, IEEE 802.11b/g, 1 x RJ-45 Fast Ethernet, Supports multiple wireless operation modes | 32.928 | EUR | 174.2272 | 0 | 24 | 17656 |
| Wireless | RPC | Wireless Access Point RPC, RPC-WA1430, 54Mbps, 802.11b/g, criptare WEP, WPA TKIP, WPA2, WDS, filtru MAC | 22.288 | USD | 90.0704 | 0 | 36 | 23749 |
| Wireless | Trendnet | Wireless Access Point Trendnet TEW-430APB, 54 Mbps, IEEE 802.11b/g, 1 x RJ-45 Fast Ethernet | 31.584 | USD | 127.6352 | C | 36 | 18986 |
| Wireless | Oem | Wireless Access Point OEM Atheros WL-2454 | 43.68 | USD | 176.5232 | C | 12 | 3466 |
| Wireless | TP-Link | Wireless Access Point TP-Link TL-WA500G, 54 Mbit, IEEE 802.11g, passive PoE | 26.88 | USD | 108.6288 | C | 24 | 21173 |
| Wireless | TP-Link | Wireless Access Point TP-Link TL-WA501G, 54Mbps, eXtended Range, Atheros, 2.4GHz, 802.11g/b, Supports AP/AP Client/ Repeater/Bridge/Multi-Bridge mode, Supports WDS, Site Survey, with detachable reverse SMA connector Antenna | 26.88 | USD | 108.6288 | C | 24 | 26812 |

| | | | | | | | | |
|---------------------------|----------|--|---------|-----|----------|----|----|-------|
| Wireless | TP-Link | Wireless Access Point TP-Link TL-WA701ND, 150Mbps Lite-N, Atheros, 1T1R, 2.4GHz, 802.11n/g/b, Passive PoE Supported, QSS Push Button, AP/Client/Bridge/Repeater, Multi-SSID, WMM, Ping Watchdog, with 1 4dbi detachable Antenna | 29.344 | USD | 118.5856 | C | 24 | 26813 |
| Wireless | Edimax | Wireless Access Point Edimax EW-7206APG, 54 Mbit, IEEE 802.11g, RP-SMA Detachable antenna, 64/128-bit key lenght WEP and WPA data encryption | 27.776 | USD | 112.2464 | C | 24 | 6598 |
| Wireless | Edimax | Wireless Access Point Edimax EW-7206PDG, 54 Mbit, IEEE 802.11g, 4dBi HI-Gain Detachable antenna, RP-SMA plug, 64/128-bit key length WEP and WPA data encryption | 37.072 | USD | 149.8112 | C | 24 | 10144 |
| Wireless | Edimax | Wireless Access Point Edimax EW-7209APG, 54 Mbit, IEEE 802.11g, With 5 port 10/100 Switch, RP-SMA, Detachable antenna | 37.632 | USD | 152.0736 | C | 24 | 10145 |
| Wireless | Edimax | Wireless Access Point Edimax EW-7416APN, nMax 300M 2T2R Wireless 802.11n 2.0 | 52.416 | USD | 211.8256 | C | 24 | 18067 |
| Wireless | Asus | Wireless Access Point Asus WL-330GE, 802.11g, Portable Access Point, 125 High Speed mode Five operation modes (AP, Gateway, Client, Repeater, Bridge), Wi-Fi Certified | 63.616 | USD | 257.0848 | C | 24 | 9798 |
| Wireless | Asus | Wireless Access Point Asus WL-320GP, 802.11g, 54 Mbit, PoE Access Point - High Power 5-in-1 - 125 High Speed | 128.352 | USD | 518.6944 | C | 24 | 9752 |
| Wireless | ZyXel | Wireless All-In-One ZyXel G570S, AP, Client pentru AP, Bridge, Repeater, Conector pentru antena externa SMA, 2.4 GHz | 87.36 | USD | 353.0352 | C | 12 | 9590 |
| Wireless | D-Link | Wireless Access Point DLink DWL-G700AP, 54 Mbit, IEEE 802.11g, Wireless Bridge Function, External Antenna, RP-SMA plug | 32.928 | EUR | 174.2272 | C | 24 | 6813 |
| Wireless | D-Link | Wireless Access Point DLink DWL-2100AP, 108 Mbit, IEEE 802.11g, Wireless Bridge Function, External Antenna, RP-SMA plug | 51.408 | EUR | 272.0032 | C | 24 | 3146 |
| Wireless | D-Link | Wireless Access Point DLink DWL-7100AP, 108 Mbit, IEEE 802.11g, Wireless Bridge Function | 122.528 | EUR | 648.3008 | C | 24 | 8925 |
| Wireless | D-Link | Wireless Access Point DLink DAP-1353, 300Mbit, 802.11b/g/n, WPA/WPA2 encryption system | 96.32 | EUR | 509.6336 | C | 24 | 10743 |
| Wireless | D-Link | Wireless Access Point DLink DWL-3200AP, 108 Mbit, IEEE 802.11g, Power Over Ethernet, Support Wireless Bridge Function, External Antenna, RP-SMA plug | 162.064 | EUR | 857.4944 | C | 24 | 7125 |
| Wireless | D-Link | Wireless Access Point DLink DWL-2700AP, 54 Mbit, 802.11b/g, Wireless Access Point-Bridge | 760.032 | EUR | 4021.394 | C | 24 | 10750 |
| Wireless | Linksys | Wireless Access Point Linksys WAP54G, Wireless Access Point 802.11G | 71.904 | USD | 290.5728 | 0 | 24 | 4658 |
| Wireless | Linksys | Wireless Access Point Linksys WAP610N, Wireless-N Access Point with Dual-Band | 87.36 | USD | 353.0352 | C | 24 | 24609 |
| Wireless | Linksys | Wireless Range Expander WRE65G, 80211g | 66.304 | USD | 267.9488 | 0 | 24 | 19395 |
| Accesorii wireless | | | | | | | | |
| Accesorii wire | Oem | Wireless Antena California Amplifier Unidirectionala, 24dB, 2.4GHz, are mufa N tata, se conecteaza cu N mama. | 61.6 | USD | 248.9312 | S | 12 | 1391 |
| Accesorii wire | Oem | Wireless Antena Procell, Directionala, 11dB, 2.4GHz | 44.8 | USD | 181.048 | C | 12 | 8742 |
| Accesorii wire | Oem | Wireless Antena Procell, Directionala, 18dB, 2.4GHz | 76.16 | USD | 307.776 | S | 12 | 8743 |
| Accesorii wire | Oem | Wireless Antena Procell, Omnidirectionala, 9dB, 2.4GHz, Outdoor | 56 | USD | 226.3072 | C | 12 | 8744 |
| Accesorii wire | Oem | Wireless Antena Procell, Secventiala, 11dB, 2.4GHz, Outdoor | 61.6 | USD | 248.9312 | C | 12 | 4351 |
| Accesorii wire | Oem | Wireless Antena Procell, Omnidirectionala, 12dB, 2.4GHz, mufa N mama | 72.8 | USD | 294.2016 | C | 12 | 7438 |
| Accesorii wire | Edimax | Wireless Antena Edimax EA-OD14 14dB, Directional Antenna, mufa N, Outdoor | 62.496 | USD | 252.56 | C | 24 | 11413 |
| Accesorii wire | Edimax | Wireless Antena Edimax EA-OD19 19dB, Directional Antenna, mufa N, Outdoor | 89.488 | USD | 361.6368 | C | 24 | 11414 |
| Accesorii wire | Edimax | Wireless Antena Edimax EA-IO7D 7dB, Omnidirectionala Antenna, mufa RP-SMA, cablu 1m, Indoor | 15.904 | USD | 64.2656 | S | 24 | 24636 |
| Accesorii wire | Edimax | Wireless Antena Edimax EA-OO8D 8dB, Omnidirectionala Antenna, mufa N, fara cablu, Outdoor | 43.904 | USD | 177.4192 | S | 24 | 11411 |
| Accesorii wire | Edimax | Wireless Antena Edimax EA-OD9D 9dB, Directional Antenna, mufa N, fara cablu, Outdoor | 47.152 | USD | 190.5456 | C | 24 | 11412 |
| Accesorii wire | Edimax | Cablu wireless antena Edimax EA-CK1M, 1M Direct Link Cable, RPSMA to N-Type Connector, Indoor Direct Link Low Loss Cables | 11.2 | USD | 45.2592 | C | 24 | 18073 |
| Accesorii wire | Edimax | Cablu wireless antena Edimax EA-CK3M, 3M Direct Link Cable, RPSMA to N-Type Connector, Indoor Direct Link Low Loss Cables | 16.576 | USD | 66.9872 | C | 24 | 18075 |
| Accesorii wire | Edimax | Cablu wireless antena Edimax EA-CK12, 12M Cable + Surge Arrester + N - Type to RPSMA Cable (50cm), Outdoor Low Loss Coaxial Cable Series | 69.888 | USD | 282.4304 | C | 24 | 18074 |
| Accesorii wire | Edimax | Cablu wireless antena Edimax EA-CK6M, 6M Cable + Surge Arrester + N - Type to RPSMA Cable (50cm), Outdoor Low Loss Coaxial Cable Series | 51.856 | USD | 209.5632 | C | 24 | 18076 |
| Accesorii wire | Edimax | Cablu wireless antena Edimax EA-CK9M, 9M Cable + Surge Arrester + N-Type to RPSMA Cable (50cm), Outdoor Low Loss Coaxial Cable Series | 63.952 | USD | 258.44 | C | 24 | 18077 |
| Accesorii wire | Asus | Wireless Antena Asus WL-ANT-150G 5DBI, Omni Antenna, 360 degree, Compatible with 802.11b/g, 1.5m cable, Compatible with WL-138G, WL-500G, WL-500G Deluxe, WL-300G, WL-520G, WL-HDD2.5 and WL-530G | 20.72 | EUR | 109.6256 | C | 12 | 9694 |
| Accesorii wire | Asus | Wireless Antena Asus WL-ANT-168G 6-8DBI at 2.4GHz, 70°h/70°V or 8dBi at 5GHz 50°h/60°V, Directional Antenna, Wall mounting, Compatible with 802.11a/b/g, 1.5m cable, Compatible with WL-138G, WL-500G Deluxe, WL-500G Deluxe, WL-300G, WL-520G | 25.424 | EUR | 134.5232 | C | 12 | 9695 |
| Accesorii wire | ZyXel | Wireless Antena ZyXel 5dB, Omnidirectionala, 2.4GHz, revSMA, Magnetic pod, Indoor | 14.56 | USD | 58.8448 | M | 12 | 3797 |
| Accesorii wire | D-Link | Wireless Antena DLink ANT24-0600 6DBI 2.4GHz, 500m Range, Indoor, 150cm extension cable provided | 20.944 | EUR | 110.8128 | 0 | 24 | 10755 |
| Accesorii wire | D-Link | Wireless Antena DLink ANT24-0700 7dB, Omnidirectionala, 2.4GHz, 500m Range | 60.368 | EUR | 319.4128 | C | 12 | 8355 |
| Accesorii wire | D-Link | Wireless Antena DLink ANT24-0800 8dB, Omnidirectionala, 2.4GHz, 800m Range, RP-SMA PPlug, Outdoor | 93.52 | EUR | 494.8272 | C | 12 | 13198 |
| Accesorii wire | D-Link | Wireless Antena DLink Yagi ANT24-1201, Directionala, 12dB, 2.4GHz, Up to 1.5 Km Range | 66.752 | EUR | 353.192 | 0 | 12 | 5873 |
| Accesorii wire | D-Link | Wireless Antena DLink ANT24-1500 15DBI, Omnidirectionala, 2.4GHz, 5km Signal Range | 174.72 | EUR | 924.4592 | 0 | 24 | 10756 |
| Accesorii wire | Linksys | Wireless Antena Linksys HGA7T-EU, High Gain Antenna Kit for TNC Connectors | 48.608 | USD | 196.4368 | C | 24 | 9823 |
| Accesorii wire | Oem | Mufa Wireless N Tata WL-JRM | 2.8 | USD | 11.312 | C | 12 | 1393 |
| Accesorii wire | Oem | Mufa Wireless N Mama WL-JRF | 2.24 | USD | 9.0496 | S | 12 | 8213 |
| Accesorii wire | Oem | Conector (Prelungitor) Wireless N Mama - N Mama | 3.92 | USD | 15.8368 | S | 12 | 3484 |
| Accesorii wire | Oem | Cablu Adaptor Wireless SMA Tata la mufa N Tata, 50cm, WOP-RF-SMA | 4.48 | USD | 18.0992 | S | 12 | 1389 |
| Accesorii wire | Oem | Cablu Adaptor Wireless Reverse SMA Tata la mufa N Tata, 50cm, WOP-RF-SMA | 5.04 | USD | 20.3728 | S | 12 | 1390 |
| Accesorii wire | Oem | Cablu Adaptor Wireless SMA la Reverse SMA, Conexiune Tata-Tata, 100cm, WOP-SMA-REV-SMA | 4.48 | USD | 18.0992 | SL | 12 | 13601 |
| Accesorii wire | Oem | Cablu Pigtail TNC-RP Tata - N-Tata | 11.984 | EUR | 63.4032 | SL | 1 | 19747 |
| Accesorii wire | Oem | Cablu RF RG-213 Nordix | 4.704 | EUR | 24.8864 | S | 1 | 1392 |
| Wired (pe cablu) | | | | | | | | |
| Wired (pe cat) | Oem | Convertor USB to LAN, RJ45 | 8.4112 | USD | 33.992 | S | 12 | 15580 |
| Wired (pe cat) | Delock | Net Card Delock 61611, PCMCIA, UTP, 10/100/1000 Mb, 32 bit | 23.296 | EUR | 123.256 | S | 12 | 21124 |
| Wired (pe cat) | RPC | Net Card RPC-1624WK, PCI, UTP, 10/100 Mb | 4.1328 | USD | 16.6992 | S | 12 | 7698 |
| Wired (pe cat) | RPC | Net Card RPC-3200R, PCI, UTP, 10/100/1000 Mb | 7.2016 | USD | 29.0976 | S | 36 | 18147 |
| Wired (pe cat) | IP-Time | Net Card IP-Time, PCI, 10/100, UTP, Bulk | 3.4384 | USD | 13.8992 | 0 | 12 | 14943 |
| Wired (pe cat) | IP-Time | Net Card IP-Time, PCI, 10/100/1000, UTP | 6.9664 | USD | 28.1568 | 0 | 12 | 14944 |
| Wired (pe cat) | Canyon | Net Card Canyon CNP-LAN2, PCI, UTP, 10/100 Mb, Web Manageable, (cip REALTEK) | 5.9808 | USD | 24.1696 | 0 | 24 | 19473 |
| Wired (pe cat) | Canyon | Net Card Canyon CNP-GLAN1, PCI 2.1 si 2.2, UTP, 10/100/1000 Mb, 32 bit, Manageable | 11.984 | USD | 48.4288 | 0 | 24 | 13616 |
| Wired (pe cat) | LevelOne | Net Card Level One GNC-0105T, PCI, UTP, 32bit, 10/100/1000 Mbps, full duplex mode 20/200/2000Mbps | 8.4 | EUR | 44.4416 | 0 | 24 | 17631 |
| Wired (pe cat) | LevelOne | Net Card Level One USB-0202, USB, UTP, RJ45, 10/100 Mbps, Suporta hot-swap si hot-insert | 20.048 | EUR | 106.0752 | 0 | 24 | 17633 |
| Wired (pe cat) | LevelOne | Net Card Level One USB-0201, USB, UTP, RJ45, 10/100/1000 Mbps, Suporta hot-swap si hot-insert, Suporta full/half duplex | 30.24 | EUR | 160.0032 | 0 | 24 | 17634 |
| Wired (pe cat) | TP-Link | Net Card TP-Link TF-3200, PCI, UTP, 10/100 Mbps, 32bit | 3.4832 | USD | 14.0784 | 0 | 24 | 26783 |

| | | | | | | | | |
|----------------|----------|--|---------|-----|----------|------|----|-------|
| Wired (pe cat) | TP-Link | Net Card TP-Link TG-3269, PCI, UTP, 10/100/1000 Mbps, 32bit | 6.5296 | USD | 26.3872 | 0 | 24 | 26784 |
| Wired (pe cat) | Edimax | Net Card Edimax EN-9130TXA, PCI, UTP, 10/100 Mb, (cip REALTEK 8139), wake on lan | 5.0736 | USD | 20.5072 | S | 24 | 19959 |
| Wired (pe cat) | Edimax | Net Card Edimax EN-9130TXL, PCI, UTP, 10/100 Mb, (cip REALTEK 8139) | 4.76 | USD | 19.2304 | S | 24 | 10111 |
| Wired (pe cat) | Edimax | Net Card Edimax EN-9270TX-64, PCI, UTP, 10/100/1000 Mb, Wake On Lan, (cip MARVELL 64bit) | 36.064 | USD | 145.7456 | C | 24 | 10113 |
| Wired (pe cat) | Edimax | Net Card Edimax EN-9235TX-32, PCI, UTP, 10/100/1000 Mb, (cip REALTEK 8169SC) | 9.9568 | USD | 40.2416 | S | 24 | 24642 |
| Wired (pe cat) | Edimax | Net Card Edimax EN-9260TX-E, PCI-Ex1, UTP, 10/100/1000 Mb, (cip REALTEK 8168B) | 23.856 | USD | 96.4096 | C | 24 | 24643 |
| Wired (pe cat) | Edimax | Net Card Edimax HP-2002AV, Adaptor Powerline Ethernet 200Mbps, IEEE 802.3 / 802.3u, criptare AES 128-bit, IGMP, QoS, buton securitate si buton reset , Suporta prioritate VLAN, ToS si CoS Packet Classifier | 51.856 | USD | 209.5632 | C | 24 | 23748 |
| Wired (pe cat) | Trendnet | Net Card Trendnet TE100-PCIWN, PCI, UTP, 10/100 MB, cip Realtek | 5.2304 | USD | 21.1344 | C | 60 | 2373 |
| Wired (pe cat) | Trendnet | Net Card Trendnet TEG-PCITXR, PCI, UTP, 10/100/1000 Mb | 8.232 | USD | 33.264 | C | 60 | 18866 |
| Wired (pe cat) | Asus | Net Card Asus NX1001, PCI, UTP, 10/100 Mb | 4.2 | USD | 16.968 | C | 24 | 9770 |
| Wired (pe cat) | Asus | Net Card Asus NX1101, PCI, UTP, 10/100/1000 Mb, 32bit | 13.888 | USD | 56.1232 | 0 | 24 | 5588 |
| Wired (pe cat) | D-Link | Net Card DLink DFE-528TX, PCI, UTP, 10/100 Mb | 6.1376 | EUR | 32.48 | S | 24 | 4942 |
| Wired (pe cat) | D-Link | Net Card DLink DGE-528T, PCI, UTP, 10/100/1000 Mb, 32bit | 10.6848 | EUR | 56.5376 | 0 | 24 | 3167 |
| Wired (pe cat) | D-Link | Net Card D-Link, DHP-303 Powerline 200M HD Ethernet Adapter Kit, Push button config & Powersave includes- Two (2) DHP-302 Powerline 200M HD Ethernet Adapter | 96.32 | EUR | 509.6336 | 0 | 24 | 26015 |
| Wired (pe cat) | D-Link | Net Card D-Link, DHP-343 Powerline HD 4-Port Starter Kit | 114.352 | EUR | 605.0464 | 0 | 24 | 26016 |
| Wired (pe cat) | Intel | Net Card Intel PRO/1000 MT Dual Port Server Adapter | 191.184 | USD | 772.6096 | 0 | 36 | 4851 |
| Wired (pe cat) | Intel | Net Card Intel PRO/1000 PT Dual-Port Server Adapter, PCI-Express x16, EXP19402PTBLK | 175.28 | USD | 708.3328 | 0 | 36 | 25063 |
| Wired (pe cat) | Intel | Net Card Intel PRO/1000 PT Quad Port Server Adapter, PCI-Express x4 | 462.896 | USD | 1870.635 | 0 | 36 | 24762 |
| Wired (pe cat) | IP-Time | Switch IPTime SW0517, 5 PORT UTP 10/100 Mb, N-WAY Plastic Case | 7.8064 | USD | 31.5504 | S | 12 | 9662 |
| Wired (pe cat) | IP-Time | Switch IPTime SW05, 5 PORT, UTP, 10/100 Mb, N-WAY, Metallic Case | 10.0912 | USD | 40.7792 | C | 12 | 8747 |
| Wired (pe cat) | IP-Time | Switch IPTime SW0820, 8 PORT, UTP, 10/100 Mb, N-WAY, Plastic Case | 9.3632 | USD | 37.8336 | C | 12 | 14948 |
| Wired (pe cat) | IP-Time | Switch IPTime SW08, 8 PORT, UTP, 10/100 Mb, N-WAY, Metallic Case | 10.9312 | USD | 44.1728 | 0 | 12 | 9034 |
| Wired (pe cat) | IP-Time | Switch IPTime SW1605, 16 PORT, UTP, 10/100 Mb, N-WAY, Metallic Case | 31.136 | USD | 125.8208 | 0 | 12 | 14949 |
| Wired (pe cat) | IP-Time | Switch IPTime SW16, 16 PORT, UTP, 10/100 Mb, N-WAY, Metallic Case, Rack Mountable | 34.272 | USD | 138.4992 | C | 12 | 9664 |
| Wired (pe cat) | IP-Time | Switch IPTime SW24, 24 PORT, UTP, 10/100 Mb, N-WAY, Metallic Case, Rack Mountable | 44.688 | USD | 180.5888 | C | 12 | 9665 |
| Wired (pe cat) | IP-Time | Switch IPTime ZC-SG0807, 8 PORT, UTP, 10/100/1000 Mb, N-WAY, Metallic Case | 30.128 | USD | 121.7552 | 0 | 12 | 14925 |
| Wired (pe cat) | RPC | Switch RPC-SW016P, 16 PORT, UTP, 10/100 Mb, N-Way, Auto-MDI/MDI-X, Auto-Negotiation, Non Blocking, UP to 2048 Mac Addresses, 19" rack mountable | 25.424 | USD | 102.7376 | C | 36 | 18149 |
| Wired (pe cat) | RPC | Switch RPC-SW024P, 24 PORT, UTP, 10/100 Mb, N-Way, Auto-MDI/MDI-X, Auto-Negotiation, Non Blocking, UP to 2048 Mac Addresses, 19" rack mountable | 42.224 | USD | 170.632 | C | 36 | 18150 |
| Wired (pe cat) | RPC | Switch RPC-1708P, 8 PORT, UTP, 10/100 Mb, N-Way, Plastic Case, w/Linear adapter | 12.768 | USD | 51.5984 | 0 | 12 | 18148 |
| Wired (pe cat) | TP-Link | Switch TP-Link TL-SF1016D, 16 PORT, UTP, 10/100 Mbps, Plastic case | 25.648 | USD | 103.6448 | 0 | 24 | 26801 |
| Wired (pe cat) | TP-Link | Switch TP-Link TL-SL1117, 16 PORT, UTP, 10/100 Mb x 15 + 10/100/1000 Mb x 1, 1U, 19" rack-mountable, Steel casing | 51.968 | USD | 210.0112 | C | 24 | 20833 |
| Wired (pe cat) | TP-Link | Switch TP-Link TL-SG1016, 16 PORT, UTP, 10/100/1000 Mbps, format rackmount 1U, steel case | 104.048 | USD | 420.4704 | 0 | 24 | 26805 |
| Wired (pe cat) | TP-Link | Switch TP-Link TL-SL1226, 24 PORT, UTP, 10/100 Mb x 24 + 2 port-ur 10/100/1000 Mbps uplink, format rackmount 1U, steel case | 79.968 | USD | 323.1648 | 0 | 24 | 26806 |
| Wired (pe cat) | TP-Link | Switch TP-Link TL-SG1024, 24 PORT, UTP, 10/100/1000 Mbps, format rackmount 1U, steel case | 140.896 | USD | 569.3856 | 0 | 24 | 26807 |
| Wired (pe cat) | TP-Link | Switch TP-Link TL-SF1005D, 5 PORT, UTP, 10/100 Mb, N-WAY, plastic case | 8.4 | USD | 33.9472 | C | 24 | 26666 |
| Wired (pe cat) | TP-Link | Switch TP-Link TL-SG1005D, 5 PORT, UTP, 10/100/1000 Mbps, Plastic case | 27.216 | USD | 109.984 | 0 | 24 | 26799 |
| Wired (pe cat) | TP-Link | Switch TP-Link TL-SF1008D, 8 PORT, UTP, 10/100 Mb, N-WAY, plastic case | 10.08 | USD | 40.7344 | C | 24 | 26667 |
| Wired (pe cat) | TP-Link | Switch TP-Link TL-SG1008D, 8 PORT, UTP, 10/100/1000 Mbps, Plastic case | 34.832 | USD | 140.7616 | 0 | 24 | 26800 |
| Wired (pe cat) | Canyon | Switch Canyon CNP-D05P, 5 PORT, UTP, 10/100 Mb, N-WAY | 12.32 | USD | 49.784 | CALL | 12 | 15820 |
| Wired (pe cat) | Canyon | Switch Canyon CNP-D08P, 8 PORT, UTP, 10/100 Mb, N-WAY | 15.344 | USD | 62.0032 | S | 12 | 16019 |
| Wired (pe cat) | LevelOne | Switch Level One FSW-1621, 16 PORT, UTP, 10/100 Mb, Suporta Auto-negotiation pe toate porturile, Kit for mounting into a 19" rack | 40.208 | EUR | 212.744 | 0 | 24 | 17673 |
| Wired (pe cat) | LevelOne | Switch Level One GSW-0507, 5 PORT, UTP, 10/100/1000 Mb, Supporting MDI/MDIX auto crossover, Black edition | 28.224 | EUR | 149.3408 | 0 | 24 | 17666 |
| Wired (pe cat) | LevelOne | Switch Level One GSW-0807, 8 PORT, UTP, 10/100/1000 Mb, Supporting MDI/MDIX auto crossover, Black edition | 44.352 | EUR | 234.6736 | 0 | 24 | 17670 |
| Wired (pe cat) | Edimax | Switch Edimax ES-3205P, 5 PORT, UTP, 10/100 Mb, N-WAY, Plastic Case | 11.0096 | USD | 44.4864 | S | 24 | 18850 |
| Wired (pe cat) | Edimax | Switch Edimax ES-3208P, 8 PORT, UTP, 10/100 Mb, N-WAY, Plastic Case | 14.448 | USD | 58.3856 | S | 24 | 24644 |
| Wired (pe cat) | Edimax | Switch Edimax ES-3216P, 16 PORT, UTP, 10/100 Mb, N-WAY, Plastic Case | 34.944 | USD | 141.2096 | 0 | 24 | 24645 |
| Wired (pe cat) | Edimax | Switch Edimax ES-3116RL, 16 PORT, UTP, 10/100 Mb, N-WAY, Metallic Case, Rack mountable | 45.024 | USD | 181.944 | C | 24 | 10117 |
| Wired (pe cat) | Edimax | Switch Edimax ES-3124RL, 24 PORT, UTP, 10/100 Mb, N-WAY, Metallic Case, Rack mountable | 60.256 | USD | 243.4992 | C | 24 | 10118 |
| Wired (pe cat) | Edimax | Switch Edimax ES-5500G, 5 PORT, UTP, 10/100/1000 Mb, N-WAY, Plastic Case | 29.12 | USD | 117.6784 | C | 24 | 24646 |
| Wired (pe cat) | Edimax | Switch Edimax ES-5800G, 8 PORT, UTP, 10/100/1000 Mb, N-WAY, Plastic Case | 40.208 | USD | 162.4896 | C | 24 | 24647 |
| Wired (pe cat) | Edimax | Switch Edimax ES-5224RS+, 24 PORT, UTP, 10/100 Mb, + 2 SFP, N-WAY, Layer 2 Web Smart, Metallic Case, Rack mountable | 190.512 | USD | 769.888 | C | 24 | 10121 |
| Wired (pe cat) | Edimax | Switch Edimax ES-5224RM+, 24 PORT, UTP, 10/100 Mb, + 2 SFP, N-WAY, Layer 2 Managed, Metallic Case, Rack mountable | 254.128 | USD | 1026.973 | C | 24 | 10122 |
| Wired (pe cat) | Asus | Switch Asus GigaX2016X, 16 PORT, UTP, 10/100 Mb + 2x10/100/1000 MB, + 2 SFP, N-WAY, Layer 2 Managed, Metallic Case, Rack mountable | 163.968 | USD | 662.6256 | C | 60 | 9719 |
| Wired (pe cat) | Asus | Switch Asus FX-D1161, 16 PORT, UTP, 10/100 Mb, Embedded Asus Green Network Technology (GNT) | 34.944 | USD | 141.2096 | C | 24 | 18053 |
| Wired (pe cat) | Asus | Switch Asus FX-D1162, 16 PORT, UTP, 10/100 Mb, Embedded Asus Green Network Technology (GNT), VIP Top Pority Port, rackmountable, metallic case | 38.864 | USD | 157.0576 | C | 24 | 21866 |
| Wired (pe cat) | Asus | Switch Asus GigaX1024X, 24 PORT, UTP, 10/100 Mb, N-WAY, auto MDI/MDI-X, Rack mountable | 62.16 | USD | 251.1936 | 0 | 60 | 9757 |
| Wired (pe cat) | Asus | Switch Asus GigaX1026, 24 PORT, UTP, 10/100 Mb+ 2x10/100/1000 MB, Layer 2 Unmanaged, 19" Rack mountable | 90.608 | USD | 366.1616 | C | 60 | 18054 |
| Wired (pe cat) | Asus | Switch Asus GigaX1024+, 24 PORT, UTP, 10/100 Mb + 2x10/100/1000, + 2 SFP, N-WAY, Layer 2 Smart, Asus Centralized Network Management | 189.84 | USD | 767.1776 | C | 60 | 9783 |
| Wired (pe cat) | Asus | Switch Asus GigaX1026i, 24 PORT, UTP, 10/100 Mb+ 2x10/100/1000 MB, Layer 2 Smart | 130.704 | USD | 528.192 | C | 60 | 18055 |
| Wired (pe cat) | Asus | Switch Asus GigaX2024X, 24 PORT, UTP, 10/100 Mb + 2x10/100/1000 MB, + 2 SFP, N-WAY, Layer 2 Managed, Metallic Case, Rack mountable | 245.392 | USD | 991.6704 | C | 60 | 5577 |
| Wired (pe cat) | Asus | Switch Asus GigaX1005, 5 PORT, UTP, 10/100 Mb, N-WAY, auto MDI/MDI-X, Metallic, Black. | 14.56 | USD | 58.8448 | S | 24 | 5570 |
| Wired (pe cat) | Asus | Switch Asus GigaX1005B, 5 PORT, UTP, 10/100 Mb, N-WAY, auto MDI/MDI-X, Plastic, Alb. | 14.56 | USD | 58.8448 | S | 24 | 9761 |
| Wired (pe cat) | Asus | Switch Asus GigaX1008, 8 PORT, UTP, 10/100 Mb, N-WAY, auto MDI/MDI-X, AC 9V/1.0A, Metallic, Negru | 17.808 | USD | 71.96 | S | 24 | 5571 |
| Wired (pe cat) | Asus | Switch Asus GigaX1008B, 8 PORT, UTP, 10/100 Mb, N-WAY, auto MDI/MDI-X, DC 5V/0.6A, Plastic, Alb | 17.808 | USD | 71.96 | S | 24 | 9762 |
| Wired (pe cat) | Asus | Switch Asus GigaX1116B, 16 PORT, UTP, 10/100/1000 Mb, + 4 SFP, N-WAY, Layer 2 Unmanaged | 220.08 | USD | 889.3808 | C | 60 | 9716 |

| | | | | | | | | |
|----------------|--------------|--|---------|-----|----------|----|----|-------|
| Wired (pe cat) | Asus | Switch Asus GigaX1124B, 24 PORT, UTP, 10/100/1000 Mb, + 4 SFP, N-WAY, Layer 2 Unamanaged | 232.96 | USD | 941.4272 | C | 60 | 9717 |
| Wired (pe cat) | Asus | Switch Asus GigaX-D1051, 5 PORT, 10/100/1000Mbs, Layer 2 Unamanaged | 45.36 | USD | 183.3104 | C | 24 | 24627 |
| Wired (pe cat) | Asus | Switch Asus GigaX-D1081, 8 PORT, 10/100/1000Mbs, Layer 2 Unamanaged | 64.736 | USD | 261.6096 | C | 24 | 24628 |
| Wired (pe cat) | Asus | Switch Asus 10/100/1000 5P GIGAX1105B/V2 5 Port Layer 2 Unmanaged Gigabit Switch, Up to 4000 MAC addresses and 4096 VLAN support (IEEE802.1q), Jumbo frame support up to 9.6K, Store-and-Forward switching architecture, Supports Auto-negotiatin for speed and duplex modes for each port | 31.248 | USD | 126.28 | C | 60 | 20322 |
| Wired (pe cat) | ZyXel | Switch ZyXEL ES-105, 5 PORT, UTP, 10/100 Mb, N-WAY, auto MDI/MDI-X | 15.68 | USD | 63.3696 | S | 12 | 5275 |
| Wired (pe cat) | ZyXel | Switch ZyXEL ES-108, 8 PORT, UTP, 10/100 Mb, N-WAY, auto MDI/MDI-X | 17.92 | USD | 72.4192 | C | 12 | 5276 |
| Wired (pe cat) | ZyXel | Switch ZyXEL ES-1016, 16 PORT, UTP, 10/100 Mb, N-WAY, auto MDI/MDI-X, Rack 19i 1U, Metallic case, Alimentare directa 220V | 53.76 | USD | 217.2576 | C | 12 | 5273 |
| Wired (pe cat) | ZyXel | Switch ZyXEL ES-1024, 24 PORT, UTP, 10/100 Mb, N-WAY, auto MDI/MDI-X, Rack 19i 1U, Metallic case, Alimentare directa 220V | 75.04 | USD | 303.2512 | C | 12 | 5274 |
| Wired (pe cat) | ZyXel | Switch ZyXEL ES-1124, 24 PORT, UTP, 10/100 Mb + 2x10/100/1000 Mb, N-WAY, auto MDI/MDI-X, Rack 19i 1U, Metallic case, Alimentare directa 220V | 134.4 | USD | 543.1328 | C | 12 | 5277 |
| Wired (pe cat) | Net Gear | Switch Net Gear FS108-200PES, 8 PORT, UTP, 10/100 Mb, N-WAY, ProSafe switch, external power supply | 30.352 | USD | 122.6624 | C | 60 | 20148 |
| Wired (pe cat) | Trendnet | Switch Trendnet TE100-S50G GREENnet Switch, 5 PORT UTP 10/100 Mb, MINI, 10/100MBPS, GREENnet, Metal case | 14.896 | USD | 60.2 | S | 60 | 22806 |
| Wired (pe cat) | Trendnet | Switch Trendnet TE100-S8P 8 PORT UTP 10/100 Mb, N-WAY PLASTIC CASE | 13.328 | USD | 53.8608 | 0 | 60 | 2118 |
| Wired (pe cat) | Trendnet | Switch Trendnet TE100-S80G GREENnet Switch, 8 PORT UTP 10/100 Mb, MINI, 10/100MBPS, GREENnet, Metal case | 18.032 | USD | 72.8672 | S | 60 | 20594 |
| Wired (pe cat) | Trendnet | Switch Trendnet TEG-S50g, 5 PORT, UTP, 10/100/1000 Mb, Green | 30.912 | USD | 124.9248 | S | 60 | 20596 |
| Wired (pe cat) | Trendnet | Switch Trendnet TEG-S80g, 8 PORT, UTP, 10/100/1000 Mb, Green | 40.544 | USD | 163.8448 | 0 | 60 | 20595 |
| Wired (pe cat) | Allied Teles | Switch Allied Telesis AT-FS750/24, 24 PORT, 10/100 Mb, TX WEBSMART | 213.136 | USD | 861.3136 | 0 | 24 | 20832 |
| Wired (pe cat) | Allied Teles | Switch Allied Telesis AT-GS900/24, 24 PORT, 10/100/1000T Mb, Unmanaged, MDI/MDIX, 19" Rackmount Kit | 313.376 | USD | 1266.406 | 0 | 24 | 21164 |
| Wired (pe cat) | D-Link | Switch DLink DES-1005D, 5 PORT, UTP, 10/100 Mb | 10.0688 | EUR | 53.2784 | S | 24 | 8701 |
| Wired (pe cat) | D-Link | Switch DLink DES-1008D, 8 PORT, UTP, 10/100 Mb, N-WAY, Auto-Uplink MDI/MDIX | 12.768 | EUR | 67.5584 | S | 24 | 3152 |
| Wired (pe cat) | D-Link | Switch DLink DES-1016D, 16 PORT, UTP, 10/100 Mb, N-WAY, Auto-Uplink, MDI/MDIX, 19" Rackmount Kit | 39.76 | EUR | 210.3696 | S | 24 | 3162 |
| Wired (pe cat) | D-Link | Switch DLink DES-1016R+, 16 PORT, UTP, 10/100 Mb, N-WAY, Auto-Uplink, MDI/MDIX, Flow Control, 19" Rackmount Kit | 92.176 | EUR | 487.7152 | 0 | 24 | 3163 |
| Wired (pe cat) | D-Link | Switch DLink DES-1228, 24 PORT, UTP, 10/100 Mb, RJ-45 (24 x 10/100BaseT ports .4 1000Base-T ports), SFP (2 combo 1000Base-T/SFP ports) | 133.392 | EUR | 705.7904 | 0 | 24 | 10728 |
| Wired (pe cat) | D-Link | Switch DLink DES-1024D, 24 PORT, UTP, 10/100 Mb, N-WAY, Auto-Uplink, MDI/MDIX, 19" Rackmount Kit | 51.968 | EUR | 274.9712 | S | 24 | 3153 |
| Wired (pe cat) | D-Link | Switch DLink DES-1024R+, 24 PORT, UTP, 10/100 Mb, N-WAY, Auto-Uplink, MDI/MDIX, Flow Control, 19" Rackmount Kit | 111.216 | EUR | 588.448 | 0 | 24 | 3164 |
| Wired (pe cat) | D-Link | Switch DLink DES-1228P, 24 PORT, UTP, 10/100 Mb, RJ-45 (24 x 10/100BaseT ports .4 1000Base-T ports), SFP LC | 349.216 | EUR | 1847.731 | 0 | 24 | 10729 |
| Wired (pe cat) | D-Link | Switch DLink DES-1026G, 24 PORT, UTP, 10/100 Mb + 2x10/100/1000 Mb, N-WAY, Auto-Uplink, MDI/MDIX, Flow Control, 19i Rackmount Kit | 127.12 | EUR | 672.6048 | C | 24 | 3165 |
| Wired (pe cat) | D-Link | Switch DLink DES-1252, 48 PORT, 10/100 Mb, RJ-45 (48x 10/100BaseT ports 2 1000Base-T ports), SFP (2 combo 1000Base-T/SFP ports) | 348.432 | EUR | 1843.576 | C | 24 | 10735 |
| Wired (pe cat) | D-Link | Switch DLink DGS-1005D, 5 PORT, UTP, 10/100/1000 Mb, N-WAY | 23.968 | EUR | 126.8176 | C | 24 | 8702 |
| Wired (pe cat) | D-Link | Switch DLink DGS-1008D, 8 PORT, UTP, 10/100/1000 Mb, N-WAY, Auto-Uplink, MDI/MDIX, Flow Control | 33.376 | EUR | 176.5904 | S | 24 | 3168 |
| Wired (pe cat) | D-Link | Switch DLink DGS-1016D, 16 PORT, UTP, 10/100/1000 Mb, N-WAY, Auto-Uplink, MDI/MDIX, Flow Control | 127.12 | EUR | 672.6048 | C | 24 | 7991 |
| Wired (pe cat) | D-Link | Switch DLink DGS-1216T, 16 PORT, UTP, 10/100/1000 Mb, 16 Ports 10/100/1000Mbps with 2 Combo SFP Expansion Slots | 164.192 | EUR | 868.7504 | C | 24 | 10718 |
| Wired (pe cat) | D-Link | Switch DLink DGS-1024D, 24 PORT, UTP, 10/100/1000 Mb, N-WAY, Auto-Uplink, MDI/MDIX, 19i Rackmount Kit | 189.504 | EUR | 1002.68 | C | 24 | 9046 |
| Wired (pe cat) | D-Link | Switch DLink DGS-1224T, 24 PORT, UTP, 10/100/1000 Mb, 24 Ports 10/100/1000Mbps with 2 Combo SFP Expansion Slots | 262.752 | EUR | 1390.245 | C | 24 | 10724 |
| Wired (pe cat) | D-Link | Switch DLink DGS-1248T, 48 PORT, 10/100/1000 Mb, 48 Ports 10/100/1000Mbps with 4 Combo SFP Expansion Slots | 360.08 | EUR | 1905.21 | C | 24 | 10732 |
| Wired (pe cat) | D-Link | Switch DLink DGS-3100-48, 48 PORT, 10/100/1000 Mb, 48 Ports 10/100/1000Mbps with 4 Combo SFP Expansion Slots, Layer 2 Management | 824.432 | EUR | 4362.131 | SL | 60 | 24144 |
| Wired (pe cat) | D-Link | Switch DLink DES-3010F, 8 PORT, UTP, 10/100 Mb, 1 port Gigabit + 1 SFP slot | 182.112 | EUR | 963.5696 | 0 | 24 | 10737 |
| Wired (pe cat) | D-Link | Switch DLink DES-3010G, 8 PORT, UTP, 10/100 Mb, Layer 2 managed, 1 port Gigabit + (1)100BASE-FX MMF port | 158.816 | EUR | 840.3136 | C | 24 | 10738 |
| Wired (pe cat) | D-Link | Switch DLink DES-3028, 24 PORT, UTP, 10/100 Mb, 24 10/100BASE-TX Ports, 4 10/100/1000BASE-T Ports, 2 Combo SFP, RS-232 Console Port | 220.304 | EUR | 1165.651 | 0 | 24 | 10726 |
| Wired (pe cat) | D-Link | Switch DLink DES-3026, 24 PORT, UTP, 10/100 Mb, Port Security And 802.1x Port-Based/MAC-Based Access Control, 4 Selections of Port Densities | 193.76 | EUR | 1025.203 | C | 24 | 10730 |
| Wired (pe cat) | D-Link | Switch DLink DES-3526, 24+2 PORT, UTP, 10/100+1000 Mb, Managed 24-Port 10/100 Stackable L2 Switch, 2 Gigabit Copper Ports, 2 Combo SFP | 349.44 | EUR | 1848.918 | C | 24 | 10727 |
| Wired (pe cat) | D-Link | Switch DLink DES-3550, 48+2 PORT, 10/100+1000 Mb, 48 ports 10/100BASE-T plus 2 Combo 10/100/1000Mbps Copper/ SFP ports | 728 | EUR | 3851.904 | 0 | 24 | 10734 |
| Wired (pe cat) | D-Link | Switch DLink DES-3052, 48 PORT, 10/100 Mb, 48 10/100BASE-TX Ports, 4 10/100/1000BASE-T Ports, 2 Combo SFP, RS-232 Console Port | 508.256 | EUR | 2689.221 | 0 | 24 | 10733 |
| Wired (pe cat) | D-Link | Switch DLink DGS-3612G, 12 PORT, UTP, 10/100/1000, Managed Layer 2/3/4 Switch with 12 1000BASE-X SFP Ports and 4 Combo 1000BASE-T Ports | 1957.65 | EUR | 10358.07 | 0 | 24 | 10717 |
| Wired (pe cat) | D-Link | Switch DLink DGS-3427, 24 PORT, UTP, 10/100/1000 Mb, xStack 24-Port Gigabit L2+ Stackable Switch with 4 Combo SFP ,3 10GE Module Slots | 1919.23 | EUR | 10154.8 | 0 | 24 | 10731 |
| Wired (pe cat) | D-Link | Switch DLink DGS-3627, 24 PORT, UTP, 10/100/1000 Mb, 24 10/100/1000BASE-T Ports, 4 Combo SFP Slots, 3 Open Slot for 10-Gigabit Uplink Modules, 1 RS-232 Console Port | 2725.41 | EUR | 14420.35 | 0 | 24 | 10721 |
| Wired (pe cat) | D-Link | Switch DLink DGS-3324SR, 24 PORT, UTP, 10/100/1000 Mb, 24 ports 10/100/1000Base-T with 4 combo SFP/mini-GBICs and 2 10-Gigabit stacking ports | 2251.2 | EUR | 11911.28 | 0 | 24 | 10722 |
| Wired (pe cat) | Linksys | Switch Linksys EZXS8W, 8 PORT, UTP, 10/100 Mb, N-WAY | 21.728 | USD | 87.808 | C | 24 | 20844 |
| Wired (pe cat) | Linksys | Switch Linksys SD208, 8 PORT, UTP, 10/100 Mb, N-WAY, Metallic case | 48.832 | USD | 197.3328 | C | 24 | 4159 |
| Wired (pe cat) | Linksys | Switch Linksys SRW208P, 8 PORT, UTP, 10/100 Mb, with WebView and PoE | 272.048 | USD | 1099.392 | C | 24 | 17088 |
| Wired (pe cat) | Linksys | Switch Linksys SD216, 16 PORT, UTP, 10/100 Mb, N-WAY, Metallic case | 79.856 | USD | 322.7056 | 0 | 24 | 13719 |
| Wired (pe cat) | Linksys | Switch Linksys SR216, 16 PORT, UTP, 10/100 Mb, N-WAY, Metallic case | 79.856 | USD | 322.7056 | C | 36 | 24860 |
| Wired (pe cat) | Linksys | Switch Linksys SLM224G-G5, 24 PORT, UTP, 10/100 Mb + 2 PORT Gigabit + 2 combo SFPs, N-WAY, Metallic case, rackmountable 1U | 205.296 | USD | 829.6288 | 0 | 60 | 24415 |
| Wired (pe cat) | Linksys | Switch Linksys SR2024, 24 PORT, UTP, 10/100/1000 Mb + 2 Mini-GBIC ports, N-WAY, Metallic case | 336.448 | USD | 1359.635 | 0 | 24 | 14045 |
| Wired (pe cat) | Linksys | Switch Linksys SRW248G4, 48 PORT, UTP, 10/100 Mb + 4 PORT Gigabit, N-WAY, WebView, Metallic case | 418.432 | USD | 1690.954 | C | 24 | 17089 |
| Wired (pe cat) | Linksys | Switch Linksys EZXS5W, 5 PORT, UTP, 10/100Mb | 16.688 | USD | 67.4352 | C | 24 | 24619 |
| Wired (pe cat) | Linksys | Switch Linksys EG005W, 5 PORT, UTP, 10/100/1000 Mb, N-WAY, Gigabit | 41.552 | USD | 167.9216 | C | 24 | 19116 |
| Wired (pe cat) | Linksys | Switch Linksys EG008W, 8 PORT, UTP, 10/100/1000 Mb, N-WAY, Gigabit | 62.72 | USD | 253.456 | C | 24 | 19117 |
| Wired (pe cat) | Linksys | Switch Linksys SD2008, 8 PORT, UTP, 10/100/1000 Mb, N-WAY, Metallic case, Gigabit | 74.928 | USD | 302.792 | 0 | 24 | 12177 |

| | | | | | | | | |
|----------------|--------------|---|---------|-----|----------|----|----|-------|
| Wired (pe cat) | Linksys | Switch Linksys SLM2008, 8 PORT, UTP, 10/100/1000 Mb, N-WAY, Metallic case, V.Lan, PoE, Smart Gigabit | 122.976 | USD | 496.9664 | C | 24 | 12180 |
| Wired (pe cat) | Linksys | Switch Linksys SLM2024, 24 PORT, UTP, 10/100/1000 Mb, N-WAY, Metallic case, V.Lan, PoE, Smart Gigabit | 451.696 | USD | 1825.376 | C | 24 | 14899 |
| Wired (pe cat) | Dell | Switch Dell PowerConnect 2816, 16 PORT, UTP, 10/100/1000 Mb, N-WAY, Metallic case, V.Lan, 2Mbits of Packet Buffer Memory, Web Managed L2, rack mountable 1U | 245.84 | USD | 993.4736 | C | 36 | 24226 |
| Wired (pe cat) | Dell | Switch Dell PowerConnect 2824, 24 PORT, UTP, 10/100/1000 Mb + 2 SFP fiber combo ports, N-WAY, Metallic case, V.Lan, 2Mbits of Packet Buffer Memory, Web Managed L2, rack mountable 1U | 324.128 | USD | 1309.851 | C | 36 | 24227 |
| Wired (pe cat) | Dell | Switch Dell PowerConnect 5424, 24 PORT, UTP, 10/100/1000 Mb + 4 SFP fiber combo ports, N-WAY, Metallic case, V.Lan, 6Mbits of Packet Buffer Memory, 64MB of CPU SDRAM, 16MB of Flash Memory, Managed L2, rack mountable 1U | 492.912 | USD | 1991.931 | C | 36 | 24229 |
| Wired (pe cat) | Dell | Switch Dell PowerConnect 2848, 48 PORT, UTP, 10/100/1000 Mb + 4 SFP fiber combo ports, N-WAY, Metallic case, V.Lan, 2Mbits of Packet Buffer Memory, Web Managed L2, rack mountable 1U | 550.928 | USD | 2226.392 | C | 36 | 24228 |
| Wired (pe cat) | Dell | Switch Dell PowerConnect 5448, 48 PORT, UTP, 10/100/1000 Mb + 4 SFP fiber combo ports, N-WAY, Metallic case, V.Lan, 6Mbits of Packet Buffer Memory, 64MB of CPU SDRAM, 16MB of Flash Memory, Managed L2, rack mountable 1U | 662.928 | USD | 2678.995 | C | 36 | 24230 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 1700 J9080A, 24 PORT, UTP, 22 porturi 10/100 Mb + 2 dual-personality ports (RJ-45 10/100/1000 ports / open mini-GBIC slots), N-WAY, metallic case, rack mountable 1U, Procurve manager | 154.56 | EUR | 817.7904 | 0 | 36 | 24660 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 2124 J4868A, 24 PORT, UTP, 10/100 Mb + 1 open transceiver slot, N-WAY, metallic case, rack mountable 1U | 155.12 | EUR | 820.7472 | 0 | 36 | 24232 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 2510-24 J9019B, 24 PORT, UTP, 10/100 Mb + 2 dual-personality ports (RJ-45 10/100/1000 ports with PoE / open mini-GBIC slots for mini-GBIC transceivers), ProCurve Manager Plus, N-WAY, metallic case, rack mountable 1U | 256.704 | EUR | 1358.246 | 0 | 36 | 24234 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 2520-24-POE J9138A, 48 PORT, UTP, 10/100 Mb + 2 x RJ-45 10/100/1000 ports + 2 dual-personality ports (RJ-45 10/100/1000 ports / SFP slots), 1 RJ-45 serial console port, ProCurve Manager Plus, N-WAY, metallic case, rackmountable | 561.232 | EUR | 2969.523 | C | 36 | 24663 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 2520G-24-POE J9299A, 48 PORT, UTP, 10/100 Mb + 2 x RJ-45 10/100/1000 ports + 2 dual-personality ports (RJ-45 10/100/1000 ports / SFP slots), 1 RJ-45 serial console port, ProCurve Manager Plus, N-WAY, metallic case, rackmountable | 1121.34 | EUR | 5933.122 | 0 | 36 | 24670 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 1400 J9078A, 24 PORT, UTP, 10/100/1000 Mb, N-WAY, metallic case, rack mountable 1U | 243.04 | EUR | 1285.939 | C | 36 | 24239 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 1810G-24 J9450A, 22 PORT, UTP, 10/100/1000 Mb, 2 dual-personality ports (RJ-45 10/100/1000 ports / open mini-GBIC slots), N-WAY, metallic case, Procurve Manager | 324.912 | EUR | 1719.133 | C | 36 | 24672 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 2810-24 J9021A, 20 PORT, UTP, 10/100/1000 Mb + 4 dual-personality ports (RJ-45 10/100/1000 ports / open mini-GBIC slots), 1 RJ-45 serial console, ProCurve Manager Plus, N-WAY, metallic case, rack mountable 1U | 1043.17 | EUR | 5519.483 | C | 36 | 24236 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 2910AL-24G J9145A, 20 PORT, UTP, 10/100/1000 Mb + 4 dual-personality ports (RJ-45 10/100/1000 ports / open mini-GBIC slots), 1 RJ-45 serial console, ProCurve Manager Plus, N-WAY, metallic case, rack mountable 1U | 1437.97 | EUR | 7608.406 | C | 36 | 24664 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 2910AL-24G-POE J9145A, 20 PORT, UTP, 10/100/1000 Mb with Power Over Ethernet + 4 dual-personality ports (RJ-45 10/100/1000 ports / open mini-GBIC slots), 1 RJ-45 serial console, ProCurve Manager Plus, N-WAY, metallic case, rack mountable | 2008.72 | EUR | 10628.3 | 0 | 36 | 24665 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 3500YL J8962A, 20 x RJ-45 10/100/1000 ports, 4 dual-personality ports (RJ-45 10/100/1000 ports with PoE / open mini-GBIC slots for mini-GBIC transceivers), 1 open module slot for max. 4x10-GbE ports, 1 RS-232C DB-9 console port, ProCurve Manager Plus, rack mountable 1U | 2713.87 | EUR | 14359.32 | C | 36 | 24233 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 2510-48 J9020A, 48 PORT, UTP, 10/100 Mb + 2 x RJ-45 10/100/1000 ports + 2 open mini-GBIC (SFP) slots, 1 RJ-45 serial console port, ProCurve Manager Plus, N-WAY, metallic case, rack mountable 1U | 443.184 | EUR | 2344.922 | C | 36 | 24235 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 2610-48 J9088A, 48 PORT, UTP, 10/100 Mb + 2 x RJ-45 10/100/1000 ports + 2 open mini-GBIC (SFP) slots, 1 RJ-45 serial console port, ProCurve Manager Plus, N-WAY, metallic case, rack mountable 1U | 706.272 | EUR | 3736.947 | C | 36 | 24661 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 2910AL-48G J9147A, 44 PORT, UTP, 10/100/1000 Mb + 4 dual-personality ports (RJ-45 10/100/1000 ports / open mini-GBIC slots), 1 RJ-45 serial console, ProCurve Manager Plus, N-WAY, metallic case, rack mountable 1U | 3212.05 | EUR | 16995.2 | 0 | 36 | 24666 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 1700 J9079A, 8 PORT, UTP, 7 porturi 10/100 Mb + 1 port 10/100/1000 Mb, N-WAY, metallic case, Procurve manager | 68.096 | EUR | 360.304 | 0 | 36 | 24659 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 2520-8-POE J9137A, 8 PORT, UTP, 10/100 Mb + 2 dual-personality ports (RJ-45 10/100/1000 ports / SFP slots), 1 RJ-45 serial console port, N-WAY, metallic case | 400.176 | EUR | 2117.36 | C | 36 | 24662 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 2520G-8-POE J9298A, 8 PORT, UTP, 10/100 Mb + 2 dual-personality ports (RJ-45 10/100/1000 ports / SFP slots), 1 RJ-45 serial console port, N-WAY, metallic case | 610.064 | EUR | 3227.896 | C | 36 | 24669 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 408 J4097C, 8 PORT, UTP, 10/100 Mb, N-WAY, metallic case | 61.152 | EUR | 323.5568 | C | 36 | 24231 |
| Wired (pe cat) | HP | Switch HP HP ProCurve 1810G-8 J9449A, 8 PORT, UTP, 10/100/1000 Mb, N-WAY, metallic case, Procurve Manager | 125.776 | EUR | 665.4928 | C | 36 | 24671 |
| Wired (pe cat) | IP-Time | Internet Router IP-Time IP1601, with 16 port 10/100 Switch, 1 port Wan | 60.368 | USD | 243.9584 | 0 | 12 | 14952 |
| Wired (pe cat) | IP-Time | Internet Router IP-Time IP0803, with 8 port 10/100 Switch, 1 port Wan | 41.552 | USD | 167.9216 | C | 12 | 14951 |
| Wired (pe cat) | RPC | Internet Router RPC-IP2105, with 4 port 10/100 Switch, 1 port Wan | 19.04 | USD | 76.944 | 0 | 36 | 18153 |
| Wired (pe cat) | Canyon | Internet Router Canyon CN-BR2, with 4 port 10/100 Switch, w. Nat Firewall | 24.416 | USD | 98.672 | SL | 24 | 9430 |
| Wired (pe cat) | LevelOne | Internet Router Level One FBR-1418TX, with 4 port 10/100 Switch, VPN support: pass through of PPTP, L2TP, and IPSec, Built-in firewall, LAN 4 x RJ45, WAN 1 x RJ45 | 20.048 | EUR | 106.0752 | C | 24 | 17647 |
| Wired (pe cat) | CTC Union | Internet Router CTC Union GSHDUT03-ET10R, g.SHDSL, Router cu modem g.SHDSL incl us 2.3 Mbps | 144.48 | USD | 583.8672 | C | 12 | 17662 |
| Wired (pe cat) | Edimax | Internet Router Edimax BR-6314K, with 4 port 10/100 Switch, w. Nat Firewall | 21.168 | USD | 85.5456 | C | 24 | 24635 |
| Wired (pe cat) | Edimax | Internet Router Edimax BR-6624, with 4 port 10/100 Switch, w. Nat Firewall, Dual WAN, Load Balancing, VPN | 129.696 | USD | 524.1264 | C | 24 | 10126 |
| Wired (pe cat) | Edimax | Internet Router Edimax BR-6641, with 1 port 10/100 Switch, w. Nat Firewall, 4xWAN, Layer 4 Bandwidth Management, VPN, built in DNS Server | 407.68 | USD | 1647.498 | C | 24 | 10127 |
| Wired (pe cat) | Asus | Internet Router Asus RX3041, with 4 PORT 10/100, DOS Protection, Firewall | 26.88 | USD | 108.6288 | S | 24 | 7041 |
| Wired (pe cat) | Asus | Internet Router Asus RX3041V2, with 4 PORT 10/100, WAN 1 x 10/100 Mbps, DOS Protection, Firewall | 26.88 | USD | 108.6288 | C | 24 | 25282 |
| Wired (pe cat) | Asus | Internet Router Asus RX3081, with 8-port 10/100 LAN, 1-port 10/100 WAN, DOS Protection, Firewall | 44.688 | USD | 180.5888 | C | 24 | 18056 |
| Wired (pe cat) | Trendnet | Internet Router Trendnet TW100-S4W1CA, with 4 PORT 10/100 DSL/Cable | 20.832 | USD | 84.1904 | S | 60 | 2056 |
| Wired (pe cat) | ZyXel | Internet Router ZyXel ZyWall 2 Plus, 10/100 LAN switch 4 porturi, 10/100Mbps WAN, NAT/SUA, VPN pe 2 canale, PPPoE, Integrated statefull inspection Firewall, functii de bandwidth management | 140 | USD | 565.768 | C | 12 | 18867 |
| Wired (pe cat) | D-Link | Internet Router DLink DFL-210, Integrated Firewall for SOHO, Firewall Throughput 80Mbps, VPN Throughput 25 Mbps, 100 Dedicated VPN Tunnels | 284.816 | EUR | 1506.982 | 0 | 24 | 20401 |
| Wired (pe cat) | D-Link | Internet Router DLink DFL-800, Dual Wan, Network Security Firewall, 300 dedicated VPN tunnels, Hardware VPN Accelerator, Vlan | 612.08 | EUR | 3238.57 | C | 24 | 5877 |
| Wired (pe cat) | D-Link | Internet Router DLink DI-804HV, with 4 port 10/100 switch, Firewall, VPN | 58.8 | EUR | 311.1136 | C | 24 | 3147 |
| Wired (pe cat) | D-Link | Internet Router DLink DIR-100, with 4 port 10/100 switch | 21.504 | EUR | 113.7808 | S | 24 | 8716 |
| Wired (pe cat) | Allied Teles | Internet Router Allied AL_AT-AR415S, 4 x 10/100BASE-T LAN ports, 1 x 10/100BASE-T WAN port, 1 x PIC bay (se vinde doar cu NetCover AL_AT-NCBP1-AR415S) | 581.616 | USD | 2350.398 | 0 | 24 | 24719 |

| | | | | | | | | |
|------------------------|--------------|---|---------|-----|----------|---|----|-------|
| Wired (pe cat) | Linksys | Internet Router Linksys BEFSR41, with 4 port switch, firewall | 52.08 | USD | 210.4592 | 0 | 24 | 21215 |
| Wired (pe cat) | Linksys | Internet Router Linksys RV042, with 4 port switch, dual wan, firewall, hardware VPN accelerator | 200.368 | USD | 809.7152 | C | 36 | 4155 |
| Wired (pe cat) | Linksys | Internet Router Linksys RV082, with 8 port switch, dual wan, firewall, hardware VPN accelerator | 346.192 | USD | 1399.014 | C | 36 | 23780 |
| Wired (pe cat) | TP-Link | Internet Router TP-Link TL-R402M, 4 Porturi, Cable/DSL, Dial-on-demand, Firewall, DHCP, DMZ host, VPN pass-through, supports PPPoE, Dynamic IP, Static IP, L2TP Internet Access | 15.232 | USD | 61.5552 | S | 24 | 26808 |
| Wired (pe cat) | TP-Link | Internet Router TP-Link TL-R460, 4 Porturi, Cable/DSL, Dial-on-demand, Advanced firewall, Parental control, DDNS, UPnP, 802.1X, DHCP, DMZ host, VPN pass-through, supports PPPoE, Dynamic IP, Static IP, L2TP, PPTP, BigPond Cable Internet Acces | 20.72 | USD | 83.7312 | C | 24 | 26809 |
| Wired (pe cat) | TP-Link | Internet Router TP-Link TL-R860, 8 Porturi, Cable/DSL, Dial-on-demand, Advanced firewall, Parental control, DDNS, UPnP, 802.1X, DHCP, DMZ host, VPN pass-through, supports PPPoE, Dynamic IP, Static IP, L2TP, PPTP, BigPond Cable Internet Acces | 27.216 | USD | 109.984 | C | 24 | 26810 |
| Wired (pe cat) | ZyXel | Internet Router ADSL, ZyXEL, P660R, with 1 port RJ45 10/100 ADSL2+ modem, compatibil cu serviciile ADSL oferite de Romtelecom | 44.8 | USD | 181.048 | C | 12 | 5405 |
| Wired (pe cat) | ZyXel | Internet Router ADSL, ZyXEL, P660RU-T1, with 1 port USB and 1 port RJ45 10/100 ADSL2+ modem, compatibil cu serviciile ADSL oferite de Romtelecom | 56 | USD | 226.3072 | C | 12 | 19028 |
| Wired (pe cat) | LevelOne | Internet Router ADSL Level One FBR-1161A, ADSL2/2+, Interfata USB si 10/100M Lan, Dynamic Domain Name System (DDNS) | 25.424 | EUR | 134.5232 | 0 | 24 | 17648 |
| Wired (pe cat) | LevelOne | Internet Router ADSL Level One FBR-1461A, ADSL2/2+, with 4 port 10/100 Switch, Dynamic Domain Name System (DDNS), Support Virtual Private Network (VPN) pass-through | 38.976 | EUR | 206.2256 | C | 24 | 17649 |
| Wired (pe cat) | Asus | Internet Router ADSL Asus WL-AM604, with 4 port 10/100 Switch, ADSL2+ modem, Firewall, 4 x Ethernet 10/100Mbps Base-T, 1 x RJ-11 port for ADSL connection | 35.056 | USD | 141.6688 | C | 24 | 18047 |
| Wired (pe cat) | CTC Union | Media Converter CTC Union FIB1-10/100S/SC50F, singlemode, 50Km, conector SC dual, full featured management, LLF, se poate instala in rack FRM301 pentru concentrare de 16 media convertitoare cu alimentare redundanta si SNMP | 110.88 | USD | 448.0784 | C | 12 | 22520 |
| Wired (pe cat) | CTC Union | Media Converter CTC Union FMC-10/100W/SC20A, singlemode, WDM tip A, 20Km (TX:1310nm, RX:1550nm) pentru sasiu FMC, fara management, carcasa plastic | 54.88 | USD | 221.7824 | C | 12 | 21989 |
| Wired (pe cat) | CTC Union | Media Converter CTC Union FMC-10/100W/SC20B, singlemode, WDM tip B, 20Km (TX:1550nm, RX:1310nm) pentru sasiu FMC, fara management, carcasa plastic | 54.88 | USD | 221.7824 | C | 12 | 22038 |
| Wired (pe cat) | Edimax | Media Converter Edimax ET-912MSC+, 10/100BaseTX to 100FX Multi Mode 2KM-SC | 52.976 | USD | 214.088 | C | 24 | 24648 |
| Wired (pe cat) | Edimax | Media Converter Edimax ET-912MST, 10/100BaseTX to 100FX Multi Mode 2KM-ST | 52.976 | USD | 214.088 | 0 | 24 | 10165 |
| Accesorii wired | | | | | | | | |
| Accesorii wired | Antec | Sine culisante pentru carcase rack Antec, extindere 20"- 27" | 42.112 | EUR | 222.8128 | C | 36 | 26017 |
| Accesorii wired | Antec | Sine culisante pentru carcase rackB Antec, extindere 26" - 33" | 31.248 | EUR | 165.3344 | C | 36 | 26018 |
| Accesorii wired | Lian Li | Fata argintie pentru CD/DVD-ROM, C-02A | 1.0864 | USD | 4.3904 | C | 24 | 26637 |
| Accesorii wired | Lian Li | Fata neagra pentru CD/DVD-ROM, C-02B | 1.0864 | USD | 4.3904 | C | 24 | 26638 |
| Accesorii wired | Lian Li | Fata argintie pentru FDD, F-01A | 1.0864 | USD | 4.3904 | C | 24 | 26635 |
| Accesorii wired | Lian Li | Fata neagra pentru FDD, F-01B | 1.0864 | USD | 4.3904 | C | 24 | 26636 |
| Accesorii wired | Allied Teles | 1 year Net.Cover Basic+ for AR-415S / AT-NCBP1-AR415S Allied | 82.656 | USD | 334.0288 | 0 | 1 | 24720 |
| Accesorii wired | Allied Teles | AT-AR415 Series, VPN Licence, 25 Sessions | 380.464 | USD | 1537.514 | C | 1 | 24721 |
| Accesorii wired | Oem | Cablu FO patch cord SM SC/LC duplex 2m 3.0 mm | 12.32 | USD | 49.784 | C | 1 | 25133 |
| Accesorii wired | Oem | Cablu FO patch cord SM SC/SC duplex 3m 3.0 mm | 11.2 | USD | 45.2592 | C | 1 | 22519 |
| Accesorii wired | Oem | Mufa UTP RJ45 | 0.056 | USD | 0.224 | S | 1 | 403 |
| Accesorii wired | Oem | Mufa FTP RJ45 Ecranata | 0.112 | USD | 0.448 | S | 1 | 8028 |
| Accesorii wired | Oem | Manson Protector Cauclucat Pentru Mufa UTP RJ45 | 0.0336 | USD | 0.1344 | S | 1 | 610 |
| Accesorii wired | Oem | Prelungitor UTP RJ45 | 0.1792 | EUR | 0.952 | S | 1 | 2322 |
| Accesorii wired | Oem | Priza UTP RJ45 CAT 3, (aplicata) | 3.584 | USD | 14.4816 | C | 1 | 404 |
| Accesorii wired | Oem | Priza UTP RJ45 CAT 5e, (aplicata) | 0.9968 | USD | 4.032 | M | 1 | 3503 |
| Accesorii wired | Oem | Priza UTP RJ45 CAT 5e, (ingropata) | 2.8 | USD | 11.312 | S | 1 | 405 |
| Accesorii wired | Oem | Priza UTP RJ45 CAT 5e Dubla (aplicata) | 3.6512 | USD | 14.7504 | S | 1 | 3564 |
| Accesorii wired | Oem | Priza UTP RJ45 CAT 5, Dubla (ingropata) | 3.6512 | EUR | 19.32 | C | 1 | 406 |
| Accesorii wired | Roline | Priza STP RJ45 CAT 5e, Dubla (aplicata) Ecranata | 5.3536 | USD | 21.6384 | S | 1 | 12244 |
| Accesorii wired | Roline | Priza STP RJ45 CAT 6, Dubla (aplicata) Ecranata | 5.824 | USD | 23.5312 | C | 1 | 12245 |
| Accesorii wired | Roline | Priza STP RJ45 CAT 5e Dubla (ingropata) Ecranata | 4.9392 | EUR | 26.1296 | S | 1 | 12246 |
| Accesorii wired | Roline | Priza STP RJ45 CAT 6 Dubla (ingropata) Ecranata | 5.824 | EUR | 30.8112 | C | 1 | 12247 |
| Accesorii wired | Value | Patch Panel 24 porturi CAT 5e STP, Value | 39.648 | USD | 160.2272 | C | 1 | 17203 |
| Accesorii wired | Roline | Patch Panel 24 porturi CAT 5e STP, Roline | 56.224 | USD | 227.2144 | C | 1 | 12248 |
| Accesorii wired | Roline | Patch Panel 24 Porturi CAT 6 STP Roline | 69.888 | USD | 282.4304 | 0 | 1 | 12249 |
| Accesorii wired | Roline | Patch Panel 24 Porturi CAT 6 UTP | 41.216 | USD | 166.5552 | S | 1 | 12250 |
| Accesorii wired | SHG | Patch panel 24 porturi CAT5e, standard sertizare Krone | 20.72 | USD | 83.7312 | M | 12 | 24012 |
| Accesorii wired | SHG | Patch panel 24 porturi CAT6, standard de sertizare Krone | 32.48 | USD | 131.2528 | S | 12 | 24013 |
| Accesorii wired | Oem | Patch Panel 24 Porturi CAT 5e UTP | 29.456 | USD | 119.0336 | S | 1 | 409 |
| Accesorii wired | Qubs | Patch Panel 24 porturi CAT 6 UTP, Qubs | 45.92 | USD | 185.5728 | S | 1 | 23678 |
| Accesorii wired | Oem | Wire Manager 1U | 5.04 | USD | 20.3728 | C | 1 | 5128 |
| Accesorii wired | T-Racks | Wire manager T-Racks WM19, ORIZONTAL 19", 1U, 5 cleme | 6.8656 | EUR | 36.3216 | C | 1 | 23684 |
| Accesorii wired | Oem | Cleste Sertizare UTP/TEL Procrimper 8PK-376KN | 22.848 | EUR | 120.8928 | S | 1 | 5415 |
| Accesorii wired | Pros Kit | Cleste Sertizare UTP/TEL Procrimper CP-376KX | 13.664 | EUR | 72.296 | 0 | 1 | 23464 |
| Accesorii wired | Roline | Tester Retea Fibra Optica Checker Pro | 86.464 | USD | 349.4176 | 0 | 1 | 12223 |
| Accesorii wired | SHG | Tester Retea Shunsheng SC8108A, tester profesional pentru masurarea si depistarea defectelor in cablurilor UTP (FTP, STP...) cu afisaj LCD | 87.36 | USD | 353.0352 | C | 12 | 22320 |
| Accesorii wired | Antec | Tester Surse Antec Digital PSU Power Tester, Input connectors: 20-pin or 24-pin main power , 4/8-pin 12V power, 6-pin PCI express power, 4-pin floppy power, SATA (Serial ATA) power, 4-pin peripheral power | 29.12 | EUR | 154.0784 | 0 | 12 | 26140 |
| Accesorii wired | Oem | Cablu UTP Patch 0 5m cu mufe | 0.4256 | USD | 1.7248 | S | 1 | 2120 |
| Accesorii wired | Well | Cablu UTP Patch 15m, cu mufe | 2.6432 | EUR | 13.9888 | C | 1 | 21045 |
| Accesorii wired | Oem | Cablu UTP Patch 1m, cu mufe | 0.6384 | USD | 2.576 | S | 1 | 730 |
| Accesorii wired | Oem | Cablu UTP Patch CAT6 1m cu mufe | 1.5568 | USD | 6.2944 | C | 1 | 8992 |
| Accesorii wired | Roline | Cablu UTP Patch CAT6 1m cu mufe, Roline 21.15.1533-100, Green | 1.4784 | USD | 5.9696 | S | 1 | 23999 |
| Accesorii wired | Roline | Cablu UTP Patch 1m, cu mufe, Roline 21.15.0501-100, Grey | 0.8064 | USD | 3.2592 | C | 1 | 22445 |
| Accesorii wired | Roline | Cablu UTP Patch 1m, cu mufe, Roline 21.15.0532-100 Yellow | 0.616 | USD | 2.4864 | 0 | 1 | 22446 |

| | | | | | | | | |
|----------------------|----------|--|---------|-----|----------|----|----|-------|
| Accesorii wire | Roline | Cablu UTP Patch 1m, cu mufe, Roline 21.15.0533-100 Green | 0.616 | USD | 2.4864 | 0 | 1 | 22447 |
| Accesorii wire | Well | Cablu UTP Patch 20m, cu mufe | 3.1472 | EUR | 16.6544 | C | 1 | 21046 |
| Accesorii wire | Well | Cablu UTP Patch 25m, cu mufe | 4.2784 | EUR | 22.6352 | C | 1 | 21047 |
| Accesorii wire | Well | Cablu UTP Patch 2m, cu mufe | 0.5936 | EUR | 3.136 | S | 1 | 26583 |
| Accesorii wire | Well | Cablu UTP Patch 30m, cu mufe | 4.6256 | EUR | 24.472 | C | 1 | 21048 |
| Accesorii wire | Oem | Cablu UTP patch 3m cu mufe | 1.2096 | USD | 4.8832 | S | 1 | 410 |
| Accesorii wire | Roline | Cablu UTP Patch Roline CAT6 3m cu mufe, 21.15.0933-50 | 2.5424 | USD | 10.2704 | S | 1 | 20841 |
| Accesorii wire | Oem | Cablu UTP Patch 5m cu mufe | 1.7696 | USD | 7.1568 | S | 1 | 411 |
| Accesorii wire | Value | Cablu UTP Patch Value CAT6 5m cu mufe, 21.99.0905-70 | 2.016 | USD | 8.1424 | S | 1 | 20842 |
| Accesorii wire | Oem | Cablu UTP Patch 10m cu mufe | 3.3376 | USD | 13.4848 | S | 1 | 412 |
| Accesorii wire | Oem | Cablu UTP Patch CAT6 10m cu mufe | 3.752 | USD | 15.1648 | S | 1 | 24995 |
| Accesorii wire | Roline | Cablu S/FTP patch 5m cu mufe, Black | PROMO | USD | 15.6688 | SL | 1 | 16492 |
| Accesorii wire | Oem | Cablu UTP CAT 5e, Metru liniar | 0.1344 | USD | 0.5376 | S | 1 | 414 |
| Accesorii wire | Oem | Cablu UTP FXI CAT 5e (Cantitate minima 100m) | 0.224 | USD | 0.9072 | C | 1 | 9878 |
| Accesorii wire | Intex | CABLU UTP INTEX, CAT 5e, (Rola de 305m) | 35.952 | USD | 145.2864 | S | 1 | 6509 |
| Accesorii wire | IP-Time | Cablu UTP CAT 5e (Rola de 305m) | 38.08 | USD | 153.888 | S | 1 | 1150 |
| Accesorii wire | Prolan | Cablu UTP Prolan 305M-PRO, rola 305m | 44.352 | EUR | 234.6736 | C | 1 | 21049 |
| Accesorii wire | SHG | Cablu UTP SHG CAT 5e (Rola de 305m) | 72.8 | USD | 294.2016 | S | 1 | 8127 |
| Accesorii wire | Well | Cablu UTP Well CAT 5e (Rola de 305m) | 54.656 | EUR | 289.184 | C | 1 | 8115 |
| Accesorii wire | IP-Time | Cablu UTP IP-Time CAT 6 (Rola de 305m) | 72.8 | USD | 294.2016 | 0 | 1 | 12332 |
| Accesorii wire | Roline | Cablu UTP Roline CAT 6 AWG24 (Rola de 305m) | 119.952 | USD | 484.7472 | C | 1 | 12234 |
| Accesorii wire | Well | Cablu UTP Roline CAT 6 Well (Rola de 305m) | 85.456 | EUR | 452.1552 | C | 1 | 22456 |
| Accesorii wire | Oem | Cablu FTP CAT 5e /m (Cantitate minima 100m) | 0.3136 | USD | 1.2656 | C | 1 | 2317 |
| Accesorii wire | SHG | Cablu FTP SHG CAT 5e (Rola de 305m) | 90.16 | USD | 364.3472 | S | 1 | 9967 |
| Accesorii wire | Well | Cablu FTP Well CAT 5e (Rola de 305m) | 81.984 | EUR | 433.7872 | C | 1 | 8117 |
| Accesorii wire | SHG | Cablu FTP SHG CAT 6 (Rola de 305m) | 140 | USD | 565.768 | M | 1 | 16468 |
| Accesorii wire | Well | Cablu FTP + Sufa Well CAT 5e (Rola de 305m) | 95.648 | EUR | 506.0832 | C | 1 | 8118 |
| Accesorii wire | IP-Time | Cablu S/FTP IP-Time CAT 5e (Rola de 305m) | 57.12 | USD | 230.832 | C | 1 | 12331 |
| Accesorii wire | Top Link | Cablu S/FTP Top Link CAT 5e AWG24 (Rola de 305m), 0.51mm, folie Al, folie PVC, fir metalic ground, fir matase | 100.8 | USD | 407.344 | C | 1 | 20840 |
| Accesorii wire | Roline | Cablu S/FTP Roline CAT 6 AWG23 (Rola de 300m) | 252.56 | USD | 1020.634 | 0 | 1 | 19422 |
| Accesorii wire | Oem | Pat cablu MCSE1, 8 x 21 mm, lungimea 2,5 m, cantitate minima 50m | 0.2464 | EUR | 1.2992 | C | 1 | 18861 |
| Accesorii wire | T-Racks | Cabinet Rack T-Racks 12U 600x600 RP-12-66-S | 96.88 | EUR | 512.6016 | C | 12 | 20755 |
| Accesorii wire | T-Racks | Cabinet Rack T-Racks 15U 600x600 RP-15-66-S, Usa sticla | 115.248 | EUR | 609.784 | C | 12 | 23541 |
| Accesorii wire | T-Racks | Cabinet Rack T-Racks 20U 600x600 RS-20-66-S, Usa sticla | 152.096 | EUR | 804.7536 | C | 12 | 22139 |
| Accesorii wire | T-Racks | Cabinet Rack T-Racks 24U 600x600 RS-24-66-S, Usa sticla | 196.224 | EUR | 1038.24 | C | 12 | 24008 |
| Accesorii wire | CLM | Cabinet Rack CLM TM-11160-32U90, 32U, 19", 600X900X1600 (WxDxH), 4 ventilatoare 12cm, negru | 368.144 | EUR | 1947.882 | 0 | 12 | 22571 |
| Accesorii wire | APC | Cabinet Rack APC NetShelter SX 24U 600mm x 1070mm Deep Enclosure | 887.376 | EUR | 4695.174 | 0 | 12 | 22046 |
| Accesorii wire | Qubs | Qubs Set 20 suruburi + piulite rack, Lite II | 12.992 | USD | 52.5056 | C | 1 | 15152 |
| Accesorii wire | T-Racks | Placa ventilatie echipata cu 4 ventilatoare, termostat 5+60 grade C, pentru rack cu usa plexi 600x800 (fixabil sub tavan) | 109.984 | EUR | 581.9296 | C | 12 | 24009 |
| Accesorii wire | T-Racks | Priza multipla T-Racks PS9P, 19" 9 doze schuko 230V, 16A, carcasa aluminiu eloxat, cablu alimentare 2m 3x1.5mm cu stecher schuko | 29.456 | EUR | 155.8592 | C | 1 | 23680 |
| Accesorii wire | T-Racks | Raft fix T-Racks 19" 1U, 415 mm, pentru rack cu usa sticla cu adancime de 600 mm (sarcina max. 50 kg), RF 415 | 12.096 | EUR | 63.9968 | C | 1 | 23542 |
| Accesorii wire | T-Racks | Sertar Reglabil T-Racks 19" 1U, 450-550 mm, pentru rack cu usa plexi cu adancime de 600 mm, RA450-550 | 21.728 | EUR | 114.968 | C | 1 | 23679 |
| Accesorii wire | T-Racks | Set roti pivotante T-Racks SR4F, pentru rack 20U-25U cu usa de sticla: 2 roti cu frana, 2 roti fara frana, sarcina max. 100 Kg (cu prindere axiala, intr-un singur punct) | 12.096 | EUR | 63.9968 | C | 1 | 23683 |
| Accesorii wire | T-Racks | Set 4 suporturi conici sprjinire pe podea pentru cabinete cu usa sticla T-Racks | 6.6528 | EUR | 35.2016 | S | 1 | 25518 |
| Accesorii wire | T-Racks | Set fixare surub M6 T-Racks KPSS-M6, piulita captiva si garnitura plastic (100 set/punga) | 0.2352 | EUR | 1.2432 | S | 1 | 23682 |
| Accesorii wire | T-Racks | Ventilator T-Racks VRS, set fixare inclus 160 m3/ora, 220-240V, 50/60Hz, 0.14/0.12AMP, 120x120x38 mm | 10.1136 | EUR | 53.5136 | C | 1 | 23681 |
| Print servere | | | | | | | | |
| Print servere | RPC | Print Server Rpc UB2803 2 porturi USB bidirectionale si 1 port LPT bidirectional, DHCP server/client, LAN port | 37.072 | USD | 149.8112 | C | 12 | 8221 |
| Print servere | Edimax | Print Server Edimax PS-1206P, 1 port paralel print server, pocket size | 34.048 | USD | 137.592 | S | 24 | 10130 |
| Print servere | Edimax | Print Server Edimax PS-1206U, 1 port, Mini USB 2.0 print server | 38.752 | USD | 156.5984 | C | 24 | 10131 |
| Print servere | Edimax | Print Server Edimax PS-1216U, 1 port, Mini USB 2.0 print server (specially for GDI Printer) | 33.376 | USD | 134.8816 | C | 24 | 18061 |
| Print servere | Edimax | Print Server Edimax PS-3207U, 3 port print server, 2xUSB 2.0 port, 1xParalel port | 58.24 | USD | 235.3568 | C | 24 | 10132 |
| Print servere | Edimax | Print Server Edimax PS-3103P, 3 port print server, 3xParalel port | 48.608 | USD | 196.4368 | C | 24 | 18062 |
| Print servere | Edimax | Print Server Edimax PS-1206MF, 1 Port USB 2.0 Multifunction Print Server | 46.368 | USD | 187.376 | C | 24 | 7574 |
| Print servere | Edimax | Wireless Print Server Edimax PS-1206UWG, 1 port USB 2.0 print server | 60.928 | USD | 246.2208 | C | 24 | 10133 |
| Print servere | Edimax | Wireless Print Server Edimax PS-1206MFG, 1 port usb 2.0 multifunction print server | 73.024 | USD | 295.0976 | C | 24 | 10134 |
| Print servere | Edimax | Wireless Print Server Edimax PS-1210MFN, 802.11 b/g/n 1 Port USB 2.0 for Multifunctional Printers | 74.144 | USD | 299.6224 | C | 24 | 26549 |
| Print servere | LevelOne | Print Server Level One FPS-1031, Print Server with 1 Parallel Port | 40.992 | EUR | 216.888 | 0 | 24 | 17622 |
| Print servere | LevelOne | Print Server Level One FPS-1032, Print Server with 1 USB Port | 40.992 | EUR | 216.888 | 0 | 24 | 17623 |
| Print servere | D-Link | Print Server DLink DP-301P+, 10/100 Mbps Fast Ethernet, Parallel Port with Centronics connector | 49.616 | EUR | 262.5168 | C | 24 | 10713 |
| Print servere | D-Link | Print Server DLink DP-300+, 2 Parallel Ports, 1 Serial Port | 82.992 | EUR | 439.1184 | 0 | 24 | 10716 |
| Print servere | Edimax | Wireless Print Server DLink 2 to 1, 1xUSB 2.0, Extern | 58.24 | EUR | 308.1568 | 0 | 24 | 10751 |
| Print servere | Edimax | Wireless Print Server DLink DPR-1260, 4 USB 2.0 Printer Connections, Integrated 802.11g Wireless Interface, Ideal for Office, School, Business Use | 98.448 | EUR | 520.9008 | C | 24 | 10742 |
| Print servere | Linksys | Print Server Linksys PSUS4-EU, USB 1.1, 4x 10/100 Auto-Sensing Fast Ethernet Ports | 65.856 | USD | 266.1344 | 0 | 24 | 19837 |
| Print servere | Linksys | Print Server Linksys WPSM54G, Wireless-G PrintServer with Multifunction Printer Support | 83.552 | USD | 337.6464 | C | 24 | 24617 |
| Print servere | Synology | Print Server Synology USB Station, USB Printer Server, USB Disk Sharing, FTP Access, max Capacity (External HDD): 1 TB | 59.248 | USD | 239.4336 | 0 | 24 | 26836 |
| IP Camera | | | | | | | | |
| IP Camera | Edimax | IP Camera Edimax IC-1510, Fast Ethernet (Motion-JPEG, VGA 640 x 480), Digital 24-bit Color, Up to 30 fps Video Frame Rate, Image Format - Video Record (AVI), Still Photos (JPEG), easy-to-use Viewer & Recorder utility | 48.72 | USD | 196.8848 | S | 24 | 24651 |
| IP Camera | Edimax | IP Camera Edimax IC-1510WG, Wireless 802.11g (Motion-JPEG, VGA (640 x 480)), Digital 24-bit Color, Up to 30 fps Video Frame Rate, Image Format - Video Record (AVI), Still Photos (JPEG), easy-to-use Viewer & Recorder utility, support UPnP and DDNS | 65.632 | USD | 265.2272 | C | 24 | 18078 |

| | | | | | | | | |
|-----------|----------|---|---------|-----|----------|---|----|-------|
| IP Camera | Edimax | IP Camera Edimax IC-3010, Fast Ethernet (1.3MP senzor, Motion-JPEG, VGA 640 x 480), Digital 24-bit Color, Up to 30 fps Video Frame Rate, Image Format - Video Record (AVI), Still Photos (JPEG), 2 way audio, easy-to-use Viewer & Recorder utility | 82.208 | USD | 332.2144 | C | 24 | 24652 |
| IP Camera | Edimax | IP Camera Edimax IC-3010WG, Wireless (1.3MP senzor, Motion-JPEG, VGA 640 x 480), Digital 24-bit Color, Up to 30 fps Video Frame Rate, Image Format - Video Record (AVI), Still Photos (JPEG), 2 way audio, easy-to-use Viewer & Recorder utility | 95.312 | USD | 385.168 | C | 24 | 24653 |
| IP Camera | Edimax | IP Camera Edimax IC-7000PT, DOME, Fast Ethernet (1.3MP senzor, Motion-JPEG, VGA 640 x 480), Digital 24-bit Color, Up to 30 fps Video Frame Rate, Image Format - Video Record (AVI), Still Photos (JPEG), SD card slot, 4X ZOOM, motio detection,inflared leds, easy-to-use Viewer & Recorder utility | 171.024 | USD | 691.1408 | C | 24 | 24654 |
| IP Camera | Edimax | IP Camera Edimax IC-7000PTN, DOME, Wireless (1.3MP senzor, Motion-JPEG, VGA 640 x 480), Digital 24-bit Color, Up to 30 fps Video Frame Rate, Image Format - Video Record (AVI), Still Photos (JPEG), SD card slot, 4X ZOOM, motio detection, inflared leds, easy-to-use Viewer & Recorder utility | 208.096 | USD | 840.952 | C | 24 | 24655 |
| IP Camera | Edimax | IP Camera Edimax IC-9000, Outdoor, Fast Ethernet (VGA 1/4" senzor, Motion-JPEG, VGA 640 x 480), Digital 24-bit Color, Up to 30 fps Video Frame Rate, Image Format - Video Record (AVI), Still Photos (JPEG), water resistant, ZOOM, motio detection, inflared leds up to 30m, 0lux up to 10m | 277.424 | USD | 1121.12 | C | 24 | 24656 |
| IP Camera | Well | IP Camera Konig CMP-NWIPCAM10, 640x480, senzor miscare incorporat, tehnologii nightvision, permite stocarea inregistrarilor atat pe card SD, cat si pe PC | 102.256 | EUR | 541.0496 | S | 12 | 21043 |
| IP Camera | Grandtec | IP Camera Grandtec Digital Wireless Security kit, Sistem de supraveghere, contine Grand Wi-Fi Transmitter si Grand Wi-Fi QUAD Viewer, max 4 Wi-Fi Transmitters, 640x480, suport pentru hdd 2.5" | 293.888 | USD | 1187.648 | 0 | 12 | 26452 |
| IP Camera | Grandtec | IP Camera Grandtec Mega Pixel GD-521-A3G, camera de supraveghere IP, 160x120/ 320x240/ 640x480/ 1280x1024, 6-LED infrared for night vision, Motion detected, TCP/IP / HTTP / FTP / SMTP / DHCP / PPPoE / DDNS / UPnP / NTP service, Bundle Surveillance Software | 122.864 | USD | 496.5184 | C | 12 | 26355 |
| IP Camera | Grandtec | IP Camera Grandtec Mega Pixel IP Spill (Outdoor) GD-522-A3G, camera de supraveghere IP de exterior, (160x120/ 320x240/ 640x480/ 1280x1024, 12-LED infrared for night vision, Motion detected, TCP/IP / HTTP / FTP / SMTP / DHCP / PPPoE / DDNS/UPnP / NTP service, Bundle Surveillance Software | 127.12 | USD | 513.7104 | C | 12 | 26450 |
| IP Camera | Grandtec | IP Camera Grandtec Mega Pixel WiFi Spill (Outdoor) GD-533-A0G, camera de supraveghere WiFi de exterior, (160x120/ 320x240/ 640x480/ 1280x1024, 12-LED infrared for night vision, Motion detected, TCP/IP / HTTP / FTP / SMTP / DHCP / PPPoE/ DDNS / UPnP / NTP service, Bundle Surveillance Software | 155.008 | USD | 626.416 | 0 | 12 | 26451 |
| IP Camera | Grandtec | IP Camera Grandtec Pan/Tilt GD-463, camera de supraveghere WiFi, unghiuri orizontala 350/ verticala135, 15 level zoom, Motion detected mail, Low lux display, IP address hidden, DIVX capture, Remotely view & listen | 148.512 | USD | 600.1632 | 0 | 12 | 26449 |
| IP Camera | Grandtec | IP Camera Grandtec Pan/Tilt GD-487, camera de supraveghere IP, unghiuri orizontala 350/ verticala 135, 15 level zoom, Motion detected mail, Low lux display, IP address hidden, DIVX capture, Remotely view & listen | 136.752 | USD | 552.6416 | 0 | 12 | 26448 |
| IP Camera | Grandtec | IP Camera Grandtec Plus GD-457, camera de supraveghere WiFi, 802.11b+g (Low Lux) captura video & transmisie live audio, Model 2 (3 in 1: 802.11b+g + IP Camera + Divx Security MPEG4) | 116.48 | USD | 470.7136 | 0 | 12 | 26446 |
| IP Camera | Grandtec | IP Camera Grandtec Plus GD-474, camera de supraveghere IP, 1/4" Low Lux VGA CMOS Sensor, Video & Audio Transmission, Model 2 (2 in 1: IP Camera + MPEG4 Divx Security), W/ 6 IR LED (Night Vision) | 102.032 | USD | 412.328 | 0 | 12 | 26444 |
| IP Camera | Grandtec | IP Camera Grandtec PRO Model II GD-370, camera de supraveghere IP, 3 in 1 W/NIGHT VISION: IP cam + Web cam MPEG 4 recording w/capture security Divx MPEG 4 real time Security AP (support 4/9/16 cameras remote view), Sensor: By Omni Vision (USA), Real Time Display, Remote View through the IE browser just typing IP address, Support mobile phone remote view | 77.504 | USD | 313.208 | 0 | 12 | 26443 |
| IP Camera | Grandtec | IP Camera Grandtec PRO Model II GD-408, camera de supraveghere WiFi, 4 in 1 W/NIGHT VISION: IP cam + Web cam + WiFi cam+ MPEG 4 recording w/capture security Divx MPEG 4 real time Security AP (support 4/9/16 cameras remote view), Sensor: ByOmni Vision (USA), Real Time Display, Remote View through the IE browser just typing IP address, Support mobile phone remote view | 100.688 | USD | 406.896 | 0 | 12 | 26445 |
| IP Camera | Linksys | IP Camera Linksys WVCS54GCA, Wireless-G Internet Home Monitoring Camera | 122.864 | USD | 496.5184 | C | 24 | 24618 |
| IP Camera | KGuard | IP Camera KGuard IB201SP, camera de supraveghere IP, indoor camera, 1/3 Sony Super HAD CCD, NTSC: 811 x 508, PAL: 795 x 597, PoE, 2-way audio, Heater and Fan | 426.384 | USD | 1723.086 | 0 | 12 | 26761 |
| IP Camera | KGuard | IP Camera KGuard IMM2202, camera de supraveghere IP, IP DOME, 1.3M Progressive Sensor, H.264, f.4.3/ F:1.8, interfata Ethernet, rezolutie 1280 x 1024, Indoor, 2way-Audio, PoE | 169.904 | USD | 686.6048 | 0 | 12 | 26753 |
| IP Camera | KGuard | IP Camera KGuard IMM2203, camera de supraveghere IP, outdoor camera, Vandal IP DOME, 1.3M Progressive Sensor, H.264, 3.7-12mm, Varicocal Lens F1.4-F2.8, DIDO/ PoE/ IP66, 2way-Audio, Vandal Proof | 266.112 | USD | 1075.402 | 0 | 12 | 26758 |
| IP Camera | KGuard | IP Camera KGuard IMM2304, camera de supraveghere IP, indoor camera, 1/3M Progressive Sensor, H.264, f.4.3mm F:1.8, DIDO/ PoE/ IP65, 2way-Audio, Vandal Proof | 400.736 | USD | 1619.442 | 0 | 12 | 26759 |
| IP Camera | KGuard | IP Camera KGuard IMM2605, camera de supraveghere IP, outdoor camera, IR 30M Fixed, 1.3M Progressive Sensor, H.264, f.4.3mm F:1.8, IR30M, DIDO/ PoE/ IP66, 2way-Audio, with Heater & Fan, support included | 319.536 | USD | 1291.293 | 0 | 12 | 26760 |
| IP Camera | KGuard | IP Camera KGuard IU200SP, camera de supraveghere IP, outdoor camera, 1/3 Sony CCD, 25M IR, 6.0mm fixed lens, Ethernet, PoE | 309.904 | USD | 1252.373 | 0 | 12 | 26754 |
| IP Camera | AvTech | IP Camera AvTech AVN211, 1 Port UTP, 1 Port VGA, 1 lux, Video MPEG4 / MJPEG / H.264, Senzor miscare, Image upload over FTP, email, Indoor, Retail. nu contine alimentator | 103.04 | USD | 416.4048 | C | 24 | 23604 |
| IP Camera | AvTech | IP Camera AvTech AVN212, 1 Port UTP, 1 Port VGA, 0 lux, IR up to 11m, Video MPEG4 / MJPEG / H.264, Senzor miscare, Microfon, Image upload over FTP, email, Indoor, Optional Wireless, Retail. nu contine alimentator | 151.2 | USD | 611.0272 | C | 24 | 23605 |
| IP Camera | AvTech | IP Camera AvTech AVN252, 1 Port UTP, 1 Port VGA, 0 lux, IR up to 40m, Video H.264, Senzor miscare, Image upload over FTP, email, Outdoor, Retail. nu contine alimentator | 183.68 | USD | 742.28 | C | 24 | 23607 |
| IP Camera | AvTech | IP Camera AvTech AVN263, 1 Port UTP, 1 Port VGA, 0 lux, IR up to 40m, Smart Zoom, Video H.264, Senzor miscare, Image upload over FTP, email, Outdoor, Retail. nu contine alimentator | 300.16 | USD | 1212.994 | C | 24 | 23608 |
| IP Camera | AvTech | IP Camera AvTech AVN222, DOME, 1 Port UTP, 1 Port VGA, 0.15 lux, Smart Zoom, Video MPEG4 / MJPEG / H.264, Senzor miscare, Image upload over FTP, email, Indoor, Retail. nu contine alimentator | 221.76 | USD | 896.168 | C | 24 | 23606 |
| IP Camera | AvTech | IP Camera AvTech AVN284, DOME, 1 Port UTP, 1 Port VGA, 0.3 lux, 22X Optical Zoom, Smart Zoom, Video MPEG4 / MJPEG / H.264, Senzor miscare, Image upload over FTP, email, Outdoor, Retail. nu contine alimentator | 872.48 | USD | 3525.827 | C | 24 | 23609 |
| IP Camera | AvTech | IP Camera AvTech AVI321, DOME, 1 Port UTP, 1 Port VGA, Zoom optic 22X, 1 lux, Video MPEG4 / MJPEG, Senzor miscare, Image upload over FTP, email, HTTP, Outdoor, Brown Box | PROMO | USD | 2126.6 | 0 | 24 | 13040 |
| IP Camera | AvTech | Adaptor alimentare pentru IP Camera AvTech AVN211, AVN212, AVN222 (Se comercializeaza doar impreuna cu IP camera AVN211, AVN212, AVN222) | 12.208 | USD | 49.336 | C | 12 | 23620 |
| IP Camera | AvTech | Adaptor alimentare pentru IP Camera AvTech AVN252, AVN263 (Se comercializeaza doar impreuna cu IP camera AVN252, AVN263) | 8.848 | USD | 35.7616 | C | 12 | 23619 |
| IP Camera | AvTech | Adaptor alimentare pentru IP Camera AvTech AVN284 (Se comercializeaza doar impreuna cu IP camera AVN284) | 16.688 | USD | 67.4352 | C | 12 | 23621 |
| IP Camera | AvTech | Adaptor alimentare pentru IP Camera AvTech AVI321 (Se comercializeaza doar impreuna cu IP camera AVI321) | 8.176 | USD | 33.04 | 0 | 24 | 13042 |

| | | | | | | | | |
|----------------------------|-----------|--|---------|-----|----------|----|----|-------|
| IP Camera | Grandtec | Grantec Multi View GD-498, Adaptor USB - VGA/HDMI, ofera posibilitatea de a adauga un monitor aditional prin USB, iesiri VGA si HDMI, nu necesita alimentare suplimentara | 77.504 | USD | 313.208 | 0 | 12 | 26447 |
| IP Camera | AvTech | Support perete pentru IP Camera AvTech AVI321 | 21.84 | USD | 88.256 | S | 24 | 13041 |
| IP Camera | LevelOne | IP Camera Network Level One WCS-2040, 802.11g, Wireless P/T/Z IP Network Camera, 10x optical zoom, Motion Detection, Compresii: MPEG4/ MJPEG (selectabile), RJ-45 Port | 600.768 | EUR | 3178.717 | 0 | 24 | 17619 |
| Modem-uri | | | | | | | | |
| Modem-uri | Speedcom | Fax Modem Pronets VD56LT Extern, Serial-RS232 (chipset Agere) | 24.192 | USD | 97.7648 | S | 12 | 370 |
| Fax-uri | | | | | | | | |
| Fax-uri | Samsung | Fax Samsung SF-370, (Fax/Copier/iPhone, 600x300dpi, Modem 14.4Kbps (2MB-cca.150 pag), Consumabil -INK-M43) | 65.408 | EUR | 346.08 | 0 | 24 | 15003 |
| Fax-uri | Samsung | Fax Samsung SF-650, Fax/ Copy, A4, max 18 cpm viteza la copiere, 600x300dpi copiere, fpo 15 sec, 16 MB memorie, 7 MB memorie fax, 250 coli caseta, 20 coli ADF, USB, 33.6 Kbps/sec fax modem, ecran LCD, optional toner toner MLT-D1052S, MLT-D1052L | 140.224 | EUR | 741.9328 | C | 24 | 24156 |
| Fax-uri | Canon | Telefon+suport telefon MF4140/4150/4690PL/6550/6560PL/6580PL si FAX-L100/120/140/160/380S/390/400/2000/3000/3000IP | 16.352 | EUR | 86.52 | C | 12 | 5776 |
| Fax-uri | Canon | Fax Canon JX210P, A4 plain paper, viteza modem 14.4bps, 600x600 dpi, viteza transmisie 6 sec / pag, ADF 20pag, ECM, Memorie 60 pag, one touch dials: 9 locatii, Sequential Broadcast/Delayed TX 70 locatii, 256 tonuri de gri; caller id, etc. | 64.736 | EUR | 342.5184 | C | 12 | 20753 |
| Fax-uri | Canon | Fax Canon JX510, A4 plain paper, Standard facsimile with Telephone answering machine and handset, 33.6 Kbps fax modem, 120 page fax memory, 20 page ADF, FINE cartridge, consumabili: PG40 (615 pages), optional: PG50 (895 pages). | 104.72 | EUR | 554.0864 | C | 12 | 20752 |
| Fax-uri | Canon | Fax Canon FAX-L140, (High quality laser fax, 600dpi, 15.5ppm, super G3 modem 33.6 kbps, 340 pages memory, 30pg. ADF, Cartridge FX10 (2000pgs-5%)) | 211.904 | EUR | 1121.198 | C | 12 | 14106 |
| Fax-uri | Canon | Fax Canon L160 Laser + Printer, 600 dpi, 12 ppm, 340-page fax memory, Super G3, 33.6K bps, Cartridge FX10 | 276.192 | EUR | 1461.354 | C | 12 | 14104 |
| Fax-uri | Canon | Fax Canon Laser L3000, 600x600dpi, 22 ppm (A4), 512-page fax memory, Super G3, 33.6K bps, Duplex, Cartridge 714 | 1449.84 | EUR | 7671.216 | 0 | 12 | 18713 |
| Fax-uri | Canon | Fax Canon Laser L3000IP, USB 2.0, Retea, 600x600dpi, 22 ppm (A3/A4), 512 (1500 cu print kit)-page fax memory, Super G3, 33.6K bps, Public Switched Telephone Network (PSTN), Duplex, Cartridge 714 | 1880.37 | EUR | 9949.173 | 0 | 12 | 18714 |
| Fax-uri | Canon | Fax Canon L380S Laser + Printer, 600 dpi, 18 ppm, 510-page fax memory, Super G3, 33.6K bps, Cartridge T | 595.728 | EUR | 3152.05 | C | 12 | 11689 |
| Fax-uri | Canon | Fax Canon L390 Laser + Printer, 600 dpi, 18 ppm, 510-page fax memory, Super G3, 33.6K bps, Cartridge T | 676.384 | EUR | 3589.387 | 0 | 12 | 14105 |
| Fax-uri | Panasonic | Fax Panasonic KX-FP207FX, Fax hartie normala, Film, Consumabil FA52E(2 role x30m) | 71.12 | EUR | 376.2976 | S | 24 | 10455 |
| Fax-uri | Panasonic | Fax Panasonic KX-FP218FX, Hartie normala, Film, Robot telefon digital, Consumabil FA52E | 79.744 | EUR | 421.9264 | C | 24 | 10456 |
| Fax-uri | Panasonic | Fax Panasonic KX-FC228FX-T, Hartie normala, Film, Receptor DECT, Consumabil FA52E | 140.112 | EUR | 741.3392 | S | 24 | 10457 |
| Fax-uri | Panasonic | Fax Panasonic KX-FT982FX-B, Hartie termica, Receptor cu fir | 116.704 | EUR | 617.4896 | C | 24 | 25712 |
| Fax-uri | Panasonic | Fax Panasonic KX-FT988FX-B, Hartie termica, Robot telefonic digital de 18 minute, ADF | 130.48 | EUR | 690.3792 | C | 24 | 25713 |
| Fax-uri | Panasonic | Fax Panasonic KX-FC258FX-S, Hartie normala, Film, Receptor cu fir si DECT Consumabil FA52E | 144.032 | EUR | 762.0816 | C | 24 | 10458 |
| Fax-uri | Panasonic | Fax Panasonic KX-FL403FX-W, Laser, Plain paper, Compatibil caller ID, Toner FAT88, Drum FAD89 | 202.384 | EUR | 1070.832 | C | 24 | 10462 |
| Fax-uri | Panasonic | Fax Panasonic KX-FL613FX, High quality laser fax + laser printer, 14ppm, 170 pages memory, 20pg. ADF, toner FA83, drum FA84 | 225.008 | EUR | 1190.538 | C | 24 | 10294 |
| Telefoane | | | | | | | | |
| Telefoane | Canon | Telefon Canon (+ suport telefon), Tel 6, Kit pentru fax | 16.352 | EUR | 86.52 | C | 24 | 16476 |
| Telefoane | Panasonic | Telefon Panasonic KX-TS500RMB, Telefon analogic, cu fir, negru | 11.2 | EUR | 59.2592 | C | 24 | 10465 |
| Telefoane | Panasonic | Telefon Panasonic KX-TS500RMW, Telefon analogic, cu fir, alb | 11.2 | EUR | 59.2592 | C | 24 | 4854 |
| Telefoane | Panasonic | Telefon Panasonic KX-TS2300RMW, Telefon analogic, cu fir, alb | 23.968 | EUR | 126.8176 | C | 24 | 10466 |
| Telefoane | Panasonic | Telefon Panasonic KX-TSC11FXW, Telefon analogic, cu fir, alb | 24.304 | EUR | 128.5984 | C | 24 | 5542 |
| Telefoane | Panasonic | Telefon Panasonic KX-TG2511FXM, Telefon DECT, Afisaj LCD (portocaliu), Autonomie baterie 18 ore in convorbire, 170 ore in stand-by, Metalic | 23.856 | EUR | 126.224 | 0 | 24 | 23312 |
| Telefoane | Panasonic | Telefon Panasonic KX-TG2511FXT, Telefon DECT, Afisaj LCD (portocaliu), Autonomie baterie 18 ore in convorbire, 170 ore in stand-by, Negru | 23.856 | EUR | 126.224 | C | 24 | 23313 |
| Telefoane | Panasonic | Telefon Panasonic KX-TS600FXB, Telefon analogic, cu fir, negru | 45.92 | EUR | 242.9616 | C | 24 | 10467 |
| Telefoane | Panasonic | Telefon Panasonic KX-TS600FXW, Telefon analogic, cu fir, alb | 45.92 | EUR | 242.9616 | C | 24 | 8033 |
| Telefoane | Panasonic | Telefon Panasonic KX-TS620FXW, Telefon analogic, cu fir, alb | 56.896 | EUR | 301.0448 | 0 | 24 | 10468 |
| Telefoane | Panasonic | Telefon Panasonic KX-T7730CE, Telefon de programare pentru toate centralele telefonice T206SBX, TA308CE, TA616CE, TD612CE, TD816CE, TD1232CE | 99.12 | EUR | 524.4512 | C | 24 | 4855 |
| Telefoane | Panasonic | Casca Telefonica Panasonic KX-TCA94EXB | 14 | EUR | 74.0768 | 0 | 24 | 10470 |
| Telefoane | Panasonic | Casca telefonica Panasonic KX-TCA89EX | 24.528 | EUR | 129.7744 | SL | 24 | 10469 |
| Telefoane | Edimax | Convertor VOIP to RJ11 Edimax VO-4500SK, Skype Gateway Box - voice-mail, remote calling and call-recording functions, Supports PC-PC, PC-Phone, Phone-PC, Phone-Phone Calls, Supports Call forwarding, Call recording and Voice Mail | 53.984 | USD | 218.1536 | C | 24 | 10155 |
| Telefoane | Cisco | Cisco PAP2T Internet Phone Adapter with 2 VoIP Ports | 57.12 | USD | 230.832 | C | 12 | 26804 |
| Centrale telefonice | | | | | | | | |
| Centrale telef | Panasonic | Cartela Panasonic, 8 interioare SLT (pt. KX-TES824/TEM824), PNACC-TE82474X | 230.048 | EUR | 1217.205 | C | 24 | 23547 |
| Centrale telef | Panasonic | Centrala telefonica Panasonic KX-TEA308C, Configuratie standard 3CO/8, Analogica, Nu poate fi extinsa, memorie 100 numere, Max. 6 mesaje in asteptare/interior | 204.624 | EUR | 1082.682 | C | 12 | 10529 |
| Centrale telef | Panasonic | Centrala telefonica Panasonic KX-TES824C, Configuratie standard 3CO/8 Extensii, Analogica, Config. max. 8 linii de oras, 24 de interior, Max. 4 linii interfon, Memorie 100 de numere, Max. 8 mesaje in asteptare/interior, Max. 125 mesaje | 270.032 | EUR | 1428.762 | C | 12 | 10532 |
| Centrale telef | Panasonic | Centrala telefonica Panasonic KX-TDA100C, 64 trunchiuri ISDN sau CO/64 Extensii (Max.108 porturi), Digitala, Interfata USB/RS232, PC Phone, PC Console, Interfata USB pentru telefoanele proprietar, Solutii DECT (max. 128 statii portabile) | 488.88 | EUR | 2586.707 | C | 12 | 10536 |
| Centrale telef | Panasonic | Centrala telefonica Panasonic KX-TDA30CE, Capabilitate ISDN (BR/PPRI), Digitala, Interfata USB/RS232, Soft PC-Phone, PC-Console, Posibilitate rackare, DISA, Numar max. de extensii: 28, Numar max. de trunchiuri:12 | 490.56 | EUR | 2595.589 | 0 | 12 | 10534 |
| Centrale telef | Panasonic | Centrala telefonica Panasonic KX-TEM824CE, Configuratie standard 6CO/16 Extensii, Analogica, Config. max. 8 linii de oras, 24 de interior, Max. 4 linii interfon, Memorie 100 de numere, Max. 8 mesaje in asteptare/interior, Max. 125 mesaje | 417.536 | EUR | 2209.211 | 0 | 12 | 10530 |
| Accesorii telefonie | | | | | | | | |
| Accesorii tele | Oem | Prelungitor cablu telefon, 4/4 | 0.224 | EUR | 1.1872 | S | 1 | 17262 |
| Accesorii tele | Oem | Mufa Telefon (4/4) | 0.0224 | EUR | 0.1232 | S | 1 | 727 |
| Accesorii tele | Oem | Mufa Telefon (6/4 - 6/6) | 0.0336 | EUR | 0.1792 | S | 1 | 382 |
| Accesorii tele | Oem | Priza Telefon (aplicata) | 0.672 | EUR | 3.5504 | S | 1 | 383 |
| Accesorii tele | Oem | Priza Telefon Dubla (aplicata) | 0.784 | EUR | 4.144 | C | 1 | 728 |
| Accesorii tele | Oem | Cablu Telefon 2 fire, Rola 150m, TEL-C2150F | 10.08 | EUR | 53.3344 | C | 1 | 385 |
| Accesorii tele | Oem | Cablu Telefon, 4 fire, Metru liniar, TEL-C4150F/ML | 0.0784 | EUR | 0.4144 | S | 1 | 2309 |
| Accesorii tele | Oem | Cablu Telefon 4 fire, Rola 150m, TEL-C4150F | 11.088 | EUR | 58.6656 | C | 1 | 15153 |

| | | | | | | | | |
|----------------|------------|---|---------|-----|----------|------|----|-------|
| Accesorii tele | Swiss Trav | Cablu Telefon Swiss, Retractable, Cu mufe | 6.496 | EUR | 34.3728 | S | 12 | 7346 |
| Accesorii tele | Oem | Distributor Telefon | 0.448 | EUR | 2.3744 | S | 1 | 384 |
| Accesorii tele | Oem | Cleste Sertizare Telefon 4/4, 6/6 | 3.36 | EUR | 17.7744 | C | 1 | 386 |
| | | UPS-uri | | | | | | |
| UPS-uri | VMark | UPS VMark 500MK, 500VA, AVR, Protectie modem | 46.816 | USD | 189.1904 | C | 12 | 4791 |
| UPS-uri | VMark | UPS VMark 650MK, 650VA, AVR, Protectie modem | 47.824 | USD | 193.2672 | S | 12 | 4792 |
| UPS-uri | VMark | UPS VMark 500VP, 500VA, AVR, Protectie modem, LCD Display, 8 minute Half Load | 47.824 | USD | 193.2672 | S | 12 | 8045 |
| UPS-uri | VMark | UPS VMark 650VP, 650VA, AVR, Protectie modem, LCD Display | 49.952 | USD | 201.8688 | CALL | 12 | 4793 |
| UPS-uri | VMark | UPS VMark 800VP, 800VA, AVR, Protectie modem, LCD Display, 8 minute Half Load | 69.664 | USD | 281.5232 | S | 12 | 8046 |
| UPS-uri | VMark | UPS VMark 1000VP, 1000VA, AVR, Protectie modem, LCD Display | 85.232 | USD | 344.4336 | S | 12 | 4797 |
| UPS-uri | VMark | UPS VMark 1200VP, 1200VA, AVR, Protectie modem, LCD Display | 88.368 | USD | 357.112 | SL | 12 | 4798 |
| UPS-uri | VMark | UPS VMark UPS-2000SD, 2000VA, 8 min back-up (half load), LCD Display, Power Management Software & Cable | 183.008 | USD | 739.5696 | SL | 12 | 26878 |
| UPS-uri | Mustek | UPS Mustek PowerMust 636, 600VA/360W, 3 x IEC, simulated sine wave | 55.44 | USD | 224.0448 | S | 24 | 26574 |
| UPS-uri | Mustek | UPS Mustek PowerMust 636E, 650VA/360W, no USB, no RJ-11, no RS-232, no software CD, 2x Schuko outlets | 44.352 | USD | 179.2336 | 0 | 24 | 25942 |
| UPS-uri | Mustek | UPS Mustek PowerMust 848, 800VA/480W, 3 x IEC C13, RJ11/RJ45, simulated sine wave | 73.248 | USD | 296.0048 | S | 24 | 26573 |
| UPS-uri | Mustek | UPS Mustek PowerMust 848E, 800VA/480W, no USB, no RJ-11, no RS-232, no software CD, 2x Schuko outlets | 62.16 | USD | 251.1936 | 0 | 24 | 25941 |
| UPS-uri | ApolloPowe | UPS Apollopower 650VA, 1065VC, cablu RS232 + Software inclus (2 backup ; 2 surge) built-in AVR, overload/shortage protection, LCD display | 48.608 | USD | 196.4368 | 0 | 12 | 17116 |
| UPS-uri | ApolloPowe | UPS Apollopower 850VA, 1085VC, cablu RS232 + Software inclus (2 backup ; 2 surge) built-in AVR, overload/shortage protection, LCD display | 63.392 | USD | 256.1776 | 0 | 12 | 17117 |
| UPS-uri | ApolloPowe | UPS Apollopower1000VA, 1100F, Serial RS-232 cable, Protectie Modem | 70.896 | USD | 286.5072 | S | 12 | 2934 |
| UPS-uri | ApolloPowe | UPS Apollopower1000VA, 1100VC, cablu RS232 + Software inclus (2 backup ; 2 surge) built-in AVR, overload/shortage protection, LCD display | 77.168 | USD | 311.8528 | 0 | 12 | 17118 |
| UPS-uri | ApolloPowe | UPS Apollopower1400VA, 1140F, Serial RS-232 cable, Protectie Modem | 105.84 | USD | 427.7168 | C | 12 | 2935 |
| UPS-uri | ApolloPowe | UPS Apollopower2000VA, 1200F, Serial RS-232 cable, Protectie Modem | 142.912 | USD | 577.528 | C | 12 | 2936 |
| UPS-uri | ApolloPowe | UPS Apollopower1000VA, AVR, 1100R, 19i Rackmountable 2U, 2x german type socket, USB / Serial RS-232 | 200.144 | USD | 808.8192 | C | 12 | 7181 |
| UPS-uri | ApolloPowe | UPS Apollopower1500VA, AVR, 1150R, 19i Rackmountable 2U, 2x german type socket, USB / Serial RS-232 | 221.312 | USD | 894.3536 | 0 | 12 | 7182 |
| UPS-uri | ApolloPowe | UPS Apollopower1500VA, 1150VC, cablu RS232 + Software inclus (2 backup ; 2 surge) built-in AVR, overload/shortage protection, LCD display | 127.008 | USD | 513.2624 | 0 | 12 | 17119 |
| UPS-uri | ApolloPowe | UPS Apollopower 2000VA, AVR, 11200R, 9i Rackmountable 2U, 2x german type socket, USB / Serial RS-232 | 242.48 | USD | 979.8992 | 0 | 12 | 7183 |
| UPS-uri | RPC | UPS RPC UPS1000VA-CP, 1000VA, port RS232 + USB, Cablu USB + Software inclus, 3 backup sockets, Black case + red power button | 92.4 | USD | 373.408 | S | 12 | 18092 |
| UPS-uri | RPC | UPS RPC UPS600VA-CP, 600VA, port RS232 + USB, Cablu USB + Software inclus, 3 backup sockets, Black case + red power button | 54.32 | USD | 219.52 | 0 | 12 | 17144 |
| UPS-uri | RPC | UPS RPC UPS700VA-CP, 700VA, port RS232 + USB, Cablu USB + Software inclus, 3 backup sockets, Black case + red power button | 65.184 | USD | 263.424 | 0 | 12 | 18091 |
| UPS-uri | RPC | UPS RPC UPS800VA-CP, 800VA, port RS232 + USB, Cablu USB + Software inclus, 3 backup sockets, Black case + red power button | 76.048 | USD | 307.3168 | C | 12 | 17143 |
| UPS-uri | Quantex | UPS Quantex Q1500NK, capacity 900W,backup-time over 8min,50Hz,4x12V/7Ah,power management software | 166.88 | USD | 674.3856 | C | 12 | 17847 |
| UPS-uri | Quantex | UPS Quantex Q650S, LCD, capacity 390W,50Hz,1x12V/7Ah,transfer time max.10ms,software, typical recharge time sub 8hours, Power management software&cable | 51.52 | USD | 208.1968 | 0 | 12 | 20675 |
| UPS-uri | Quantex | UPS Quantex Q650X, capacity 390W,50Hz,1x12V/7Ah,transfer time max.10ms,software | 47.04 | USD | 190.0976 | 0 | 12 | 17831 |
| UPS-uri | Quantex | UPS Quantex Q800S, 800VA, LCD, Power management software&cable | 67.2 | USD | 271.5664 | 0 | 12 | 17842 |
| UPS-uri | Quantex | UPS Quantex Q800X, capacity 480W,50Hz,1x12V/9Ah,transfer time max.10,software | 61.6 | USD | 248.9312 | 0 | 12 | 17840 |
| UPS-uri | Infosec | UPS Infosec E2 LCD 600, 600VA, On Line Performance, USB communication port, Software, Built-in batteries (1 x 7Ah/12V), Black Design | 122.528 | EUR | 648.3008 | 0 | 24 | 26487 |
| UPS-uri | Infosec | UPS Infosec XP Pro 600 RM, 600VA, 3 IEC UPS outlets, Rack Mountable version | 176.848 | EUR | 935.7152 | 0 | 24 | 26513 |
| UPS-uri | Infosec | UPS Infosec E3 750, 750VA, 4 IEC UPS outlets, 1 RJ11/45 | 262.64 | EUR | 1389.651 | 0 | 24 | 26493 |
| UPS-uri | Infosec | UPS Infosec E2 LCD 800, 800VA, On Line Performance, USB communication port, Software, Built-in batteries (1 x 9Ah/12V), Black Design | 149.632 | EUR | 791.7168 | 0 | 24 | 26488 |
| UPS-uri | Infosec | UPS Infosec E2 LCD 1000, 1000VA, On Line Performance, USB communication port, Software, Built-in batteries (2 x 7Ah/12V), Black Design | 217.616 | EUR | 1151.427 | 0 | 24 | 26489 |
| UPS-uri | Infosec | UPS Infosec E3 1000, 1000VA, 6 IEC UPS outlets, 1 RJ11/45 | 331.856 | EUR | 1755.88 | 0 | 24 | 26494 |
| UPS-uri | Infosec | UPS Infosec E4 LCD 1000, 1000VA, 4 IEC UPS outlets, including 2 programmable, 1 RJ11/45, USB, Serial DB9, (RS232 & dry contacts) | 386.512 | EUR | 2045.064 | 0 | 24 | 26498 |
| UPS-uri | Infosec | UPS Infosec E6 LCD 1000 RT, 1000VA, 6* IEC, Standard RS 232 & USB, Slots : relay card, SNMP/Web card | 530.656 | EUR | 2807.739 | 0 | 24 | 26505 |
| UPS-uri | Infosec | UPS Infosec XP Pro 1000 RM, 1000VA, 6 IEC UPS outlets, Rack Mountable version | 306.208 | EUR | 1620.17 | 0 | 24 | 26514 |
| UPS-uri | Infosec | UPS Infosec E2 LCD 1500, 1500VA, On Line Performance, USB communication port, Software, Built-in batteries (2 x 9Ah/12V), Black Design | 312.928 | EUR | 1655.73 | 0 | 24 | 26490 |
| UPS-uri | Infosec | UPS Infosec E3 1500, 1500VA, 6 IEC 10 A UPS outlets, 1 RJ11/45 | 449.344 | EUR | 2377.514 | 0 | 24 | 26495 |
| UPS-uri | Infosec | UPS Infosec E4 LCD 1500, 1500VA, 4 IEC UPS outlets, including 2 programmable, 1 RJ11/45, USB, Serial DB9, (RS232 & dry contacts) | 484.4 | EUR | 2562.997 | 0 | 24 | 26499 |
| UPS-uri | Infosec | UPS Infosec XP Pro 1500 RM, 1500VA, 9 IEC UPS outlets, Rack Mountable version | 408.24 | EUR | 2160.032 | 0 | 24 | 26515 |
| UPS-uri | Infosec | UPS Infosec E2 LCD 2000, 2000VA, On Line Performance, USB communication port, Software, Built-in batteries (2 x 10Ah/12V), Black Design | 401.408 | EUR | 2123.878 | 0 | 24 | 26491 |
| UPS-uri | Infosec | UPS Infosec E3 2000, 2000VA, 6 IEC 10 A UPS outlets, 1 RJ11/45 | 539.168 | EUR | 2852.786 | 0 | 24 | 26496 |
| UPS-uri | Infosec | UPS Infosec E4 LCD 2000, 2000VA, 8 IEC UPS outlets, including 4 programmable, 1 RJ11/45, USB, Serial DB9, (RS232 & dry contacts) | 691.264 | EUR | 3657.528 | 0 | 24 | 26500 |
| UPS-uri | Infosec | UPS Infosec E6 LCD 2000 RT, 2000VA, 6* IEC, Standard RS 232 & USB, Slots : relay card, SNMP/Web card | 884.464 | EUR | 4679.774 | 0 | 24 | 26506 |
| UPS-uri | Infosec | UPS Infosec XP Pro 2000 RM, 2000VA, 9 IEC UPS outlets, Rack Mountable version | 428.624 | EUR | 2267.888 | 0 | 24 | 26516 |
| UPS-uri | Infosec | UPS Infosec XP Pro 2500 RM, 2500VA, 9 IEC UPS outlets, 1 RJ11/45, LCD screen, Rack Mountable version | 449.008 | EUR | 2375.733 | 0 | 24 | 26517 |
| UPS-uri | Infosec | UPS Infosec E3 3000, 3000VA, 8 IEC 10 A UPS outlets, 1 RJ11/45 | 677.488 | EUR | 3584.638 | 0 | 24 | 26497 |
| UPS-uri | Infosec | UPS Infosec E4 LCD 3000, 3000VA, 6 IEC UPS outlets, including 3 programmable, 1 RJ11/45, USB, Serial DB9, (RS232 & dry contacts) | 898.128 | EUR | 4752.07 | 0 | 24 | 26501 |

| | | | | | | | | |
|---------|------------|---|---------|-----|----------|----|----|-------|
| UPS-uri | Infosec | UPS Infosec E6 LCD 3000 RT, 3000VA, 4* IEC, 10A +1*IEC 16A, Standard RS 232 & USB, Slots : relay card, SNMP/Web card | 1224.72 | EUR | 6480.096 | 0 | 24 | 26507 |
| UPS-uri | Infosec | UPS Infosec XP Pro 3000 RM, 3000VA, 9 IEC UPS outlets, 1 RJ11/45, LCD screen, Rack Mountable version | 579.712 | EUR | 3067.299 | 0 | 24 | 26518 |
| UPS-uri | Infosec | UPS Infosec E4 LCD 5000, 5000VA, 2 IEC UPS outlets, 1 Terminal board, with 1 programmable outlet, Parallel connection slot, USB, Serial DB9, (RS232 & dry contacts) | 1605.63 | EUR | 8495.525 | 0 | 24 | 26502 |
| UPS-uri | Infosec | UPS Infosec E6 LCD 5000 RT, 5000VA, Terminal board, Standard RS 232, Second RS 232, USB, RS 485, relay card, SNMP/ Web card | 2245.26 | EUR | 11879.87 | 0 | 24 | 26508 |
| UPS-uri | Infosec | UPS Infosec E4 LCD 6000, 6000VA, 2 IEC UPS outlets, 1 Terminal board, with 1 programmable outlet, Parallel connection slot, USB, Serial DB9, (RS232 & dry contacts) | 2004.69 | EUR | 10606.96 | 0 | 24 | 26503 |
| UPS-uri | Infosec | UPS Infosec E6 LCD 6000 RT, 6000VA, Terminal board, Standard RS 232, Second RS 232, USB, RS 485, relay card, SNMP/ Web card | 2714.66 | EUR | 14363.46 | 0 | 24 | 26509 |
| UPS-uri | Infosec | UPS Infosec E6 LCD 8000 RT, 8000VA, Terminal board, Standard RS 232, Second RS 232, USB, RS 485, relay card, SNMP/ Web card | 3129.73 | EUR | 16559.64 | 0 | 24 | 26510 |
| UPS-uri | Infosec | UPS Infosec E4 LCD 10000, 10000VA, 2 IEC UPS outlets, 1 Terminal board, with 1 programmable outlet, Parallel connection slot, USB, Serial DB9, (RS232 & dry contacts) | 2694.27 | EUR | 14255.61 | 0 | 24 | 26504 |
| UPS-uri | Infosec | UPS Infosec E6 LCD 10000 RT, 10000VA, Terminal board, Standard RS 232, Second RS 232, USB, RS 485, relay card, SNMP/ Web card | 3674.05 | EUR | 19439.68 | 0 | 24 | 26511 |
| UPS-uri | Infosec | UPS Infosec E6 LCD 10000 RT TM, 10000VA, Terminal board, Standard RS 232, Second RS 232, USB, RS 485, relay card, SNMP/ Web card | 4626.5 | EUR | 24479.16 | 0 | 24 | 26512 |
| UPS-uri | Amacrox | UPS Amacrox 650VA / 360W, line-interactive, backup time 10min | 47.6 | EUR | 251.8544 | C | 24 | 21130 |
| UPS-uri | Amacrox | UPS Amacrox 850VA / 480W, line-interactive, backup time 15min | 56.224 | EUR | 297.4832 | S | 24 | 21131 |
| UPS-uri | Technoware | UPS Technoware ERA FGGERALCD2K6 2600VA / 1820W, LCD, AVR, 4 UPS output (IEC type) + 2 filtered output (IEC type), RS232 + USB, protectie modem | 252.896 | EUR | 1338.098 | 0 | 24 | 23320 |
| UPS-uri | APC | UPS APC BE325-GR, Back-UPS ES, 325VA, German/Dutch, Protectie Modem, Cables ,Software, USB (Prize Schuko), Black | 63.952 | EUR | 338.3744 | 0 | 24 | 5215 |
| UPS-uri | APC | UPS APC BE400-GR, Back-UPS ES, 400VA, German/Dutch, Protectie Modem, Cables ,Software, USB (Prize Schuko), Black | 65.184 | EUR | 344.8928 | S | 24 | 14148 |
| UPS-uri | APC | UPS APC SC450RMI1U, Smart-UPS SC, 450VA, RJ-11 2-Way Modem/Fax/DSL splitter cu protectie (patru fire, doua linii), Protectie RJ45 10/100 Base-T Ethernet, 1U Rackmountable/Tower UPS, CD with software, Manual, Timp reincarcare: 5 ore | 174.496 | EUR | 923.272 | C | 24 | 14183 |
| UPS-uri | APC | UPS APC BK350EI, Back-UPS CS, 350VA, Protectie Modem, Cables ,Software, USB/Serial RS-232 | 71.344 | EUR | 377.4848 | C | 24 | 512 |
| UPS-uri | APC | UPS APC SC420I, Smart-UPS SC, 420VA, Protectie RJ-45 Modem/Fax/DSL/10-100 Base-T, Timp reincarcare: 3 ore, CD with software, Smart UPS signalling, Cablu RS-232 , Manual | 118.048 | EUR | 624.6016 | 0 | 24 | 14151 |
| UPS-uri | APC | UPS APC BK500EI, Back-UPS CS, 500VA, Protectie Modem, Cables ,Software, USB/Serial RS-232 | 87.36 | EUR | 462.224 | C | 24 | 513 |
| UPS-uri | APC | UPS APC BH500INET, Back-UPS HS, 500VA, Cables ,Software, Protectie RJ-11 Modem/Fax, Protectie RJ45 10/100 Base-T Ethernet, Protectie Co-axial Video/Cable, White, Timp reincarcare: 8 ore | 98.672 | EUR | 522.0768 | C | 24 | 14150 |
| UPS-uri | APC | UPS APC SC620I, Smart-UPS SC, 620VA, AVR, Protectie Modem, Cables ,Software, Serial RS-232 | 173.264 | EUR | 916.7536 | C | 24 | 4671 |
| UPS-uri | APC | UPS APC BK650EI, Back-UPS CS, 650VA, Protectie Modem, Cables ,Software, USB/Serial RS-232 | 102.144 | EUR | 540.456 | SL | 24 | 3321 |
| UPS-uri | APC | UPS APC SMT750I, Smart-UPS 750VA, LCD, 230V, Interface Port DB-9 RS-232, Smart-Slot, USB, In cutie: CD with software, Documentation CD, Smart UPS signalling RS-232 cable, USB cable | 227.36 | EUR | 1202.981 | C | 36 | 26556 |
| UPS-uri | APC | UPS APC SUA750RMI2U, Smart-UPS RM, 750VA, 2U, Interfata DB-9 RS-232,SmartSlot,USB, In cutie: CD de instalare, Rack Mounting brackets, Rack Mounting support rails, Smart UPS signalling RS-232 cable, USB cable, Manual, Timp reincarcare: 3 ore | 336.672 | EUR | 1781.36 | C | 24 | 14184 |
| UPS-uri | APC | UPS APC SU700INETSmart-UPS 700VA, AVR, port comunicare, PowerChute plus | 231.84 | EUR | 1226.68 | C | 24 | 517 |
| UPS-uri | APC | UPS APC SMX750I, Smart-UPS X 750VA Rack/Tower LCD 230V, Extended runtime model, Rack Height 2 U, In cutie: CD with software, Documentation CD, Installation guide, Rack Mounting brackets, Removable support feet, Smart UPS signalling RS-232 cable, User Manual | 355.264 | EUR | 1879.73 | C | 36 | 26561 |
| UPS-uri | APC | UPS APC SUA750XLI, Smart-UPS XL, 750VA, Interfata DB-9 RS-232,SmartSlot,USB, In cutie: CD de instalare, Smart UPS signalling RS-232 cable, USB cable, Manual, Timp reincarcare: 3 ore | 337.008 | EUR | 1783.141 | 0 | 24 | 14153 |
| UPS-uri | APC | UPS APC BR800I, Back-UPS RS, 800VA, AVR, Protectie Modem, LAN, Cable, Software, USB | 162.176 | EUR | 858.088 | C | 24 | 3323 |
| UPS-uri | APC | UPS APC SMT1000I, Smart-UPS 1000VA LCD 230V, Interfata: Port DB-9 RS-232, SmartSlot, USB, In cutie: CD with software, Documentation CD, Installation guide, Smart UPS signalling RS-232 cable, USB cable | 328.16 | EUR | 1736.325 | C | 36 | 26557 |
| UPS-uri | APC | UPS APC SUA1000RMI1U, Smart-UPS RM, 1000VA, 1U, Interfata DB-9 RS-232,SmartSlot,USB, In cutie: CD de instalare, Rack Mounting brackets, Rack Mounting support rails, Smart UPS signalling RS-232 cable, USB cable,Manual, Timp reincarcare: 2 ore | 526.4 | EUR | 2785.227 | C | 24 | 14186 |
| UPS-uri | APC | UPS APC SUA1000RMI2U, Smart-UPS RM, 1000VA, 2U, Interfata DB-9 RS-232,SmartSlot,USB, In cutie: CD de instalare, Rack Mounting brackets, Rack Mounting support rails, Smart UPS signalling RS-232 cable, USB cable,Manual, Timp reincarcare:3 ore | 449.008 | EUR | 2375.733 | C | 24 | 14185 |
| UPS-uri | APC | UPS APC SURT1000RMLI, Smart-UPS RT, 1000VA, 2U, Interfata DB-9 RS-232,SmartSlot, In cutie: CD de instalare, Rack Mounting support rails, Smart UPS signalling RS-232 cable, Manual, Timp reincarcare: 3 ore | 709.072 | EUR | 3751.754 | 0 | 24 | 14188 |
| UPS-uri | APC | UPS APC SURT1000XLI, Smart-UPS RT, 1000VA, 2U, Interfata DB-9 RS-232,SmartSlot, In cutie: CD de instalare, Smart UPS signalling RS-232 cable, Manual, Timp reincarcare: 3 ore | 581.28 | EUR | 3075.598 | 0 | 24 | 14158 |
| UPS-uri | APC | UPS APC SC1000I, Smart-UPS SC, 1000VA, Protectie RJ-45 Modem/Fax/DSL/10-100 Base-T, 2U Rackmountable/Tower UPS, In cutie: CD with software, rack mounting brackets, manual, cablu USB, cablu RS-232, Timp reincarcare: 8 ore | 281.68 | EUR | 1490.395 | 0 | 24 | 14152 |
| UPS-uri | APC | UPS APC SUA1000I, Smart-UPS 1000VA, Interfata DB-9 RS-232,SmartSlot,USB, In cutie: CD de instalare, Smart UPS signalling RS-232 cable, USB cable, Manual, Timp reincarcare: 3 ore | 343.616 | EUR | 1818.096 | C | 24 | 518 |
| UPS-uri | APC | UPS APC SMX1000I, Smart-UPS X 1000VA Rack/Tower LCD 230V, Extended runtime model, Rack Height 2 U, In cutie: CD with software, Documentation CD, Installation guide, Rack Mounting brackets, Removable support feet, Smart UPS signalling RS-232cable, USB cable | 473.2 | EUR | 2503.738 | C | 36 | 26562 |
| UPS-uri | APC | UPS APC SUA1000XLI, Smart-UPS XL, 1000VA, Interfata DB-9 RS-232,SmartSlot,USB, In cutie: CD de instalare, Smart UPS signalling RS-232 cable, USB cable, Manual, Timp reincarcare: 3 ore | 449.008 | EUR | 2375.733 | 0 | 24 | 14154 |
| UPS-uri | APC | UPS APC BR1500I, Back-UPS RS, 1500VA, AVR, Protectie Modem, LAN, Cables, Software, USB | 256.928 | EUR | 1359.422 | 0 | 24 | 2829 |
| UPS-uri | APC | UPS APC BR1500LCDI, Back-UPS RS, 1500VA, AVR, Protectie Modem, LAN, Cables, Software, USB, LCD display | 278.992 | EUR | 1476.171 | 0 | 24 | 19242 |
| UPS-uri | APC | UPS APC SMT1500I, Smart-UPS 1500VA LCD 230V, Interfata: Port DB-9 RS-232, SmartSlot, USB, In cutie: CD with software, Documentation CD, Installation guide, Smart UPS signalling RS-232 cable, USB cable | 448.672 | EUR | 2373.963 | 0 | 36 | 26558 |
| UPS-uri | APC | UPS APC SUA1500RMI2U, Smart-UPS RM, 1500VA, 2U, Interfata DB-9 RS-232,SmartSlot,USB, In cutie: CD de instalare, Rack Mounting brackets, Rack Mounting support rails, Smart UPS signalling RS-232 cable, USB cable,Manual, Timp reincarcare:3 ore | 562.912 | EUR | 2978.416 | C | 24 | 14187 |
| UPS-uri | APC | UPS APC SC1500I, Smart-UPS SC, 1500VA, AVR, Protectie RJ-11 Modem/Fax/DSL, Cables, Software, 2U Rackmountable/Tower UPS, Adaptoarele Rackmount optionale, In cutie: cablu telefon, cablu USB, manual, CD with software, Timp reincarcare: 8 ore | 367.808 | EUR | 1946.101 | C | 24 | 7989 |
| UPS-uri | APC | UPS APC SUA1500I, Smart-UPS, 1500VA, Interfata DB-9 RS-232,SmartSlot,USB, In cutie: CD de instalare, Smart UPS signalling RS-232 cable, USB cable, Manual, Timp reincarcare: 3 ore | 462 | EUR | 2444.478 | C | 24 | 14157 |

| | | | | | | | | |
|------------------|------------|--|---------|-----|----------|---|----|-------|
| UPS-uri | APC | UPS APC SMX1500RMI2U, Smart-UPS X 1500VA Rack/Tower LCD 230V, Extended runtime model, Rack Height 2 U, In cutie: CD with software, Documentation CD, Installation guide, Rack Mounting support rails, Removable support feet, Smart UPS signalling RS-232 cable, USB cable | 720.272 | EUR | 3811.013 | C | 36 | 26563 |
| UPS-uri | APC | UPS APC SMX1500RMI2UNC with Network Card, Smart-UPS X 1500VA Rack/Tower LCD 230V, Extended runtime model, Rack Height 2 U, In cutie: CD with software, Documentation CD, Installation guide, Rack Mounting support rails, Removable support feet, Smart UPS signalling RS-232 cable, USB cable | 985.712 | EUR | 5215.482 | C | 36 | 26565 |
| UPS-uri | APC | UPS APC SURT2000RMXLI, Smart-UPS RT, 2000VA, 2U, Interfata DB-9 RS-232,SmartSlot, In cutie: CD de instalare, Rack Mounting support rails, Smart UPS signalling RS-232 cable, Manual, Timp reincarcare: 4 ore | 1103.65 | EUR | 5839.49 | 0 | 24 | 14190 |
| UPS-uri | APC | UPS APC SURT2000XLI, Smart-UPS RT, 2000VA, 2U, Interfata DB-9 RS-232,SmartSlot, In cutie: CD de instalare, Smart UPS signalling RS-232 cable, Manual, Timp reincarcare: 4 ore | 975.856 | EUR | 5163.334 | 0 | 24 | 14160 |
| UPS-uri | APC | UPS APC SMT2200I, Smart-UPS 2200VA LCD 230V, Interfata Port DB-9 RS-232, USB, SmartSlot, In cutie: CD with software, Documentation CD, Smart UPS signalling RS-232 cable, USB cable | 660.016 | EUR | 3492.194 | C | 36 | 26559 |
| UPS-uri | APC | UPS APC SUA2200RMI2U, Smart-UPS RM, 2200VA, 2U, Interfata DB-9 RS-232,SmartSlot,USB, In cutie: CD de instalare, Rack Mounting brackets, Smart UPS signalling RS-232 cable, USB cable, Manual, Timp reincarcare: 3 ore | 933.744 | EUR | 4940.51 | C | 24 | 7825 |
| UPS-uri | APC | UPS APC SUA2200I, Smart-UPS 2200VA, Interfata DB-9 RS-232,SmartSlot,USB, In cutie: CD de instalare, Smart UPS signalling RS-232 cable, USB cable, Manual, Timp reincarcare: 3 ore | 679.616 | EUR | 3595.906 | C | 24 | 6885 |
| UPS-uri | APC | UPS APC SUA2200RMXL3U, Smart-UPS XL, 2200VA, 3U, Interfata DB-9 RS-232,USB,SmartSlot, In cutie: CD de instalare, Rack Mounting brackets, Smart UPS signalling RS-232 cable, USB cable, Manual, Timp reincarcare: 3 ore | 1241.3 | EUR | 6567.792 | 0 | 24 | 14193 |
| UPS-uri | APC | UPS APC SUA2200XLI, Smart-UPS XL, 2200VA, Interfata DB-9 RS-232,SmartSlot,USB, In cutie: CD de instalare, Smart UPS signalling RS-232 cable, USB cable, Manual, Timp reincarcare: 3 ore | 918.848 | EUR | 4861.696 | 0 | 24 | 14159 |
| UPS-uri | APC | UPS APC SMT3000I, Smart-UPS 3000VA LCD 230V, Interfata Port DB-9 RS-232, USB, SmartSlot, In cutie: CD with software, Documentation CD, Smart UPS signalling RS-232 cable, USB cable | 1015.28 | EUR | 5371.923 | C | 36 | 26560 |
| UPS-uri | APC | UPS APC SUA3000RMI2U, Smart-UPS RM, 3000VA, 2U, Interfata DB-9 RS-232,SmartSlot,USB, In cutie: CD de instalare, Rack Mounting brackets, Smart UPS signalling RS-232 cable, USB cable, Manual, Timp reincarcare: 3 ore | 1197.5 | EUR | 6336.086 | C | 24 | 14191 |
| UPS-uri | APC | UPS APC SUA3000I, Smart-UPS 3000VA, Interfata DB-9 RS-232,SmartSlot,USB, In cutie: CD de instalare, Smart UPS signalling RS-232 cable, USB cable, Manual, Timp reincarcare: 3 ore | 1045.41 | EUR | 5531.333 | C | 24 | 14161 |
| UPS-uri | APC | UPS APC SUA3000RMXL3U, Smart-UPS XL, 3000VA, 3U, Interfata DB-9 RS-232,SmartSlot, In cutie: CD de instalare, Rack Mounting brackets, Smart UPS signalling RS-232 cable, USB cable, Manual, Timp reincarcare: 3 ore | 1437.97 | EUR | 7608.406 | 0 | 24 | 14194 |
| UPS-uri | APC | UPS APC SUA3000XLI, Smart-UPS XL, 3000VA, Interfata DB-9 RS-232,SmartSlot,USB, In cutie: CD de instalare, Smart UPS signalling RS-232 cable, Manual, Timp reincarcare: 3 ore | 1176 | EUR | 6222.306 | 0 | 24 | 14168 |
| UPS-uri | APC | UPS APC SUM3000RMXL2U, Smart-UPS XL, 3000VA, 2U, Interfata DB-9 RS-232,RJ-45 10/100 Base-T,USB, In cutie: CD de instalare, Rack Mounting brackets, support rails, Smart UPS signalling RS-232 cable, USB cable,Manual , Timp reincarcare: 3 ore | 1746.53 | EUR | 9241.019 | C | 24 | 14195 |
| UPS-uri | APC | UPS APC SUA5000RMI5U, Smart-UPS RM, 5000VA, 5U, In cutie: CD de instalare, Installation guide, Rack mounting hardware, support rails, Smart UPS signalling RS-232 cable, Manual, Web/SNMP Management Card, Timp reincarcare: 3 ore | 2157.01 | EUR | 11412.9 | C | 24 | 13112 |
| UPS-uri | APC | UPS APC SURTD5000RMXLI, Smart-UPS RT, 5000VA, 3U, Interfata DB-9 RS-232,RJ-45 10/100 Base-T,Smart-Slot, In cutie: CD de instalare,Rack Mount.support rails,Smart UPS signalling RS-232 cable,Manual,Web/SNMP Mng. Card,Timp reincarcare: 2.5 ore | 2402.74 | EUR | 12713.06 | 0 | 24 | 14197 |
| UPS-uri | APC | UPS APC SURTD5000XLI, Smart-UPS RT, 5000VA, 3U, Interfata DB-9 RS-232,RJ-45 10/100 Base-T,Smart-Slot, In cutie: CD de instalare, Smart UPS signalling RS-232 cable, User Manual, Web/SNMP Management Card,Timp reincarcare: 2.5 ore | 2273.71 | EUR | 12030.39 | C | 24 | 14179 |
| UPS-uri | APC | UPS APC SURT6000RMXLI, Smart-UPS RT, 6000VA, 3U, Interfata DB-9 RS-232,RJ-45 10/100 Base-T,Smart-Slot, In cutie: CD de instalare,Rack Mount. support rails,Smart UPS signalling RS-232 cable,Manual,Web/SNMP Mng. Card, Timp reincarcare: 2.5 or | 2673.22 | EUR | 14144.2 | 0 | 24 | 14198 |
| UPS-uri | APC | UPS APC SURT6000XLI, Smart-UPS RT, 6000VA, 3U, Interfata DB-9 RS-232,RJ-45 10/100 Base-T,Smart-Slot, In cutie: CD de instalare, Smart UPS signalling RS-232 cable, Manual, Web/SNMP Management Card, Timp reincarcare: 2.5 ore | 2550.24 | EUR | 13493.52 | 0 | 24 | 14180 |
| UPS-uri | APC | UPS APC SURT8000RMXLI, Smart-UPS RT, 8000VA, 6U, Interfata DB-9 RS-232,RJ-45 10/100 Base-T,Smart-Slot, In cutie: Rack Mounting support rails, Smart UPS signalling RS-232 cable, User Manual, Web/SNMP Mng. Card, Timp reincarcare: 2.2 ore | 3138.69 | EUR | 16607.05 | C | 24 | 14199 |
| UPS-uri | APC | UPS APC SURT8000XLI, Smart-UPS RT, 8000VA, 6U, Interfata DB-9 RS-232,RJ-45 10/100 Base-T,Smart-Slot, In cutie: CD de instalare, Smart UPS signalling RS-232 cable, User Manual, Web/SNMP Management Card, Timp reincarcare: 2.2 ore | 3293.81 | EUR | 17427.8 | 0 | 24 | 14181 |
| UPS-uri | APC | UPS APC SURT10000RMXLI, Smart-UPS RT, 10000VA, 6U, Interfata DB-9 RS-232,RJ-45 10/100 Base-T,Smart-Slot, In cutie: CD de instalare, Rack Mount. support rails, Smart UPS signalling RS-232 cable, Manual,Web/SNMP Mng. ,timp reincarcare: 2.2 ore | 4135.71 | EUR | 21882.38 | 0 | 24 | 14200 |
| UPS-uri | APC | UPS APC SURT10000XLI, Smart-UPS RT, 10000VA, 6U, Interfata DB-9 RS-232,RJ-45 10/100 Base-T,Smart-Slot, In cutie: CD de instalare, Smart UPS signalling RS-232 cable, User Manual, Web/SNMP Management Card,Timp reincarcare: 2.2 ore | 4006.58 | EUR | 21199.11 | C | 24 | 14182 |
| UPS-uri | APC | APC Network Card Management 2 , AP9630 | 217.728 | EUR | 1152.021 | C | 24 | 24768 |
| UPS-uri | Cyber Powe | UPS Cyber Power OR1000LCDRM1U, LCD, Green UPS 1000VA, Rackmount 1U, 6xiEC (2x onylsurge), USB/Serial management & RJ45/ RJ11 | 251.44 | EUR | 1330.392 | C | 24 | 26338 |
| UPS-uri | Cyber Powe | UPS Cyber Power Value1200E-GP, LCD, Green UPS 1200VA, 6xiEC (3x onylsurge), USB/Serial management & RJ45/ RJ11 | 147.168 | EUR | 778.68 | C | 24 | 26336 |
| UPS-uri | Cyber Powe | UPS Cyber Power OR1500LCDRM1U, LCD, Green UPS 1500VA, Rackmount 1U, 6xiEC (2x onylsurge), USB/Serial management & RJ45/ RJ11 | 293.44 | EUR | 1552.611 | C | 24 | 26339 |
| UPS-uri | Cyber Powe | UPS Cyber Power PR2200ELCDRTL2U, LCD, Green UPS 2200VA, Rackmount 2U/Tower, 10xiEC, USB/Serial management & RJ45/ RJ11 | 642.992 | EUR | 3402.123 | C | 24 | 26340 |
| UPS-uri | Cyber Powe | UPS Cyber Power Value2200E-GP, LCD, Green UPS 2200VA, 6xiEC (3x onylsurge), USB/Serial management & RJ45/ RJ11 | 231.728 | EUR | 1226.086 | C | 24 | 26337 |
| UPS-uri | Cyber Powe | UPS Cyber Power PR3000ELCDRTL2U, LCD, Green UPS 3000VA, Rackmount 2U/Tower, 8xiEC, USB/Serial management & RJ45/ RJ11 | 824.656 | EUR | 4363.318 | C | 24 | 26341 |
| UPS-uri | Cyber Powe | UPS Cyber Power DX800E, Green UPS 800VA, 3xSchuko, USB management | 55.776 | EUR | 295.12 | C | 24 | 26334 |
| UPS-uri | Cyber Powe | UPS Cyber Power BR650ELCD, Green UPS LCD 650VA, 6xSchuko(3x onylsurge), USB management & RJ45/ RJ11, charger for AA/AAA batteries | 64.064 | EUR | 338.968 | C | 24 | 26985 |
| UPS-uri | Cyber Powe | UPS Cyber Power DX800E, Green UPS 800VA, 3xSchuko, USB management | 70.56 | EUR | 373.3408 | C | 24 | 26335 |
| UPS-uri | Cyber Powe | UPS Cyber Power Value 800E, 800VA, 3 x Schuko, USB management | 48.384 | EUR | 255.9984 | C | 24 | 26333 |
| UPS-uri | Cyber Powe | UPS Cyber Power BR850E, Green UPS 850VA, 6xSchuko(3x onylsurge), USB management & RJ45/ RJ11 | 69.888 | EUR | 369.7792 | C | 24 | 26986 |
| UPS-uri | Cyber Powe | Cyber Power Network Card Management for OR series, PRLCD series, PRLCDXL series, cod RMCARD201 | 83.776 | EUR | 443.2624 | C | 24 | 26343 |
| Protectoare, AVR | VMark | Power Protector V-Mark SGE, 6 prize Shuko, 3 mufe telefon, 1.5m, negru | 8.8368 | USD | 35.7056 | M | 12 | 14547 |
| Protectoare, AVR | VMark | Power Protector V-Mark SPE, 6 prize Shuko, 1.5m, alb | 8.2096 | USD | 33.1744 | 0 | 12 | 14546 |
| Protectoare, AVR | Well | Stabilizator tensiune Well AVRS1000VA-2W, 10000 VA, servomotor, afisaj digital, circuit controlat CPU, protectie la supratensiune, tensiune scazuta, suprasarcina | 234.64 | EUR | 1241.498 | C | 12 | 21036 |

| | | | | | | | | |
|----------------------------|-------------|--|---------|-----|----------|------|----|-------|
| Protectoare, A | Well | Stabilizator tensiune Well AVRS1000VA-1W, 1000 VA, servomotor, afisaj analog, protectie la supratensiune, tensiune scazuta, suprasarcina | 46.032 | EUR | 243.5552 | S | 12 | 21037 |
| Protectoare, A | Well | Stabilizator tensiune Well AVRS3000VA-1W, 3000 VA, servomotor, afisaj analog, protectie la supratensiune, tensiune scazuta, suprasarcina | 113.792 | EUR | 602.0784 | S | 12 | 21038 |
| Protectoare, A | Well | Stabilizator tensiune Well AVRS5000VA-1W, 5000 VA, servomotor, afisaj analog, circuit controlat CPU, protectie la supratensiune, tensiune scazuta, suprasarcina | 134.736 | EUR | 712.9024 | S | 12 | 21039 |
| Protectoare, A | Well | Stabilizator tensiune Well AVRS500VA-1W, 500 VA, afisaj analog, protectie la supratensiune, tensiune scazuta, suprasarcina | 36.736 | EUR | 194.376 | S | 12 | 21040 |
| Protectoare, A | ApolloPower | Stabilizator de tensiune UPS Apollopower, AVR600M, Automatic Voltage Regulator 600VA, Relay type, Protectie Modem | 13.104 | USD | 52.9536 | S | 12 | 2937 |
| Protectoare, A | APC | Automatic Voltage Regulator 600VA (220V, 230V or 240V) | 39.312 | EUR | 208.0064 | C | 24 | 14247 |
| Protectoare, A | APC | Automatic Voltage Regulator 1200VA (220V, 230V or 240V) | 43.008 | EUR | 227.5616 | C | 24 | 14248 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-315-W, prelungitor cu 3 prize, 1.5m | 2.8112 | EUR | 14.8736 | S | 12 | 20907 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-315/SW-W, prelungitor cu 3 prize, intrerupator retea, 1.5m | 3.36 | EUR | 17.7744 | S | 12 | 21034 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-315FR/SW-W, prelungitor cu 3 prize, intrerupator retea, ignifug, 1.5m | 4.0656 | EUR | 21.5152 | S | 12 | 21035 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-515P/PROT-W, prelungitor cu 5 prize, intrerupator retea, protectie circuite, 1.5m | 12.096 | EUR | 63.9968 | SL | 12 | 20919 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-615A/PROT-W, prelungitor cu 6 prize, intrerupator retea, protectie circuite, 1.5m | 9.5424 | EUR | 50.4896 | S | 12 | 20921 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-615ATN/PROT-W, prelungitor cu 6 prize, intrerupator retea, protectie circuite, aluminiu, protectie modem si retea, 1.5m | 12.656 | EUR | 66.9648 | S | 12 | 20922 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-330-W, prelungitor cu 3 prize, 3m | 3.6848 | EUR | 19.4992 | C | 12 | 20910 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-330/SW-W, prelungitor cu 3 prize, intrerupator retea, 3m | 3.92 | EUR | 20.7424 | S | 12 | 20908 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-330FR/SW-W, prelungitor cu 3 prize, intrerupator retea, ignifug, 3m | 4.1328 | EUR | 21.8624 | S | 12 | 20909 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-430-W, prelungitor cu 4 prize, 3m | 3.9312 | EUR | 20.7984 | S | 12 | 20914 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-430/PROT-W, prelungitor cu 4 prize, intrerupator retea, protectie circuite, 3m | 7.8288 | EUR | 41.4176 | C | 12 | 20911 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-430/SW-W, prelungitor cu 4 prize, intrerupator retea, 3m | 4.088 | EUR | 21.6272 | S | 12 | 20912 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-430FR/SW-W, prelungitor cu 4 prize, intrerupator retea, ignifug, 3m | 4.7264 | EUR | 25.0096 | M | 12 | 20913 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-530A/PROT-W, prelungitor cu 5 prize, intrerupator retea, protectie circuite, 3m | 10.864 | EUR | 57.4784 | C | 12 | 20920 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-630-W, prelungitor cu 6 prize, 3m | 4.6256 | EUR | 24.472 | S | 12 | 20926 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-630/PROT-W, prelungitor cu 6 prize, intrerupator retea, protectie circuite, 3m | 8.736 | EUR | 46.2224 | S | 12 | 20923 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-630/SW-W, prelungitor cu 6 prize, intrerupator retea, 3m | 4.9056 | EUR | 25.9504 | S | 12 | 20924 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-630R/PROT-W, prelungitor cu 6 prize, intrerupator retea, protectie circuite, rotativ, 3m | 9.128 | EUR | 48.2944 | S | 12 | 20925 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-830M/PROT-W, prelungitor cu 8 prize, intrerupator retea, protectie circuite, master-slave, 3m | 13.776 | EUR | 72.8896 | M | 12 | 20931 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-830TC/PROT-W, prelungitor cu 8 prize, intrerupator retea, protectie circuite, ignifug, protectie modem + catv, 3m | 12.544 | EUR | 66.3712 | C | 12 | 20932 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-450-W, prelungitor cu 4 prize, 5m | 5.2304 | EUR | 27.6752 | S | 12 | 20918 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-450/PROT-W, prelungitor cu 4 prize, intrerupator retea, protectie circuite, 5m | 9.2848 | EUR | 49.1232 | S | 12 | 20915 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-450/SW-W, prelungitor cu 4 prize, intrerupator retea, 5m | 6.048 | EUR | 31.9984 | C | 12 | 20916 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-450FR/SW-W, prelungitor cu 4 prize, intrerupator retea, ignifug, 5m | 5.8464 | EUR | 30.9344 | S | 12 | 20917 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-650-W, prelungitor cu 6 prize, 5m | 5.936 | EUR | 31.4048 | S | 12 | 20930 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-650/PROT-W, prelungitor cu 6 prize, intrerupator retea, protectie circuite, 5m | 10.7408 | EUR | 56.8288 | C | 12 | 20927 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-650/SW-W, prelungitor cu 6 prize, intrerupator retea, 5m | 6.104 | EUR | 32.3008 | S | 12 | 20928 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-TCD-650FR/SW-W, prelungitor cu 6 prize, intrerupator retea, ignifug, 5m | 6.3168 | EUR | 33.4208 | S | 12 | 20929 |
| Protectoare, A | Well | Prelungitor Alimentare Well EL-ADAPT03-W, priza triplu stecher 2 Euro + 1 Schuko | 1.1424 | EUR | 6.048 | C | 12 | 25688 |
| Protectoare, A | Gembird | Power Protector Gembird SISN, 5 prize, protectie modem, Black | 14.784 | USD | 59.7408 | 0 | 12 | 15159 |
| Protectoare, A | APC | Power Protector APC PDIGITEL, pentru linii telefonice digitale | 10.4272 | EUR | 55.1712 | SL | 24 | 17336 |
| Protectoare, A | APC | Power Protector APC PNET1GB, ProtectNet UTP, 1000BT/100BT/10BT/TR | 19.04 | EUR | 100.744 | S | 24 | 2359 |
| Protectoare, A | APC | Power Protector APC PTEL2, (Retea, Telefon, PC), 2 linii | 18.368 | EUR | 97.1824 | C | 24 | 16370 |
| Protectoare, A | APC | Power Protector APC P1-GR, 1 priza, 230V | 7.84 | EUR | 41.4848 | CALL | 24 | 26472 |
| Protectoare, A | APC | Power Protector APC P5B-GR, 5 prize, 230V | 11.76 | EUR | 62.2272 | C | 24 | 14249 |
| Protectoare, A | APC | Power Protector APC P5BV-GR, 5 prize, 230V, Protectie COAX | 15.68 | EUR | 82.9696 | C | 24 | 14252 |
| Protectoare, A | ApolloPower | Power Protector Apollo VP-25, 1 Socket voltage protector for Refrigerator, Air conditioner, TV, VCD, DVD, Computer, Microwave oven | 5.0736 | USD | 20.5072 | C | 12 | 26757 |
| Protectoare, A | APC | Power Protector APC P5BT-GR, 5 prize, 230V, Protectie telefon | 15.68 | EUR | 82.9696 | C | 24 | 14255 |
| Protectoare, A | APC | Power Protector APC PH6T3-GR, 6 prize, 230V, Protectie telefon, Home, Office | 19.712 | EUR | 104.2944 | C | 24 | 14260 |
| Protectoare, A | APC | Power Protector APC PH6VT3-GR, 6 prize, 230V, Protectie COAX, telefon, Home, Office | 23.408 | EUR | 123.8496 | CALL | 24 | 14265 |
| Protectoare, A | APC | Power Protector APC PF8VNT3-GR, 8 prize, 230V, Protectie COAX, telefon si retea | 32.032 | EUR | 169.4784 | S | 24 | 14271 |
| Protectoare, A | Roline | Power Protector Roline, 6 prize, Master Slave, Protectie | 16.576 | USD | 66.9872 | S | 1 | 12285 |
| Protectoare, A | Roline | Power Protector Roline, 6 prize, Protectie | 14.336 | USD | 57.9376 | SL | 1 | 12284 |
| Protectoare, A | Infosec | Power Protector Infosec PFS 6 GE, priza multipla cu protectie, 6 prize Shuko cu impamantare (1 stecar special pentru transformatoare), protectie la supratensiune si fulger, intrerupator cu LED, lungime cablu prelungitor: 1.8 m, putere max 2500 W (10 A), constructie din plastic ignifug, sistem siguranta copil | 11.984 | EUR | 63.4032 | C | 60 | 26483 |
| Protectoare, A | Infosec | Power Protector Infosec PFS 6 TGE, priza multipla cu protectie, 6 prize Shuko cu impamantare (1 stecar special pentru transformatoare), conectori retea telefon, fax, modem, protectie la supratensiune si fulger, intrerupator cu LED, LED indicator protectie, lungime cablu prelungitor: 1.8 m, putere maxima: 2500 W (10 A), constructie din plastic ignifug, sistem siguranta copil, asigurare echipamente in valoare de 30.000 EUR (doar cu inregistrare pe site-ul producatorului) | 14.672 | EUR | 77.6272 | C | 60 | 26484 |
| Protectoare, A | Infosec | Power Protector Infosec PFS 7 TCGE, priza multipla cu protectie, 7 prize Shuko cu impamantare (2 stecare speciale pentru transformatoare), conectori retea telefon, fax, modem, cablu TV, protectie la supratensiune si fulger, intrerupator cu LED, LED indicator protectie, LED indicator impamantare, lungime cablu prelungitor: 1.8 m, putere maxima: 2500 W, constructie din plastic ignifug, sistem siguranta copil, asigurare echipamente in val de 30.000 EUR (doar cu inregistrare) | 19.488 | EUR | 103.1072 | C | 60 | 26486 |
| Protectoare, A | Infosec | Power Protector Infosec PFS 7 TGE, priza multipla cu protectie, 7 prize Shuko cu impamantare (2 stecare speciale pentru transformatoare), conectori retea telefon, fax, modem, protectie la supratensiune si fulger, intrerupator cu LED, LED indicator protectie, LED indicator impamantare, lungime cablu prelungitor: 1.8 m, putere maxima: 2500 W (10 A), constructie din plastic ignifug, sistem siguranta copil, asigurare echipamente in val de 30.000 EUR (doar cu inregistrare pe site) | 17.36 | EUR | 91.8512 | C | 60 | 26485 |
| Acumuloare, baterii | | | | | | | | |
| Acumuloare | ApolloPower | Baterie 12V/9A pentru (1085F, 1140F, 1200F, 1150R, 1200R) | 23.184 | USD | 93.688 | 0 | 6 | 11258 |
| Acumuloare | Oem | Baterie Motherboard CR-2032, 3V, 180mAh | 0.4256 | EUR | 2.2512 | S | 1 | 535 |

| | | | | | | | | |
|------------|----------|---|---------|-----|----------|----|----|-------|
| Acumuloare | APC | Baterie UPS, 6V, 4.5AH, 70x48x106mm (LxWxh), 890g. | 3.528 | EUR | 18.6704 | S | 6 | 9861 |
| Acumuloare | APC | Baterie UPS, 12V, 4AH, 90x70x106mm (LxWxh), 1600g. | 7.3584 | EUR | 38.9312 | C | 6 | 10767 |
| Acumuloare | APC | Baterie UPS, 6V, 7.2AH, 151x34x94mm (LxWxh), 1280g. | 7.9296 | EUR | 41.9552 | S | 6 | 6106 |
| Acumuloare | APC | Baterie UPS, 12V, 12AH, 151x98x99mm (LxWxh), 4200g. | 19.488 | EUR | 103.1072 | C | 6 | 1848 |
| Acumuloare | APC | Baterie UPS, 12V, 5.4AH, 90x70x106mm (LxWxh), 1900g. | 9.8 | EUR | 51.856 | S | 6 | 13613 |
| Acumuloare | APC | Baterie UPS, 12V, 7AH, 151x65x97.5mm (LxWxh), 2600g. | PROMO | EUR | 42.5488 | SL | 6 | 5537 |
| Acumuloare | APC | Baterie UPS, 12V, 9AH, 151x65x97.5mm (LxWxh), 2650g. | 12.32 | EUR | 65.184 | S | 6 | 4355 |
| Acumuloare | APC | Baterie pentru BF350-GR | 25.312 | EUR | 133.9296 | C | 6 | 14203 |
| Acumuloare | APC | Baterie UPS, 12V, 18AH, 181x76x167mm (LxWxh), 5800g. | 28 | EUR | 148.1536 | S | 6 | 2301 |
| Acumuloare | APC | Baterie pentru BE550GR | 27.888 | EUR | 147.56 | C | 6 | 14206 |
| Acumuloare | APC | Baterie pentru BE700-GR, BK250, BK400, BP420, SU420 | 27.104 | EUR | 143.4048 | SL | 6 | 14205 |
| Acumuloare | Pilot | Acumulator PILOT, 2.4 AH/12V | 8.1312 | USD | 32.8608 | C | 12 | 25724 |
| Acumuloare | VMark | Baterie 12v, 7AH, Slim, V-Mark NP7-12ST | 12.992 | USD | 52.5056 | S | 6 | 18722 |
| Acumuloare | APC | Baterie pentru BR800I | 48.048 | EUR | 254.2288 | C | 6 | 14208 |
| Acumuloare | APC | Baterie pentru BR1500I | 67.088 | EUR | 354.9728 | C | 6 | 14209 |
| Acumuloare | APC | Baterie pentru SU700RMI, SU700RMINET | 70.896 | EUR | 375.1216 | C | 6 | 14210 |
| Acumuloare | APC | Baterie pentru SUA750I | 72.128 | EUR | 381.64 | C | 6 | 14211 |
| Acumuloare | APC | Baterie pentru SC450RMI1U, PS450I | 91.168 | EUR | 482.3728 | C | 6 | 14212 |
| Acumuloare | APC | Baterie pentru BP1000I, SU1000I, SU1000RMI | 119.28 | EUR | 631.12 | C | 6 | 14213 |
| Acumuloare | APC | Baterie pentru SU700XLI, SU1000XLI, BP1400I, SU1400I, SUA1500I | 136.416 | EUR | 721.784 | C | 6 | 14214 |
| Acumuloare | APC | Baterie pentru SUA750RMI2U, SUA750R2IX38, SU700RMI2U, SU700R2IBX120 | 140.112 | EUR | 741.3392 | 0 | 6 | 14207 |
| Acumuloare | APC | Baterie pentru SU1400RMI, SU1400RMINET | 145.6 | EUR | 770.3808 | C | 6 | 14215 |
| Acumuloare | APC | Baterie (Pack) pentru BR1500I | 163.296 | EUR | 864.0128 | C | 6 | 14216 |
| Acumuloare | APC | Baterie pentru SURT1000RMLI, SURT1000XLI, SURT1000XLICH, SURT2000RMLI, SURT2000XLI, SURT2000XLICH, SURT48RMLBP, SURT48XLB | 160.72 | EUR | 850.3824 | C | 6 | 14217 |
| Acumuloare | APC | Baterie pentru SUA1000RMI2U | 222.768 | EUR | 1178.688 | C | 6 | 14218 |
| Acumuloare | APC | Baterie pentru SU2200I, SU2200RMI, SU2200XLI | 244.272 | EUR | 1292.458 | C | 6 | 14219 |
| Acumuloare | APC | Baterie pentru SUA5000RMI5U, SUA3000XLI, SUA2200I, SUA3000I, SUA2200XLI | 240.912 | EUR | 1274.683 | 0 | 6 | 14220 |
| Acumuloare | APC | Baterie pentru SUA1500RMI2U | 260.736 | EUR | 1379.571 | C | 6 | 14233 |
| Acumuloare | APC | Baterie pentru SUA2200RMI2U, SUA3000RMI2U, SUM1500RMLI2U, SUM3000RMLI2U | 268.352 | EUR | 1419.869 | C | 6 | 14234 |
| Acumuloare | APC | Baterie pentru SU2200RMI3U, SU3000RMI3U, SU3000R3IBX120, SU5000I, SU5000R5IBX120, SU5000RMI5U, SU5000RMLI5U, SU2200R3IBX120 | 278.432 | EUR | 1473.203 | C | 6 | 14235 |
| Acumuloare | APC | Baterie (Pack) pentru SUA7500XLI/SUA1000XLI, 24V | 299.936 | EUR | 1586.984 | C | 6 | 14236 |
| Acumuloare | APC | Baterie pentru SU3000RMLI3U, SU2200RMLI3U | 291.088 | EUR | 1540.168 | C | 6 | 14237 |
| Acumuloare | APC | Baterie pentru SU1400RMLI3U, SU1400RMLI3U | 342.944 | EUR | 1814.546 | C | 6 | 14238 |
| Acumuloare | APC | Baterie pentru SURT3000RMLI, SURT8000XLI, SURT8000RMLI, SURTD5000XLI, SURTD5000RMLI, SURT10000XLI, SURT10000RMLI, SURT5000XLI, SURT6000XLI | 364.448 | EUR | 1928.326 | C | 6 | 14239 |
| Acumuloare | APC | Baterie pentru modelele Smart UPS RT | 446.768 | EUR | 2363.883 | C | 6 | 14240 |
| Acumuloare | APC | Baterie (Pack) pentru modelele Smart UPS XL (1-2 KVA) | 432.88 | EUR | 2290.4 | C | 6 | 14241 |
| Acumuloare | APC | Baterie (Pack) Rack-Mount pentru modelele Smart UPS RT XL (1-2 KVA) | 580.16 | EUR | 3069.674 | C | 6 | 14242 |
| Acumuloare | APC | Baterie (Pack) pentru modelele Smart UPS RT XL (3-10KVA) | 739.088 | EUR | 3910.57 | C | 6 | 14243 |
| Acumuloare | APC | Baterie (Pack) Rack-Mount pentru modelele Smart UPS RT XL (3-10KVA) | 870.128 | EUR | 4603.917 | C | 6 | 14244 |
| Acumuloare | Lenmar | Acumulator Lenmar Pro 19, 9V Rechargeable Batteries 160mAh 1-Pack NiMH, NoMEM Pro Technology | 2.5312 | EUR | 13.3952 | C | 12 | 4400 |
| Acumuloare | GP | Incarcator GP ReCyKo+ GPAR02GS210R-C2-BL1, AA/AAA Rechargeable Batteries, contine 2 acumulatori R6/AA 2100mAh, garantie 1luna acumulatori | 7.896 | EUR | 41.776 | C | 12 | 21027 |
| Acumuloare | GP | Incarcator GP Power Bank GPKB02GS80-C2-BL1, AA/AAA Rechargeable Batteries, contine 2 acumulatori R3/AAA 800mAh, garantie 1luna acumulatori | 5.2976 | EUR | 28.0336 | S | 12 | 21032 |
| Acumuloare | Verbatim | Incarcator Verbatim 49944, AA/AAA Rechargeable Batteries, capacitate incarcare 2 acumulatori | 7.3024 | EUR | 38.64 | C | 1 | 25265 |
| Acumuloare | Well | Incarcator Well CHAR01W100-C2-BL1, AA/AAA/9V Rechargeable Batteries, contine 2 acumulatori R3/AAA 1000mAh, garantie 1luna acumulatori | 5.1856 | EUR | 27.44 | S | 12 | 21005 |
| Acumuloare | Well | Incarcator Well CHAR02W250-C2-BL1, AA/AAA Rechargeable Batteries, contine 2 acumulatori R6/AA 2500mAh, garantie 1luna acumulatori | 8.512 | EUR | 45.0352 | M | 12 | 21006 |
| Acumuloare | Well | Incarcator Well CHAR03W270-C4-BL1, AA/AAA Rechargeable Batteries, contine 4 acumulatori R6/AA 2700mAh, functie descarcare, alimentare auto, garantie 1luna acumulatori | 26.992 | EUR | 142.8224 | S | 12 | 21007 |
| Acumuloare | Lenmar | Incarcator Lenmar PRO23, NoMem iOvernight AC Charger, includes 4 AA Chargeable Batteries, CE 220V AC plug | 5.3312 | EUR | 28.2128 | C | 12 | 5342 |
| Acumuloare | Lenmar | Incarcator Lenmar Pro78 NoMem Pro Station AC Charger 2-4-8 AA/AAA NiCd/NiMH batteries, includes 8 AA 2000mAh NiMH Batteries, CE 220V AC plug | 12.656 | EUR | 66.9648 | C | 12 | 8367 |
| Acumuloare | Lenmar | Incarcator Lenmar MSC815, NeoTherm technology, Mach 1 Lightning - world fastest charger, charges in 15 min four NiMH AA/AAA batteries, cooling fan, includes 2 AA NoMEM PRO PRO-H 2000mAh, 100-240V | 21.056 | EUR | 111.4064 | C | 12 | 9829 |
| Acumuloare | GP | Incarcator GP Power Bank GPPB360GS210-C2-BL1, AA/AAA Rechargeable Batteries, contine 2 acumulatori R6/AA 2100mAh, garantie 1luna acumulatori | 8.4 | EUR | 44.4416 | M | 12 | 21033 |
| Acumuloare | GP | Acumulator GP ReCyKo+ GP210AAHCR-BL2, 2100 mAh, R6(AA), pret per bucata | 1.8816 | EUR | 9.9568 | M | 12 | 21018 |
| Acumuloare | GP | Acumulator GP GP85AAAHC-BL2, 850 mAh, R3(AAA), pret per bucata | 1.6912 | EUR | 8.9488 | S | 12 | 21025 |
| Acumuloare | GP | Acumulator GP GP95AAAHC-BL2, 950 mAh, R3(AAA), pret per bucata | 1.9376 | EUR | 10.248 | S | 12 | 21026 |
| Acumuloare | GP | Acumulator GP GP250AAHC-BL2, 2500 mAh, R6(AA), pret per bucata | 2.4304 | EUR | 12.8576 | S | 12 | 22926 |
| Acumuloare | GP | Acumulator GP Ice Age 3 GP250AAHC-BL4-ICE, 2500 mAh, R6(AA), pret per bucata | 2.2736 | EUR | 12.0288 | C | 12 | 21023 |
| Acumuloare | GP | Baterie GP GP23AU-BL5, Ultra Alcalina, 12V, pret per bucata | 0.4928 | EUR | 2.6096 | C | 1 | 21019 |
| Acumuloare | GP | Baterie GP GP27A-BL5, Alcalina, 12V 18mAh, pret per bucata | 0.5936 | EUR | 3.136 | S | 1 | 21024 |
| Acumuloare | GP | Baterie GP GP11A-BL5, Alcalina, 6V, pret per bucata | 0.4704 | EUR | 2.4864 | C | 1 | 21009 |
| Acumuloare | GP | Baterie GP GP10A-BL5, Alcalina, 9V, pret per bucata | 0.5376 | EUR | 2.8448 | S | 1 | 21008 |
| Acumuloare | GP | Baterie GP GP1604A-BL1, Alcalina, 9V, pret per bucata | 1.5568 | EUR | 8.232 | S | 1 | 21015 |
| Acumuloare | GP | Baterie GP GP1604AU-BL1, Ultra Alcalina, 9V, pret per bucata | 1.6016 | EUR | 8.4784 | S | 1 | 21016 |
| Acumuloare | GP | Baterie GP GP1604G-BL1, Neocalina, 9V, pret per bucata | 0.6608 | EUR | 3.4944 | S | 1 | 21017 |
| Acumuloare | GP | Baterie GP GPCR1616-BL5.3V, pret per bucata | 0.504 | EUR | 2.6656 | C | 1 | 21028 |

| | | | | | | | | |
|----------------------------|-----------|---|---------|-----|----------|------|----|-------|
| Acumuloare | GP | Baterie GP GPCR1620-BL5, 3V, pret per bucata | 0.7952 | EUR | 4.2112 | S | 1 | 21029 |
| Acumuloare | GP | Baterie GP GPCR2016-BL5, 3V, pret per bucata | 0.3584 | EUR | 1.8928 | S | 1 | 21030 |
| Acumuloare | GP | Baterie GP GPCR2025-BL5, 3V, pret per bucata | 0.3584 | EUR | 1.8928 | S | 1 | 21031 |
| Acumuloare | GP | Baterie GP GP13A-BL2, Alcalina, R20, pret per bucata | 1.288 | EUR | 6.8096 | S | 1 | 21010 |
| Acumuloare | GP | Baterie GP GP13G-BL2, Nealcalina, R20, pret per bucata | 0.6832 | EUR | 3.6176 | S | 1 | 21011 |
| Acumuloare | GP | Baterie GP GP24A-BL4, Alcalina, R3(AAA), pret per bucata | 0.336 | EUR | 1.7808 | S | 1 | 21020 |
| Acumuloare | GP | Baterie GP GP24AU-BL4, Ultra Alcalina, R3(AAA), pret per bucata | 0.3696 | EUR | 1.96 | S | 1 | 21021 |
| Acumuloare | GP | Baterie GP GP24G-BL4, Nealcalina, R3(AAA), pret per bucata | 0.224 | EUR | 1.1872 | S | 1 | 21022 |
| Acumuloare | GP | Baterie GP GP15A-BL4, Alcalina, R6(AA), pret per bucata | 0.3584 | EUR | 1.8928 | S | 1 | 21012 |
| Acumuloare | GP | Baterie GP GP15AU-BL4, Ultra Alcalina, R6(AA), pret per bucata | 0.3696 | EUR | 1.96 | S | 1 | 21013 |
| Acumuloare | GP | Baterie GP GP15G-BL4, Nealcalina, R6(AA), pret per bucata | 0.2128 | EUR | 1.1312 | S | 1 | 21014 |
| Acumuloare | Verbatim | Acumulator Verbatim 49942, 1000mAh, R3(AAA), set 4 buc, pret per set | 5.5104 | EUR | 29.1536 | C | 1 | 25258 |
| Acumuloare | Verbatim | Acumulator Verbatim 49941, 2500mAh, R6(AA), set 4 buc, pret per set | 8.3664 | EUR | 44.2624 | C | 1 | 25259 |
| Acumuloare | Verbatim | Baterie Verbatim 49924, 9V, Alcalina, pret per bucata | 0.952 | EUR | 5.04 | C | 1 | 25264 |
| Acumuloare | Verbatim | Baterie Verbatim C 49923, Alcaline, set 2 buc, pret per set | 0.8512 | EUR | 4.5024 | C | 1 | 25262 |
| Acumuloare | Verbatim | Baterie Verbatim D 49922, Alcaline, set 2 buc, pret per set | 1.4784 | EUR | 7.8176 | C | 1 | 25263 |
| Acumuloare | Verbatim | Baterie Verbatim 49920, Alcaline, R3(AAA), set 4 buc, pret per set | 0.8512 | EUR | 4.5024 | C | 1 | 25260 |
| Acumuloare | Verbatim | Baterie Verbatim 49921, Alcaline, R6(AA), set 4 buc, pret per set | 0.8512 | EUR | 4.5024 | S | 1 | 25261 |
| Acumuloare | Panasonic | Baterie Panasonic Alkaline Xtreme Power LR6X2BP, R6/AA, 2 buc/blister | 1.2656 | EUR | 6.6976 | SL | 1 | 20533 |
| Acumuloare | Panasonic | Incarcator Panasonic BQ-600E/1WBW, AA Rechargeable Batteries, incarcator pe USB, continine 2 acumulatori Panasonic Infinium R6/AA 2100mAh, garantie 1luna acumulatori | 27.44 | EUR | 145.1856 | SL | 60 | 20525 |
| Acumuloare | Panasonic | Incarcator Panasonic BQ-821E/1BB, AA/AAA Rechargeable Batteries, continine 2 acumulatori Panasonic Infinium R6/AA 2100mAh, garantie 1luna acumulatori | 14.224 | EUR | 75.264 | SL | 60 | 20526 |
| Adaptoare IRDA | | | | | | | | |
| Adaptoare IR | Oem | Adaptor USB-IRDA Oem 1.1, (INFRA-RED) | 5.8352 | USD | 23.576 | C | 12 | 445 |
| Adaptoare IR | ST-Lab | Adaptor USB-IRDA ST-Lab 1.1, (INFRA-RED), U-280 | 5.488 | USD | 22.176 | C | 12 | 13347 |
| Adaptoare Bluetooth | | | | | | | | |
| Adaptoare Bli | Canyon | Adaptor USB-Bluetooth Canyon CN-BTU4, Max.100m, 2.1Mbps, Bluetooth 2.0, USB 2.0 | 7.7728 | USD | 31.416 | S | 12 | 7792 |
| Adaptoare Bli | Canyon | Adaptor USB-Bluetooth Canyon CNR-BTU5 | 9.5312 | USD | 38.5168 | CALL | 12 | 16509 |
| Adaptoare Bli | Edimax | Adaptor USB-Bluetooth Edimax EB DGC2, USB 2.0, Class 2, 80m | 10.2704 | USD | 41.5072 | S | 24 | 10160 |
| Adaptoare Bli | Edimax | Adaptor USB-Bluetooth Edimax EB-MDC1, USB 2.0, Class 1, 150m, Up to 3Mbps | 11.0096 | USD | 44.4864 | S | 24 | 24637 |
| Adaptoare Bli | Asus | Adaptor USB-Bluetooth Asus USB-BT211, Bluetooth Dongle USB 2.0 Bluetooth 2.1+ EDR, Class1 100m- 3Mbps | 9.5984 | USD | 38.7856 | C | 24 | 24673 |
| Adaptoare Bli | Trendnet | Adaptor USB-Bluetooth Trendnet TBW-105UB, USB 2.0, Bluetooth 2.0+ EDR, Class1 100m- 3Mbps | 8.3328 | USD | 33.6784 | C | 24 | 18980 |
| Cabluri, adaptoare | | | | | | | | |
| Cabluri, adap | Creative | INTERFATA E-MU Xmidi 2x2 USB/MIDI+software Proteus x2 | 64.848 | EUR | 343.112 | 0 | 24 | 19794 |
| Cabluri, adap | Oem | Cablu alimentare PC de la retea | 0.952 | USD | 3.8416 | CALL | 1 | 536 |
| Cabluri, adap | Oem | Cablu alimentare PC de la retea, 90 Angled, 1.8m | 2.128 | USD | 8.6016 | SL | 1 | 22974 |
| Cabluri, adap | Oem | Cablu alimentare monitor de la PC | 0.728 | USD | 2.9456 | S | 1 | 537 |
| Cabluri, adap | Oem | Cablu alimentare retea Euro 2 pini, 1.5m | 0.7504 | EUR | 3.976 | S | 1 | 22936 |
| Cabluri, adap | Oem | Cablu alimentare retea pentru notebook 3 pini | 2.6432 | USD | 10.6848 | S | 1 | 15579 |
| Cabluri, adap | Oem | Cablu imprimanta paralel 1.8m | 1.008 | USD | 4.0768 | S | 1 | 538 |
| Cabluri, adap | Oem | Cablu imprimanta paralel 10m | 6.4624 | USD | 26.1184 | C | 1 | 7005 |
| Cabluri, adap | Roline | Cablu imprimanta paralel 3m | 3.0016 | USD | 12.1296 | C | 1 | 12254 |
| Cabluri, adap | Oem | Cablu imprimanta paralel 5m | 4.3232 | USD | 17.472 | C | 1 | 540 |
| Cabluri, adap | Roline | Cablu prelungitor PSII 1.8m | 0.9632 | USD | 3.8976 | S | 1 | 12252 |
| Cabluri, adap | Roline | Cablu prelungitor PSII 3m | 1.6464 | USD | 6.6528 | S | 1 | 12253 |
| Cabluri, adap | Oem | Cablu USB 2.0, 1.5m cu Blue Led | 1.5792 | USD | 6.384 | S | 1 | 7268 |
| Cabluri, adap | Oem | Cablu USB 2.0 Roline, 1.8m, 11.02.8618R | 1.232 | USD | 4.984 | S | 1 | 17381 |
| Cabluri, adap | Oem | Cablu USB 2.0, 1.8m | 1.2208 | USD | 4.928 | S | 1 | 1805 |
| Cabluri, adap | Oem | Cablu USB 2.0, 3m | 1.3328 | USD | 5.3872 | S | 1 | 3597 |
| Cabluri, adap | Oem | Cablu USB 2.0, 5m | 1.5792 | USD | 6.384 | S | 1 | 2820 |
| Cabluri, adap | Oem | Cablu prelungitor USB 2.0, 1.5m | 1.232 | USD | 4.984 | S | 1 | 546 |
| Cabluri, adap | Oem | Cablu prelungitor USB 2.0, 3m | 1.6912 | USD | 6.832 | S | 1 | 547 |
| Cabluri, adap | Oem | Cablu prelungitor USB 2.0, 5m | 1.064 | USD | 4.3008 | 0 | 1 | 17223 |
| Cabluri, adap | Oem | Cablu USB to paralel printer (IEEE1294) | 9.24 | USD | 37.3408 | S | 1 | 1523 |
| Cabluri, adap | Oem | Convertoare USB 1.0, 2.0 la IEEE1294 Paralel printer, model CN36, compatibil cu imprimantele HP. | 8.0416 | USD | 32.5024 | C | 1 | 21916 |
| Cabluri, adap | Oem | Cablu USB to serial RS-232 | 9.3968 | USD | 37.9792 | S | 1 | 1768 |
| Cabluri, adap | Oem | Cablu USB to micro USB AK-67421 | 4.312 | USD | 17.4272 | S | 1 | 25933 |
| Cabluri, adap | Oem | Cablu USB to mini USB C-USB500A | 1.5792 | USD | 6.384 | S | 1 | 2319 |
| Cabluri, adap | Oem | Cablu USB to mini Value, Typ A-Fuji M, 1.8m, 11.99.8418 | 0.8288 | USD | 3.3488 | 0 | 1 | 17383 |
| Cabluri, adap | Oem | Cablu USB to mini Roline, Typ A-Fuji M, 1.8m, 11.02.8418R | 1.3104 | USD | 5.2976 | S | 1 | 17382 |
| Cabluri, adap | Oem | Cablu USB to mini Roline, 4pin Mits., 1.8m, 11.02.8618R | 1.0192 | USD | 4.1216 | C | 1 | 2320 |
| Cabluri, adap | Oem | Cablu USB to mini Value, 4pin Mits., 1.8m, 11.99.8618 | 1.176 | USD | 4.7488 | S | 1 | 17384 |
| Cabluri, adap | Oem | Cablu Firewire 1.8M, 4P/4P, C-270 | 3.192 | USD | 12.9024 | S | 1 | 2133 |
| Cabluri, adap | Oem | Cablu Firewire 1.8M, 4P/6P, C-271 | 3.192 | USD | 12.9024 | S | 1 | 2321 |
| Cabluri, adap | Oem | Cablu Firewire 3M, 6P/6P, C-272/3 | 3.4048 | USD | 13.7648 | S | 1 | 6753 |
| Cabluri, adap | Value | Cablu Firewire800 1.8M, 4P/9P, 11.99.9718-20 | 3.5168 | USD | 14.2128 | S | 1 | 18005 |
| Cabluri, adap | Roline | Cablu S-Video (M-M) 5m | 3.6176 | USD | 14.616 | 0 | 1 | 12279 |
| Cabluri, adap | Oem | Cablu semnal monitor 15/15, 15m | 12.992 | EUR | 68.7456 | C | 1 | 16465 |
| Cabluri, adap | Oem | Cablu semnal monitor 15/15 C-172, 1.8m | 1.2544 | EUR | 6.6416 | S | 1 | 9879 |
| Cabluri, adap | Oem | Cablu semnal monitor 15/15 ferrite, 10m | 13.552 | EUR | 71.7024 | C | 1 | 6830 |
| Cabluri, adap | Oem | Cablu semnal monitor 15/15 ferrite, 5m | 5.3648 | EUR | 28.3808 | C | 1 | 9056 |
| Cabluri, adap | Roline | Cablu semnal monitor HQ M-HD15, 3m | 5.5664 | EUR | 29.456 | S | 1 | 12260 |
| Cabluri, adap | Roline | Cablu semnal monitor HQ M-HD15, 6m | 8.5232 | EUR | 45.1024 | C | 1 | 12259 |

| | | | | | | | | |
|---------------|--------|--|--------|-----|----------|------|----|-------|
| Cabluri, adap | Roline | Cablu semnal monitor HQ M-HD15, 10m | 13.216 | EUR | 69.9216 | S | 1 | 12258 |
| Cabluri, adap | Roline | Cablu semnal monitor HQ M-HD15, 2m | 4.368 | EUR | 23.1168 | S | 1 | 12261 |
| Cabluri, adap | Roline | Cablu semnal monitor HQ M-HD15, 2m + ferrite | 4.9728 | EUR | 26.3088 | S | 1 | 12627 |
| Cabluri, adap | Roline | Cablu semnal monitor HQ M-HD15, 3m + ferrite | 6.1152 | EUR | 32.3568 | S | 1 | 12269 |
| Cabluri, adap | Roline | Cablu semnal monitor HQ M-HD15, 6m + ferrite | 8.96 | EUR | 47.4096 | CALL | 1 | 12268 |
| Cabluri, adap | Roline | Cablu semnal monitor HQ M-HD15, 20m + ferrite | 28.784 | EUR | 152.2976 | S | 1 | 12267 |
| Cabluri, adap | Roline | Cablu semnal monitor HQ M-HD15, 30m + ferrite | 41.216 | EUR | 218.0752 | C | 1 | 12266 |
| Cabluri, adap | Roline | Cablu semnal monitor HQ M-HD15, 50m + ferrite | 69.44 | EUR | 367.416 | 0 | 1 | 12265 |
| Cabluri, adap | Roline | Cablu prelungitor semnal monitor HQ M-HD15, 6m | 8.5232 | EUR | 45.1024 | 0 | 1 | 12262 |
| Cabluri, adap | Roline | Cablu prelungitor semnal monitor M-HD15, 6m | 9.1392 | EUR | 48.3616 | 0 | 1 | 12264 |
| Cabluri, adap | Roline | Cablu prelungitor semnal monitor M-HD15, 20m | 27.664 | EUR | 146.3728 | 0 | 1 | 12263 |
| Cabluri, adap | Oem | Cablu prelungitor semnal monitor 15/15, 3m | 1.5904 | EUR | 8.4112 | C | 1 | 7141 |
| Cabluri, adap | Oem | Cablu prelungitor semnal monitor 15/15 ferrite, 1.8m | 3.0688 | EUR | 16.24 | S | 1 | 1466 |
| Cabluri, adap | Oem | Cablu prelungitor semnal monitor 15/15, 1.8m | 1.3552 | EUR | 7.168 | S | 1 | 10777 |
| Cabluri, adap | Oem | Cablu prelungitor semnal monitor 15/15, 10m | 8.96 | EUR | 47.4096 | S | 1 | 6831 |
| Cabluri, adap | Oem | Cablu prelungitor semnal monitor 15/15, 15m | 8.2208 | EUR | 43.5008 | 0 | 1 | 19667 |
| Cabluri, adap | Roline | Adaptor DVI(F) to VGA(M) | 3.6512 | EUR | 19.32 | S | 1 | 12276 |
| Cabluri, adap | Roline | Adaptor DVI(M) to VGA(F) | 3.416 | EUR | 18.0768 | S | 1 | 12275 |
| Cabluri, adap | Apple | Adaptor Micro DVI to DVI | 25.424 | EUR | 134.5232 | C | 1 | 13391 |
| Cabluri, adap | Roline | Cablu semnal monitor Display Port to HDMI (M-M), 2m | 14 | EUR | 74.0768 | C | 1 | 21768 |
| Cabluri, adap | Oem | Cablu semnal monitor DVI to DVI 1.8m | 6.5296 | EUR | 34.552 | S | 1 | 3550 |
| Cabluri, adap | Oem | Cablu semnal monitor DVI to DVI 10m | 14.224 | EUR | 75.264 | C | 1 | 6840 |
| Cabluri, adap | Value | Cablu semnal monitor DVI to DVI 10m, Value, 11.99.5595-10 | 24.192 | USD | 97.7648 | S | 1 | 24573 |
| Cabluri, adap | Roline | Cablu semnal monitor DVI to DVI Dual Link 10m, Roline, 11.04.5595-10 | 25.76 | EUR | 136.2928 | SL | 1 | 21942 |
| Cabluri, adap | Roline | Cablu semnal monitor DVI to DVI Single Link 5m | 12.208 | EUR | 64.5904 | 0 | 1 | 19826 |
| Cabluri, adap | Roline | Cablu semnal monitor DVI to HDMI (M-M), 5m | 14 | EUR | 74.0768 | S | 1 | 12270 |
| Cabluri, adap | Roline | Cablu semnal monitor HDMI to HDMI (M-M), 10m | 12.768 | EUR | 67.5584 | 0 | 1 | 26709 |
| Cabluri, adap | Roline | Cablu semnal monitor HDMI to HDMI (M-M), 3m | 9.8784 | EUR | 52.2704 | SL | 1 | 12271 |
| Cabluri, adap | Roline | Cablu semnal monitor VGA + Audio, 6m | 16.464 | EUR | 87.1136 | 0 | 1 | 12277 |
| Cabluri, adap | Roline | Cablu semnal monitor VGA + Audio, 10m | 24.416 | EUR | 129.192 | 0 | 1 | 12278 |
| Cabluri, adap | Oem | Splitter bricheta auto, 2 cai | 5.6 | EUR | 29.6352 | SL | 1 | 16522 |
| Cabluri, adap | Kworld | Splitter TV Kworld HDMI-321, HDMI-321, HDMI switch, HDMI v1.3a Protocol, HDCP v1.2 Protocol, Smart Input Selector, nu necesita alimentare suplimentara | 70.112 | USD | 283.3376 | 0 | 24 | 26647 |
| Cabluri, adap | Oem | Splitter VGA 4 Porturi, nu contine cabluri | 14.112 | EUR | 74.6704 | S | 12 | 7537 |
| Cabluri, adap | Oem | Splitter VGA 8 Porturi, nu contine cabluri | 18.704 | EUR | 98.9632 | S | 12 | 9002 |
| Cabluri, adap | Oem | Cablu alimentare VGA 6 pin | 0.8064 | USD | 3.2592 | S | 1 | 19086 |
| Cabluri, adap | Roline | Cablu eS-ATAII, 0.5m, Roline | 1.6464 | USD | 6.6528 | CALL | 1 | 12274 |
| Cabluri, adap | Akasa | Cablu eSATA-eSATA Akasa, eSATA-E18-BKV2 | 5.1296 | EUR | 27.1376 | 0 | 1 | 15087 |
| Cabluri, adap | Akasa | Cablu eSATA-eSATA Akasa, eSATA-E18-BL | 4.8832 | EUR | 25.8384 | 0 | 1 | 15086 |
| Cabluri, adap | Delock | Cablu eSATA - SATA 22 pini + power molex, Delock 84411 | 9.7888 | EUR | 51.7888 | S | 1 | 24001 |
| Cabluri, adap | Oem | Cablu FDD | 0.6048 | EUR | 3.2032 | S | 1 | 3371 |
| Cabluri, adap | Oem | Cablu IDE UDMA33 | 0.5824 | USD | 2.352 | S | 1 | 548 |
| Cabluri, adap | Oem | Cablu IDE UDMA66/100/133 round | 4.3232 | USD | 17.472 | C | 1 | 3370 |
| Cabluri, adap | Oem | Cablu IDE UDMA66/100/133 | 1.288 | USD | 5.208 | S | 1 | 549 |
| Cabluri, adap | Oem | Cablu S-ATA | 1.2544 | USD | 5.0736 | CALL | 1 | 7106 |
| Cabluri, adap | Roline | Adaptor IDE-/EIDE, pentru hdd notebook 2.5 | 3.4272 | USD | 13.8544 | S | 1 | 12281 |
| Cabluri, adap | Oem | Adaptor alimentare de la 20 la 24 de pini (Power Supply) | 1.4672 | USD | 5.9248 | S | 1 | 6426 |
| Cabluri, adap | Oem | Adaptor alimentare Y (5.25/3.5 - 2 X 5.25/3.5) | 0.56 | EUR | 2.968 | S | 1 | 1464 |
| Cabluri, adap | Roline | Adaptor alimentare Y (5.25/3.5 - 4 x 5.25/3.5) | 2.8 | USD | 11.312 | S | 1 | 12280 |
| Cabluri, adap | Oem | Adaptor alimentare Y (5.25/3.5 - 2 X S-ATA) | 1.2544 | USD | 5.0736 | S | 1 | 6420 |
| Cabluri, adap | Oem | Cablu AV, Jack - 2xRCA | 0.3136 | EUR | 1.6576 | S | 1 | 17205 |
| Cabluri, adap | Delock | Slotbracket Delock 65166, 2x internal SATA to 2x eSATA external | 3.0576 | EUR | 16.1728 | C | 1 | 23310 |
| Cabluri, adap | Delock | Controler PCI Express x1 Delock 89129, 2 porturi serial + 1 port paralel | 39.2 | EUR | 207.4128 | S | 12 | 21121 |
| Cabluri, adap | Oem | Controler LPT/Paralel, PCI | 9.1504 | USD | 36.9824 | S | 12 | 444 |
| Cabluri, adap | Oem | Controler serial RS-232, PCI, 2 Porturi | 9.5088 | USD | 38.4272 | S | 12 | 7211 |
| Cabluri, adap | Oem | Controler USB 2.0, PCI, 2 Porturi | 5.6 | USD | 22.6352 | 0 | 12 | 443 |
| Cabluri, adap | Konig | Controler USB 2.0 Konig CMP-USBCARD2HS, PCI, 4 Porturi | 5.5552 | EUR | 29.3888 | CALL | 12 | 21004 |
| Cabluri, adap | Delock | Controler PCI Express x1 Delock 89143, 1 port IDE (ATA) + 2 porturi SATA + 2 porturi eSATA, Raid 0,1 | 26.656 | EUR | 141.0416 | S | 12 | 21123 |
| Cabluri, adap | Delock | Controler PCI Express x1 Delock 89149, 1 port IDE (ATA) | 17.92 | EUR | 94.8192 | S | 12 | 21122 |
| Cabluri, adap | Delock | Controler PCI Delock 70154, 4 porturi SATA, Raid | 28.448 | EUR | 150.5168 | S | 12 | 20687 |
| Cabluri, adap | ST-Lab | Controler ST-LAB A-183 Serial ATA, PCI, 2-Port interne SATA + 2 porturi eSATA, Silicon Image 3512 | 18.816 | USD | 76.0368 | 0 | 12 | 20396 |
| Cabluri, adap | ST-Lab | Controler ST-LAB A-341 Serial ATA, PCI-e x1 to SATA II, 2 Porturi interemeintern + 2 porturi externe, Silicon Image 3132 | 20.72 | USD | 83.7312 | SL | 12 | 21539 |
| Cabluri, adap | Oem | Adaptor USB-Serial | 7.672 | USD | 31.0016 | S | 1 | 19332 |
| Cabluri, adap | Delock | Adaptor HDD 3.5" to 2.5", contine cablu IDE to EIDE | 5.1744 | EUR | 27.3728 | S | 1 | 20839 |
| Cabluri, adap | Oem | Asaptor PS2 (tata) - USB (mama), USBF6M-KB | 1.6688 | USD | 6.7424 | S | 1 | 25932 |
| Cabluri, adap | Delock | Adaptor USB micro-B male to mini USB 5pin, cod 65063 | 2.8224 | EUR | 14.9296 | S | 1 | 25760 |
| Cabluri, adap | Roline | Adaptor USB-2xPS2 Roline 12.02.1076-50 | 4.648 | USD | 18.7824 | 0 | 12 | 19318 |
| Cabluri, adap | Value | Adaptor USB-2xPS2 Roline 12.99.1075-50 | 3.9312 | USD | 15.8816 | S | 12 | 23742 |
| Cabluri, adap | Well | Antena radio/tv Well ANT 100-KN, pentru interior, amplificator incorporat, interval de frecventa 40-860 MHz, Impedanta 75? | 14.672 | EUR | 77.6272 | S | 12 | 21002 |
| Cabluri, adap | Well | Antena radio/tv Well ANT 102-KN, pentru interior, amplificator incorporat | 12.32 | EUR | 65.184 | S | 12 | 21003 |
| Cabluri, adap | Edimax | KVM Cable Edimax EK-C18C, 1.8 m, pentru EK-08RC ,EK-16RC | 7.4032 | USD | 29.9152 | C | 1 | 24640 |
| Cabluri, adap | Edimax | KVM Cable Edimax EK-C30C, 3 m, pentru EK-08RC ,EK-16RC | 11.648 | USD | 47.0736 | C | 1 | 24641 |
| Cabluri, adap | Roline | KVM Cable Roline, Extensie PSII + VGA + Power | 6.776 | USD | 27.384 | C | 1 | 12257 |
| Cabluri, adap | Roline | KVM Cable Roline, Extensie PSII + VGA | 6.328 | USD | 25.5696 | 0 | 1 | 12251 |

| | | | | | | | | |
|--------------------------|------------|---|---------|-----|----------|---------|----|-------|
| Cabluri, adap | Roline | KVM Cable Roline, PSII + VGA, 1.8m | 6.328 | USD | 25.5696 | C | 1 | 12256 |
| Cabluri, adap | Roline | KVM Cable Roline, PSII + VGA, 3m | 8.792 | USD | 35.5264 | C | 1 | 12255 |
| Cabluri, adap | D-Link | KVM Cable D-Link, PSII + VGA, 2m, DKVM-CB | 6.5744 | EUR | 34.7872 | C | 1 | 5772 |
| Cabluri, adap | Edimax | KVM Switch Edimax EK-16RC 16 Ports Combo USB/PS2, VGA, Rackmount KVM Switch with OSD, nu contine cabluri | 338.912 | USD | 1369.603 | C | 24 | 24639 |
| Cabluri, adap | Edimax | KVM Switch Edimax EK-2PAK 2 Ports PS2, VGA, 2 Ports Audio, 2x1.8M Cable | 33.6 | USD | 135.7776 | C | 24 | 10161 |
| Cabluri, adap | Edimax | KVM Switch Edimax EK-2PSK 2 Ports PS2, VGA, 2x1.8M Cable | 27.104 | USD | 109.536 | S | 24 | 8761 |
| Cabluri, adap | Edimax | KVM Switch Edimax EK-PAC2C 2 Ports PS2, VGA, Mini KVM with Cables and Audio Support | 19.936 | USD | 80.5616 | C | 24 | 18080 |
| Cabluri, adap | Edimax | KVM Switch Edimax EK-UA2C 2 Ports USB, VGA, Mini KVM with Cables and Audio Support | 22.4 | USD | 90.5184 | C | 24 | 18081 |
| Cabluri, adap | Edimax | KVM Switch Edimax EK-4PSK 4 Ports PS2, VGA, 4x1.8M Cable | 47.824 | USD | 193.2672 | C | 24 | 5303 |
| Cabluri, adap | Edimax | KVM Switch Edimax EK-4PAK 4 Ports PS2, VGA, 4 Ports Audio, 4x1.8M Cable | 49.728 | USD | 200.9616 | C | 24 | 8985 |
| Cabluri, adap | Edimax | KVM Switch Edimax EK-08RC 8 Ports Combo USB/PS2, VGA, Rackmount KVM Switch with OSD, nu contine cabluri | 241.472 | USD | 975.8224 | C | 24 | 24638 |
| Cabluri, adap | D-Link | KVM Switch D-Link DKVM-2K, 2xPS2(Mouse), 2xPS2(Keyboard), 2xVGA, cabluri incluse | 24.976 | EUR | 132.1488 | S | 24 | 3743 |
| Cabluri, adap | D-Link | KVM Switch D-Link DKVM-2KU, 2xPS2(Mouse), 2xPS2(Keyboard), 2xVGA + USB Switch 2 porturi, cabluri incluse | 32.704 | EUR | 173.04 | C | 24 | 10182 |
| Cabluri, adap | D-Link | KVM Switch D-Link DKVM-4K, 4xPS2(Mouse), 4xPS2(Keyboard), 4xVGA, contine 2 cabluri | 36.4 | EUR | 192.5952 | C | 24 | 3765 |
| Cabluri, adap | D-Link | KVM Switch D-Link DKVM-4U, 4xVGA + USB switch 4 porturi, contine 2 cabluri | 44.352 | EUR | 234.6736 | C | 24 | 10741 |
| Cabluri, adap | D-Link | KVM Switch D-Link DKVM-8E, 8xPS2(Mouse), 8xPS2(Keyboard), 8xVGA | 230.832 | EUR | 1221.349 | C - LIM | 24 | 10740 |
| Cabluri, adap | D-Link | KVM Switch D-Link DKVM-16, 16xPS2(Mouse), 16xPS2(Keyboard), 16xVGA, 19 RackMountable, Kit Included | 353.696 | EUR | 1871.43 | C | 24 | 10739 |
| Cabluri, adap | Value | KVM Switch Value 14.99.3265-5, 1User - 2PCs, Audio, USB | 28.224 | USD | 114.0608 | 0 | 24 | 16243 |
| Cabluri, adap | Aten | KVM Extender ATEN CE250A L/R, 150m, PS/2 Mouse & Keyboard, 1280 x 1024 | 140 | EUR | 740.7568 | C | 24 | 18827 |
| Cabluri, adap | Aten | KVM Cable ATEN 2L-5002P/C, 1.8m, HD15 M&PS/2 M K/M to HD15F&PS/2 F K/M, Slim Cable | 3.8304 | EUR | 20.272 | C | 1 | 18828 |
| Cabluri, adap | Roline | Adaptor HDD USB 2.0 to SATA Roline 12.02.1054-10 | 18.48 | USD | 74.6816 | 0 | 12 | 22472 |
| Cabluri, adap | Roline | Adaptor HDD USB 2.0 to SATA/IDE Roline 12.02.1057-20 | 28.448 | USD | 114.968 | 0 | 12 | 22813 |
| Rack-uri HDD, DVD | | | | | | | | |
| Rack-uri HDD | ST-Lab | HDD Rack ST-Lab S-220, 3.5" S-ATA, e-SATA, Extern, Silver | 15.12 | USD | 61.1072 | S | 12 | 19014 |
| Rack-uri HDD | RPC | HDD Rack RPC-U2512, 2.5", Extern, USB 2.0 to S-ATA, Smooth Aluminum casing, Operates directly with USB power, Silver | 6.9888 | USD | 28.2464 | S | 12 | 18145 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech CobaNitrox S-2501 Creative, compatibil cu HDD 2.5" SATA, conectivitate USB, design "screwless", include cablu USB si protectie din piele sintetica, plug and play | 25.648 | USD | 103.6448 | SL | 12 | 26607 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech CobaNitrox S-2502 Carbon, compatibil cu HDD 2.5" SATA, conectivitate USB, design "screwless", include cablu USB si protectie din piele sintetica, plug and play | 25.648 | USD | 103.6448 | SL | 12 | 22178 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech CobaNitrox S-2503 Curled Maple, compatibil cu HDD 2.5" SATA, conectivitate USB, design "screwless", include cablu USB si protectie din piele sintetica, plug and play | 25.648 | USD | 103.6448 | S | 12 | 26608 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech SinanPower L-2500, Black eSATA, compatibil cu HDD 2.5" SATA, conectivitate eSATA/USB, constructie din aluminiu, include cablu USB/eSATA si etui, plug and play | 17.472 | USD | 70.6048 | 0 | 12 | 22177 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech SinanPower L-2500 Orange, compatibil cu HDD 2.5" SATA, conectivitate USB, constructie din aluminiu, include cablu USB si etui, plug and play | 11.648 | USD | 47.0736 | SL | 12 | 24394 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech SinanPower L-2500 Red, compatibil cu HDD 2.5" SATA, conectivitate USB, constructie din aluminiu, include cablu USB si etui, plug and play | 11.648 | USD | 47.0736 | SL | 12 | 26599 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech SinanPower L-2500 Blue, compatibil cu HDD 2.5" SATA, conectivitate USB, constructie din aluminiu, include cablu USB si etui, plug and play | 11.648 | USD | 47.0736 | SL | 12 | 25981 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech SinanPower X-25 USB 3.0, compatibil cu HDD 2.5" SATA, conectivitate USB 3.0, constructie din aluminiu, include cablu USB 3.0, plug and play, compatibil si cu USB 2.0, alimentare prin cablul USB 3.0 | 25.648 | USD | 103.6448 | SL | 12 | 26605 |
| Rack-uri HDD | Synology | HDD Rack Synology iUSB2, rack extern pentru HDD 2.5", Aplicatie Backup inclusa, Cooler silentios, conectare USB, compatibil cu toate NAS Synology | 38.64 | USD | 156.1504 | 0 | 24 | 26829 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech SinanPower G-3500 Black, eSATA, compatibil cu HDD 3.5" SATA, conectivitate eSATA/USB, constructie din aluminiu, include cablu USB/eSATA, plug and play | 28 | USD | 113.1536 | S | 12 | 26600 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech SinanPower G-3500 Blue, compatibil cu HDD 3.5" SATA, conectivitate USB, constructie din aluminiu, include cablu USB, plug and play | 22.736 | USD | 91.8848 | S | 12 | 26601 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech SinanPower G-3500 Orange, compatibil cu HDD 3.5" SATA, conectivitate USB, constructie din aluminiu, include cablu USB, plug and play | 22.736 | USD | 91.8848 | S | 12 | 26602 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech SinanPower G-3500 Red, compatibil cu HDD 3.5" SATA, conectivitate USB, constructie din aluminiu, include cablu USB, plug and play | 22.736 | USD | 91.8848 | S | 12 | 26603 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech SinanPower G-3500 Silver, compatibil cu HDD 3.5" SATA, conectivitate USB, constructie din aluminiu, include cablu USB, plug and play | 22.736 | USD | 91.8848 | S | 12 | 26604 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech SinanPower X-35 USB 3.0, compatibil cu HDD 3.5" SATA, conectivitate USB 3.0, constructie din aluminiu, include cablu USB 3.0, plug and play, compatibil si cu USB 2.0 | 37.296 | USD | 150.7184 | S | 12 | 26606 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech Novita S35, compatibil cu HDD 3.5" SATA, conectivitate USB, constructie din aluminiu, include cablu USB si suport pentru pozitionare verticala, plug and play | 23.296 | USD | 94.1472 | 0 | 12 | 22250 |
| Rack-uri HDD | Synology | HDD Rack Synology DS1010+, NAS Office to Corporate Data Center, 3.5" SATA(II) X 5 or 2.5" SATA/SSD x5, USB 2.0 port X4, eSATA X 1, Max Capacity (Internal HDD): Up to 2 TB, Max Supported IP Camera: 20, RAID JBOD/0/1/5/6, CPU: Intel Atom D510, Dual Core 1.6GHz, RAM Size: 1 GB (64bit@DDR800) | 824.88 | USD | 3333.467 | 0 | 24 | 26826 |
| Rack-uri HDD | Synology | HDD Rack Synology DS110+, NAS Office to Corporate Data Center, 3.5" SATA(II) X1 or 2.5" SATA/SSD X1, USB 2.0 port X3, eSATA x 1, LAN: 1X Gigabit, Max Capacity (Internal HDD): Up to 2 TB, Max Supported IP Camera: 12, CPU: 1.06 GHz, 64bit@DDR533, RAM Size: DDR2 512MB | 327.264 | USD | 1322.53 | 0 | 24 | 26819 |
| Rack-uri HDD | Synology | HDD Rack Synology DS110J, NAS Home to Small Office, CPU 800MHz, RAM 128MB, 3.5" SATA(II) X1 or 2.5" SATA/SSD x1, USB 2.0 port X3, Max Capacity (Internal HDD): Up to 2 TB, 1 x Gigabit | 150.08 | USD | 606.5024 | 0 | 24 | 26814 |
| Rack-uri HDD | Synology | HDD Rack Synology DS209, NAS Home to Corporate Workgroup, 3.5" SATA(II) X 2, USB 2.0 port X3, Max Capacity (Internal HDD): Up to 1.5 TB, Max Supported IP Camera: 5, RAID JBOD/0/1 | 295.456 | USD | 1193.987 | 0 | 24 | 26817 |
| Rack-uri HDD | Synology | HDD Rack Synology DS210+, NAS Office to Corporate Data Center, 3.5" SATA(II) X 2 or 2.5" SATA/SSD X 2, USB 2.0 port X3, eSATA x 1, LAN: 1X Gigabit, Max Capacity (Internal HDD): Up to 4 TB(2x2TB), Max Supported IP Camera: 12, RAID JBOD/0/1, CPU: 1.06 GHz, 64bit@DDR533, RAM Size: DDR2 512MB | 390.768 | USD | 1579.155 | 0 | 24 | 26820 |
| Rack-uri HDD | Synology | HDD Rack Synology DS210J, NAS Home to Small Office, CPU 800MHz, RAM 128MB, 3.5" SATA(II) X 2 or 2.5" SATA/SSD x 2, USB 2.0 port X3, Max Capacity (Internal HDD): Up to 4 TB, RAID JBOD/0/1/5/6 | 210.784 | USD | 851.816 | C | 24 | 26815 |
| Rack-uri HDD | Synology | HDD Rack Synology DS410, NAS Home to Corporate Workgroup, 3.5" SATA(II) X 4, USB 2.0 port X2, eSATA X 1, Max Capacity (Internal HDD): 8TB (4X 2TB), Max Supported IP Camera: 12, RAID JBOD/0/1/5/6/10 | 512.512 | USD | 2071.138 | 0 | 24 | 26818 |

| | | | | | | | | |
|--------------|-------------|--|---------|-----|----------|----|----|-------|
| Rack-uri HDD | Synology | HDD Rack Synology DS410+, NAS Office to Corporate Data Center, 4X 3.5" SATA(II) or 4X 2.5" SATA/SSD, USB 2.0 port X2, eSATA X 1, LAN: 1X Gigabit, Max Capacity (Internal HDD): Up to 8TB(4x2TB), Max Supported IP Camera: 20, RAID JBOD/0/1/5/6/10/5+Spare, CPU: Intel Atom D510, Dual Core 1.67 GHz, RAM Size: DDR2 1 GB (64bit@DDR800) | 640.64 | USD | 2588.925 | 0 | 24 | 26822 |
| Rack-uri HDD | Synology | HDD Rack Synology DS410J, NAS Home to Small Office, CPU 800MHz, RAM 128 MB, 4X 3.5b SATA or 4X 2.5b SATA/SSD, USB 2.0 port X2, 1x Gigabit, RAID JBOD/0/1/5/6 | 328.272 | USD | 1326.595 | C | 24 | 26816 |
| Rack-uri HDD | Synology | HDD Rack Synology DS411+, NAS Office to Corporate Data Center, 4X 3.5" SATA(II) or 4X 2.5" SATA/SSD, USB 2.0 port X2, eSATA X 1, LAN: 1X Gigabit, Max Capacity (Internal HDD): Up to 8TB(4x2TB), Max Supported IP Camera: 20, RAID JBOD/0/1/5/6/10/5+Spare, CPU: Intel Atom D510, Dual Core 1.67 GHz, RAM Size: DDR2 1 GB (64bit@DDR800) | 640.64 | USD | 2588.925 | 0 | 24 | 26821 |
| Rack-uri HDD | Synology | HDD Rack Synology DS710+, NAS Office to Corporate Data Center, 3.5" SATA(II) X 2 or 2.5" SATA/SSD x2, USB 2.0 port X3, eSATA X 1, Max Capacity (Internal HDD): Up to 2 TB, Max Supported IP Camera: 16, RAID JBOD/0/1, CPU: Intel Atom " D410, Single Core 1.6GHz, RAM Size: 1 GB (64bit@DDR800) | 502.992 | USD | 2032.666 | 0 | 24 | 26824 |
| Rack-uri HDD | Synology | HDD Rack Synology DX510, NAS Office to Corporate Data Center, 3.5" SATA(II) X 5, eSATA X 1, RAID JBOD/0/1/5/6/10, expansiune pana la 10 hdd, solutie de back-up, COMPATIBIL NUMAI CU DS1010+, conectare cu DS1010+ prin eSATA | 473.312 | USD | 1912.725 | 0 | 24 | 26823 |
| Rack-uri HDD | Synology | HDD Rack Synology RS810+, NAS RackStation, 3.5" SATA(II) X 4 or 2.5" SATA/SSD x4, USB 2.0 port X2, eSATA X 1, Max Capacity (Internal HDD): Up to 2 TB, LAN: 2X Gigabit, Max Supported IP Camera: 20, RAID JBOD/0/1/5/6/10, CPU: Intel Atom D510, Single Core 1.6GHz, RAM Size: 1 GB (64bit@DDR800) | 1237.82 | USD | 5002.245 | C | 24 | 26827 |
| Rack-uri HDD | Synology | HDD Rack Synology RS810RP+, NAS RackStation, 3.5" SATA(II) X 4 or 2.5" SATA/SSD x4, USB 2.0 port X2, eSATA X 1, Max Capacity (Internal HDD): Up to 2 TB, LAN: 2X Gigabit, Max Supported IP Camera: 20, RAID JBOD/0/1/5/6/10, CPU: Intel Atom D510, Single Core 1.6GHz, RAM Size: 1 GB (64bit@DDR800), redundant power supply | 1640.24 | USD | 6628.474 | C | 24 | 26828 |
| Rack-uri HDD | Synology | HDD Rack Synology RX410, NAS Office to Corporate Data Center, 3.5" SATA(II) X 4 or 2.5" SATA(II) X 4, eSATA X 1, RAID JBOD/0/1/5/6/10, solutie de back-up, COMPATIBIL NUMAI CU RS810+/RS810RP+, conectare cu RS810+/RS810RP+ prin eSATA | 560.224 | USD | 2263.957 | 0 | 24 | 26825 |
| Rack-uri HDD | Synology | Synology 2.5" Disk Holder Type A, compatibil DS109+, DS109, DS109j | 6.888 | USD | 27.832 | 0 | 1 | 26830 |
| Rack-uri HDD | Synology | Synology 2.5" Disk Holder Type B, compatibil DS409+ (S/N: **F8N****), DS209-II (S/N: **G3N****), DS209+, DS209 (S/N: **F6N****), DS209j | 6.888 | USD | 27.832 | 0 | 1 | 26831 |
| Rack-uri HDD | Synology | Synology 2.5" Disk Holder Type C, compatibil DS209-II (S/N: **GCN****), DS209 (S/N: **G4N****), DS109+, DS109, DS109j, DS210j | 6.888 | USD | 27.832 | C | 1 | 26832 |
| Rack-uri HDD | Synology | Synology Modul RAM 1GB compatibil cu DS1010+ | 71.456 | USD | 288.7696 | C | 12 | 26834 |
| Rack-uri HDD | Synology | Synology Modul RAM 2GB compatibil cu DS1010+ | 133.728 | USD | 540.4112 | C | 12 | 26835 |
| Rack-uri HDD | Synology | Synology Remote, compatibil cu CS-406, CS-406e, CS407, CS407e, DS-106, DS-106e, DS-106j, DS107, DS107+, DS107e, DS108j, DS109, DS109+, DS109j, DS207, DS207+, DS209, DS209+, DS209-II, DS209j, DS210j, DS408, DS409, DS409+, DS409sim, DS410j, DS508, DS509+, RS-406, RS407, RS408, RS408-RP, RS409, RS409+, RS409RP+ | 40.208 | USD | 162.4896 | 0 | 1 | 26833 |
| Rack-uri HDD | Inter-Tech | HDD Rack Inter-Tech SinanPower V-201, pentu bay-urile de 5.25", compatibil cu HDD 3.5" SATA, conectivitate SATA | 15.12 | USD | 61.1072 | SL | 12 | 22179 |
| Rack-uri HDD | Asus | HDD Rack Asus BS-F322 2.5" S-ATA, USB2.0, Inoxidabil & Acrylic, Alb | 8.0864 | USD | 32.6816 | S | 12 | 18396 |
| Rack-uri HDD | Asus | HDD Rack Asus BS-F352 2.5" S-ATA, USB2.0, Inoxidabil & Acrylic, Roz | 7.5488 | USD | 30.5088 | S | 12 | 18397 |
| Rack-uri HDD | Asus | HDD Rack Asus BS-F442 2.5" S-ATA, USB2.0, Aluminiu, Rosu | 8.512 | USD | 34.3952 | C | 12 | 18399 |
| Rack-uri HDD | RaidSonic | HDD Rack RaidSonic Icy Box IB-250SIUE-B, 2.5", S-ATA, USB2.0, FireWire, Aluminium Case, Leatherette bag, Black | 35.84 | USD | 144.8384 | C | 24 | 24691 |
| Rack-uri HDD | Chiefftec | HDD Rack 2.5" Chiefftec IDE HDD Enclosure, USB2.0, Aluminium & Plastic case, CEB-25I | 14.224 | USD | 57.4784 | SL | 24 | 20590 |
| Rack-uri HDD | Chiefftec | HDD Rack 2.5" Chiefftec SATA HDD Enclosure, USB2.0, LEATHER case, CEB-25LB-S | 22.512 | USD | 90.9776 | S | 24 | 20591 |
| Rack-uri HDD | Chiefftec | HDD Rack 2.5" Chiefftec SATA HDD Enclosure, USB2.0, eSATA, Aluminium & Plastic case, CEB-25S | 23.968 | USD | 96.8576 | S | 24 | 20592 |
| Rack-uri HDD | Spire | HDD Rack 3.5", Spire SATA, USB 2.0, eSATA, Extern, maximum 1.5 TB, Aluminiu case, SP166SE-SL | 23.296 | USD | 94.1472 | 0 | 24 | 24462 |
| Rack-uri HDD | Chiefftec | HDD Rack 3.5" Chiefftec SATA HDD Enclosure, USB2.0, eSATA, Aluminium & Plastic case, external AC adaptor, CEB-35S | 36.736 | USD | 148.456 | C | 24 | 20593 |
| Rack-uri HDD | Antec | HDD Rack 2.5" Extern USB 2.0 to S-ATA, USB, eSATA, Antec, suporta hdd 2.5" pana la 500GB, MX-25 | 25.872 | EUR | 136.8864 | 0 | 12 | 26055 |
| Rack-uri HDD | Antec | HDD Rack 3.5" Extern USB 2.0 to S-ATA, eSATA, Antec, MX-1 EC | 44.464 | EUR | 235.2672 | 0 | 12 | 9970 |
| Rack-uri HDD | Antec | HDD Rack 3.5" Extern USB 2.0 to S-ATA, USB, Antec, suporta hdd pana la 1TB, cablu USB si adaptor AC include, MX-100 EC | 26.992 | EUR | 142.8224 | 0 | 12 | 26054 |
| Rack-uri HDD | Thermaltake | HDD Rack 2.5" + 3.5" Thermaltake ST0001E Black A eSATA/USBHDD Docking Station, compatibilitate: hard disk-uri SATA, interfețe: eSATA si USB 2.0, cabluri incluse: 1x eSATA / 1x USB, capabilitati hot-swap | 36.064 | EUR | 190.8144 | 0 | 12 | 22561 |
| Rack-uri HDD | Vantec | HDD Rack 3.5" Vantec Nexstar 3 NST-360LS-BK, rack extern pentru HDD 3.5", USB2.0, IDE to USB 2.0 & Ethernet port (RJ45), permite conexiunea directa la retea fara server, adresa IP sau protocol, carcasa din aluminiu, mirror finish, black | 60.368 | EUR | 319.4128 | S | 12 | 19047 |
| Rack-uri HDD | Vantec | HDD Rack 3.5" Vantec Nexstar CX NST-300SU-BK, Extern USB2.0, SATA to eSATA& USB 2.0, carcasa din aluminiu, Plug NPlay, negru | 30.24 | EUR | 160.0032 | C | 12 | 17093 |
| Rack-uri HDD | Vantec | HDD Rack 3.5" Vantec Nexstar 3 NST-360U2-OTB, Extern USB2.0, IDE to USB 2.0, carcasa din aluminiu, negru | 25.648 | EUR | 135.7104 | C | 12 | 17092 |
| Rack-uri HDD | Vantec | HDD Rack 3.5" Vantec Nexstar 3 NST-380S3-BK, Extern, suporta HDD up to 2TB, USB3.0 (compatibil si cu USB2.0 si USB1.1), SATA I/II to USB 3.0, carcasa din aluminiu, mirror finish, culoare negru | 51.072 | EUR | 270.2224 | S | 12 | 25159 |
| Rack-uri HDD | Vantec | ODD Rack 5.25" Vantec Nexstar DX NST-530S2, Extern de 5.25" pentru CD-ROM, CD-RW, DVD-ROM, DVD-RW, USB2.0, carcasa din aluminiu, SATA to USB 2.0 | 31.584 | EUR | 167.1152 | 0 | 12 | 17091 |
| Rack-uri HDD | Enermax | HDD Rack Enermax Jazz EB207, 2.5", SATA I & II, Extern, USB 2.0, Instalare fara suruburi a HDD-ului, Aluminiu si otel, Negru | 17.584 | EUR | 93.0384 | 0 | 12 | 18353 |
| Rack-uri HDD | In Win | HDD Rack in Win Ammo IW-AMMO, 2.5", SATA II, Extern, USB 2.0, Negru | 25.312 | EUR | 133.9296 | S | 12 | 23366 |
| Rack-uri HDD | Edimax | HDD Rack Edimax NS-2502, 2 x 3.5 SATA, Raid 0, 1, Gigabit Lan, Server FTP, Client bit-torrent | 135.072 | EUR | 714.672 | 0 | 12 | 24658 |
| Rack-uri HDD | D-Link | HDD Rack D-Link DNS-343, Sertar pentru stocare retea cu 4 bay SATA | 487.088 | EUR | 2577.221 | C | 24 | 25698 |
| Rack-uri HDD | Scythe | Cutie Absorbție Vibratii+Zgomot Scythe | 25.424 | EUR | 134.5232 | 0 | 12 | 9961 |
| Tools | | | | | | | | |
| Tools | Pros Kit | Tester Alcool Digital Well ALCTEST01W, senzor bazat pe tehnologia senzorialor de gaze semiconductori, functie termometru, alarma, timer | 12.88 | EUR | 68.152 | S | 12 | 20945 |
| Tools | Pros Kit | Tools Pros Kit 1PK-202A surubelnita cu clicket, contine 17piese, tubulare 5,6,7,8,9,10mm, bit (drept 4,5,6mm),(cruce Nr.1,Nr.2),(stea Nr.1,Nr.2),(hexagonale T10,T15,T20) | 5.936 | EUR | 31.4048 | S | 12 | 20974 |
| Tools | Pros Kit | Tools Pros Kit PK-2086B Basic Electrical Kit | 17.92 | EUR | 94.8192 | S | 12 | 20992 |
| Tools | Pros Kit | Tools Pros Kit 1PK-710KB Basic Electronic Tool Kit | 66.304 | EUR | 350.8176 | S | 12 | 20976 |
| Tools | Pros Kit | Tools Pros Kit 1PK-813B Basic Electronic Tool Kit | 33.376 | EUR | 176.5904 | C | 12 | 20978 |
| Tools | Pros Kit | Tools Pros Kit 8PK-6182, set 8buc surubelnite pentru telefoane mobile | 5.5776 | EUR | 29.512 | C | 12 | 20988 |
| Tools | Pros Kit | Tools Pros Kit 1PK-810B Computer Service Tool Kit | 32.928 | EUR | 174.2272 | C | 12 | 20977 |
| Tools | Pros Kit | Tools Pros Kit 8PK-376FN, Cleste sertizare profesionala RJ11/RJ45 | 12.432 | EUR | 65.7776 | C | 12 | 20987 |
| Tools | Pros Kit | Tools Pros Kit CP-376TR, Cleste sertizare profesionala RJ11/RJ45 | 14.336 | EUR | 75.8576 | S | 12 | 24193 |
| Tools | Pros Kit | Tools Pros Kit PK-2076B Deluxe Tool Kit | 19.04 | EUR | 100.744 | S | 12 | 20990 |
| Tools | Pros Kit | Tools Pros Kit 8PK-2063, set 5buc surubelnite pentru electronisti | 2.7552 | EUR | 14.5824 | S | 12 | 20985 |

| | | | | | | | | |
|---------------------------|-----------|--|---------|-----|----------|----|----|-------|
| Tools | Pros Kit | Tools Pros Kit 8PK-2061, set 6buc surubelnite pentru electronisti | 2.8112 | EUR | 14.8736 | C | 12 | 20983 |
| Tools | Pros Kit | Tools Pros Kit 8PK-2062, set 6buc surubelnite pentru electronisti | 2.6544 | EUR | 14.0448 | C | 12 | 20984 |
| Tools | Pros Kit | Tools Pros Kit 1PK-700NB geanta scule Electronics Master Kit, | 105.056 | EUR | 555.856 | C | 12 | 20975 |
| Tools | Pros Kit | Tools Pros Kit 1PK-816N Hi-Insulated Tool Kit 100V, contine: Cleste cu bacuri laterale cu izolatie 6 inch, Cleste cu cioc lung cu izolatie 6 inch, Cleste combinat cu izolatie 6 inch, 7 surubelnite cu izolatie (phili) | 22.624 | EUR | 119.7056 | S | 12 | 20979 |
| Tools | Pros Kit | Tools Pros Kit 8PK-024, set chei hexagonale 1.5/2/2.5/3/4/5/6/8/10mm | 4.4352 | EUR | 23.464 | C | 12 | 20982 |
| Tools | Pros Kit | Tools Pros Kit PK-2078 Maintenance Plier, set 5buc | 15.344 | EUR | 81.1888 | S | 12 | 20991 |
| Tools | Pros Kit | Tools Pros Kit PA-101 Micro Cutting Plier (130 mm) | 3.5616 | EUR | 18.8496 | S | 12 | 20989 |
| Tools | Pros Kit | Tools Pros Kit PK-2091M Multi Purpose Tool Kit | 22.176 | EUR | 117.3312 | C | 12 | 20994 |
| Tools | Pros Kit | Tools Pros Kit 1PK-818B Net-Work Maintenance Kit | 82.768 | EUR | 437.9312 | C | 12 | 20980 |
| Tools | Pros Kit | Tools Pros Kit PK-2088B PC Service Kit | 42.56 | EUR | 225.1872 | C | 12 | 20993 |
| Tools | Pros Kit | Tools Pros Kit 1PK-900NB, trusa profesionala de scule electronic tool kit | 129.248 | EUR | 683.8608 | C | 12 | 20981 |
| Tools | Pros Kit | Tools Pros Kit SD-9312, maner cu clicket + set 12 bit de precizie | 7.6384 | EUR | 40.4208 | C | 12 | 20999 |
| Tools | Pros Kit | Tools Pros Kit SD-2309, maner cu clicket + set 40 bit si chei tubulare | 15.12 | EUR | 80.0016 | C | 12 | 20998 |
| Tools | Pros Kit | Tools Pros Kit SD-205 set bituri, 62 buc | 12.768 | EUR | 67.5584 | C | 12 | 20996 |
| Tools | Pros Kit | Tools Pros Kit SD-2301, set 6 surubelnite | 7.1008 | EUR | 37.576 | C | 12 | 20997 |
| Tools | Pros Kit | Set surubelnite precizie Pros Kit SD-3102, 6pcs star T4-T9 | 3.6848 | EUR | 19.4992 | 0 | 1 | 18992 |
| Tools | Pros Kit | Tools Pros Kit 8PK-227, set 40buc chei tubulare si bit + surubelnita cu clicket | 30.8 | EUR | 162.96 | S | 12 | 20986 |
| Tools | Pros Kit | Tools Pros Kit TK01-W, trusa de scule 18 buc | 11.0432 | EUR | 58.4304 | SL | 12 | 21000 |
| Tools | Pros Kit | Tools Pros Kit 1PK-066N dezizolator/cutter cablu, construit din otel, deizoleaza 26-14AWG | 5.8352 | EUR | 30.8784 | C | 12 | 20973 |
| Console | | | | | | | | |
| Console | Nintendo | Consola Nintendo Wii Black Sports Resort Pak (contine Sports Pack + Wii Sports Resort = 17 jocuri si accesoriu Wii Motion Plus!) | 204.736 | EUR | 1083.275 | C | 24 | 24004 |
| Console | Nintendo | Consola Nintendo Wii White Sports Resort Pak (contine Sports Pack + Wii Sports Resort = 17 jocuri si accesoriu Wii Motion Plus!) | 193.088 | EUR | 1021.642 | C | 24 | 24003 |
| Console | Sony | Consola Sony PlayStation 2 Black, SCPH-90004CB | 90.384 | EUR | 478.2288 | 0 | 12 | 21931 |
| Console | Sony | Consola Sony PlayStation 3 Slim, 120GB, Black | 266.672 | EUR | 1410.987 | 0 | 24 | 20778 |
| Console | Sony | Consola Sony PlayStation 3, 250GB, Black, contine jocul Tekken 6 | PROMO | EUR | 1591.285 | SL | 24 | 22037 |
| Console | Sony | Consola Sony PlayStation Portable White PSP Base Pack 3004 White, 4.3" (480x272), Wireless, slot Memory Stick Pro Duo, PSP-3004PW | 149.632 | EUR | 791.7168 | 0 | 12 | 21523 |
| Accesorii console | | | | | | | | |
| Accesorii con | Nintendo | Wii AC Adapter | 21.952 | EUR | 116.1552 | C | 24 | 24723 |
| Accesorii con | Nintendo | Wii Classic Controller Black | 27.44 | EUR | 145.1856 | 0 | 24 | 24722 |
| Accesorii con | Nintendo | Wii Motion Plus | 21.952 | EUR | 116.1552 | 0 | 24 | 24010 |
| Accesorii con | Nintendo | Nintendo Wii- Nunchuk Controller Black | 21.952 | EUR | 116.1552 | C | 24 | 24005 |
| Accesorii con | Nintendo | Nintendo Wii- Nunchuk Controller White | 21.952 | EUR | 116.1552 | C | 24 | 24006 |
| Accesorii con | Nintendo | Wii Play (contine Remote + colectie de 12 jocuri pentru Wii) | 45.696 | EUR | 241.7856 | C | 24 | 24011 |
| Accesorii con | Nintendo | Pachet Wii Black Remote Controller + Black Wii Motion Plus | 51.184 | EUR | 270.816 | C | 24 | 24007 |
| Accesorii con | Nintendo | Wii Classic controller | 27.44 | EUR | 145.1856 | 0 | 12 | 10627 |
| Accesorii con | Nintendo | Wii Fit Plus - contine placa si noul soft | 109.312 | EUR | 578.3792 | C | 12 | 22159 |
| Accesorii con | Nintendo | Wii Remote controller | 34.72 | EUR | 183.7024 | C | 12 | 10626 |
| Accesorii con | Nintendo | Wii Zapper | 25.536 | EUR | 135.1168 | 0 | 12 | 19029 |
| Accesorii con | Nintendo | Canyon Players Kit (15-in-1) for Wii | 21.168 | USD | 85.5456 | 0 | 12 | 20448 |
| Accesorii con | Datel | Memory Card Datel PS2 Card 64MB | 28.112 | EUR | 148.7472 | C | 12 | 18871 |
| Accesorii con | Sony | Memory Card Sony PS2 Card 8MB | 18.704 | EUR | 98.9632 | C | 12 | 16596 |
| Accesorii con | Sony | Controller Wireless Dualshock3 PS3 | 46.592 | EUR | 246.5232 | C | 12 | 22860 |
| Accesorii con | Microsoft | Microsoft Xbox 360 Rechargeable Battery Pack | 12.208 | EUR | 64.5904 | SL | 24 | 9450 |
| Accesorii con | Microsoft | Microsoft Xbox 360 Play And Charge Kit | 16.24 | EUR | 85.9264 | 0 | 24 | 9452 |
| Accesorii con | Microsoft | Microsoft Xbox 360 Quick Charge Kit | 24.304 | EUR | 128.5984 | 0 | 24 | 9453 |
| Accesorii con | Microsoft | Microsoft Xbox 360 / PC Common Controller, USB | 31.808 | EUR | 168.3024 | C | 12 | 14919 |
| Accesorii con | Microsoft | Microsoft Xbox 360 Telecomanda Universala | 24.304 | EUR | 128.5984 | 0 | 24 | 9085 |
| Accesorii con | Microsoft | Microsoft Xbox 360 / PC Common Controller Black, USB | 43.68 | EUR | 231.112 | C | 12 | 24770 |
| Accesorii con | Microsoft | Microsoft Xbox 360 Component HD AV Cable | 23.856 | EUR | 126.224 | 0 | 24 | 9451 |
| Accesorii con | Microsoft | Microsoft Xbox 360 VGA HDMI AV Cable | 23.296 | EUR | 123.256 | 0 | 12 | 14916 |
| Accesorii con | Microsoft | Microsoft Xbox 360 VGA HD AV Cable | 24.304 | EUR | 128.5984 | 0 | 24 | 9448 |
| Accesorii con | Microsoft | Microsoft Xbox 360 Memory Unit 64Mb | 21.28 | EUR | 112.5936 | SL | 24 | 9445 |
| Accesorii con | Microsoft | Microsoft Xbox 360 Wireless Controller B4F-00016 | 37.968 | EUR | 200.8944 | C | 24 | 9446 |
| Sisteme de operare | | | | | | | | |
| Sisteme de o | Microsoft | MS Windows XP Professional, Get Genuine Kit, SP2, English, 1 Pack, OEM, Kit de 1 cheie licenta pentru intrare in legalitate. | 195.104 | USD | 788.4464 | S | 1 | 17228 |
| Sisteme de o | Microsoft | MS Windows 7 Home Premium 32bit OEM, English, 1pk, Se vinde doar cu un calculator complet asamblat. | 121.856 | USD | 492.4416 | S | 1 | 20661 |
| Sisteme de o | Microsoft | MS Windows 7 Home Premium 32bit OEM, Romanian, 1pk, Se vinde doar cu un calculator complet asamblat. | 126 | USD | 509.1856 | C | 1 | 22489 |
| Sisteme de o | Microsoft | MS Windows 7 Home Premium 64bit OEM, English, 1pk, Se vinde doar cu un calculator complet asamblat. | 121.856 | USD | 492.4416 | M | 1 | 20662 |
| Sisteme de o | Microsoft | MS Windows 7 Home Premium 64bit OEM, Romanian, 1pk, Se vinde doar cu un calculator complet asamblat. | 126 | USD | 509.1856 | 0 | 1 | 25714 |
| Sisteme de o | Microsoft | MS Windows 7 Home Premium, English DVD, 1pk, Retail | 152.544 | EUR | 807.128 | C | 1 | 25831 |
| Sisteme de o | Microsoft | MS Windows 7 Home Premium VUP DVD, English, 1pk, Retail | 92.064 | EUR | 487.1216 | C | 1 | 25832 |
| Sisteme de o | Microsoft | MS Windows 7 Home Premium, Romanian DVD, 1pk, Retail | 152.544 | EUR | 807.128 | C | 1 | 25833 |
| Sisteme de o | Microsoft | MS Windows 7 Home Premium VUP DVD, Romanian, 1pk, Retail | 92.064 | EUR | 487.1216 | 0 | 1 | 25834 |
| Sisteme de o | Microsoft | MS Windows 7 Professional 32/64biti, English, 1 pack, Retail version, DVD instalare inclus. | 207.76 | EUR | 1099.28 | 0 | 1 | 21921 |
| Sisteme de o | Microsoft | MS Windows 7 Professional 32/64bit edition GKG, English version, Licenta de intrare in legalitate pentru MS Windows 7 Professional, Nu contine disc de instalare. | 200.144 | USD | 808.8192 | S | 1 | 21924 |
| Sisteme de o | Microsoft | MS Windows 7 Pro 32bit OEM, English, 1pk, Se vinde doar cu un calculator complet asamblat. | 161.504 | USD | 652.6688 | S | 1 | 20663 |
| Sisteme de o | Microsoft | MS Windows 7 Pro 64bit OEM, English, 1pk, Se vinde doar cu un calculator complet asamblat. | 161.504 | USD | 652.6688 | S | 1 | 20664 |
| Sisteme de o | Microsoft | MS Windows 7 Professional VUP DVD, English, Retail | 139.664 | EUR | 738.976 | C | 1 | 25840 |
| Sisteme de o | Microsoft | MS Windows 7 Professional Romanian DVD, Retail | 207.76 | EUR | 1099.28 | C | 1 | 25841 |
| Sisteme de o | Microsoft | MS Windows 7 Professional VUP DVD, Romanian, Retail | 139.664 | EUR | 738.976 | 0 | 1 | 25842 |
| Sisteme de o | Microsoft | MS Windows 7 Ultimate 32bit OEM, English, 1pk, Se vinde doar cu un calculator complet asamblat. | 218.288 | USD | 882.1344 | SL | 1 | 20665 |

| | | | | | | | | |
|--------------------------|-----------|--|---------|-----|----------|---|---|-------|
| Sisteme de o | Microsoft | MS Windows 7 Ultimate 64bit OEM, English, 1pk, Se vinde doar cu un calculator complet asamblat. | 218.288 | USD | 882.1344 | 0 | 1 | 20666 |
| Sisteme de o | Microsoft | MS Windows 7 Ultimate English DVD, Retail | 246.848 | EUR | 1306.088 | 0 | 1 | 25843 |
| Sisteme de o | Microsoft | MS Windows 7 Ultimate VUP DVD, Romanian, Retail | 183.12 | EUR | 968.9008 | 0 | 1 | 25845 |
| Sisteme de o | Microsoft | MS Windows 7 WAU Windows 7 Home Premium to Pro 7 English UPG, Retail | 137.76 | EUR | 728.896 | 0 | 1 | 25835 |
| Sisteme de o | Microsoft | MS Windows 7 WAU Windows 7 Home Premium to Pro 7 Romanian UPG, Retail | 137.76 | EUR | 728.896 | 0 | 1 | 25836 |
| Sisteme de o | Microsoft | MS Windows 7 WAU Windows 7 Home Premium to Ultimate 7 English UPG, Retail | 145.376 | EUR | 769.1936 | 0 | 1 | 25838 |
| Sisteme de o | Microsoft | MS Windows 7 WAU Windows 7 Home Premium to Ultimate 7 Romanian UPG, Retail | 145.376 | EUR | 769.1936 | 0 | 1 | 25839 |
| Sisteme de o | Microsoft | MS Windows 7 Ultimate Romanian DVD, Retail | 246.848 | EUR | 1306.088 | 0 | 1 | 25844 |
| Sisteme de o | Microsoft | MS Windows 7 Ultimate, Version Upgrade Pack, English, Licenta de upgrade la Windows 7 Ultimate. | 188.272 | EUR | 996.1616 | 0 | 1 | 21929 |
| Sisteme de o | Microsoft | MS Windows Server 2008 Small Business Premium, English, DVD 5 Cit, Retail, T75-02411 | 1960.34 | EUR | 10372.3 | 0 | 1 | 25789 |
| Sisteme de o | Microsoft | MS Windows Server 2008 Standard R2, OEM, English, 64bit, 1-4 CPU, 5 clienti, 1 Pack - Poate fi livrat doar cu un Server complet asamblat. | 778.288 | USD | 3145.184 | C | 1 | 21772 |
| Sisteme de o | Microsoft | MS Windows Server 2008 CAL Remote Desktop Services, 1 user, OLPNL, 6VC-01161 | 100.24 | EUR | 530.376 | C | 1 | 24162 |
| Sisteme de o | Microsoft | MS Windows Server 2008 CAL License Only, OEM, English, 5 users, 1 Pack. | 145.04 | USD | 586.1296 | 0 | 1 | 13694 |
| Sisteme de o | Microsoft | MS Windows Server 2008 Standard SP2, OEM, English, 32bit, 1-4 CPU, 5 clienti, 1 Pack - Poate fi livrat doar cu un Server complet asamblat. | 773.472 | USD | 3125.73 | 0 | 1 | 20463 |
| Sisteme de o | Microsoft | MS Windows Server 2008 Web, OEM, English, 1-4 CPU, 1 Pack - Poate fi livrat doar cu un Server complet asamblat. | 404.208 | USD | 1633.464 | 0 | 1 | 19362 |
| Sisteme de o | Microsoft | MS Windows Server 2008 Small Business Standard, English, DVD 5 Cit, Retail, T72-02654 | 1124.14 | EUR | 5947.939 | 0 | 1 | 25790 |
| Sisteme de o | Microsoft | MS Windows Server 2008 Standard R2 64Bit, English, DVD 10 Cit, Retail, P73-04755 | 1239.06 | EUR | 6555.942 | 0 | 1 | 25791 |
| Sisteme de o | Microsoft | MS Windows Server 2008 Standard R2 64Bit, English, DVD 5 Cit, Retail, P73-04754 | 1050.67 | EUR | 5559.187 | 0 | 1 | 25792 |
| Sisteme de o | Microsoft | MS Windows Server 2008 Small Business CAL License Only, OEM, English, 5 users, 1 Pack | 870.464 | USD | 3517.685 | 0 | 1 | 19085 |
| Aplicatii desktop | | | | | | | | |
| Aplicatii desk | Microsoft | MS Office 2007 Standard Win32 Romanian CD (Word, Excel, PowerPoint, Outlook), Retail | 281.568 | EUR | 1489.802 | 0 | 1 | 25853 |
| Aplicatii desk | Microsoft | MS Office 2007 Standard Win32 VUP Romanian CD (Word, Excel, PowerPoint, Outlook), Retail | 168.896 | EUR | 893.6368 | 0 | 1 | 25852 |
| Aplicatii desk | Microsoft | MS Office 2007 Basic with Office Professional Trial (MLK), OEM, English, 1 Pack, fara CD, Poate fi livrat doar cu un PC complet asamblat. Compatibil cu Windows XP sau versiune ulterioara. | 208.656 | USD | 843.2144 | C | 1 | 7881 |
| Aplicatii desk | Microsoft | MS Office 2007 Basic with Office Professional Trial (MLK), OEM, Romanian, 1 Pack, fara CD, Poate fi livrat doar cu un PC complet asamblat. Compatibil cu Windows XP sau versiune ulterioara. | 208.656 | USD | 843.2144 | C | 1 | 10179 |
| Aplicatii desk | Microsoft | MS Office 2007 Home and Student (MLK), OEI, English, 1 Pack, fara CD, Poate fi livrat doar cu un PC complet asamblat. Compatibil cu Windows XP sau versiune ulterioara. Exclusiv pentru persoane fizice. | 131.264 | USD | 530.4544 | S | 1 | 8259 |
| Aplicatii desk | Microsoft | MS Office 2007 Professional, OEM, English, 1 Pack, fara CD. Poate fi livrat doar cu un PC complet asamblat. Compatibil cu Windows XP sau versiune ulterioara. | 347.312 | USD | 1403.539 | C | 1 | 8280 |
| Aplicatii desk | Microsoft | MS Office 2007 Professional, OEM, Romanian, 1 Pack, fara CD. Poate fi livrat doar cu un PC complet asamblat. Compatibil cu Windows XP sau versiune ulterioara. | 347.312 | USD | 1403.539 | 0 | 1 | 8923 |
| Aplicatii desk | Microsoft | MS Office 2007 Small Business with Office Professional Trial (MLK), OEM, English, 1 Pack, fara CD, Poate fi livrat doar cu un PC complet asamblat. Compatibil cu Windows XP sau versiune ulterioara. | 278.544 | USD | 1125.645 | S | 1 | 7882 |
| Aplicatii desk | Microsoft | MS Office 2007 Home and Student, Retail, Romanian, 1 Pack, cu CD, Poate fi livrat individual, se poate instala pe 3 calculatoare. Compatibil cu Windows XP sau versiune ulterioara. Exclusiv pentru persoane fizice. | 103.824 | EUR | 549.3376 | 0 | 1 | 9182 |
| Aplicatii desk | Microsoft | MS Office 2007 Professional ENG Retail 1 Pack - Poate fi livrat individual. Compatibil cu Windows XP sau versiune ulterioara. | 522.144 | EUR | 2762.704 | 0 | 1 | 9225 |
| Aplicatii desk | Microsoft | MS Office 2007 Professional RO Retail 1 Pack - Poate fi livrat individual. Compatibil cu Windows XP sau versiune ulterioara. | 361.872 | EUR | 1914.696 | 0 | 1 | 9226 |
| Aplicatii desk | Microsoft | MS Office 2007 Small Business RO Retail 1 Pack - Poate fi livrat individual. Compatibil cu Windows XP sau versiune ulterioara. | 325.696 | EUR | 1723.288 | 0 | 1 | 19849 |
| Aplicatii desk | Microsoft | MS Office 2007 Small Business ENG Retail 1 Pack - Poate fi livrat individual. Compatibil cu Windows XP sau versiune ulterioara. | 518 | EUR | 2740.774 | 0 | 1 | 9228 |
| Aplicatii desk | Microsoft | MS Office 2007 Win32 English DVD, Multi Lang Pack, Compatibil cu Windows XP sau versiune ulterioara, se vinde doar cu un calculator complet asamblat. | 223.44 | EUR | 1182.238 | C | 1 | 10959 |
| Aplicatii desk | Microsoft | MS Office 2007 Small Business Win32 Romanian VUP CD (Word, Excel, PowerPoint, Outlook with Business Contact Manager, Publisher), Retail, W87-01056 | 196.448 | EUR | 1039.427 | 0 | 1 | 25795 |
| Aplicatii desk | Microsoft | MS Office 2010 Home and Business (PKC), PC Attach Key, English, 1 Pack, OEM cu caracteristica de RETAIL. Poate fi livrat si fara calculator. | 182.56 | EUR | 965.944 | S | 1 | 23501 |
| Aplicatii desk | Microsoft | MS Office 2010 Home and Student 32-bit/x64 Romanian DVD, Retail | 104.16 | EUR | 551.1184 | 0 | 1 | 25851 |
| Aplicatii desk | Microsoft | MS Office 2010 Home and Student (PKC), PC Attach Key, English, 1 Pack, OEM cu caracteristica RETAIL. Exclusiv pentru persoane fizice. | 82.656 | EUR | 437.3376 | C | 1 | 23374 |
| Aplicatii desk | Microsoft | MS Office 2010 Home and Student, PC Attach Key PKC Microcase, Romanian, 1 Pack, OEM cu caracteristica RETAIL, Exclusiv pentru persoane fizice. | 82.656 | EUR | 437.3376 | C | 1 | 25020 |
| Aplicatii desk | Microsoft | MS Office 2010 Pro (PKC), PC Attach Key, English, 1 Pack, Retail | 378.112 | EUR | 2000.622 | C | 1 | 23502 |
| Aplicatii desk | Microsoft | MS Office 2010 Professional, PC Attach Key PKC Microcase, Romanian, 1 Pack, OEM | 378.112 | EUR | 2000.622 | C | 1 | 25022 |
| Aplicatii desk | Microsoft | MS Office 2010 Professional Romanian (Word, Excel, PowerPoint, Outlook with Business Contact Manager, Publisher, Office Accounting Express, Access), Retail, 269-14688 | 520.576 | EUR | 2754.405 | 0 | 1 | 25793 |
| Aplicatii desk | Microsoft | MS Office 2010 Home and Business 32-bit/x64 English DVD, Retail, 1pk, Poate fi livrat fara calculator. | 274.064 | EUR | 1450.098 | C | 1 | 25716 |
| Aplicatii desk | Microsoft | MS Office 2010 Home and Business 32-bit/x64 Romanian Inti DVD, Retail, 1pk, Poate fi livrat fara calculator. | 266.672 | EUR | 1410.987 | C | 1 | 25794 |
| Aplicatii desk | Microsoft | MS Office 2010 Home and Student, Retail, English, 1 Pack, 32-bit/x64, cu CD, Poate fi livrat individual. Compatibil cu Windows XP sau versiune ulterioara. Exclusiv pentru persoane fizice. | 104.16 | EUR | 551.1184 | C | 1 | 24709 |
| Aplicatii desk | Microsoft | MS Office 2010 Professional, Retail 1Pack, 32-bit/x64 | 520.576 | EUR | 2754.405 | C | 1 | 24711 |
| Aplicatii desk | Microsoft | MS Office MOBILE 6.1 SINGL OLP NL | 9.2288 | EUR | 48.832 | C | 1 | 24262 |
| Aplicatii desk | Microsoft | MS Access 2010 32-bit/x64 Romanian DVD, 1Pack, Retail | 133.28 | EUR | 705.1968 | 0 | 1 | 25850 |
| Aplicatii desk | Microsoft | MS Access 2010 32-bit/x64, English, DVD, 1Pack, Retail | 133.28 | EUR | 705.1968 | 0 | 1 | 24708 |
| Aplicatii desk | Microsoft | MS Excel 2010 32-bit/x64 Romanian DVD, 1Pack, Retail | 133.28 | EUR | 705.1968 | 0 | 1 | 25848 |
| Aplicatii desk | Microsoft | MS Excel 2010 32-bit/x64, English, DVD, 1Pack, Retail | 133.28 | EUR | 705.1968 | 0 | 1 | 24706 |
| Aplicatii desk | Microsoft | MS PowerPoint 2010 32-bit/x64, Romanian DVD, 1Pack, Retail | 133.28 | EUR | 705.1968 | 0 | 1 | 25849 |
| Aplicatii desk | Microsoft | MS PowerPoint 2010 32-bit/x64, English, DVD, 1Pack, Retail | 133.28 | EUR | 705.1968 | 0 | 1 | 24707 |
| Aplicatii desk | Microsoft | MS Word 2010 32-bit/x64, Romanian DVD, 1Pack, Retail | 133.28 | EUR | 705.1968 | 0 | 1 | 25846 |
| Aplicatii desk | Microsoft | MS Word 2010 32-bit/x64, English, DVD, 1Pack, Retail | 133.28 | EUR | 705.1968 | 0 | 1 | 24705 |
| Aplicatii desk | Microsoft | Microsoft Visio Premium 2010, English DVD, 1 Pack, 32-bit/x64 | 1021.33 | EUR | 5403.933 | 0 | 1 | 24715 |
| Aplicatii desk | Microsoft | Microsoft Visio Professional 2010, English DVD, 1 Pack, 32-bit/x64 | 571.424 | EUR | 3023.451 | 0 | 1 | 24714 |
| Aplicatii desk | Microsoft | Microsoft Visio Standard 2010, English DVD, 1 Pack, 32-bit/x64 | 260.288 | EUR | 1377.208 | 0 | 1 | 24713 |

| | | | | | | | | |
|------------------|-------------|---|---------|-----|----------|------|---|-------|
| Aplicatii desk | Microsoft | Microsoft Visual FoxPro 9.0 Win32 English CD | 679.28 | EUR | 3594.125 | 0 | 1 | 5759 |
| Aplicatii desk | Microsoft | Microsoft Visual FoxPro 9.0 Upgrade Win32 English CD | 390.096 | EUR | 2064.026 | C | 1 | 16090 |
| Aplicatii desk | Microsoft | Microsoft Visual Studio Pro 2010 English Not to Latam DVD, Retail | 818.944 | EUR | 4333.101 | 0 | 1 | 24716 |
| Aplicatii desk | Microsoft | Microsoft Visual Studio Standard 2008 Win32 English DVD | 389.312 | EUR | 2059.882 | 0 | 1 | 13846 |
| Aplicatii desk | Microsoft | Microsoft Project 2010 32-bit/x64 English Intl DVD, Retail | 609.504 | EUR | 3224.939 | C | 1 | 24717 |
| Aplicatii desk | Microsoft | Microsoft Project Pro 2010 32-bit/x64 English Intl DVD, Retail | 1028.5 | EUR | 5441.856 | 0 | 1 | 24718 |
| Aplicatii desk | Acronis | Acronis Disk Director Server 10.0 + mentenanta 12 luni | 499.52 | EUR | 2642.998 | C | 1 | 18760 |
| Aplicatii desk | Sony | Sony Media Manager Pro 2.5 for PSP | 20.608 | EUR | 109.0432 | C | 1 | 25307 |
| Aplicatii desk | Sony | Sony Vegas Movie Studio 9 | 44.8 | EUR | 237.0368 | C | 1 | 25303 |
| Aplicatii desk | Sony | Sony Vegas Movie Studio 9 HD | 33.152 | EUR | 175.4144 | C | 1 | 25301 |
| Aplicatii desk | Sony | Sony Vegas Movie Studio Platinum 9 | 70.784 | EUR | 374.528 | C | 1 | 25304 |
| Aplicatii desk | Adobe | Adobe After Effects CS5 10 Windows EU English Retail 1 user | 1233.79 | EUR | 6528.088 | C | 1 | 23488 |
| Aplicatii desk | Adobe | Adobe Design Premium CS5 5 Windows EU English Retail 1 user | 2130.91 | EUR | 11274.83 | C | 1 | 23486 |
| Aplicatii desk | Adobe | Adobe Design Std CS5 5 Windows EU English Retail 1 user | 1457.46 | EUR | 7711.514 | C | 1 | 23485 |
| Aplicatii desk | Adobe | Adobe Dreamweaver CS5 11 Windows EU English Retail 1 user | 503.888 | EUR | 2666.115 | C | 1 | 23478 |
| Aplicatii desk | Adobe | Adobe Dreamweaver CS5 11 Windows EU English Upgrade 1 user | 231.728 | EUR | 1226.086 | C | 1 | 23479 |
| Aplicatii desk | Adobe | Adobe Fireworks CS5 11 Windows EU English Retail 1 user | 336.672 | EUR | 1781.36 | C | 1 | 23476 |
| Aplicatii desk | Adobe | Adobe Fireworks CS5 11 Windows EU English Upgrade1 user | 174.16 | EUR | 921.4912 | C | 1 | 23477 |
| Aplicatii desk | Adobe | Adobe Flash Pro CS5 11 Windows EU English Retail 1 user | 784.112 | EUR | 4148.805 | C | 1 | 23474 |
| Aplicatii desk | Adobe | Adobe Flash Pro CS5 11 Windows EU English Upgrade 1 user | 231.728 | EUR | 1226.086 | C | 1 | 23475 |
| Aplicatii desk | Adobe | Adobe Illustrator CS5 15 Windows EU English Retail 1 user | 728.784 | EUR | 3856.059 | C | 1 | 23472 |
| Aplicatii desk | Adobe | Adobe Illustrator CS5 15 Windows EU English Upgrade 1 user | 231.728 | EUR | 1226.086 | C | 1 | 23473 |
| Aplicatii desk | Adobe | Adobe INDESIGN CS5 7 Windows EU English Retail 1 user | 840.56 | EUR | 4447.475 | C | 1 | 23470 |
| Aplicatii desk | Adobe | Adobe Master Collection CS5 5 Windows EU English Retail 1 user | 3251.58 | EUR | 17204.39 | C | 1 | 23481 |
| Aplicatii desk | Adobe | Adobe Photoshop CS5 12 Windows EU English Retail 1 user | 773.696 | EUR | 4093.69 | C | 1 | 23466 |
| Aplicatii desk | Adobe | Adobe Photoshop CS5 12 Windows EU English Upgrade 1 user | 231.728 | EUR | 1226.086 | C | 1 | 23467 |
| Aplicatii desk | Adobe | Adobe Photoshop CS5 12 Windows Romanian Retail 1 user | 773.696 | EUR | 4093.69 | C | 1 | 23468 |
| Aplicatii desk | Adobe | Adobe Premiere PRO CS5 5 Windows EU English Retail 1 user | 952.448 | EUR | 5039.474 | C | 1 | 23489 |
| Aplicatii desk | Adobe | Adobe Premiere PRO CS5 5 Windows EU English Upgrade 1 user | 348.208 | EUR | 1842.4 | C | 1 | 23490 |
| Aplicatii desk | Adobe | Adobe Production Premium CS5 5 Windows EU English Retail 1 user | 2130.91 | EUR | 11274.83 | C | 1 | 23480 |
| Aplicatii desk | Adobe | Adobe Web Premium CS5 5 Windows EU English Retail 1 user | 2017.9 | EUR | 10676.89 | C | 1 | 23484 |
| Aplicatii desk | Pinnacle | Pinnacle Studio Ultimate Collection V.14 | 89.04 | EUR | 471.1168 | C | 1 | 22625 |
| Aplicatii desk | Pinnacle | Pinnacle Studio Ultimate Collection V.14, Upgrade de la la orice versiune la V.14 | 70 | EUR | 370.3728 | C | 1 | 25299 |
| Aplicatii desk | Corel | Corel Draw Graphics Suite X5 | 575.456 | EUR | 3044.787 | C | 1 | 23675 |
| Antivirus | | | | | | | | |
| Antivirus | BitDefender | BitDefender Antivirus v2009 OEM pentru statii de lucru si notebook fara CD. (Antivirus+Antispyware+Antiphishing+Gamer Mode) - Poate fi livrat doar cu un PC complet asamblat, sistem de operare MS sau cu placa de baza, 1an. | 6.2944 | EUR | 33.3088 | C | 1 | 16154 |
| Antivirus | BitDefender | BitDefender Antivirus v2010 OEM pentru statii de lucru si notebook fara CD. (Antivirus+Antispyware+Antiphishing+Gamer Mode) - Poate fi livrat doar cu un PC complet asamblat, sistem de operare MS sau cu placa de baza, 1an. | 5.7232 | EUR | 30.2848 | S | 1 | 20449 |
| Antivirus | BitDefender | BitDefender Antivirus v2010 OEM cu CD - Poate fi livrat doar cu un PC complet asamblat, sistem de operare MS sau cu placa de baza, 1 an. | 7.9408 | EUR | 42.0112 | SL | 1 | 20450 |
| Antivirus | BitDefender | BitDefender Antivirus v2010 Upgrade, 3 licente, 1 an, Retail. | 12.768 | EUR | 67.5584 | SL | 1 | 20458 |
| Antivirus | BitDefender | BitDefender Antivirus v2010 Resales Kit 6 - 24 Users, 1 an, pret per licenta, comanda minima 6 licente. | 9.8336 | EUR | 52.0352 | C | 1 | 20202 |
| Antivirus | BitDefender | BitDefender Antivirus v2010 Resales Kit 25 - 49 Users, 1 an, pret per licenta, comanda minima 25 licente. | 7.8736 | EUR | 41.664 | C | 1 | 19042 |
| Antivirus | BitDefender | BitDefender Internet Security v2009 Retail pentru statii de lucru si nb. cu CD. (Antivirus+Antispyware+Antiphishing+ Antispam+Firewall+Parental Control+Gamer Mode) - Poate fi livrat individual, 1 an. | 19.04 | EUR | 100.744 | SL | 1 | 16097 |
| Antivirus | BitDefender | BitDefender Internet Security v2010 OEM pentru statii de lucru si nb. fara CD. (Antivirus+Antispyware+Antiphishing+ Antispam+Firewall+Parental Control+Gamer Mode) - Poate fi livrat doar cu un PC complet asamblat, sist. de op. MS sau cu MB, 1 an. | 6.3504 | EUR | 33.6 | S | 1 | 20451 |
| Antivirus | BitDefender | BitDefender Internet Security v2010 OEM pentru statii de lucru si nb. cu CD. (Antivirus+Antispyware+Antiphishing+ Antispam+Firewall+Parental Control+Gamer Mode) - Poate fi livrat doar cu un PC complet asamblat, sist. de op. MS sau cu MB, 1an. | 8.568 | EUR | 45.3376 | SL | 1 | 20452 |
| Antivirus | BitDefender | BitDefender Internet Security v2010 Retail pentru statii de lucru si nb. cu CD. (Antivirus+Antispyware+Antiphishing+ Antispam+Firewall+Parental Control+Gamer Mode) - Poate fi livrat individual, 1 an. | 24.528 | EUR | 129.7744 | CALL | 1 | 20456 |
| Antivirus | BitDefender | BitDefender Internet Security v2010 Upgrade, 3 licente, 1 an, Retail. | 19.04 | EUR | 100.744 | S | 1 | 20459 |
| Antivirus | BitDefender | BitDefender Total Security v2009 Retail pentru statii de lucru si nb cu CD. (Antivirus+Antispyware+Antiphishing+Antispam+ Firewall+Parental Control+Tune-up+Backup+Gamer Mode) - Poate fi livrat individual, 1 an. | 24.976 | EUR | 132.1488 | S | 1 | 16127 |
| Antivirus | BitDefender | BitDefender Total Security v2010 OEM pentru statii de lucru si nb. fara CD. (Antivirus+Antispyware+Antiphishing+Antispam+ Firewall+Parental Control+Tune-up+Backup+Gamer Mode)- Livrabil doar cu un PC complet asamb., sist. de op. MS sau cu MB, 1 an. | 8.0528 | EUR | 42.6048 | S | 1 | 20453 |
| Antivirus | BitDefender | BitDefender Total Security v2010 OEM pentru statii de lucru si nb. cu CD. (Antivirus+Antispyware+Antiphishing+Antispam+ Firewall+Parental Control+Tune-up+Backup+Gamer Mode) - Livrabil doar cu un PC complet asamb., sist. de op. MS sau cu MB, 1 an. | 10.2704 | EUR | 54.3424 | SL | 1 | 20454 |
| Antivirus | BitDefender | BitDefender Total Security v2010 Retail pentru statii de lucru si nb cu CD. (Antivirus+Antispyware+Antiphishing+Antispam+ Firewall+Parental Control+Tune-up+Backup+Gamer Mode) - Poate fi livrat individual, 1 an. | 40.992 | EUR | 216.888 | CALL | 1 | 20457 |
| Antivirus | BitDefender | BitDefender Total Security v2010 Upgrade, 1 licenta, 1 an, Retail. | 27.552 | EUR | 145.7792 | S | 1 | 20460 |
| Antivirus | BitDefender | BitDefender Security for ISA Servers, 1AN, 10 licente. | 121.968 | EUR | 645.344 | C | 1 | 14839 |
| Antivirus | BitDefender | BitDefender Security for File Servers, 1AN, 10 licente. | 128.8 | EUR | 681.4864 | C | 1 | 14840 |
| Antivirus | BitDefender | BitDefender Security for Mail Servers, 1AN, 10 licente. | 128.8 | EUR | 681.4864 | C | 1 | 14838 |
| Antivirus | BitDefender | BitDefender Security for Samba, 1AN, 10 licente. | 128.8 | EUR | 681.4864 | C | 1 | 14841 |
| Antivirus | BitDefender | BitDefender Security for SharePoint, 1AN, 10 licente. | 128.8 | EUR | 681.4864 | C | 1 | 14842 |
| Antivirus | BitDefender | BitDefender Security for Exchange, 1AN, 10 licente. | 128.8 | EUR | 681.4864 | C | 1 | 14837 |
| Antivirus | BitDefender | BitDefender Client Security (BitDefender Management Server + BitDefender Business Client), 1 AN, 10 licente. | 181.328 | EUR | 959.4256 | C | 1 | 14831 |
| Antivirus | BitDefender | BitDefender Small Office Security (BitDefender Management Server + BitDefender Business Client + File Server), 1 AN, 10 licente. | 193.984 | EUR | 1026.39 | C | 1 | 14832 |
| Antivirus | BitDefender | BitDefender Business Security (BitDefender Management Server + BitDefender Business Client + File Server + Mail Sever), 1 AN, 10 licente. | 224.448 | EUR | 1187.57 | C | 1 | 14833 |
| Antivirus | BitDefender | BitDefender SBS Premium Security (BitDefender Management Server + BitDefender Business Client + Win File Server + Exchange + SharePoint + ISA Servers), 1 AN, 50 licente. | 1215.65 | EUR | 6432.093 | C | 1 | 14835 |

| | | | | | | | | |
|----------------------------|-------------|---|---------|-----|----------|------|----|-------|
| Antivirus | BitDefender | BitDefender Corporate Security (contine toate produsele Busienss), 1 AN, 50 licente. | 1325.74 | EUR | 7014.616 | C | 1 | 14836 |
| Antivirus | Panda Secu | Panda Antivirus For Netbook 2010, 1 licenta 1an retail box. | 15.12 | EUR | 80.0016 | C | 1 | 19960 |
| Antivirus | Panda Secu | Panda Global Protection 2009, 3 licente 1an retail box. | 26.096 | EUR | 138.0736 | SL | 1 | 19478 |
| Antivirus | Panda Secu | Panda Global Protection 2010, 3 licente 1an retail box. | 17.36 | EUR | 91.8512 | C | 1 | 19962 |
| Antivirus | Panda Secu | Panda Internet Security 2010, 3 licente 1an retail box. | 24.192 | EUR | 128.0048 | C | 1 | 19963 |
| Antivirus | Panda Secu | Panda Corporate SMB Security for Business 11-25 licente 1 an | 19.6 | EUR | 103.7008 | 0 | 1 | 19490 |
| Antivirus | Panda Secu | Panda Corporate SMB Security for Businesswith Exchange 11-25 licente 1 an | 24.192 | EUR | 128.0048 | C | 1 | 19491 |
| Antivirus | Panda Secu | Panda Corporate SMB Security for Enterprise 11-25 licente 1 an | 28 | EUR | 148.1536 | C | 1 | 19502 |
| Antivirus | Panda Secu | Panda Corporate SOHO Security for Business10 licente 1 an | 232.96 | EUR | 1232.605 | 0 | 1 | 19508 |
| Antivirus | Panda Secu | Panda Corporate SOHO Security for Business5 licente 1 an | 153.776 | EUR | 813.6464 | 0 | 1 | 19510 |
| Antivirus | Panda Secu | Panda Corporate SOHO Security for Businesswith Exchange 10 licente 1 an | 260.96 | EUR | 1380.758 | 0 | 1 | 19509 |
| Antivirus | Panda Secu | Panda Corporate SOHO Security for Business with Exchange 5 licente 1 an | 163.072 | EUR | 862.8256 | 0 | 1 | 19511 |
| Antivirus | Kaspersky | Kaspersky Antivirus 2010, Box, 1 User, 1 an | 33.6 | USD | 135.7776 | 0 | 1 | 20718 |
| Antivirus | Kaspersky | Kaspersky Anti-Virus 2010 International Edition, 3 User 1 year | 76.272 | USD | 308.224 | C | 1 | 22490 |
| Antivirus | Kaspersky | Kaspersky Antivirus Mobile Security, Box, 1 User, 1 an | 25.424 | USD | 102.7376 | S | 1 | 21732 |
| Antivirus | Kaspersky | Kaspersky Internet Security 2010, Box, 1 User, 1 an | 50.288 | USD | 203.224 | CALL | 1 | 20717 |
| Antivirus | Kaspersky | Kaspersky Internet Security 2010, 3 users, 1 year | 101.696 | USD | 410.9728 | C | 1 | 22627 |
| Antivirus | Kaspersky | Kaspersky PURE International Edition.1-Desktop 1 year Base Box | 67.76 | USD | 273.8288 | C | 1 | 23593 |
| Antivirus | Kaspersky | Kaspersky PURE International Edition.1-Desktop 1 year Base Download Pack | 67.76 | USD | 273.8288 | 0 | 1 | 23596 |
| Antivirus | Kaspersky | Kaspersky PURE International Edition.3-Desktop 1 year Base Box | 84.672 | USD | 342.1712 | 0 | 1 | 23594 |
| Antivirus | Kaspersky | Kaspersky PURE International Edition.3-Desktop 1 year Base Download Pack | 84.672 | USD | 342.1712 | 0 | 1 | 23597 |
| Antivirus | Kaspersky | Kaspersky PURE International Edition.5-Desktop 1 year Base Box | 127.008 | USD | 513.2624 | 0 | 1 | 23595 |
| Antivirus | Kaspersky | Kaspersky PURE International Edition.5-Desktop 1 year Base Download Pack | 127.008 | USD | 513.2624 | 0 | 1 | 23598 |
| Antivirus | Symantec | Norton Antivirus 2010, 1 Year, 3 User, Retail | 76.608 | EUR | 405.3392 | C | 1 | 25718 |
| Antivirus | Symantec | Norton Antivirus 2010 Romanian, 1 Year, 5 User, Retail | 124.544 | EUR | 658.9744 | C | 1 | 25710 |
| Antivirus | Symantec | Norton Internet Security 2010, 1 Year, 1 User, Retail | 33.936 | EUR | 179.5584 | S | 1 | 26064 |
| Antivirus | Eset Lic | Nod32 Antivirus Business Edition, 5 computers, Licenta | 143.36 | EUR | 758.5312 | C | 1 | 13627 |
| Antivirus | Eset Lic | Nod32 Antivirus Renewal, 1 Users | 23.52 | EUR | 124.4432 | C | 1 | 19335 |
| Antivirus | Eset Lic | Nod32 Antivirus Renewal, 2 Users | 32.48 | EUR | 171.8528 | C | 1 | 17003 |
| Antivirus | Eset Lic | Nod32 Antivirus Renewal, 3 Users | 40.32 | EUR | 213.3376 | C | 1 | 20199 |
| Antivirus | Eset Lic | Nod32 Antivirus Renewal, 4 Users | 51.52 | EUR | 272.5968 | C | 1 | 21202 |
| Antivirus | Eset Lic | Nod32 Antivirus V4, 1 User, Box | 33.6 | EUR | 177.7776 | S | 1 | 19334 |
| Antivirus | Eset Lic | Nod32 Antivirus Standard, 2 Users, Retail | 47.04 | EUR | 248.8976 | C | 1 | 15816 |
| Antivirus | Eset Lic | Nod32 Antivirus Standard, 3 Users, Retail | 57.12 | EUR | 302.232 | C | 1 | 15817 |
| Antivirus | Eset Lic | Nod32 Antivirus Standard, 4 Users, Retail | 73.92 | EUR | 391.1152 | C | 1 | 15818 |
| Aplicatii diverse | | | | | | | | |
| Aplicatii diver | Cososys | Aplicatie Secure IT Easy, Firewall pentru protectia porturilor USB impotriva introducerii aparatelor neautorizate, 1 licenta, Retail, CD | PROMO | EUR | 89.5888 | S | 1 | 8278 |
| Aplicatii diver | Image Line | Image Line Deckadance DJ Mixing House Edition 1.5 | 109.984 | EUR | 581.9296 | C | 1 | 25297 |
| Aplicatii diver | Image Line | Image Line FL Studio Fruity Edition 9 | 109.984 | EUR | 581.9296 | C | 1 | 25296 |
| Electrocasnice mici | | | | | | | | |
| Electrocasnic | Bestron | Blender Bestron DTS 850, 600W, Inox, 3 trepte de viteza, Capacitate 1.5l | 46.816 | USD | 189.1904 | C | 24 | 18385 |
| Electrocasnic | Well | Tensiometru Digital Well BLDPRESS01W, masurare la incheietura mainii, memoreazÇ cate 30 de masuratori pentru 3 persoane, interval de masurarea 0-280 mmHg (tensiuni arteriale), 40-200 batai/min (puls) | 14.112 | EUR | 74.6704 | S | 12 | 20946 |
| Electrocasnic | Well | Tensiometru Digital Well BLDPRESS02W, masurare intre cot si umar,interval de masurarea 0-280 mmHg (tensiuni arteriale), 40-200 batai/min (puls) | 15.904 | EUR | 84.1456 | C | 12 | 20947 |
| Electrocasnic | Well | Sonerie digitala Well WDB02-W, wireless, 24 melodii , white | 9.3632 | EUR | 49.5376 | S | 12 | 20949 |
| Electrocasnic | Well | Sonerie digitala Well WDB01-W, wireless, 24 melodii, white | 7.5376 | EUR | 39.8832 | S | 12 | 20948 |
| Electrocasnic | Well | Bec economic Well LAMP EW2-H15-1W, 15W, forma Half Spiral, conector E14 | 2.8448 | EUR | 15.0528 | C | 1 | 20972 |
| Electrocasnic | Well | Bec economic Well LAMP EW2-420-1W, 20W, forma 4U, conector E14 | 3.1248 | EUR | 16.5312 | S | 1 | 20969 |
| Electrocasnic | Well | Bec economic Well LAMP EW2-C07-1W, 7W, forma Candle Lamp, conector E14 | 2.9568 | EUR | 15.6464 | S | 1 | 20970 |
| Electrocasnic | Well | Bec economic Well LAMP EW2-209-1W, 9W, forma 2U, conector E14 | 1.12 | EUR | 5.9248 | C | 1 | 20968 |
| Electrocasnic | Well | Bec economic Well LAMP EW2-H09-1W, 9W, forma Half Spiral, conector E14 | 2.52 | EUR | 13.328 | C | 1 | 20971 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-211-1W, 11W, forma 2U, conector E27 | 1.1424 | EUR | 6.048 | C | 1 | 20954 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-411-1W, 11W, forma 4U, conector E27 | 3.1248 | EUR | 16.5312 | C | 1 | 20960 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-B11-2W, 11W, forma Bulb Lamp, conector E27 | 3.08 | EUR | 16.296 | S | 1 | 20961 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-H11-1W, 11W, forma Half Spiral, conector E27 | 1.9488 | EUR | 10.3152 | C | 1 | 20963 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-H11-2W, 11W, forma Half Spiral, conector E27 | 2.688 | EUR | 14.224 | C | 1 | 20964 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-213-1W, 13W, forma 2U, conector E27 | 1.1424 | EUR | 6.048 | C | 1 | 20955 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-313-1W, 13W, forma 3U, conector E27 | 2.3856 | EUR | 12.6224 | C | 1 | 20958 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-H13-2W, 13W, forma Half Spiral, conector E27 | 2.3744 | EUR | 12.5664 | S | 1 | 20965 |
| Electrocasnic | Well | Bec economic Well LAMP EC1-215-1W, 15W, forma 2U, conector E27 | 1.232 | EUR | 6.5184 | C | 1 | 20950 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-215-1W, 15W, forma 2U, conector E27 | 1.2096 | EUR | 6.3952 | S | 1 | 20956 |
| Electrocasnic | Well | Bec economic Well LAMP EC1-320-1W, 20W, forma 3U, conector E27 | 2.3856 | EUR | 12.6224 | C | 1 | 20951 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-320-1W, 20W, forma 3U, conector E27 | 2.3632 | EUR | 12.4992 | S | 1 | 20959 |
| Electrocasnic | Well | Bec economic Well LAMP EC1-H20-1W, 20W, forma Half Spiral, conector E27 | 2.7104 | EUR | 14.336 | S | 1 | 20952 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-H20-1W, 20W, forma Half Spiral, conector E27 | 2.0944 | EUR | 11.0768 | S | 1 | 20966 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-H25-1W, 25W, forma Half Spiral, conector E27 | 2.8336 | EUR | 14.9968 | S | 1 | 20967 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-209-1W, 9W, forma 2U, conector E27 | 1.0752 | EUR | 5.6896 | S | 1 | 20953 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-309-1W, 9W, forma 3U, conector E27 | 2.4864 | EUR | 13.16 | S | 1 | 20957 |
| Electrocasnic | Well | Bec economic Well LAMP EW1-H09-1W, 9W, forma Half Spiral, conector E27 | 2.2288 | EUR | 11.7936 | S | 1 | 20962 |
| Accesorii SPORT | | | | | | | | |
| Accesorii SP | Canyon | Ceas de Mana Sport CNS-SW1, Canyon cu functile Fitness watches/Heart Rate Measurement/Alarma/Calorie Burn Counter, culoarea Black/Orange, SportMaster | 32.144 | USD | 129.8976 | 0 | 24 | 9414 |

| | | | | | | | | |
|------------------------|--------|---|---------|-----|----------|----|----|-------|
| Accesorii SP | Canyon | Ceas de Mana Sport CNS-SW9, Canyon Digital Compass, Water Resist, 16 Rotating Segment with Alarm And Chronograph, Black Top Ring, Black Pu Strap, Black/Orange, Retail | 25.984 | USD | 105 | 0 | 24 | 22454 |
| Accesorii SP | Canyon | Ceas de Mana Sport CNS-SW4, Canyon cu functiile Ceas/Cronograf/Timer/Alarma, culoarea Silver, HeartMaster | 25.984 | USD | 105 | 0 | 24 | 14682 |
| Accesorii SP | Canyon | Ceas de Mana Sport CNS-SW6, Canyon Echo Master II, Water Resist, Measurement in Thermometer, Barometer and Altimeter, Sprayed Black Top Ring with 021c Indicators, Black/Orange, Retail | 46.48 | USD | 187.8352 | C | 24 | 22451 |
| Accesorii SP | Canyon | Ceas de Mana Sport CNS-SW8, Canyon EZ-Pulse, Measurement in 43-200 Beats/Min With Alert, Chrono, Alarm, Black Plastic Top Cover and Black Pu Strap, Black/Orange, Retail | 25.984 | USD | 105 | 0 | 24 | 22453 |
| Accesorii SP | Canyon | Ceas de Mana Sport CNS-SW5, Canyon Heart Meter, Lcd Watch with Chest Strap, Measurement in 30-240 Beats 1 Min, Alert, Chrono, Alarm, Timer, Hr Exercise Mode, Black Top Cover & Pu Strap, Black/Orange, Retail | 36.288 | USD | 146.6416 | 0 | 24 | 22450 |
| Accesorii SP | Canyon | Ceas de Mana Sport CNS-SW7, Canyon Weather Master VII, Forecast Symbols Measurement in Thermometer, Barometer, Altimeter and Digital Compass, 2 Alarms and Chronograph with 100 Laps Memory, Black/Orange, Retail | 66.976 | USD | 270.6592 | 0 | 24 | 22452 |
| Accesorii SP | Canyon | Ceas CNS-DC3, Canyon, Handheld Weather Master with Digit Compass Altit & Thermometer, Weather Icons, Alarm, Timer, Chronograph, Black Nylon Strap, Black/Orange, Retail | 66.976 | USD | 270.6592 | 0 | 24 | 22449 |
| Accesorii SP | Cobra | Walkie-Talkie Cobra COBRA-MT200C, 8 canale, raza pana la 5km, afisaj LCD, Black | 38.304 | EUR | 202.664 | C | 12 | 21063 |
| Accesorii SP | Cobra | Walkie-Talkie Cobra COBRA-MT800C, 8 canale, raza pana la 5km, 38 Coduri CTCSS, monitorizare copii, afisaj LCD, Silver-Black | 46.928 | EUR | 248.304 | C | 12 | 21064 |
| Car kit | | | | | | | | |
| Car kit | Parrot | Hands-free pentru motociclisti Parrot SK4000, Set hands-free pentru motociclisti cu radio FM incorporat, Baterie incorporata cu autonomie de pana la 10 ore, Functii pt imbunatatirea redarii sunetului Stereo Widening si Super Bass, se conecteaza prin Bluetooth la telefon, Volumul se adapteaza automat, astfel incat sa compenseze zgomotul de vant sau din trafic in timpul drumului, Unitate de control pe volan, Volumul se adapteaza automat | 132.832 | EUR | 702.8224 | C | 24 | 16605 |
| Car kit | Parrot | CarKit portabil Parrot CK3000 EVO Black, Bluetooth | 71.008 | EUR | 375.704 | C | 24 | 17189 |
| Car kit | Parrot | CarKit portabil Parrot CK3100, Afisaj LCD Sistem complex de comenzi vocal: initiere/acceptare apel; selectare interlocutor (identificare 200 de contacte); incheiere/refuzare apel, Meniu vocal -reda vocal pozitia din meniul carkitului, Opre/Opreste automat radioul in timpul convorbirii, Dupa oprirea motorului carkitul poate sa ramana conectat pana la terminarea apelului, Functie de reducere a zgomotului si a anularii ecoului, Compatibil cu telefoanele cu functia Bluetooth | 102.48 | EUR | 542.2256 | C | 24 | 16611 |
| Car kit | Parrot | CarKit portabil Parrot 3200, Display color de mare rezolutie, Sistem complex de comenzi vocale, Opreste automat radioul in timpul convorbirii, Memoreaza pana la 5 telefoane distincte, Functie de reducere a zgomotului si a anularii ecoului,Compatibil cu telefoane cu functia Bluetooth | 124.656 | EUR | 659.568 | C | 24 | 16612 |
| Car kit | Parrot | CarKit portabil Parrot Minikit, Greutate redusa si comodate in utilizare, Functie de apelare vocala, Memoreaza pana la 5 telefoane distincte, Compatibil cu telefoane cu functia bluetooth, Microfon omnidirectional, Usor de folosit, se poate atasa la parasolarul autoturismului, dar poate fi folosit cu succes si in casa sau la birou, Baterie incorporata ce asigura pana la 10 ore functionare | 38.416 | EUR | 203.2576 | C | 24 | 16618 |
| Car kit | Parrot | CarKit portabil Parrot Minikit Slim, Bluetooth v2.0 + EDR (raza de 10m acoperita) | 53.536 | EUR | 283.2592 | C | 24 | 17188 |
| Car kit | Parrot | CarKit portabil Parrot PMK 5800, CarKit portabil cu modulator FM, Greutate redusa si comodate in utilizare, Functie avansata de reducere a zgomotului si a anularii ecoului, Apelare vocala, pana la 150 de contacte, Compatibil cu telefoane cu functia Bluetooth | 71.008 | EUR | 375.704 | C | 24 | 16617 |
| Car kit | Parrot | CarKit portabil Parrot MKi9100, Advanced Bluetooth hands-free car kit for iPod and iPhone | 124.656 | EUR | 659.568 | M | 24 | 17187 |
| Modulatoare FM | | | | | | | | |
| Modulatoare | Ecotel | Modulator FM Ecotel RF800, Mufa Jack, Citeste Flash Drive USB + SD/MMC card, Conectabil la Priza Auto 12V + Telecomanda | 5.712 | EUR | 30.2176 | S | 12 | 19215 |
| Modulatoare | Oem | Modulator FM OEM FM09 Black, Transmisie pe 7 canale FM, Mufa Jack, Citeste Flash Drive USB, Conectabil la Priza Auto 12V | 7.3696 | USD | 29.7808 | C | 12 | 8379 |
| Modulatoare | Oem | Modulator FM OEM FM10Black, Transmisie pe 7 canale FM, Mufa Jack, Citeste Flash Drive USB, Conectabil la Priza Auto 12V | 6.5296 | USD | 26.3872 | C | 12 | 8388 |
| Modulatoare | Oem | Modulator FM OEM FM12 LCD Display, Transmisie pe 14 canale FM, Mufa Jack, White, Citeste Flash Drive USB, Conectabil la Priza Auto 12V | 6.6304 | USD | 26.7904 | SL | 12 | 8226 |
| Modulatoare | Chrome | Modulator FM Chrome FM-TRANS01-CHR , Transmisie pe 203 FM, Black, Mufa Jack, Citeste Flash Drive USB, Telecomanda, Conectabil la Priza Auto 12V | 8.0192 | EUR | 42.4256 | C | 12 | 20941 |
| Modulatoare | Well | Modulator FM Well FM-TRANS04-W , LCD Display, Transmisie pe 210 FM, White, Mufa Jack, Citeste Flash Drive USB, Telecomanda, Conectabil la Priza Auto 12V | 9.5424 | EUR | 50.4896 | C | 12 | 20943 |
| Modulatoare | Well | Modulator FM Well FM-TRANSBT08S-W , LCD Display, Transmisie pe 206 FM, Silver, Mufa Jack, Citeste Flash Drive USB, SD Card (max 4GB), Bluetooth, Telecomanda, Conectabil la Priza Auto 12V | 26.208 | EUR | 138.6672 | 0 | 12 | 20944 |
| Centrale alarma | | | | | | | | |
| Centrale alarm | DSC | Centrala DSC Powerseries PC 585, 4 zone + 1 zona pe tastatura, maxim 8 zone pe cablu, 32 zone cablu + radio, comunicator, memorie 128 evenimente, include tastatura PC1555 | 81.312 | USD | 328.5968 | C | 12 | 25725 |
| Centrale alarm | DSC | Centrala DSC Powerseries PC1616, 6 zone pe placa (intrari in centrala), 16 zone cablate, folosind zonele de pe tastaturi si modulul PC5108, 32 de zone wireless folosind modulul PC5132,iesiri programabile (PGM), 500 evenimente stocabile inmemoria interna, Include tastatura PC1555RKZ in pachet. | 93.184 | EUR | 493.0464 | C | 12 | 18854 |
| Senzori | | | | | | | | |
| Senzori | DSC | Detector PIR QUAD DSC LC-100PI, cu imunitate la animale (pana la 25kg), analiza QLIT (quad linear imaging tehnology), sensibilitate reglabila, latime impuls reglabila, detectie 15m, 90 grade, iesire NC (normal inchis), imunitate la lumina vizibila, compensare cu temperatura | 9.9792 | EUR | 52.7968 | C | 12 | 18857 |
| Senzori | Well | Senzor de miscare pentru tavan Well ALARM-IR03W, acoperire 360 grade, Sirena interna 105dB, Telecomanda pe infrarosu cu buton armare/dezarmare/ panica | 14.112 | EUR | 74.6704 | C | 12 | 20939 |
| Senzori | Well | Senzor de miscare portabil cu avertizare sonora si iluminare Well ALARM-IRL01W, 4 LED-uri, senzor cu fotocelula, raza de actiune pana la 6m, sirena interna 70dB | 13.216 | EUR | 69.9216 | S | 12 | 20940 |
| Senzori | Well | Senzor de miscare wireless Well ALARM-IR01W, radio, Raza transmisie FM 100m, Unghi de detectie pana la 110 grade | 14 | EUR | 74.0768 | C | 12 | 21566 |
| Senzori | Well | Sistem de alarma Well ALARM-AD01W , Sirena interna 105dB, Telecomandă pe RF cu buton armare/dezarmare/panica, Compatibil cu senzor additional | 35.392 | EUR | 187.264 | 0 | 12 | 20933 |
| Senzori | DSC | Suport original DSC pentru detectori, LC-MBS | 1.5568 | USD | 6.2944 | S | 1 | 25723 |
| Sirene | | | | | | | | |
| Sirene | Bentel | Sirena de exterior BENTEL Lady-FPI autoalimentata cu flash, carcasa dubla policarbonat + metal, autoprotectie contra taierii firelor si a sabotajului,timp de alarmare programabil (3 sau 10 minute), sunet sirena programabil (sabotaj sunet diferit), activare pozitiva sau negativa, iesire suplimentara pentru semnalizare defect, 102 dB/3 m | 34.72 | EUR | 183.7024 | C | 12 | 18859 |
| Camere | | | | | | | | |
| Camere | Oem | Camera supraveghere falsa, Well Dummy Camera | 5.32 | EUR | 28.1456 | C | 1 | 20788 |
| Camere | KGuard | Camera supraveghere KGuard CSP-3120, Dome Type, Sony 1/3" CCD, 420 TV Lines, 0.8Lux(F1.2), Lens: 1/3" 3.5-8mm F:1.4-360 Vari-Focal Auto IRIS(DC), Bracket, power adaptor 0.5A | 63.056 | USD | 254.8224 | C | 12 | 26745 |

| | | | | | | | | |
|--------|-----------|--|---------|-----|----------|---|----|-------|
| Camere | KGuard | Camera supraveghere KGuard CSP-3140, Box Type, Sony 1/3"CCD, 520 TV Lines, 0.5Lux(F1.2), Lens: 1/3" 3.5-8mm F:1.4-360 Vari-Focal Auto IRIS(DC), Bracket, power adaptor 0.5A | 95.088 | USD | 384.2608 | C | 12 | 26747 |
| Camere | KGuard | Camera supraveghere KGuard CSP-3242-3, Sony 1/3" CCD Dome 420 TV Lines, 0.8Lux(F1.2), DC 12V, power adaptor 0.5A | 37.408 | USD | 151.1664 | C | 12 | 26740 |
| Camere | KGuard | Camera supraveghere KGuard CSP-3262-3B, Sony 1/3" CCD IR DOME, 420 TV Lines, 0 Lux, app. 15-20m, DC 12V, power adaptor 0.5A | 38.528 | USD | 155.7024 | 0 | 12 | 26742 |
| Camere | KGuard | Camera supraveghere KGuard CSP-3522-3, Sony 1/3" CCD Vandal IR DOME, 420 TV Lines, 0 Lux, app 20m, DC 12V, no need bracket | 62.832 | USD | 253.9152 | 0 | 12 | 26744 |
| Camere | KGuard | Camera supraveghere KGuard CSP-3622-3, Sony 1/3" CCD, 420 TV Lines, 0 Lux, app 20m, IR 3.6mm lens, DC 12V, Power adaptor 0.5A, Bracket | 60.256 | USD | 243.4992 | 0 | 12 | 26743 |
| Camere | KGuard | Camera supraveghere KGuard CSP-3642-6, Sony 1/3" CCD, 420 TV Lines, 0 Lux, app 40m, IR 6mm lens, DC 12V, Power adaptor 1 A, Bracket | 65.184 | USD | 263.424 | C | 12 | 26746 |
| Camere | KGuard | Camera supraveghere KGuard CSP-3644-49V, Infrared Outdoor Camera, Sony 1/3" CCD, 520 TV Lines, 0 Lux, app 40m, IR 4-9mm lens, 36 leds, nightvision, DC 12V, Power adaptor 0.5A, Bracket | 149.632 | USD | 604.688 | 0 | 12 | 26748 |
| Camere | KGuard | Camera supraveghere KGuard CSP-3654-16, Sony 1/3" CCD, 520 TV Lines, 0 Lux, app 50m, IR 16mm lens, DC 12V, Power adaptor 1 A, Bracket | 141.568 | USD | 572.096 | 0 | 12 | 26749 |
| Camere | KGuard | Camera supraveghere KGuard ZSP-2730, Sony 1/4" CCD, 480 TV Lines, 0.8 Lux, Pixels 768(H) x 582(V), 27x Optical Zoom, DC 12V, Power adaptor 0.5A, Bracket | 162.736 | USD | 657.6416 | 0 | 12 | 26750 |
| Camere | Well | Camera supraveghere Well DVR-PEN2GB-1W, Spy Camera, memorie interna 2GB, Microfon high fidelity, USB, 3-On-1 Pix obsisnuit, Microfon -i Camera video | 39.536 | EUR | 209.1936 | C | 12 | 20936 |
| Camere | Well | Camera supraveghere Well SEC-CAM01, wireless, CMOS Color , rezolutie 628x582 pixeli | 29.456 | EUR | 155.8592 | C | 12 | 20938 |
| Camere | Well | Set supraveghere Well SEC-CAM01, wireless camera, CMOS Color , rezolutie 628x582 pixeli, pachetul contine 1 camera + 1 receptor 4 canale | 38.08 | EUR | 201.488 | S | 12 | 20937 |
| | | DVR | | | | | | |
| DVR | Avermedia | DVR Avermedia EB1304NET, stand-alone 4 canale video/1 audio, compresie MPEG 4, 100 fps display, 100 fps recording in CIF (352x244) sau 50 fps in D1 (720 x 576), accepta HDD SATA, VGA, USB, LAN network inclusiv Java telefon mobil 3G, PDA,software limba Romana, suportata CMS (central monitoring station, gratuit pana la 16 DVR-uri si maxim 1000 in retea), telecomanda inclusa | 328.944 | USD | 1329.317 | C | 12 | 20638 |
| DVR | Grandtec | DVR Grand IP Video Sever Pro GD-524-A1G, 1 Port, 176x144/352x288/720x576, TCP/IP / HTTP / FTP / SMTP / DHCP / PPPoE / DDNS / UPnP / NTP service, Motion detected, 10/100Mbps Fast Ethernet, Supports up to 16 cameras remote | 84.448 | USD | 341.264 | 0 | 12 | 26453 |
| DVR | Grandtec | DVR Grand WiFi Video Sever Pro GD-524-AOG, 1 Port, 176x144/352x288/720x576, TCP/IP / HTTP / FTP / SMTP / DHCP / PPPoE / DDNS / UPnP / NTP service, Motion detected, 802.11g/b, 20 meters (indoor), Supports up to 16 cameras remote | 95.088 | USD | 384.2608 | 0 | 12 | 26455 |
| DVR | KGuard | DVR Card Kguard KG-2120D, PCI, 10bit, 16chs video, 16chs audio, resolution: 320x240, 640x240, 640x480, Stack up to 4 cards in 1 PC, FPS 400 (PAL), 480(NTSC), recording PAL (100FPS)B, Support Watch Dog(Hardware), support looping card, TV Out OSD | 319.536 | USD | 1291.293 | 0 | 12 | 26730 |
| DVR | KGuard | DVR Card Kguard KG-2240D, PCI, 10bit, 16chs video, 16chs audio, resolution: 320x240, 640x240, 640x480, Stack up to 4 cards in 1 PC, FPS 400 (PAL), 480(NTSC), recording PAL (200FPS), Support Watch Dog(Hardware), support looping card, TV Out OSD | 426.384 | USD | 1723.086 | 0 | 12 | 26731 |
| DVR | KGuard | DVR Card Kguard KG-2480D, PCI, 10bit, 16chs video, 16chs audio, resolution: 320x240, 640x240, 640x480, Stack up to 4 cards in 1 PC, FPS 400 (PAL), 480(NTSC), recording PAL (400FPS)B, Support Watch Dog(Hardware), support looping card, TV Out OSD, Overlay Supporting VGA Card | 533.232 | USD | 2154.88 | 0 | 12 | 26732 |
| DVR | KGuard | DVR Card Kguard KG-901A, PCI, 9bit, 4chs video, 1ch audio, resolution: 320x240, 640x240, 640x480, Stack up to 6 cards in 1 PC, FPS 25 (PAL), 30(NTSC), up to 2 DIO boards, Support Watch Dog(Hardware), support looping card | 56.224 | USD | 227.2144 | 0 | 12 | 26720 |
| DVR | KGuard | DVR Card Kguard KG-901B, PCI, 9bit, 8chs video, 1ch audio, resolution: 320x240, 640x240, 640x480, Stack up to 6 cards in 1 PC, FPS 25 (PAL), 30(NTSC), up to 2 DIO boards, Support Watch Dog(Hardware), support looping card | 79.296 | USD | 320.4432 | 0 | 12 | 26721 |
| DVR | KGuard | DVR Card Kguard KG-901C, PCI, 9bit, 12chs video, 1ch audio, resolution: 320x240, 640x240, 640x480, Stack up to 6 cards in 1 PC, FPS 25 (PAL), 30(NTSC), up to 2 DIO boards, Support Watch Dog(Hardware), support looping card | 86.576 | USD | 349.8656 | 0 | 12 | 26722 |
| DVR | KGuard | DVR Card Kguard KG-901D, PCI, 9bit, 16chs video, 1ch audio, resolution: 320x240, 640x240, 640x480, Stack up to 6 cards in 1 PC, FPS 25 (PAL), 30(NTSC), up to 2 DIO boards, Support Watch Dog(Hardware), support looping card | 84.448 | USD | 341.264 | 0 | 12 | 26723 |
| DVR | KGuard | DVR Card Kguard KG-902B, PCI, 9bit, 8chs video, 2ch audio, resolution: 320x240, 640x240, 640x480, Stack up to 4 cards in 1 PC, FPS 50 (PAL), 60(NTSC), up to 2 DIO boards, Support Watch Dog(Hardware), support looping card | 112.56 | USD | 454.8768 | 0 | 12 | 26724 |
| DVR | KGuard | DVR Card Kguard KG-904A, PCI, 9bit, 4chs video, 4ch audio, resolution: 320x240, 640x240, 640x480, Stack up to 4 cards in 1 PC, FPS 100 (PAL), 120(NTSC), up to 4 DIO boards, Support Watch Dog(Hardware), support looping card | 115.36 | USD | 466.1888 | 0 | 12 | 22462 |
| DVR | KGuard | DVR Card Kguard KG-904B, PCI, 9bit, 8chs video, 4ch audio, resolution: 320x240, 640x240, 640x480, Stack up to 4 cards in 1 PC, FPS 100 (PAL), 120(NTSC), up to 4 DIO boards, Support Watch Dog(Hardware), support looping card | 144.256 | USD | 582.96 | 0 | 12 | 26725 |
| DVR | KGuard | DVR Card Kguard KG-904C, PCI, 9bit, 12chs video, 4ch audio, resolution: 320x240, 640x240, 640x480, Stack up to 4 cards in 1 PC, FPS 100 (PAL), 120(NTSC), up to 4 DIO boards, Support Watch Dog(Hardware), support looping card | 151.536 | USD | 612.3824 | 0 | 12 | 26726 |
| DVR | KGuard | DVR Card Kguard KG-904D, PCI, 9bit, 16chs video, 4ch audio, resolution: 320x240, 640x240, 640x480, Stack up to 4 cards in 1 PC, FPS 100 (PAL), 120(NTSC), up to 4 DIO boards, Support Watch Dog(Hardware), support looping card | 158.704 | USD | 641.3456 | 0 | 12 | 26727 |
| DVR | KGuard | DVR Card Kguard KG-908D, PCI-E, 9bit, 16chs video, 8chs audio, resolution: 320x240, 640x240, 640x480, Stack up to 2 cards in 1 PC, FPS 200 (PAL), 240(NTSC), Support Watch Dog, support looping card | 180.656 | USD | 730.0608 | 0 | 12 | 26728 |
| DVR | KGuard | DVR Card Kguard KG-914A, PCI-104, 9bit, 4chs video, 4chs audio, resolution: 320x240, 640x240, 640x480, Stack up to 4 cards in 1 PC, FPS 100 (PAL), 120(NTSC), up to 1 DIO boards, Support Watch Dog(Hardware), support looping card | 209.44 | USD | 846.384 | 0 | 12 | 26729 |
| DVR | KGuard | DVR Standalone Kguard KG-SH122, 4chs, 100fps, H.264 with Hexaplex operation | 180.656 | USD | 730.0608 | 0 | 12 | 26734 |
| DVR | KGuard | DVR Standalone Kguard KG-SH132M, 4chs mobile DVR + set masina (GPS GR-213: can locate the vehicles positions on Google earth and record car speeds and routes, GRU-400W (Wifi Router for 3G USB Modem): to transmit the live image and audio tocentral control center, CSP-3322-2F, 1/3" Sony CCD, 420TVL, Lens angle 120 degree, 10 Leds, IR 15M (Front View), Bracket) | 922.768 | USD | 3729.051 | 0 | 12 | 26739 |
| DVR | KGuard | DVR Standalone Kguard KG-SH322, 9chs, 100 fps, format H.264, convertor VGA, interfata RS232-485 | 426.384 | USD | 1723.086 | 0 | 12 | 26737 |
| DVR | KGuard | DVR Standalone Kguard KG-SH330, 9chs, 100 fps, format H.264, convertor VGA, interfata RS232-485 | 426.384 | USD | 1723.086 | C | 12 | 26736 |
| DVR | KGuard | DVR Standalone Kguard KG-SH522, 16chs, 100 fps, format H.264, convertor VGA | 548.24 | USD | 2215.528 | 0 | 12 | 26738 |
| DVR | KGuard | DVR Standalone Kguard KG-SHA104, 4chs, 100fps, H.264 with VGA/Mouse/IR remote controler | 180.656 | USD | 730.0608 | 0 | 12 | 26733 |
| DVR | KGuard | DVR Standalone Kguard KG-SHA108, 8chs, 200fps, H.264 with VGA/Mouse/IR remote controler | 253.232 | USD | 1023.355 | 0 | 12 | 26735 |
| DVR | Synology | DVR Synology VS60, monitoring up to 6 IP cameras managed with the Synology Disk Station, No PC Required, USB: 1 port in front, 1 port in rear (For USB disk and mouse), Video Output: VGA x1, Audio Output: 3.5mm Stereo Audio Jack x1, LAN: 10/100BaseT | 238.224 | USD | 962.696 | 0 | 24 | 26837 |

| | | | | | | | | |
|-----------------------------|----------|---|---------|-----|----------|---|----|-------|
| DVR | Synology | Synology License Pack (1) IP camera, compatibil cu: CS-406, CS-406e, CS407, CS407e, DS-106, DS-106e, DS-106j, DS1010+, DS107, DS107+, DS107e, DS108j, DS109, DS109+, DS109j, DS110+, DS110j, DS207, DS207+, DS209, DS209+, DS209H, DS209j, DS210+, DS210j, DS408, DS409, DS409+, DS409slim, DS410, DS410j, DS508, DS509+, DS710+, RS-406, RS407, RS408, RS408-RP, RS409, RS409+, RS409RP+, RS810+, RS810RP+, VS60 | 30.688 | USD | 124.0176 | C | 1 | 26838 |
| DVR | Synology | Synology License Pack (4) IP camera, compatibil cu: CS-406, CS-406e, CS407, CS407e, DS-106, DS-106e, DS-106j, DS1010+, DS107, DS107+, DS107e, DS108j, DS109, DS109+, DS109j, DS110+, DS110j, DS207, DS207+, DS209, DS209+, DS209H, DS209j, DS210+, DS210j, DS408, DS409, DS409+, DS409slim, DS410, DS410j, DS508, DS509+, DS710+, RS-406, RS407, RS408, RS408-RP, RS409, RS409+, RS409RP+, RS810+, RS810RP+, VS60 | 121.744 | USD | 491.9824 | C | 1 | 26839 |
| Accesorii securitate | | | | | | | | |
| Accesorii sec | Well | Interfon supraveghere copii Well BM01BE-W, raza de transmisie pana la 150m, 2 canale pentru asigurarea interferentei minime, alb-albastru | 26.544 | EUR | 140.448 | S | 12 | 20934 |
| Accesorii sec | Well | Interfon supraveghere copii Well BM01PK-W, raza de transmisie pana la 150m, 2 canale pentru asigurarea interferentei minime, alb-roz | 26.656 | EUR | 141.0416 | S | 12 | 20935 |
| Accesorii sec | Oem | Carcasa exterior camera, Aluminiu | 23.632 | EUR | 125.0368 | C | 12 | 17019 |
| Accesorii sec | Oem | Support metalic carcasa camera | 7.392 | EUR | 39.1104 | C | 12 | 17018 |
| Accesorii sec | KGuard | KGuard Network Video Recorder Software NVR 300 PRO-16, Support up to 16 channel recording in one pc at the same time, Mult-Monitor Support, support multibrand IP camera | 261.856 | USD | 1058.198 | 0 | 1 | 26763 |
| Accesorii sec | KGuard | KGuard Network Video Recorder Software NVR 300 PRO-25, Support up to 25 channel recording in one pc at the same time, Mult-Monitor Support, support multibrand IP camera | 454.16 | USD | 1835.333 | 0 | 1 | 26764 |
| Accesorii sec | KGuard | KGuard Network Video Recorder Software NVR 300 PRO-36, Support up to 36 channel recording in one pc at the same time, Mult-Monitor Support, support multibrand IP camera | 646.576 | USD | 2612.915 | 0 | 1 | 26765 |
| Accesorii sec | KGuard | KGuard Network Video Recorder Software NVR 300 Std, 16ch Standard, Support up to 16 channel recording in one pc at the same time | 187.6 | USD | 758.1168 | 0 | 1 | 26762 |
| Accesorii sec | KGuard | KGuard Central Management Software CMS 3000 STD 32, 32 server Standard Version (2 client KEYPR0 included), maximum number of cameras could be handled 512 | 432.768 | USD | 1748.88 | 0 | 1 | 26766 |
| Accesorii sec | KGuard | KGuard Central Management Software CMS 3000 STD ADMIN, cont administrator additional | 80.192 | USD | 324.072 | 0 | 1 | 26769 |
| Accesorii sec | KGuard | KGuard Central Management Software CMS 3000 STD-128, 128 server Standard Version (8 client KEYPR0 included), maximum number of cameras could be handled 2048 | 4039.39 | USD | 16323.83 | 0 | 1 | 26768 |
| Accesorii sec | Oem | Support de perete pentru camera de supraveghere GL-203EXT | 3.696 | EUR | 19.5552 | C | 12 | 20762 |
| Accesorii sec | Oem | Sursa alimentare camera supraveghere 12V DC/500mA | 8.8704 | EUR | 46.9392 | C | 12 | 20760 |
| Accesorii sec | Oem | Support de perete PIR pentru seria BV SPP1 | 1.3328 | EUR | 7.056 | C | 1 | 18858 |
| Accesorii sec | DSC | Tastatura LED 8 zone DSC PC1555 pentru centralele PC-585, PC-1616, contine o zona programabila pe tastatura | 45.136 | EUR | 238.8176 | C | 12 | 18856 |
| Accesorii sec | Well | Telecomanda pe radiofrecventa Well ALARM-RC-AD01W pentru sisteme de alarma, butoane pentru armare/dezarmare/panica, Compatibil cu ALARM-AD01W | 7.6832 | USD | 40.656 | C | 12 | 21044 |
| Accesorii sec | Secpral | Transformator capsulat cu siguranta fuzibila, 20W, 16V, TC20-16 | 9.6096 | USD | 38.8304 | C | 12 | 25726 |
| Accesorii sec | Makray | Transformator incapsulat Makray TC45/16, 45W 220V/16V, siguranta fuzibila inclusa | 11.872 | EUR | 62.8208 | C | 12 | 18855 |
| Accesorii sec | Oem | Cablu ecranat 8 fire SA82Bl, 8x 0,22, PVC alb antiflacara, rola 100m | 22.176 | EUR | 117.3312 | C | 1 | 18860 |
| Aparatura de birou | | | | | | | | |
| Aparatura de | Peach | Aparat de indosariat Peach PB200-09, Personal Binder A4, perforare 5 coli, indosariere 100 coli, Metoda indosariere - Manuala;Numar cutite - 21;Format maxim indosariere - A4;Latime maxima - 302 mm;Capacitate de indosariere de perforare - 5 coli;Diametru maxim inel - 12 mm;Dimensiuni - 43.6 x 14.8 x 8 cm;Greutate - 1.23 Kg | 18.592 | EUR | 98.3696 | S | 12 | 21317 |
| Aparatura de | Peach | Aparat de indosariat Peach PB200-21, Starbinder 21 D, A4, perforare 12 coli, indosariere 310 coli, Metoda indosariere - Manuala;Numar cutite - 21;Format maxim indosariere - A4;Latime maxima - 302 mm;Capacitate de indosariere de perforare - 12 coli;Diametru maxim inel - 50 mm;Dimensiuni - 40 x 27 x 23 cm;Greutate - 2.8 Kg; | 31.472 | EUR | 166.5216 | C | 12 | 21318 |
| Aparatura de | Peach | Aparat de indosariat Peach PB200-24, Smart Binder A4, perforare 8 coli, indosariere 125 coli, Metoda indosariere - Manuala;Numar cutite - 21;Format maxim indosariere - A4;Latime maxima - 302 mm;Capacitate de indosariere de perforare - 8 coli;Diametru maxim inel - 14 mm;Dimensiuni - 38 X 21 X 10 cm;Greutate - 2.1 Kg;A | 22.176 | EUR | 117.3312 | 0 | 12 | 21320 |
| Aparatura de | Peach | Aparat de indosariat Peach PB200-60, indosariere termica 280 coli, timp de incalzire 2 min, Tip indosariere - Termica;Timp de incalzire - 2 minute;Durata operatie de indosariere - 1 minute;Format maxim indosariere - Aiere - 280 coli;Greutate - 1 Kg;Altele - Semnal sonor cand dispozitivul este pregatit. | 18.592 | EUR | 98.3696 | C | 12 | 21319 |
| Aparatura de | Peach | Aparat de indosariat Peach PB300-11, A4, perforare 6 coli, pas spira 3:1, Metoda indosariere - Manuala;Format maxim indosariere - A4;Diametru maxim inel - 6.4 mm;Pas spira - 3:1;Numar foi perforate - 6;Dimensiuni - 36te - 1.5 Kg. | 22.512 | EUR | 119.112 | C | 12 | 21321 |
| Aparatura de | Peach | Distrugator de documente Peach PS300-01, capacitate de taiere: 6 coli, viteza 2.74 m/min, volum cos 13.6 l Numar coli distruse simultan - 6;Viteza - 2.74 m/min;Volum depozitare - 13.6 l;Dimensiuni particule - eliptice 7.5 x 3;Zgomot de operare - <72 dB (A);Alte caracteristici - Senzor autopomire, Functie inversare;Greutate - 2. | 42.672 | EUR | 225.7808 | C | 12 | 21322 |
| Aparatura de | Peach | Distrugator de documente Peach PS300-10, capacitate de taiere 5 coli, viteza 3 m/min, volum cos 8 l Numar coli distruse simultan - 5;Viteza - 3 m/min;Volum depozitare - 8 L;Dimensiuni particule - 4 x 35 mm;Nivel securitate<72 dB (A);Dimensiuni - 445 x 115 x 340 cm;Greutate - 3.94 Kg. | 43.12 | EUR | 228.1552 | 0 | 12 | 21323 |
| Aparatura de | Peach | Distrugator de documente Peach PS400-20, capacitate de taiere 5 coli, viteza 2.5 m/min, volum cos 13 l Numar coli distruse simultan - 5;Viteza - 2.5 m/min;Volum depozitare - 13 L;Dimensiuni particule - 7 mm;Nivel securitate- <72 dB (A);Alte caracteristici - Senzor autopomire, functie inversare;Dimensiuni - 30 x 19 x 32 cm | 24.976 | EUR | 132.1488 | S | 12 | 21324 |
| Aparatura de | Peach | Ghilotina cu rola Peach PC200-01, A4, capacitate de taiere 5 coli, Dimensiune hartie - A4;Numar lame taietoare - 1;Latime maxima - 297 mm;Capacitate de taiere - 5 coli;Dimensiuni - 38.4 x 12 x 5.8 cm;Greutate - 0.25 KInclude 2 lame suplimentare. | 9.3968 | EUR | 49.7168 | C | 12 | 21326 |
| Aparatura de | Peach | Ghilotina Peach PC100-01 Office Cutter A4, capacitate de taiere 6 coli | 26.208 | EUR | 138.6672 | 0 | 12 | 19051 |
| Aparatura de | Peach | Ghilotina Peach PC200-02 Personal Paper Trimmer A4, capacitate de taiere 5 coli, Dimensiune hartie - A4;Numar lame taietoare - 1;Latime maxima - 297 mm;Capacitate de taiere - 5 coli;Dimensiuni - 38.4 x 12 x 5.8 cm;Gre;Ghilotina PC200-02 Personal Paper Trimmer A4, capacitate de taiere 5 coli, Peach Dimensiune hartie - A4;Numar lame taietoare - 1;Latime maxima - 297 mm;Capacitate de taiere - 5 coli;Dimensiuni - 38.4 x 1 | 7.8064 | EUR | 41.3056 | C | 12 | 21327 |
| Aparatura de | Peach | Ghilotina Peach PC200-04, 5 in 1 Creative Trimmer A4, capacitate de taiere 5 coli, Descriere - Ghilotina de taiere cu 5 functii: taiere dreapta, perforator, taiere cu margine ondulata, taiere colturi si cutit rotitor;;Numar lame taietoare - 3;Latime maxima - 297 mm;Capacitate de taiere - 5 coli; | 29.456 | EUR | 155.8592 | C | 12 | 21328 |
| Aparatura de | Peach | Ghilotina Peach PC200-05 Multifunction Paper Trimmer, capacitate de taiere 4 coli, lungime cutit 305 mm, Dimensiune hartie - A4;Numar lame taietoare - 1;Latime maxima - 305 mm;Capacitate de taiere - 4 coli;Dimensiuniutata 0.7 Kg. | 17.36 | EUR | 91.8512 | C | 12 | 21329 |

